PHOENIX
Environmental Laboratories, Inc.

Thursday, October 24, 2013

Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Project ID: 80 COVENTRY ST., NESC
Sample ID#s: BF66059 - BF66060

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 24, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	14:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66059
Phoenix ID: BF66059

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-PCB-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/21/13		E160.3
Caulk Extraction for PCB	Completed			10/21/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1221	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1232	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1242	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1248	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1254	59000000	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1260	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1262	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1268	ND	8300000	ug/Kg	10/23/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	Diluted Out		%	10/23/13	AW	30 - 150 %
% TCMX	Diluted Out		%	10/23/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-PCB-01

Phoenix I.D.: BF66059

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 24, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 24, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	14:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66059
Phoenix ID: BF66060

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-PCB-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/21/13		E160.3
Caulk Extraction for PCB	Completed			10/21/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1221	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1232	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1242	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1248	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1254	170000000	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1260	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1262	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
PCB-1268	ND	38000000	ug/Kg	10/23/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	Diluted Out		%	10/23/13	AW	30 - 150 %
% TCMX	Diluted Out		%	10/23/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-PCB-02

Phoenix I.D.: BF66060

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 24, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

October 24, 2013

QA/QC Data

SDG I.D.: GBF66059

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 257603, QC Sample No: BF66163 (BF66059, BF66060)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	84	83	1.2	86	90	4.5	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	86	91	5.6	117	125	6.9	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	107	87	102	15.9	99	97	2.0	30 - 150	30
% TCMX (Surrogate Rec)	103	96	97	1.0	100	103	3.0	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
October 24, 2013

Thursday, October 24, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF66059 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes [✓] No [ ]
Coolant: IPK [✓] ICE [ ] No [ ]

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

Temp 6 °C Pg 1 of 1

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Contact Options:
[ ] Fax:
[ ] Phone:
[ ] Email:

Customer: Eagle Environmental Inc
Address: 8 S. Main ST
Terryville, CT

Project: 80 Coventry St. NESC
Report to: Eagle
Invoice to: Eagle

Project P.O:

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 10-21-13

Analysis Request: 4

Matrix Code:
DW=Drinking Water **GW**=Ground Water **SW**=Surface Water **WW**=Waste Water
RW=Raw Water **SE**=Sediment **SL**=Sludge **S**=Soil **SD**=Solid **W**=Wipe
OIL=Oil **B**=Bulk **L**=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846-8082	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
66059	10-18-PCB-01	SD	10-18-13	1400	X										
66060	10-18-PCB-02	SD	↓	1410	X										

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	10/21/13	10:30
[signature]	TRANSWORT	10/21/13	15:28

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
[ ] 1 Day*
[X] 2 Days*
[ ] 3 Days*
[ ] Standard
[ ] Other
* SURCHARGE APPLIES

RI
[ ] Direct Exposure (Residential)
[ ] GW
[ ] Other

CT
[ ] RCP Cert
[ ] GW Protection
[ ] SW Protection
[ ] GA Mobility
[ ] GB Mobility
[ ] Residential DEC
[ ] I/C DEC
[ ] Other

MA
[ ] MCP Certification
[ ] GW-1
[ ] GW-2
[ ] GW-3
[ ] S-1
[ ] S-2
[ ] S-3
[ ] MWRA eSMART
[ ] Other

Data Format
[ ] Excel
[ ] PDF
[ ] GIS/Key
[ ] EQuIS
[ ] Other

Data Package
[ ] Tier II Checklist
[ ] Full Data Package*
[ ] Phoenix Std Report
[ ] Other

State where samples were collected: CT

* SURCHARGE APPLIES

PHOENIX
Environmental Laboratories, Inc.

Monday, November 04, 2013

Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Project ID: 80 COVENTRY ST., NESC
Sample ID#s: BF66057 - BF66058

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 04, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66057
Phoenix ID: BF66057

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-S0-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	87		%	10/31/13	I	E160.3
Extraction for PCB	Completed			10/31/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1221	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1232	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1242	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1248	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1254	3300	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1260	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1262	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
PCB-1268	ND	1900	ug/Kg	11/01/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	Diluted Out		%	11/01/13	AW	30 - 150 %
% TCMX	Diluted Out		%	11/01/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-S0-01

Phoenix I.D.: BF66057

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 04, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 04, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66057
Phoenix ID: BF66058

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-S0-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	81		%	10/31/13	I	E160.3
Extraction for PCB	Completed			10/31/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1221	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1232	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1242	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1248	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1254	9100	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1260	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1262	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
PCB-1268	ND	2000	ug/Kg	11/01/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	Diluted Out		%	11/01/13	AW	30 - 150 %
% TCMX	Diluted Out		%	11/01/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-S0-02

Phoenix I.D.: BF66058

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 04, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 04, 2013 **QA/QC Data** **SDG I.D.: GBF66057**

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 258382, QC Sample No: BF70071 (BF66057, BF66058)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	72	75	4.1	68	73	7.1	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	67	71	5.8	68	70	2.9	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	70	69	70	1.4	71	72	1.4	30 - 150	30
% TCMX (Surrogate Rec)	85	83	84	1.2	78	87	10.9	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
November 04, 2013

Monday, November 04, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF66057 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes [x] No [ ]
Coolant: IPK [x] ICE [ ] No [ ]

CHAIN OF CUSTODY RECORD

Temp 6 °C Pg 1 of 1

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Contact Options:
- [ ] Fax:
- [ ] Phone:
- [ ] Email:

Customer: Eagle Environmental
Address: 8 S. Main St
Terryville CT

Project: 80 Coventry St, NESC
Report to: Eagle
Invoice to: Eagle

Project P.O:

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 10-21-13

Analysis Request 3

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe
OIL=Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846 / 8080	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
66057	10-18-50-01	S	10-18-13	pm	X										
66058	10-18-50-02	S	↓	pm	X										
note	sinks at wall														

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	10/21/13	10:30
[signature]	TFORAWORT	0/21/13	15:28

Comments, Special Requirements or Regulations:
RL <1.0 ppm
* [Please Hold Samples until Authorized for analysis]

Turnaround:
- [ ] 1 Day*
- [x] 2 Days*
- [ ] 3 Days*
- [ ] Standard
- [ ] Other

* SURCHARGE APPLIES

RI
- [ ] Direct Exposure (Residential)
- [ ] GW
- [ ] Other

CT
- [ ] RCP Cert
- [ ] GW Protection
- [ ] SW Protection
- [ ] GA Mobility
- [ ] GB Mobility
- [ ] Residential DEC
- [ ] I/C DEC
- [ ] Other

MA
- [ ] MCP Certification
- [ ] GW-1
- [ ] GW-2
- [ ] GW-3
- [ ] S-1
- [ ] S-2
- [ ] S-3
- [ ] MWRA eSMART
- [ ] Other

State where samples were collected: CT

Data Format
- [ ] Excel
- [ ] PDF
- [ ] GIS/Key
- [ ] EQuIS
- [ ] Other

Data Package
- [ ] Tier II Checklist
- [ ] Full Data Package*
- [ ] Phoenix Std Report
- [ ] Other

* SURCHARGE APPLIES

Loreen - Phoenixlabs

From: Chris Liberti [cliberti@eagleenviro.com]
Sent: Thursday, October 31, 2013 10:38 AM
To: 'Renee Sioch'; loreen@phoenixlabs.com; sarah@phoenixlabs.com
Cc: 'Linda - Phoenixlabs'
Subject: 80 Coventry Street, Hartford - Samples on hold

Please accept this email as written authorization to proceed with analysis of the samples listed below

samples GBF66057-58 for samples 10-18-SO-01 and 02. 48 hr TAT please.

Chris Liberti
Senior Project Manager

****NEW ADDRESS****
Eagle Environmental, Inc.
8 South Main Street, Suite 3
Terryville, CT 06786
Tel: (860) 589-8257 x114
Fax: (860) 585-7034

From: Renee Sioch [mailto:rsioch@eagleenviro.com]
Sent: Tuesday, October 29, 2013 1:47 PM
To: loreen@phoenixlabs.com; sarah@phoenixlabs.com
Cc: Chris Liberti
Subject: GBF66053 - 80 Coventry Street, Hartford - Samples on hold

Good afternoon Loreen and Sarah,

Please accept this email as written authorization to proceed with analysis of the samples listed below, which are referenced by delivery group GBF66053 above.

10-18-B1-01
10-18-B1-02
10-18-M1-01
10-18-M1-02

Please note the TAT on our COC was and is 48 hours.

Please feel free to contact our office with any questions you may have.

Thank you.

Renee Sioch
Administrative Assistant
Eagle Environmental, Inc.
8 South Main Street, Suite 3

PHOENIX
Environmental Laboratories, Inc.

Thursday, October 31, 2013

Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Project ID: 80 COVENTRY ST., NESC
Sample ID#s: BF66053 - BF66056

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

Enclosed are revised Analysis Report pages. Please replace and discard the original pages. If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B
NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 31, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66053
Phoenix ID: BF66053

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-B1-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/30/13	LB	E160.3
Extraction for PCB	Completed			10/29/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1221	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1232	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1242	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1248	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1254	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1260	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1262	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1268	ND	780	ug/Kg	10/30/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	108		%	10/30/13	AW	30 - 150 %
% TCMX	101		%	10/30/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-B1-01

Phoenix I.D.: BF66053

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 31, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 31, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66053
Phoenix ID: BF66054

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-B1-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/30/13	LB	E160.3
Extraction for PCB	Completed			10/29/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1221	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1232	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1242	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1248	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1254	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1260	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1262	ND	780	ug/Kg	10/30/13	AW	3540C/8082
PCB-1268	ND	780	ug/Kg	10/30/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	114		%	10/30/13	AW	30 - 150 %
% TCMX	94		%	10/30/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-B1-02

Phoenix I.D.: BF66054

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 31, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 31, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66053
Phoenix ID: BF66055

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-M1-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/30/13	LB	E160.3
Extraction for PCB	Completed			10/29/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1221	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1232	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1242	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1248	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1254	13000	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1260	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1262	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
PCB-1268	ND	8300	ug/Kg	10/31/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	Diluted Out		%	10/31/13	AW	30 - 150 %
% TCMX	Diluted Out		%	10/31/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-M1-01

Phoenix I.D.: BF66055

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 31, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

October 31, 2013

FOR: Attn: Mr. Peter Folino
Eagle Environmental Inc.
8 South Main Street, Suite 3
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:		10/18/13	0:00
Location Code:	EAGLEENV	Received by:	LB	10/21/13	15:28
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:					

Laboratory Data

SDG ID: GBF66053
Phoenix ID: BF66056

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-M1-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	10/30/13	LB	E160.3
Extraction for PCB	Completed			10/29/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1221	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1232	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1242	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1248	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1254	5800	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1260	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1262	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
PCB-1268	ND	3700	ug/Kg	10/31/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	100		%	10/31/13	AW	30 - 150 %
% TCMX	119		%	10/31/13	AW	30 - 150 %

Project ID: 80 COVENTRY ST., NESC
Client ID: 10-18-M1-02

Phoenix I.D.: BF66056

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
October 31, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

October 31, 2013

QA/QC Data

SDG I.D.: GBF66053

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 258254, QC Sample No: BF69398 (BF66053, BF66054, BF66055, BF66056)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	96	82	15.7	82	83	1.2	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	110	99	10.5	110	108	1.8	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	124	131	129	1.5	131	128	2.3	30 - 150	30
% TCMX (Surrogate Rec)	91	105	87	18.8	100	95	5.1	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
October 31, 2013

Thursday, October 31, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF66053 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes [X] No
Coolant: IPK [X] ICE [ ] No

CHAIN OF CUSTODY RECORD

Temp 6 °C Pg 1 of 1

PHOENIX Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Contact Options:
[ ] Fax:
[ ] Phone:
[ ] Email:

Customer: Eagle Environmental
Address: 85 Main ST
Terryville CT

Project: 80 Coventry ST, NESC
Report to: Eagle
Invoice to: Eagle

Project P.O:

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 10-21-13

Analysis Request: 2

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe
OIL=Oil B=Bulk L=Liquid

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SV 846 / 8082	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container ( ) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
66053	10-18-B1-01	SD	10-18-13	PM	X										
66054	10-18-B1-02	SD	↓	PM	X										
note:	[Brick - 1st course @ wall]														
66055	10-18-M1-01	SD	10-18-13	PM	X										
66056	10-18-M1-02	SD	↓	PM	X										
note:	[Mortar - 1st course @ wall]														

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	10/21/13	10:30
[signature]	TFarnsworth	10/21/13	15:28

Comments, Special Requirements or Regulations:

RL <1.0 ppm

(Please Hold Samples until Authorized for analysis)

Turnaround:
[ ] 1 Day*
[X] 2 Days*
[ ] 3 Days*
[ ] Standard
[ ] Other
* SURCHARGE APPLIES

RI
[ ] Direct Exposure (Residential)
[ ] GW
[ ] Other

CT
[ ] RCP Cert
[ ] GW Protection
[ ] SW Protection
[ ] GA Mobility
[ ] GB Mobility
[ ] Residential DEC
[ ] I/C DEC
[ ] Other

MA
[ ] MCP Certification
[ ] GW-1
[ ] GW-2
[ ] GW-3
[ ] S-1
[ ] S-2
[ ] S-3
[ ] MWRA eSMART
[ ] Other

Data Format
[ ] Excel
[ ] PDF
[ ] GIS/Key
[ ] EQuIS
[ ] Other

Data Package
[ ] Tier II Checklist
[ ] Full Data Package*
[ ] Phoenix Std Report
[ ] Other
* SURCHARGE APPLIES

State where samples were collected: _____

Loreen - Phoenixlabs

From: Renee Sioch [rsioch@eagleenviro.com]
Sent: Tuesday, October 29, 2013 1:47 PM
To: loreen@phoenixlabs.com; sarah@phoenixlabs.com
Cc: Chris Liberti
Subject: GBF66053 - 80 Coventry Street, Hartford - Samples on hold

Good afternoon Loreen and Sarah,

Please accept this email as written authorization to proceed with analysis of the samples listed below, which are referenced by delivery group GBF66053 above.

10-18-B1-01 66053
10-18-B1-02 66054
10-18-M1-01 66055
10-18-M1-02 66056

Please note the TAT on our COC was and is 48 hours.

Please feel free to contact our office with any questions you may have.

Thank you.

Renee Sioch
Administrative Assistant
Eagle Environmental, Inc.
8 South Main Street, Suite 3
Terryville, CT 06786
Phone: **860-589-8257 Ext.: 100**
Fax: **860-585-7034**
rsioch@eagleenviro.com

Please visit our website @:
www.eagleenviro.com

CONFIDENTIALITY STATEMENT This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, YOU ARE HEREBY NOTIFIED that any dissemination, distribution or copying of this communication is strictly prohibited. If you are not the intended recipient of this message, please destroy any printed version and delete this email

PHOENIX
Environmental Laboratories, Inc.

Wednesday, November 13, 2013

Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Project ID: BURGDORF
Sample ID#s: BF73483 - BF73486

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B
NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 13, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/13	7:20
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	Standard	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73483
Phoenix ID: BF73483

Project ID: BURGDORF
Client ID: 11-7-C2B-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	11/07/13	LPB	E160.3
Extraction for PCB	Completed			11/08/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1221	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1232	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1242	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1248	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1254	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1260	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1262	ND	700	ug/Kg	11/11/13	AW	3540C/8082
PCB-1268	ND	700	ug/Kg	11/11/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	78		%	11/11/13	AW	30 - 150 %
% TCMX	98		%	11/11/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-C2B-01

Phoenix I.D.: BF73483

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

100% Solids assumed due to limited volume received.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 13, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 13, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/13	7:30
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	Standard	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73483
Phoenix ID: BF73484

Project ID: BURGDORF
Client ID: 11-7-C2M-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	11/07/13	LPB	E160.3
Extraction for PCB	Completed			11/08/13	TB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1221	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1232	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1242	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1248	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1254	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1260	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1262	ND	680	ug/Kg	11/11/13	AW	3540C/8082
PCB-1268	ND	680	ug/Kg	11/11/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	106		%	11/11/13	AW	30 - 150 %
% TCMX	113		%	11/11/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-C2M-02

Phoenix I.D.: BF73484

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

100% Solids assumed due to limited volume received.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 13, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 13, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/13	7:50
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	Standard	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73483
Phoenix ID: BF73485

Project ID: BURGDORF
Client ID: 11-7-C2S-04

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	11/07/13	LPB	E160.3
Extraction for PCB	Completed			11/08/13	TB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1221	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1232	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1242	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1248	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1254	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1260	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1262	ND	670	ug/Kg	11/11/13	AW	3540C/8082
PCB-1268	ND	670	ug/Kg	11/11/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	109		%	11/11/13	AW	30 - 150 %
% TCMX	105		%	11/11/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-C2S-04

Phoenix I.D.: BF73485

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

100% Solids assumed due to limited volume received.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 13, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 13, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	JT	11/07/13	7:53
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	Standard	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73483
Phoenix ID: BF73486

Project ID: BURGDORF
Client ID: 11-7-C1C-05

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	100	1	%	11/07/13	LPB	E160.3
Extraction for PCB	Completed			11/08/13	TB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1221	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1232	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1242	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1248	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1254	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1260	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1262	ND	690	ug/Kg	11/11/13	AW	3540C/8082
PCB-1268	ND	690	ug/Kg	11/11/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	110		%	11/11/13	AW	30 - 150 %
% TCMX	106		%	11/11/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-C1C-05

Phoenix I.D.: BF73486

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

100% Solids assumed due to limited volume received.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 13, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 13, 2013

QA/QC Data

SDG I.D.: GBF73483

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 259347, QC Sample No: BF73464 (BF73483, BF73484, BF73485, BF73486)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	87	90	3.4				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	93	90	3.3				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	101	108	115	6.3				30 - 150	30
% TCMX (Surrogate Rec)	98	103	106	2.9				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
November 13, 2013

Wednesday, November 13, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF73483 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes ☑ No
Coolant: IPK ☐ ICE ☑ N ☐

CHAIN OF CUSTODY RECORD

Temp 4 °C Pg 2 of 3

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental
Address: 8 S Main St
Terryville CT 06780

Project: Burgdorf
Report to: Chris Liberti
Invoice to: Brandy LeBlanc

Project P.O: 12-142.10
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-7-13

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: SW846/8082-35 40C

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846/8082-35 40C	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container (2) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
73483	11-7-C2B-01	S	11-7-13	0720	✓		1								
73484	11-7-C2M-02	S	11-7-13	0730	✓		1								
	~~11-7-C2C-03~~	~~S~~	~~11-7-13~~	~~0740~~	✓		1								
73485	11-7-C2S-04	S	11-7-13	0750	✓		1								
73486	11-7-C1C-05	S	11-7-13	0753	✓		1								

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-7-13	11:25

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other

Comments, Special Requirements or Regulations:

RL <1.0 ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

* SURCHARGE APPLIES

PHOENIX
Environmental Laboratories, Inc.

Monday, November 11, 2013

Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Project ID: BURGDORF
Sample ID#s: BF73488 - BF73499

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:00
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73488

Project ID: BURGDORF
Client ID: 11-7-WS-01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	92		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	590	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	350	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	350	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	97		%	11/08/13	AW	30 - 150 %
% TCMX	105		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-01

Phoenix I.D.: BF73488

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:05
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73489

Project ID: BURGDORF
Client ID: 11-7-WS-02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	90		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	470	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	370	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	90		%	11/08/13	AW	30 - 150 %
% TCMX	98		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-02

Phoenix I.D.: BF73489

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:10
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73490

Project ID: BURGDORF
Client ID: 11-7-WS-03

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	87		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	380	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	94		%	11/08/13	AW	30 - 150 %
% TCMX	100		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-03

Phoenix I.D.: BF73490

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:15
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73491

Project ID: BURGDORF
Client ID: 11-7-WS-04

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	86		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	1500	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	380	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	380	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	90		%	11/08/13	AW	30 - 150 %
% TCMX	102		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-04

Phoenix I.D.: BF73491

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:20
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73492

Project ID: BURGDORF
Client ID: 11-7-WS-05

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	88		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	1100	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	370	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	370	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	96		%	11/08/13	AW	30 - 150 %
% TCMX	102		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-05

Phoenix I.D.: BF73492

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:25
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73493

Project ID: BURGDORF
Client ID: 11-7-WS-06

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	91		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	360	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	360	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	84		%	11/08/13	AW	30 - 150 %
% TCMX	102		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-06

Phoenix I.D.: BF73493

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:30
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73494

Project ID: BURGDORF
Client ID: 11-7-WS-07

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	82		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	400	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	91		%	11/08/13	AW	30 - 150 %
% TCMX	98		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-07

Phoenix I.D.: BF73494

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:35
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73495

Project ID: BURGDORF
Client ID: 11-7-WS-08

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	82		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	870	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	400	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	87		%	11/08/13	AW	30 - 150 %
% TCMX	106		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-08

Phoenix I.D.: BF73495

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:40
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73496

Project ID: BURGDORF
Client ID: 11-7-WS-09

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	78		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	420	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	88		%	11/08/13	AW	30 - 150 %
% TCMX	98		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-09

Phoenix I.D.: BF73496

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:45
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73497

Project ID: BURGDORF
Client ID: 11-7-WS-10

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	78		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	1200	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	420	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	84		%	11/08/13	AW	30 - 150 %
% TCMX	93		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-10

Phoenix I.D.: BF73497

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:50
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73498

Project ID: BURGDORF
Client ID: 11-7-WS-11

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	76		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	1300	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	420	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	420	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	77		%	11/08/13	AW	30 - 150 %
% TCMX	87		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-11

Phoenix I.D.: BF73498

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 11, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOIL	Collected by:	JT	11/07/13	8:55
Location Code:	EAGLEENV	Received by:	LB	11/07/13	11:25
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF73488
Phoenix ID: BF73499

Project ID: BURGDORF
Client ID: 11-7-WS-12

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	82		%	11/07/13	I	E160.3
Extraction for PCB	Completed			11/07/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1221	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1232	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1242	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1248	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1254	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1260	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1262	ND	400	ug/Kg	11/08/13	AW	3540C/8082
PCB-1268	ND	400	ug/Kg	11/08/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	66		%	11/08/13	AW	30 - 150 %
% TCMX	102		%	11/08/13	AW	30 - 150 %

Project ID: BURGDORF
Client ID: 11-7-WS-12

Phoenix I.D.: BF73499

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 12, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 12, 2013

QA/QC Data

SDG I.D.: GBF73488

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 259166, QC Sample No: BF73503 (BF73488, BF73489, BF73490, BF73491, BF73492, BF73493, BF73494, BF73495, BF73496, BF73497, BF73498, BF73499)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	87	95	8.8				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	96	94	2.1				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	95	97	97	0.0				30 - 150	30
% TCMX (Surrogate Rec)	98	99	99	0.0				30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
November 12, 2013

Tuesday, November 12, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF73488 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes ☑ N ☐
Coolant: IPK ☐ ICE ☑ N ☐
Temp 4 °C Pg 1 of 3

PHOENIX Environmental Laboratories, Inc.

CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental
Address: 8 S Main St
~~Bristol~~ Terryville CT 06780

Project: Burgdorf
Report to: Chris Liberti
Invoice to: Brandy LeBlanc

Project P.O: 12-142.10
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-7-13

Matrix Code:
DW=Drinking Water **GW**=Ground Water **SW**=Surface Water **WW**=Waste Water
SE=Sediment **SL**=Sludge **S**=Soil/Solid **W**=Wipe **O**=Other

Analysis Request

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846/8082-3540C	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container (8) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
73488	11-7-WS-01	S	11-7-13	0800	✓		1								
73489	11-7-WS-02	S	11-7-13	0805	✓		1								
73490	11-7-WS-03	S	11-7-13	0810	✓		1								
73491	11-7-WS-04	S	11-7-13	0815	✓		1								
73492	11-7-WS-05	S	11-7-13	0820	✓		1								
73493	11-7-WS-06	S	11-7-13	0825	✓		1								
73494	11-7-WS-07	S	11-7-13	0830	✓		1								
73495	11-7-WS-08	S	11-7-13	0835	✓		1								
73496	11-7-WS-09	S	11-7-13	0840	✓		1								
73497	11-7-WS-10	S	11-7-13	0845	✓		1								
73498	11-7-WS-11	S	11-7-13	0850	✓		1								
73499	11-7-WS-12	S	11-7-13	0855	✓		1								

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-7-13	11:25

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
☐ 1 Day*
☒ 2 Days*
☐ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

State where samples were collected: CT

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

PHOENIX
Environmental Laboratories, Inc.

Wednesday, November 13, 2013

Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Project ID: BURGDORF
Sample ID#s: BF73487

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 13, 2013

QA/QC Data

SDG I.D.: GBF73487

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 259347, QC Sample No: BF73464 (BF73487)									
Polychlorinated Biphenyls - Soil									
PCB-1016	ND	87	90	3.4				40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	93	90	3.3				40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	101	108	115	6.3				30 - 150	30
% TCMX (Surrogate Rec)	98	103	106	2.9				30 - 150	30

Comment:

A LCS and LCS Duplicate were performed instead of a matrix spike and matrix spike duplicate.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
November 13, 2013

Wednesday, November 13, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF73487 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes ☑ No ☐
Coolant: IPK ☐ ICE ☑ N ☐

CHAIN OF CUSTODY RECORD

Temp 4 °C Pg 3 of 3

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Data Delivery:
☐ Fax #:
☐ Email:

Customer: Eagle Environmental
Address: 8 S Main St
Tesiquille CT 06780

Project: Burgdorf
Report to: Chris Liberti
Invoice to: Brandy LeBlanc

Project P.O: 12-142.10
Phone #:
Fax #:

Client Sample - Information - Identification

Sampler's Signature: [signature] Date: 11-7-13

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
SE=Sediment SL=Sludge S=Soil/Solid W=Wipe O=Other

Analysis Request: SW846/8082-3540C

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846/8082-3540C	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container (2) oz	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
73487	11-7-WS-13	S	11-7-13	0935	✓		1								
	~~11-7-WS-14~~	~~S~~	~~11-7-13~~	~~0936~~	✓		1								
	~~11-7-WS-15~~	~~S~~	~~11-7-13~~	~~0940~~	✓		1								
	~~11-7-WS-16~~	~~S~~	~~11-7-13~~	~~0943~~	✓		1								

Relinquished by:	Accepted by:	Date:	Time:
[signature]	[signature]	11-7-13	11:20

Comments, Special Requirements or Regulations:

RL Clip ppm

Turnaround:
☐ 1 Day*
☐ 2 Days*
☐ 3 Days*
☐ Standard
☐ Other
* SURCHARGE APPLIES

RI
☐ Direct Exposure (Residential)
☐ GW
☐ Other

CT
☐ RCP Cert
☐ GW Protection
☐ SW Protection
☐ GA Mobility
☐ GB Mobility
☐ Residential DEC
☐ I/C DEC
☐ Other

MA
☐ MCP Certification
☐ GW-1
☐ GW-2
☐ GW-3
☐ S-1
☐ S-2
☐ S-3
☐ MWRA eSMART
☐ Other

Data Format
☐ Excel
☐ PDF
☐ GIS/Key
☐ EQuIS
☐ Other

Data Package
☐ Tier II Checklist
☐ Full Data Package*
☐ Phoenix Std Report
☐ Other
* SURCHARGE APPLIES

State where samples were collected: CT

PHOENIX
Environmental Laboratories, Inc.

Friday, November 15, 2013

Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Project ID: BURGDORF HEALTH
Sample ID#s: BF75008 - BF75011

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory.

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext. 200.

Sincerely yours,

Phyllis Shiller

Phyllis Shiller
Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #MA-CT-007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Telephone (860) 645-1102 Fax (860) 645-0823

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	EL	11/11/13	0:00
Location Code:	EAGLEENV	Received by:	SW	11/11/13	16:00
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF75008
Phoenix ID: BF75008

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S01

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	88		%	11/11/13	I	E160.3
Extraction for PCB	Completed			11/11/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1221	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1232	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1242	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1248	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1254	570	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1260	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1262	ND	370	ug/Kg	11/12/13	AW	3540C/8082
PCB-1268	ND	370	ug/Kg	11/12/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	114		%	11/12/13	AW	30 - 150 %
% TCMX	108		%	11/12/13	AW	30 - 150 %

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S01

Phoenix I.D.: BF75008

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 15, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	EL	11/11/13	0:00
Location Code:	EAGLEENV	Received by:	SW	11/11/13	16:00
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF75008
Phoenix ID: BF75009

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S02

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	87		%	11/11/13	I	E160.3
Extraction for PCB	Completed			11/11/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1221	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1232	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1242	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1248	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1254	840	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1260	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1262	ND	380	ug/Kg	11/12/13	AW	3540C/8082
PCB-1268	ND	380	ug/Kg	11/12/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	125		%	11/12/13	AW	30 - 150 %
% TCMX	105		%	11/12/13	AW	30 - 150 %

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S02

Phoenix I.D.: BF75009

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 15, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	EL	11/11/13	0:00
Location Code:	EAGLEENV	Received by:	SW	11/11/13	16:00
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF75008
Phoenix ID: BF75010

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S03

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	80		%	11/11/13	I	E160.3
Extraction for PCB	Completed			11/11/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1221	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1232	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1242	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1248	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1254	560	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1260	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1262	ND	410	ug/Kg	11/12/13	AW	3540C/8082
PCB-1268	ND	410	ug/Kg	11/12/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	105		%	11/12/13	AW	30 - 150 %
% TCMX	104		%	11/12/13	AW	30 - 150 %

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S03

Phoenix I.D.: BF75010

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 15, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

November 15, 2013

FOR: Attn: Mr. Chris Liberti
Eagle Environmental Inc.
8 South Main Street, Suite 3 ©
Terryville CT 06786

Sample Information		Custody Information		Date	Time
Matrix:	SOLID	Collected by:	EL	11/11/13	0:00
Location Code:	EAGLEENV	Received by:	SW	11/11/13	16:00
Rush Request:	48 Hour	Analyzed by:	see "By" below		
P.O.#:	12-142.10				

Laboratory Data

SDG ID: GBF75008
Phoenix ID: BF75011

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S04

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference
Percent Solid	81		%	11/11/13	I	E160.3
Extraction for PCB	Completed			11/11/13	BB/X	SW3540C
PCB (Soxhlet)						
PCB-1016	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1221	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1232	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1242	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1248	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1254	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1260	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1262	ND	400	ug/Kg	11/12/13	AW	3540C/8082
PCB-1268	ND	400	ug/Kg	11/12/13	AW	3540C/8082
QA/QC Surrogates						
% DCBP	64		%	11/12/13	AW	30 - 150 %
% TCMX	78		%	11/12/13	AW	30 - 150 %

Project ID: BURGDORF HEALTH
Client ID: 11-11-EL-S04

Phoenix I.D.: BF75011

Parameter	Result	RL/ PQL	Units	Date/Time	By	Reference

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

All soils, solids and sludges are reported on a dry weight basis unless otherwise noted in the sample comments.

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.
This report must not be reproduced except in full as defined by the attached chain of custody.

Phyllis Shiller, Laboratory Director
November 15, 2013
Reviewed and Released by: Greg Lawrence, Assistant Lab Director

PHOENIX

Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

QA/QC Report

November 15, 2013

QA/QC Data

SDG I.D.: GBF75008

Parameter	Blank	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 259506, QC Sample No: BF74992 (BF75008, BF75009, BF75010, BF75011)									
Polychlorinated Biphenyls - Solid									
PCB-1016	ND	90	92	2.2	95	94	1.1	40 - 140	30
PCB-1221	ND							40 - 140	30
PCB-1232	ND							40 - 140	30
PCB-1242	ND							40 - 140	30
PCB-1248	ND							40 - 140	30
PCB-1254	ND							40 - 140	30
PCB-1260	ND	95	95	0.0	103	102	1.0	40 - 140	30
PCB-1262	ND							40 - 140	30
PCB-1268	ND							40 - 140	30
% DCBP (Surrogate Rec)	103	108	108	0.0	109	109	0.0	30 - 150	30
% TCMX (Surrogate Rec)	99	103	102	1.0	104	102	1.9	30 - 150	30

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
November 15, 2013

Friday, November 15, 2013

Requested Criteria: None

State: CT

Sample Criteria Exceedences Report

GBF75008 - EAGLEENV

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.

Cooler: Yes [X] No [ ]
Coolant: IPK [X] ICE [ ] No [ ]

CHAIN OF CUSTODY RECORD

Temp 3 °C Pg 1 of 1

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726

Contact Options:
[ ] Fax:
[ ] Phone:
[ ] Email:

Customer: Eagle Environmental, Inc
Address: 8 South Main St, Suite 3
Terryville, CT 06786

Project: Liberations Program
Report to: C. Liberti
Invoice to: B. LeBlanc

Project P.O: 12-142.10

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature: Elturan Lawrence Date: 11/11/13

Matrix Code:
DW=Drinking Water **GW**=Ground Water **SW**=Surface Water **WW**=Waste Water
RW=Raw Water **SE**=Sediment **SL**=Sludge **S**=Soil **SD**=Solid **W**=Wipe
OIL=Oil **B**=Bulk **L**=Liquid

Analysis Request: SW846-8082/3540C

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SW846-8082/3540C	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container [2] oz	GL Soil container [ ] oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [1250ml [1500ml [ ] 1000ml	PL H2SO4 [1250ml [1500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
75008	11-11-EL-S01	S	11/11/13	PM	✓			1							
75009	11-11-EL-S02	S	11/11/13	PM	✓			1							
75010	11-11-EL-S03	S	11/11/13	PM	✓			1							
75011	11-11-EL-S04	S	11/11/13	PM	✓			1							
	(Soils)														

Relinquished by:	Accepted by:	Date:	Time:
Elturan Lawrence	Cparadise	11/11/13	1600

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
[ ] 1 Day*
[X] 2 Days*
[ ] 3 Days*
[ ] Standard
[ ] Other
* SURCHARGE APPLIES

RI
[ ] Direct Exposure (Residential)
[ ] GW
[ ] Other

CT
[ ] RCP Cert
[ ] GW Protection
[ ] SW Protection
[ ] GA Mobility
[ ] GB Mobility
[ ] Residential DEC
[ ] I/C DEC
[ ] Other

MA
[ ] MCP Certification
[ ] GW-1
[ ] GW-2
[ ] GW-3
[ ] S-1
[ ] S-2
[ ] S-3
[ ] MWRA eSMART
[ ] Other

State where samples were collected: CT

Data Format
[ ] Excel
[ ] PDF
[ ] GIS/Key
[ ] EQuIS
[ ] Other

Data Package
[ ] Tier II Checklist
[ ] Full Data Package*
[ ] Phoenix Std Report
[ ] Other

* SURCHARGE APPLIES

GBF 75008

Shannon - Phoenixlabs

From: Linda - Phoenixlabs [linda@phoenixlabs.com]
Sent: Tuesday, November 12, 2013 10:40 AM
To: 'Shannon Wilhelm'; 'Lisa - phoenixlab.com'
Subject: FW: Revised COCs
Attachments: NESC COC.pdf; Burgdorf COC.pdf

see below please

From: Renee Sioch [mailto:rsioch@eagleenviro.com]
Sent: Tuesday, November 12, 2013 10:37 AM
To: 'Linda - Phoenixlabs'
Subject: Revised COCs

Good morning Linda,

Attached are revised COCs for samples you just received from our office. Please use the attached which has the correct project name and number on them in lieu of what came with the samples. If you have any questions, please contact our office. Thank you.

Renee Sioch
Administrative Assistant
Eagle Environmental, Inc.
8 South Main Street, Suite 3
Terryville, CT 06786
Phone: **860-589-8257 Ext.: 100**
Fax: **860-585-7034**
rsioch@eagleenviro.com

Please visit our website @:
www.eagleenviro.com

CONFIDENTIALITY STATEMENT This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering the message to the intended recipient, YOU ARE HEREBY NOTIFIED that any dissemination, distribution or copying of this communication is strictly prohibited. If you are not the intended recipient of this message, please destroy any printed version and delete this email

CHAIN OF CUSTODY RECORD

PHOENIX Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040
Email: info@phoenixlabs.com Fax (860) 645-0823
Client Services (860) 645-8726 Burgdorf Health Center

Temp 3 °C Pg 1 of 1

Contact Options:
- [ ] Fax:
- [ ] Phone:
- [ ] Email:

Customer: Eagle Environmental, Inc
Address: 8 South Main Street, Suite 3
Terryville, CT 06786

Project: [redacted]
Report to: C. Liberti
Invoice to: B. LeBlanc

Project P.O: 12-142.10

This section MUST be completed with Bottle Quantities.

Client Sample - Information - Identification

Sampler's Signature: P. Kirman Sanders Date: 11/11/13

Matrix Code:
DW=Drinking Water GW=Ground Water SW=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe
OIL=Oil B=Bulk L=Liquid

Analysis Request: SVOC-8270/8270E

PHOENIX USE ONLY SAMPLE #	Customer Sample Identification	Sample Matrix	Date Sampled	Time Sampled	SVOC-8270/8270E	Soil VOA Vials [ ] methanol [ ] H2O	GL Soil container (2 oz)	GL Soil container ( ) oz	40 ml VOA Vial [ ] As is [ ] HCl	GL Amber 1000ml [ ] As is [ ] H2SO4	PL As is [ ] 250ml [ ] 500ml [ ] 1000ml	PL H2SO4 [ ] 250ml [ ] 1500ml	PL HNO3 250ml	PL NaOH 250ml	Bacteria Bottle
75008	11-11-EL-S01	S	11/11/13	PM	✓		1								
75009	11-11-EL-S02	S	11/11/13	PM	✓		1								
75010	11-11-EL-S03	S	11/11/13	PM	✓		1								
75011	11-11-EL-S04	S	11/11/13	PM	✓		1								
	(Soils)														

Relinquished by:	Accepted by:	Date:	Time:
P. Kirman Sanders	Chain of Custody	11/11/13	1600

Comments, Special Requirements or Regulations:

RL < 1.0 ppm

Turnaround:
- [ ] 1 Day*
- [x] 2 Days*
- [ ] 3 Days*
- [ ] Standard
- [ ] Other

RI
- [ ] Direct Exposure (Residential)
- [ ] GW
- [ ] Other

CT
- [ ] RCP Cert
- [ ] GW Protection
- [ ] SW Protection
- [ ] GA Mobility
- [ ] GB Mobility
- [ ] Residential DEC
- [ ] I/C DEC
- [ ] Other

MA
- [ ] MCP Certification
- [ ] GW-1
- [ ] GW-2
- [ ] GW-3
- [ ] S-1
- [ ] S-2
- [ ] S-3
- [ ] MWRA eSMART
- [ ] Other

Data Format
- [ ] Excel
- [ ] PDF
- [ ] GIS/Key
- [ ] EQuIS
- [ ] Other

Data Package
- [ ] Tier II Checklist
- [ ] Full Data Package*
- [ ] Phoenix Std Report
- [ ] Other

State where samples were collected: CT

* SURCHARGE APPLIES