SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

RECEIVED
DEC 22 1997

SDG: CDM001

Project Number: 9917224

December 19, 1997

Submitted by:
SCILAB Albany, Inc.

231298

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971031L01	CDM001	GRAB	10/30/97
971031L02	CDM002	GRAB	10/30/97
971031L03	CDM003	GRAB	10/30/97
971031L04	CDM004	GRAB	10/30/97
971031L05	CDM005	GRAB	10/30/97
971031L06	CDM006	GRAB	10/30/97
971031L07	CDM007	GRAB	10/30/97
971031L08	CDM008	GRAB	10/30/97
971031L09	CDM009	GRAB	10/30/97
971031L10	CDM010	GRAB	10/30/97
971031L11	CDM011	GRAB	10/30/97
971031L12	CDM012	GRAB	10/30/97
971031L13	CDM013	GRAB	10/30/97
971031L14	CDM014	GRAB	10/30/97
971031L15	CDM015	GRAB	10/30/97
971031L16	CDM016	GRAB	10/30/97
971031L17	CDM017	GRAB	10/30/97
971031L18	CDM018	GRAB	10/30/97
971031L19	CDM019	GRAB	10/30/97
971031L20	CDM020	GRAB	10/30/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.
6. Samples CDM001, 2, 3, 5, 10,12, 13 and 19 were originally analyzed on 11/22/97 and 11/23/97. The results for this day were greater than the linear range of the curve. The samples were rerun on 12/9/97. The results for this analysis were less than the detection limit, this is due to the possibility of an interferent that was diluted in the second analysis. The results have been reported from the second analysis. Values that were less than the detection limit but greater than the instrument detection limit we have reported estimated values. These values have been flagged with a 'J' qulaifier.
7. The spike recovery was determined from the anlysis performed on 11/22/97. A matrrix spike blank was also performed.
8.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/19/97 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB

FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

RECEIVED
DEC 29 1997

SDG: CDM021

Project Number: 9917224

December 11, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971031M01	CDM021	GRAB	10/30/97
971031M02	CDM022	GRAB	10/30/97
971031M03	CDM023	GRAB	10/30/97
971031M04	CDM024	GRAB	10/30/97
971031M05	CDM025	GRAB	10/30/97
971031M06	CDN001	GRAB	10/30/97
971031M07	CDN002	GRAB	10/30/97
971031M08	CDN003	GRAB	10/30/97
971031M09	CDN004	GRAB	10/30/97
971031M10	CDN005	GRAB	10/30/97
971031M11	CDN006	GRAB	10/30/97
971031M12	CDN007	GRAB	10/30/97
971031M13	CDN008	GRAB	10/30/97
971031M14	CDN009	GRAB	10/30/97
971031M15	CDN010	GRAB	10/30/97
971031M16	CDN011	GRAB	10/30/97
971031M17	CDN012	GRAB	10/30/97
971031M18	CDN013	GRAB	10/30/97
971031M19	CDN014	GRAB	10/30/97
971031M20	CDN015	GRAB	10/30/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/23/94 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

SDG: CDN016

Project Number: 9917224

RECEIVED
DEC 15 1997

December 11, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971031N01	CDN016	GRAB	10/30/97
971031N02	CDN017	GRAB	10/30/97
971031N03	CDN018	GRAB	10/30/97
971031N04	CDN019	GRAB	10/30/97
971031N05	CDN020	GRAB	10/30/97
971031N06	CDN021	GRAB	10/30/97
971031N07	CDO001	GRAB	10/30/97
971031N08	CDO002	GRAB	10/30/97
971031N09	CDO003	GRAB	10/30/97
971031N10	CDO004	GRAB	10/30/97
971031N11	CDO005	GRAB	10/30/97
971031N12	CDO007	GRAB	10/30/97
971031N13	CDO008	GRAB	10/30/97
971031N14	CDO009	GRAB	10/30/97
971031N15	CDO010	GRAB	10/30/97
971031N16	CDO011	GRAB	10/30/97
971031N17	CDO012	GRAB	10/30/97
971031N18	CDO013	GRAB	10/30/97
971031N19	CDO014	GRAB	10/30/97
971031N20	CDO015	GRAB	10/30/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 10/11/92 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

SDG: CDO016

Project Number: 9917224

RECEIVED
DEC 15 1997

December 11, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971031O01	CDO016	GRAB	10/30/97
971031O02	CDO017	GRAB	10/30/97
971031O03	CDO018	GRAB	10/30/97
971031O04	CDO019	GRAB	10/30/97
971031O05	CDP001	GRAB	10/30/97
971031O06	CDP002	GRAB	10/30/97
971031O07	CDP003	GRAB	10/30/97
971031O08	CDP004	GRAB	10/30/97
971031O09	CDP005	GRAB	10/30/97
971031O10	CDP006	GRAB	10/30/97
971031O11	CDP007	GRAB	10/30/97
971031O12	CDP008	GRAB	10/30/97
971031O13	CDP009	GRAB	10/30/97
971031O14	CDP010	GRAB	10/30/97
971031O15	CDP011	GRAB	10/30/97
971031O16	CDP012	GRAB	10/30/97
971031O17	CDP013	GRAB	10/30/97
971031O18	CDP014	GRAB	10/30/97
971031O19	CDP015	GRAB	10/30/97
971031O20	CDP016	GRAB	10/30/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/11/97 Title: Quality Assurance Officer

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

RECEIVED
DEC 2 2 1997

SDG: CDP017

Project Number: 9917224

December 19, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971031P01	CDP017	GRAB	10/30/97
971031P02	CDP018	GRAB	10/30/97
971031P03	CDP019	GRAB	10/30/97
971031P04	CDP020	GRAB	10/30/97
971031P05	CDP021	GRAB	10/30/97
971031P06	CDP022	GRAB	10/30/97
971031P07	CDP023	GRAB	10/30/97
971031P08	CDP024	GRAB	10/30/97
971031P09	CDP025	GRAB	10/30/97
971031P10	CDP026	GRAB	10/30/97
971031P11	CDP027	GRAB	10/30/97
971031P12	CDP028	GRAB	10/30/97
971031P13	CDP029	GRAB	10/30/97
971031P14	CDP030	GRAB	10/30/97
971031P15	CDP006	GRAB	10/30/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 10/19/94 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

RFP No.:	CHAIN OF CUSTODY RECORD	Matrix Box No.:	Preservative Box No.:
22.11	WESTON	1. Surface Water	1. HCl
PO No.:		2. Ground Water	2. HNO3
86731	SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM	3. Leachate	3. Na2SO4
	EPA CONTRACT 68-W5-0019	4. Rinsate	4. H2SO4
	Phone: 908-225-5116 Fax: 908-225-7037	5. Soil/Sediment	5. Other (Specify)
		6. Oil	6. Ice Only
		7. Waste	N. Not Preserved
		8. Other (Specify)	* See Comments

Send verbal and written results to: 97103!h

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS IGN	COR	RPAC	OTHER
CDM001	10/30/97/0900	S	L	G	6										Total PCBs
CDM002	10/30/97/0920														
CDM003	10/30/97/0923														
CDM004	10/30/97/0926														
CDM005	10/30/97/0930														
CDM006	10/30/97/0910														
CDM007	10/30/97/0915														
CDM008	10/30/97/0924														
CDM009	10/30/97/0921														
CDM010	10/30/97/0915														
CDM011	10/30/97/0926														

Comments: Extra volume was given for MS/MSD for sample# CDM001

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahn	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahn	1700	10/30		Shipment to Lab
				10/31/97	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

CHAIN OF CUSTODY RECORD

REF No.: 2211

PO No.: 86731

WESTON — MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7057

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 7L031L 9ML31R

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST/PCBs	TAL/CN	RCRA ANALYSIS IGN	COR	REAC	OTHER
CDM012 12	10/30/97/0925	5	L	G	6								Total PCB's
CDM013 13	10/30/97/0919												
CDM014 14	10/30/97/0920												
CDM015 15	10/30/97/0900												
CDM016 16	10/30/97/0904												
CDM017 17	10/30/97/0906												
CDM018 18	10/30/97/0908												
CDM019 19	10/30/97/0905												
CDM020 20	10/30/97/0932												
CDM021 21	10/30/97/0900												
CDM022 22	10/30/97/0925												

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahfouz	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahfouz	1700	10/30		Shipment to Lab
Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		10:00	10/31/97	[illegible]	
Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

CHAIN OF CUSTODY RECORD

REP No.:	PO No.:
2211	86731

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HN03
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: [illegible]

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS IGN	COR	REAC	OTHER
CDM023	10/30/97/0942	5	L	G	6										Total PCBs
CDM024	10/30/97/0900														
CDM025	10/30/97/0943														
CDN001	10/30/97/1125														
CDN002	10/30/97/1140														
CDN003	10/30/97/1125														
CDN004	10/30/97/1130														
CDN005	10/30/97/1110														
CDN006	10/30/97/1047														
CDN007	10/30/97/1048														
CDN008	10/30/97/1049														

Comments: Extra volume given for MS/MSD Sample # CDM023
~~Extra volume given for MS~~

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malhotra	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Malhotra	1700	10/30		Shipment to Lab
		10:00	10/31/97	[signature]	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

00001

CHAIN OF CUSTODY RECORD

RFP No.: 2211

PO No.: 86731

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to:
97103 M
97103 W

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDN009 14	10/30/97/1126	5	L	G	6										Total PCBs
CDN010 15	10/30/97/1102														
CDN011 16	10/30/97/1110														
CDN012 17	10/30/97/1115														
CDN013 18	10/30/97/1100														
CDN014 19	10/30/97/1100														
CDN015 20	10/30/97/1105														
CDN016 21	10/30/97/1105														
CDN017 22	10/30/97/1104														
CDN018 23	10/30/97/1100														
CDN019 24	10/30/97/1045														

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahinkey	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahinkey	1700	10/30		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		10:00	10/31/97	[signature]	

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

00002

RFP No.: 2211

PO No.: 86731

CHAIN OF CUSTODY RECORD

WESTON

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 77K23N

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDN020	10/30/97/1113	5	L	G	6										Total PCBs
CDN021	10/30/97/1113														
CD0001	10/30/97/1300														
CD0002	10/30/97/1253														
CD0003	10/30/97/1258														
CD0004	10/30/97/1300														
CD0005	10/30/97/1250														
CD0007	10/30/97/1257														
CD0008	10/30/97/1305														
CD0009	10/30/97/1245														
CD0010	10/30/97/1302														

Comments: Extra volume given for MS/MSD - Sample CDN020
Extra Volume given for MS/MSD - Sample CD0001

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahfouz	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahfouz	1700	10/30		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
				WCD 4/31/97	

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

#10004

CHAIN OF CUSTODY RECORD

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

No.: 211
No.: 26731

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

...d verbal and written results to: Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDO 011	10/30/97/1310	5	L	G	6										Total PCB's
CDO 012	10/30/97/1313														
CDO 013	10/30/97/1305														
CDO 014	10/30/97/1302														
CDO 015	10/30/97/1300														
CDO 016	10/30/97/1300														
CDO 017	10/30/97/1255														
CDO 018	10/30/97/1250														
CDO 019	10/30/97/1310														
CDP001	10/30/97/1448														
CDP002	10/30/97/1452														

Comments: Extra volume given for MS/MSD Sample # CDP001

Person Assuming Responsibility for Sample: M. Mahn [signature]

Time: 1600 Date (MM/DD/YY): 10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahn [signature]	1700	10/30		Shipment to Lab

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

RFP No.:	CHAIN OF CUSTODY RECORD	Matrix Box No.:	Preservative Box No.:
2211	WESTON (MANAGERS DESIGNERS/CONSULTANTS)	1. Surface Water	1. HCl
PO No.:	SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM	2. Ground Water	2. HN03
86731	EPA CONTRACT 68-W5-0019	3. Leachate	3. Na2SO4
	Phone: 908-225-6116 Fax: 908-225-7037	4. Rinsate	4. H2SO4
		5. Soil/Sediment	5. Other (Specify)
		6. Oil	6. Ice Only
		7. Waste	N. Not Preserved
		8. Other (Specify)	* See Comments

Send verbal and written results to: 97103/0

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS CN	COR	REAC	OTHER
CDP003 07	10/30/97/1500	5	L	G	6										Total PCBs
CDP004 08	10/30/97/1510														
CDP005 09	10/30/97/1500														
CDP006 10	10/30/97/1500														
CDP007 11	10/30/97/~~1500~~ 1502														
CDP008 12	10/30/97/1510														
CDP009 13	10/30/97/1510														
CDP010 14	10/30/97/1500														
CDP011 15	10/30/97/1503														
CDP012 16	10/30/97/1500														
CDP013 17	10/30/97/1457														

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Markey	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Markey	1700	10/30		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		1000	10/31/97		

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

RFP No.:	CHAIN OF CUSTODY RECORD	Matrix Box No.:	Preservative Box No.:
2211	WESTON. MANAGERS DESIGNERS/CONSULTANTS	1. Surface Water	1. HCl
PO No.:	SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM	2. Ground Water	2. HNO3
86731	EPA CONTRACT 68-W5-0019	3. Leachate	3. Na2SO4
	Phone: 908-225-6116 Fax: 908-225-7037	4. Rinsate	4. H2SO4
		5. Soil/Sediment	5. Other (Specify)
		6. Oil	6. Ice Only
		7. Waste	N. Not Preserved
		8. Other (Specify)	* See Comments

Send verbal and written results to: Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaiy, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDP014	10/30/97/1515	5	L	G	6										Total PCBs
CDP015	10/30/97/1455														
CDP016	10/30/97/1526														
CDP017	10/30/97/1523														
CDP018	10/30/97/1522														
CDP019	10/30/97/1520														
CDP020	10/30/97/1519														
CDP021	10/30/97/1518														
CDP022	10/30/97/1516														
CDP023	10/30/97/1514														
CDP024	10/30/97/1513														

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malek	1600	10/30/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Malek	1700	10/30		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		10:00	10/31/97	[illegible]	

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	~~600~~ 1200	~~U~~ J
11096-82-5	PCB1260	320	~~PJ~~ J

00010

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) 9.0 Lab Sample ID: 971031L02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	2000	~~P~~ J
11096-82-5	PCB1260	220	~~JP~~ J

00027

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~23.6~~ 29.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	460	~~PJ~~ J
11096-82-5	PCB1260	590	~~PJ~~ J

00045

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1000	J
11096-82-5	PCB1260	~~300~~ 350	~~P~~ J

00061

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 12.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	730	J
11096-82-5	PCB1260	600	U

00070

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 12.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	700	J
11096-82-5	PCB1260	170	~~P~~ J

00085

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 12.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	770	J
11096-82-5	PCB1260	280	~~P~~ J

00094

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	790	J
11096-82-5	PCB1260	290	~~PJ~~

00103

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	380	J
11096-82-5	PCB1260	120	~~P~~ J

00112

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L010

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 24.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: ~~10~~ 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	~~600~~ 60	U
11104-28-2	PCB1221	~~600~~ 60	U
11141-16-5	PCB1232	~~600~~ 60	U
53469-21-9	PCB1242	~~600~~ 60	U
12672-29-6	PCB1248	~~600~~ 60	U
11097-69-1	PCB1254	~~120~~ 1700	~~JP~~ J
11096-82-5	PCB1260	~~70~~ 150	~~JP~~ J

**00121

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 12.0 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	730	~~P~~ J
11096-82-5	PCB1260	290	~~P~~ J

00135

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	320	~~JP~~ J
11096-82-5	PCB1260	230	~~JP~~ J

00144

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM012~~3~~6

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L1~~23~~6

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	560	~~JP~~ J
11096-82-5	PCB1260	640	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	100	J
11096-82-5	PCB1260	80	~~P~~ J

00175

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM015

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	320	~~P~~ J
11096-82-5	PCB1260	360	

00184

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	510	~~P~~ J
11096-82-5	PCB1260	250	~~P~~ J

00193

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	800	J
11096-82-5	PCB1260	120	~~P~~ J

00202

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM01~~7~~9

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L1~~7~~8C

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/~~23~~22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	830	J
11096-82-5	PCB1260	300	~~P~~ J

00212

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1100	~~P~~ J
11096-82-5	PCB1260	600	U

00221

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM020

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM001

Matrix: (soil/water) SOIL Lab Sample ID: 971031L20

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~27.2~~ 20.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	760	J
11096-82-5	PCB1260	270	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM021

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	400	~~P~~ J
11096-82-5	PCB1260	220	~~P~~ J

00011

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM022

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) 9.0 Lab Sample ID: 971031M02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	510	~~P~~
11096-82-5	PCB1260	200	~~P~~ J

00019

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM023

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.0 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	210	~~P~~ J
11096-82-5	PCB1260	90	~~U~~ J

00027

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM024

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	4000	
11096-82-5	PCB1260	600	UJ

00035

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDM025

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	120	~~P~~ J
11096-82-5	PCB1260	110	~~P~~ J

00042

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 10.0 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	500	U
11104-28-2	PCB1221	500	U
11141-16-5	PCB1232	500	U
53469-21-9	PCB1242	500	U
12672-29-6	PCB1248	500	U
11097-69-1	PCB1254	1400	
11096-82-5	PCB1260	500	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 8.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	830	~~P~~ J
11096-82-5	PCB1260	360	~~P~~ J

00057

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 6.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	500	U
11104-28-2	PCB1221	500	U
11141-16-5	PCB1232	500	U
53469-21-9	PCB1242	500	U
12672-29-6	PCB1248	500	U
11097-69-1	PCB1254	2000	U
11096-82-5	PCB1260	500	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	3600	
11096-82-5	PCB1260	600	U

00072

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	~~630~~ 1600	J
11096-82-5	PCB1260	60	U

00079

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1200	~~P~~ J
11096-82-5	PCB1260	550	~~P~~ J

00086

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	710	
11096-82-5	PCB1260	220	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M13

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	350	~~P~~ J
11096-82-5	PCB1260	250	~~P~~ J

00102

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 11.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	830	~~P~~ J
11096-82-5	PCB1260	180	~~P~~ J

00110

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 24.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	970	
11096-82-5	PCB1260	320	~~P~~ J

00118

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	2800	~~P~~ J
11096-82-5	PCB1260	1900	~~P~~ J

00126

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 25.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	600	U
11096-82-5	PCB1260	700	~~P~~ J

00133

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN013

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 22.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1200	
11096-82-5	PCB1260	420	~~P~~ J

00140

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN0~~13~~ 14

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M~~18~~ 19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~22.4~~ 10.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	6800	~~P~~ J
11096-82-5	PCB1260	600	U

00148

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN015

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDM021

Matrix: (soil/water) SOIL Lab Sample ID: 971031M20

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: ~~1~~ 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1600	
11096-82-5	PCB1260	600	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	630	~~P~~ J
11096-82-5	PCB1260	350	~~P~~ J

000010

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) 9.0 Lab Sample ID: 971031N02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	510	J
11096-82-5	PCB1260	270	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN018

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 23.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1000	
11096-82-5	PCB1260	440	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 33.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/27/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	700	U
11104-28-2	PCB1221	700	U
11141-16-5	PCB1232	700	U
53469-21-9	PCB1242	700	U
12672-29-6	PCB1248	700	U
11097-69-1	PCB1254	1800	~~P~~ J
11096-82-5	PCB1260	700	U

00037

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN020

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N05

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 30.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	550	
11096-82-5	PCB1260	260	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDN021

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N06

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 17.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	570	
11096-82-5	PCB1260	240	~~P~~ J

00059

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	870	
11096-82-5	PCB1260	400	~~P~~ J

000067

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	310	~~P~~ J
11096-82-5	PCB1260	160	~~P~~ J

00076

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	230	~~P~~ J
11096-82-5	PCB1260	130	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	140	~~P~~ J
11096-82-5	PCB1260	90	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	220	~~P~~ J
11096-82-5	PCB1260	310	

000100

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	100	~~P~~ J
11096-82-5	PCB1260	60	~~P~~ J

00108

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDO008

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N13

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 13.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	120	~~P~~ J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDO009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 38.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	80	U
11104-28-2	PCB1221	80	U
11141-16-5	PCB1232	80	U
53469-21-9	PCB1242	80	U
12672-29-6	PCB1248	80	U
11097-69-1	PCB1254	310	~~P~~ J
11096-82-5	PCB1260	80	~~P~~ J

000123

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	80	~~P~~ J
11096-82-5	PCB1260	70	~~P~~ J

**00131

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0011

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N16

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 20.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	110	
11096-82-5	PCB1260	60	~~U~~ J

00138

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	130	~~P~~ J
11096-82-5	PCB1260	70	~~P~~ J

00146

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0013

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.0 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	90	~~P~~ J
11096-82-5	PCB1260	70	~~P~~ J

00154

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 23.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	110	
11096-82-5	PCB1260	60	~~P~~ J

00162

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0015

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDN016

Matrix: (soil/water) SOIL Lab Sample ID: 971031N20

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 23.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	220	~~P~~ J
11096-82-5	PCB1260	150	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310001

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 35.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	620	~~P~~ J
11096-82-5	PCB1260	180	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) 9.0 Lab Sample ID: 9710310002

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 41.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	80	U
11104-28-2	PCB1221	80	U
11141-16-5	PCB1232	80	U
53469-21-9	PCB1242	80	U
12672-29-6	PCB1248	80	U
11097-69-1	PCB1254	330	J
11096-82-5	PCB1260	140	~~P~~ J

00019

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0018

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310003

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 49.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	310	~~P~~ J
11096-82-5	PCB1260	480	

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310004

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	560	~~P~~ J
11096-82-5	PCB1260	290	~~P~~ J

00037

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDO016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310005

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 24.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	380	~~P~~ J
11096-82-5	PCB1260	220	~~P~~ J

00046

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310006

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 9.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/23/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1100	~~P~~ J
11096-82-5	PCB1260	260	~~P~~ J

00055

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310007

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1100	J
11096-82-5	PCB1260	280	~~P~~ J

00064

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310008

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.~~6~~ 4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	860	J
11096-82-5	PCB1260	210	~~P~~ J

00073

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310009

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	520	J
11096-82-5	PCB1260	220	~~P~~ J

00082

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 9710310010

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	640	J
11096-82-5	PCB1260	260	

91

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031011

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	460	J
11096-82-5	PCB1260	210	~~P~~ J

60100

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031012

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	230	J
11096-82-5	PCB1260	80	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDO016

Matrix: (soil/water) SOIL Lab Sample ID: 971031013

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	250	~~P~~ J
11096-82-5	PCB1260	160	~~P~~ J

00117

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDO016

Matrix: (soil/water) SOIL Lab Sample ID: 971031014

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	510	J
11096-82-5	PCB1260	180	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031015

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	390	J
11096-82-5	PCB1260	200	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031016

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.9 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	360	J
11096-82-5	PCB1260	210	

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP013

Lab Name: SCILAB Albany, Inc.

Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL

Lab Sample ID: 971031017

Sample wt/vol: 1.0 (g/ml) g

Lab File ID:

% Moisture 17.5 decanted: (Y/N) N

Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc

Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL)

Date Analyzed: 11/24/97

Injection Volume: 1 (ul)

Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	240	~~P~~ J
11096-82-5	PCB1260	160	~~P~~ J

00153

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031018

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	680	J
11096-82-5	PCB1260	160	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP015

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDO016

Matrix: (soil/water) SOIL Lab Sample ID: 971031019

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 21.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	1200	J
11096-82-5	PCB1260	320	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP016

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CD0016

Matrix: (soil/water) SOIL Lab Sample ID: 971031020

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture ~~27.2~~ 3.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	170	~~P~~ J
11096-82-5	PCB1260	110	

00179

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP017

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P01

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 6.2 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	160	
11096-82-5	PCB1260	170	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP018

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) 9.0 Lab Sample ID: 971031P02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	820	
11096-82-5	PCB1260	220	~~P~~ J

00017

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	640	~~P~~ J
11096-82-5	PCB1260	240	~~P~~ J

00026

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP020

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	250	
11096-82-5	PCB1260	140	~~P~~ J

00034

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP021

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.6 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	310	
11096-82-5	PCB1260	170	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP022

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	180	
11096-82-5	PCB1260	110	~~P~~ J

00050

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP023

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	130	~~P~~ J
11096-82-5	PCB1260	110	~~P~~ J

00058

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP024

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	220	~~P~~ J
11096-82-5	PCB1260	120	~~P~~ J

00066

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP025

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.3 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/25/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	230	
11096-82-5	PCB1260	130	~~P~~ J

00074

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP026

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	300	~~P~~ J
11096-82-5	PCB1260	130	~~P~~ J

00082

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP0~~26~~ 27

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.5 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	460	~~P~~ J
11096-82-5	PCB1260	150	~~P~~ J

00089

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP028

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.7 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	720	~~P~~ J
11096-82-5	PCB1260	240	~~P~~ J

00097

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP0~~28~~ 29

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P13

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture ~~11.4~~ 21.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	990	
11096-82-5	PCB1260	340	~~P~~ J

0105

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDP030

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 24.1 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	500	
11096-82-5	PCB1260	100	~~P~~ J

00113

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CD0006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDP017

Matrix: (soil/water) SOIL Lab Sample ID: 971031P15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 11.4 decanted: (Y/N) N Date Received: 10/31/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/6/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	100	~~P~~ J
11096-82-5	PCB1260	170	~~P~~ J

00121

CLP DATA ASSESSMENT

Functional Guidelines for Evaluating Organic Analysis

CASE # 2211 **SDG #** _____
LAB: Scilab Albany, Inc. **SITE:** Cornell-Dubilier Electronics

The current Functional Guidelines for evaluating organic data have been applied.

All data are valid and acceptable except those analytes which have been qualified with a "J" (estimated), "N" (presumptive evidence for the presence of the material), "U" (non-detects), "R" (unusable), or "JN" (presumptive evidence for the presence of the material at an estimated value). All action is detailed on the attached sheets.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant QC problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

Analytical data qualified as "JN" or "R" may not be used to demonstrate compliance with Toxicity Characteristic or Land Ban Regulations.

Reviewer's Signature: Brian Mc[illegible] **Date:** 2/27/1998

Verified By: _____ **Date:** __/__/19__

CLP DATA ASSESSMENT

On the 30 of October 1997, three hundred and sixty-three (345) surface soil samples (including field duplicates) and four (4) field rinsate blanks were collected from residential properties which are located near the former Cornell-Dubilier site. This site is located at 333 Hamilton Boulevard, South Plainfield, New Jersey. All samples were shipped via Federal Express to Scilab Albany, Inc. of Latham, New York. The laboratory received all samples in good condition. Samples were analyzed for total polychlorinated biphenyl (PCB) parameters. The laboratory followed SW-846 Method 3580 for medium level extraction and Method 8080 for sample analysis.

This data assessment is divided into four parts to allow ease of data review and reporting. This part, Part IV, details the results for the following samples:

PART IV

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG#CDM001: CDM001	971031L01	SDG#CDM021: CDM021	971031M01	SDG# CDN016: CDN016	971031N01
CDM002	971031L02	CDM022	971031M02	CDN017	971031N02
CDM003	971031L03	CDM023	971031M03	CDN018	971031N03
CDM004	971031L04	CDM024	971031M04	CDN019	971031N04
CDM005	971031L05	CDM025	971031M05	CDN020	971031N05
CDM006	971031L06	CDN001	971031M06	CDN021	971031N06
CDM007	971031L07	CDN002	971031M07	CDO001	971031N07
CDM008	971031L08	CDN003	971031M08	CDO002	971031N08
CDM009	971031L09	CDN004	971031M09	CDO003	971031N09
CDM010	971031L10	CDN005	971031M10	CDO004	971031N10
CDM011	971031L11	CDN006	971031M11	CDO005	971031N11
CDM012	971031L12	CDN007	971031M12	CDO006	971031N12
CDM013	971031L13	CDN008	971031M13	CDO007	971031N13
CDM014	971031L14	CDN009	971031M14	CDO008	971031N14
CDM015	971031L15	CDN010	971031M15	CDO009	971031N15
CDM016	971031L16	CDN011	971031M16	CDO010	971031N16
CDM017	971031L17	CDJN12	971031M17	CDO012	971031N17

CLP DATA ASSESSMENT

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG#CDM001: CDM018	971031L18	SDG#CDM021: CDJN13	971031M18	SDG# CDN016: CDO012	971031N18
CDM019	971031L19	CDJN14	971031M19	CDO013	971031N19
CDM020	971031L20	CDJN15	971031M20	CDO014	971031N20

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG# CDO016: CDO016	971031O01	CDP011	971031O16	SDG# CDP017: CDP017	971031P01
CDO017	971031O02	CDP012	971031O17	CDP018	971031P02
CDO018	971031O03	CDP013	971031O18	CDP019	971031P03
CDO019	971031O04	CDP014	971031O19	CDP020	971031P04
CDP001	971031O05	CDP015	971031O20	CDP021	971031P05
CDP002	971031O06			CDP022	971031P06
CDP003	971031O07			CDP023	971031P07
CDP003	971031O08			CDP024	971031P08
CDP004	971031O09			CDP025	971031P09
CDP005	971031O10			CDP026	971031P10
CDP006	971031O11			CDP027	971031P11
CDP007	971031O12			CDP028	971031P12
CDP008	971031O13			CDP029	971031P13
CDP009	971031O14			CDP030	971031P14
CDP010	971031O15			CDO006	971031P15

The following samples are field duplicate samples:

CDM001 and CDM024
CDN020 and CDN021
CDP001 and CDP030
CDM023 and CDM025
CDO001 and CDO009

CLP DATA ASSESSMENT

1. HOLDING TIMES:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following analytes in the samples shown were qualified because of holding time:

PCBs - The following data were qualified as estimated "J" or rejected "R" due to exceeding holding time criteria:

No problems were found.

Note: Continuous extraction of water samples must be started within seven (7) days of the date of collection. Soil/Sediment/Solid samples must be extracted within seven (7) days of collection. Extracts must be analyzed within forty (40) days of extraction.

2. BLANK CONTAMINATION:

Quality Assurance (QA) blanks [i.e., method, trip, field or rinse blanks] are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure cross-contamination of samples during shipment. Field and rinse blanks measure cross-contamination of samples during field operations. If the concentration of the analyte is less than 5 times the blank contaminant level (10 times for common contaminants), the analytes are qualified as non-detects, "U". The following analytes in the samples shown were qualified with "U" for these reasons:

A) Method Blank Contamination

PCBs - The following compounds were qualified as non-detected "U" in the associated samples due to method blank contamination:

No problems were found.

B) Field or Rinse Blank Contamination ("water blanks" or "distilled water blanks" are validated like any other sample)

PCBs - The following compounds were qualified as non-detected "U" in the associated samples due to rinse blank contamination:

No peoblems were found.

3. CALIBRATION:

PERCENT RELATIVE STANDARD DEVIATION (%RSD) AND PERCENT DIFFERENCE (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentration. Percent D compares the response factor of the continuing calibration check to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be < 30% and %D must be < 25%. A value outside of these QC limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J"; and non-detects are flagged "UJ". If %RSD and/or %D grossly exceed QC criteria, non-detect data may be qualified "R".

For the PESTICIDE/PCB fraction, if %RSD exceeds 20% for all analytes except for the 2 surrogates (which must not exceed 30% RSD), qualify all associated positive results "J" and non-detects "UJ".

The following analytes in the samples shown were qualified for %RSD and %D:

Initial Calibration

PCBs - The following compounds were qualified as estimated "J" or rejected "R" in the associated samples because the linearity criteria (correlation coefficient, r) of the Initial Calibration is <0.995 for either one or both GC columns:

Compound	Associated Samples
Aroclor 1254	SDG# CDM001: CDM001, 004, 006, 007, 008, 009, 010, 011, 014, 015, 016, 017, 018 and 020. SDG# CDO016: CDO016, 017, 018 and 019; CDP001, 002, 003, 004, 005, 006, 007, 008, 009, 010, 011, 012, 013, 014, 015 and 016.

Continuing Calibration:

PCBs - The following compounds were qualified as estimated "J" in the associated samples because the Continuing Calibration %D is between 25-90% for these compounds on the primary GC column:

No problems were found.

4. SURROGATES/SYSTEM MONITORING COMPOUNDS (SMC):

All samples are spiked with surrogate/SMC compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured surrogate/SMC concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below. The following analytes for the samples shown were qualified because of surrogate/SMC recovery:

PCBs - The following compounds were either qualified as estimated "J" or rejected "R" due to Tetrachloro-m-xylene (TCX) and Decachlorobiphenyl (DCB) surrogate recoveries are both outside specified advisory QC limits (30-150%):

No problems were found.

5. COMPOUND IDENTIFICATION:

PESTICIDE FRACTION:

The retention time of the reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10 ng/ml in the final sample extract. The percent difference (%D) of the positive results obtained on the two GC columns would be $\leq$25%. The following analytes in the samples shown were qualified because of compound identification:

PCBs - The following detected compounds were qualified due to a percent difference (%D) between the primary and confirmation columns > 25%:

Compound	%D	Qualifier	Sample(s)
Aroclor-1254	between 25-75%	"J"	SDG# CDM001: CDM001*, 002, 003, 004*, 005, 006*, 010*, 011*, 012, 013, 015*, 016*, 017* and 019. SDG# CDM021: CDM021, 023 and 025; CDN002, 003, 005, 006, 008, 009, 011 and 014. SDG# CDN016: CDN016, 017 and 019; CDO002, 003, 004, 005, 007, 008, 009, 010, 012, 013 and 015. SDG# CDO016: CDO016*, 018* and 019*; CDP001*, 002*, 003*, 009*, 010* and 013*. SDG# CDP017: CDP019, 023, 024, 026, 027 and 028; CDO006.

* All samples were previously qualified for calibration criteria.

5. COMPOUND IDENTIFICATION: (continued)

PCBs - The following detected compounds were qualified due to a percent difference (%D) between the primary and confirmation columns > 25%:

Compound	%D	Qualifier	Sample(s)
Aroclor-1260	between 25-75%	"J"	SDG# CDM001: CDM001, 002, 003, 004, 006, 007, 008, 009, 010, 011, 012, 013, 014, 016, 017, 018 and 020. SDG# CDM021: CDM021, 022, 023 and 025; CDN002, 006, 007, 008, 009, 010, 011, 012 and 013. SDG# CDN016: CDN016, 017, 018, 020 and 021; CDO001, 002, 003, 004, 007, 009, 010, 011, 012, 013, 014 and 015. SDG# CDO016: CDO016, 017 and 019; CDP001, 002, 003, 004, 005, 007, 008, 009, 010, 011, 013, 014 and 015. SDG# CDP017: CDP017, 018, 019, 020, 021, 023, 024, 025, 026, 027, 028, 029 and 030; CDO006.

Note: During the initial calibration sequence, absolute retention times are determined for the surrogates, and at least three major peaks of each multi-component analyte. Windows are centered around the mean absolute retention time for the analyte established during the initial calibration. Analytes are identified when peaks are observed in the retention time window for the compound on both GC columns. In addition, no shifts for surrogate compound retention times were noted to occur that might require consideration of compounds outside respective retention time windows.

6. MATRIX SPIKE/SPIKE DUPLICATE (MS/MSD):

The MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices. The MS/MSD may be used in conjunction with other QC criteria for some additional qualification of the data. The following analytes, for the samples shown, were qualified because of MS/MSD:

PCBs - The following sample data were either qualified as estimated "J" or rejected "R" due to exceeding duplicate spike recovery QC criteria:

No qualifications were found necessary.

CLP DATA ASSESSMENT

7. OTHER QC DATA OUT OF SPECIFICATION:

PCBs - The following compounds were qualified as estimated "J" in the associated soil/sediment field duplicate samples because the Relative Percent Difference (RPD) between the sample and field duplicate sample is > 100% for soil/sediment samples:

Compound	% RPD	Sample	Concentration	Field Duplicate	Concentration
Aroclor 1260	100%	CDM001	320 ug/Kg	CDM024	ND

8. SYSTEM PERFORMANCE AND OVERALL ASSESSMENT:

Using professional judgement, the concentration of Aroclor 1254 and Aroclor 1260 in the following samples was recalculated to better reflect the analytical data:

Sample #	Aroclor 1254 Lab Result (ug/Kg)	Aroclor 1254 Recal. Result (ug/Kg)	Sample #	Aroclor 1260 Lab Result (ug/Kg)	Aroclor 1260 Recal. Result (ug/Kg)
CDM001	600 U	1200	CDM004	300	350
CDM004	120	1700	CDM010	70	150
CDN005	630	1600			

9. CONTRACT PROBLEMS/NON-COMPLIANCE:

10. This package contain re-extraction, re-analysis or dilution results. Upon reviewing the QA results, the following Form I(s) are identified to be used:

Numerous samples in this data package were diluted to bring the target analyte concentration within the calibration range of the standards. The laboratory chose to report only the final dilutions for these samples.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 30, 1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDM001

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDM001	CDM002	CDM003	CDM004	CDM005	CDM006	CDM007
Lab ID #	Method	971031L01	971031L02	971031L03	971031L04	971031L05	971031L06	971031L07
Percent Moisture	Detection	21.4%	16.6%	29.6%	20.1%	12.3%	12.7%	12.8%
Dilution Factor	Limit	10.0	10.0	10.0	1.0	10.0	1.0	1.0
Aroclor-1016	33.0	600 U	600 U	600 U	60 U	600 U	60 U	60 U
Aroclor-1221	67.0	600 U	600 U	600 U	60 U	600 U	60 U	60 U
Aroclor-1232	33.0	600 U	600 U	600 U	60 U	600 U	60 U	60 U
Aroclor-1242	33.0	600 U	600 U	600 U	60 U	600 U	60 U	60 U
Aroclor-1248	33.0	600 U	600 U	600 U	60 U	600 U	60 U	60 U
Aroclor-1254	33.0	1200 J	2000 J	460 J	1000 J	730 J	700 J	770 J
Aroclor-1260	33.0	320 J	220 J	590 J	350 J	600 U	170 J	280 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDM008	CDM009	CDM010	CDM011	CDM012	CDM013	CDM014
Lab ID #	Method	971031L08	971031L09	971031L10	971031L11	971031L12	971031L13	971031L14
Percent Moisture	Detection	15.3%	18.7%	24.1%	12.0%	21.2%	18.5%	19.3%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	10.0	10.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	600 U	600 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	600 U	600 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	600 U	600 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	600 U	600 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	600 U	600 U	60 U
Aroclor-1254	33.0	790 J	380 J	1700 J	730 J	320 J	560 J	100 J
Aroclor-1260	33.0	290 J	120 J	150 J	290 J	230 J	640 J	80 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDM015	CDM016	CDM017	CDM018	CDM019	CDM020	
Lab ID #	Method	971031L15	971031L16	971031L17	971031L18	971031L19	971031L20	
Percent Moisture	Detection	18.7%	20.4%	21.2%	18.9%	20.3%	20.1%	
Dilution Factor	Limit	1.0	1.0	1.0	1.0	10.0	1.0	
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	600 U	60 U	
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	600 U	60 U	
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	600 U	60 U	
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	600 U	60 U	
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	600 U	60 U	
Aroclor-1254	33.0	320 J	510 J	800 J	830 J	1100 J	760 J	
Aroclor-1260	33.0	360	250 J	120 J	300 J	600 U	270 J	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 30, 1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDM021

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDM021	CDM022	CDM023	CDM024	CDM025	CDN001	CDN002
Lab ID #	Method	971031M01	971031M02	971031M03	971031M04	971031M05	971031M06	971031M07
Percent Moisture	Detection	16.2%	20.9%	13.0%	20.2%	13.1%	10.0%	8.4%
Dilution Factor	Limit	1.0	1.0	1.0	10.0	1.0	10.0	1.0
Aroclor-1016	33.0	70 U	60 U	60 U	600 U	60 U	500 U	50 U
Aroclor-1221	67.0	70 U	60 U	60 U	600 U	60 U	500 U	50 U
Aroclor-1232	33.0	70 U	60 U	60 U	600 U	60 U	500 U	50 U
Aroclor-1242	33.0	70 U	60 U	60 U	600 U	60 U	500 U	50 U
Aroclor-1248	33.0	70 U	60 U	60 U	600 U	60 U	500 U	50 U
Aroclor-1254	33.0	400 J	510	210 J	4000	120 J	1400	830 J
Aroclor-1260	33.0	220 J	200 J	90 J	600 UJ	110 J	500 U	360 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDN003	CDN004	CDN005	CDN006	CDN007	CDN008	CDN009
Lab ID #	Method	971031M08	97103109	971031M10	971031M11	971031M12	971031M13	971031M14
Percent Moisture	Detection	6.6%	16.2%	20.1%	20.6%	17.9%	13.9%	11.8%
Dilution Factor	Limit	10.0	10.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	500 U	600 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	500 U	600 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	500 U	600 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	500 U	600 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	500 U	600 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	2000 J	3600	1600 J	1200 J	710	350 J	830 J
Aroclor-1260	33.0	500 U	600 U	60 U	550 J	220 J	250 J	180 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDN010	CDN011	CDN012	CDN013	CDN014	CDN015	
Lab ID #	Method	971031M15	971031M16	971031M17	971031M18	971031M19	971031M20	
Percent Moisture	Detection	24.5%	16.8%	25.9%	22.4%	10.8%	17.1%	
Dilution Factor	Limit	1.0	10.0	10.0	1.0	10.0	10.0	
Aroclor-1016	33.0	60 U	600 U	600 U	60 U	600 U	600 U	
Aroclor-1221	67.0	60 U	600 U	600 U	60 U	600 U	600 U	
Aroclor-1232	33.0	60 U	600 U	600 U	60 U	600 U	600 U	
Aroclor-1242	33.0	60 U	600 U	600 U	60 U	600 U	600 U	
Aroclor-1248	33.0	60 U	600 U	600 U	60 U	600 U	600 U	
Aroclor-1254	33.0	970	2800 J	600 U	1200	6800 J	1600	
Aroclor-1260	33.0	320 J	1900 J	700 J	420 J	600 U	600 U	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 30, 1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDN016

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDN016	CDN017	CDN018	CDN019	CDN020	CDN021	CDO001
Lab ID #	Method	971031N01	971031N02	971031N03	971031N04	971031N05	971031N06	971031N07
Percent Moisture	Detection	19.7%	20.9%	23.4%	33.4%	30.9%	17.8%	21.7%
Dilution Factor	Limit	1.0	1.0	1.0	10.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	700 U	70 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	700 U	70 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	700 U	70 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	700 U	70 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	700 U	70 U	60 U	60 U
Aroclor-1254	33.0	630 J	510 J	1000	1800 J	550	570	870
Aroclor-1260	33.0	350 J	270 J	440 J	700 U	260 J	240 J	400 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDO002	CDO003	CDO004	CDO005	CDO007	CDO008	CDO009
Lab ID #	Method	971031N08	971031N09	971031N10	971031N11	971031N12	971031N13	971031N14
Percent Moisture	Detection	16.9%	15.5%	14.1%	15.8%	15.5%	13.3%	38.8%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	80 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	60 U	80 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	80 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	80 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	80 U
Aroclor-1254	33.0	310 J	230 J	140 J	220 J	100 J	120 J	310 J
Aroclor-1260	33.0	160 J	130 J	90 J	310	60 J	60 U	80 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDO010	CDO011	CDO012	CDO013	CDO014	CDO015	
Lab ID #	Method	971031N15	971031N16	971031N17	971031N18	971031N19	971031N20	
Percent Moisture	Detection	18.6%	20.1%	13.9%	14.0%	23.2%	23.9%	
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	70 U	
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	70 U	
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	70 U	
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	70 U	
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	70 U	
Aroclor-1254	33.0	80 J	110	130 J	90 J	110	220 J	
Aroclor-1260	33.0	70 J	60 J	70 J	70 J	60 J	150 J	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 30, 1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDO016

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDO016	CDO017	CDO018	CDO019	CDP001	CDP002	CDP003
Lab ID #	Method	971031O01	971031O02	971031O03	971031O04	971031O05	971031O06	971031O07
Percent Moisture	Detection	35.2%	41.5%	49.3%	18.9%	24.9%	9.1%	19.3%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	70 U	80 U	60 U	60 U	70 U	60 U	60 U
Aroclor-1221	67.0	70 U	80 U	60 U	60 U	70 U	60 U	60 U
Aroclor-1232	33.0	70 U	80 U	60 U	60 U	70 U	60 U	60 U
Aroclor-1242	33.0	70 U	80 U	60 U	60 U	70 U	60 U	60 U
Aroclor-1248	33.0	70 U	80 U	60 U	60 U	70 U	60 U	60 U
Aroclor-1254	33.0	620 J	330 J	310 J	560 J	380 J	1100 J	1100 J
Aroclor-1260	33.0	180 J	140 J	480	290 J	220 J	260 J	280 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDP004	CDP005	CDP006	CDP007	CDP008	CDP009	CDP010
Lab ID #	Method	971031O08	971031O09	971031O10	971031O11	971031O12	971031O13	971031O14
Percent Moisture	Detection	18.4%	16.8%	17.6%	20.9%	16.8%	16.7%	16.8%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	860 J	520 J	640 J	460 J	230 J	250 J	510 J
Aroclor-1260	33.0	210 J	220 J	260	210 J	80 J	160 J	180 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDP011	CDP012	CDP013	CDP014	CDP015	CDP016	
Lab ID #	Method	971031O15	971031O16	971031O17	971031O18	971031O19	971031O20	
Percent Moisture	Detection	19.1%	13.9%	17.5%	16.6%	21.7%	3.1%	
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	70 U	50 U	
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	70 U	50 U	
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	70 U	50 U	
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	70 U	50 U	
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	70 U	50 U	
Aroclor-1254	33.0	390 J	360 J	240 J	680 J	1200 J	170 J	
Aroclor-1260	33.0	200 J	210	160 J	160 J	320 J	110	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 30, 1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDP017

Matrix Sample ID # Lab ID # Percent Moisture Dilution Factor	Method Detection Limit	Soil CDP017 971031P01 6.2% 1.0	Soil CDP018 971031P02 15.5% 1.0	Soil CDP019 971031P03 16.8% 1.0	Soil CDP020 971031P04 15.4% 1.0	Soil CDP021 971031P05 16.6% 1.0	Soil CDP022 971031P06 19.4% 1.0	Soil CDP023 971031P07 20.3% 1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	160	820	640 J	250	310	180	130 J
Aroclor-1260	33.0	170 J	220 J	240 J	140 J	170 J	110 J	110 J

Matrix Sample ID # Lab ID # Percent Moisture Dilution Factor	Method Detection Limit	Soil CDP024 971031P08 16.7% 1.0	Soil CDP025 971031P09 14.3% 1.0	Soil CDP026 971031P10 16.7% 1.0	Soil CDP027 971031P11 20.5% 1.0	Soil CDP028 971031P12 13.7% 1.0	Soil CDP029 971031P13 21.4% 1.0	Soil CDP030 971031P14 24.1% 1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	220 J	230	300 J	460 J	720 J	990	500
Aroclor-1260	33.0	120 J	130 J	130 J	150 J	240 J	340 J	100 J

Matrix Sample ID # Lab ID # Percent Moisture Dilution Factor	Method Detection Limit	Soil CDO006 971031P15 11.4% 1.0						
Aroclor-1016	33.0	60 U						
Aroclor-1221	67.0	60 U						
Aroclor-1232	33.0	60 U						
Aroclor-1242	33.0	60 U						
Aroclor-1248	33.0	60 U						
Aroclor-1254	33.0	100 J						
Aroclor-1260	33.0	170 J						

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.