SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

SDG: CDG021

Project Number: 9917224

December 11, 1997

RECEIVED
DEC 15 1997

Submitted by:
SCILAB Albany, Inc.

231300

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971029I01	CDG021	GRAB	10/28/97
971029I02	CDG022	GRAB	10/28/97
971029I03	CDG023	GRAB	10/28/97
971029I04	CDH001	GRAB	10/28/97
971029I05	CDH002	GRAB	10/28/97
971029I06	CDH003	GRAB	10/28/97
971029I07	CDH004	GRAB	10/28/97
971029I08	CDH005	GRAB	10/28/97
971029I09	CDH006	GRAB	10/28/97
971029I10	CDH007	GRAB	10/28/97
971029I11	CDH008	GRAB	10/28/97
971029I12	CDH009	GRAB	10/28/97
971029I13	CDH010	GRAB	10/28/97
971029I14	CDH011	GRAB	10/28/97
971029I15	CDH012	GRAB	10/28/97
971029I16	CDH013	GRAB	10/28/97
971029I17	CDH014	GRAB	10/28/97
971029I18	CDH015	GRAB	10/28/97
971029I19	CDH016	GRAB	10/28/97
971029I20	CDG017	GRAB	10/28/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.
6. Each sample was quantitated on both the DB-608 and RTX-1701 column. As per CLP protocol the lower value is reported on the Form 1. Both values are listed on the Form 10 with the RPD noted. If the RPD is greater than 25% the result is flagged with a P on the Form 1.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/11/92 Title: Quality Assurance Officer

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

RECEIVED
DEC 22 1997

SDG: CDI001

Project Number: 9917224

December 11, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971030I01	CDI001	GRAB	10/29/97
971030I02	CDI002	GRAB	10/29/97
971030I03	CDI003	GRAB	10/29/97
971030I04	CDI004	GRAB	10/29/97
971030I05	CDI005	GRAB	10/29/97
971030I06	CDI006	GRAB	10/29/97
971030I07	CDI007	GRAB	10/29/97
971030I08	CDI008	GRAB	10/29/97
971030I09	CDI009	GRAB	10/29/97
971030I10	CDI010	GRAB	10/29/97
971030I11	CDI011	GRAB	10/29/97
971030I12	CDI012	GRAB	10/29/97
971030I13	CDI013	GRAB	10/29/97
971030I14	CDI014	GRAB	10/29/97
971030I15	CDI015	GRAB	10/29/97
971030I16	CDI016	GRAB	10/29/97
971030I17	CDI017	GRAB	10/29/97
971030I18	CDI018	GRAB	10/29/97
971030I19	CDI019	GRAB	10/29/97
971030I20	CDI020	GRAB	10/29/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.
6. The recovery for the matrix spike was outside of QC limits. This is attributed to the high concentration of Arochlor 1254 in the sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/19/87 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

RECEIVED
DEC 22 1997

SDG: CDI021

Project Number: 9917224

December 19, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971030J01	CDI021	GRAB	10/29/97
971030J02	CDI022	GRAB	10/29/97
971030J03	CDI023	GRAB	10/29/97
971030J04	CDI024	GRAB	10/29/97
971030J05	CDI025	GRAB	10/29/97
971030J06	CDJ001	GRAB	10/29/97
971030J07	CDJ002	GRAB	10/29/97
971030J08	CDJ003	GRAB	10/29/97
971030J09	CDJ004	GRAB	10/29/97
971030J10	CDJ005	GRAB	10/29/97
971030J11	CDJ006	GRAB	10/29/97
971030J12	CDJ007	GRAB	10/29/97
971030J13	CDJ008	GRAB	10/29/97
971030J14	CDJ009	GRAB	10/29/97
971030J15	CDJ010	GRAB	10/29/97
971030J16	CDJ011	GRAB	10/29/97
971030J17	CDJ012	GRAB	10/29/97
971030J18	CDJ013	GRAB	10/29/97
971030J19	CDJ014	GRAB	10/29/97
971030J20	CDJ015	GRAB	10/29/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 10/19/97 Title: Quality Assurance Officer

NEW YORK • BOSTON • ALBANY • RICHMOND • LYON, FRANCE

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

Laboratory Analysis and EPA CLP Report

RECEIVED
DEC 29 1997

Prepared for: Weston Inc.
Attn: Ms. Smita Sumbaly

SDG: CDJ016

Project Number: 9917224

December 23, 1997

Submitted by:
SCILAB Albany, Inc.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

CASE NARRATIVE

SCILAB Albany, Inc. performed the analyses on the following samples:

LAB ID	CLIENT ID	TYPE	DATE SAMPLED
971030K01	CDJ016	GRAB	10/29/97
971030K02	CDJ017	GRAB	10/29/97
971030K03	CDJ018	GRAB	10/29/97
971030K04	CDJ019	GRAB	10/29/97
971030K05	CDJ020	GRAB	10/29/97
971030K06	CDJ021	GRAB	10/29/97
971030K07	CDJ022	GRAB	10/29/97
971030K08	CDK001	GRAB	10/29/97
971030K09	CDK002	GRAB	10/29/97
971030K10	CDK003	GRAB	10/29/97
971030K11	CDK004	GRAB	10/29/97
971030K12	CDK005	GRAB	10/29/97
971030K13	CDK006	GRAB	10/29/97
971030K14	CDK007	GRAB	10/29/97
971030K15	CDK008	GRAB	10/29/97
971030K16	CDK009	GRAB	10/29/97
971030K17	CDK010	GRAB	10/29/97
971030K18	CDK011	GRAB	10/29/97
971030K19	CDK012	GRAB	10/29/97
971030K20	CDK013	GRAB	10/29/97

No problems were encountered during the analyses with the following exceptions:

PCB ANALYSIS - SW-846 METHOD 8080

1. All samples were extracted by SW-846 Method 3580 medium level extraction. Matrix interference were removed using sulfuric acid cleanup to remove hydrocarbons and tert-butyl ammonium hydrogen (TBA) to remove sulfur. Samples were concentrated to a final volume of 1.0 ml.
2. Sample were analyzed by SW-846 Method 8080 using DB-608 and RTX-1701 capillary columns. A five point curve for each of the seven arochlors was analyze. A mid level check standard of each arochlor was analyzed each 24 hour period. An Arochlor 1254 check satandard was analyzed every ten samples to verify the instruments calibration. The QC limits used atre those prescribed by the method.
3. Decachlorobiphenyl and Tetrachloro-m-xylene were added as surrogates. The QC limits used for these compounds are specific to SCILAB and the extraction procedure and method analyzed.
4. The Matrix Spike/Matrix Spike Duplicate and Blank Matrix Spike were spiked with Arochlor 1254. The recovery limits for this compound were determined by the SW-846 Method 8080.

SCILAB
FULL SERVICE ENVIRONMENTAL LABORATORIES

SCILAB ALBANY, INC.
15 Century Hill Drive
P.O. Box 787
Latham, NY 12110
Tel: (518) 786-8100
Fax: (518) 786-7700

5. The retention times for the surrogates are provided on Form 8. The surrogates were only added to the Arochlor 1254 curve. The * denotes the surrogate was not present during the analysis of this sample.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Signature: _____ Name: David J. O'Hehir

Date: 12/23/93 Title: Quality Assurance Officer

RFP No.: 2211

PO No.: 86731

CHAIN OF CUSTODY RECORD

WESTON. MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HN03
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 971030I

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS BEN	COR	REAC	OTHER
CDI001	10/29/97/0853	S	L	G	6										Total PCBs
CDI002	10/29/97/0857														
CDI003	10/29/97/0850														
CDI004	10/29/97/0845														
CDI005	10/29/97/0842														
CDI006	10/29/97/0853														
CDI007	10/29/97/0854														
CDI008	10/29/97/0859														
CDI009	10/29/97/0905														
CDI010	10/29/97/0900														
CDI011	10/29/97/0935														

Comments: Extra Volume was given for MS/MSD - Sample # CDI001

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malkof	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M Malkof	1600	10/29		Shipment to Lab
				10/29 10/30/97	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

RFP No.: 2211

PO No.: 86731

CHAIN OF CUSTODY RECORD

WESTON. MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-5116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HN03
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 971030I 971030J

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #s)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS IGN	COR	REAC	OTHER
CDI012 12	10/29/97/0950	S	L	G	6										Total PCBs
CDI013 13	10/29/97/0950														
CDI014 14	10/29/97/0939														
CDI015 15	10/29/97/0900														
CDI016 16	10/29/97/0910														
CDI017 17	10/29/97/0920														
CDI018 18	10/29/97/0934														
CDI019 19	10/29/97/0914														
CDI020 20	10/29/97/0904														
CDI021 21	10/29/97/0916														
CDI022 22	10/29/97/0909														

Comments: Extra volume given for MS/MSD for sample CDI015

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M Martin	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M Martin	1600	10/29		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		10:05	10/30/97		

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

RFP No.: 2211

PO No.: 86731

CHAIN OF CUSTODY RECORD

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 97UOJ

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #s)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS IGN	COR	REAC	OTHER
03 CDI023	10/29/97/0932	5	L	G	6										Total PCBs
04 CDI024	10/29/97/0943														
05 CDI025	10/29/97/0856														
06 CDJ001	10/29/97/1052														
07 CDJ002	10/29/97/1037														
08 CDJ003	10/29/97/1041														
09 CDJ004	10/29/97/1040														
10 CDJ005	10/29/97/1045														
11 CDJ006	10/29/97/1041														
12 CDJ007	10/29/97/1045														
13 CDJ008	10/29/97/1040														

Comments: Extra volume given for MS/MSD - Sample CDJ001

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahato	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahato	1600	10/29		Shipment to Lab

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
				10/30/97	

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

#00004

CHAIN OF CUSTODY RECORD

REP No.:	PO No.:
2211	86731

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to:
97103CJ
97103CK

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS IGN	COR	REAC	OTHER
CDJ009 14	10/29/97/1034	5	L	G	6										Total PCBs
CDJ010 15	10/29/97/1030														
CDJ011 16	10/29/97/1030														
CDJ012 17	10/29/97/1020														
CDJ013 18	10/29/97/1035														
CDJ014 19	10/29/97/1030														
CDJ015 20	10/29/97/1026														
CDJ016 01	10/29/97/1051														
CDJ017 02	10/29/97/1051														
CDJ018 03	10/29/97/1100														
CDJ019 04	10/29/97/1051														

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malhotra	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Malhotra	1600	10/29		Shipment to Lab
		1005	10/30/97	[signature]	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

RFP No.: 2211

PO No.: 86731

CHAIN OF CUSTODY RECORD

WESTON

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 97103CK

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS CEN	COR	REAC	OTHER
CDJ020	10/29/97/1055	5	L	G	6										Total PCBs
CDJ021	10/29/97/1055														
CDJ022	10/29/97/1055														
CDK001	10/29/97/1220														
CDK002	10/29/97/1225														
CDK003	10/29/97/1226														
CDK004	10/29/97/1227														
CDK005	10/29/97/1211														
CDK006	10/29/97/1207														
CDK007	10/29/97/1202														
CDK008	10/29/97/1208														

Comments: Extra volume given for MS/MSD sample# CDK001

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malinski	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Malinski	1600	10/29		Shipment to Lab
Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
		10:00	10/30/97		
Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

18-00004

CHAIN OF CUSTODY RECORD

RFP No.: 2211

PO No.: 86731

WESTON

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-WS-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 971036K 971036L

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDK009 16	10/29/97/1206	5	L	G	6										Total PCBs
CDK010 17	10/29/97/1219														
CDK011 18	10/29/97/1220														
CDK012 19	10/29/97/1210														
CDK013 20	10/29/97/1208														
CDK014 01	10/29/97/1230														
CDK015 02	10/29/97/1228														
CDK016 03	10/29/97/1151														
CDK017 04	10/29/97/1200														
CDK018 05	10/29/97/1203														
CDK019 06	10/29/97/1214														

Comments:

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Mahoney	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Mahoney	1600	10/29		Shipment to Lab
		1005	10/30/97	[signature]	

R-00005

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental

CHAIN OF CUSTODY RECORD

RFP No.: 2211

PO No.: 86731

WESTON
MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HN03
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 71030h

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDK020	10/29/97/1200	5	L	G	6										Total PCBs
CDK021	10/29/97/1230														
CDL001	10/29/97/1420														
CDL002	10/29/97/1411														
CDL003	10/29/97/1415														
CDL004	10/29/97/1415														
CDL005	10/29/97/1419														
CDL006	10/29/97/1405														
CDL007	10/29/97/1429														
CDL008	10/29/97/1410														
CDL009	10/29/97/1415														

Comments: Extra volume given for MS/MSD sample # CDL001

Person Assuming Responsibility for Sample: M. M[illegible]

Time: 1500 Date (MM/DD/YY): 10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. M[illegible]	1600	10/29		Shipment to Lab
		10:05	10/30/97	[illegible]	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

0004

CHAIN OF CUSTODY RECORD

RFP No.: 2211

PO No.: 86731

WESTON. MANAGERS DESIGNERS/CONSULTANTS

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM
EPA CONTRACT 68-W5-0019
Phone: 908-225-6116 Fax: 908-225-7037

Matrix Box No.:	Preservative Box No.:
1. Surface Water	1. HCl
2. Ground Water	2. HNO3
3. Leachate	3. Na2SO4
4. Rinsate	4. H2SO4
5. Soil/Sediment	5. Other (Specify)
6. Oil	6. Ice Only
7. Waste	N. Not Preserved
8. Other (Specify)	* See Comments

Send verbal and written results to: 971030L 971030M

Roy F. Weston, Inc., USEPA Region II START
Suite 201, 1090 King Georges Post Road, Edison, New Jersey 08837-3703
Attention: Smita Sumbaly, START Analytical Coordinator

Sample Number	Sample Collection MM/DD/YY/Time	Sample Matrix (Enter box #)	Conc. Low-L Med-M High-H	Sample Type Comp-C Grab-G	Sample Preserv. (Enter box #)	RAS ANALYSIS VOA	BNA	PEST	PCBs	TAL	CN	RCRA ANALYSIS KIN	COR	REAC	OTHER
CDL010	10/29/97/1426	5	L	G	6										Total PCB's
CDL011	10/29/97/1435														
CDL012	10/29/97/1427														
CDL013	10/29/97/1430														
CDL014	10/29/97/1432														
CDL015	10/29/97/1440														
CDL016	10/29/97/1428														
CDL017	10/29/97/1423														
CDL018	10/29/97/1430														
RB3	10/29/97/1210	4	971030 NC01												
CDI020	10/29/97/0900	5													

Comments: MM

Person Assuming Responsibility for Sample:	Time	Date (MM/DD/YY)
M. Malhotra	1500	10/29/97

Sample Number	Relinquished By:	Time	Date	Received By:	Reason for Change of Custody
All	M. Malhotra	1600	10/29		Shipment to Lab
		1005	10/30/97	[signature]	

Roy F. Weston, Inc.
FEDERAL PROGRAMS DIVISION
In Association with Resource Applications, Inc., R.E. Sarriera Associates, PRC Environmental Management, C.C. Johnson & Malhotra, P.C., and GRB Environmental Services, Inc.

00005

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	2800	J
11096-82-5	PCB1260	600	U J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI002

Lab Name: SCILAB Albany, Inc.

Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) 9.0 Lab Sample ID: 971030I02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 45.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	900	U
11104-28-2	PCB1221	900	U
11141-16-5	PCB1232	900	U
53469-21-9	PCB1242	900	U
12672-29-6	PCB1248	900	U
11097-69-1	PCB1254	1600	J
11096-82-5	PCB1260	900	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 6.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	~~P~~ J
11096-82-5	PCB1260	~~200~~ 75	~~P~~ J

MCR 12/18

1

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 11.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	60	~~P~~ J
11096-82-5	PCB1260	60	U

FORM I PCB

0030

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 12.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	590	~~P~~ J
11096-82-5	PCB1260	300	~~P~~ J

00038

mcc 12/10

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	1100	
11096-82-5	PCB1260	390	~~P~~ J

P-00047

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~19.3~~ 19.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1400	~~P~~ J
11096-82-5	PCB1260	600	U

P-00056

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 10.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	110	~~P~~ J
11096-82-5	PCB1260	110	~~P~~ J

00063

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 7.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	70	~~P~~ J
11096-82-5	PCB1260	160	~~P~~ J

P-00071

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 8.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	U
11096-82-5	PCB1260	150	~~P~~ J

00079

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 6.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	U
11096-82-5	PCB1260	60	~~P~~ J

00086

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 5.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	U
11096-82-5	PCB1260	60	PJ

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI013

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I13

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 6.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	420	~~P~~ J
11096-82-5	PCB1260	180	~~P~~ J

P-00100

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 5.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	70	
11096-82-5	PCB1260	60	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI015

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~6.8~~ 4.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	760	~~P~~ J
11096-82-5	PCB1260	460	~~P~~ J

P-C0114

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.6 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	790	J
11096-82-5	PCB1260	600	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 100

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	5000	U
11104-28-2	PCB1221	5000	U
11141-16-5	PCB1232	5000	U
53469-21-9	PCB1242	5000	U
12672-29-6	PCB1248	5000	U
11097-69-1	PCB1254	15000	J
11096-82-5	PCB1260	5000	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI018

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 7.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/21/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	500	U
11104-28-2	PCB1221	500	U
11141-16-5	PCB1232	500	U
53469-21-9	PCB1242	500	U
12672-29-6	PCB1248	500	U
11097-69-1	PCB1254	~~6200~~ 4600	J
11096-82-5	PCB1260	500	U

F 0135

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 7.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	260	~~P~~ J
11096-82-5	PCB1260	130	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI020

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI001

Matrix: (soil/water) SOIL Lab Sample ID: 971030I20

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 5.3 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/12/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	U
11096-82-5	PCB1260	50	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI021

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 6.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	50	U
11096-82-5	PCB1260	50	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI022

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) 9.0 Lab Sample ID: 971030J02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	3700	
11096-82-5	PCB1260	1200	~~P~~ J

00018

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI023

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 7.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	76	
11096-82-5	PCB1260	50	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI024

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 4.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	94	J
11096-82-5	PCB1260	50	U

N-00032

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDI025

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~18.9~~ 18.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	600	U
11096-82-5	PCB1260	1900	~~U~~ J

00038

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1100	
11096-82-5	PCB1260	600	~~P~~ J

00045

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ002

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J~~09~~ 07

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture ~~19.3~~ 15.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	700	
11096-82-5	PCB1260	600	U

00052

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.6 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	60	U
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ~~005~~ 004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~15.4~~ 18.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	120	~~P~~ J
11096-82-5	PCB1260	60	U

00066

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.4 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1800	~~P~~ J
11096-82-5	PCB1260	600	U

00074

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 23.4 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1000	
11096-82-5	PCB1260	600	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~22.2~~ 12.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	50	U
11104-28-2	PCB1221	50	U
11141-16-5	PCB1232	50	U
53469-21-9	PCB1242	50	U
12672-29-6	PCB1248	50	U
11097-69-1	PCB1254	80	~~P~~ J
11096-82-5	PCB1260	50	U

00087

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J13

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	170	~~P~~ J
11096-82-5	PCB1260	60	U

00094

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.4 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	2200	
11096-82-5	PCB1260	700	~~P~~ J

00101

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~6.9~~ 16.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	90	
11096-82-5	PCB1260	60	U

00108

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/14/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	3600	
11096-82-5	PCB1260	~~2700~~ 930	~~P~~ J

N 00115

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.3 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	230	~~U~~ J
11096-82-5	PCB1260	100	~~U~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ013

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.3 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	100	~~P~~ J
11096-82-5	PCB1260	60	U

00130

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	230	
11096-82-5	PCB1260	60	~~P~~ J

00137

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ0~~20~~ 15

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDI021

Matrix: (soil/water) SOIL Lab Sample ID: 971030J20

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 16.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/3/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/5/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	60	U
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	250	~~P~~ J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) 9.0 Lab Sample ID: 971030K02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	340	J
11096-82-5	PCB1260	~~60~~ 60	~~U~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ018

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	470	J
11096-82-5	PCB1260	60	U

00028

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.7 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	120	J
11096-82-5	PCB1260	60	U

00037

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ020

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.6 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	130	J
11096-82-5	PCB1260	60	U

00046

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ021

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 22.6 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	310	~~P~~ J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDJ022

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	550	J
11096-82-5	PCB1260	60	UJ

00064

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	400	~~P~~ J
11096-82-5	PCB1260	290	~~P~~ J

00073

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 48.3 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	100	U
11104-28-2	PCB1221	100	U
11141-16-5	PCB1232	100	U
53469-21-9	PCB1242	100	U
12672-29-6	PCB1248	100	U
11097-69-1	PCB1254	100	UJ
11096-82-5	PCB1260	100	U

00082

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK003

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.5 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	100	~~P~~ J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K11

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.9 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	240	~~P~~ J
11096-82-5	PCB1260	60	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	380	~~P~~ J
11096-82-5	PCB1260	140	~~P~~ J

00103

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K13

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U
53469-21-9	PCB1242	600	U
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	1400	
11096-82-5	PCB1260	600	U

00117

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K\4

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/9/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	720	~~P~~ J
11096-82-5	PCB1260	60	U

00124

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K15

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.1 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	600	J
11096-82-5	PCB1260	60	U

00133

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	700	J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 24.2 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	210	~~P~~ J
11096-82-5	PCB1260	70	U

00151

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 32.4 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	920	~~P~~ J
11096-82-5	PCB1260	70	U

00160

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK012

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.0 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	~~70~~ 60	U
11141-16-5	PCB1232	~~70~~ 60	U
53469-21-9	PCB1242	~~70~~ 60	U
12672-29-6	PCB1248	~~70~~ 60	U
11097-69-1	PCB1254	760	J
11096-82-5	PCB1260	~~70~~ 60	U

00169

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK013

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDJ016

Matrix: (soil/water) SOIL Lab Sample ID: 971030K20

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 17.8 decanted: (Y/N) N Date Received: 10/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/22/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	990	J
11096-82-5	PCB1260	60	U

00178

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK014

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L01

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.4 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U J
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	470	~~P~~ J
11096-82-5	PCB1260	60	U

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK015

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) 9.0 Lab Sample ID: 971030L02

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 23.2 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U J
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	~~670~~ 650	~~P~~ J
11096-82-5	PCB1260	440	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK016

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L03

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.1 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U J
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	450	~~P~~ J
11096-82-5	PCB1260	290	

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK017

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L04

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 28.0 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U J
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	270	~~P~~ J
11096-82-5	PCB1260	190	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK018

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L05

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 26.3 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U J
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	350	~~P~~ J
11096-82-5	PCB1260	100	

00044

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK019

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L06

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 21.3 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	210	~~P~~ J
11096-82-5	PCB1260	140	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK020

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L07

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~19.3~~ 17.6 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	200	~~P~~ J
11096-82-5	PCB1260	170	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDK021

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030~~L09~~ L08

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 16.8 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	960	~~P~~ J
11096-82-5	PCB1260	110	

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL001

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L09

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 15.4 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U J
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	210	
11096-82-5	PCB1260	130	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL002

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L10

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~21.6~~ 21.9 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	300	
11096-82-5	PCB1260	150	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL003

Lab Name: SCILAB Albany, Inc.

Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL

Lab Sample ID: 971030L11

Sample wt/vol: 1.0 (g/ml) g

Lab File ID:

% Moisture 22.8 decanted: (Y/N) N

Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc

Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL)

Date Analyzed: 11/26/97

Injection Volume: 1 (ul)

Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	670	
11096-82-5	PCB1260	240	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL004

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L12

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 20.7 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	340	~~P~~ J
11096-82-5	PCB1260	200	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL005

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L13

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~18.1~~ 18.2 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	190	~~P~~ J
11096-82-5	PCB1260	90	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL006

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L14

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture ~~18.2~~ 19.5 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	700	~~P~~ J
11096-82-5	PCB1260	120	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL007

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L15

Sample wt/vol: 25.6 (g/ml) g Lab File ID:

% Moisture ~~18.8~~ 25.6 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	1000	~~P~~ J
11096-82-5	PCB1260	190	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL008

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L16

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 19.6 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	400	
11096-82-5	PCB1260	210	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL009

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L17

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 18.2 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/3/97

Injection Volume: 1 (ul) Dilution Factor: 10

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	600	U J
11104-28-2	PCB1221	600	U
11141-16-5	PCB1232	600	U J
53469-21-9	PCB1242	600	U J
12672-29-6	PCB1248	600	U
11097-69-1	PCB1254	820	~~P~~ J
11096-82-5	PCB1260	600	U J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL010

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L18

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 14.6 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	860	~~P~~ J
11096-82-5	PCB1260	120	~~P~~ J

00147

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL011

Lab Name: SCILAB Albany, Inc. Contract

Lab Code: 10358 SAS No.: SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L19

Sample wt/vol: 1.0 (g/ml) g Lab File ID:

% Moisture 13.5 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	60	U
11104-28-2	PCB1221	60	U
11141-16-5	PCB1232	60	U
53469-21-9	PCB1242	60	U
12672-29-6	PCB1248	60	U
11097-69-1	PCB1254	660	~~P~~ J
11096-82-5	PCB1260	180	~~P~~ J

PCB ORGANICS ANALYSIS DATA SHEET

EPA SAMPLE NO.

CDL012
~~CDL014~~

Lab Name: SCILAB Albany, Inc. Contract _____

Lab Code: 10358 SAS No.: _____ SDG No.: CDK014

Matrix: (soil/water) SOIL Lab Sample ID: 971030L20

Sample wt/vol: 1.0 (g/ml) g Lab File ID: _____

% Moisture 33.2 decanted: (Y/N) N Date Received: 11/30/97

Extraction: (SepF/Cont/Sonc) Sonc Date Extracted: 11/5/97

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/26/97

Injection Volume: 1 (ul) Dilution Factor: 1

CAS. NO.	COMPOUND	CONCENTRATION UNITS: ug/kg (ug/L OR ug/kg)	Q
12674-11-2	PCB1016	70	U
11104-28-2	PCB1221	70	U
11141-16-5	PCB1232	70	U
53469-21-9	PCB1242	70	U
12672-29-6	PCB1248	70	U
11097-69-1	PCB1254	280	~~P~~
11096-82-5	PCB1260	150	~~P~~

CLP DATA ASSESSMENT

Functional Guidelines for Evaluating Organic Analysis

CASE # 2211 **SDG #** _____
LAB: Scilab Albany, Inc. **SITE:** Cornell-Dubilier Electronics

The current Functional Guidelines for evaluating organic data have been applied.

All data are valid and acceptable except those analytes which have been qualified with a "J" (estimated), "N" (presumptive evidence for the presence of the material), "U" (non-detects), "R" (unusable), or "JN" (presumptive evidence for the presence of the material at an estimated value). All action is detailed on the attached sheets.

Two facts should be noted by all data users. First, the "R" flag means that the associated value is unusable. In other words, due to significant QC problems, the analysis is invalid and provides no information as to whether the compound is present or not. "R" values should not appear on data tables because they cannot be relied upon, even as a last resort. The second fact to keep in mind is that no compound concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data but any value potentially contains error.

Analytical data qualified as "JN" or "R" may not be used to demonstrate compliance with Toxicity Characteristic or Land Ban Regulations.

Reviewer's Signature: Brian Mc[illegible] **Date:** 2/27/1998

Verified By: _____ **Date:** __/__/19__

CLP DATA ASSESSMENT

On the 29 of October 1997, three hundred and sixty-three (345) surface soil samples (including field duplicates) and four (4) field rinsate blanks were collected from residential properties which are located near the former Cornell-Dubilier site. This site is located at 333 Hamilton Boulevard, South Plainfield, New Jersey. All samples were shipped via Federal Express to Scilab Albany, Inc. of Latham, New York. The laboratory received all samples in good condition. Samples were analyzed for total polychlorinated biphenyl (PCB) parameters. The laboratory followed SW-846 Method 3580 for medium level extraction and Method 8080 for sample analysis.

This data assessment is divided into four parts to allow ease of data review and reporting. This part, Part III, details the results for the following samples:

PART III

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG# CDI001: CDI001	971030I01	SDG# CDI021: CDI021	971030J01	SDG# CDJ016: CDJ016	971030K01
CDI002	971030I02	CDI022	971030J02	CDJ017	971030K02
CDI003	971030I03	CDI023	971030J03	CDJ018	971030K03
CDI004	971030I04	CDI024	971030J04	CDJ019	971030K04
CDI005	971030I05	CDI025	971030J05	CDJ020	971030K05
CDI006	971030I06	CDJ001	971030J06	CDJ021	971030K06
CDI007	971030I07	CDJ002	971030J07	CDJ022	971030K07
CDI008	971030I08	CDJ003	971030J08	CDK001	971030K08
CDI009	971030I09	CDJ004	971030J09	CDK002	971030K09
CDI010	971030I10	CDJ005	971030J10	CDK003	971030K10
CDI011	971030I11	CDJ006	971030J11	CDK004	971030K11
CDI012	971030I12	CDJ007	971030J12	CDK005	971030K12
CDI013	971030I13	CDJ008	971030J13	CDK006	971030K13
CDI014	971030I14	CDJ009	971030J14	CDK007	971030K14
CDI015	971030I15	CDJ010	971030J15	CDK008	971030K15
CDI016	971030I16	CDJ011	971030J16	CDK009	971030K16
CDI017	971030I17	CDJ012	971030J17	CDK010	971030K17

CLP DATA ASSESSMENT

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG# CDI001 CDI018	971030I18	SDG# CDI021: CDJ013	971030J18	SDG# CDJ016 CDK011	971030K18
CDI019	971030I19	CDJ014	971030J19	CDK012	971030K19
CDI020	971030I20	CDJ015	971030J20	CDK013	971030K20

Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number	Client ID Number	Laboratory ID Number
SDG# CDK014: CDK014	971030L01	CDL003	971030L11		
CDK015	971030L02	CDL004	971030L12		
CDK016	971030L03	CDL005	971030L13		
CDK017	971030L04	CDL006	971030L14		
CDK018	971030L05	CDL007	971030L15		
CDK019	971030L06	CDL008	971030L16		
CDK020	971030L07	CDL009	971030L17		
CDK021	971030L08	CDL010	971030L18		
CDL001	971030L09	CDL011	971030L19		
CDL002	971030L10	CDL012	971030L20		

The following samples are field duplicate samples:

CDI001 and CDI025
CDI015 and CDI026 (sample CDI026 is in SDG# RB1)
CDJ001 and CDJ022
CDK001 and CDK021
CDL001 and CDL018 (sample CDL018 is in SDG# RB1)

CLP DATA ASSESSMENT

1. HOLDING TIMES:

The amount of an analyte in a sample can change with time due to chemical instability, degradation, volatilization, etc. If the specified holding time is exceeded, the data may not be valid. Those analytes detected in the samples whose holding time has been exceeded will be qualified as estimated, "J". The non-detects (sample quantitation limits) will be flagged as estimated, "J", or unusable, "R", if the holding times are grossly exceeded.

The following analytes in the samples shown were qualified because of holding time:

PCBs - The following data were qualified as estimated "J" or rejected "R" due to exceeding holding time criteria:

No problems were found.

Note: Continuous extraction of water samples must be started within seven (7) days of the date of collection. Soil/Sediment/Solid samples must be extracted within seven (7) days of collection. Extracts must be analyzed within forty (40) days of extraction.

2. BLANK CONTAMINATION:

Quality Assurance (QA) blanks [i.e., method, trip, field or rinse blanks] are prepared to identify any contamination which may have been introduced into the samples during sample preparation or field activity. Method blanks measure laboratory contamination. Trip blanks measure cross-contamination of samples during shipment. Field and rinse blanks measure cross-contamination of samples during field operations. If the concentration of the analyte is less than 5 times the blank contaminant level (10 times for common contaminants), the analytes are qualified as non-detects, "U". The following analytes in the samples shown were qualified with "U" for these reasons:

A) Method Blank Contamination

PCBs - The following compounds were qualified as non-detected "U" in the associated samples due to method blank contamination:

No contamination was found in any of the Method Blanks.

B) Field or Rinse Blank Contamination ("water blanks" or "distilled water blanks" are validated like any other sample)

PCBs - The following compounds were qualified as non-detected "U" in the associated samples due to rinse blank contamination:

No contamination was found in any of the Rinse Blanks.

CLP DATA ASSESSMENT

3. CALIBRATION:

PERCENT RELATIVE STANDARD DEVIATION (%RSD) AND PERCENT DIFFERENCE (%D):

Percent RSD is calculated from the initial calibration and is used to indicate the stability of the specific compound response factor over increasing concentration. Percent D compares the response factor of the continuing calibration check to the mean response factor (RRF) from the initial calibration. Percent D is a measure of the instrument's daily performance. Percent RSD must be < 30% and %D must be < 25%. A value outside of these QC limits indicates potential detection and quantitation errors. For these reasons, all positive results are flagged as estimated, "J"; and non-detects are flagged "UJ". If %RSD and/or %D grossly exceed QC criteria, non-detect data may be qualified "R".

For the PESTICIDE/PCB fraction, if %RSD exceeds 20% for all analytes except for the 2 surrogates (which must not exceed 30% RSD), qualify all associated positive results "J" and non-detects "UJ".

The following analytes in the samples shown were qualified for %RSD and %D:

Initial Calibration

PCBs - The following compounds were qualified as estimated "J" or rejected "R" in the associated samples because the linearity criteria (correlation coefficient, r) of the Initial Calibration is <.995 for either one or both GC columns:

Compound	Associated Samples
Aroclor 1254	SDG# CDI001: CDI001, 002, 004, 007, 016, 017 and 018. SDG# CDJ016: CDJ016, 017, 018, 019, 020, 021 and 022; CDK001, 002, 003, 007, 008, 009, 010, 011, 012 and 013.

Continuing Calibration:

PCBs - The following compounds were qualified as estimated "J" in the associated samples because the Continuing Calibration %D is between 25-90% for these compounds on the primary GC column:

Compound	Associated Samples
Aroclor 1221	SDG# CDK014: CDK014, 015, 016, 017, 018; CDL001.
Aroclor 1016, Ar1232, Ar1242 and Ar1260	SDG# CDK014: CDL009

4. SURROGATES/SYSTEM MONITORING COMPOUNDS (SMC):

All samples are spiked with surrogate/SMC compounds prior to sample preparation to evaluate overall laboratory performance and efficiency of the analytical technique. If the measured surrogate/SMC concentrations were outside contract specifications, qualifications were applied to the samples and analytes as shown below. The following analytes for the samples shown were qualified because of surrogate/SMC recovery:

PCBs - The following compounds were either qualified as estimated "J" or rejected "R" due to Tetrachloro-m-xylene (TCX) and Decachlorobiphenyl (DCB) surrogate recoveries are both outside specified advisory QC limits (30-150%):

No problems were found.

5. COMPOUND IDENTIFICATION:

PESTICIDE FRACTION:

The retention time of the reported compounds must fall within the calculated retention time windows for the two chromatographic columns and a GC/MS confirmation is required if the concentration exceeds 10 ng/ml in the final sample extract. The percent difference (%D) of the positive results obtained on the two GC columns would be $\leq$25%. The following analytes in the samples shown were qualified because of compound identification:

PCBs - The following detected compounds were qualified due to a percent difference (%D) between the primary and confirmation columns > 25%:

Compound	%D	Qualifier	Sample(s)
Aroclor 1254	between 25-75%	"J"	SDG# CDI001: CDI002*, 003, 004*, 005, 007*, 008, 009, 013, 014, 015, 018* and 019. SDG# CDI021: CDI024; CDJ004, 005, 007, 008, 012 and 013. SDG# CDJ021: CDJ016; CDK001*, 003*, 004, 005, 007*, 010* and 011*. SDG# CDK014: CDK014, 015, 016, 017, 018, 019, 020 and 021; CDL004, 005, 006, 007, 009, 010, 011and 012.

* All samples were previously qualified for calibration criteria.

5. COMPOUND IDENTIFICATION: (continued)

PCBs - The following detected compounds were qualified due to a percent difference (%D) between the primary and confirmation columns > 25%:

Compound	%D	Qualifier	Sample(s)
Aroclor 1260	between 25-75%	"J"	SDG# CDI001: CDI003, 005, 006, 008, 009, 010, 011, 012, 013, 015 and 019. SDG# CDI021: CDI022 and 025; CDJ001, 009, 011, 012 and 014. SDG# CDJ016: CDJ017; CDK001, 004 and 005. SDG# CDK014: CDK015, 017, 019 and 020; CDL001, 002, 003, 004, 005, 006, 007, 008, 010, 011 and 012.

Note: During the initial calibration sequence, absolute retention times are determined for the surrogates, and at least three major peaks of each multi-component analyte. Windows are centered around the mean absolute retention time for the analyte established during the initial calibration. Analytes are identified when peaks are observed in the retention time window for the compound on both GC columns. In addition, no shifts for surrogate compound retention times were noted to occur that might require consideration of compounds outside respective retention time windows.

6. MATRIX SPIKE/SPIKE DUPLICATE (MS/MSD):

The MS/MSD data are generated to determine the long-term precision and accuracy of the analytical method in various matrices. The MS/MSD may be used in conjunction with other QC criteria for some additional qualification of the data. The following analytes, for the samples shown, were qualified because of MS/MSD:

PCBs - The following sample data were either qualified as estimated "J" or rejected "R" due to exceeding duplicate spike recovery QC criteria:

No qualifications were found necessary.

CLP DATA ASSESSMENT

7. OTHER QC DATA OUT OF SPECIFICATION:

PCBs - The following compounds were qualified as estimated "J" in the associated soil/sediment field duplicate samples because the Relative Percent Difference (RPD) between the sample and field duplicate sample is > 100% for soil/sediment samples:

Compound	% RPD	Sample	Concentration	Field Duplicate	Concentration
Aroclor 1254	100%	CDI001	2800 ug/Kg	CDI025	ND
Aroclor 1260	100%	CDI001	ND	CDI025	1900 ug/Kg
Aroclor 1260	100%	CDI015	1000 ug/Kg	CDI026	ND
Aroclor 1260	100%	CDJ001	550 ug/Kg	CDJ022	ND

8. SYSTEM PERFORMANCE AND OVERALL ASSESSMENT:

Using professional judgement, the concentration of Aroclor 1254 and Aroclor 1260 in the following samples was recalculated to better reflect the analytical data:

Sample #	Aroclor 1254 Lab Result (ug/Kg)	Aroclor 1254 Recal. Result (ug/Kg)	Sample #	Aroclor 1260 Lab Result (ug/Kg)	Aroclor 1260 Recal. Result (ug/Kg)
CDI018	6200	4600	CDI003	200	75
CDK015	670	650	CDJ011	2700	930

9. CONTRACT PROBLEMS/NON-COMPLIANCE:

10. This package contain re-extraction, re-analysis or dilution results. Upon reviewing the QA results, the following Form I(s) are identified to be used:

Numerous samples in this data package were diluted to bring the target analyte concentration within the calibration range of the standards. The laboratory chose to report only the final dilutions for these samples.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 29,1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDI001

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDI001	CDI002	CDI003	CDI004	CDI005	CDI006	CDI007
Lab ID #	Method	971030I01	971030I02	971030I03	971030I04	971030I05	971030I06	971030I07
Percent Moisture	Detection	18.1%	45.5%	6.9%	11.2%	12.9%	17.0%	19.9%
Dilution Factor	Limit	10.0	10.0	1.0	1.0	1.0	1.0	10.0
Aroclor-1016	33.0	600 U	900 U	50 U	60 U	60 U	60 U	600 U
Aroclor-1221	67.0	600 U	900 U	50 U	60 U	60 U	60 U	600 U
Aroclor-1232	33.0	600 U	900 U	50 U	60 U	60 U	60 U	600 U
Aroclor-1242	33.0	600 U	900 U	50 U	60 U	60 U	60 U	600 U
Aroclor-1248	33.0	600 U	900 U	50 U	60 U	60 U	60 U	600 U
Aroclor-1254	33.0	2800 J	1600 J	50 J	60 J	590 J	1100	1400 J
Aroclor-1260	33.0	600 UJ	900 U	75 J	60 U	300 J	390 J	600 U

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDI008	CDI009	CDI010	CDI011	CDI012	CDI013	CDI014
Lab ID #	Method	971030I08	971030I09	971030I10	971030I11	971030I12	971030I13	971030I14
Percent Moisture	Detection	10.1%	7.1%	8.7%	6.2%	5.8%	6.7%	5.7%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	50 U	50 U	50 U	50 U	50 U	50 U
Aroclor-1221	67.0	60 U	50 U	50 U	50 U	50 U	50 U	50 U
Aroclor-1232	33.0	60 U	50 U	50 U	50 U	50 U	50 U	50 U
Aroclor-1242	33.0	60 U	50 U	50 U	50 U	50 U	50 U	50 U
Aroclor-1248	33.0	60 U	50 U	50 U	50 U	50 U	50 U	50 U
Aroclor-1254	33.0	110 J	70 J	50 U	50 U	50 U	420 J	70 J
Aroclor-1260	33.0	110 J	160 J	150 J	60 J	60 J	180 J	60 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDI015	CDI016	CDI017	CDI018	CDI019	CDI020	
Lab ID #	Method	971030I15	971030I16	971030I17	971030I18	971030I19	971030I20	
Percent Moisture	Detection	4.8%	14.6%	14.8%	7.1%	7.8%	5.3%	
Dilution Factor	Limit	1.0	10.0	100.0	10.0	1.0	1.0	
Aroclor-1016	33.0	50 U	600 U	5000 U	500 U	50 U	50 U	
Aroclor-1221	67.0	50 U	600 U	5000 U	500 U	50 U	50 U	
Aroclor-1232	33.0	50 U	600 U	5000 U	500 U	50 U	50 U	
Aroclor-1242	33.0	50 U	600 U	5000 U	500 U	50 U	50 U	
Aroclor-1248	33.0	50 U	600 U	5000 U	500 U	50 U	50 U	
Aroclor-1254	33.0	760 J	790 J	15000 J	4600 J	260 J	50 U	
Aroclor-1260	33.0	460 J	600 U	5000 U	500 U	130 J	50 U	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 29,1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDI021

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDI021	CDI022	CDI023	CDI024	CDI025	CDJ001	CDJ002
Lab ID #	Method	971030J01	971030J02	971030J03	971030J04	971030J05	971030J06	971030J07
Percent Moisture	Detection	6.5%	18.0%	7.5%	4.7%	18.1%	17.0%	15.1%
Dilution Factor	Limit	1.0	10.0	1.0	1.0	10.0	10.0	10.0
Aroclor-1016	33.0	50 U	600 U	50 U	50 U	600 U	600 U	600 U
Aroclor-1221	67.0	50 U	600 U	50 U	50 U	600 U	600 U	600 U
Aroclor-1232	33.0	50 U	600 U	50 U	50 U	600 U	600 U	600 U
Aroclor-1242	33.0	50 U	600 U	50 U	50 U	600 U	600 U	600 U
Aroclor-1248	33.0	50 U	600 U	50 U	50 U	600 U	600 U	600 U
Aroclor-1254	33.0	50 U	3700	76	94 J	600 U	1100	700
Aroclor-1260	33.0	50 U	1200 J	50 U	50 U	1900 J	600 J	600 U

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDJ003	CDJ004	CDJ005	CDJ006	CDJ007	CDJ008	CDJ009
Lab ID #	Method	971030J08	971030J09	971030J10	971030J11	971030J12	971030J13	971030J14
Percent Moisture	Detection	18.6%	18.7%	15.4%	23.4%	12.2%	15.9%	16.4%
Dilution Factor	Limit	1.0	1.0	10.0	10.0	1.0	1.0	10.0
Aroclor-1016	33.0	60 U	60 U	600 U	600 U	50 U	60 U	600 U
Aroclor-1221	67.0	60 U	60 U	600 U	600 U	50 U	60 U	600 U
Aroclor-1232	33.0	60 U	60 U	600 U	600 U	50 U	60 U	600 U
Aroclor-1242	33.0	60 U	60 U	600 U	600 U	50 U	60 U	600 U
Aroclor-1248	33.0	60 U	60 U	600 U	600 U	50 U	60 U	600 U
Aroclor-1254	33.0	60 U	120 J	1800 J	1000	80 J	170 J	2200
Aroclor-1260	33.0	60 U	60 U	600 U	600 U	50 U	60 U	700 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDJ010	CDJ011	CDJ012	CDJ013	CDJ014	CDJ015	
Lab ID #	Method	971030J15	971030J16	971030J17	971030J18	971030J19	971030J20	
Percent Moisture	Detection	16.9%	20.9%	16.3%	16.3%	15.8%	16.8%	
Dilution Factor	Limit	1.0	10.0	1.0	1.0	1.0	1.0	
Aroclor-1016	33.0	60 U	600 U	60 U	60 U	60 U	60 U	
Aroclor-1221	67.0	60 U	600 U	60 U	60 U	60 U	60 U	
Aroclor-1232	33.0	60 U	600 U	60 U	60 U	60 U	60 U	
Aroclor-1242	33.0	60 U	600 U	60 U	60 U	60 U	60 U	
Aroclor-1248	33.0	60 U	600 U	60 U	60 U	60 U	60 U	
Aroclor-1254	33.0	90	3600	230 J	100 J	230	60 U	
Aroclor-1260	33.0	60 U	930 J	100 J	60 U	60 J	60 U	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 29,1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDJ016

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDJ016	CDJ017	CDJ018	CDJ019	CDJ020	CDJ021	CDJ022
Lab ID #	Method	971030K01	971030K02	971030K03	971030K04	971030K05	971030K06	971030K07
Percent Moisture	Detection	17.5%	19.5%	15.2%	13.7%	18.6%	22.6%	16.1%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	250 J	340 J	470 J	120 J	130 J	310 J	550 J
Aroclor-1260	33.0	60 U	60 J	60 U	60 U	60 U	60 U	60 UJ

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDK001	CDK002	CDK003	CDK004	CDK005	CDK006	CDK007
Lab ID #	Method	971030K08	971030K09	971030K10	971030K11	971030K12	971030K13	971030K14
Percent Moisture	Detection	16.0%	48.3%	16.5%	17.9%	18.0%	18.2%	19.8%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	10.0	1.0
Aroclor-1016	33.0	60 U	100 U	60 U	60 U	60 U	600 U	60 U
Aroclor-1221	67.0	60 U	100 U	60 U	60 U	60 U	600 U	60 U
Aroclor-1232	33.0	60 U	100 U	60 U	60 U	60 U	600 U	60 U
Aroclor-1242	33.0	60 U	100 U	60 U	60 U	60 U	600 U	60 U
Aroclor-1248	33.0	60 U	100 U	60 U	60 U	60 U	600 U	60 U
Aroclor-1254	33.0	400 J	100 UJ	100 J	240 J	380 J	1400	720 J
Aroclor-1260	33.0	290 J	100 U	60 U	60 J	140 J	600 U	60 U

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDK008	CDK009	CDK010	CDK011	CDK012	CDK013	
Lab ID #	Method	971030K15	971030K16	971030K17	971030K18	971030K19	971030K20	
Percent Moisture	Detection	16.1%	19.8%	24.2%	32.4%	17.0%	17.8%	
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	
Aroclor-1016	33.0	60 U	60 U	70 U	70 U	60 U	60 U	
Aroclor-1221	67.0	60 U	60 U	70 U	70 U	60 U	60 U	
Aroclor-1232	33.0	60 U	60 U	70 U	70 U	60 U	60 U	
Aroclor-1242	33.0	60 U	60 U	70 U	70 U	60 U	60 U	
Aroclor-1248	33.0	60 U	60 U	70 U	70 U	60 U	60 U	
Aroclor-1254	33.0	600 J	700 J	210 J	920 J	760 J	990 J	
Aroclor-1260	33.0	60 U	60 U	70 U	70 U	60 U	60 U	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.

PCB DATA TABLE

PROJECT: Cornel-Dubilier **SAMPLING DATE: October 29,1997**
START PM: Mike Mahnkopf

Sample # /Concentration (ug/Kg) SDG #: CDK014

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDK014	CDK015	CDK016	CDK017	CDK018	CDK019	CDK020
Lab ID #	Method	971030L01	971030L02	971030L03	971030L04	971030L05	971030L06	971030L07
Percent Moisture	Detection	18.4%	23.2%	21.1%	28.0%	26.3%	21.3%	17.6%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	70 U	70 U	60 U	60 U
Aroclor-1221	67.0	60 UJ	60 UJ	60 UJ	70 UJ	70 UJ	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	70 U	70 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	70 U	70 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	70 U	70 U	60 U	60 U
Aroclor-1254	33.0	470 J	650 J	450 J	270 J	350 J	210 J	200 J
Aroclor-1260	33.0	60 U	440 J	290	190 J	100	140 J	170 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	Soil
Sample ID #		CDK021	CDL001	CDL002	CDL003	CDL004	CDL005	CDL006
Lab ID #	Method	971030L08	971030L09	971030L10	971030L11	971030L12	971030L13	971030L14
Percent Moisture	Detection	16.8%	15.4%	21.9%	22.8%	20.7%	18.2%	19.5%
Dilution Factor	Limit	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Aroclor-1016	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1221	67.0	60 U	60 UJ	60 U	60 U	60 U	60 U	60 U
Aroclor-1232	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1242	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1248	33.0	60 U	60 U	60 U	60 U	60 U	60 U	60 U
Aroclor-1254	33.0	960 J	210	300	670	340 J	190 J	700 J
Aroclor-1260	33.0	110	130 J	150 J	240 J	200 J	90 J	120 J

Matrix		Soil	Soil	Soil	Soil	Soil	Soil	
Sample ID #		CDL007	CDL008	CDL009	CDL010	CDL011	CDL012	
Lab ID #	Method	971030L15	971030L16	971030L17	971030L18	971030L19	971030L20	
Percent Moisture	Detection	25.6%	19.6%	18.2%	14.6%	13.5%	33.2%	
Dilution Factor	Limit	1.0	1.0	10.0	1.0	1.0	1.0	
Aroclor-1016	33.0	70 U	60 U	600 UJ	60 U	60 U	70 U	
Aroclor-1221	67.0	70 U	60 U	600 U	60 U	60 U	70 U	
Aroclor-1232	33.0	70 U	60 U	600 UJ	60 U	60 U	70 U	
Aroclor-1242	33.0	70 U	60 U	600 UJ	60 U	60 U	70 U	
Aroclor-1248	33.0	70 U	60 U	600 U	60 U	60 U	70 U	
Aroclor-1254	33.0	1000 J	400	820 J	860 J	660 J	280 J	
Aroclor-1260	33.0	190 J	210 J	600 UJ	120 J	180 J	150 J	

U - Non-detected compound.
B - Detected in the corresponding method blank.
J - Estimated value.
JN - Presumptive evidence of a compound at an estimated value.
R - Rejected compound.