Save As

LabLink Analytical Data Report (a)

Nov 18, 2009 07:41 am

1700-1712 McCarter Highway, Newark, NJ

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Total PHC	29700		mg/l	400	320	200	T-10	19-OCT-09	10:25
JA30861-1	Aldrin	ND		ug/l	0.022	0.0033	1	T-10	19-OCT-09	10:25
JA30861-1	alpha-BHC	ND		ug/l	0.022	0.0024	1	T-10	19-OCT-09	10:25
JA30861-1	beta-BHC	ND		ug/l	0.022	0.0034	1	T-10	19-OCT-09	10:25
JA30861-1	delta-BHC	ND		ug/l	0.022	0.0019	1	T-10	19-OCT-09	10:25
JA30861-1	gamma-BHC (Lindane)	ND		ug/l	0.022	0.0027	1	T-10	19-OCT-09	10:25
JA30861-1	Chlordane	ND		ug/l	0.56	0.078	1	T-10	19-OCT-09	10:25
JA30861-1	Dieldrin	ND		ug/l	0.022	0.0033	1	T-10	19-OCT-09	10:25
JA30861-1	4,4'-DDD	ND		ug/l	0.022	0.0036	1	T-10	19-OCT-09	10:25
JA30861-1	4,4'-DDE	ND		ug/l	0.022	0.0033	1	T-10	19-OCT-09	10:25
JA30861-1	4,4'-DDT	ND		ug/l	0.022	0.0033	1	T-10	19-OCT-09	10:25
JA30861-1	Endrin	ND		ug/l	0.022	0.0041	1	T-10	19-OCT-09	10:25
JA30861-1	Endosulfan sulfate	ND		ug/l	0.022	0.0074	1	T-10	19-OCT-09	10:25
JA30861-1	Endrin aldehyde	ND		ug/l	0.022	0.0080	1	T-10	19-OCT-09	10:25
JA30861-1	Endosulfan-I	ND		ug/l	0.022	0.0040	1	T-10	19-OCT-09	10:25
JA30861-1	Endosulfan-II	ND		ug/l	0.022	0.0048	1	T-10	19-OCT-09	10:25
JA30861-1	Heptachlor	ND		ug/l	0.022	0.0074	1	T-10	19-OCT-09	10:25
JA30861-1	Heptachlor epoxide	ND		ug/l	0.022	0.0029	1	T-10	19-OCT-09	10:25
JA30861-1	Methoxychlor	ND		ug/l	0.022	0.0068	1	T-10	19-OCT-09	10:25
JA30861-1	Toxaphene	ND		ug/l	0.28	0.28	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1016	ND		ug/l	0.56	0.33	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1221	ND		ug/l	0.56	0.46	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1232	ND		ug/l	0.56	0.34	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1242	ND		ug/l	0.56	0.30	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1248	ND		ug/l	0.56	0.31	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1254	ND		ug/l	0.56	0.20	1	T-10	19-OCT-09	10:25
JA30861-1	Aroclor 1260	ND		ug/l	0.56	0.16	1	T-10	19-OCT-09	10:25
JA30861-1	Tetrachloro-m-xylene (b)	170	*	%			1	T-10	19-OCT-09	10:25
JA30861-1	Tetrachloro-m-xylene	120		%			1	T-10	19-OCT-09	10:25
JA30861-1	Tetrachloro-m-xylene	120		%			1	T-10	19-OCT-09	10:25

242431

JA30861-1	Tetrachloro-m-xylene	130		%			1	T-10	19-OCT-09	10:25
JA30861-1	Chlorobenzene (b)	188	*	%	10		1	T-10	19-OCT-09	10:25
JA30861-1	Decachlorobiphenyl (b)	260	*	%			1	T-10	19-OCT-09	10:25
JA30861-1	Decachlorobiphenyl (b)	500	*	%			1	T-10	19-OCT-09	10:25
JA30861-1	Decachlorobiphenyl	120		%			1	T-10	19-OCT-09	10:25
JA30861-1	Decachlorobiphenyl	120		%			1	T-10	19-OCT-09	10:25
JA30861-1	Chlorobenzene (c)	ND	*	%	2000		200	T-10	19-OCT-09	10:25
JA30861-1	o-Terphenyl	102		%	10		1	T-10	19-OCT-09	10:25
JA30861-1	o-Terphenyl (c)	ND	*	%	2000		200	T-10	19-OCT-09	10:25
JA30861-1	Tetracosane-d50	100		%	10		1	T-10	19-OCT-09	10:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Tetracosane-d50 (c)	ND	*	%	2000		200	T-10	19-OCT-09	10:25
JA30861-1	Cyanide	0.055		mg/l	0.010		1	T-10	19-OCT-09	10:25
JA30861-1	Phenols	0.70		mg/l	0.20		1	T-10	19-OCT-09	10:25
JA30861-1	Antimony	< 6.0	<	ug/l	6.0		1	T-10	19-OCT-09	10:25
JA30861-1	Arsenic	4.2		ug/l	3.0		1	T-10	19-OCT-09	10:25
JA30861-1	Beryllium	< 1.0	<	ug/l	1.0		1	T-10	19-OCT-09	10:25
JA30861-1	Cadmium	< 3.0	<	ug/l	3.0		1	T-10	19-OCT-09	10:25
JA30861-1	Chromium	89.2		ug/l	10		1	T-10	19-OCT-09	10:25
JA30861-1	Copper	862		ug/l	10		1	T-10	19-OCT-09	10:25
JA30861-1	Lead	58.8		ug/l	3.0		1	T-10	19-OCT-09	10:25
JA30861-1	Mercury	< 0.20	<	ug/l	0.20		1	T-10	19-OCT-09	10:25
JA30861-1	Nickel	< 10	<	ug/l	10		1	T-10	19-OCT-09	10:25
JA30861-1	Selenium	< 10	<	ug/l	10		1	T-10	19-OCT-09	10:25
JA30861-1	Silver	< 10	<	ug/l	10		1	T-10	19-OCT-09	10:25
JA30861-1	Thallium	< 2.0	<	ug/l	2.0		1	T-10	19-OCT-09	10:25
JA30861-1	Zinc	329		ug/l	20		1	T-10	19-OCT-09	10:25
JA30861-1	Pentachlorophenol	ND		ug/l	1.7	1.2	1	T-10	19-OCT-09	10:25
JA30861-1	2-Chlorophenol	ND		ug/l	28	5.9	1	T-10	19-OCT-09	10:25
JA30861-1	Acenaphthene	ND		ug/l	0.56	0.16	1	T-10	19-OCT-09	10:25
JA30861-1	4-Chloro-3-methyl phenol	ND		ug/l	28	5.8	1	T-10	19-OCT-09	10:25
JA30861-1	Acenaphthylene	ND		ug/l	0.56	0.22	1	T-10	19-OCT-09	10:25
JA30861-1	Anthracene	ND		ug/l	0.56	0.14	1	T-10	19-OCT-09	10:25
JA30861-1	Benzo(a)anthracene	ND		ug/l	0.56	0.13	1	T-10	19-OCT-09	10:25

JA30861-1	Benzo(a)pyrene	ND		ug/l	0.56	0.17	1	T-10	19-OCT-09	10:25
JA30861-1	2,4-Dichlorophenol	ND		ug/l	28	6.8	1	T-10	19-OCT-09	10:25
JA30861-1	Benzo(b)fluoranthene	ND		ug/l	0.56	0.20	1	T-10	19-OCT-09	10:25
JA30861-1	Benzo(g,h,i)perylene	ND		ug/l	0.56	0.16	1	T-10	19-OCT-09	10:25
JA30861-1	Benzo(k)fluoranthene	ND		ug/l	0.56	0.16	1	T-10	19-OCT-09	10:25
JA30861-1	2,4-Dimethylphenol	ND		ug/l	28	9.2	1	T-10	19-OCT-09	10:25
JA30861-1	Chrysene	ND		ug/l	0.56	0.12	1	T-10	19-OCT-09	10:25
JA30861-1	2,4-Dinitrophenol	ND		ug/l	110	4.1	1	T-10	19-OCT-09	10:25
JA30861-1	Dibenzo(a,h)anthracene	ND		ug/l	0.56	0.13	1	T-10	19-OCT-09	10:25
JA30861-1	4,6-Dinitro-o-cresol	ND		ug/l	110	2.9	1	T-10	19-OCT-09	10:25
JA30861-1	2-Nitrophenol	ND		ug/l	28	6.9	1	T-10	19-OCT-09	10:25
JA30861-1	4-Nitrophenol	ND		ug/l	56	4.6	1	T-10	19-OCT-09	10:25
JA30861-1	Phenol	ND		ug/l	11	3.2	1	T-10	19-OCT-09	10:25
JA30861-1	Fluoranthene	ND		ug/l	0.56	0.14	1	T-10	19-OCT-09	10:25
JA30861-1	Fluorene	ND		ug/l	0.56	0.15	1	T-10	19-OCT-09	10:25
JA30861-1	2,4,6-Trichlorophenol	ND		ug/l	28	6.8	1	T-10	19-OCT-09	10:25
JA30861-1	Hexachlorobenzene	ND		ug/l	0.11	0.055	1	T-10	19-OCT-09	10:25
JA30861-1	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.56	0.16	1	T-10	19-OCT-09	10:25
JA30861-1	Benzidine	ND		ug/l	110	25	1	T-10	19-OCT-09	10:25
JA30861-1	Phenanthrene	ND		ug/l	0.56	0.20	1	T-10	19-OCT-09	10:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Pyrene	ND		ug/l	0.56	0.12	1	T-10	19-OCT-09	10:25
JA30861-1	4-Bromophenyl phenyl ether	ND		ug/l	11	1.9	1	T-10	19-OCT-09	10:25
JA30861-1	Butyl benzyl phthalate	ND		ug/l	11	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	2-Chloronaphthalene	ND		ug/l	28	2.3	1	T-10	19-OCT-09	10:25
JA30861-1	4-Chloroaniline	ND		ug/l	28	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	bis(2-Chloroethoxy)methane	ND		ug/l	11	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	bis(2-Chloroethyl)ether	ND		ug/l	11	1.7	1	T-10	19-OCT-09	10:25
JA30861-1	bis(2-Chloroisopropyl)ether	ND		ug/l	11	2.2	1	T-10	19-OCT-09	10:25
JA30861-1	4-Chlorophenyl phenyl ether	ND		ug/l	11	2.0	1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Dichlorobenzene	ND		ug/l	11	2.3	1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Diphenylhydrazine	ND		ug/l	11	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	1,3-Dichlorobenzene	ND		ug/l	11	2.0	1	T-10	19-OCT-09	10:25
JA30861-1	1,4-Dichlorobenzene	ND		ug/l	11	2.2	1	T-10	19-OCT-09	10:25

JA30861-1	2,4-Dinitrotoluene	ND		ug/l	11	1.2	1	T-10	19-OCT-09	10:25
JA30861-1	2,6-Dinitrotoluene	ND		ug/l	11	1.8	1	T-10	19-OCT-09	10:25
JA30861-1	3,3'-Dichlorobenzidine	ND		ug/l	28	1.6	1	T-10	19-OCT-09	10:25
JA30861-1	Di-n-butyl phthalate	ND		ug/l	11	1.1	1	T-10	19-OCT-09	10:25
JA30861-1	Di-n-octyl phthalate	224		ug/l	11	2.2	1	T-10	19-OCT-09	10:25
JA30861-1	Diethyl phthalate	ND		ug/l	11	0.92	1	T-10	19-OCT-09	10:25
JA30861-1	Dimethyl phthalate	ND		ug/l	11	1.3	1	T-10	19-OCT-09	10:25
JA30861-1	bis(2-Ethylhexyl)phthalate	172		ug/l	11	1.8	1	T-10	19-OCT-09	10:25
JA30861-1	Hexachlorobutadiene	ND		ug/l	5.6	2.1	1	T-10	19-OCT-09	10:25
JA30861-1	Hexachlorocyclopentadiene	ND		ug/l	110	3.7	1	T-10	19-OCT-09	10:25
JA30861-1	Hexachloroethane	ND		ug/l	28	1.5	1	T-10	19-OCT-09	10:25
JA30861-1	Isophorone	ND		ug/l	11	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	Nitrobenzene	ND		ug/l	11	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	n-Nitrosodimethylamine	ND		ug/l	11	4.1	1	T-10	19-OCT-09	10:25
JA30861-1	N-Nitroso-di-n-propylamine	ND		ug/l	11	2.4	1	T-10	19-OCT-09	10:25
JA30861-1	N-Nitrosodiphenylamine	ND		ug/l	28	1.2	1	T-10	19-OCT-09	10:25
JA30861-1	1,2,4-Trichlorobenzene	ND		ug/l	11	2.4	1	T-10	19-OCT-09	10:25
JA30861-1	2-Fluorophenol	45.0		%			5	T-10	19-OCT-09	10:25
JA30861-1	2-Fluorophenol	18		%			1	T-10	19-OCT-09	10:25
JA30861-1	Phenol-d5 (d)	56.0	*	%			5	T-10	19-OCT-09	10:25
JA30861-1	Phenol-d5 (b)	IND	*	%			1	T-10	19-OCT-09	10:25
JA30861-1	2,4,6-Tribromophenol	66.0		%			5	T-10	19-OCT-09	10:25
JA30861-1	2,4,6-Tribromophenol	70.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	Nitrobenzene-d5	64.0		%			5	T-10	19-OCT-09	10:25
JA30861-1	Nitrobenzene-d5	106		%			1	T-10	19-OCT-09	10:25
JA30861-1	2-Fluorobiphenyl	88.0		%			5	T-10	19-OCT-09	10:25
JA30861-1	2-Fluorobiphenyl	60.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	Terphenyl-d14	86.0		%			5	T-10	19-OCT-09	10:25
JA30861-1	Terphenyl-d14	54.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	2-Fluorophenol (b)	11	*	%			1	T-10	19-OCT-09	10:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Phenol-d5	17		%			1	T-10	19-OCT-09	10:25
JA30861-1	2,4,6-Tribromophenol	87.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	Nitrobenzene-d5	34.0		%			1	T-10	19-OCT-09	10:25

JA30861-1	2-Fluorobiphenyl	80.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	Terphenyl-d14	85.0		%			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	79	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown	290	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	130	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	240	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	78	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	5000	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	170	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	630	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	560	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	330	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown	560	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	8400	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	210	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	80	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	190	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	170	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	390	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	61	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	270	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	75	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown phthalate	130	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown phthalate	99	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown phthalate	130	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown phthalate	310	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	unknown phthalate	160	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	Total TIC, Semi-Volatile	18742	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	Acrolein	ND		ug/l	50	23	1	T-10	19-OCT-09	10:25
JA30861-1	Acrylonitrile	ND		ug/l	50	3.6	1	T-10	19-OCT-09	10:25
JA30861-1	Benzene	0.60	J	ug/l	1.0	0.23	1	T-10	19-OCT-09	10:25
JA30861-1	Bromodichloromethane	ND		ug/l	1.0	0.22	1	T-10	19-OCT-09	10:25
JA30861-1	Bromoform	ND		ug/l	4.0	0.23	1	T-10	19-OCT-09	10:25
JA30861-1	Bromomethane	ND		ug/l	2.0	0.30	1	T-10	19-OCT-09	10:25
JA30861-1	Carbon tetrachloride	ND		ug/l	1.0	0.26	1	T-10	19-OCT-09	10:25

JA30861-1	Chlorobenzene	ND		ug/l	1.0	0.39	1	T-10	19-OCT-09	10:25
JA30861-1	Chloroethane	ND		ug/l	1.0	0.37	1	T-10	19-OCT-09	10:25
JA30861-1	2-Chloroethyl vinyl ether	ND		ug/l	10	1.4	1	T-10	19-OCT-09	10:25
JA30861-1	Chloroform	ND		ug/l	1.0	0.23	1	T-10	19-OCT-09	10:25
JA30861-1	Chloromethane	ND		ug/l	1.0	0.29	1	T-10	19-OCT-09	10:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Dibromochloromethane	ND		ug/l	1.0	0.22	1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Dichlorobenzene	ND		ug/l	1.0	0.26	1	T-10	19-OCT-09	10:25
JA30861-1	1,3-Dichlorobenzene	ND		ug/l	1.0	0.25	1	T-10	19-OCT-09	10:25
JA30861-1	1,4-Dichlorobenzene	ND		ug/l	1.0	0.28	1	T-10	19-OCT-09	10:25
JA30861-1	Dichlorodifluoromethane	ND		ug/l	5.0	0.92	1	T-10	19-OCT-09	10:25
JA30861-1	1,1-Dichloroethane	ND		ug/l	1.0	0.29	1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Dichloroethane	ND		ug/l	1.0	0.33	1	T-10	19-OCT-09	10:25
JA30861-1	1,1-Dichloroethene	ND		ug/l	1.0	0.40	1	T-10	19-OCT-09	10:25
JA30861-1	cis-1,2-Dichloroethene	ND		ug/l	1.0	0.22	1	T-10	19-OCT-09	10:25
JA30861-1	trans-1,2-Dichloroethene	ND		ug/l	1.0	0.25	1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Dichloropropane	ND		ug/l	1.0	0.27	1	T-10	19-OCT-09	10:25
JA30861-1	cis-1,3-Dichloropropene	ND		ug/l	1.0	0.25	1	T-10	19-OCT-09	10:25
JA30861-1	trans-1,3-Dichloropropene	ND		ug/l	1.0	0.21	1	T-10	19-OCT-09	10:25
JA30861-1	Ethylbenzene	0.53	J	ug/l	1.0	0.27	1	T-10	19-OCT-09	10:25
JA30861-1	Methylene chloride	ND		ug/l	2.0	0.30	1	T-10	19-OCT-09	10:25
JA30861-1	1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.24	1	T-10	19-OCT-09	10:25
JA30861-1	Tetrachloroethene	ND		ug/l	1.0	0.27	1	T-10	19-OCT-09	10:25
JA30861-1	Toluene	0.66	J	ug/l	1.0	0.30	1	T-10	19-OCT-09	10:25
JA30861-1	1,1,1-Trichloroethane	ND		ug/l	1.0	0.26	1	T-10	19-OCT-09	10:25
JA30861-1	1,1,2-Trichloroethane	ND		ug/l	1.0	0.23	1	T-10	19-OCT-09	10:25
JA30861-1	Trichloroethene	ND		ug/l	1.0	0.24	1	T-10	19-OCT-09	10:25
JA30861-1	Trichlorofluoromethane	ND		ug/l	5.0	0.54	1	T-10	19-OCT-09	10:25
JA30861-1	Vinyl chloride	ND		ug/l	1.0	0.44	1	T-10	19-OCT-09	10:25
JA30861-1	Xylene (total)	1.6		ug/l	1.0	0.25	1	T-10	19-OCT-09	10:25
JA30861-1	Dibromofluoromethane	112		%			1	T-10	19-OCT-09	10:25
JA30861-1	1,2-Dichloroethane-D4	126		%			1	T-10	19-OCT-09	10:25
JA30861-1	Toluene-D8	100		%			1	T-10	19-OCT-09	10:25
JA30861-1	4-Bromofluorobenzene	99.0		%			1	T-10	19-OCT-09	10:25

JA30861-1	Methanethiol	23	JN	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	8.4	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	11	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	7.7	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	6.3	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	230	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	18	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	6.7	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	36	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	50	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	19	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	6.5	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	7.9	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	22	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-1	alkane	6.2	J	ug/l			1	T-10	19-OCT-09	10:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-1	Total TIC, Volatile	458.7	J	ug/l			1	T-10	19-OCT-09	10:25
JA30861-2	Total PHC	24.3		mg/l	2.0	1.6	100	T-5	19-OCT-09	10:36
JA30861-2	Aldrin	ND		ug/l	0.020	0.0030	1	T-5	19-OCT-09	10:36
JA30861-2	alpha-BHC	ND		ug/l	0.020	0.0022	1	T-5	19-OCT-09	10:36
JA30861-2	beta-BHC	ND		ug/l	0.020	0.0030	1	T-5	19-OCT-09	10:36
JA30861-2	delta-BHC	ND		ug/l	0.020	0.0017	1	T-5	19-OCT-09	10:36
JA30861-2	gamma-BHC (Lindane)	ND		ug/l	0.020	0.0024	1	T-5	19-OCT-09	10:36
JA30861-2	Chlordane	ND		ug/l	0.50	0.070	1	T-5	19-OCT-09	10:36
JA30861-2	Dieldrin	ND		ug/l	0.020	0.0029	1	T-5	19-OCT-09	10:36
JA30861-2	4,4'-DDD	ND		ug/l	0.020	0.0033	1	T-5	19-OCT-09	10:36
JA30861-2	4,4'-DDE	ND		ug/l	0.020	0.0030	1	T-5	19-OCT-09	10:36
JA30861-2	4,4'-DDT	ND		ug/l	0.020	0.0029	1	T-5	19-OCT-09	10:36
JA30861-2	Endrin	ND		ug/l	0.020	0.0037	1	T-5	19-OCT-09	10:36
JA30861-2	Endosulfan sulfate	ND		ug/l	0.020	0.0066	1	T-5	19-OCT-09	10:36
JA30861-2	Endrin aldehyde	ND		ug/l	0.020	0.0072	1	T-5	19-OCT-09	10:36
JA30861-2	Endosulfan-I	ND		ug/l	0.020	0.0036	1	T-5	19-OCT-09	10:36
JA30861-2	Endosulfan-II	ND		ug/l	0.020	0.0043	1	T-5	19-OCT-09	10:36
JA30861-2	Heptachlor	ND		ug/l	0.020	0.0066	1	T-5	19-OCT-09	10:36

JA30861-2	Heptachlor epoxide	ND		ug/l	0.020	0.0026	1	T-5	19-OCT-09	10:36
JA30861-2	Methoxychlor	ND		ug/l	0.020	0.0061	1	T-5	19-OCT-09	10:36
JA30861-2	Toxaphene	ND		ug/l	0.25	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1016	ND		ug/l	0.50	0.30	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1221	ND		ug/l	0.50	0.41	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1232	ND		ug/l	0.50	0.31	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1242	ND		ug/l	0.50	0.27	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1248	ND		ug/l	0.50	0.28	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1254	ND		ug/l	0.50	0.18	1	T-5	19-OCT-09	10:36
JA30861-2	Aroclor 1260	ND		ug/l	0.50	0.14	1	T-5	19-OCT-09	10:36
JA30861-2	Tetrachloro-m-xylene	100		%			1	T-5	19-OCT-09	10:36
JA30861-2	Tetrachloro-m-xylene	77		%			1	T-5	19-OCT-09	10:36
JA30861-2	Tetrachloro-m-xylene	79		%			1	T-5	19-OCT-09	10:36
JA30861-2	Tetrachloro-m-xylene	90		%			1	T-5	19-OCT-09	10:36
JA30861-2	Chlorobenzene (c)	ND	*	%	10		100	T-5	19-OCT-09	10:36
JA30861-2	Decachlorobiphenyl	83		%			1	T-5	19-OCT-09	10:36
JA30861-2	Decachlorobiphenyl	81		%			1	T-5	19-OCT-09	10:36
JA30861-2	Decachlorobiphenyl	83		%			1	T-5	19-OCT-09	10:36
JA30861-2	Decachlorobiphenyl	81		%			1	T-5	19-OCT-09	10:36
JA30861-2	Chlorobenzene	88.0		%	0.10		1	T-5	19-OCT-09	10:36
JA30861-2	o-Terphenyl (c)	ND	*	%	10		100	T-5	19-OCT-09	10:36
JA30861-2	o-Terphenyl	106		%	0.10		1	T-5	19-OCT-09	10:36
JA30861-2	Tetracosane-d50 (c)	ND	*	%	10		100	T-5	19-OCT-09	10:36
JA30861-2	Tetracosane-d50	110		%	0.10		1	T-5	19-OCT-09	10:36
JA30861-2	Cyanide	0.024		mg/l	0.010		1	T-5	19-OCT-09	10:36

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-2	Phenols	1.3		mg/l	0.20		1	T-5	19-OCT-09	10:36
JA30861-2	Antimony	< 6.0	<	ug/l	6.0		1	T-5	19-OCT-09	10:36
JA30861-2	Arsenic	< 3.0	<	ug/l	3.0		1	T-5	19-OCT-09	10:36
JA30861-2	Beryllium	< 1.0	<	ug/l	1.0		1	T-5	19-OCT-09	10:36
JA30861-2	Cadmium	< 3.0	<	ug/l	3.0		1	T-5	19-OCT-09	10:36
JA30861-2	Chromium	74.7		ug/l	10		1	T-5	19-OCT-09	10:36
JA30861-2	Copper	< 10	<	ug/l	10		1	T-5	19-OCT-09	10:36
JA30861-2	Lead	< 3.0	<	ug/l	3.0		1	T-5	19-OCT-09	10:36

JA30861-2	Mercury	< 0.20	<	ug/l	0.20		1	T-5	19-OCT-09	10:36
JA30861-2	Nickel	< 10	<	ug/l	10		1	T-5	19-OCT-09	10:36
JA30861-2	Selenium	< 10	<	ug/l	10		1	T-5	19-OCT-09	10:36
JA30861-2	Silver	< 10	<	ug/l	10		1	T-5	19-OCT-09	10:36
JA30861-2	Thallium	< 2.0	<	ug/l	2.0		1	T-5	19-OCT-09	10:36
JA30861-2	Zinc	29.6		ug/l	20		1	T-5	19-OCT-09	10:36
JA30861-2	Pentachlorophenol	ND		ug/l	0.30	0.22	1	T-5	19-OCT-09	10:36
JA30861-2	2-Chlorophenol	ND		ug/l	5.0	1.1	1	T-5	19-OCT-09	10:36
JA30861-2	4-Chloro-3-methyl phenol	ND		ug/l	5.0	1.1	1	T-5	19-OCT-09	10:36
JA30861-2	Acenaphthene	ND		ug/l	0.10	0.029	1	T-5	19-OCT-09	10:36
JA30861-2	Acenaphthylene	ND		ug/l	0.10	0.039	1	T-5	19-OCT-09	10:36
JA30861-2	Anthracene	ND		ug/l	0.10	0.026	1	T-5	19-OCT-09	10:36
JA30861-2	Benzo(a)anthracene	ND		ug/l	0.10	0.024	1	T-5	19-OCT-09	10:36
JA30861-2	Benzo(a)pyrene	ND		ug/l	0.10	0.031	1	T-5	19-OCT-09	10:36
JA30861-2	2,4-Dichlorophenol	4.1	J	ug/l	5.0	1.2	1	T-5	19-OCT-09	10:36
JA30861-2	Benzo(b)fluoranthene	ND		ug/l	0.10	0.036	1	T-5	19-OCT-09	10:36
JA30861-2	Benzo(g,h,i)perylene	ND		ug/l	0.10	0.029	1	T-5	19-OCT-09	10:36
JA30861-2	Benzo(k)fluoranthene	ND		ug/l	0.10	0.028	1	T-5	19-OCT-09	10:36
JA30861-2	2,4-Dimethylphenol	25.7		ug/l	5.0	1.7	1	T-5	19-OCT-09	10:36
JA30861-2	Chrysene	ND		ug/l	0.10	0.022	1	T-5	19-OCT-09	10:36
JA30861-2	2,4-Dinitrophenol	ND		ug/l	20	0.74	1	T-5	19-OCT-09	10:36
JA30861-2	Dibenzo(a,h)anthracene	ND		ug/l	0.10	0.023	1	T-5	19-OCT-09	10:36
JA30861-2	4,6-Dinitro-o-cresol	ND		ug/l	20	0.51	1	T-5	19-OCT-09	10:36
JA30861-2	2-Nitrophenol	ND		ug/l	5.0	1.2	1	T-5	19-OCT-09	10:36
JA30861-2	4-Nitrophenol	ND		ug/l	10	0.83	1	T-5	19-OCT-09	10:36
JA30861-2	Phenol	192		ug/l	10	2.9	5	T-5	19-OCT-09	10:36
JA30861-2	Fluoranthene	ND		ug/l	0.10	0.024	1	T-5	19-OCT-09	10:36
JA30861-2	Fluorene	ND		ug/l	0.10	0.027	1	T-5	19-OCT-09	10:36
JA30861-2	2,4,6-Trichlorophenol	3.7	J	ug/l	5.0	1.2	1	T-5	19-OCT-09	10:36
JA30861-2	Hexachlorobenzene	ND		ug/l	0.020	0.0099	1	T-5	19-OCT-09	10:36
JA30861-2	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.10	0.029	1	T-5	19-OCT-09	10:36
JA30861-2	Benzidine	ND		ug/l	20	4.5	1	T-5	19-OCT-09	10:36
JA30861-2	Phenanthrene	ND		ug/l	0.10	0.036	1	T-5	19-OCT-09	10:36
JA30861-2	Pyrene	ND		ug/l	0.10	0.022	1	T-5	19-OCT-09	10:36
JA30861-2	4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.35	1	T-5	19-OCT-09	10:36

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-2	Butyl benzyl phthalate	ND		ug/l	2.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	2-Chloronaphthalene	ND		ug/l	5.0	0.42	1	T-5	19-OCT-09	10:36
JA30861-2	4-Chloroaniline	ND		ug/l	5.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	bis(2-Chloroethoxy)methane	ND		ug/l	2.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	bis(2-Chloroethyl)ether	ND		ug/l	2.0	0.31	1	T-5	19-OCT-09	10:36
JA30861-2	bis(2-Chloroisopropyl)ether	ND		ug/l	2.0	0.39	1	T-5	19-OCT-09	10:36
JA30861-2	4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.35	1	T-5	19-OCT-09	10:36
JA30861-2	1,2-Dichlorobenzene	ND		ug/l	2.0	0.42	1	T-5	19-OCT-09	10:36
JA30861-2	1,2-Diphenylhydrazine	ND		ug/l	2.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	1,3-Dichlorobenzene	ND		ug/l	2.0	0.36	1	T-5	19-OCT-09	10:36
JA30861-2	1,4-Dichlorobenzene	ND		ug/l	2.0	0.39	1	T-5	19-OCT-09	10:36
JA30861-2	2,4-Dinitrotoluene	ND		ug/l	2.0	0.22	1	T-5	19-OCT-09	10:36
JA30861-2	2,6-Dinitrotoluene	ND		ug/l	2.0	0.33	1	T-5	19-OCT-09	10:36
JA30861-2	3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.30	1	T-5	19-OCT-09	10:36
JA30861-2	Di-n-butyl phthalate	ND		ug/l	2.0	0.19	1	T-5	19-OCT-09	10:36
JA30861-2	Di-n-octyl phthalate	ND		ug/l	2.0	0.40	1	T-5	19-OCT-09	10:36
JA30861-2	Diethyl phthalate	ND		ug/l	2.0	0.17	1	T-5	19-OCT-09	10:36
JA30861-2	Dimethyl phthalate	ND		ug/l	2.0	0.23	1	T-5	19-OCT-09	10:36
JA30861-2	bis(2-Ethylhexyl)phthalate	ND		ug/l	2.0	0.33	1	T-5	19-OCT-09	10:36
JA30861-2	Hexachlorobutadiene	ND		ug/l	1.0	0.37	1	T-5	19-OCT-09	10:36
JA30861-2	Hexachlorocyclopentadiene	ND		ug/l	20	0.67	1	T-5	19-OCT-09	10:36
JA30861-2	Hexachloroethane	ND		ug/l	5.0	0.26	1	T-5	19-OCT-09	10:36
JA30861-2	Isophorone	ND		ug/l	2.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	Naphthalene	52.3		ug/l	1.0	0.43	1	T-5	19-OCT-09	10:36
JA30861-2	Nitrobenzene	ND		ug/l	2.0	0.25	1	T-5	19-OCT-09	10:36
JA30861-2	n-Nitrosodimethylamine	ND		ug/l	2.0	0.73	1	T-5	19-OCT-09	10:36
JA30861-2	N-Nitroso-di-n-propylamine	ND		ug/l	2.0	0.44	1	T-5	19-OCT-09	10:36
JA30861-2	N-Nitrosodiphenylamine	ND		ug/l	5.0	0.22	1	T-5	19-OCT-09	10:36
JA30861-2	1,2,4-Trichlorobenzene	ND		ug/l	2.0	0.44	1	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorophenol	30.0		%			5	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorophenol	25.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	Phenol-d5	19		%			5	T-5	19-OCT-09	10:36
JA30861-2	Phenol-d5	13		%			1	T-5	19-OCT-09	10:36

JA30861-2	2,4,6-Tribromophenol	73.0		%			5	T-5	19-OCT-09	10:36
JA30861-2	2,4,6-Tribromophenol	69.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	Nitrobenzene-d5	76.0		%			5	T-5	19-OCT-09	10:36
JA30861-2	Nitrobenzene-d5	68.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorobiphenyl	75.0		%			5	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorobiphenyl	57.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	Terphenyl-d14	71.0		%			5	T-5	19-OCT-09	10:36
JA30861-2	Terphenyl-d14	57.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorophenol	12		%			1	T-5	19-OCT-09	10:36
JA30861-2	Phenol-d5	17		%			1	T-5	19-OCT-09	10:36

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-2	2,4,6-Tribromophenol	65.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	Nitrobenzene-d5	71.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	2-Fluorobiphenyl	63.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	Terphenyl-d14	67.0		%			1	T-5	19-OCT-09	10:36
JA30861-2	cycloalkane	29	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	39	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Pyridine, -dimethyl-	12	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	44	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	210	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	61	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	76	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	290	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	160	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Indane	120	JN	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	29	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	19	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Benzenemethanol, .-methyl-,	15	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	43	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	15	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	20	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	C4 alkyl benzene	25	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Phenyl--butene	13	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	1H-indene-dihydro-methyl	32	J	ug/l			1	T-5	19-OCT-09	10:36

JA30861-2	Cyclohexene--methanol,	30	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	unknown acid	28	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	unknown acid	190	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Indole	290	JN	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	unknown	34	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Diphenyl ether	25	JN	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Total TIC, Semi-Volatile	1849	J	ug/l			1	T-5	19-OCT-09	10:36
JA30861-2	Acrolein	ND		ug/l	2500	1100	50	T-5	19-OCT-09	10:36
JA30861-2	Acrylonitrile	ND		ug/l	2500	180	50	T-5	19-OCT-09	10:36
JA30861-2	Benzene	84.9		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	Bromodichloromethane	ND		ug/l	50	11	50	T-5	19-OCT-09	10:36
JA30861-2	Bromoform	ND		ug/l	200	12	50	T-5	19-OCT-09	10:36
JA30861-2	Bromomethane	ND		ug/l	100	15	50	T-5	19-OCT-09	10:36
JA30861-2	Carbon tetrachloride	ND		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	Chlorobenzene	ND		ug/l	50	19	50	T-5	19-OCT-09	10:36
JA30861-2	Chloroethane	ND		ug/l	50	19	50	T-5	19-OCT-09	10:36
JA30861-2	2-Chloroethyl vinyl ether	ND		ug/l	500	72	50	T-5	19-OCT-09	10:36
JA30861-2	Chloroform	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	Chloromethane	ND		ug/l	50	14	50	T-5	19-OCT-09	10:36
JA30861-2	Dibromochloromethane	ND		ug/l	50	11	50	T-5	19-OCT-09	10:36

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-2	1,2-Dichlorobenzene	ND		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	1,3-Dichlorobenzene	ND		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	1,4-Dichlorobenzene	ND		ug/l	50	14	50	T-5	19-OCT-09	10:36
JA30861-2	Dichlorodifluoromethane	ND		ug/l	250	46	50	T-5	19-OCT-09	10:36
JA30861-2	1,1-Dichloroethane	ND		ug/l	50	14	50	T-5	19-OCT-09	10:36
JA30861-2	1,2-Dichloroethane	ND		ug/l	50	17	50	T-5	19-OCT-09	10:36
JA30861-2	1,1-Dichloroethene	ND		ug/l	50	20	50	T-5	19-OCT-09	10:36
JA30861-2	cis-1,2-Dichloroethene	ND		ug/l	50	11	50	T-5	19-OCT-09	10:36
JA30861-2	trans-1,2-Dichloroethene	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	1,2-Dichloropropane	ND		ug/l	50	14	50	T-5	19-OCT-09	10:36
JA30861-2	cis-1,3-Dichloropropene	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	trans-1,3-Dichloropropene	ND		ug/l	50	11	50	T-5	19-OCT-09	10:36
JA30861-2	Ethylbenzene	4470		ug/l	50	13	50	T-5	19-OCT-09	10:36

JA30861-2	Methylene chloride	ND		ug/l	100	15	50	T-5	19-OCT-09	10:36
JA30861-2	1,1,2,2-Tetrachloroethane	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	Tetrachloroethene	ND		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	Toluene	937		ug/l	50	15	50	T-5	19-OCT-09	10:36
JA30861-2	1,1,1-Trichloroethane	ND		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	1,1,2-Trichloroethane	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	Trichloroethene	ND		ug/l	50	12	50	T-5	19-OCT-09	10:36
JA30861-2	Trichlorofluoromethane	ND		ug/l	250	27	50	T-5	19-OCT-09	10:36
JA30861-2	Vinyl chloride	ND		ug/l	50	22	50	T-5	19-OCT-09	10:36
JA30861-2	Xylene (total)	18400		ug/l	50	13	50	T-5	19-OCT-09	10:36
JA30861-2	Dibromofluoromethane	102		%			50	T-5	19-OCT-09	10:36
JA30861-2	1,2-Dichloroethane-D4	103		%			50	T-5	19-OCT-09	10:36
JA30861-2	Toluene-D8	98.0		%			50	T-5	19-OCT-09	10:36
JA30861-2	4-Bromofluorobenzene	99.0		%			50	T-5	19-OCT-09	10:36
JA30861-2	Cyclohexane, methyl-	540	JN	ug/l			50	T-5	19-OCT-09	10:36
JA30861-2	C3 alkyl benzene	330	J	ug/l			50	T-5	19-OCT-09	10:36
JA30861-2	Benzene, 1,2,4-trimethyl-	430	JN	ug/l			50	T-5	19-OCT-09	10:36
JA30861-2	Total TIC, Volatile	1300	J	ug/l			50	T-5	19-OCT-09	10:36
JA30861-3	Total PHC	60900		mg/l	1000	800	1000	T-3	19-OCT-09	11:30
JA30861-3	Aldrin	ND		ug/l	0.022	0.0033	1	T-3	19-OCT-09	11:30
JA30861-3	alpha-BHC	ND		ug/l	0.022	0.0024	1	T-3	19-OCT-09	11:30
JA30861-3	beta-BHC	ND		ug/l	0.022	0.0034	1	T-3	19-OCT-09	11:30
JA30861-3	delta-BHC	ND		ug/l	0.022	0.0019	1	T-3	19-OCT-09	11:30
JA30861-3	gamma-BHC (Lindane)	0.16		ug/l	0.022	0.0027	1	T-3	19-OCT-09	11:30
JA30861-3	Chlordane	ND		ug/l	0.56	0.078	1	T-3	19-OCT-09	11:30
JA30861-3	Dieldrin	0.16		ug/l	0.022	0.0033	1	T-3	19-OCT-09	11:30
JA30861-3	4,4'-DDD (e)	0.23		ug/l	0.022	0.0036	1	T-3	19-OCT-09	11:30
JA30861-3	4,4'-DDE (e)	0.095		ug/l	0.022	0.0033	1	T-3	19-OCT-09	11:30
JA30861-3	4,4'-DDT	ND		ug/l	0.022	0.0033	1	T-3	19-OCT-09	11:30
JA30861-3	Endrin (e)	0.12		ug/l	0.022	0.0041	1	T-3	19-OCT-09	11:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-3	Endosulfan sulfate	ND		ug/l	0.022	0.0074	1	T-3	19-OCT-09	11:30
JA30861-3	Endrin aldehyde	ND		ug/l	0.022	0.0080	1	T-3	19-OCT-09	11:30
JA30861-3	Endosulfan-I (e)	0.14		ug/l	0.022	0.0040	1	T-3	19-OCT-09	11:30

JA30861-3	Endosulfan-II	ND		ug/l	0.022	0.0048	1	T-3	19-OCT-09	11:30
JA30861-3	Heptachlor	ND		ug/l	0.022	0.0074	1	T-3	19-OCT-09	11:30
JA30861-3	Heptachlor epoxide	ND		ug/l	0.022	0.0029	1	T-3	19-OCT-09	11:30
JA30861-3	Methoxychlor	ND		ug/l	0.022	0.0068	1	T-3	19-OCT-09	11:30
JA30861-3	Toxaphene	ND		ug/l	0.28	0.28	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1016	ND		ug/l	0.56	0.33	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1221	ND		ug/l	0.56	0.46	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1232	ND		ug/l	0.56	0.34	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1242	ND		ug/l	0.56	0.30	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1248	ND		ug/l	0.56	0.31	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1254	ND		ug/l	0.56	0.20	1	T-3	19-OCT-09	11:30
JA30861-3	Aroclor 1260	ND		ug/l	0.56	0.16	1	T-3	19-OCT-09	11:30
JA30861-3	Tetrachloro-m-xylene	36		%			1	T-3	19-OCT-09	11:30
JA30861-3	Tetrachloro-m-xylene	85		%			1	T-3	19-OCT-09	11:30
JA30861-3	Tetrachloro-m-xylene	40		%			1	T-3	19-OCT-09	11:30
JA30861-3	Tetrachloro-m-xylene	38		%			1	T-3	19-OCT-09	11:30
JA30861-3	Chlorobenzene	67.0		%	5.0		1	T-3	19-OCT-09	11:30
JA30861-3	Decachlorobiphenyl	79		%			1	T-3	19-OCT-09	11:30
JA30861-3	Decachlorobiphenyl	110		%			1	T-3	19-OCT-09	11:30
JA30861-3	Decachlorobiphenyl	73		%			1	T-3	19-OCT-09	11:30
JA30861-3	Decachlorobiphenyl	120		%			1	T-3	19-OCT-09	11:30
JA30861-3	Chlorobenzene (c)	ND	*	%	5000		1000	T-3	19-OCT-09	11:30
JA30861-3	o-Terphenyl	73.0		%	5.0		1	T-3	19-OCT-09	11:30
JA30861-3	o-Terphenyl (c)	ND	*	%	5000		1000	T-3	19-OCT-09	11:30
JA30861-3	Tetracosane-d50	103		%	5.0		1	T-3	19-OCT-09	11:30
JA30861-3	Tetracosane-d50 (c)	ND	*	%	5000		1000	T-3	19-OCT-09	11:30
JA30861-3	Cyanide	0.034		mg/l	0.010		1	T-3	19-OCT-09	11:30
JA30861-3	Phenols	< 0.20	<	mg/l	0.20		1	T-3	19-OCT-09	11:30
JA30861-3	Antimony	< 6.0	<	ug/l	6.0		1	T-3	19-OCT-09	11:30
JA30861-3	Arsenic	< 3.0	<	ug/l	3.0		1	T-3	19-OCT-09	11:30
JA30861-3	Beryllium	< 1.0	<	ug/l	1.0		1	T-3	19-OCT-09	11:30
JA30861-3	Cadmium	< 3.0	<	ug/l	3.0		1	T-3	19-OCT-09	11:30
JA30861-3	Chromium	185		ug/l	10		1	T-3	19-OCT-09	11:30
JA30861-3	Copper	78.0		ug/l	10		1	T-3	19-OCT-09	11:30
JA30861-3	Lead	73.8		ug/l	3.0		1	T-3	19-OCT-09	11:30

JA30861-3	Mercury	< 0.20	<	ug/l	0.20		1	T-3	19-OCT-09	11:30
JA30861-3	Nickel	19.6		ug/l	10		1	T-3	19-OCT-09	11:30
JA30861-3	Selenium	< 10	<	ug/l	10		1	T-3	19-OCT-09	11:30
JA30861-3	Silver	< 10	<	ug/l	10		1	T-3	19-OCT-09	11:30
JA30861-3	Thallium	< 2.0	<	ug/l	2.0		1	T-3	19-OCT-09	11:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-3	Zinc	142		ug/l	20		1	T-3	19-OCT-09	11:30
JA30861-3	Pentachlorophenol	ND		ug/l	1.7	1.3	1	T-3	19-OCT-09	11:30
JA30861-3	2-Chlorophenol	ND		ug/l	28	6.0	1	T-3	19-OCT-09	11:30
JA30861-3	4-Chloro-3-methyl phenol	ND		ug/l	28	5.9	1	T-3	19-OCT-09	11:30
JA30861-3	Acenaphthene	ND		ug/l	0.56	0.16	1	T-3	19-OCT-09	11:30
JA30861-3	Acenaphthylene	ND		ug/l	0.56	0.22	1	T-3	19-OCT-09	11:30
JA30861-3	Anthracene	ND		ug/l	0.56	0.14	1	T-3	19-OCT-09	11:30
JA30861-3	Benzo(a)anthracene	ND		ug/l	0.56	0.13	1	T-3	19-OCT-09	11:30
JA30861-3	Benzo(a)pyrene	ND		ug/l	0.56	0.17	1	T-3	19-OCT-09	11:30
JA30861-3	2,4-Dichlorophenol	ND		ug/l	28	6.9	1	T-3	19-OCT-09	11:30
JA30861-3	Benzo(b)fluoranthene	ND		ug/l	0.56	0.20	1	T-3	19-OCT-09	11:30
JA30861-3	Benzo(g,h,i)perylene	ND		ug/l	0.56	0.16	1	T-3	19-OCT-09	11:30
JA30861-3	Benzo(k)fluoranthene	ND		ug/l	0.56	0.16	1	T-3	19-OCT-09	11:30
JA30861-3	2,4-Dimethylphenol	ND		ug/l	28	9.3	1	T-3	19-OCT-09	11:30
JA30861-3	Chrysene	ND		ug/l	0.56	0.12	1	T-3	19-OCT-09	11:30
JA30861-3	2,4-Dinitrophenol	ND		ug/l	110	4.1	1	T-3	19-OCT-09	11:30
JA30861-3	4,6-Dinitro-o-cresol	ND		ug/l	110	2.9	1	T-3	19-OCT-09	11:30
JA30861-3	Dibenzo(a,h)anthracene	ND		ug/l	0.56	0.13	1	T-3	19-OCT-09	11:30
JA30861-3	2-Nitrophenol	ND		ug/l	28	7.0	1	T-3	19-OCT-09	11:30
JA30861-3	4-Nitrophenol	ND		ug/l	56	4.7	1	T-3	19-OCT-09	11:30
JA30861-3	Phenol	ND		ug/l	11	3.2	1	T-3	19-OCT-09	11:30
JA30861-3	Fluoranthene	0.636		ug/l	0.56	0.14	1	T-3	19-OCT-09	11:30
JA30861-3	Fluorene	0.938		ug/l	0.56	0.15	1	T-3	19-OCT-09	11:30
JA30861-3	2,4,6-Trichlorophenol	ND		ug/l	28	6.9	1	T-3	19-OCT-09	11:30
JA30861-3	Hexachlorobenzene	ND		ug/l	0.11	0.056	1	T-3	19-OCT-09	11:30
JA30861-3	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.56	0.16	1	T-3	19-OCT-09	11:30
JA30861-3	Benzidine	ND		ug/l	110	25	1	T-3	19-OCT-09	11:30
JA30861-3	Phenanthrene	1.74		ug/l	0.56	0.20	1	T-3	19-OCT-09	11:30

JA30861-3	Pyrene	1.03		ug/l	0.56	0.12	1	T-3	19-OCT-09	11:30
JA30861-3	4-Bromophenyl phenyl ether	ND		ug/l	11	2.0	1	T-3	19-OCT-09	11:30
JA30861-3	Butyl benzyl phthalate	ND		ug/l	11	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	2-Chloronaphthalene	ND		ug/l	28	2.3	1	T-3	19-OCT-09	11:30
JA30861-3	4-Chloroaniline	ND		ug/l	28	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	bis(2-Chloroethoxy)methane	ND		ug/l	11	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	bis(2-Chloroethyl)ether	ND		ug/l	11	1.7	1	T-3	19-OCT-09	11:30
JA30861-3	bis(2-Chloroisopropyl)ether	ND		ug/l	11	2.2	1	T-3	19-OCT-09	11:30
JA30861-3	4-Chlorophenyl phenyl ether	ND		ug/l	11	2.0	1	T-3	19-OCT-09	11:30
JA30861-3	1,2-Dichlorobenzene	ND		ug/l	11	2.4	1	T-3	19-OCT-09	11:30
JA30861-3	1,2-Diphenylhydrazine	ND		ug/l	11	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	1,3-Dichlorobenzene	ND		ug/l	11	2.0	1	T-3	19-OCT-09	11:30
JA30861-3	1,4-Dichlorobenzene	ND		ug/l	11	2.2	1	T-3	19-OCT-09	11:30
JA30861-3	2,4-Dinitrotoluene	ND		ug/l	11	1.2	1	T-3	19-OCT-09	11:30
JA30861-3	2,6-Dinitrotoluene	ND		ug/l	11	1.8	1	T-3	19-OCT-09	11:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-3	3,3'-Dichlorobenzidine	ND		ug/l	28	1.7	1	T-3	19-OCT-09	11:30
JA30861-3	Di-n-butyl phthalate	ND		ug/l	11	1.1	1	T-3	19-OCT-09	11:30
JA30861-3	Di-n-octyl phthalate	ND		ug/l	11	2.2	1	T-3	19-OCT-09	11:30
JA30861-3	Diethyl phthalate	ND		ug/l	11	0.93	1	T-3	19-OCT-09	11:30
JA30861-3	Dimethyl phthalate	ND		ug/l	11	1.3	1	T-3	19-OCT-09	11:30
JA30861-3	bis(2-Ethylhexyl)phthalate	ND		ug/l	11	1.8	1	T-3	19-OCT-09	11:30
JA30861-3	Hexachlorobutadiene	ND		ug/l	5.6	2.1	1	T-3	19-OCT-09	11:30
JA30861-3	Hexachlorocyclopentadiene	ND		ug/l	110	3.8	1	T-3	19-OCT-09	11:30
JA30861-3	Hexachloroethane	ND		ug/l	28	1.5	1	T-3	19-OCT-09	11:30
JA30861-3	Isophorone	ND		ug/l	11	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	Naphthalene	208000		ug/l	5600	2400	1000	T-3	19-OCT-09	11:30
JA30861-3	Nitrobenzene	ND		ug/l	11	1.4	1	T-3	19-OCT-09	11:30
JA30861-3	n-Nitrosodimethylamine	ND		ug/l	11	4.1	1	T-3	19-OCT-09	11:30
JA30861-3	N-Nitroso-di-n-propylamine	ND		ug/l	11	2.5	1	T-3	19-OCT-09	11:30
JA30861-3	N-Nitrosodiphenylamine	ND		ug/l	28	1.2	1	T-3	19-OCT-09	11:30
JA30861-3	1,2,4-Trichlorobenzene	ND		ug/l	11	2.4	1	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorophenol	21.0		%			5	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorophenol (c)	IND	*	%			1000	T-3	19-OCT-09	11:30

JA30861-3	2-Fluorophenol	13		%			1	T-3	19-OCT-09	11:30
JA30861-3	Phenol-d5	13		%			5	T-3	19-OCT-09	11:30
JA30861-3	Phenol-d5 (c)	IND	*	%			1000	T-3	19-OCT-09	11:30
JA30861-3	Phenol-d5 (d)	53.0	*	%			1	T-3	19-OCT-09	11:30
JA30861-3	2,4,6-Tribromophenol	84.0		%			5	T-3	19-OCT-09	11:30
JA30861-3	2,4,6-Tribromophenol (c)	IND	*	%			1000	T-3	19-OCT-09	11:30
JA30861-3	2,4,6-Tribromophenol	71.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	Nitrobenzene-d5 (c)	14	*	%			5	T-3	19-OCT-09	11:30
JA30861-3	Nitrobenzene-d5	55.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	Nitrobenzene-d5 (c)	IND	*	%			1000	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorobiphenyl	82.0		%			5	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorobiphenyl	62.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorobiphenyl (c)	IND	*	%			1000	T-3	19-OCT-09	11:30
JA30861-3	Terphenyl-d14	71.0		%			5	T-3	19-OCT-09	11:30
JA30861-3	Terphenyl-d14 (c)	IND	*	%			1000	T-3	19-OCT-09	11:30
JA30861-3	Terphenyl-d14	55.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorophenol	13		%			1	T-3	19-OCT-09	11:30
JA30861-3	Phenol-d5	20.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	2,4,6-Tribromophenol	74.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	Nitrobenzene-d5	49.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	2-Fluorobiphenyl	79.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	Terphenyl-d14	75.0		%			1	T-3	19-OCT-09	11:30
JA30861-3	C3 alkyl benzene	1300	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	C3 alkyl benzene	810	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	C3 alkyl benzene	860	J	ug/l			1	T-3	19-OCT-09	11:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-3	C3 alkyl benzene	3900	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	2100	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	12000	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	5800	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	1300	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	220	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	alkane	260	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	C5 alkyl Benzene	1800	J	ug/l			1	T-3	19-OCT-09	11:30

JA30861-3	C5 alkyl benzene	340	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Benzeneacetaldehyde-trimethyl-	1000	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	1700	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	1H-Indene-dihydro-dimethyl	1300	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	1H-Indene-dihydro-dimethyl	480	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Benzene, pentamethyl-	900	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Naphthalene, 2-methyl-	1100	JN	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Naphthalene, 1-methyl-	370	JN	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	210	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	450	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Biphenyl	500	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	250	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Diphenyl ether	1400	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	unknown	230	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Total TIC, Semi-Volatile	40580	J	ug/l			1	T-3	19-OCT-09	11:30
JA30861-3	Acrolein	ND		ug/l	5000	2300	100	T-3	19-OCT-09	11:30
JA30861-3	Acrylonitrile	ND		ug/l	5000	360	100	T-3	19-OCT-09	11:30
JA30861-3	Benzene	63.6	J	ug/l	100	23	100	T-3	19-OCT-09	11:30
JA30861-3	Bromodichloromethane	ND		ug/l	100	22	100	T-3	19-OCT-09	11:30
JA30861-3	Bromoform	ND		ug/l	400	23	100	T-3	19-OCT-09	11:30
JA30861-3	Bromomethane	ND		ug/l	200	30	100	T-3	19-OCT-09	11:30
JA30861-3	Carbon tetrachloride	ND		ug/l	100	26	100	T-3	19-OCT-09	11:30
JA30861-3	Chlorobenzene	ND		ug/l	100	39	100	T-3	19-OCT-09	11:30
JA30861-3	Chloroethane	ND		ug/l	100	37	100	T-3	19-OCT-09	11:30
JA30861-3	2-Chloroethyl vinyl ether	ND		ug/l	1000	140	100	T-3	19-OCT-09	11:30
JA30861-3	Chloroform	ND		ug/l	100	23	100	T-3	19-OCT-09	11:30
JA30861-3	Chloromethane	ND		ug/l	100	29	100	T-3	19-OCT-09	11:30
JA30861-3	Dibromochloromethane	ND		ug/l	100	22	100	T-3	19-OCT-09	11:30
JA30861-3	1,2-Dichlorobenzene	ND		ug/l	100	26	100	T-3	19-OCT-09	11:30
JA30861-3	1,3-Dichlorobenzene	ND		ug/l	100	25	100	T-3	19-OCT-09	11:30
JA30861-3	1,4-Dichlorobenzene	ND		ug/l	100	28	100	T-3	19-OCT-09	11:30
JA30861-3	Dichlorodifluoromethane	ND		ug/l	500	92	100	T-3	19-OCT-09	11:30
JA30861-3	1,1-Dichloroethane	ND		ug/l	100	29	100	T-3	19-OCT-09	11:30
JA30861-3	1,2-Dichloroethane	ND		ug/l	100	33	100	T-3	19-OCT-09	11:30
JA30861-3	1,1-Dichloroethene	ND		ug/l	100	40	100	T-3	19-OCT-09	11:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-3	cis-1,2-Dichloroethene	ND		ug/l	100	22	100	T-3	19-OCT-09	11:30
JA30861-3	trans-1,2-Dichloroethene	ND		ug/l	100	25	100	T-3	19-OCT-09	11:30
JA30861-3	1,2-Dichloropropane	ND		ug/l	100	27	100	T-3	19-OCT-09	11:30
JA30861-3	cis-1,3-Dichloropropene	ND		ug/l	100	25	100	T-3	19-OCT-09	11:30
JA30861-3	trans-1,3-Dichloropropene	ND		ug/l	100	21	100	T-3	19-OCT-09	11:30
JA30861-3	Ethylbenzene	ND		ug/l	100	27	100	T-3	19-OCT-09	11:30
JA30861-3	Methylene chloride	ND		ug/l	200	30	100	T-3	19-OCT-09	11:30
JA30861-3	1,1,2,2-Tetrachloroethane	ND		ug/l	100	24	100	T-3	19-OCT-09	11:30
JA30861-3	Tetrachloroethene	ND		ug/l	100	27	100	T-3	19-OCT-09	11:30
JA30861-3	Toluene	ND		ug/l	100	30	100	T-3	19-OCT-09	11:30
JA30861-3	1,1,1-Trichloroethane	ND		ug/l	100	26	100	T-3	19-OCT-09	11:30
JA30861-3	1,1,2-Trichloroethane	ND		ug/l	100	23	100	T-3	19-OCT-09	11:30
JA30861-3	Trichloroethene	ND		ug/l	100	24	100	T-3	19-OCT-09	11:30
JA30861-3	Trichlorofluoromethane	ND		ug/l	500	54	100	T-3	19-OCT-09	11:30
JA30861-3	Vinyl chloride	ND		ug/l	100	44	100	T-3	19-OCT-09	11:30
JA30861-3	Xylene (total)	130		ug/l	100	25	100	T-3	19-OCT-09	11:30
JA30861-3	Dibromofluoromethane	105		%			100	T-3	19-OCT-09	11:30
JA30861-3	1,2-Dichloroethane-D4	110		%			100	T-3	19-OCT-09	11:30
JA30861-3	Toluene-D8	95.0		%			100	T-3	19-OCT-09	11:30
JA30861-3	4-Bromofluorobenzene	91.0		%			100	T-3	19-OCT-09	11:30
JA30861-3	Benzene, 1,2,4-trimethyl-	2700	JN	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	3300	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	8000	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	3900	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	4200	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	8500	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	1H-indene-dihydro-methyl	2100	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	2700	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	7300	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	13000	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	1H-indene-dihydro-methyl	5900	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	C4 alkyl benzene	5100	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	1H-indene-dihydro-methyl	6600	J	ug/l			100	T-3	19-OCT-09	11:30

JA30861-3	C5 alkyl benzene	2400	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	Naphthalene	7800	JN	ug/l			100	T-3	19-OCT-09	11:30
JA30861-3	Total TIC, Volatile	83500	J	ug/l			100	T-3	19-OCT-09	11:30
JA30861-4	Total PHC	60.9		mg/l	2.2	1.7	100	T-2	19-OCT-09	12:45
JA30861-4	Aldrin	ND		ug/l	0.022	0.0033	1	T-2	19-OCT-09	12:45
JA30861-4	alpha-BHC	ND		ug/l	0.022	0.0024	1	T-2	19-OCT-09	12:45
JA30861-4	beta-BHC	ND		ug/l	0.022	0.0034	1	T-2	19-OCT-09	12:45
JA30861-4	delta-BHC	ND		ug/l	0.022	0.0019	1	T-2	19-OCT-09	12:45
JA30861-4	gamma-BHC (Lindane)	ND		ug/l	0.022	0.0027	1	T-2	19-OCT-09	12:45
JA30861-4	Chlordane	ND		ug/l	0.56	0.078	1	T-2	19-OCT-09	12:45

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-4	Dieldrin	ND		ug/l	0.022	0.0033	1	T-2	19-OCT-09	12:45
JA30861-4	4,4'-DDD	ND		ug/l	0.022	0.0036	1	T-2	19-OCT-09	12:45
JA30861-4	4,4'-DDE	ND		ug/l	0.022	0.0033	1	T-2	19-OCT-09	12:45
JA30861-4	4,4'-DDT	ND		ug/l	0.022	0.0033	1	T-2	19-OCT-09	12:45
JA30861-4	Endrin	ND		ug/l	0.022	0.0041	1	T-2	19-OCT-09	12:45
JA30861-4	Endosulfan sulfate	ND		ug/l	0.022	0.0074	1	T-2	19-OCT-09	12:45
JA30861-4	Endrin aldehyde	ND		ug/l	0.022	0.0080	1	T-2	19-OCT-09	12:45
JA30861-4	Endosulfan-I	ND		ug/l	0.022	0.0040	1	T-2	19-OCT-09	12:45
JA30861-4	Endosulfan-II	ND		ug/l	0.022	0.0048	1	T-2	19-OCT-09	12:45
JA30861-4	Heptachlor	ND		ug/l	0.022	0.0074	1	T-2	19-OCT-09	12:45
JA30861-4	Heptachlor epoxide	ND		ug/l	0.022	0.0029	1	T-2	19-OCT-09	12:45
JA30861-4	Methoxychlor	ND		ug/l	0.022	0.0068	1	T-2	19-OCT-09	12:45
JA30861-4	Toxaphene	ND		ug/l	0.28	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1016	ND		ug/l	0.56	0.33	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1221	ND		ug/l	0.56	0.46	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1232	ND		ug/l	0.56	0.34	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1242	ND		ug/l	0.56	0.30	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1248	ND		ug/l	0.56	0.31	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1254	ND		ug/l	0.56	0.20	1	T-2	19-OCT-09	12:45
JA30861-4	Aroclor 1260	ND		ug/l	0.56	0.16	1	T-2	19-OCT-09	12:45
JA30861-4	Tetrachloro-m-xylene	79		%			1	T-2	19-OCT-09	12:45
JA30861-4	Tetrachloro-m-xylene	84		%			1	T-2	19-OCT-09	12:45
JA30861-4	Tetrachloro-m-xylene	89		%			1	T-2	19-OCT-09	12:45

JA30861-4	Tetrachloro-m-xylene	90		%			1	T-2	19-OCT-09	12:45
JA30861-4	Chlorobenzene (c)	ND	*	%	11		100	T-2	19-OCT-09	12:45
JA30861-4	Chlorobenzene (b)	45	*	%	0.11		1	T-2	19-OCT-09	12:45
JA30861-4	Decachlorobiphenyl	81		%			1	T-2	19-OCT-09	12:45
JA30861-4	Decachlorobiphenyl	79		%			1	T-2	19-OCT-09	12:45
JA30861-4	Decachlorobiphenyl	75		%			1	T-2	19-OCT-09	12:45
JA30861-4	Decachlorobiphenyl	78		%			1	T-2	19-OCT-09	12:45
JA30861-4	o-Terphenyl (c)	ND	*	%	11		100	T-2	19-OCT-09	12:45
JA30861-4	o-Terphenyl	102		%	0.11		1	T-2	19-OCT-09	12:45
JA30861-4	Tetracosane-d50 (c)	ND	*	%	11		100	T-2	19-OCT-09	12:45
JA30861-4	Tetracosane-d50	111		%	0.11		1	T-2	19-OCT-09	12:45
JA30861-4	Cyanide	0.018		mg/l	0.010		1	T-2	19-OCT-09	12:45
JA30861-4	Phenols	0.73		mg/l	0.20		1	T-2	19-OCT-09	12:45
JA30861-4	Antimony	< 6.0	<	ug/l	6.0		1	T-2	19-OCT-09	12:45
JA30861-4	Arsenic	< 3.0	<	ug/l	3.0		1	T-2	19-OCT-09	12:45
JA30861-4	Beryllium	< 1.0	<	ug/l	1.0		1	T-2	19-OCT-09	12:45
JA30861-4	Cadmium	< 3.0	<	ug/l	3.0		1	T-2	19-OCT-09	12:45
JA30861-4	Chromium	88.3		ug/l	10		1	T-2	19-OCT-09	12:45
JA30861-4	Copper	14.3		ug/l	10		1	T-2	19-OCT-09	12:45
JA30861-4	Lead	38.1		ug/l	3.0		1	T-2	19-OCT-09	12:45

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-4	Mercury	< 0.20	<	ug/l	0.20		1	T-2	19-OCT-09	12:45
JA30861-4	Nickel	16.2		ug/l	10		1	T-2	19-OCT-09	12:45
JA30861-4	Selenium	< 10	<	ug/l	10		1	T-2	19-OCT-09	12:45
JA30861-4	Silver	< 10	<	ug/l	10		1	T-2	19-OCT-09	12:45
JA30861-4	Thallium	< 2.0	<	ug/l	2.0		1	T-2	19-OCT-09	12:45
JA30861-4	Zinc	94.3		ug/l	20		1	T-2	19-OCT-09	12:45
JA30861-4	Pentachlorophenol	ND		ug/l	0.34	0.25	1	T-2	19-OCT-09	12:45
JA30861-4	2-Chlorophenol	ND		ug/l	5.6	1.2	1	T-2	19-OCT-09	12:45
JA30861-4	Acenaphthene	ND		ug/l	0.11	0.033	1	T-2	19-OCT-09	12:45
JA30861-4	4-Chloro-3-methyl phenol	ND		ug/l	5.6	1.2	1	T-2	19-OCT-09	12:45
JA30861-4	Acenaphthylene	ND		ug/l	0.11	0.044	1	T-2	19-OCT-09	12:45
JA30861-4	Anthracene	ND		ug/l	0.11	0.029	1	T-2	19-OCT-09	12:45
JA30861-4	Benzo(a)anthracene	ND		ug/l	0.11	0.027	1	T-2	19-OCT-09	12:45

JA30861-4	Benzo(a)pyrene	ND		ug/l	0.11	0.035	1	T-2	19-OCT-09	12:45
JA30861-4	2,4-Dichlorophenol	ND		ug/l	5.6	1.4	1	T-2	19-OCT-09	12:45
JA30861-4	Benzo(b)fluoranthene	ND		ug/l	0.11	0.040	1	T-2	19-OCT-09	12:45
JA30861-4	Benzo(g,h,i)perylene	ND		ug/l	0.11	0.032	1	T-2	19-OCT-09	12:45
JA30861-4	Benzo(k)fluoranthene	ND		ug/l	0.11	0.032	1	T-2	19-OCT-09	12:45
JA30861-4	2,4-Dimethylphenol	ND		ug/l	5.6	1.9	1	T-2	19-OCT-09	12:45
JA30861-4	Chrysene	ND		ug/l	0.11	0.025	1	T-2	19-OCT-09	12:45
JA30861-4	2,4-Dinitrophenol	ND		ug/l	22	0.83	1	T-2	19-OCT-09	12:45
JA30861-4	Dibenzo(a,h)anthracene	ND		ug/l	0.11	0.025	1	T-2	19-OCT-09	12:45
JA30861-4	4,6-Dinitro-o-cresol	ND		ug/l	22	0.58	1	T-2	19-OCT-09	12:45
JA30861-4	2-Nitrophenol	ND		ug/l	5.6	1.4	1	T-2	19-OCT-09	12:45
JA30861-4	4-Nitrophenol	ND		ug/l	11	0.93	1	T-2	19-OCT-09	12:45
JA30861-4	Phenol	75.9		ug/l	2.2	0.65	1	T-2	19-OCT-09	12:45
JA30861-4	Fluoranthene	ND		ug/l	0.11	0.027	1	T-2	19-OCT-09	12:45
JA30861-4	Fluorene	ND		ug/l	0.11	0.030	1	T-2	19-OCT-09	12:45
JA30861-4	2,4,6-Trichlorophenol	ND		ug/l	5.6	1.4	1	T-2	19-OCT-09	12:45
JA30861-4	Hexachlorobenzene	ND		ug/l	0.022	0.011	1	T-2	19-OCT-09	12:45
JA30861-4	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.11	0.033	1	T-2	19-OCT-09	12:45
JA30861-4	Benzidine	ND		ug/l	22	5.1	1	T-2	19-OCT-09	12:45
JA30861-4	Phenanthrene	ND		ug/l	0.11	0.041	1	T-2	19-OCT-09	12:45
JA30861-4	Pyrene	ND		ug/l	0.11	0.025	1	T-2	19-OCT-09	12:45
JA30861-4	4-Bromophenyl phenyl ether	ND		ug/l	2.2	0.39	1	T-2	19-OCT-09	12:45
JA30861-4	Butyl benzyl phthalate	ND		ug/l	2.2	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	2-Chloronaphthalene	ND		ug/l	5.6	0.47	1	T-2	19-OCT-09	12:45
JA30861-4	4-Chloroaniline	ND		ug/l	5.6	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	bis(2-Chloroethoxy)methane	ND		ug/l	2.2	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	bis(2-Chloroethyl)ether	ND		ug/l	2.2	0.35	1	T-2	19-OCT-09	12:45
JA30861-4	bis(2-Chloroisopropyl)ether	ND		ug/l	2.2	0.44	1	T-2	19-OCT-09	12:45
JA30861-4	4-Chlorophenyl phenyl ether	ND		ug/l	2.2	0.40	1	T-2	19-OCT-09	12:45
JA30861-4	1,2-Dichlorobenzene	ND		ug/l	2.2	0.47	1	T-2	19-OCT-09	12:45

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-4	1,2-Diphenylhydrazine	ND		ug/l	2.2	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	1,3-Dichlorobenzene	ND		ug/l	2.2	0.40	1	T-2	19-OCT-09	12:45
JA30861-4	1,4-Dichlorobenzene	ND		ug/l	2.2	0.44	1	T-2	19-OCT-09	12:45

JA30861-4	2,4-Dinitrotoluene	ND		ug/l	2.2	0.25	1	T-2	19-OCT-09	12:45
JA30861-4	2,6-Dinitrotoluene	ND		ug/l	2.2	0.37	1	T-2	19-OCT-09	12:45
JA30861-4	3,3'-Dichlorobenzidine	ND		ug/l	5.6	0.33	1	T-2	19-OCT-09	12:45
JA30861-4	Di-n-butyl phthalate	ND		ug/l	2.2	0.21	1	T-2	19-OCT-09	12:45
JA30861-4	Di-n-octyl phthalate	ND		ug/l	2.2	0.44	1	T-2	19-OCT-09	12:45
JA30861-4	Diethyl phthalate	ND		ug/l	2.2	0.19	1	T-2	19-OCT-09	12:45
JA30861-4	Dimethyl phthalate	ND		ug/l	2.2	0.25	1	T-2	19-OCT-09	12:45
JA30861-4	bis(2-Ethylhexyl)phthalate	ND		ug/l	2.2	0.37	1	T-2	19-OCT-09	12:45
JA30861-4	Hexachlorobutadiene	ND		ug/l	1.1	0.42	1	T-2	19-OCT-09	12:45
JA30861-4	Hexachlorocyclopentadiene	ND		ug/l	22	0.76	1	T-2	19-OCT-09	12:45
JA30861-4	Hexachloroethane	ND		ug/l	5.6	0.30	1	T-2	19-OCT-09	12:45
JA30861-4	Isophorone	ND		ug/l	2.2	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	Naphthalene	886		ug/l	22	9.6	20	T-2	19-OCT-09	12:45
JA30861-4	Nitrobenzene	ND		ug/l	2.2	0.28	1	T-2	19-OCT-09	12:45
JA30861-4	n-Nitrosodimethylamine	ND		ug/l	2.2	0.82	1	T-2	19-OCT-09	12:45
JA30861-4	N-Nitroso-di-n-propylamine	ND		ug/l	2.2	0.49	1	T-2	19-OCT-09	12:45
JA30861-4	N-Nitrosodiphenylamine	ND		ug/l	5.6	0.24	1	T-2	19-OCT-09	12:45
JA30861-4	1,2,4-Trichlorobenzene	ND		ug/l	2.2	0.49	1	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorophenol (c)	IND	*	%			20	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorophenol	41.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	Phenol-d5 (c)	IND	*	%			20	T-2	19-OCT-09	12:45
JA30861-4	Phenol-d5	29.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	2,4,6-Tribromophenol	106		%			20	T-2	19-OCT-09	12:45
JA30861-4	2,4,6-Tribromophenol	84.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	Nitrobenzene-d5	94.0		%			20	T-2	19-OCT-09	12:45
JA30861-4	Nitrobenzene-d5	80.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorobiphenyl	86.0		%			20	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorobiphenyl	52.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	Terphenyl-d14	90.0		%			20	T-2	19-OCT-09	12:45
JA30861-4	Terphenyl-d14	62.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorophenol	30.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	Phenol-d5	17		%			1	T-2	19-OCT-09	12:45
JA30861-4	2,4,6-Tribromophenol	79.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	Nitrobenzene-d5	70.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	2-Fluorobiphenyl	67.0		%			1	T-2	19-OCT-09	12:45

JA30861-4	Terphenyl-d14	78.0		%			1	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	150	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	400	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	2400	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	720	J	ug/l			1	T-2	19-OCT-09	12:45

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-4	C3 alkyl benzene	740	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	1600	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	Benzene, -propenyl-	1000	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	370	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	220	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	320	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	120	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	520	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	54	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	94	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	180	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	250	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	Phenyl--butene	110	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	unknown	220	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	C4 alkyl benzene	99	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	unknown	54	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	methyl-indanol	47	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	1H-Inden-one, -dihydro-	170	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	unknown acid	75	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	unknown acid	37	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	unknown acid	46	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	Total TIC, Semi-Volatile	9996	J	ug/l			1	T-2	19-OCT-09	12:45
JA30861-4	Acrolein	ND		ug/l	5000	2300	100	T-2	19-OCT-09	12:45
JA30861-4	Acrylonitrile	ND		ug/l	5000	360	100	T-2	19-OCT-09	12:45
JA30861-4	Benzene	336		ug/l	100	23	100	T-2	19-OCT-09	12:45
JA30861-4	Bromodichloromethane	ND		ug/l	100	22	100	T-2	19-OCT-09	12:45
JA30861-4	Bromoform	ND		ug/l	400	23	100	T-2	19-OCT-09	12:45
JA30861-4	Bromomethane	ND		ug/l	200	30	100	T-2	19-OCT-09	12:45

JA30861-4	Carbon tetrachloride	ND		ug/l	100	26	100	T-2	19-OCT-09	12:45
JA30861-4	Chlorobenzene	ND		ug/l	100	39	100	T-2	19-OCT-09	12:45
JA30861-4	Chloroethane	ND		ug/l	100	37	100	T-2	19-OCT-09	12:45
JA30861-4	2-Chloroethyl vinyl ether	ND		ug/l	1000	140	100	T-2	19-OCT-09	12:45
JA30861-4	Chloroform	ND		ug/l	100	23	100	T-2	19-OCT-09	12:45
JA30861-4	Chloromethane	ND		ug/l	100	29	100	T-2	19-OCT-09	12:45
JA30861-4	Dibromochloromethane	ND		ug/l	100	22	100	T-2	19-OCT-09	12:45
JA30861-4	1,2-Dichlorobenzene	ND		ug/l	100	26	100	T-2	19-OCT-09	12:45
JA30861-4	1,3-Dichlorobenzene	ND		ug/l	100	25	100	T-2	19-OCT-09	12:45
JA30861-4	1,4-Dichlorobenzene	ND		ug/l	100	28	100	T-2	19-OCT-09	12:45
JA30861-4	Dichlorodifluoromethane	ND		ug/l	500	92	100	T-2	19-OCT-09	12:45
JA30861-4	1,1-Dichloroethane	ND		ug/l	100	29	100	T-2	19-OCT-09	12:45
JA30861-4	1,2-Dichloroethane	ND		ug/l	100	33	100	T-2	19-OCT-09	12:45
JA30861-4	1,1-Dichloroethene	ND		ug/l	100	40	100	T-2	19-OCT-09	12:45
JA30861-4	cis-1,2-Dichloroethene	ND		ug/l	100	22	100	T-2	19-OCT-09	12:45

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-4	trans-1,2-Dichloroethene	ND		ug/l	100	25	100	T-2	19-OCT-09	12:45
JA30861-4	1,2-Dichloropropane	ND		ug/l	100	27	100	T-2	19-OCT-09	12:45
JA30861-4	cis-1,3-Dichloropropene	ND		ug/l	100	25	100	T-2	19-OCT-09	12:45
JA30861-4	trans-1,3-Dichloropropene	ND		ug/l	100	21	100	T-2	19-OCT-09	12:45
JA30861-4	Ethylbenzene	837		ug/l	100	27	100	T-2	19-OCT-09	12:45
JA30861-4	Methylene chloride	ND		ug/l	200	30	100	T-2	19-OCT-09	12:45
JA30861-4	1,1,2,2-Tetrachloroethane	ND		ug/l	100	24	100	T-2	19-OCT-09	12:45
JA30861-4	Tetrachloroethene	ND		ug/l	100	27	100	T-2	19-OCT-09	12:45
JA30861-4	Toluene	129		ug/l	100	30	100	T-2	19-OCT-09	12:45
JA30861-4	1,1,1-Trichloroethane	ND		ug/l	100	26	100	T-2	19-OCT-09	12:45
JA30861-4	1,1,2-Trichloroethane	ND		ug/l	100	23	100	T-2	19-OCT-09	12:45
JA30861-4	Trichloroethene	ND		ug/l	100	24	100	T-2	19-OCT-09	12:45
JA30861-4	Trichlorofluoromethane	ND		ug/l	500	54	100	T-2	19-OCT-09	12:45
JA30861-4	Vinyl chloride	ND		ug/l	100	44	100	T-2	19-OCT-09	12:45
JA30861-4	Xylene (total)	17100		ug/l	100	25	100	T-2	19-OCT-09	12:45
JA30861-4	Dibromofluoromethane	103		%			100	T-2	19-OCT-09	12:45
JA30861-4	1,2-Dichloroethane-D4	109		%			100	T-2	19-OCT-09	12:45
JA30861-4	Toluene-D8	95.0		%			100	T-2	19-OCT-09	12:45

JA30861-4	4-Bromofluorobenzene	97.0		%			100	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	830	J	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	890	J	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	4800	J	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	Benzene, 1,3,5-trimethyl-	1500	JN	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	C3 alkyl benzene	1500	J	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	Benzene, 1,2,4-trimethyl-	6100	JN	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	Indane	2300	JN	ug/l			100	T-2	19-OCT-09	12:45
JA30861-4	Total TIC, Volatile	17920	J	ug/l			100	T-2	19-OCT-09	12:45
JA30861-5	Total PHC	5.60		mg/l	0.20	0.16	1	T-1	19-OCT-09	13:30
JA30861-5	Aldrin	ND		ug/l	0.20	0.030	1	T-1	19-OCT-09	13:30
JA30861-5	alpha-BHC	ND		ug/l	0.20	0.022	1	T-1	19-OCT-09	13:30
JA30861-5	beta-BHC	ND		ug/l	0.20	0.030	1	T-1	19-OCT-09	13:30
JA30861-5	delta-BHC	ND		ug/l	0.20	0.017	1	T-1	19-OCT-09	13:30
JA30861-5	gamma-BHC (Lindane)	ND		ug/l	0.20	0.024	1	T-1	19-OCT-09	13:30
JA30861-5	Chlordane	ND		ug/l	5.0	0.70	1	T-1	19-OCT-09	13:30
JA30861-5	Dieldrin	ND		ug/l	0.20	0.029	1	T-1	19-OCT-09	13:30
JA30861-5	4,4'-DDD	ND		ug/l	0.20	0.033	1	T-1	19-OCT-09	13:30
JA30861-5	4,4'-DDE	ND		ug/l	0.20	0.030	1	T-1	19-OCT-09	13:30
JA30861-5	4,4'-DDT	ND		ug/l	0.20	0.029	1	T-1	19-OCT-09	13:30
JA30861-5	Endrin	ND		ug/l	0.20	0.037	1	T-1	19-OCT-09	13:30
JA30861-5	Endosulfan sulfate	ND		ug/l	0.20	0.066	1	T-1	19-OCT-09	13:30
JA30861-5	Endrin aldehyde	ND		ug/l	0.20	0.072	1	T-1	19-OCT-09	13:30
JA30861-5	Endosulfan-I	ND		ug/l	0.20	0.036	1	T-1	19-OCT-09	13:30
JA30861-5	Endosulfan-II	ND		ug/l	0.20	0.043	1	T-1	19-OCT-09	13:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-5	Heptachlor	ND		ug/l	0.20	0.066	1	T-1	19-OCT-09	13:30
JA30861-5	Heptachlor epoxide	ND		ug/l	0.20	0.026	1	T-1	19-OCT-09	13:30
JA30861-5	Methoxychlor	ND		ug/l	0.20	0.061	1	T-1	19-OCT-09	13:30
JA30861-5	Toxaphene	ND		ug/l	2.5	2.5	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1016	ND		ug/l	5.0	3.0	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1221	ND		ug/l	5.0	4.1	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1232	ND		ug/l	5.0	3.1	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1242	ND		ug/l	5.0	2.7	1	T-1	19-OCT-09	13:30

JA30861-5	Aroclor 1248	ND		ug/l	5.0	2.8	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1254	ND		ug/l	5.0	1.8	1	T-1	19-OCT-09	13:30
JA30861-5	Aroclor 1260	ND		ug/l	5.0	1.4	1	T-1	19-OCT-09	13:30
JA30861-5	Tetrachloro-m-xylene	86		%			1	T-1	19-OCT-09	13:30
JA30861-5	Tetrachloro-m-xylene	72		%			1	T-1	19-OCT-09	13:30
JA30861-5	Tetrachloro-m-xylene	78		%			1	T-1	19-OCT-09	13:30
JA30861-5	Tetrachloro-m-xylene	81		%			1	T-1	19-OCT-09	13:30
JA30861-5	Chlorobenzene	70.0		%	1.0		1	T-1	19-OCT-09	13:30
JA30861-5	Decachlorobiphenyl	52		%			1	T-1	19-OCT-09	13:30
JA30861-5	Decachlorobiphenyl	56		%			1	T-1	19-OCT-09	13:30
JA30861-5	Decachlorobiphenyl	50		%			1	T-1	19-OCT-09	13:30
JA30861-5	Decachlorobiphenyl	52		%			1	T-1	19-OCT-09	13:30
JA30861-5	o-Terphenyl	95.0		%	1.0		1	T-1	19-OCT-09	13:30
JA30861-5	Tetracosane-d50	93.0		%	1.0		1	T-1	19-OCT-09	13:30
JA30861-5	Cyanide	0.050		mg/l	0.010		1	T-1	19-OCT-09	13:30
JA30861-5	Phenols	< 0.20	<	mg/l	0.20		1	T-1	19-OCT-09	13:30
JA30861-5	Antimony	< 6.0	<	ug/l	6.0		1	T-1	19-OCT-09	13:30
JA30861-5	Arsenic	< 3.0	<	ug/l	3.0		1	T-1	19-OCT-09	13:30
JA30861-5	Beryllium	< 1.0	<	ug/l	1.0		1	T-1	19-OCT-09	13:30
JA30861-5	Cadmium	< 3.0	<	ug/l	3.0		1	T-1	19-OCT-09	13:30
JA30861-5	Chromium	57.6		ug/l	10		1	T-1	19-OCT-09	13:30
JA30861-5	Copper	< 10	<	ug/l	10		1	T-1	19-OCT-09	13:30
JA30861-5	Lead	14.7		ug/l	3.0		1	T-1	19-OCT-09	13:30
JA30861-5	Mercury	< 0.20	<	ug/l	0.20		1	T-1	19-OCT-09	13:30
JA30861-5	Nickel	< 10	<	ug/l	10		1	T-1	19-OCT-09	13:30
JA30861-5	Selenium	< 10	<	ug/l	10		1	T-1	19-OCT-09	13:30
JA30861-5	Silver	< 10	<	ug/l	10		1	T-1	19-OCT-09	13:30
JA30861-5	Thallium	< 2.0	<	ug/l	2.0		1	T-1	19-OCT-09	13:30
JA30861-5	Zinc	32.7		ug/l	20		1	T-1	19-OCT-09	13:30
JA30861-5	Pentachlorophenol	ND		ug/l	0.32	0.24	1	T-1	19-OCT-09	13:30
JA30861-5	2-Chlorophenol	ND		ug/l	5.4	1.2	1	T-1	19-OCT-09	13:30
JA30861-5	Acenaphthene	ND		ug/l	0.11	0.031	1	T-1	19-OCT-09	13:30
JA30861-5	4-Chloro-3-methyl phenol	ND		ug/l	5.4	1.1	1	T-1	19-OCT-09	13:30
JA30861-5	Acenaphthylene	ND		ug/l	0.11	0.042	1	T-1	19-OCT-09	13:30
JA30861-5	Anthracene	ND		ug/l	0.11	0.028	1	T-1	19-OCT-09	13:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-5	Benzo(a)anthracene	ND		ug/l	0.11	0.025	1	T-1	19-OCT-09	13:30
JA30861-5	Benzo(a)pyrene	ND		ug/l	0.11	0.033	1	T-1	19-OCT-09	13:30
JA30861-5	2,4-Dichlorophenol	ND		ug/l	5.4	1.3	1	T-1	19-OCT-09	13:30
JA30861-5	Benzo(b)fluoranthene	ND		ug/l	0.11	0.038	1	T-1	19-OCT-09	13:30
JA30861-5	Benzo(g,h,i)perylene	ND		ug/l	0.11	0.031	1	T-1	19-OCT-09	13:30
JA30861-5	Benzo(k)fluoranthene	ND		ug/l	0.11	0.030	1	T-1	19-OCT-09	13:30
JA30861-5	2,4-Dimethylphenol	5.2	J	ug/l	5.4	1.8	1	T-1	19-OCT-09	13:30
JA30861-5	Chrysene	ND		ug/l	0.11	0.024	1	T-1	19-OCT-09	13:30
JA30861-5	2,4-Dinitrophenol	ND		ug/l	22	0.79	1	T-1	19-OCT-09	13:30
JA30861-5	Dibenzo(a,h)anthracene	ND		ug/l	0.11	0.024	1	T-1	19-OCT-09	13:30
JA30861-5	4,6-Dinitro-o-cresol	ND		ug/l	22	0.55	1	T-1	19-OCT-09	13:30
JA30861-5	2-Nitrophenol	ND		ug/l	5.4	1.3	1	T-1	19-OCT-09	13:30
JA30861-5	4-Nitrophenol	ND		ug/l	11	0.89	1	T-1	19-OCT-09	13:30
JA30861-5	Phenol	ND		ug/l	2.2	0.62	1	T-1	19-OCT-09	13:30
JA30861-5	Fluoranthene	ND		ug/l	0.11	0.026	1	T-1	19-OCT-09	13:30
JA30861-5	Fluorene	ND		ug/l	0.11	0.029	1	T-1	19-OCT-09	13:30
JA30861-5	2,4,6-Trichlorophenol	ND		ug/l	5.4	1.3	1	T-1	19-OCT-09	13:30
JA30861-5	Hexachlorobenzene	ND		ug/l	0.022	0.011	1	T-1	19-OCT-09	13:30
JA30861-5	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.11	0.031	1	T-1	19-OCT-09	13:30
JA30861-5	Benzidine	ND		ug/l	22	4.8	1	T-1	19-OCT-09	13:30
JA30861-5	Phenanthrene	ND		ug/l	0.11	0.039	1	T-1	19-OCT-09	13:30
JA30861-5	Pyrene	ND		ug/l	0.11	0.024	1	T-1	19-OCT-09	13:30
JA30861-5	4-Bromophenyl phenyl ether	ND		ug/l	2.2	0.38	1	T-1	19-OCT-09	13:30
JA30861-5	Butyl benzyl phthalate	ND		ug/l	2.2	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	2-Chloronaphthalene	ND		ug/l	5.4	0.45	1	T-1	19-OCT-09	13:30
JA30861-5	4-Chloroaniline	ND		ug/l	5.4	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	bis(2-Chloroethoxy)methane	ND		ug/l	2.2	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	bis(2-Chloroethyl)ether	ND		ug/l	2.2	0.33	1	T-1	19-OCT-09	13:30
JA30861-5	bis(2-Chloroisopropyl)ether	ND		ug/l	2.2	0.42	1	T-1	19-OCT-09	13:30
JA30861-5	4-Chlorophenyl phenyl ether	ND		ug/l	2.2	0.38	1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Dichlorobenzene	ND		ug/l	2.2	0.45	1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Diphenylhydrazine	ND		ug/l	2.2	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	1,3-Dichlorobenzene	ND		ug/l	2.2	0.38	1	T-1	19-OCT-09	13:30

JA30861-5	1,4-Dichlorobenzene	ND		ug/l	2.2	0.42	1	T-1	19-OCT-09	13:30
JA30861-5	2,4-Dinitrotoluene	ND		ug/l	2.2	0.24	1	T-1	19-OCT-09	13:30
JA30861-5	2,6-Dinitrotoluene	ND		ug/l	2.2	0.35	1	T-1	19-OCT-09	13:30
JA30861-5	3,3'-Dichlorobenzidine	ND		ug/l	5.4	0.32	1	T-1	19-OCT-09	13:30
JA30861-5	Di-n-butyl phthalate	ND		ug/l	2.2	0.21	1	T-1	19-OCT-09	13:30
JA30861-5	Di-n-octyl phthalate	ND		ug/l	2.2	0.42	1	T-1	19-OCT-09	13:30
JA30861-5	Diethyl phthalate	ND		ug/l	2.2	0.18	1	T-1	19-OCT-09	13:30
JA30861-5	Dimethyl phthalate	ND		ug/l	2.2	0.24	1	T-1	19-OCT-09	13:30
JA30861-5	bis(2-Ethylhexyl)phthalate	ND		ug/l	2.2	0.35	1	T-1	19-OCT-09	13:30
JA30861-5	Hexachlorobutadiene	ND		ug/l	1.1	0.40	1	T-1	19-OCT-09	13:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-5	Hexachlorocyclopentadiene	ND		ug/l	22	0.72	1	T-1	19-OCT-09	13:30
JA30861-5	Hexachloroethane	ND		ug/l	5.4	0.28	1	T-1	19-OCT-09	13:30
JA30861-5	Isophorone	ND		ug/l	2.2	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	Naphthalene	18.4		ug/l	1.1	0.46	1	T-1	19-OCT-09	13:30
JA30861-5	Nitrobenzene	ND		ug/l	2.2	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	n-Nitrosodimethylamine	ND		ug/l	2.2	0.79	1	T-1	19-OCT-09	13:30
JA30861-5	N-Nitroso-di-n-propylamine	ND		ug/l	2.2	0.47	1	T-1	19-OCT-09	13:30
JA30861-5	N-Nitrosodiphenylamine	ND		ug/l	5.4	0.23	1	T-1	19-OCT-09	13:30
JA30861-5	1,2,4-Trichlorobenzene	ND		ug/l	2.2	0.47	1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorophenol	41.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorophenol	26.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Phenol-d5	25.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Phenol-d5	17		%			1	T-1	19-OCT-09	13:30
JA30861-5	2,4,6-Tribromophenol	84.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2,4,6-Tribromophenol	73.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Nitrobenzene-d5	69.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Nitrobenzene-d5	69.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorobiphenyl	70.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorobiphenyl	57.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Terphenyl-d14	50.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Terphenyl-d14	44.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorophenol	24.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Phenol-d5	19.0		%			1	T-1	19-OCT-09	13:30

JA30861-5	2,4,6-Tribromophenol	77.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Nitrobenzene-d5	75.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	2-Fluorobiphenyl	66.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Terphenyl-d14	50.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	Eucalyptol	50	JN	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C4 alkyl benzene	51	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C4 alkyl benzene	65	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Chloroaniline	73	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	77	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Camphor	93	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	56	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Phenol, -tert-butyl-	200	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	150	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	81	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	190	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	170	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	940	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	390	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	250	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	140	J	ug/l			1	T-1	19-OCT-09	13:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-5	unknown	430	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	56	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	47	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	270	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	370	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	200	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	250	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	150	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	140	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Total TIC, Semi-Volatile	4889	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Acrolein	ND		ug/l	50	23	1	T-1	19-OCT-09	13:30
JA30861-5	Acrylonitrile	ND		ug/l	50	3.6	1	T-1	19-OCT-09	13:30
JA30861-5	Benzene	7.5		ug/l	1.0	0.23	1	T-1	19-OCT-09	13:30

JA30861-5	Bromodichloromethane	ND		ug/l	1.0	0.22	1	T-1	19-OCT-09	13:30
JA30861-5	Bromoform	ND		ug/l	4.0	0.23	1	T-1	19-OCT-09	13:30
JA30861-5	Bromomethane	ND		ug/l	2.0	0.30	1	T-1	19-OCT-09	13:30
JA30861-5	Carbon tetrachloride	ND		ug/l	1.0	0.26	1	T-1	19-OCT-09	13:30
JA30861-5	Chlorobenzene	ND		ug/l	1.0	0.39	1	T-1	19-OCT-09	13:30
JA30861-5	Chloroethane	1.6		ug/l	1.0	0.37	1	T-1	19-OCT-09	13:30
JA30861-5	2-Chloroethyl vinyl ether	ND		ug/l	10	1.4	1	T-1	19-OCT-09	13:30
JA30861-5	Chloroform	ND		ug/l	1.0	0.23	1	T-1	19-OCT-09	13:30
JA30861-5	Chloromethane	ND		ug/l	1.0	0.29	1	T-1	19-OCT-09	13:30
JA30861-5	Dibromochloromethane	ND		ug/l	1.0	0.22	1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Dichlorobenzene	ND		ug/l	1.0	0.26	1	T-1	19-OCT-09	13:30
JA30861-5	1,3-Dichlorobenzene	ND		ug/l	1.0	0.25	1	T-1	19-OCT-09	13:30
JA30861-5	1,4-Dichlorobenzene	ND		ug/l	1.0	0.28	1	T-1	19-OCT-09	13:30
JA30861-5	Dichlorodifluoromethane	ND		ug/l	5.0	0.92	1	T-1	19-OCT-09	13:30
JA30861-5	1,1-Dichloroethane	ND		ug/l	1.0	0.29	1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Dichloroethane	ND		ug/l	1.0	0.33	1	T-1	19-OCT-09	13:30
JA30861-5	1,1-Dichloroethene	ND		ug/l	1.0	0.40	1	T-1	19-OCT-09	13:30
JA30861-5	cis-1,2-Dichloroethene	ND		ug/l	1.0	0.22	1	T-1	19-OCT-09	13:30
JA30861-5	trans-1,2-Dichloroethene	ND		ug/l	1.0	0.25	1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Dichloropropane	ND		ug/l	1.0	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	cis-1,3-Dichloropropene	ND		ug/l	1.0	0.25	1	T-1	19-OCT-09	13:30
JA30861-5	trans-1,3-Dichloropropene	ND		ug/l	1.0	0.21	1	T-1	19-OCT-09	13:30
JA30861-5	Ethylbenzene	ND		ug/l	1.0	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	Methylene chloride	ND		ug/l	2.0	0.30	1	T-1	19-OCT-09	13:30
JA30861-5	1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.24	1	T-1	19-OCT-09	13:30
JA30861-5	Tetrachloroethene	ND		ug/l	1.0	0.27	1	T-1	19-OCT-09	13:30
JA30861-5	Toluene	ND		ug/l	1.0	0.30	1	T-1	19-OCT-09	13:30
JA30861-5	1,1,1-Trichloroethane	ND		ug/l	1.0	0.26	1	T-1	19-OCT-09	13:30
JA30861-5	1,1,2-Trichloroethane	ND		ug/l	1.0	0.23	1	T-1	19-OCT-09	13:30
JA30861-5	Trichloroethene	ND		ug/l	1.0	0.24	1	T-1	19-OCT-09	13:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-5	Trichlorofluoromethane	ND		ug/l	5.0	0.54	1	T-1	19-OCT-09	13:30
JA30861-5	Vinyl chloride	ND		ug/l	1.0	0.44	1	T-1	19-OCT-09	13:30
JA30861-5	Xylene (total)	ND		ug/l	1.0	0.25	1	T-1	19-OCT-09	13:30

JA30861-5	Dibromofluoromethane	107		%			1	T-1	19-OCT-09	13:30
JA30861-5	1,2-Dichloroethane-D4	113		%			1	T-1	19-OCT-09	13:30
JA30861-5	Toluene-D8	98.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	4-Bromofluorobenzene	95.0		%			1	T-1	19-OCT-09	13:30
JA30861-5	C3 alkyl benzene	22	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C3 alkyl benzene	45	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	30	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Indane	66	JN	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C4 alkyl benzene	100	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-indene-dihydro-methyl	23	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-indene-dihydro-methyl	39	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Adamantane	20	JN	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-Indene-dihydro-dimethyl	24	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C4 alkyl benzene	66	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-indene-dihydro-methyl	23	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	unknown	21	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	C4 alkyl benzene	62	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-indene-dihydro-methyl	45	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	1H-Indene, dimethyl-	54	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-5	Total TIC, Volatile	640	J	ug/l			1	T-1	19-OCT-09	13:30
JA30861-6	Total PHC	681000		mg/kg	7700	5000	100	T-6	19-OCT-09	13:40
JA30861-6	Aldrin	ND		ug/kg	80	36	1	T-6	19-OCT-09	13:40
JA30861-6	alpha-BHC	ND		ug/kg	80	25	1	T-6	19-OCT-09	13:40
JA30861-6	beta-BHC	ND		ug/kg	80	39	1	T-6	19-OCT-09	13:40
JA30861-6	delta-BHC	ND		ug/kg	80	22	1	T-6	19-OCT-09	13:40
JA30861-6	gamma-BHC (Lindane)	ND		ug/kg	80	25	1	T-6	19-OCT-09	13:40
JA30861-6	Chlordane	ND		ug/kg	2000	590	1	T-6	19-OCT-09	13:40
JA30861-6	Dieldrin	ND		ug/kg	80	27	1	T-6	19-OCT-09	13:40
JA30861-6	4,4'-DDD	ND		ug/kg	80	34	1	T-6	19-OCT-09	13:40
JA30861-6	4,4'-DDE (f)	362		ug/kg	80	28	1	T-6	19-OCT-09	13:40
JA30861-6	4,4'-DDT	ND		ug/kg	80	34	1	T-6	19-OCT-09	13:40
JA30861-6	Endrin	ND		ug/kg	80	28	1	T-6	19-OCT-09	13:40
JA30861-6	Endosulfan sulfate	ND		ug/kg	80	31	1	T-6	19-OCT-09	13:40
JA30861-6	Endrin aldehyde	ND		ug/kg	80	37	1	T-6	19-OCT-09	13:40
JA30861-6	Endosulfan-I	ND		ug/kg	80	27	1	T-6	19-OCT-09	13:40

JA30861-6	Endosulfan-II	ND		ug/kg	80	31	1	T-6	19-OCT-09	13:40
JA30861-6	Heptachlor	ND		ug/kg	80	36	1	T-6	19-OCT-09	13:40
JA30861-6	Heptachlor epoxide	ND		ug/kg	80	31	1	T-6	19-OCT-09	13:40
JA30861-6	Methoxychlor	ND		ug/kg	80	36	1	T-6	19-OCT-09	13:40
JA30861-6	Toxaphene	ND		ug/kg	1000	930	1	T-6	19-OCT-09	13:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-6	Aroclor 1016	ND		ug/kg	2000	710	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1221	ND		ug/kg	2000	1300	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1232	ND		ug/kg	2000	640	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1242	ND		ug/kg	2000	720	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1248	ND		ug/kg	2000	400	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1254	ND		ug/kg	2000	500	1	T-6	19-OCT-09	13:40
JA30861-6	Aroclor 1260	ND		ug/kg	2000	780	1	T-6	19-OCT-09	13:40
JA30861-6	Tetrachloro-m-xylene	63.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Tetrachloro-m-xylene (b)	637	*	%			1	T-6	19-OCT-09	13:40
JA30861-6	Tetrachloro-m-xylene (b)	149	*	%			1	T-6	19-OCT-09	13:40
JA30861-6	Tetrachloro-m-xylene (b)	257	*	%			1	T-6	19-OCT-09	13:40
JA30861-6	Decachlorobiphenyl (b)	852	*	%			1	T-6	19-OCT-09	13:40
JA30861-6	Chlorobenzene (b)	668	*	%	380		1	T-6	19-OCT-09	13:40
JA30861-6	Decachlorobiphenyl	79.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Decachlorobiphenyl (b)	442	*	%			1	T-6	19-OCT-09	13:40
JA30861-6	Decachlorobiphenyl	96.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Chlorobenzene (c)	ND	*	%	38000		100	T-6	19-OCT-09	13:40
JA30861-6	o-Terphenyl (c)	ND	*	%	38000		100	T-6	19-OCT-09	13:40
JA30861-6	o-Terphenyl	113		%	380		1	T-6	19-OCT-09	13:40
JA30861-6	Tetracosane-d50	59.0		%	380		1	T-6	19-OCT-09	13:40
JA30861-6	Tetracosane-d50 (c)	ND	*	%	38000		100	T-6	19-OCT-09	13:40
JA30861-6	Phenols (g)	316		mg/kg	120		1	T-6	19-OCT-09	13:40
JA30861-6	Cyanide	< 0.57	<	mg/kg	0.57		1	T-6	19-OCT-09	13:40
JA30861-6	Antimony	< 2.0	<	mg/kg	2.0		1	T-6	19-OCT-09	13:40
JA30861-6	Arsenic	< 2.0	<	mg/kg	2.0		1	T-6	19-OCT-09	13:40
JA30861-6	Beryllium	< 0.51	<	mg/kg	0.51		1	T-6	19-OCT-09	13:40
JA30861-6	Cadmium	< 0.51	<	mg/kg	0.51		1	T-6	19-OCT-09	13:40
JA30861-6	Chromium	< 1.0	<	mg/kg	1.0		1	T-6	19-OCT-09	13:40

JA30861-6	Copper	35.3		mg/kg	2.6		1	T-6	19-OCT-09	13:40
JA30861-6	Lead	< 2.0	<	mg/kg	2.0		1	T-6	19-OCT-09	13:40
JA30861-6	Mercury	< 0.030	<	mg/kg	0.030		1	T-6	19-OCT-09	13:40
JA30861-6	Nickel	27.4		mg/kg	4.1		1	T-6	19-OCT-09	13:40
JA30861-6	Selenium	< 2.0	<	mg/kg	2.0		1	T-6	19-OCT-09	13:40
JA30861-6	Silver	< 1.0	<	mg/kg	1.0		1	T-6	19-OCT-09	13:40
JA30861-6	Thallium	< 1.0	<	mg/kg	1.0		1	T-6	19-OCT-09	13:40
JA30861-6	Zinc	3.8		mg/kg	2.0		1	T-6	19-OCT-09	13:40
JA30861-6	2-Chlorophenol	ND		ug/kg	50000	10000	1	T-6	19-OCT-09	13:40
JA30861-6	4-Chloro-3-methyl phenol	ND		ug/kg	50000	10000	1	T-6	19-OCT-09	13:40
JA30861-6	2,4-Dichlorophenol	ND		ug/kg	50000	16000	1	T-6	19-OCT-09	13:40
JA30861-6	2,4-Dimethylphenol	ND		ug/kg	50000	17000	1	T-6	19-OCT-09	13:40
JA30861-6	2,4-Dinitrophenol	ND		ug/kg	200000	12000	1	T-6	19-OCT-09	13:40
JA30861-6	4,6-Dinitro-o-cresol	ND		ug/kg	200000	12000	1	T-6	19-OCT-09	13:40
JA30861-6	2-Nitrophenol	ND		ug/kg	50000	11000	1	T-6	19-OCT-09	13:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-6	4-Nitrophenol	ND		ug/kg	100000	17000	1	T-6	19-OCT-09	13:40
JA30861-6	Pentachlorophenol	ND		ug/kg	100000	17000	1	T-6	19-OCT-09	13:40
JA30861-6	Phenol	ND		ug/kg	20000	11000	1	T-6	19-OCT-09	13:40
JA30861-6	2,4,6-Trichlorophenol	ND		ug/kg	50000	9400	1	T-6	19-OCT-09	13:40
JA30861-6	Acenaphthene	91400		ug/kg	10000	2900	1	T-6	19-OCT-09	13:40
JA30861-6	Acenaphthylene	12000		ug/kg	10000	3200	1	T-6	19-OCT-09	13:40
JA30861-6	Anthracene	63200		ug/kg	10000	3500	1	T-6	19-OCT-09	13:40
JA30861-6	Benzidine	ND		ug/kg	200000	37000	1	T-6	19-OCT-09	13:40
JA30861-6	Benzo(a)anthracene	35000		ug/kg	10000	3300	1	T-6	19-OCT-09	13:40
JA30861-6	Benzo(a)pyrene	24400		ug/kg	10000	3100	1	T-6	19-OCT-09	13:40
JA30861-6	Benzo(b)fluoranthene	11500		ug/kg	10000	3300	1	T-6	19-OCT-09	13:40
JA30861-6	Benzo(g,h,i)perylene	13000		ug/kg	10000	3700	1	T-6	19-OCT-09	13:40
JA30861-6	Benzo(k)fluoranthene	ND		ug/kg	10000	3800	1	T-6	19-OCT-09	13:40
JA30861-6	4-Bromophenyl phenyl ether	ND		ug/kg	20000	3600	1	T-6	19-OCT-09	13:40
JA30861-6	Butyl benzyl phthalate	ND		ug/kg	20000	5800	1	T-6	19-OCT-09	13:40
JA30861-6	2-Chloronaphthalene	ND		ug/kg	20000	3100	1	T-6	19-OCT-09	13:40
JA30861-6	4-Chloroaniline	ND		ug/kg	50000	3200	1	T-6	19-OCT-09	13:40
JA30861-6	Chrysene	58800		ug/kg	10000	3400	1	T-6	19-OCT-09	13:40

JA30861-6	bis(2-Chloroethoxy)methane	ND		ug/kg	20000	4000	1	T-6	19-OCT-09	13:40
JA30861-6	bis(2-Chloroethyl)ether	ND		ug/kg	20000	3000	1	T-6	19-OCT-09	13:40
JA30861-6	bis(2-Chloroisopropyl)ether	ND		ug/kg	20000	3000	1	T-6	19-OCT-09	13:40
JA30861-6	4-Chlorophenyl phenyl ether	ND		ug/kg	20000	3000	1	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichlorobenzene	ND		ug/kg	20000	2900	1	T-6	19-OCT-09	13:40
JA30861-6	1,2-Diphenylhydrazine	ND		ug/kg	20000	4100	1	T-6	19-OCT-09	13:40
JA30861-6	1,3-Dichlorobenzene	ND		ug/kg	20000	2700	1	T-6	19-OCT-09	13:40
JA30861-6	1,4-Dichlorobenzene	ND		ug/kg	20000	2200	1	T-6	19-OCT-09	13:40
JA30861-6	2,4-Dinitrotoluene	ND		ug/kg	20000	4400	1	T-6	19-OCT-09	13:40
JA30861-6	2,6-Dinitrotoluene	ND		ug/kg	20000	3800	1	T-6	19-OCT-09	13:40
JA30861-6	3,3'-Dichlorobenzidine	ND		ug/kg	50000	2500	1	T-6	19-OCT-09	13:40
JA30861-6	Dibenzo(a,h)anthracene	ND		ug/kg	10000	3400	1	T-6	19-OCT-09	13:40
JA30861-6	Di-n-butyl phthalate	ND		ug/kg	20000	2200	1	T-6	19-OCT-09	13:40
JA30861-6	Di-n-octyl phthalate	ND		ug/kg	20000	4900	1	T-6	19-OCT-09	13:40
JA30861-6	Diethyl phthalate	ND		ug/kg	20000	3400	1	T-6	19-OCT-09	13:40
JA30861-6	Dimethyl phthalate	ND		ug/kg	20000	3500	1	T-6	19-OCT-09	13:40
JA30861-6	bis(2-Ethylhexyl)phthalate	17900	J	ug/kg	20000	8800	1	T-6	19-OCT-09	13:40
JA30861-6	Fluoranthene	12800		ug/kg	10000	4400	1	T-6	19-OCT-09	13:40
JA30861-6	Fluorene	113000		ug/kg	10000	3300	1	T-6	19-OCT-09	13:40
JA30861-6	Hexachlorobenzene	ND		ug/kg	20000	3300	1	T-6	19-OCT-09	13:40
JA30861-6	Hexachlorobutadiene	ND		ug/kg	10000	2800	1	T-6	19-OCT-09	13:40
JA30861-6	Hexachlorocyclopentadiene	ND		ug/kg	200000	10000	1	T-6	19-OCT-09	13:40
JA30861-6	Hexachloroethane	ND		ug/kg	50000	2800	1	T-6	19-OCT-09	13:40
JA30861-6	Indeno(1,2,3-cd)pyrene	4430	J	ug/kg	10000	3500	1	T-6	19-OCT-09	13:40
JA30861-6	Isophorone	ND		ug/kg	20000	2700	1	T-6	19-OCT-09	13:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-6	Naphthalene	549000		ug/kg	10000	2700	1	T-6	19-OCT-09	13:40
JA30861-6	Nitrobenzene	ND		ug/kg	20000	2900	1	T-6	19-OCT-09	13:40
JA30861-6	n-Nitrosodimethylamine	ND		ug/kg	20000	8800	1	T-6	19-OCT-09	13:40
JA30861-6	N-Nitroso-di-n-propylamine	ND		ug/kg	20000	2400	1	T-6	19-OCT-09	13:40
JA30861-6	N-Nitrosodiphenylamine	ND		ug/kg	50000	6000	1	T-6	19-OCT-09	13:40
JA30861-6	Phenanthrene	506000		ug/kg	10000	4600	1	T-6	19-OCT-09	13:40
JA30861-6	Pyrene	120000		ug/kg	10000	3800	1	T-6	19-OCT-09	13:40
JA30861-6	1,2,4-Trichlorobenzene	ND		ug/kg	20000	2700	1	T-6	19-OCT-09	13:40

JA30861-6	2-Fluorophenol	69.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Phenol-d5	70.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	2,4,6-Tribromophenol	79.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Nitrobenzene-d5	72.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	2-Fluorobiphenyl	79.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	Terphenyl-d14	75.0		%			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	910000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	unknown	680000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	860000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	C3 alkyl benzene	1400000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	unknown	760000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	2400000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	unknown	740000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	1100000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1900000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1400000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Benzene, -dimethyl--nitro-	3200000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1400000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	2200000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Nitro-m-xylene	6300000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	780000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Naphthalene dimethyl	1700000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Naphthalene dimethyl	900000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	2000000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Naphthalene trimethyl	690000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1800000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1200000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	3100000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	2200000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1100000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	alkane	1100000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Total TIC, Semi-Volatile	41820000	J	ug/kg			1	T-6	19-OCT-09	13:40
JA30861-6	Acrolein	ND		ug/kg	2500000	720000	100	T-6	19-OCT-09	13:40
JA30861-6	Acrylonitrile	ND		ug/kg	2500000	41000	100	T-6	19-OCT-09	13:40
JA30861-6	Benzene	ND		ug/kg	50000	17000	100	T-6	19-OCT-09	13:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-6	Bromodichloromethane	ND		ug/kg	250000	13000	100	T-6	19-OCT-09	13:40
JA30861-6	Bromoform	ND		ug/kg	250000	7600	100	T-6	19-OCT-09	13:40
JA30861-6	Bromomethane	ND		ug/kg	250000	20000	100	T-6	19-OCT-09	13:40
JA30861-6	Carbon tetrachloride	ND		ug/kg	250000	28000	100	T-6	19-OCT-09	13:40
JA30861-6	Chlorobenzene	ND		ug/kg	250000	17000	100	T-6	19-OCT-09	13:40
JA30861-6	Chloroethane	ND		ug/kg	250000	57000	100	T-6	19-OCT-09	13:40
JA30861-6	2-Chloroethyl vinyl ether	ND		ug/kg	1300000	21000	100	T-6	19-OCT-09	13:40
JA30861-6	Chloroform	ND		ug/kg	250000	16000	100	T-6	19-OCT-09	13:40
JA30861-6	Chloromethane	ND		ug/kg	250000	8300	100	T-6	19-OCT-09	13:40
JA30861-6	Dibromochloromethane	ND		ug/kg	250000	5500	100	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichlorobenzene	ND		ug/kg	250000	14000	100	T-6	19-OCT-09	13:40
JA30861-6	1,3-Dichlorobenzene	ND		ug/kg	250000	14000	100	T-6	19-OCT-09	13:40
JA30861-6	1,4-Dichlorobenzene	ND		ug/kg	250000	17000	100	T-6	19-OCT-09	13:40
JA30861-6	Dichlorodifluoromethane	ND		ug/kg	250000	47000	100	T-6	19-OCT-09	13:40
JA30861-6	1,1-Dichloroethane	ND		ug/kg	250000	6900	100	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichloroethane	ND		ug/kg	50000	17000	100	T-6	19-OCT-09	13:40
JA30861-6	1,1-Dichloroethene	ND		ug/kg	250000	33000	100	T-6	19-OCT-09	13:40
JA30861-6	cis-1,2-Dichloroethene	ND		ug/kg	250000	12000	100	T-6	19-OCT-09	13:40
JA30861-6	trans-1,2-Dichloroethene	ND		ug/kg	250000	22000	100	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichloropropane	ND		ug/kg	250000	6500	100	T-6	19-OCT-09	13:40
JA30861-6	cis-1,3-Dichloropropene	ND		ug/kg	250000	6700	100	T-6	19-OCT-09	13:40
JA30861-6	trans-1,3-Dichloropropene	ND		ug/kg	250000	4800	100	T-6	19-OCT-09	13:40
JA30861-6	Ethylbenzene	8160000		ug/kg	50000	19000	100	T-6	19-OCT-09	13:40
JA30861-6	Methylene chloride	8100000		ug/kg	250000	11000	100	T-6	19-OCT-09	13:40
JA30861-6	1,1,2,2-Tetrachloroethane	ND		ug/kg	250000	15000	100	T-6	19-OCT-09	13:40
JA30861-6	Tetrachloroethene	35500	J	ug/kg	250000	7300	100	T-6	19-OCT-09	13:40
JA30861-6	Toluene	181000		ug/kg	50000	15000	100	T-6	19-OCT-09	13:40
JA30861-6	1,1,1-Trichloroethane	99700	J	ug/kg	250000	6400	100	T-6	19-OCT-09	13:40
JA30861-6	1,1,2-Trichloroethane	ND		ug/kg	250000	9300	100	T-6	19-OCT-09	13:40
JA30861-6	Trichloroethene	364000		ug/kg	250000	26000	100	T-6	19-OCT-09	13:40
JA30861-6	Trichlorofluoromethane	ND		ug/kg	250000	11000	100	T-6	19-OCT-09	13:40
JA30861-6	Vinyl chloride	ND		ug/kg	250000	8900	100	T-6	19-OCT-09	13:40
JA30861-6	Xylene (total)	29200000		ug/kg	600000	140000	600	T-6	19-OCT-09	13:40

JA30861-6	Dibromofluoromethane	90.0		%			600	T-6	19-OCT-09	13:40
JA30861-6	Dibromofluoromethane	90.0		%			100	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichloroethane-D4	103		%			600	T-6	19-OCT-09	13:40
JA30861-6	1,2-Dichloroethane-D4	103		%			100	T-6	19-OCT-09	13:40
JA30861-6	Toluene-D8	92.0		%			600	T-6	19-OCT-09	13:40
JA30861-6	Toluene-D8	92.0		%			100	T-6	19-OCT-09	13:40
JA30861-6	4-Bromofluorobenzene	92.0		%			600	T-6	19-OCT-09	13:40
JA30861-6	4-Bromofluorobenzene	93.0		%			100	T-6	19-OCT-09	13:40
JA30861-6	alkane	3300000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Benzene, 1,3,5-trimethyl-	1100000	JN	ug/kg			100	T-6	19-OCT-09	13:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-6	C3 alkyl benzene	1600000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Benzene, 1,2,4-trimethyl-	2300000	JN	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	1100000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C3 alkyl benzene	1300000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	1300000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	alkane	1500000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	790000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	820000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	C4 alkyl benzene	910000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	1H-indene-dihydro-methyl	910000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Naphthalene, methyl-	800000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Benzene, dimethyl-nitro-	1500000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Naphthalene, dimethyl-	1000000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-6	Total TIC, Volatile	20230000	J	ug/kg			100	T-6	19-OCT-09	13:40
JA30861-7	Total PHC	617000		mg/kg	800	520	10	T-7	19-OCT-09	14:30
JA30861-7	Aldrin	ND		ug/kg	80	36	1	T-7	19-OCT-09	14:30
JA30861-7	alpha-BHC	ND		ug/kg	80	25	1	T-7	19-OCT-09	14:30
JA30861-7	beta-BHC	ND		ug/kg	80	39	1	T-7	19-OCT-09	14:30
JA30861-7	delta-BHC	ND		ug/kg	80	22	1	T-7	19-OCT-09	14:30
JA30861-7	gamma-BHC (Lindane)	ND		ug/kg	80	25	1	T-7	19-OCT-09	14:30
JA30861-7	Chlordane	ND		ug/kg	2000	590	1	T-7	19-OCT-09	14:30
JA30861-7	Dieldrin	ND		ug/kg	80	27	1	T-7	19-OCT-09	14:30
JA30861-7	4,4'-DDD	ND		ug/kg	80	34	1	T-7	19-OCT-09	14:30

JA30861-7	4,4'-DDE	ND		ug/kg	80	28	1	T-7	19-OCT-09	14:30
JA30861-7	4,4'-DDT	ND		ug/kg	80	34	1	T-7	19-OCT-09	14:30
JA30861-7	Endrin	ND		ug/kg	80	28	1	T-7	19-OCT-09	14:30
JA30861-7	Endosulfan sulfate	ND		ug/kg	80	31	1	T-7	19-OCT-09	14:30
JA30861-7	Endrin aldehyde	408		ug/kg	80	37	1	T-7	19-OCT-09	14:30
JA30861-7	Endosulfan-I	ND		ug/kg	80	27	1	T-7	19-OCT-09	14:30
JA30861-7	Endosulfan-II	ND		ug/kg	80	31	1	T-7	19-OCT-09	14:30
JA30861-7	Heptachlor	ND		ug/kg	80	36	1	T-7	19-OCT-09	14:30
JA30861-7	Heptachlor epoxide	ND		ug/kg	80	31	1	T-7	19-OCT-09	14:30
JA30861-7	Methoxychlor	ND		ug/kg	80	36	1	T-7	19-OCT-09	14:30
JA30861-7	Toxaphene	ND		ug/kg	1000	930	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1016	ND		ug/kg	2000	710	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1221	ND		ug/kg	2000	1300	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1232	ND		ug/kg	2000	640	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1242	ND		ug/kg	2000	720	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1248	ND		ug/kg	2000	400	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1254	ND		ug/kg	2000	500	1	T-7	19-OCT-09	14:30
JA30861-7	Aroclor 1260	ND		ug/kg	2000	780	1	T-7	19-OCT-09	14:30
JA30861-7	Tetrachloro-m-xylene	88.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Tetrachloro-m-xylene	78.0		%			1	T-7	19-OCT-09	14:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-7	Tetrachloro-m-xylene	97.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Tetrachloro-m-xylene	79.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Chlorobenzene	77.0		%	4000		10	T-7	19-OCT-09	14:30
JA30861-7	Decachlorobiphenyl	68.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Decachlorobiphenyl	81.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Decachlorobiphenyl	78.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	Decachlorobiphenyl	91.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	o-Terphenyl (b)	368	*	%	4000		10	T-7	19-OCT-09	14:30
JA30861-7	Tetracosane-d50	104		%	4000		10	T-7	19-OCT-09	14:30
JA30861-7	Phenols (g)	< 20	<	mg/kg	20		1	T-7	19-OCT-09	14:30
JA30861-7	Cyanide	< 12	<	mg/kg	12		1	T-7	19-OCT-09	14:30
JA30861-7	Antimony	< 1.9	<	mg/kg	1.9		1	T-7	19-OCT-09	14:30
JA30861-7	Arsenic	< 1.9	<	mg/kg	1.9		1	T-7	19-OCT-09	14:30

JA30861-7	Beryllium	< 0.48	<	mg/kg	0.48		1	T-7	19-OCT-09	14:30
JA30861-7	Cadmium	< 0.48	<	mg/kg	0.48		1	T-7	19-OCT-09	14:30
JA30861-7	Chromium	< 0.97	<	mg/kg	0.97		1	T-7	19-OCT-09	14:30
JA30861-7	Copper	28.5		mg/kg	2.4		1	T-7	19-OCT-09	14:30
JA30861-7	Lead	< 1.9	<	mg/kg	1.9		1	T-7	19-OCT-09	14:30
JA30861-7	Mercury	< 0.030	<	mg/kg	0.030		1	T-7	19-OCT-09	14:30
JA30861-7	Nickel	< 3.9	<	mg/kg	3.9		1	T-7	19-OCT-09	14:30
JA30861-7	Selenium	< 1.9	<	mg/kg	1.9		1	T-7	19-OCT-09	14:30
JA30861-7	Silver	< 0.97	<	mg/kg	0.97		1	T-7	19-OCT-09	14:30
JA30861-7	Thallium	< 0.97	<	mg/kg	0.97		1	T-7	19-OCT-09	14:30
JA30861-7	Zinc	4.6		mg/kg	1.9		1	T-7	19-OCT-09	14:30
JA30861-7	Acrolein	ND		ug/kg	25000	7200	1	T-7	19-OCT-09	14:30
JA30861-7	Acrylonitrile	ND		ug/kg	25000	410	1	T-7	19-OCT-09	14:30
JA30861-7	Benzene	368	J	ug/kg	500	170	1	T-7	19-OCT-09	14:30
JA30861-7	Bromodichloromethane	ND		ug/kg	2500	130	1	T-7	19-OCT-09	14:30
JA30861-7	Bromoform	ND		ug/kg	2500	76	1	T-7	19-OCT-09	14:30
JA30861-7	Bromomethane	ND		ug/kg	2500	200	1	T-7	19-OCT-09	14:30
JA30861-7	Carbon tetrachloride	ND		ug/kg	2500	280	1	T-7	19-OCT-09	14:30
JA30861-7	Chlorobenzene	ND		ug/kg	2500	170	1	T-7	19-OCT-09	14:30
JA30861-7	Chloroethane	ND		ug/kg	2500	570	1	T-7	19-OCT-09	14:30
JA30861-7	2-Chloroethyl vinyl ether	ND		ug/kg	13000	210	1	T-7	19-OCT-09	14:30
JA30861-7	Chloroform	ND		ug/kg	2500	160	1	T-7	19-OCT-09	14:30
JA30861-7	Chloromethane	ND		ug/kg	2500	83	1	T-7	19-OCT-09	14:30
JA30861-7	Dibromochloromethane	ND		ug/kg	2500	55	1	T-7	19-OCT-09	14:30
JA30861-7	1,2-Dichlorobenzene	ND		ug/kg	2500	140	1	T-7	19-OCT-09	14:30
JA30861-7	1,3-Dichlorobenzene	ND		ug/kg	2500	140	1	T-7	19-OCT-09	14:30
JA30861-7	1,4-Dichlorobenzene	ND		ug/kg	2500	170	1	T-7	19-OCT-09	14:30
JA30861-7	Dichlorodifluoromethane	ND		ug/kg	2500	470	1	T-7	19-OCT-09	14:30
JA30861-7	1,1-Dichloroethane	ND		ug/kg	2500	69	1	T-7	19-OCT-09	14:30
JA30861-7	1,2-Dichloroethane	ND		ug/kg	500	170	1	T-7	19-OCT-09	14:30

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-7	1,1-Dichloroethene	ND		ug/kg	2500	330	1	T-7	19-OCT-09	14:30
JA30861-7	cis-1,2-Dichloroethene	ND		ug/kg	2500	120	1	T-7	19-OCT-09	14:30
JA30861-7	trans-1,2-Dichloroethene	ND		ug/kg	2500	220	1	T-7	19-OCT-09	14:30

JA30861-7	1,2-Dichloropropane	ND		ug/kg	2500	65	1	T-7	19-OCT-09	14:30
JA30861-7	cis-1,3-Dichloropropene	ND		ug/kg	2500	67	1	T-7	19-OCT-09	14:30
JA30861-7	trans-1,3-Dichloropropene	ND		ug/kg	2500	48	1	T-7	19-OCT-09	14:30
JA30861-7	Ethylbenzene	14600		ug/kg	500	190	1	T-7	19-OCT-09	14:30
JA30861-7	Methylene chloride	ND		ug/kg	2500	110	1	T-7	19-OCT-09	14:30
JA30861-7	1,1,2,2-Tetrachloroethane	ND		ug/kg	2500	150	1	T-7	19-OCT-09	14:30
JA30861-7	Tetrachloroethene	274	J	ug/kg	2500	73	1	T-7	19-OCT-09	14:30
JA30861-7	Toluene	6830		ug/kg	500	150	1	T-7	19-OCT-09	14:30
JA30861-7	1,1,1-Trichloroethane	ND		ug/kg	2500	64	1	T-7	19-OCT-09	14:30
JA30861-7	1,1,2-Trichloroethane	ND		ug/kg	2500	93	1	T-7	19-OCT-09	14:30
JA30861-7	Trichloroethene	ND		ug/kg	2500	260	1	T-7	19-OCT-09	14:30
JA30861-7	Trichlorofluoromethane	ND		ug/kg	2500	110	1	T-7	19-OCT-09	14:30
JA30861-7	Vinyl chloride	ND		ug/kg	2500	89	1	T-7	19-OCT-09	14:30
JA30861-7	Xylene (total)	96800		ug/kg	1000	230	1	T-7	19-OCT-09	14:30
JA30861-7	Dibromofluoromethane	91.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	1,2-Dichloroethane-D4	104		%			1	T-7	19-OCT-09	14:30
JA30861-7	Toluene-D8	93.0		%			1	T-7	19-OCT-09	14:30
JA30861-7	4-Bromofluorobenzene	120		%			1	T-7	19-OCT-09	14:30
JA30861-7	C3 alkyl benzene	79000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	alkane	72000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C3 alkyl benzene	150000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	alkane	87000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	Benzene, 1,3,5-trimethyl-	140000	JN	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C3 alkyl benzene	140000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	Benzene, 1,2,4-trimethyl-	340000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	90000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C3 alkyl benzene	170000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	120000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	100000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	75000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	100000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	C4 alkyl benzene	89000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	Naphthalene, methyl-	89000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-7	Total TIC, Volatile	1841000	J	ug/kg			1	T-7	19-OCT-09	14:30
JA30861-8	Total PHC	453		mg/l	10	8.0	50	T-8	19-OCT-09	13:25

JA30861-8	Aldrin	ND		ug/l	0.022	0.0033	1	T-8	19-OCT-09	13:25
JA30861-8	alpha-BHC	0.054		ug/l	0.022	0.0024	1	T-8	19-OCT-09	13:25
JA30861-8	beta-BHC	ND		ug/l	0.022	0.0034	1	T-8	19-OCT-09	13:25
JA30861-8	delta-BHC	ND		ug/l	0.022	0.0019	1	T-8	19-OCT-09	13:25
JA30861-8	gamma-BHC (Lindane)	ND		ug/l	0.022	0.0027	1	T-8	19-OCT-09	13:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-8	Chlordane	ND		ug/l	0.56	0.078	1	T-8	19-OCT-09	13:25
JA30861-8	Dieldrin	ND		ug/l	0.022	0.0033	1	T-8	19-OCT-09	13:25
JA30861-8	4,4'-DDD	ND		ug/l	0.022	0.0036	1	T-8	19-OCT-09	13:25
JA30861-8	4,4'-DDE	ND		ug/l	0.022	0.0033	1	T-8	19-OCT-09	13:25
JA30861-8	4,4'-DDT	ND		ug/l	0.022	0.0033	1	T-8	19-OCT-09	13:25
JA30861-8	Endrin	ND		ug/l	0.022	0.0041	1	T-8	19-OCT-09	13:25
JA30861-8	Endosulfan sulfate	ND		ug/l	0.022	0.0074	1	T-8	19-OCT-09	13:25
JA30861-8	Endrin aldehyde	ND		ug/l	0.022	0.0080	1	T-8	19-OCT-09	13:25
JA30861-8	Endosulfan-I	ND		ug/l	0.022	0.0040	1	T-8	19-OCT-09	13:25
JA30861-8	Endosulfan-II	ND		ug/l	0.022	0.0048	1	T-8	19-OCT-09	13:25
JA30861-8	Heptachlor	ND		ug/l	0.022	0.0074	1	T-8	19-OCT-09	13:25
JA30861-8	Heptachlor epoxide	ND		ug/l	0.022	0.0029	1	T-8	19-OCT-09	13:25
JA30861-8	Methoxychlor	ND		ug/l	0.022	0.0068	1	T-8	19-OCT-09	13:25
JA30861-8	Toxaphene	ND		ug/l	0.28	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1016	ND		ug/l	0.56	0.33	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1221	ND		ug/l	0.56	0.46	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1232	ND		ug/l	0.56	0.34	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1242	ND		ug/l	0.56	0.30	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1248	ND		ug/l	0.56	0.31	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1254	5.7		ug/l	0.56	0.20	1	T-8	19-OCT-09	13:25
JA30861-8	Aroclor 1260	ND		ug/l	0.56	0.16	1	T-8	19-OCT-09	13:25
JA30861-8	Tetrachloro-m-xylene	63		%			1	T-8	19-OCT-09	13:25
JA30861-8	Tetrachloro-m-xylene	45		%			1	T-8	19-OCT-09	13:25
JA30861-8	Tetrachloro-m-xylene	43		%			1	T-8	19-OCT-09	13:25
JA30861-8	Tetrachloro-m-xylene	81		%			1	T-8	19-OCT-09	13:25
JA30861-8	Chlorobenzene (c)	ND	*	%	50		50	T-8	19-OCT-09	13:25
JA30861-8	Decachlorobiphenyl	24		%			1	T-8	19-OCT-09	13:25
JA30861-8	Decachlorobiphenyl	12		%			1	T-8	19-OCT-09	13:25

JA30861-8	Chlorobenzene (b)	199	*	%	1.0		1	T-8	19-OCT-09	13:25
JA30861-8	Decachlorobiphenyl	17		%			1	T-8	19-OCT-09	13:25
JA30861-8	Decachlorobiphenyl	16		%			1	T-8	19-OCT-09	13:25
JA30861-8	o-Terphenyl (c)	ND	*	%	50		50	T-8	19-OCT-09	13:25
JA30861-8	o-Terphenyl	98.0		%	1.0		1	T-8	19-OCT-09	13:25
JA30861-8	Tetracosane-d50 (c)	ND	*	%	50		50	T-8	19-OCT-09	13:25
JA30861-8	Tetracosane-d50	86.0		%	1.0		1	T-8	19-OCT-09	13:25
JA30861-8	Cyanide	4.9		mg/l	0.12		2	T-8	19-OCT-09	13:25
JA30861-8	Phenols	1.7		mg/l	0.20		1	T-8	19-OCT-09	13:25
JA30861-8	Antimony	< 6.0	<	ug/l	6.0		1	T-8	19-OCT-09	13:25
JA30861-8	Arsenic	5.9		ug/l	3.0		1	T-8	19-OCT-09	13:25
JA30861-8	Beryllium	< 1.0	<	ug/l	1.0		1	T-8	19-OCT-09	13:25
JA30861-8	Cadmium	< 3.0	<	ug/l	3.0		1	T-8	19-OCT-09	13:25
JA30861-8	Chromium	1950		ug/l	10		1	T-8	19-OCT-09	13:25
JA30861-8	Copper	200		ug/l	10		1	T-8	19-OCT-09	13:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-8	Lead	296		ug/l	3.0		1	T-8	19-OCT-09	13:25
JA30861-8	Mercury (h)	2.0		ug/l	0.40		1	T-8	19-OCT-09	13:25
JA30861-8	Nickel	48.8		ug/l	10		1	T-8	19-OCT-09	13:25
JA30861-8	Selenium	< 10	<	ug/l	10		1	T-8	19-OCT-09	13:25
JA30861-8	Silver	< 10	<	ug/l	10		1	T-8	19-OCT-09	13:25
JA30861-8	Thallium (i)	< 40	<	ug/l	40		20	T-8	19-OCT-09	13:25
JA30861-8	Zinc	1880		ug/l	20		1	T-8	19-OCT-09	13:25
JA30861-8	Pentachlorophenol	ND		ug/l	0.34	0.25	1	T-8	19-OCT-09	13:25
JA30861-8	2-Chlorophenol	ND		ug/l	5.6	1.2	1	T-8	19-OCT-09	13:25
JA30861-8	Acenaphthene	ND		ug/l	0.11	0.033	1	T-8	19-OCT-09	13:25
JA30861-8	4-Chloro-3-methyl phenol	ND		ug/l	5.6	1.2	1	T-8	19-OCT-09	13:25
JA30861-8	Acenaphthylene	ND		ug/l	0.11	0.044	1	T-8	19-OCT-09	13:25
JA30861-8	Anthracene	ND		ug/l	0.11	0.029	1	T-8	19-OCT-09	13:25
JA30861-8	Benzo(a)anthracene	ND		ug/l	0.11	0.027	1	T-8	19-OCT-09	13:25
JA30861-8	Benzo(a)pyrene	ND		ug/l	0.11	0.035	1	T-8	19-OCT-09	13:25
JA30861-8	2,4-Dichlorophenol	ND		ug/l	5.6	1.4	1	T-8	19-OCT-09	13:25
JA30861-8	Benzo(b)fluoranthene	ND		ug/l	0.11	0.040	1	T-8	19-OCT-09	13:25
JA30861-8	Benzo(g,h,i)perylene	ND		ug/l	0.11	0.032	1	T-8	19-OCT-09	13:25

JA30861-8	Benzo(k)fluoranthene	ND		ug/l	0.11	0.032	1	T-8	19-OCT-09	13:25
JA30861-8	2,4-Dimethylphenol	3.5	J	ug/l	5.6	1.9	1	T-8	19-OCT-09	13:25
JA30861-8	Chrysene	ND		ug/l	0.11	0.025	1	T-8	19-OCT-09	13:25
JA30861-8	2,4-Dinitrophenol	ND		ug/l	22	0.83	1	T-8	19-OCT-09	13:25
JA30861-8	Dibenzo(a,h)anthracene	ND		ug/l	0.11	0.025	1	T-8	19-OCT-09	13:25
JA30861-8	4,6-Dinitro-o-cresol	ND		ug/l	22	0.58	1	T-8	19-OCT-09	13:25
JA30861-8	2-Nitrophenol	ND		ug/l	5.6	1.4	1	T-8	19-OCT-09	13:25
JA30861-8	4-Nitrophenol	ND		ug/l	11	0.93	1	T-8	19-OCT-09	13:25
JA30861-8	Phenol	16.6		ug/l	2.2	0.65	1	T-8	19-OCT-09	13:25
JA30861-8	Fluoranthene	ND		ug/l	0.11	0.027	1	T-8	19-OCT-09	13:25
JA30861-8	Fluorene	ND		ug/l	0.11	0.030	1	T-8	19-OCT-09	13:25
JA30861-8	2,4,6-Trichlorophenol	ND		ug/l	5.6	1.4	1	T-8	19-OCT-09	13:25
JA30861-8	Hexachlorobenzene	ND		ug/l	0.022	0.011	1	T-8	19-OCT-09	13:25
JA30861-8	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.11	0.033	1	T-8	19-OCT-09	13:25
JA30861-8	Benzidine	ND		ug/l	22	5.1	1	T-8	19-OCT-09	13:25
JA30861-8	Phenanthrene	0.813		ug/l	0.11	0.041	1	T-8	19-OCT-09	13:25
JA30861-8	Pyrene	ND		ug/l	0.11	0.025	1	T-8	19-OCT-09	13:25
JA30861-8	4-Bromophenyl phenyl ether	ND		ug/l	2.2	0.39	1	T-8	19-OCT-09	13:25
JA30861-8	Butyl benzyl phthalate	ND		ug/l	2.2	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	2-Chloronaphthalene	ND		ug/l	5.6	0.47	1	T-8	19-OCT-09	13:25
JA30861-8	4-Chloroaniline	ND		ug/l	5.6	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	bis(2-Chloroethoxy)methane	ND		ug/l	2.2	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	bis(2-Chloroethyl)ether	ND		ug/l	2.2	0.35	1	T-8	19-OCT-09	13:25
JA30861-8	bis(2-Chloroisopropyl)ether	ND		ug/l	2.2	0.44	1	T-8	19-OCT-09	13:25
JA30861-8	4-Chlorophenyl phenyl ether	ND		ug/l	2.2	0.40	1	T-8	19-OCT-09	13:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-8	1,2-Dichlorobenzene	ND		ug/l	2.2	0.47	1	T-8	19-OCT-09	13:25
JA30861-8	1,2-Diphenylhydrazine	ND		ug/l	2.2	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	1,3-Dichlorobenzene	ND		ug/l	2.2	0.40	1	T-8	19-OCT-09	13:25
JA30861-8	1,4-Dichlorobenzene	ND		ug/l	2.2	0.44	1	T-8	19-OCT-09	13:25
JA30861-8	2,4-Dinitrotoluene	ND		ug/l	2.2	0.25	1	T-8	19-OCT-09	13:25
JA30861-8	2,6-Dinitrotoluene	ND		ug/l	2.2	0.37	1	T-8	19-OCT-09	13:25
JA30861-8	3,3'-Dichlorobenzidine	ND		ug/l	5.6	0.33	1	T-8	19-OCT-09	13:25
JA30861-8	Di-n-butyl phthalate	ND		ug/l	2.2	0.21	1	T-8	19-OCT-09	13:25

JA30861-8	Di-n-octyl phthalate	ND		ug/l	2.2	0.44	1	T-8	19-OCT-09	13:25
JA30861-8	Diethyl phthalate	ND		ug/l	2.2	0.19	1	T-8	19-OCT-09	13:25
JA30861-8	Dimethyl phthalate	ND		ug/l	2.2	0.25	1	T-8	19-OCT-09	13:25
JA30861-8	bis(2-Ethylhexyl)phthalate	13.2		ug/l	2.2	0.37	1	T-8	19-OCT-09	13:25
JA30861-8	Hexachlorobutadiene	ND		ug/l	1.1	0.42	1	T-8	19-OCT-09	13:25
JA30861-8	Hexachlorocyclopentadiene	ND		ug/l	22	0.76	1	T-8	19-OCT-09	13:25
JA30861-8	Hexachloroethane	ND		ug/l	5.6	0.30	1	T-8	19-OCT-09	13:25
JA30861-8	Isophorone	ND		ug/l	2.2	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	Naphthalene	6.2		ug/l	1.1	0.48	1	T-8	19-OCT-09	13:25
JA30861-8	Nitrobenzene	ND		ug/l	2.2	0.28	1	T-8	19-OCT-09	13:25
JA30861-8	n-Nitrosodimethylamine	ND		ug/l	2.2	0.82	1	T-8	19-OCT-09	13:25
JA30861-8	N-Nitroso-di-n-propylamine	ND		ug/l	2.2	0.49	1	T-8	19-OCT-09	13:25
JA30861-8	N-Nitrosodiphenylamine	ND		ug/l	5.6	0.24	1	T-8	19-OCT-09	13:25
JA30861-8	1,2,4-Trichlorobenzene	ND		ug/l	2.2	0.49	1	T-8	19-OCT-09	13:25
JA30861-8	2-Fluorophenol	21.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Phenol-d5	19.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	2,4,6-Tribromophenol	57.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Nitrobenzene-d5	56.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	2-Fluorobiphenyl	39.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Terphenyl-d14	25.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	2-Fluorophenol	28.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Phenol-d5	23.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	2,4,6-Tribromophenol	78.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Nitrobenzene-d5	85.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	2-Fluorobiphenyl	66.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	Terphenyl-d14	40.0		%			1	T-8	19-OCT-09	13:25
JA30861-8	alkane	33	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	alkane	48	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	alkane	64	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	alkane	38	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	Acetophenone	31	JN	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	40	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	36	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	45	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	41	J	ug/l			1	T-8	19-OCT-09	13:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-8	unknown acid	59	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	44	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	Phthalic anhydride	320	JN	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	27	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	26	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	36	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	510	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	26	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	340	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	38	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown acid	46	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	34	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	58	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	66	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	26	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	unknown	30	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	Total TIC, Semi-Volatile	2062	J	ug/l			1	T-8	19-OCT-09	13:25
JA30861-8	Acrolein	ND		ug/l	2500	1100	50	T-8	19-OCT-09	13:25
JA30861-8	Acrylonitrile	ND		ug/l	2500	180	50	T-8	19-OCT-09	13:25
JA30861-8	Benzene	30.1	J	ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	Bromodichloromethane	ND		ug/l	50	11	50	T-8	19-OCT-09	13:25
JA30861-8	Bromoform	ND		ug/l	200	12	50	T-8	19-OCT-09	13:25
JA30861-8	Bromomethane	ND		ug/l	100	15	50	T-8	19-OCT-09	13:25
JA30861-8	Carbon tetrachloride	ND		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	Chlorobenzene	ND		ug/l	50	19	50	T-8	19-OCT-09	13:25
JA30861-8	Chloroethane	ND		ug/l	50	19	50	T-8	19-OCT-09	13:25
JA30861-8	2-Chloroethyl vinyl ether	ND		ug/l	500	72	50	T-8	19-OCT-09	13:25
JA30861-8	Chloroform	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	Chloromethane	ND		ug/l	50	14	50	T-8	19-OCT-09	13:25
JA30861-8	Dibromochloromethane	ND		ug/l	50	11	50	T-8	19-OCT-09	13:25
JA30861-8	1,2-Dichlorobenzene	ND		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	1,3-Dichlorobenzene	ND		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	1,4-Dichlorobenzene	ND		ug/l	50	14	50	T-8	19-OCT-09	13:25

JA30861-8	Dichlorodifluoromethane	ND		ug/l	250	46	50	T-8	19-OCT-09	13:25
JA30861-8	1,1-Dichloroethane	ND		ug/l	50	14	50	T-8	19-OCT-09	13:25
JA30861-8	1,2-Dichloroethane	ND		ug/l	50	17	50	T-8	19-OCT-09	13:25
JA30861-8	1,1-Dichloroethene	ND		ug/l	50	20	50	T-8	19-OCT-09	13:25
JA30861-8	cis-1,2-Dichloroethene	ND		ug/l	50	11	50	T-8	19-OCT-09	13:25
JA30861-8	trans-1,2-Dichloroethene	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	1,2-Dichloropropane	ND		ug/l	50	14	50	T-8	19-OCT-09	13:25
JA30861-8	cis-1,3-Dichloropropene	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	trans-1,3-Dichloropropene	ND		ug/l	50	11	50	T-8	19-OCT-09	13:25
JA30861-8	Ethylbenzene	4210		ug/l	50	13	50	T-8	19-OCT-09	13:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-8	Methylene chloride	ND		ug/l	100	15	50	T-8	19-OCT-09	13:25
JA30861-8	1,1,2,2-Tetrachloroethane	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	Tetrachloroethene	ND		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	Toluene	5110		ug/l	50	15	50	T-8	19-OCT-09	13:25
JA30861-8	1,1,1-Trichloroethane	ND		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	1,1,2-Trichloroethane	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	Trichloroethene	ND		ug/l	50	12	50	T-8	19-OCT-09	13:25
JA30861-8	Trichlorofluoromethane	ND		ug/l	250	27	50	T-8	19-OCT-09	13:25
JA30861-8	Vinyl chloride	ND		ug/l	50	22	50	T-8	19-OCT-09	13:25
JA30861-8	Xylene (total)	25700		ug/l	50	13	50	T-8	19-OCT-09	13:25
JA30861-8	Dibromofluoromethane	108		%			50	T-8	19-OCT-09	13:25
JA30861-8	1,2-Dichloroethane-D4	121		%			50	T-8	19-OCT-09	13:25
JA30861-8	Toluene-D8	102		%			50	T-8	19-OCT-09	13:25
JA30861-8	4-Bromofluorobenzene	97.0		%			50	T-8	19-OCT-09	13:25
JA30861-8	Acetone	270	JN	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	2-Butanone	3200	JN	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	C3 alkyl benzene	250	J	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	Benzene, 1,2,4-trimethyl-	590	JN	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	alkane	280	J	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	alkane	350	J	ug/l			50	T-8	19-OCT-09	13:25
JA30861-8	Total TIC, Volatile	4940	J	ug/l			50	T-8	19-OCT-09	13:25
JA30861-9	Total PHC	149		mg/l	10	8.0	50	T-9	19-OCT-09	15:40
JA30861-9	Aldrin	ND		ug/l	0.20	0.030	1	T-9	19-OCT-09	15:40

JA30861-9	alpha-BHC	ND		ug/l	0.20	0.022	1	T-9	19-OCT-09	15:40
JA30861-9	beta-BHC	ND		ug/l	0.20	0.030	1	T-9	19-OCT-09	15:40
JA30861-9	delta-BHC	ND		ug/l	0.20	0.017	1	T-9	19-OCT-09	15:40
JA30861-9	gamma-BHC (Lindane)	ND		ug/l	0.20	0.024	1	T-9	19-OCT-09	15:40
JA30861-9	Chlordane	ND		ug/l	5.0	0.70	1	T-9	19-OCT-09	15:40
JA30861-9	Dieldrin	ND		ug/l	0.20	0.029	1	T-9	19-OCT-09	15:40
JA30861-9	4,4'-DDD	ND		ug/l	0.20	0.033	1	T-9	19-OCT-09	15:40
JA30861-9	4,4'-DDE	ND		ug/l	0.20	0.030	1	T-9	19-OCT-09	15:40
JA30861-9	4,4'-DDT	ND		ug/l	0.20	0.029	1	T-9	19-OCT-09	15:40
JA30861-9	Endrin	ND		ug/l	0.20	0.037	1	T-9	19-OCT-09	15:40
JA30861-9	Endosulfan sulfate	ND		ug/l	0.20	0.066	1	T-9	19-OCT-09	15:40
JA30861-9	Endrin aldehyde	ND		ug/l	0.20	0.072	1	T-9	19-OCT-09	15:40
JA30861-9	Endosulfan-I	ND		ug/l	0.20	0.036	1	T-9	19-OCT-09	15:40
JA30861-9	Endosulfan-II	ND		ug/l	0.20	0.043	1	T-9	19-OCT-09	15:40
JA30861-9	Heptachlor	ND		ug/l	0.20	0.066	1	T-9	19-OCT-09	15:40
JA30861-9	Heptachlor epoxide	ND		ug/l	0.20	0.026	1	T-9	19-OCT-09	15:40
JA30861-9	Methoxychlor	ND		ug/l	0.20	0.061	1	T-9	19-OCT-09	15:40
JA30861-9	Toxaphene	ND		ug/l	2.5	2.5	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1016	ND		ug/l	5.0	3.0	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1221	ND		ug/l	5.0	4.1	1	T-9	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-9	Aroclor 1232	ND		ug/l	5.0	3.1	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1242	ND		ug/l	5.0	2.7	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1248	ND		ug/l	5.0	2.8	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1254	140		ug/l	5.0	1.8	1	T-9	19-OCT-09	15:40
JA30861-9	Aroclor 1260	24.1		ug/l	5.0	1.4	1	T-9	19-OCT-09	15:40
JA30861-9	Tetrachloro-m-xylene	120		%			1	T-9	19-OCT-09	15:40
JA30861-9	Tetrachloro-m-xylene	71		%			1	T-9	19-OCT-09	15:40
JA30861-9	Tetrachloro-m-xylene	76		%			1	T-9	19-OCT-09	15:40
JA30861-9	Tetrachloro-m-xylene	67		%			1	T-9	19-OCT-09	15:40
JA30861-9	Decachlorobiphenyl	42		%			1	T-9	19-OCT-09	15:40
JA30861-9	Decachlorobiphenyl	44		%			1	T-9	19-OCT-09	15:40
JA30861-9	Decachlorobiphenyl	48		%			1	T-9	19-OCT-09	15:40
JA30861-9	Decachlorobiphenyl	68		%			1	T-9	19-OCT-09	15:40

JA30861-9	Chlorobenzene (c)	ND	*	%	50		50	T-9	19-OCT-09	15:40
JA30861-9	Chlorobenzene	86.0		%	1.0		1	T-9	19-OCT-09	15:40
JA30861-9	o-Terphenyl (c)	ND	*	%	50		50	T-9	19-OCT-09	15:40
JA30861-9	o-Terphenyl	95.0		%	1.0		1	T-9	19-OCT-09	15:40
JA30861-9	Tetracosane-d50 (c)	ND	*	%	50		50	T-9	19-OCT-09	15:40
JA30861-9	Tetracosane-d50	100		%	1.0		1	T-9	19-OCT-09	15:40
JA30861-9	Cyanide	0.21		mg/l	0.010		1	T-9	19-OCT-09	15:40
JA30861-9	Phenols	0.41		mg/l	0.20		1	T-9	19-OCT-09	15:40
JA30861-9	Antimony (h)	459		ug/l	60		1	T-9	19-OCT-09	15:40
JA30861-9	Arsenic (h)	330		ug/l	30		1	T-9	19-OCT-09	15:40
JA30861-9	Beryllium (h)	< 10	<	ug/l	10		1	T-9	19-OCT-09	15:40
JA30861-9	Cadmium (h)	1680		ug/l	30		1	T-9	19-OCT-09	15:40
JA30861-9	Chromium (h)	186000		ug/l	100		1	T-9	19-OCT-09	15:40
JA30861-9	Copper (h)	4210		ug/l	100		1	T-9	19-OCT-09	15:40
JA30861-9	Lead (h)	101000		ug/l	30		1	T-9	19-OCT-09	15:40
JA30861-9	Mercury	34100		ug/l	3200		2000	T-9	19-OCT-09	15:40
JA30861-9	Nickel (h)	477		ug/l	100		1	T-9	19-OCT-09	15:40
JA30861-9	Selenium (h)	< 100	<	ug/l	100		1	T-9	19-OCT-09	15:40
JA30861-9	Silver (h)	< 100	<	ug/l	100		1	T-9	19-OCT-09	15:40
JA30861-9	Thallium (h)	< 20	<	ug/l	20		1	T-9	19-OCT-09	15:40
JA30861-9	Zinc (h)	221000		ug/l	200		1	T-9	19-OCT-09	15:40
JA30861-9	Pentachlorophenol	ND		ug/l	0.34	0.25	1	T-9	19-OCT-09	15:40
JA30861-9	2-Chlorophenol	ND		ug/l	28	6.0	5	T-9	19-OCT-09	15:40
JA30861-9	4-Chloro-3-methyl phenol	ND		ug/l	28	5.9	5	T-9	19-OCT-09	15:40
JA30861-9	Acenaphthene	0.157		ug/l	0.11	0.033	1	T-9	19-OCT-09	15:40
JA30861-9	Acenaphthylene	ND		ug/l	0.11	0.044	1	T-9	19-OCT-09	15:40
JA30861-9	Anthracene	0.252		ug/l	0.11	0.029	1	T-9	19-OCT-09	15:40
JA30861-9	Benzo(a)anthracene	0.455		ug/l	0.11	0.027	1	T-9	19-OCT-09	15:40
JA30861-9	Benzo(a)pyrene	0.475		ug/l	0.11	0.035	1	T-9	19-OCT-09	15:40
JA30861-9	2,4-Dichlorophenol	ND		ug/l	28	6.9	5	T-9	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-9	Benzo(b)fluoranthene	0.580		ug/l	0.11	0.040	1	T-9	19-OCT-09	15:40
JA30861-9	Benzo(g,h,i)perylene	0.435		ug/l	0.11	0.032	1	T-9	19-OCT-09	15:40
JA30861-9	Benzo(k)fluoranthene	0.433		ug/l	0.11	0.032	1	T-9	19-OCT-09	15:40

JA30861-9	2,4-Dimethylphenol	34.4		ug/l	28	9.3	5	T-9	19-OCT-09	15:40
JA30861-9	Chrysene	0.420		ug/l	0.11	0.025	1	T-9	19-OCT-09	15:40
JA30861-9	2,4-Dinitrophenol	ND		ug/l	110	4.1	5	T-9	19-OCT-09	15:40
JA30861-9	4,6-Dinitro-o-cresol	ND		ug/l	110	2.9	5	T-9	19-OCT-09	15:40
JA30861-9	Dibenzo(a,h)anthracene	ND		ug/l	0.11	0.025	1	T-9	19-OCT-09	15:40
JA30861-9	2-Nitrophenol	ND		ug/l	28	7.0	5	T-9	19-OCT-09	15:40
JA30861-9	4-Nitrophenol	ND		ug/l	56	4.7	5	T-9	19-OCT-09	15:40
JA30861-9	Phenol	ND		ug/l	11	3.2	5	T-9	19-OCT-09	15:40
JA30861-9	Fluoranthene	0.722		ug/l	0.11	0.027	1	T-9	19-OCT-09	15:40
JA30861-9	Fluorene	0.242		ug/l	0.11	0.030	1	T-9	19-OCT-09	15:40
JA30861-9	2,4,6-Trichlorophenol	ND		ug/l	28	6.9	5	T-9	19-OCT-09	15:40
JA30861-9	Hexachlorobenzene	ND		ug/l	0.022	0.011	1	T-9	19-OCT-09	15:40
JA30861-9	Indeno(1,2,3-cd)pyrene	0.411		ug/l	0.11	0.033	1	T-9	19-OCT-09	15:40
JA30861-9	Benzidine	ND		ug/l	110	25	5	T-9	19-OCT-09	15:40
JA30861-9	Phenanthrene	0.815		ug/l	0.11	0.041	1	T-9	19-OCT-09	15:40
JA30861-9	4-Bromophenyl phenyl ether	ND		ug/l	11	2.0	5	T-9	19-OCT-09	15:40
JA30861-9	Pyrene	0.903		ug/l	0.11	0.025	1	T-9	19-OCT-09	15:40
JA30861-9	Butyl benzyl phthalate	ND		ug/l	11	1.4	5	T-9	19-OCT-09	15:40
JA30861-9	2-Chloronaphthalene	ND		ug/l	28	2.3	5	T-9	19-OCT-09	15:40
JA30861-9	4-Chloroaniline	ND		ug/l	28	1.4	5	T-9	19-OCT-09	15:40
JA30861-9	bis(2-Chloroethoxy)methane	ND		ug/l	11	1.4	5	T-9	19-OCT-09	15:40
JA30861-9	bis(2-Chloroethyl)ether	ND		ug/l	11	1.7	5	T-9	19-OCT-09	15:40
JA30861-9	bis(2-Chloroisopropyl)ether	ND		ug/l	11	2.2	5	T-9	19-OCT-09	15:40
JA30861-9	4-Chlorophenyl phenyl ether	ND		ug/l	11	2.0	5	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichlorobenzene	ND		ug/l	11	2.4	5	T-9	19-OCT-09	15:40
JA30861-9	1,2-Diphenylhydrazine	ND		ug/l	11	1.4	5	T-9	19-OCT-09	15:40
JA30861-9	1,3-Dichlorobenzene	ND		ug/l	11	2.0	5	T-9	19-OCT-09	15:40
JA30861-9	1,4-Dichlorobenzene	ND		ug/l	11	2.2	5	T-9	19-OCT-09	15:40
JA30861-9	2,4-Dinitrotoluene	ND		ug/l	11	1.2	5	T-9	19-OCT-09	15:40
JA30861-9	2,6-Dinitrotoluene	ND		ug/l	11	1.8	5	T-9	19-OCT-09	15:40
JA30861-9	3,3'-Dichlorobenzidine	ND		ug/l	28	1.7	5	T-9	19-OCT-09	15:40
JA30861-9	Di-n-butyl phthalate	ND		ug/l	11	1.1	5	T-9	19-OCT-09	15:40
JA30861-9	Di-n-octyl phthalate	ND		ug/l	11	2.2	5	T-9	19-OCT-09	15:40
JA30861-9	Diethyl phthalate	ND		ug/l	11	0.93	5	T-9	19-OCT-09	15:40
JA30861-9	Dimethyl phthalate	ND		ug/l	11	1.3	5	T-9	19-OCT-09	15:40

JA30861-9	bis(2-Ethylhexyl)phthalate	ND		ug/l	11	1.8	5	T-9	19-OCT-09	15:40
JA30861-9	Hexachlorobutadiene	ND		ug/l	5.6	2.1	5	T-9	19-OCT-09	15:40
JA30861-9	Hexachlorocyclopentadiene	ND		ug/l	110	3.8	5	T-9	19-OCT-09	15:40
JA30861-9	Hexachloroethane	ND		ug/l	28	1.5	5	T-9	19-OCT-09	15:40
JA30861-9	Isophorone	ND		ug/l	11	1.4	5	T-9	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-9	Naphthalene	142		ug/l	5.6	2.4	5	T-9	19-OCT-09	15:40
JA30861-9	Nitrobenzene	ND		ug/l	11	1.4	5	T-9	19-OCT-09	15:40
JA30861-9	n-Nitrosodimethylamine	ND		ug/l	11	4.1	5	T-9	19-OCT-09	15:40
JA30861-9	N-Nitroso-di-n-propylamine	ND		ug/l	11	2.5	5	T-9	19-OCT-09	15:40
JA30861-9	N-Nitrosodiphenylamine	ND		ug/l	28	1.2	5	T-9	19-OCT-09	15:40
JA30861-9	1,2,4-Trichlorobenzene	ND		ug/l	11	2.4	5	T-9	19-OCT-09	15:40
JA30861-9	2-Fluorophenol	24.0		%			5	T-9	19-OCT-09	15:40
JA30861-9	Phenol-d5	13		%			5	T-9	19-OCT-09	15:40
JA30861-9	2,4,6-Tribromophenol	38.0		%			5	T-9	19-OCT-09	15:40
JA30861-9	Nitrobenzene-d5	55.0		%			5	T-9	19-OCT-09	15:40
JA30861-9	2-Fluorobiphenyl	49.0		%			5	T-9	19-OCT-09	15:40
JA30861-9	Terphenyl-d14	30.0		%			5	T-9	19-OCT-09	15:40
JA30861-9	2-Fluorophenol	21.0		%			1	T-9	19-OCT-09	15:40
JA30861-9	Phenol-d5	56.0		%			1	T-9	19-OCT-09	15:40
JA30861-9	2,4,6-Tribromophenol	46.0		%			1	T-9	19-OCT-09	15:40
JA30861-9	Nitrobenzene-d5	113		%			1	T-9	19-OCT-09	15:40
JA30861-9	2-Fluorobiphenyl	56.0		%			1	T-9	19-OCT-09	15:40
JA30861-9	Terphenyl-d14	30.0		%			1	T-9	19-OCT-09	15:40
JA30861-9	Methyl Isobutyl Ketone	5300	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	unknown alcohols	1300	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	alkane	330	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	unknown	560	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	900	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	1000	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	540	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	310	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	alkane	430	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	2000	J	ug/l			5	T-9	19-OCT-09	15:40

JA30861-9	alkane	420	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C4 alkyl benzene	310	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	alkane	220	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C4 alkyl benzene	310	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	Cyclohexanone, -trimethyl-	150	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	Cyclohexanol, -trimethyl-	430	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	alkane	660	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	Naphthalene decahydro-methyl	150	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C4 alkyl benzene	490	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	C4 alkyl benzene	700	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	unknown	190	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	unknown	190	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	alkane	210	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	Benzene, -dimethyl--nitro-	150	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	unknown	240	J	ug/l			5	T-9	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-9	Total TIC, Semi-Volatile	17490	J	ug/l			5	T-9	19-OCT-09	15:40
JA30861-9	Acrolein	ND		ug/l	5000	2300	100	T-9	19-OCT-09	15:40
JA30861-9	Acrylonitrile	ND		ug/l	5000	360	100	T-9	19-OCT-09	15:40
JA30861-9	Benzene	169		ug/l	100	23	100	T-9	19-OCT-09	15:40
JA30861-9	Bromodichloromethane	ND		ug/l	100	22	100	T-9	19-OCT-09	15:40
JA30861-9	Bromoform	ND		ug/l	400	23	100	T-9	19-OCT-09	15:40
JA30861-9	Bromomethane	ND		ug/l	200	30	100	T-9	19-OCT-09	15:40
JA30861-9	Carbon tetrachloride	ND		ug/l	100	26	100	T-9	19-OCT-09	15:40
JA30861-9	Chlorobenzene	ND		ug/l	100	39	100	T-9	19-OCT-09	15:40
JA30861-9	Chloroethane	ND		ug/l	100	37	100	T-9	19-OCT-09	15:40
JA30861-9	2-Chloroethyl vinyl ether	ND		ug/l	1000	140	100	T-9	19-OCT-09	15:40
JA30861-9	Chloroform	ND		ug/l	100	23	100	T-9	19-OCT-09	15:40
JA30861-9	Chloromethane	ND		ug/l	100	29	100	T-9	19-OCT-09	15:40
JA30861-9	Dibromochloromethane	ND		ug/l	100	22	100	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichlorobenzene	ND		ug/l	100	26	100	T-9	19-OCT-09	15:40
JA30861-9	1,3-Dichlorobenzene	ND		ug/l	100	25	100	T-9	19-OCT-09	15:40
JA30861-9	1,4-Dichlorobenzene	ND		ug/l	100	28	100	T-9	19-OCT-09	15:40
JA30861-9	Dichlorodifluoromethane	ND		ug/l	500	92	100	T-9	19-OCT-09	15:40

JA30861-9	1,1-Dichloroethane	ND		ug/l	100	29	100	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichloroethane	ND		ug/l	100	33	100	T-9	19-OCT-09	15:40
JA30861-9	1,1-Dichloroethene	ND		ug/l	100	40	100	T-9	19-OCT-09	15:40
JA30861-9	cis-1,2-Dichloroethene	ND		ug/l	100	22	100	T-9	19-OCT-09	15:40
JA30861-9	trans-1,2-Dichloroethene	ND		ug/l	100	25	100	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichloropropane	ND		ug/l	100	27	100	T-9	19-OCT-09	15:40
JA30861-9	cis-1,3-Dichloropropene	ND		ug/l	100	25	100	T-9	19-OCT-09	15:40
JA30861-9	trans-1,3-Dichloropropene	ND		ug/l	100	21	100	T-9	19-OCT-09	15:40
JA30861-9	Ethylbenzene	12100		ug/l	100	27	100	T-9	19-OCT-09	15:40
JA30861-9	Methylene chloride	ND		ug/l	200	30	100	T-9	19-OCT-09	15:40
JA30861-9	1,1,2,2-Tetrachloroethane	ND		ug/l	100	24	100	T-9	19-OCT-09	15:40
JA30861-9	Tetrachloroethene	ND		ug/l	100	27	100	T-9	19-OCT-09	15:40
JA30861-9	Toluene	3510		ug/l	100	30	100	T-9	19-OCT-09	15:40
JA30861-9	1,1,1-Trichloroethane	ND		ug/l	100	26	100	T-9	19-OCT-09	15:40
JA30861-9	1,1,2-Trichloroethane	ND		ug/l	100	23	100	T-9	19-OCT-09	15:40
JA30861-9	Trichloroethene	ND		ug/l	100	24	100	T-9	19-OCT-09	15:40
JA30861-9	Trichlorofluoromethane	ND		ug/l	500	54	100	T-9	19-OCT-09	15:40
JA30861-9	Vinyl chloride	ND		ug/l	100	44	100	T-9	19-OCT-09	15:40
JA30861-9	Xylene (total)	77000		ug/l	500	130	500	T-9	19-OCT-09	15:40
JA30861-9	Dibromofluoromethane	106		%			500	T-9	19-OCT-09	15:40
JA30861-9	Dibromofluoromethane	100		%			100	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichloroethane-D4	103		%			100	T-9	19-OCT-09	15:40
JA30861-9	1,2-Dichloroethane-D4	117		%			500	T-9	19-OCT-09	15:40
JA30861-9	Toluene-D8	105		%			500	T-9	19-OCT-09	15:40
JA30861-9	Toluene-D8	100		%			100	T-9	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-9	4-Bromofluorobenzene	99.0		%			100	T-9	19-OCT-09	15:40
JA30861-9	4-Bromofluorobenzene	99.0		%			500	T-9	19-OCT-09	15:40
JA30861-9	Acetone	3500	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	2-Butanone	17000	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	2-Butanol	900	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	Methyl Isobutyl Ketone	57000	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	alcohols	1300	J	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	2300	J	ug/l			100	T-9	19-OCT-09	15:40

JA30861-9	Benzene, 1,3,5-trimethyl-	720	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	C3 alkyl benzene	620	J	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	Benzene, 1,2,4-trimethyl-	2400	JN	ug/l			100	T-9	19-OCT-09	15:40
JA30861-9	Total TIC, Volatile	85740	J	ug/l			100	T-9	19-OCT-09	15:40
JA30861-10	Total PHC	160000		mg/kg	1000	650	10	T-8SLG	19-OCT-09	15:23
JA30861-10	Aldrin	ND		ug/kg	2.4	1.1	1	T-8SLG	19-OCT-09	15:23
JA30861-10	alpha-BHC	ND		ug/kg	2.4	0.75	1	T-8SLG	19-OCT-09	15:23
JA30861-10	beta-BHC	ND		ug/kg	2.4	1.2	1	T-8SLG	19-OCT-09	15:23
JA30861-10	delta-BHC	ND		ug/kg	2.4	0.67	1	T-8SLG	19-OCT-09	15:23
JA30861-10	gamma-BHC (Lindane)	ND		ug/kg	2.4	0.75	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chlordane	ND		ug/kg	61	18	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Dieldrin	ND		ug/kg	2.4	0.82	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4,4'-DDD	ND		ug/kg	2.4	1.0	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4,4'-DDE	ND		ug/kg	2.4	0.84	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4,4'-DDT	ND		ug/kg	2.4	1.0	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Endrin	ND		ug/kg	2.4	0.85	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Endosulfan sulfate	ND		ug/kg	2.4	0.93	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Endrin aldehyde	ND		ug/kg	2.4	1.1	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Endosulfan-I	ND		ug/kg	2.4	0.83	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Endosulfan-II	ND		ug/kg	2.4	0.93	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Heptachlor	ND		ug/kg	2.4	1.1	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Heptachlor epoxide	ND		ug/kg	2.4	0.94	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Methoxychlor	ND		ug/kg	2.4	1.1	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Toxaphene	ND		ug/kg	30	28	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1016	ND		ug/kg	60	21	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1221	ND		ug/kg	60	40	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1232	ND		ug/kg	60	19	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1242	ND		ug/kg	60	22	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1248	ND		ug/kg	60	12	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1254	558		ug/kg	60	15	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Aroclor 1260	ND		ug/kg	60	23	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetrachloro-m-xylene	44.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetrachloro-m-xylene	107		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetrachloro-m-xylene	69.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetrachloro-m-xylene	61.0		%			1	T-8SLG	19-OCT-09	15:23

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-10	Chlorobenzene (b)	261	*	%	500		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Decachlorobiphenyl	89.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Decachlorobiphenyl	65.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Decachlorobiphenyl	73.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Decachlorobiphenyl	89.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chlorobenzene (c)	ND	*	%	5000		10	T-8SLG	19-OCT-09	15:23
JA30861-10	o-Terphenyl (c)	ND	*	%	5000		10	T-8SLG	19-OCT-09	15:23
JA30861-10	o-Terphenyl (b)	267	*	%	500		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetracosane-d50	82.0		%	500		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetracosane-d50 (c)	ND	*	%	5000		10	T-8SLG	19-OCT-09	15:23
JA30861-10	Cyanide	41.0		mg/kg	2.1		10	T-8SLG	19-OCT-09	15:23
JA30861-10	Phenols (g)	18.8		mg/kg	2.3		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Solids, Percent	44.8		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Antimony	< 4.5	<	mg/kg	4.5		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Arsenic	< 4.5	<	mg/kg	4.5		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Beryllium	< 1.1	<	mg/kg	1.1		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Cadmium	< 1.1	<	mg/kg	1.1		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chromium	32.2		mg/kg	2.3		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Copper	194		mg/kg	5.6		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Lead	283		mg/kg	4.5		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Mercury	1.4		mg/kg	0.069		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Nickel	< 9.0	<	mg/kg	9.0		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Selenium	< 4.5	<	mg/kg	4.5		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Silver	< 2.3	<	mg/kg	2.3		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Thallium	< 2.3	<	mg/kg	2.3		1	T-8SLG	19-OCT-09	15:23
JA30861-10	Zinc	457		mg/kg	4.5		1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Chlorophenol	ND		ug/kg	56000	11000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Chloro-3-methyl phenol	ND		ug/kg	56000	11000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4-Dichlorophenol	ND		ug/kg	56000	18000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4-Dimethylphenol	ND		ug/kg	56000	19000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4-Dinitrophenol	ND		ug/kg	220000	14000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4,6-Dinitro-o-cresol	ND		ug/kg	220000	14000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Nitrophenol	ND		ug/kg	56000	12000	1	T-8SLG	19-OCT-09	15:23

JA30861-10	4-Nitrophenol	ND		ug/kg	110000	19000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Pentachlorophenol	ND		ug/kg	110000	19000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Phenol	ND		ug/kg	22000	12000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4,6-Trichlorophenol	ND		ug/kg	56000	10000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Acenaphthene	ND		ug/kg	11000	3200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Acenaphthylene	ND		ug/kg	11000	3600	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Anthracene	ND		ug/kg	11000	3900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzidine	ND		ug/kg	220000	42000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzo(a)anthracene	ND		ug/kg	11000	3600	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzo(a)pyrene	ND		ug/kg	11000	3400	1	T-8SLG	19-OCT-09	15:23

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-10	Benzo(b)fluoranthene	ND		ug/kg	11000	3700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzo(g,h,i)perylene	ND		ug/kg	11000	4200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzo(k)fluoranthene	ND		ug/kg	11000	4200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Bromophenyl phenyl ether	ND		ug/kg	22000	4100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Butyl benzyl phthalate	ND		ug/kg	22000	6500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Chloronaphthalene	ND		ug/kg	22000	3500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Chloroaniline	ND		ug/kg	56000	3600	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chrysene	ND		ug/kg	11000	3800	1	T-8SLG	19-OCT-09	15:23
JA30861-10	bis(2-Chloroethoxy)methane	ND		ug/kg	22000	4500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	bis(2-Chloroethyl)ether	ND		ug/kg	22000	3400	1	T-8SLG	19-OCT-09	15:23
JA30861-10	bis(2-Chloroisopropyl)ether	ND		ug/kg	22000	3300	1	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Chlorophenyl phenyl ether	ND		ug/kg	22000	3400	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichlorobenzene	ND		ug/kg	22000	3200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Diphenylhydrazine	ND		ug/kg	22000	4500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,3-Dichlorobenzene	ND		ug/kg	22000	3000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,4-Dichlorobenzene	ND		ug/kg	22000	2500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4-Dinitrotoluene	ND		ug/kg	22000	4900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,6-Dinitrotoluene	ND		ug/kg	22000	4300	1	T-8SLG	19-OCT-09	15:23
JA30861-10	3,3'-Dichlorobenzidine	ND		ug/kg	56000	2800	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Dibenzo(a,h)anthracene	ND		ug/kg	11000	3800	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Di-n-butyl phthalate	512000		ug/kg	22000	2500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Di-n-octyl phthalate	ND		ug/kg	22000	5400	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Diethyl phthalate	ND		ug/kg	22000	3800	1	T-8SLG	19-OCT-09	15:23

JA30861-10	Dimethyl phthalate	ND		ug/kg	22000	3900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	bis(2-Ethylhexyl)phthalate	1440000		ug/kg	45000	20000	2	T-8SLG	19-OCT-09	15:23
JA30861-10	Fluoranthene	ND		ug/kg	11000	4900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Fluorene	ND		ug/kg	11000	3700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Hexachlorobenzene	ND		ug/kg	22000	3600	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Hexachlorobutadiene	ND		ug/kg	11000	3100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Hexachlorocyclopentadiene	ND		ug/kg	220000	11000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Hexachloroethane	ND		ug/kg	56000	3100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Indeno(1,2,3-cd)pyrene	ND		ug/kg	11000	3900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Isophorone	ND		ug/kg	22000	3000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Naphthalene	392000		ug/kg	11000	3000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Nitrobenzene	ND		ug/kg	22000	3200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	n-Nitrosodimethylamine	ND		ug/kg	22000	9800	1	T-8SLG	19-OCT-09	15:23
JA30861-10	N-Nitroso-di-n-propylamine	ND		ug/kg	22000	2700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	N-Nitrosodiphenylamine	ND		ug/kg	56000	6700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Phenanthrene	ND		ug/kg	11000	5100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Pyrene	ND		ug/kg	11000	4300	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2,4-Trichlorobenzene	ND		ug/kg	22000	3000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Fluorophenol	74.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Fluorophenol	88.0		%			2	T-8SLG	19-OCT-09	15:23

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-10	Phenol-d5 (c)	133	*	%			2	T-8SLG	19-OCT-09	15:23
JA30861-10	Phenol-d5	63.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4,6-Tribromophenol	83.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	2,4,6-Tribromophenol	83.0		%			2	T-8SLG	19-OCT-09	15:23
JA30861-10	Nitrobenzene-d5	89.0		%			2	T-8SLG	19-OCT-09	15:23
JA30861-10	Nitrobenzene-d5	91.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Fluorobiphenyl	87.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Fluorobiphenyl	102		%			2	T-8SLG	19-OCT-09	15:23
JA30861-10	Terphenyl-d14	101		%			2	T-8SLG	19-OCT-09	15:23
JA30861-10	Terphenyl-d14	88.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1100000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1100000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	2000000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23

JA30861-10	alkane	1400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1600000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1500000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C4 alkyl benzene	1700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	5300000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	2100000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1300000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1600000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	680000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C4 alkyl benzene	660000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1300000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	unknown	5700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetradecanoic acid	2700000	JN	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	n-Hexadecanoic acid	9500000	JN	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	unknown	1600000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	unknown acid	950000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Octadecanoic acid	1500000	JN	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	unknown	4200000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Total TIC, Semi-Volatile	54290000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Acrolein	ND		ug/kg	370000	110000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Acrylonitrile	ND		ug/kg	370000	6100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzene	5140	J	ug/kg	7400	2500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Bromodichloromethane	ND		ug/kg	37000	1900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Bromoform	ND		ug/kg	37000	1100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Bromomethane	ND		ug/kg	37000	3000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Carbon tetrachloride	ND		ug/kg	37000	4100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chlorobenzene	ND		ug/kg	37000	2500	1	T-8SLG	19-OCT-09	15:23

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-10	Chloroethane	ND		ug/kg	37000	8500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	2-Chloroethyl vinyl ether	ND		ug/kg	190000	3100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Chloroform	ND		ug/kg	37000	2400	1	T-8SLG	19-OCT-09	15:23

JA30861-10	Chloromethane	ND		ug/kg	37000	1200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Dibromochloromethane	ND		ug/kg	37000	820	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichlorobenzene	ND		ug/kg	37000	2000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,3-Dichlorobenzene	ND		ug/kg	37000	2000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,4-Dichlorobenzene	ND		ug/kg	37000	2500	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Dichlorodifluoromethane	ND		ug/kg	37000	7000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,1-Dichloroethane	ND		ug/kg	37000	1000	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichloroethane	ND		ug/kg	7400	2600	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,1-Dichloroethene	ND		ug/kg	37000	4900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	cis-1,2-Dichloroethene	ND		ug/kg	37000	1800	1	T-8SLG	19-OCT-09	15:23
JA30861-10	trans-1,2-Dichloroethene	ND		ug/kg	37000	3300	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichloropropane	ND		ug/kg	37000	970	1	T-8SLG	19-OCT-09	15:23
JA30861-10	cis-1,3-Dichloropropene	ND		ug/kg	37000	990	1	T-8SLG	19-OCT-09	15:23
JA30861-10	trans-1,3-Dichloropropene	ND		ug/kg	37000	710	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Ethylbenzene	6510000		ug/kg	190000	69000	50	T-8SLG	19-OCT-09	15:23
JA30861-10	Methylene chloride	ND		ug/kg	37000	1700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,1,2,2-Tetrachloroethane	ND		ug/kg	37000	2200	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Tetrachloroethene	ND		ug/kg	37000	1100	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Toluene	2720000		ug/kg	190000	54000	50	T-8SLG	19-OCT-09	15:23
JA30861-10	1,1,1-Trichloroethane	ND		ug/kg	37000	950	1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,1,2-Trichloroethane	ND		ug/kg	37000	1400	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Trichloroethene	ND		ug/kg	37000	3900	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Trichlorofluoromethane	ND		ug/kg	37000	1700	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Vinyl chloride	ND		ug/kg	37000	1300	1	T-8SLG	19-OCT-09	15:23
JA30861-10	Xylene (total)	38200000		ug/kg	370000	87000	50	T-8SLG	19-OCT-09	15:23
JA30861-10	Dibromofluoromethane	91.0		%			50	T-8SLG	19-OCT-09	15:23
JA30861-10	Dibromofluoromethane	90.0		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichloroethane-D4	106		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	1,2-Dichloroethane-D4	105		%			50	T-8SLG	19-OCT-09	15:23
JA30861-10	Toluene-D8	93.0		%			50	T-8SLG	19-OCT-09	15:23
JA30861-10	Toluene-D8	100		%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Bromofluorobenzene	94.0		%			50	T-8SLG	19-OCT-09	15:23
JA30861-10	4-Bromofluorobenzene (b)	147	*	%			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1200000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23

JA30861-10	C3 alkyl benzene	1400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C3 alkyl benzene	1300000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	2100000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Benzene, 1,3,5-trimethyl-	2300000	JN	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C3 alkyl benzene	1700000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-10	Benzene, 1,2,4-trimethyl-	2600000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	alkane	1600000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	cycloalkane/alkene	1400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C3 alkyl benzene	2800000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C4 alkyl benzene	1500000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	C4 alkyl benzene	1400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Naphthalene, decahydro-	1300000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	unknown	1100000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-10	Total TIC, Volatile	25400000	J	ug/kg			1	T-8SLG	19-OCT-09	15:23
JA30861-11	Acrolein	ND		ug/kg	50	14	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Acrylonitrile	ND		ug/kg	50	0.82	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Benzene	ND		ug/kg	1.0	0.34	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Bromodichloromethane	ND		ug/kg	5.0	0.26	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Bromoform	ND		ug/kg	5.0	0.15	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Bromomethane	ND		ug/kg	5.0	0.40	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Carbon tetrachloride	ND		ug/kg	5.0	0.56	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Chlorobenzene	ND		ug/kg	5.0	0.34	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Chloroethane	ND		ug/kg	5.0	1.1	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	2-Chloroethyl vinyl ether	ND		ug/kg	25	0.41	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Chloroform	ND		ug/kg	5.0	0.32	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Chloromethane	ND		ug/kg	5.0	0.17	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Dibromochloromethane	ND		ug/kg	5.0	0.11	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,2-Dichlorobenzene	ND		ug/kg	5.0	0.27	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,3-Dichlorobenzene	ND		ug/kg	5.0	0.28	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,4-Dichlorobenzene	ND		ug/kg	5.0	0.34	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Dichlorodifluoromethane	ND		ug/kg	5.0	0.95	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,1-Dichloroethane	ND		ug/kg	5.0	0.14	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,2-Dichloroethane	ND		ug/kg	1.0	0.35	1	SOIL TRIP BLANK	19-OCT-09	15:40

JA30861-11	1,1-Dichloroethene	ND		ug/kg	5.0	0.66	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	cis-1,2-Dichloroethene	ND		ug/kg	5.0	0.24	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	trans-1,2-Dichloroethene	ND		ug/kg	5.0	0.45	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,2-Dichloropropane	ND		ug/kg	5.0	0.13	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	cis-1,3-Dichloropropene	ND		ug/kg	5.0	0.13	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	trans-1,3-Dichloropropene	ND		ug/kg	5.0	0.096	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Ethylbenzene	ND		ug/kg	1.0	0.37	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Methylene chloride	ND		ug/kg	5.0	0.22	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,1,2,2-Tetrachloroethane	ND		ug/kg	5.0	0.29	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Tetrachloroethene	ND		ug/kg	5.0	0.15	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Toluene	ND		ug/kg	1.0	0.29	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,1,1-Trichloroethane	ND		ug/kg	5.0	0.13	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,1,2-Trichloroethane	ND		ug/kg	5.0	0.19	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Trichloroethene	ND		ug/kg	5.0	0.53	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Trichlorofluoromethane	ND		ug/kg	5.0	0.23	1	SOIL TRIP BLANK	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-11	Vinyl chloride	ND		ug/kg	5.0	0.18	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Xylene (total)	ND		ug/kg	2.0	0.47	1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Dibromofluoromethane	87.0		%			1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	1,2-Dichloroethane-D4	76.0		%			1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Toluene-D8	91.0		%			1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	4-Bromofluorobenzene	69.0		%			1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-11	Total TIC, Volatile	0		ug/kg			1	SOIL TRIP BLANK	19-OCT-09	15:40
JA30861-12	Acrolein	ND		ug/l	50	23	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Acrylonitrile	ND		ug/l	50	3.6	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Benzene	ND		ug/l	1.0	0.23	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Bromodichloromethane	ND		ug/l	1.0	0.22	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Bromoform	ND		ug/l	4.0	0.23	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Bromomethane	ND		ug/l	2.0	0.30	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Carbon tetrachloride	ND		ug/l	1.0	0.26	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Chlorobenzene	ND		ug/l	1.0	0.39	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Chloroethane	ND		ug/l	1.0	0.37	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	2-Chloroethyl vinyl ether	ND		ug/l	10	1.4	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Chloroform	ND		ug/l	1.0	0.23	1	SOIL-FB	19-OCT-09	15:25

JA30861-12	Chloromethane	ND		ug/l	1.0	0.29	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Dibromochloromethane	ND		ug/l	1.0	0.22	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,2-Dichlorobenzene	ND		ug/l	1.0	0.26	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,3-Dichlorobenzene	ND		ug/l	1.0	0.25	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,4-Dichlorobenzene	ND		ug/l	1.0	0.28	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Dichlorodifluoromethane	ND		ug/l	5.0	0.92	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,1-Dichloroethane	ND		ug/l	1.0	0.29	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,2-Dichloroethane	ND		ug/l	1.0	0.33	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,1-Dichloroethene	ND		ug/l	1.0	0.40	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	cis-1,2-Dichloroethene	ND		ug/l	1.0	0.22	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	trans-1,2-Dichloroethene	ND		ug/l	1.0	0.25	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,2-Dichloropropane	ND		ug/l	1.0	0.27	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	cis-1,3-Dichloropropene	ND		ug/l	1.0	0.25	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	trans-1,3-Dichloropropene	ND		ug/l	1.0	0.21	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Ethylbenzene	ND		ug/l	1.0	0.27	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Methylene chloride	ND		ug/l	2.0	0.30	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.24	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Tetrachloroethene	ND		ug/l	1.0	0.27	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Toluene	ND		ug/l	1.0	0.30	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,1,1-Trichloroethane	ND		ug/l	1.0	0.26	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,1,2-Trichloroethane	ND		ug/l	1.0	0.23	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Trichloroethene	ND		ug/l	1.0	0.24	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Trichlorofluoromethane	ND		ug/l	5.0	0.54	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Vinyl chloride	ND		ug/l	1.0	0.44	1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Xylene (total)	ND		ug/l	1.0	0.25	1	SOIL-FB	19-OCT-09	15:25

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-12	Dibromofluoromethane	105		%			1	SOIL-FB	19-OCT-09	15:25
JA30861-12	1,2-Dichloroethane-D4	114		%			1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Toluene-D8	95.0		%			1	SOIL-FB	19-OCT-09	15:25
JA30861-12	4-Bromofluorobenzene	99.0		%			1	SOIL-FB	19-OCT-09	15:25
JA30861-12	Total TIC, Volatile	0		ug/l			1	SOIL-FB	19-OCT-09	15:25
JA30861-13	Total PHC	ND		mg/l	0.020	0.016	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aldrin	ND		ug/l	0.021	0.0030	1	AQ-FB	19-OCT-09	15:40
JA30861-13	alpha-BHC	ND		ug/l	0.021	0.0022	1	AQ-FB	19-OCT-09	15:40

JA30861-13	beta-BHC	ND		ug/l	0.021	0.0031	1	AQ-FB	19-OCT-09	15:40
JA30861-13	delta-BHC	ND		ug/l	0.021	0.0017	1	AQ-FB	19-OCT-09	15:40
JA30861-13	gamma-BHC (Lindane)	ND		ug/l	0.021	0.0025	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chlordane	ND		ug/l	0.52	0.072	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dieldrin	ND		ug/l	0.021	0.0030	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4,4'-DDD	ND		ug/l	0.021	0.0034	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4,4'-DDE	ND		ug/l	0.021	0.0031	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4,4'-DDT	ND		ug/l	0.021	0.0030	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Endrin	ND		ug/l	0.021	0.0038	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Endosulfan sulfate	ND		ug/l	0.021	0.0068	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Endrin aldehyde	ND		ug/l	0.021	0.0074	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Endosulfan-I	ND		ug/l	0.021	0.0037	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Endosulfan-II	ND		ug/l	0.021	0.0045	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Heptachlor	ND		ug/l	0.021	0.0068	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Heptachlor epoxide	ND		ug/l	0.021	0.0027	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Methoxychlor	ND		ug/l	0.021	0.0063	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Toxaphene	ND		ug/l	0.26	0.26	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1016	ND		ug/l	0.52	0.31	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1221	ND		ug/l	0.52	0.42	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1232	ND		ug/l	0.52	0.32	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1242	ND		ug/l	0.52	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1248	ND		ug/l	0.52	0.29	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1254	ND		ug/l	0.52	0.19	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Aroclor 1260	ND		ug/l	0.52	0.14	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetrachloro-m-xylene	95		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetrachloro-m-xylene	94		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetrachloro-m-xylene	120		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetrachloro-m-xylene	110		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chlorobenzene	68.0		%	0.10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Decachlorobiphenyl	45		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Decachlorobiphenyl	52		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Decachlorobiphenyl	48		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Decachlorobiphenyl	47		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	o-Terphenyl	89.0		%	0.10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetracosane-d50	96.0		%	0.10		1	AQ-FB	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-13	Cyanide	< 0.010	<	mg/l	0.010		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Phenols	< 0.20	<	mg/l	0.20		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Antimony	< 6.0	<	ug/l	6.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Arsenic	< 3.0	<	ug/l	3.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Beryllium	< 1.0	<	ug/l	1.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Cadmium	< 3.0	<	ug/l	3.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chromium	< 10	<	ug/l	10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Copper	< 10	<	ug/l	10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Lead	< 3.0	<	ug/l	3.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Mercury	< 0.20	<	ug/l	0.20		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Nickel	< 10	<	ug/l	10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Selenium	< 10	<	ug/l	10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Silver	< 10	<	ug/l	10		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Thallium	< 2.0	<	ug/l	2.0		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Zinc	< 20	<	ug/l	20		1	AQ-FB	19-OCT-09	15:40
JA30861-13	Pentachlorophenol	ND		ug/l	0.34	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Chlorophenol	ND		ug/l	5.6	1.2	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Acenaphthene	ND		ug/l	0.11	0.033	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4-Chloro-3-methyl phenol	ND		ug/l	5.6	1.2	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Acenaphthylene	ND		ug/l	0.11	0.044	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Anthracene	ND		ug/l	0.11	0.029	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzo(a)anthracene	ND		ug/l	0.11	0.027	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzo(a)pyrene	ND		ug/l	0.11	0.035	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4-Dichlorophenol	ND		ug/l	5.6	1.4	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzo(b)fluoranthene	ND		ug/l	0.11	0.040	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzo(g,h,i)perylene	ND		ug/l	0.11	0.032	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzo(k)fluoranthene	ND		ug/l	0.11	0.032	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4-Dimethylphenol	ND		ug/l	5.6	1.9	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chrysene	ND		ug/l	0.11	0.025	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4-Dinitrophenol	ND		ug/l	22	0.83	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dibenzo(a,h)anthracene	ND		ug/l	0.11	0.025	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4,6-Dinitro-o-cresol	ND		ug/l	22	0.58	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Nitrophenol	ND		ug/l	5.6	1.4	1	AQ-FB	19-OCT-09	15:40

JA30861-13	4-Nitrophenol	ND		ug/l	11	0.93	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Phenol	ND		ug/l	2.2	0.65	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Fluoranthene	ND		ug/l	0.11	0.027	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Fluorene	ND		ug/l	0.11	0.030	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4,6-Trichlorophenol	ND		ug/l	5.6	1.4	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Hexachlorobenzene	ND		ug/l	0.022	0.011	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Indeno(1,2,3-cd)pyrene	ND		ug/l	0.11	0.033	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzidine	ND		ug/l	22	5.1	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Naphthalene	nd		ug/l	0.11	0.021	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Phenanthrene	ND		ug/l	0.11	0.041	1	AQ-FB	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-13	Pyrene	ND		ug/l	0.11	0.025	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4-Bromophenyl phenyl ether	ND		ug/l	2.2	0.39	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Butyl benzyl phthalate	ND		ug/l	2.2	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Chloronaphthalene	ND		ug/l	5.6	0.47	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4-Chloroaniline	ND		ug/l	5.6	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	bis(2-Chloroethoxy)methane	ND		ug/l	2.2	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	bis(2-Chloroethyl)ether	ND		ug/l	2.2	0.35	1	AQ-FB	19-OCT-09	15:40
JA30861-13	bis(2-Chloroisopropyl)ether	ND		ug/l	2.2	0.44	1	AQ-FB	19-OCT-09	15:40
JA30861-13	4-Chlorophenyl phenyl ether	ND		ug/l	2.2	0.40	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Dichlorobenzene	ND		ug/l	2.2	0.47	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Diphenylhydrazine	ND		ug/l	2.2	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,3-Dichlorobenzene	ND		ug/l	2.2	0.40	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,4-Dichlorobenzene	ND		ug/l	2.2	0.44	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4-Dinitrotoluene	ND		ug/l	2.2	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,6-Dinitrotoluene	ND		ug/l	2.2	0.37	1	AQ-FB	19-OCT-09	15:40
JA30861-13	3,3'-Dichlorobenzidine	ND		ug/l	5.6	0.33	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Di-n-butyl phthalate	ND		ug/l	2.2	0.21	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Di-n-octyl phthalate	ND		ug/l	2.2	0.44	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Diethyl phthalate	ND		ug/l	2.2	0.19	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dimethyl phthalate	ND		ug/l	2.2	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	bis(2-Ethylhexyl)phthalate	ND		ug/l	2.2	0.37	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Hexachlorobutadiene	ND		ug/l	1.1	0.42	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Hexachlorocyclopentadiene	ND		ug/l	22	0.76	1	AQ-FB	19-OCT-09	15:40

JA30861-13	Hexachloroethane	ND		ug/l	5.6	0.30	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Isophorone	ND		ug/l	2.2	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Nitrobenzene	ND		ug/l	2.2	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	n-Nitrosodimethylamine	ND		ug/l	2.2	0.82	1	AQ-FB	19-OCT-09	15:40
JA30861-13	N-Nitroso-di-n-propylamine	ND		ug/l	2.2	0.49	1	AQ-FB	19-OCT-09	15:40
JA30861-13	N-Nitrosodiphenylamine	ND		ug/l	5.6	0.24	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2,4-Trichlorobenzene	ND		ug/l	2.2	0.49	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Fluorophenol	24.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Phenol-d5	14		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4,6-Tribromophenol	55.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Nitrobenzene-d5	53.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Fluorobiphenyl	45.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Terphenyl-d14	43.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Fluorophenol	35.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Phenol-d5	21.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	2,4,6-Tribromophenol	81.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Nitrobenzene-d5	83.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Fluorobiphenyl	73.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Terphenyl-d14	67.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Internal standard added for SIM test	5.5	J	ug/l			1	AQ-FB	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-13	Phthalic anhydride	7.2	J	ug/l			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Total TIC, Semi-Volatile	7.2	J	ug/l			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Acrolein	ND		ug/l	50	23	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Acrylonitrile	ND		ug/l	50	3.6	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Benzene	ND		ug/l	1.0	0.23	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Bromodichloromethane	ND		ug/l	1.0	0.22	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Bromoform	ND		ug/l	4.0	0.23	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Bromomethane	ND		ug/l	2.0	0.30	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Carbon tetrachloride	ND		ug/l	1.0	0.26	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chlorobenzene	ND		ug/l	1.0	0.39	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chloroethane	ND		ug/l	1.0	0.37	1	AQ-FB	19-OCT-09	15:40
JA30861-13	2-Chloroethyl vinyl ether	ND		ug/l	10	1.4	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Chloroform	ND		ug/l	1.0	0.23	1	AQ-FB	19-OCT-09	15:40

JA30861-13	Chloromethane	ND		ug/l	1.0	0.29	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dibromochloromethane	ND		ug/l	1.0	0.22	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Dichlorobenzene	ND		ug/l	1.0	0.26	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,3-Dichlorobenzene	ND		ug/l	1.0	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,4-Dichlorobenzene	ND		ug/l	1.0	0.28	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dichlorodifluoromethane	ND		ug/l	5.0	0.92	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,1-Dichloroethane	ND		ug/l	1.0	0.29	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Dichloroethane	ND		ug/l	1.0	0.33	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,1-Dichloroethene	ND		ug/l	1.0	0.40	1	AQ-FB	19-OCT-09	15:40
JA30861-13	cis-1,2-Dichloroethene	ND		ug/l	1.0	0.22	1	AQ-FB	19-OCT-09	15:40
JA30861-13	trans-1,2-Dichloroethene	ND		ug/l	1.0	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Dichloropropane	ND		ug/l	1.0	0.27	1	AQ-FB	19-OCT-09	15:40
JA30861-13	cis-1,3-Dichloropropene	ND		ug/l	1.0	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	trans-1,3-Dichloropropene	ND		ug/l	1.0	0.21	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Ethylbenzene	ND		ug/l	1.0	0.27	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Methylene chloride	ND		ug/l	2.0	0.30	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.24	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Tetrachloroethene	ND		ug/l	1.0	0.27	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Toluene	ND		ug/l	1.0	0.30	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,1,1-Trichloroethane	ND		ug/l	1.0	0.26	1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,1,2-Trichloroethane	ND		ug/l	1.0	0.23	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Trichloroethene	ND		ug/l	1.0	0.24	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Trichlorofluoromethane	ND		ug/l	5.0	0.54	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Vinyl chloride	ND		ug/l	1.0	0.44	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Xylene (total)	ND		ug/l	1.0	0.25	1	AQ-FB	19-OCT-09	15:40
JA30861-13	Dibromofluoromethane	104		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	1,2-Dichloroethane-D4	111		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Toluene-D8	94.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	4-Bromofluorobenzene	99.0		%			1	AQ-FB	19-OCT-09	15:40
JA30861-13	Total TIC, Volatile	0		ug/l			1	AQ-FB	19-OCT-09	15:40

Sample	Parameter	Result	Qual	Units	RL	MDL	DF	Client ID	Collected	Time
JA30861-14	Acrolein	ND		ug/l	50	23	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Acrylonitrile	ND		ug/l	50	3.6	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Benzene	ND		ug/l	1.0	0.23	1	AQ-TB	19-OCT-09	15:40

JA30861-14	Bromodichloromethane	ND		ug/l	1.0	0.22	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Bromoform	ND		ug/l	4.0	0.23	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Bromomethane	ND		ug/l	2.0	0.30	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Carbon tetrachloride	ND		ug/l	1.0	0.26	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Chlorobenzene	ND		ug/l	1.0	0.39	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Chloroethane	ND		ug/l	1.0	0.37	1	AQ-TB	19-OCT-09	15:40
JA30861-14	2-Chloroethyl vinyl ether	ND		ug/l	10	1.4	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Chloroform	ND		ug/l	1.0	0.23	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Chloromethane	ND		ug/l	1.0	0.29	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Dibromochloromethane	ND		ug/l	1.0	0.22	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,2-Dichlorobenzene	ND		ug/l	1.0	0.26	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,3-Dichlorobenzene	ND		ug/l	1.0	0.25	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,4-Dichlorobenzene	ND		ug/l	1.0	0.28	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Dichlorodifluoromethane	ND		ug/l	5.0	0.92	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,1-Dichloroethane	ND		ug/l	1.0	0.29	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,2-Dichloroethane	ND		ug/l	1.0	0.33	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,1-Dichloroethene	ND		ug/l	1.0	0.40	1	AQ-TB	19-OCT-09	15:40
JA30861-14	cis-1,2-Dichloroethene	ND		ug/l	1.0	0.22	1	AQ-TB	19-OCT-09	15:40
JA30861-14	trans-1,2-Dichloroethene	ND		ug/l	1.0	0.25	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,2-Dichloropropane	ND		ug/l	1.0	0.27	1	AQ-TB	19-OCT-09	15:40
JA30861-14	cis-1,3-Dichloropropene	ND		ug/l	1.0	0.25	1	AQ-TB	19-OCT-09	15:40
JA30861-14	trans-1,3-Dichloropropene	ND		ug/l	1.0	0.21	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Ethylbenzene	ND		ug/l	1.0	0.27	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Methylene chloride	ND		ug/l	2.0	0.30	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.24	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Tetrachloroethene	ND		ug/l	1.0	0.27	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Toluene	ND		ug/l	1.0	0.30	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,1,1-Trichloroethane	ND		ug/l	1.0	0.26	1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,1,2-Trichloroethane	ND		ug/l	1.0	0.23	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Trichloroethene	ND		ug/l	1.0	0.24	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Trichlorofluoromethane	ND		ug/l	5.0	0.54	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Vinyl chloride	ND		ug/l	1.0	0.44	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Xylene (total)	ND		ug/l	1.0	0.25	1	AQ-TB	19-OCT-09	15:40
JA30861-14	Dibromofluoromethane	106		%			1	AQ-TB	19-OCT-09	15:40
JA30861-14	1,2-Dichloroethane-D4	108		%			1	AQ-TB	19-OCT-09	15:40

JA30861-14	Toluene-D8	94.0		%			1	AQ-TB	19-OCT-09	15:40
JA30861-14	4-Bromofluorobenzene	97.0		%			1	AQ-TB	19-OCT-09	15:40
JA30861-14	Total TIC, Volatile	0		ug/l			1	AQ-TB	19-OCT-09	15:40

Footnotes:

(a) Criteria includes 14 open samples. All results may not be available.

(b) Outside control limits due to matrix interference.

(c) Outside control limits due to dilution.

(d) Outside of in house control limits due to dilution, but within reasonable method recovery limits.

(e) More than 40 % RPD for detected concentrations between the two GC columns.

(f) Reported from 2nd signal due to interference on 1st signal.

(g) NJDEP does not offer laboratory accreditation for this compound which excludes it from regulatory reporting use in New Jersey

(h) Elevated sample detection limit due to difficult sample matrix.

(i) Elevated detection limit due to dilution required for matrix interference.

Total of **2274** result records found.