SITE: Chevron Chemical
BREAK: 7.4
OTHER: v. 3

ARCADIS BBL
Infrastructure, environment, facilities

ARCADIS U.S., Inc.
3240 El Camino Real
Suite 200
Irvine
California 92602
Tel 714.730.9052
Fax 714.730.9345
www.arcadis-us.com

ARCADIS BBL

Mr. William Denman
United States Environmental Protection Agency
Atlanta Federal Center
61 Forsyth Street, SW
Atlanta, Georgia 30303-3104

Subject:
Submittal of *Site Status Update*
Chevron Orlando Superfund Site
Orlando, Florida

Date:
May 31, 2007

Contact:
Allen C. Just, P.E.

Phone:
714.730.9052 Ext 38

Email:
allen.just@arcadis-us.com

Our ref:
B0045313.0000.00003

Dear Mr. Denman:

On behalf of Chevron Environmental Management Company (Chevron EMC), ARCADIS U.S., Inc. (ARCADIS BBL), is submitting this Site Status Update for the Chevron Orlando Superfund Site (the Site), located in Orlando, Florida. This update documents the site activities completed during the First Quarter 2007 and the proposed activities for the Second Quarter 2007.

The three permeable reactive barriers (PRBs) were completed on April 6, 2007 in general accordance with the *Revised Pilot Test Work Plan* dated November 9, 2006. A report will be prepared to document the pilot test activities. Please contact me at 714.730.9052 Extension 38 or via e-mail at allen.just@arcadis-us.com if you have any questions or need additional information.

Sincerely,

ARCADIS U.S., Inc.

Allen C. Just, P.E.
Sr. Engineer II

Enclosure

Imagine the result

10547553

Copies:
Karen Milicic, FDEP, Tallahassee, FL
Mark Stella, Chevron EMC, Bellaire, TX
Sheldon Nelson, Chevron EMC, San Ramon, CA
Susan Tobin, TASK Environmental, Mount Dora, FL
Andy Davis, Geomega, Boulder, CO
Matthew Coglianese, Peckar & Abramson, Miami, FL

ARCADIS BBL
Infrastructure, environment, facilities

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
MAY 31, 2007

Site: Chevron Orlando Superfund Site

Location: Orlando, Orange County, Florida

EPA Identification No.: FLD 004 064 242

ARCADIS BBL Project No.: B0045313.0000.00003

CEMC Contact: Chevron Environmental Management Company (Chevron EMC) / Mark Stella / (713) 432-2643

Env. Consultant: ARCADIS BBL / Allen Just / (714) 730-9052 Ext. 38

Lead Agency: United States Environmental Protection Agency (USEPA) / Bill Denman / (404) 562-8939

Work Completed During First Quarter 2007

1. Conducted groundwater monitoring activities on January 28 and 31, and February 1, 2007. The monitoring activities included the collection of groundwater samples from 12 wells. Analytical results for the pesticide constituents of concern (COCs) in selected wells are presented in Figures 2 through 7. Summaries of groundwater monitoring and analytical data are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
2. Conducted groundwater monitoring activities on February 25 and 26, and March 1, 2007. The monitoring activities included the collection of groundwater samples from 7 wells. Analytical results for the pesticide COCs in selected wells are presented in Figures 2 through 7. Summaries of groundwater monitoring and analytical data are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
3. Conducted groundwater monitoring activities on March 25 and 26, 2007. The monitoring activities included the collection of groundwater samples from 7 wells. Analytical results for the pesticide COCs are presented in Figures 2 through 7. Summaries of the groundwater monitoring data and analytical results are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
4. The three permeable reactive barriers (PRBs) were completed on April 6, 2007. The pilot test activities were conducted in general accordance with the *Revised Pilot Test Work Plan* dated November 9, 2006.
5. Performed site maintenance activities including mowing, weeding, and trash removal.

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
May 31, 2007

Work Completed / To Be Performed During Second Quarter 2007

1. Submit Site Status Update report.
2. Conduct groundwater monitoring activities in April, May, and June 2007.
3. Prepare report to document pilot test activities.
4. Perform site maintenance activities including mowing and weed removal.

Attachments:	Table 1	Groundwater Elevation Data
	Table 2	Summary of Groundwater Analytical Results
	Table 3	Summary of Geochemical Indicator Parameters
	Figure 1	Topographic Map of Site Location and Vicinity
	Figure 2	alpha-BHC Concentrations in Groundwater
	Figure 3	beta-BHC Concentrations in Groundwater
	Figure 4	Lindane Concentrations in Groundwater
	Figure 5	a-Chlordane Concentrations in Groundwater
	Figure 6	g-Chlordane Concentrations in Groundwater
	Figure 7	4,4'-DDD Concentrations in Groundwater
	Attachment A	Chain-of-Custody Documentation and Laboratory Reports

ARCADIS BBL

Attachments

ARCADIS BBL

Tables

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-1D	11/01/99	100.89	9.55	91.34	
MW-1D	04/03/00	100.89	10.80	90.09	
MW-1D	10/23/00	100.89	10.85	90.04	
MW-1D	04/16/01	100.89	10.96	89.93	
MW-1D	10/15/01	100.89	9.82	91.07	
MW-1D	03/18/02	100.89	10.00	90.89	
MW-1D	09/05/02	100.89	9.55	91.34	
MW-1D	03/17/03	100.89	9.80	91.09	
MW-1D	10/03/03	100.89	9.75	91.14	
MW-1D	04/07/04	100.89	10.57	90.32	
MW-1D	10/14/04	100.89	8.70	92.19	
MW-1D	05/31/05	100.89	10.88	90.01	
MW-1D	12/12/05	100.89	10.26	90.63	
MW-1D	03/26/06	100.89	11.10	89.79	
MW-1D	04/23/06	100.89	11.53	89.36	
MW-1D	05/24/06	100.89	11.65	89.24	
MW-1D	06/27/06	100.89	11.07	89.82	
MW-1D	07/26/06	100.89	10.22	90.67	
MW-1D	09/06/06	100.89	9.89	91.00	
MW-1D	10/03/06	100.89	10.14	90.75	
MW-1D	11/01/06	100.89	10.68	90.21	
MW-1D	02/01/07	100.89	10.05	90.84	
MW-1D	04/22/07	100.89	11.58	89.31	
MW-1S	11/01/99	100.93	9.62	91.31	
MW-1S	04/03/00	100.93	10.72	90.21	
MW-1S	10/23/00	100.93	10.78	90.15	
MW-1S	04/16/01	100.93	10.82	90.11	
MW-1S	10/15/01	100.93	9.65	91.28	
MW-1S	03/18/02	100.93	10.15	90.78	
MW-1S	09/05/02	100.93	9.55	91.38	
MW-1S	03/17/03	100.93	9.82	91.11	
MW-1S	10/03/03	100.93	9.73	91.20	
MW-1S	04/07/04	100.93	10.59	90.34	
MW-1S	10/14/04	100.93	8.65	92.28	
MW-1S	05/31/05	100.93	10.89	90.04	
MW-1S	12/12/05	100.93	10.25	90.68	
MW-1S	03/26/06	100.93	11.19	89.74	
MW-1S	04/23/06	100.93	11.55	89.38	
MW-1S	05/24/06	100.93	11.64	89.29	
MW-1S	06/27/06	100.93	11.09	89.84	
MW-1S	07/26/06	100.93	10.22	90.71	
MW-1S	09/06/06	100.93	9.85	91.08	
MW-1S	10/03/06	100.93	10.14	90.79	
MW-1S	11/01/06	100.93	10.69	90.24	
MW-1S	02/01/07	100.93	10.07	90.86	
MW-1S	04/22/07	100.93	11.60	89.33	
MW-2D	11/01/99	99.16	5.69	93.47	
MW-2D	04/03/00	99.16	8.01	91.15	
MW-2D	10/23/00	99.16	8.00	91.16	
MW-2D	04/16/01	99.16	8.01	91.15	
MW-2D	10/15/01	99.16	6.60	92.56	
MW-2D	03/18/02	99.16	7.13	92.03	
MW-2D	09/05/02	99.16	5.70	93.46	
MW-2D	03/17/03	99.16	6.54	92.62	
MW-2D	10/03/03	99.16	6.28	92.88	
MW-2D	04/07/04	99.16	7.30	91.86	
MW-2D	10/14/04	99.16	4.73	94.43	
MW-2D	05/31/05	99.16	7.24	91.92	
MW-2D	12/12/05	99.16	6.45	92.71	
MW-2D	11/01/06	99.16	7.20	91.96	
MW-2S	11/01/99	99.11	5.60	93.51	
MW-2S	04/03/00	99.11	7.95	91.16	
MW-2S	10/23/00	99.11	7.83	91.28	
MW-2S	04/16/01	99.11	7.98	91.13	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-2S	10/15/01	99.11	6.52	92.59	
MW-2S	03/18/02	99.11	7.00	92.11	
MW-2S	09/05/02	99.11	5.61	93.50	
MW-2S	03/17/03	99.11	6.52	92.59	
MW-2S	10/03/03	99.11	6.30	92.81	
MW-2S	04/07/04	99.11	7.27	91.84	
MW-2S	10/14/04	99.11	4.62	94.49	
MW-2S	05/31/05	99.11	7.43	91.68	
MW-2S	12/12/05	99.11	6.38	92.73	
MW-2S	11/01/06	99.11	7.12	91.99	
MW-3D	11/01/99	101.65	7.05	94.60	
MW-3D	04/03/00	101.65	9.73	91.92	
MW-3D	10/23/00	101.65	9.60	92.05	
MW-3D	04/16/01	101.65	9.56	92.09	
MW-3D	10/15/01	101.65	8.05	93.60	
MW-3D	03/18/02	101.65	7.14	94.51	
MW-3D	09/06/02	101.65	7.22	94.43	
MW-3D	03/17/03	101.65	8.12	93.53	
MW-3D	10/03/03	101.65	7.80	93.85	
MW-3D	04/07/04	101.65	9.10	92.55	
MW-3D	10/14/04	101.65	6.36	95.29	
MW-3D	05/31/05	101.65	8.73	92.92	
MW-3D	12/12/05	101.65	8.06	93.59	
MW-3D	04/23/06	101.65	10.08	91.57	
MW-3D	11/02/06	101.65	8.79	92.86	
MW-3S	11/01/99	101.82	7.00	94.82	
MW-3S	04/03/00	101.82	9.94	91.88	
MW-3S	10/23/00	101.82	9.98	91.84	
MW-3S	04/16/01	101.82	9.91	91.91	
MW-3S	10/15/01	101.82	8.10	93.72	
MW-3S	03/18/02	101.82	8.66	93.16	
MW-3S	09/05/02	101.82	6.99	94.83	
MW-3S	03/17/03	101.82	8.30	93.52	
MW-3S	10/03/03	101.82	7.82	94.00	
MW-3S	04/07/04	101.82	9.25	92.57	
MW-3S	10/14/04	101.82	6.19	95.63	
MW-3S	05/31/05	101.82	9.26	92.56	
MW-3S	12/12/05	101.82	8.14	93.68	
MW-3S	04/23/06	101.82	10.25	91.57	
MW-3S	05/24/06	101.82	10.27	91.55	
MW-3S	06/27/06	101.82	9.22	92.60	
MW-3S	07/26/06	101.82	8.11	93.71	
MW-3S	09/06/06	101.82	7.05	94.77	
MW-3S	10/02/06	101.82	7.90	93.92	
MW-3S	11/02/06	101.82	8.88	92.94	
MW-3S	04/22/07	101.82	10.55	91.27	
MW-4D	11/01/99	101.93	8.46	93.47	
MW-4D	04/03/00	101.93	11.23	90.70	
MW-4D	10/23/00	101.93	10.38	91.55	
MW-4D	04/16/01	101.93	10.67	91.26	
MW-4D	10/15/01	101.93	9.30	92.63	
MW-4D	03/18/02	101.93	9.94	91.99	
MW-4D	09/06/02	101.93	8.13	93.80	
MW-4D	03/17/03	101.93	9.47	92.46	
MW-4D	10/03/03	101.93	9.16	92.77	
MW-4D	04/07/04	101.93	10.15	91.78	
MW-4D	10/14/04	101.93	7.54	94.39	
MW-4D	05/31/05	101.93	10.39	91.54	
MW-4D	12/12/05	101.93	9.79	92.14	
MW-4D	04/23/06	101.93	11.28	90.65	
MW-4D	11/02/06	101.93	10.22	91.71	
MW-4S	11/01/99	102.51	9.14	93.37	
MW-4S	04/03/00	102.51	11.77	90.74	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-4S	10/23/00	102.51	11.30	91.21	
MW-4S	04/16/01	102.51	9.83	92.68	
MW-4S	10/15/01	102.51	9.90	92.61	
MW-4S	03/18/02	102.51	10.38	92.13	
MW-4S	09/06/02	102.51	9.12	93.39	
MW-4S	03/17/03	102.51	10.00	92.51	
MW-4S	10/03/03	102.51	9.75	92.76	
MW-4S	04/07/04	102.51	10.75	91.76	
MW-4S	10/14/04	102.51	8.08	94.43	
MW-4S	05/31/05	102.51	10.98	91.53	
MW-4S	12/12/05	102.51	10.36	92.15	
MW-4S	04/23/06	102.51	11.84	90.67	
MW-4S	05/24/06	102.51	11.98	90.53	
MW-4S	06/27/06	102.51	11.14	91.37	
MW-4S	07/27/06	102.51	10.02	92.49	
MW-4S	09/06/06	102.51	9.55	92.96	
MW-4S	10/03/06	102.51	9.90	92.61	
MW-4S	11/02/06	102.51	10.77	91.74	
MW-4S	04/22/07	102.51	11.89	90.62	
MW-5D	11/01/99	100.81	9.59	91.22	
MW-5D	04/03/00	100.81	10.97	89.84	
MW-5D	10/23/00	100.81	11.00	89.81	
MW-5D	04/16/01	100.81	11.14	89.67	
MW-5D	10/15/01	100.81	9.99	90.82	
MW-5D	03/18/02	100.81	10.24	90.57	
MW-5D	09/04/02	100.81	9.50	91.31	
MW-5D	03/17/03	100.81	9.86	90.95	
MW-5D	10/03/03	100.81	9.81	91.00	
MW-5D	04/07/04	100.81	10.50	90.31	
MW-5D	10/14/04	100.81	8.65	92.16	
MW-5D	05/31/05	100.81	10.79	90.02	
MW-5D	12/12/05	100.81	10.09	90.72	
MW-5D	04/23/06	100.81	11.42	89.39	
MW-5S	11/01/99	101.24	9.94	91.30	
MW-5S	04/03/00	101.24	11.28	89.96	
MW-5S	10/23/00	101.24	11.28	89.96	
MW-5S	04/16/01	101.24	11.40	89.84	
MW-5S	10/15/01	101.24	10.24	91.00	
MW-5S	03/18/02	101.24	10.46	90.78	
MW-5S	09/04/02	101.24	9.80	91.44	
MW-5S	03/17/03	101.24	10.23	91.01	
MW-5S	10/03/03	101.24	10.18	91.06	
MW-5S	04/07/04	101.24	10.82	90.42	
MW-5S	10/14/04	101.24	8.95	92.29	
MW-5S	05/31/05	101.24	11.15	90.09	
MW-5S	12/12/05	101.24	10.49	90.75	
MW-5S	04/23/06	101.24	11.25	89.99	
MW-6D	11/01/99	99.69	9.10	90.59	
MW-6D	04/03/00	99.69	10.28	89.41	
MW-6D	10/23/00	99.69	10.32	89.37	
MW-6D	04/16/01	99.69	10.56	89.13	
MW-6D	10/15/01	99.69	9.51	90.18	
MW-6D	03/18/02	99.69	9.55	90.14	
MW-6D	09/06/02	99.69	9.10	90.59	
MW-6D	03/17/03	99.69	9.29	90.40	
MW-6D	10/03/03	99.69	9.32	90.37	
MW-6D	04/07/04	99.69	9.76	89.93	
MW-6D	10/14/04	99.69	NA	NA	Well not accessible
MW-6D	05/31/05	99.69	NA	NA	Well not accessible
MW-6D	12/12/05	99.69	NA	NA	Well not accessible
MW-6S	11/01/99	99.80	9.20	90.60	
MW-6S	04/03/00	99.80	10.33	89.47	
MW-6S	10/23/00	99.80	10.37	89.43	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-6S	04/16/01	99.80	10.59	89.21	
MW-6S	10/15/01	99.80	9.58	90.22	
MW-6S	03/18/02	99.80	9.81	89.99	
MW-6S	09/05/02	99.80	9.25	90.55	
MW-6S	03/17/03	99.80	9.51	90.29	
MW-6S	10/03/03	99.80	9.45	90.35	
MW-6S	04/07/04	99.80	9.90	89.90	
MW-6S	10/14/04	99.80	NA	NA	Well not accessible
MW-6S	05/31/05	99.80	NA	NA	Well not accessible
MW-6S	12/12/05	99.80	NA	NA	Well not accessible
MW-7D	11/01/99	102.27	7.29	94.98	
MW-7D	04/03/00	102.27	9.80	92.47	
MW-7D	10/23/00	102.27	9.98	92.29	
MW-7D	04/16/01	102.27	9.72	92.55	
MW-7D	10/15/01	102.27	8.08	94.19	
MW-7D	03/18/02	102.27	8.94	93.33	
MW-7D	09/08/02	102.27	6.91	95.36	
MW-7D	03/17/03	102.27	7.89	94.38	
MW-7D	10/03/03	102.27	7.90	94.37	
MW-7D	04/07/04	102.27	9.30	92.97	
MW-7D	10/14/04	102.27	6.75	95.52	
MW-7D	05/31/05	102.27	7.94	94.33	
MW-7D	12/12/05	102.27	8.08	94.19	
MW-7D	04/23/06	102.27	10.12	92.15	
MW-7S	11/01/99	100.05	5.20	94.85	
MW-7S	04/03/00	100.05	7.50	92.55	
MW-7S	10/23/00	100.05	7.53	92.52	
MW-7S	04/16/01	100.05	7.32	92.73	
MW-7S	10/15/01	100.05	5.88	94.17	
MW-7S	03/18/02	100.05	6.18	93.87	
MW-7S	09/07/02	100.05	5.13	94.92	
MW-7S	03/17/03	100.05	5.16	94.89	
MW-7S	10/03/03	100.05	5.20	94.85	
MW-7S	04/07/04	100.05	7.10	92.95	
MW-7S	10/14/04	100.05	4.55	95.50	
MW-7S	05/31/05	100.05	5.61	94.44	
MW-7S	12/12/05	100.05	5.89	94.16	
MW-7S	04/23/06	100.05	7.89	92.16	
MW-8D	11/01/99	103.40	7.77	95.63	
MW-8D	04/03/00	103.40	10.41	92.99	
MW-8D	10/23/00	103.40	10.31	93.09	
MW-8D	04/16/01	103.40	9.76	93.64	
MW-8D	10/15/01	103.40	8.20	95.20	
MW-8D	03/18/02	103.40	9.15	94.25	
MW-8D	09/05/02	103.40	7.35	96.05	
MW-8D	03/17/03	103.40	8.88	94.52	
MW-8D	10/03/03	103.40	8.26	95.14	
MW-8D	04/07/04	103.40	9.35	94.05	
MW-8D	10/14/04	103.40	6.68	96.72	
MW-8D	05/31/05	103.40	9.15	94.25	
MW-8D	12/12/05	103.40	8.53	94.87	
MW-8D	04/23/06	103.40	10.27	93.13	
MW-8D	11/02/06	103.40	9.03	94.37	
MW-8S	11/01/99	102.17	6.33	95.84	
MW-8S	04/03/00	102.17	9.15	93.02	
MW-8S	10/23/00	102.17	8.86	93.31	
MW-8S	04/16/01	102.17	8.85	93.32	
MW-8S	10/15/01	102.17	7.27	94.90	
MW-8S	03/18/02	102.17	8.15	94.02	
MW-8S	09/05/02	102.17	6.25	95.92	
MW-8S	03/17/03	102.17	7.63	94.54	
MW-8S	10/03/03	102.17	6.95	95.22	
MW-8S	04/07/04	102.17	8.35	93.82	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-8S	10/14/04	102.17	5.67	96.50	
MW-8S	05/31/05	102.17	8.30	93.87	
MW-8S	12/12/05	102.17	7.65	94.52	
MW-8S	04/23/06	102.17	9.35	92.82	
MW-8S	11/02/06	102.17	8.11	94.06	
MW-9D	11/01/99	102.59	7.04	95.55	
MW-9D	04/03/00	102.59	9.39	93.20	
MW-9D	10/23/00	102.59	9.24	93.35	
MW-9D	04/16/01	102.59	9.02	93.57	
MW-9D	10/15/01	102.59	7.73	94.86	
MW-9D	03/18/02	102.59	8.40	94.19	
MW-9D	09/05/02	102.59	6.91	95.68	
MW-9D	03/17/03	102.59	8.02	94.57	
MW-9D	10/03/03	102.59	3.77	98.82	
MW-9D	04/07/04	102.59	8.70	93.89	
MW-9D	10/14/04	102.59	6.32	96.27	
MW-9D	05/31/05	102.59	8.64	93.95	
MW-9D	12/12/05	102.59	8.08	94.51	
MW-9D	04/23/06	102.59	9.67	92.92	
MW-9D	11/02/06	102.59	8.53	94.06	
MW-10D	11/01/99	104.35	9.66	94.69	
MW-10D	04/03/00	104.35	11.95	92.40	
MW-10D	10/23/00	104.35	11.60	92.75	
MW-10D	04/16/01	104.35	11.53	92.82	
MW-10D	10/15/01	104.35	10.32	94.03	
MW-10D	03/18/02	104.35	11.50	92.85	
MW-10D	09/05/02	104.35	9.48	94.87	
MW-10D	03/17/03	104.35	10.62	93.73	
MW-10D	10/03/03	104.35	10.18	94.17	
MW-10D	04/07/04	104.35	11.30	93.05	
MW-10D	10/14/04	104.35	8.80	95.55	
MW-10D	05/31/05	104.35	11.55	92.80	
MW-10D	12/12/05	104.35	11.00	93.35	
MW-10D	04/23/06	104.35	12.35	92.00	
MW-10D	11/01/06	104.35	11.36	92.99	
MW-10S	11/01/99	103.31	8.54	94.77	
MW-10S	04/03/00	103.31	10.79	92.52	
MW-10S	10/23/00	103.31	10.48	92.83	
MW-10S	04/16/01	103.31	10.41	92.90	
MW-10S	10/15/01	103.31	9.20	94.11	
MW-10S	03/18/02	103.31	9.96	93.35	
MW-10S	09/05/02	103.31	8.35	94.96	
MW-10S	03/17/03	103.31	9.51	93.80	
MW-10S	10/03/03	103.31	9.05	94.26	
MW-10S	04/07/04	103.31	10.14	93.17	
MW-10S	10/14/04	103.31	7.67	95.64	
MW-10S	05/31/05	103.31	10.41	92.90	
MW-10S	12/12/05	103.31	9.86	93.45	
MW-10S	04/23/06	103.31	11.22	92.09	
MW-10S	11/01/06	103.31	10.20	93.11	
MW-11	11/01/99	96.24	6.63	89.61	
MW-11	04/03/00	96.24	7.75	88.49	
MW-11	10/23/00	96.24	7.84	88.40	
MW-11	04/16/01	96.24	8.30	87.94	
MW-11	10/15/01	96.24	6.97	89.27	
MW-11	03/18/02	96.24	7.15	89.09	
MW-11	09/06/02	96.24	6.70	89.54	
MW-11	03/17/03	96.24	6.91	89.33	
MW-11	10/03/03	96.24	6.95	89.29	
MW-11	04/07/04	96.24	7.54	88.70	
MW-11	10/14/04	96.24	6.45	89.79	
MW-11	05/31/05	96.24	7.43	88.81	
MW-11	12/12/05	96.24	7.05	89.19	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-11	01/29/06	96.24	7.45	88.79	
MW-11	02/26/06	96.24	7.37	88.87	
MW-11	03/26/06	96.24	7.75	88.49	
MW-11	04/23/06	96.24	8.14	88.10	
MW-11	05/23/06	96.24	8.27	87.97	
MW-11	06/26/06	96.24	7.94	88.30	
MW-11	07/26/06	96.24	7.12	89.12	
MW-11	09/05/06	96.24	6.80	89.44	
MW-11	10/02/06	96.24	7.15	89.09	
MW-11	10/31/06	96.24	7.50	88.74	
MW-11	11/28/06	96.24	7.57	88.67	
MW-11	12/17/06	96.24	7.35	88.89	
MW-11	01/31/07	96.24	7.25	88.99	
MW-11	02/25/07	97.24	7.50	89.74	
MW-11	03/25/07	96.24	8.75	87.49	
MW-11	04/21/07	96.24	7.97	88.27	
MW-12	11/01/99	97.95	6.71	91.24	
MW-12	04/03/00	97.95	7.97	89.98	
MW-12	10/23/00	97.95	8.00	89.95	
MW-12	04/16/01	97.95	8.30	89.65	
MW-12	10/15/01	97.95	7.16	90.79	
MW-12	03/18/02	97.95	7.35	90.60	
MW-12	09/07/02	97.95	6.68	91.27	
MW-12	03/17/03	97.95	7.08	90.87	
MW-12	10/03/03	97.95	7.00	90.95	
MW-12	04/07/04	97.95	7.89	90.06	
MW-12	10/14/04	97.95	6.10	91.85	
MW-12	05/31/05	97.95	7.93	90.02	
MW-12	12/12/05	97.95	7.45	90.50	
MW-12	03/26/06	97.95	8.25	89.70	
MW-12	04/23/06	97.95	8.63	89.32	
MW-12	05/23/06	97.95	8.81	89.14	
MW-12	06/26/06	97.95	8.37	89.58	
MW-12	07/26/06	97.95	7.45	90.50	
MW-12	09/05/06	97.95	7.25	90.70	
MW-12	10/02/06	97.95	7.35	90.60	
MW-12	10/31/06	97.95	7.84	90.11	
MW-12	01/31/07	97.95	7.97	89.98	
MW-12	04/21/07	97.95	8.40	89.55	
MW-15	11/01/99	99.21	8.75	90.46	
MW-15	04/03/00	99.21	9.97	89.24	
MW-15	10/23/00	99.21	10.01	89.20	
MW-15	04/16/01	99.21	10.33	88.88	
MW-15	10/15/01	99.21	9.20	90.01	
MW-15	03/18/02	99.21	9.25	89.96	
MW-15	09/04/02	99.21	8.82	90.39	
MW-15	03/17/03	99.21	8.89	90.32	
MW-15	10/03/03	99.21	9.03	90.18	
MW-15	04/07/04	99.21	9.71	89.50	
MW-15	10/14/04	99.21	8.25	90.96	
MW-15	05/31/05	99.21	9.82	89.39	
MW-15	12/12/05	99.21	9.22	89.99	
MW-15	01/29/06	99.21	9.70	89.51	
MW-15	02/26/06	99.21	9.65	89.56	
MW-15	03/26/06	99.21	10.04	89.17	
MW-15	04/23/06	99.21	10.40	88.81	
MW-15	05/23/06	99.21	10.63	88.58	
MW-15	06/26/06	99.21	10.20	89.01	
MW-15	07/26/06	99.21	9.26	89.95	
MW-15	09/05/06	99.21	8.95	90.26	
MW-15	10/02/06	99.21	9.24	89.97	
MW-15	10/31/06	99.21	9.72	89.49	
MW-15	11/28/06	99.21	9.85	89.36	
MW-15	12/17/06	99.21	9.68	89.53	
MW-15	02/01/07	99.21	9.40	89.81	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-15	03/01/07	99.21	9.76	89.45	
MW-15	03/25/07	99.21	10.00	89.21	
MW-15	04/21/07	99.21	10.33	88.88	
MW-16D	11/01/99	103.70	12.05	91.65	
MW-16D	04/03/00	103.70	13.26	90.44	
MW-16D	10/23/00	103.70	13.00	90.70	
MW-16D	04/16/01	103.70	13.25	90.45	
MW-16D	10/15/01	103.70	12.60	91.10	
MW-16D	03/18/02	103.70	12.83	90.87	
MW-16D	09/04/02	103.70	11.93	91.77	
MW-16D	03/17/03	103.70	12.51	91.19	
MW-16D	10/03/03	103.70	12.38	91.32	
MW-16D	04/07/04	103.70	13.13	90.57	
MW-16D	10/14/04	103.70	11.45	92.25	
MW-16D	05/31/05	103.70	13.40	90.30	
MW-16D	12/12/05	103.70	12.91	90.79	
MW-16D	03/26/06	103.70	13.67	90.03	
MW-16D	04/23/06	103.70	13.99	89.71	
MW-16D	05/24/06	103.70	14.22	89.48	
MW-16D	06/27/06	103.70	13.59	90.11	
MW-16D	07/27/06	103.70	12.70	91.00	
MW-16D	09/06/06	103.70	12.46	91.24	
MW-16D	10/02/06	103.70	12.75	90.95	
MW-16D	11/02/06	103.70	13.27	90.43	
MW-16D	11/28/06	103.70	13.53	90.17	
MW-16D	12/18/06	103.70	13.45	90.25	
MW-16D	02/01/07	103.70	13.00	90.70	
MW-16D	03/01/07	103.70	13.25	90.45	
MW-16D	03/26/07	103.70	13.40	90.30	
MW-16D	04/22/07	103.70	13.76	89.94	
MW-16S	11/01/99	104.30	12.67	91.63	
MW-16S	04/03/00	104.30	13.96	90.34	
MW-16S	10/23/00	104.30	13.83	90.47	
MW-16S	04/16/01	104.30	13.66	90.64	
MW-16S	10/15/01	104.30	12.76	91.54	
MW-16S	03/18/02	104.30	13.22	91.08	
MW-16S	09/04/02	104.30	12.35	91.95	
MW-16S	03/17/03	104.30	13.17	91.13	
MW-16S	10/03/03	104.30	13.07	91.23	
MW-16S	04/07/04	104.30	13.50	90.80	
MW-16S	10/14/04	104.30	11.82	92.48	
MW-16S	05/31/05	104.30	13.74	90.56	
MW-16S	12/12/05	104.30	13.29	91.01	
MW-16S	03/26/06	104.30	14.05	90.25	
MW-16S	04/23/06	104.30	14.39	89.91	
MW-16S	05/24/06	104.30	14.62	89.68	
MW-16S	06/27/06	104.30	14.00	90.30	
MW-16S	07/27/06	104.30	13.11	91.19	
MW-16S	09/06/06	104.30	12.87	91.43	
MW-16S	10/02/06	104.30	13.15	91.15	
MW-16S	11/02/06	104.30	13.66	90.64	
MW-16S	11/28/06	104.30	13.92	90.38	
MW-16S	12/18/06	104.30	13.83	90.47	
MW-16S	02/01/07	104.30	13.38	90.92	
MW-16S	03/01/07	104.30	13.70	90.60	
MW-16S	03/26/07	104.30	13.80	90.50	
MW-16S	04/22/07	104.30	14.15	90.15	
MW-17	11/01/99	103.23	8.92	94.31	
MW-17	04/03/00	103.23	11.17	92.06	
MW-17	10/23/00	103.23	10.92	92.31	
MW-17	04/16/01	103.23	10.87	92.36	
MW-17	10/15/01	103.23	9.65	93.58	
MW-17	03/18/02	103.23	10.38	92.85	
MW-17	09/05/02	103.23	8.79	94.44	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-17	03/17/03	103.23	9.95	93.28	
MW-17	10/03/03	103.23	9.55	93.68	
MW-17	04/07/04	103.23	10.60	92.63	
MW-17	10/14/04	103.23	8.00	95.23	
MW-17	05/31/05	103.23	10.95	92.28	
MW-17	12/12/05	103.23	10.32	92.91	
MW-17	04/23/06	103.23	11.70	91.53	
MW-17	11/02/06	103.23	10.65	92.58	
MW-18	12/12/05	NA	8.08	NA	Top of casing elevation not surveyed
MW-18	01/29/06	NA	8.52	NA	Top of casing elevation not surveyed
MW-18	02/26/06	NA	8.45	NA	Top of casing elevation not surveyed
MW-18	03/26/06	NA	8.85	NA	Top of casing elevation not surveyed
MW-18	04/23/06	NA	9.25	NA	Top of casing elevation not surveyed
MW-18	05/23/06	NA	9.47	NA	Top of casing elevation not surveyed
MW-18	06/26/06	98.09	9.02	89.07	
MW-18	07/26/06	98.09	8.13	89.96	
MW-18	09/05/06	98.09	7.80	90.29	
MW-18	10/02/06	98.09	8.10	89.99	
MW-18	10/31/06	98.09	8.60	89.49	
MW-18	11/28/06	98.09	8.65	89.44	
MW-18	12/17/06	98.09	8.45	89.64	
MW-18	01/31/07	98.09	8.25	89.84	
MW-18	03/01/07	98.09	8.54	89.55	
MW-18	03/26/07	98.09	8.83	89.26	
MW-18	04/21/07	98.09	9.08	89.01	
MW-19	12/12/05	NA	12.94	NA	Top of casing elevation not surveyed
MW-19	01/29/06	NA	13.37	NA	Top of casing elevation not surveyed
MW-19	02/26/06	NA	13.28	NA	Top of casing elevation not surveyed
MW-19	03/26/06	NA	13.71	NA	Top of casing elevation not surveyed
MW-19	04/23/06	NA	14.15	NA	Top of casing elevation not surveyed
MW-19	05/23/06	NA	14.35	NA	Top of casing elevation not surveyed
MW-19	06/26/06	100.27	13.89	86.38	
MW-19	07/26/06	100.27	12.94	87.33	
MW-19	09/05/06	100.27	12.59	87.68	
MW-19	10/02/06	100.27	12.93	87.34	
MW-19	10/31/06	100.27	13.40	86.87	
MW-19	02/01/07	100.27	13.10	87.17	
MW-19	04/21/07	100.27	14.05	86.22	
MW-20	12/12/05	NA	11.95	NA	Top of casing elevation not surveyed
MW-20	01/29/06	NA	12.39	NA	Top of casing elevation not surveyed
MW-20	02/26/06	NA	12.43	NA	Top of casing elevation not surveyed
MW-20	03/26/06	NA	12.74	NA	Top of casing elevation not surveyed
MW-20	04/23/06	NA	13.14	NA	Top of casing elevation not surveyed
MW-20	05/21/06	NA	13.25	NA	Top of casing elevation not surveyed
MW-20	06/25/06	102.67	12.85	89.82	
MW-20	07/23/06	102.67	11.79	90.88	
MW-20	08/27/06	102.67	12.35	90.32	
MW-20	10/01/06	102.67	11.76	90.91	
MW-20	10/29/06	102.67	12.35	90.32	
MW-20	01/28/07	102.67	12.09	90.58	
MW-20	04/22/07	102.67	12.95	89.72	
MW-21	12/12/05	NA	11.68	NA	Top of casing elevation not surveyed
MW-21	01/29/06	NA	12.10	NA	Top of casing elevation not surveyed
MW-21	02/26/06	NA	12.15	NA	Top of casing elevation not surveyed
MW-21	03/26/06	NA	12.45	NA	Top of casing elevation not surveyed
MW-21	04/23/06	NA	12.85	NA	Top of casing elevation not surveyed
MW-21	05/21/06	NA	12.98	NA	Top of casing elevation not surveyed
MW-21	06/25/06	101.97	12.58	89.39	
MW-21	07/23/06	101.97	11.55	90.42	
MW-21	08/27/06	101.97	12.05	89.92	
MW-21	10/01/06	101.97	11.54	90.43	
MW-21	10/29/06	101.97	12.10	89.87	
MW-21	11/26/06	101.97	12.24	89.73	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-21	12/17/06	101.97	12.17	89.80	
MW-21	01/28/07	101.97	11.79	90.18	
MW-21	02/25/07	101.97	12.10	89.87	
MW-21	03/25/07	101.97	14.45	87.52	*Field error - depth to Groundwater is incorrect*
MW-21	04/22/07	101.97	12.73	89.24	
MW-22	12/12/05	NA	10.75	NA	Top of casing elevation not surveyed
MW-22	01/29/06	NA	11.17	NA	Top of casing elevation not surveyed
MW-22	02/26/06	NA	11.16	NA	Top of casing elevation not surveyed
MW-22	03/26/06	NA	11.53	NA	Top of casing elevation not surveyed
MW-22	04/23/06	NA	11.95	NA	Top of casing elevation not surveyed
MW-22	05/21/06	NA	12.06	NA	Top of casing elevation not surveyed
MW-22	06/25/06	102.23	11.65	90.58	
MW-22	07/23/06	102.23	10.59	91.64	
MW-22	08/27/06	102.23	11.13	91.10	
MW-22	10/01/06	102.23	10.60	91.63	
MW-22	10/29/06	102.23	11.20	91.03	
MW-22	11/26/06	102.23	11.29	90.94	
MW-22	12/17/06	102.23	11.20	91.03	
MW-22	01/28/07	102.23	10.85	91.38	
MW-22	02/25/07	102.23	11.20	91.03	
MW-22	03/25/07	102.23	11.64	90.59	
MW-22	04/22/07	102.23	11.88	90.35	
MW-A	11/01/99	105.01	10.75	94.26	
MW-A	04/03/00	105.01	12.46	92.55	
MW-A	10/23/00	105.01	NA	NA	Not measured; well was not guaged
MW-A	04/16/01	105.01	12.15	92.86	
MW-A	10/15/01	105.01	11.15	93.86	
MW-A	03/18/02	105.01	11.77	93.24	
MW-A	09/05/02	105.01	7.04	97.97	
MW-A	03/17/03	105.01	11.35	93.66	
MW-A	10/03/03	105.01	10.98	94.03	
MW-A	04/07/04	105.01	12.09	92.92	
MW-A	10/14/04	105.01	9.10	95.91	
MW-A	05/31/05	105.01	12.48	92.53	
MW-A	12/12/05	105.01	12.17	92.84	
MW-D	11/01/99	102.96	7.14	95.82	
MW-D	04/03/00	102.96	9.64	93.32	
MW-D	10/23/00	102.96	9.59	93.37	
MW-D	04/16/01	102.96	9.48	93.48	
MW-D	10/15/01	102.96	11.15	91.81	
MW-D	03/18/02	102.96	8.83	94.13	
MW-D	09/06/02	102.96	10.30	92.66	
MW-D	03/17/03	102.96	8.10	94.86	
MW-D	10/03/03	102.96	7.43	95.53	
MW-D	04/07/04	102.96	8.93	94.03	
MW-D	10/14/04	102.96	6.50	96.46	
MW-D	05/31/05	102.96	8.57	94.39	
MW-D	12/12/05	102.96	7.88	95.08	

LEGEND

NA = Not Analyzed
FT = Feet

NOTES:
(1) Monitoring wells MW-19 through MW-22 were surveyed on May 31, 2006.

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-1D	10/25/00	**1.7**	<0.1	<0.04	**3.7**	3.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	04/18/01	**2**	<0.1	<0.04	**1.6**	3	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	10/17/01	**0.12**	<0.1	<0.04	**0.82**	0.52	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	03/20/02	**1.4**	<0.1	<0.04	<0.05	2.6	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	09/05/02	**1.3 [1.6]**	<1 [<1]	<0.4 [<0.4]	**0.83 [1]**	2 [2.5]	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]	<1 [<1]
MW-1D	03/17/03	**0.24 [0.28]**	<0.1 [<0.1]	<0.005 [<0.005]	**0.36 [0.38]**	0.36 [0.35]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	10/03/03	**0.33 [0.33]**	<0.2 [<0.2]	<0.01 [<0.01]	**0.54 [0.59]**	0.6 [0.61]	<0.01 [<0.01]	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]
MW-1D	04/08/04	**0.28 [0.32]**	<0.5 [<0.5]	<0.025 [<0.025]	**0.45 [0.49]**	0.37 [0.38]	<0.025 [<0.025]	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]
MW-1D	10/18/04	**0.14 [0.2]**	<0.1 [<0.2]	<0.005 [<0.01]	**0.36 [0.4]**	0.17 [0.2]	<0.005 [<0.01]	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]
MW-1D	06/02/05	0.031	<0.1	<0.005	**0.27**	0.08	0.061	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	12/16/05	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	0.075 [0.077]	0.036 [0.036]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	03/28/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.1	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	04/26/06	<0.005	<0.1	<0.002	<0.01	0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	05/24/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	06/28/06	<0.005	<0.1	<0.002	0.05	<0.03	0.05	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	07/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	09/06/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	10/03/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.049	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	11/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	02/01/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	04/22/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	0.045	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	10/25/00	**0.84**	<0.1	<0.04	**1.1**	5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/18/01	**0.11 [0.11]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.49 [0.49]**	1.5 [1.5]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1S	10/17/01	**0.92**	<0.1	<0.04	**0.33**	0.28	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/20/02	**0.12**	<0.1	<0.04	**0.22**	0.27	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	09/05/02	**0.13**	<0.1	<0.04	**0.2**	0.32	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/17/03	0.015	<0.1	<0.005	0.1	0.069	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	10/03/03	<0.005	<0.1	<0.005	0.08	0.09	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/08/04	**0.16**	<0.1	<0.005	**0.72**	0.48	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	10/18/04	<0.01	<0.2	<0.01	0.1	0.04	<0.01	<0.1	<0.2	<0.2	<0.2	<0.2
MW-1S	06/02/05	<0.005	<0.1	<0.005	0.07	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/28/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/26/06	<0.005	<0.1	<0.002	<0.01	0.019 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	05/24/06	0.005	<0.1	<0.002	<0.01	0.016 I	<0.002	0.08	<0.1	<0.1	<0.1	<0.1
MW-1S	06/28/06	<0.005	<0.1	<0.002	<0.01	0.013 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	07/26/06	<0.005	<0.1	<0.002	<0.01	0.0097 I	0.0045	0.083	<0.1	<0.1	<0.1	<0.1
MW-1S	09/06/06	<0.0023	<0.0019	<0.002	<0.003	0.02	<0.0014	0.081	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	10/03/06	<0.0046	<0.0038	<0.004	0.034	0.016	<0.0028	<0.0038	<0.0036	<0.0054	<0.0036	<0.0038
MW-1S	11/01/06	<0.0023	<0.0019	<0.002	0.013	0.0085 I	<0.0014	0.04	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	02/01/07	<0.0023	<0.0019	<0.002	0.025	<0.0023	<0.0014	0.038	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	04/22/07	<0.0023	<0.0019	<0.002	0.033	<0.0023	<0.0014	0.058	<0.0018	<0.0027	<0.0018	<0.0019
MW-2D	04/06/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	10/25/00	**0.62**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	04/18/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	10/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	03/20/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	09/05/02	<0.04	<0.1	<0.04	**0.32**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-2D	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	10/18/04	<0.005	<0.1	<0.005	**0.19**	<0.03	0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	06/02/05	0.014	<0.1	<0.005	<0.01	<0.03	0.039	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.047	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	11/01/06	**0.056**	<0.0019	<0.002	0.039	<0.0023	0.059	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-2S	04/06/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/25/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	04/18/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	03/20/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	11/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	0.0029 I	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-3D	10/26/00	**0.08**	<0.1	<0.04	**0.14**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/18/01	**0.12**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	10/17/01	**0.06 [0.07]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	03/20/02	0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	09/06/02	<0.04	<0.1	<0.04	0.06	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/09/04	0.02	<0.1	<0.005	<0.01	<0.03	0.06	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	10/19/04	0.02	<0.1	<0.005	**0.22**	0.04	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	06/03/05	0.016 [0.016]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	0.054 [0.07]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	12/20/05	0.014	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/25/06	<0.005	<0.1	<0.002	0.056	<0.03	0.088	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	11/02/06	<0.0023	<0.0019	<0.002	0.011 I	<0.0023	0.058	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-3S	10/26/00	**0.37**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	04/18/01	**0.54**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	10/17/01	**0.55**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	03/20/02	**0.27 [0.2]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/05/02	**0.21 [0.15]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.21 [0.19]**	0.16 [0.13]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	04/09/04	**0.12**	<0.1	<0.005	<0.01	0.061	0.08	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	10/19/04	**0.09**	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	06/03/05	<0.005 [0.17]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	0.095 [0.091]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	12/20/05	**0.25**	<0.1	<0.002	<0.01	0.17	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	04/25/06	**0.25 [0.25]**	<0.1 [<0.1]	0.18 [0.16]	<0.01 [<0.01]	0.12 [0.1]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	05/24/06	**0.16 [0.13]**	<0.1 [<0.1]	<0.002 [<0.002]	**0.35 [0.25]**	0.039 [0.032]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	06/28/06	**0.14**	<0.1	<0.002	**0.19**	0.05	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	07/26/06	**0.13 [0.18]**	<0.1 [<0.1]	<0.002 [<0.002]	0.067 [0.086]	0.065 [0.087]	0.076 [0.099]	0.2 [0.26]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/06/06	**0.17 [0.17]**	<0.0019 [<0.0019]	<0.002 [<0.002]	**0.11 [0.13]**	0.11 [0.096]	0.08 [0.068]	0.2 [0.16]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-3S	10/02/06	**0.45**	<0.038	<0.04	0.096	0.24	0.13	<0.038	<0.036	<0.054	<0.036	<0.038
MW-3S	11/02/06	**0.21**	<0.019	<0.02	<0.03	0.14	0.14	0.32	<0.018	<0.027	<0.018	<0.019
MW-3S	04/22/07	**0.21**	<0.019	<0.02	**0.34**	<0.023	0.16	0.39	0.59	<0.027	<0.018	<0.019
MW-4D	04/06/00	**3.9**	<0.1	<0.04	<0.05	6.6	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	10/26/00	**4.4**	<0.1	<0.04	**3.3**	9.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	04/18/01	**4.3**	<0.1	<0.04	**3.3**	6.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-4D	10/17/01	**5.1**	<0.1	<0.04	**3.6**	10	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	03/20/02	**3**	<0.1	<0.04	<0.05	7.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	09/06/02	**2.2**	<1	<0.4	**2.2**	4.5	<0.3	<0.5	<1	<1	<1	<1
MW-4D	04/09/04	**0.63**	<1	<0.05	**0.7**	1.3	<0.05	<0.5	<1	<1	<1	<1
MW-4D	10/19/04	**0.39**	<0.5	<0.025	**0.68**	1.4	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-4D	06/06/05	**0.11**	<0.5	<0.025	**0.38**	0.27	0.086	<0.25	<0.5	<0.5	<0.5	<0.5
MW-4D	12/21/05	**0.36**	<0.1	<0.002	<0.1	0.93	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	04/26/06	**0.18**	<0.1	<0.002	<0.01	0.52	0.11	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	11/02/06	**0.23**	<0.038	<0.04	**0.25**	0.76	0.19	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	04/06/00	**7.6**	<0.1	<0.04	**7.5**	23	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	10/26/00	**8.8 [9.3]**	<0.1 [<0.1]	<0.04 [<0.04]	**11 [11]**	32 [33]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-4S	04/18/01	**8.4**	<0.1	<0.04	**8.4**	20	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	10/17/01	**3.1**	<0.1	<0.04	**9.5**	7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	03/20/02	**3.3**	<0.1	<0.04	**5.5**	5.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	09/06/02	**1.9 [2.4]**	<1 [<1]	<0.4 [<0.4]	**5.2 [6.5]**	3.2 [3.8]	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]	<1 [<1]
MW-4S	04/09/04	**4.4**	<5	<0.25	**6.7**	5.9	<0.25	<2.5	<5	<5	<5	<5
MW-4S	10/19/04	**2.2**	<1	<0.05	**6.7**	4	<0.05	<0.5	<1	<1	<1	<1
MW-4S	06/06/05	**2.3**	<2.5	<0.125	**12**	6.5	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	12/21/05	**3**	<0.1	<0.002	**7**	6.2	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	04/26/06	**1.7**	<1	<0.02	**2.2**	4.5	0.19	<0.5	<1	<1	<1	<1
MW-4S	05/24/06	**3.2**	<2.5	<0.05	**5.9**	15	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	06/27/06	**1.5**	<2.5	<0.05	**3.4**	6.5	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	07/27/06	**1.1**	<2	<0.04	**4.6**	4.4	<0.04	<1	<2	<2	<2	<2
MW-4S	09/06/06	**0.77**	<0.038	<0.04	**4.6**	3.6	0.4	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	10/03/06	**0.69**	<0.038	<0.04	**4.8**	3.8	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	11/02/06	**1.2**	<0.038	<0.04	**4.2**	4.5	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	04/22/07	**3**	<0.095	<0.1	**6.2**	11	0.32	<0.095	<0.09	<0.135	<0.09	<0.095
MW-5D	04/04/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	04/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.007	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.008	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	04/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.009	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/04/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/15/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.008	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.013	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.015	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-5S	04/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.017	<0.05	<0.1	<0.1	<0.1	<0.1
MW-6D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-6S	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.04	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.04	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.43	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.47	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.57	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	10/25/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/08/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-8D	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	06/02/05	<0.005	<0.1	<0.005	0.02	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-8S	10/25/00	<0.04	<0.1	<0.04	**0.22**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	10/16/01	<0.04	<0.1	<0.04	**0.29**	0.09	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.022	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.012	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	11/02/06	<0.0023	0.0093	<0.002	<0.003	<0.0023	0.019	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-9D	10/25/00	**0.08**	<0.1	<0.04	**0.31**	0.8	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/17/01	<0.04	<0.1	<0.04	**0.38**	0.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	10/16/01	**0.06**	<0.1	<0.04	**0.34**	0.82	0.19	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	03/19/02	**0.06**	<0.1	<0.04	**0.33**	0.29	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	09/05/02	**0.08**	<0.1	<0.04	**0.39**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/08/04	0.01	<0.1	<0.005	<0.01	0.04	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	10/19/04	0.02	<0.1	<0.005	0.07	0.06	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	06/03/05	<0.005	<0.1	<0.005	<0.01	0.023	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	12/20/05	**0.07**	<0.1	<0.002	<0.01	0.13	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	0.1	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-10D	10/25/00	<0.04	<0.1	<0.04	**0.84**	0.07	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-10D	04/17/01	<0.04	<0.1	<0.04	**0.19**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	03/19/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	**0.15 [0.17]**	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	09/05/02	<0.04	<0.1	<0.04	0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	10/19/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	06/03/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	12/20/05	<0.005	<0.1	<0.002	0.02	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	04/25/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	11/01/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-10S	10/25/00	**1.8**	<0.1	<0.04	**19**	6.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	04/17/01	**1.6**	<0.1	<0.04	**24**	6.5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	10/16/01	**1.8 [1.6]**	<0.1 [<0.1]	<0.04 [<0.04]	**59 [60]**	19 [19]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	03/19/02	**0.91**	<0.1	<0.04	**29**	8.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	09/05/02	**0.59**	<1	<0.4	**27**	5.9	<0.3	<0.5	<1	<1	<1	<1
MW-10S	04/08/04	**0.53**	<1	<0.05	**13**	2.5	<0.05	<0.5	<1	<1	<1	<1
MW-10S	10/19/04	**0.32**	<2.5	<0.125	**17**	2.3	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-10S	06/03/05	**0.46**	<0.5	<0.025	**12**	1.9	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-10S	12/20/05	**1.4 [1.1]**	<0.1 [<0.1]	<0.002 [<0.002]	**7.8 [5.5]**	2.1 [1.6]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	04/25/06	**0.83**	<1	<0.02	**3.2**	1.1	<0.02	<0.5	<1	<1	<1	<1
MW-10S	11/01/06	**0.58**	<0.038	<0.04	**3.6**	1.2	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-11	11/13/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	03/18/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	05/06/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	07/09/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	10/14/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	01/18/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	06/01/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	12/12/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	02/01/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	02/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	03/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	04/24/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11	05/23/06	0.005	<0.1	<0.002	<0.01	0.004 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	06/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	07/26/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	11/28/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	12/17/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	01/31/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-11	02/25/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	03/25/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-11	04/21/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-12	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	11/13/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-12	03/18/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	10/14/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	01/18/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	06/01/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	12/13/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	03/27/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	04/24/06	<0.005	<0.1	<0.002	<0.01	0.0026 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	05/23/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	06/27/06	0.0024 I	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	07/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	10/02/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-12	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	01/31/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	10/16/01	**0.07**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	11/13/01	0.05 [0.05]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	03/18/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/07/04	**0.29**	<0.1	<0.005	<0.01	0.07	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	05/04/04	**0.23**	<0.1	<0.005	0.026	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	07/09/04	**0.25 [0.52]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	10/14/04	0.02	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	01/18/05	**0.063 [0.055]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	0.06 [0.05]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	06/01/05	**0.18**	<0.1	<0.005	<0.01	0.21	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	12/13/05	0.021 [0.024]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.15 [0.16]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	02/01/06	0.0037 I	<0.1	<0.002	<0.01	0.061	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	02/27/06	0.0055 [0.0039 I]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.068 [0.057]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	03/27/06	0.0065	<0.1	<0.002	0.014	0.075	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/24/06	0.0048 I	<0.1	<0.002	<0.01	0.08	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	05/23/06	0.01	<0.1	<0.002	<0.01	0.099	0.006	0.12	<0.1	<0.1	<0.1	<0.1
MW-15	06/27/06	0.0063 [0.0086]	0.011 I [0.011 I]	<0.002 [<0.002]	0.015 [0.015]	0.064 [0.063]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	07/26/06	0.0051	0.0074 I	<0.002	<0.01	0.044	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	09/05/06	<0.0023 [<0.0023]	0.013 [0.018]	<0.002 [<0.002]	<0.003 [<0.003]	0.037 [0.053]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-15	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	10/31/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	0.02 [0.019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-15	11/28/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.011	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	12/17/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	02/01/07	<0.0023	<0.0019	<0.002	<0.003	0.0089 I	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	03/01/07	<0.0023	<0.0019	<0.002	0.0039 I	0.0053 I	<0.0014	0.0079	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	03/25/07	0.0014 J	<0.0019	<0.002	0.0053 I	0.0053 I	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	04/21/07	<0.0023	<0.0019	<0.002	0.0065 I	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	10/25/00	<0.04	<0.1	<0.04	**0.31**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/17/01	<0.04	<0.1	<0.04	**1.8**	0.29	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	10/16/01	**0.86**	<0.1	<0.04	**12**	3.9	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	03/19/02	**0.21 [0.25]**	<0.1 [<0.1]	<0.04 [<0.04]	**5.2 [5.9]**	1.1 [1.3]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-16D	09/04/02	**0.76**	<0.1	<0.04	**0.76**	0.13	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/07/04	0.04	<0.1	<0.005	**5.1**	0.08	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	10/19/04	**0.57**	<2.5	<0.125	**12**	2.9	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16D	06/06/05	**0.22**	<2.5	<0.125	**8.4**	1.2	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16D	12/21/05	**0.21**	<0.1	<0.002	**3.8**	0.57	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	03/28/06	**0.059**	<0.1	<0.002	**1.2**	0.16	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/26/06	0.022 [0.025]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.02 I [0.02 I]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16D	05/24/06	0.009	<0.1	<0.002	0.046	0.038	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	06/28/06	0.021	<0.1	<0.002	**0.53**	0.069	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	07/27/06	**0.14**	<2	<0.04	**4.5**	1	0.096	0.066	<2	<2	<2	<2
MW-16D	09/06/06	**0.19**	0.066	<0.02	**4.9**	1.1	0.11	<0.019	<0.018	<0.027	<0.018	<0.019
MW-16D	10/02/06	**0.26 [0.24]**	<0.038 [<0.038]	<0.04 [<0.04]	**6.3 [6.5]**	1.3 [1.3]	0.21 [0.2]	<0.038 [<0.038]	<0.036 [<0.036]	<0.054 [<0.054]	<0.036 [<0.036]	<0.038 [<0.038]
MW-16D	11/02/06	**0.056**	<0.0095	<0.01	**2.5**	0.48	0.089	<0.0095	<0.009	<0.0135	<0.009	<0.0095
MW-16D	11/28/06	0.044	<0.0019	<0.002	**0.63**	0.12	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	12/18/06	0.0064 I	<0.0019	<0.002	**0.11**	0.019	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	02/01/07	**0.28**	<0.0019	<0.002	**2.8**	0.68	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	03/01/07	**0.14**	<0.038	<0.04	**2.4**	0.56	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-16D	04/22/07	0.043 [0.049]	<0.019 [<0.019]	<0.02 [<0.02]	**0.93 [0.9]**	0.24 [0.33]	<0.014 [<0.014]	<0.019 [<0.019]	<0.018 [<0.018]	<0.027 [<0.027]	<0.018 [<0.018]	<0.019 [<0.019]
MW-16S	10/24/00	**8.9**	<0.1	<0.04	**36**	13	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	04/17/01	**1.8 [1.7]**	<0.1 [<0.1]	<0.04 [<0.04]	**27 [26]**	8.5 [7.7]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	10/16/01	**0.9 [0.9]**	<0.1 [<0.1]	<0.04 [<0.04]	**8.3 [8]**	2 [2]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	03/19/02	**0.83**	<0.1	<0.04	**7**	2.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	09/04/02	**0.77**	<1	<0.4	**4.8**	1.3	0.43	<0.5	<1	<1	<1	<1
MW-16S	04/07/04	**0.1**	<1	<0.05	**2**	0.5	0.13	<0.5	<1	<1	<1	<1
MW-16S	10/19/04	<0.025	<0.5	<0.025	**0.37**	<0.15	0.07	<0.25	<0.5	<0.5	<0.5	<0.5
MW-16S	06/06/05	0.011	<0.2	<0.01	**0.59**	0.06	0.058	<0.1	<0.2	<0.2	<0.2	<0.2
MW-16S	12/21/05	0.0098	<0.1	<0.002	<0.01	0.062	0.057	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	03/28/06	0.037	<0.1	<0.002	**1.6**	0.22	0.074	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	04/26/06	**0.069**	<1	<0.02	**2.6**	0.33	0.056	<0.5	<1	<1	<1	<1
MW-16S	05/24/06	**0.18**	<2.5	<0.05	**5.3**	0.78	0.13	0.18	<2.5	<2.5	<2.5	<2.5
MW-16S	06/27/06	**0.11**	<2.5	<0.05	**3.4**	0.52	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16S	07/27/06	0.021	<1	<0.02	**0.99**	0.14	0.056	<0.5	<1	<1	<1	<1
MW-16S	09/06/06	**0.1**	0.16	<0.04	**1.1**	0.22	0.19	0.14	<0.036	<0.054	0.13	<0.038
MW-16S	10/02/06	0.011	0.019	<0.002	**0.57**	0.12	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	11/02/06	0.027	<0.0038	<0.004	**1**	0.13	0.11	<0.0038	<0.0036	<0.0054	<0.0036	<0.0038
MW-16S	11/28/06	**0.057**	<0.0019	<0.002	**1.59**	0.032	0.13	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	12/18/06	**0.075**	<0.0019	<0.002	**1.2**	<0.0023	0.082	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	02/01/07	0.018	<0.0019	<0.002	**0.48**	0.086	0.068	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	03/01/07	0.027	<0.0019	<0.002	**0.69**	0.11	0.066	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	03/26/07	0.038	<0.0095	<0.01	**0.97**	0.18	0.075	<0.0095	<0.009	<0.0135	<0.009	<0.0095
MW-16S	04/22/07	**0.084**	<0.019	<0.02	**2.3**	0.28	<0.014	<0.019	<0.018	<0.027	<0.018	<0.019
MW-17	10/25/00	**5.5**	<0.1	<0.04	**4.4**	9.5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	04/18/01	**1.9**	<0.1	<0.04	**2.1**	6.5	1.8	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	10/17/01	**1.6**	<0.1	<0.04	**2.2**	4.1	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	03/19/02	**2.4**	<0.1	<0.04	**0.94**	2.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	09/05/02	**1.6**	<1	<0.4	**1.3**	1.9	<0.3	<0.5	<1	<1	<1	<1
MW-17	04/08/04	**1.6**	<1	<0.05	**0.93**	2.2	0.52	<0.5	<1	<1	<1	<1
MW-17	10/19/04	**0.85**	<0.5	<0.025	**1**	2.4	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-17	06/03/05	**1**	<0.2	<0.01	**2.7**	6.5	0.032	<0.1	<0.2	<0.2	<0.2	<0.2

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-17	12/21/05	**0.83**	<0.1	<0.002	**2.3**	7.2	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	04/25/06	**0.55**	<0.1	<0.002	**1.7**	5.8	0.2	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	11/02/06	**0.51**	<0.038	<0.04	<0.06	3.9	0.19	<0.038	<0.036	<0.054	<0.036	<0.038
MW-18	12/13/05	**0.074**	<0.1	<0.002	<0.01	0.11	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	02/01/06	**0.052 [0.079]**	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [0.09]	0.19 [0.2]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-18	02/27/06	0.02	<0.1	<0.002	<0.01	0.071	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	03/27/06	0.011	<0.1	<0.002	<0.01	0.12	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	04/24/06	0.027	<0.1	<0.002	0.01	0.15	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	05/23/06	0.037	<0.1	<0.002	0.011	0.19	0.033	0.36	<0.1	<0.1	<0.1	<0.1
MW-18	06/27/06	0.04	<0.1	0.042	<0.01	0.15	0.027	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	07/26/06	0.028	<0.1	<0.002	<0.01	<0.03	0.024	0.18	<0.1	<0.1	<0.1	<0.1
MW-18	09/05/06	0.027	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	10/02/06	0.016	<0.0019	<0.002	<0.003	<0.0023	0.0054 I	0.091	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	10/31/06	0.025	0.03	<0.002	<0.003	<0.0023	<0.0014	0.11	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	11/28/06	0.024	<0.0019	<0.002	<0.003	0.072	<0.0014	0.19	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	12/17/06	0.018	<0.0019	<0.002	<0.003	0.059	0.011	0.14	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	01/31/07	0.0083 I	<0.0019	<0.002	<0.003	0.031	0.01	0.053	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	03/01/07	0.0085 I [0.0072 I]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	0.042 [0.041]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-18	03/26/07	<0.0023	<0.0019	0.0071 I	<0.003	0.0024 I	<0.0014	0.0054 I	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	12/13/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	02/01/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	02/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	03/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	04/24/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	05/23/06	<0.005	<0.1	<0.002	0.005 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	06/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	07/26/06	<0.005	<0.1	<0.002	0.0037 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	02/01/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	12/12/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	01/29/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	02/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	03/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	05/21/06	<0.005	<0.1	<0.002	0.003 I	0.0024 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	06/26/06	<0.005	<0.1	<0.002	0.0037 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	07/23/06	<0.005	<0.1	<0.002	0.0046 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	08/27/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	10/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	10/29/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	01/28/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.03	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	04/22/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.017	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	12/12/05	0.013	<0.1	<0.002	0.075	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	01/29/06	0.0094	<0.1	<0.002	0.078	0.019	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-21	02/26/06	0.0041 I	<0.1	<0.002	0.06	0.0097 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	03/26/06	<0.005	<0.1	<0.002	0.074	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	04/23/06	0.0094	<0.1	<0.002	**0.13**	0.025 I	0.0046	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	05/21/06	0.011	<0.1	0.004	0.011	0.028	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	06/26/06	0.014	<0.1	<0.002	0.1	0.018	0.014	<0.05	<0.1	<0.1	<0.1	0.0079 I
MW-21	07/23/06	0.022	<0.1	<0.002	**0.12**	<0.03	<0.002	0.029 I	<0.1	<0.1	<0.1	<0.1
MW-21	08/27/06	0.012	<0.0019	<0.002	0.091	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	10/01/06	0.01	<0.0019	<0.002	0.081	<0.0023	0.011	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	10/29/06	0.011	<0.0019	<0.002	0.1	0.023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	11/26/06	0.0087 I [0.0094]	<0.0019 [<0.0019]	<0.002 [<0.002]	0.069 [0.068]	0.012 [0.013]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-21	12/17/06	0.018 [0.019]	<0.0038 [<0.0019]	0.008 [0.0076 I]	0.075 [0.074]	<0.0046 [<0.0023]	0.009 [0.0092]	0.028 [0.026]	<0.0036 [<0.0018]	<0.0054 [<0.0027]	<0.0036 [<0.0018]	<0.0038 [<0.0019]
MW-21	01/28/07	0.009 I	<0.0019	<0.002	0.054	0.015	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	02/25/07	0.014	<0.0019	<0.002	0.073	0.03	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	03/25/07	0.0084 I	<0.0019	<0.002	0.052	0.013	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	04/22/07	0.014	<0.0019	<0.002	0.084	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	12/12/05	0.029	<0.1	<0.002	0.052	0.048	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	01/29/06	**0.11**	<0.1	<0.002	0.087	0.16	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	02/26/06	**0.085**	<0.1	<0.002	0.052	0.085	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	03/26/06	**0.086**	<0.1	<0.002	0.068	0.12	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	04/23/06	0.049	<0.1	<0.002	0.075	0.096	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	05/21/06	**0.21**	<0.1	<0.002	**0.16**	0.31	0.08	0.72	<0.1	<0.1	<0.1	<0.1
MW-22	06/26/06	0.042	<0.1	<0.002	0.07	0.063	0.023	0.25	<0.1	<0.1	<0.1	<0.1
MW-22	07/23/06	0.018	<0.1	<0.002	0.048	<0.03	0.0077	0.09	<0.1	<0.1	<0.1	<0.1
MW-22	08/27/06	0.048	<0.0019	<0.002	0.044	0.061	<0.0014	0.25	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	10/01/06	0.018	<0.0019	<0.002	0.025	0.018	0.0093	0.097	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	10/29/06	0.04	<0.0019	<0.002	0.078	0.062	0.038	0.25	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	11/26/06	0.047	<0.0019	0.033	0.061	0.068	0.04	0.34	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	12/17/06	**0.056**	<0.0038	<0.004	0.09	<0.0046	0.045	0.26	<0.0036	<0.0054	<0.0036	<0.0038
MW-22	01/28/07	0.04	<0.0019	0.034	0.085	0.059	0.047	0.31	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	02/25/07	0.031	<0.0019	<0.002	0.077	0.082	0.045	0.32	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	03/25/07	0.016	<0.0019	<0.002	0.058	0.026	0.013	0.15	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	04/22/07	0.014	<0.0019	0.0094	0.061	<0.0023	0.014	0.18	<0.0018	<0.0027	<0.0018	<0.0019
MW-D	04/05/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-1D	10/25/00	<0.1	<0.1	<0.04	<0.05	0.19	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	04/18/01	<0.1	<0.1	<0.04	<0.05	0.16	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	2.5	<3
MW-1D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	09/05/02	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-1D	03/17/03	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	10/03/03	<0.2 [<0.2]	<0.2 [<0.2]	<0.08 [<0.08]	<0.1 [<0.1]	<0.1 [<0.1]	<0.2 [<0.2]	NA	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<6 [<6]
MW-1D	04/08/04	<0.5 [<0.5]	<0.5 [<0.5]	<0.2 [<0.2]	<0.25 [<0.25]	<0.25 [<0.25]	<0.5 [<0.5]	NA	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<15 [<15]
MW-1D	10/18/04	<0.1 [<0.2]	<0.1 [<0.2]	<0.04 [<0.08]	<0.05 [<0.1]	<0.05 [<0.1]	<0.1 [<0.2]	NA	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<3 [<6]
MW-1D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	12/16/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	07/26/06	<0.1	<0.1	<0.04	<0.05	0.0041 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	09/06/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	10/03/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	11/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/17/03	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/03/03	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/18/04	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	NA	<0.1	<0.2	<0.2	<6
MW-1S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	04/26/06	<0.1	<0.1	<0.04	<0.05	0.008 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	09/06/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/03/06	<0.0032	<0.0042	0.017	<0.0044	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-1S	11/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0033 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2D	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	10/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.3 [0.28]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-2D	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	12/16/05	<0.1	<0.1	<0.04	<0.05	0.17	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	11/01/06	<0.0016	<0.0021	<0.0024	0.17	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2S	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	04/18/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2S	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2S	11/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-3D	10/26/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	04/18/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	10/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	09/06/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	04/09/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	10/19/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	06/03/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3D	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-3D	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.017	<3
MW-3D	11/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-3S	10/26/00	<0.1	<0.1	<0.04	<0.05	0.17	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	04/18/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**2.6**	<0.1	2.9	<3
MW-3S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	03/20/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	09/05/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	04/09/04	0.5	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	0.11	<0.1	<3
MW-3S	10/19/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	06/03/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-3S	04/25/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	05/24/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	0.72 [0.57]	<3 [<3]
MW-3S	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-3S	07/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	0.086 I [0.095 I]	<3 [<3]
MW-3S	09/06/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	0.11 [0.096]	<0.01 [<0.01]
MW-3S	10/02/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-3S	11/02/06	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-3S	04/22/07	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-4D	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	10/26/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	04/18/01	<0.1	<0.1	2.3	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-4D	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	09/06/02	<1	<1	<0.4	1.7	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4D	04/09/04	<1	<1	<0.4	<0.5	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4D	10/19/04	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	<0.5	<0.5	<15
MW-4D	06/06/05	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	<2.5	<0.25	<0.5	<0.5	<15
MW-4D	12/21/05	<0.1	<0.1	<0.04	<0.05	<0.5	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4D	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4D	11/02/06	<0.032	<0.042	<0.048	0.21	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/26/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-4S	04/18/01	<0.1	<0.1	<0.04	<0.05	1.4	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	09/06/02	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-4S	04/09/04	<5	<5	<2	<2.5	<2.5	<5	NA	<2.5	<5	<5	<150
MW-4S	10/19/04	<1	<1	<0.4	<0.5	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4S	06/06/05	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	12/21/05	<0.1	<0.1	<0.04	<0.05	<0.5	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4S	04/26/06	<1	<1	<0.4	<0.5	<0.5	<1	<5	<0.5	<1	<1	<30
MW-4S	05/24/06	<2.5	<2.5	<1	<1.25	0.14	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	06/27/06	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	07/27/06	<2	<2	<0.8	<1	<1	<2	<10	<1	<2	<2	<60
MW-4S	09/06/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	10/03/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	11/02/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	04/22/07	<0.08	<0.105	<0.12	<0.11	<0.12	<0.09	<0.75	<0.08	0.72	<0.1	<0.5
MW-5D	04/04/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	04/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	04/04/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/15/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-5S	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-6D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	0.07 [0.06]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-6S	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-7D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	06/02/05	<0.1	<0.1	<0.04	0.1	<0.05	<0.1	<0.5	<0.05	0.21	<0.1	<3
MW-7S	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	04/08/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-8D	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	11/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-8S	10/25/00	<0.1	<0.1	<0.04	<0.05	0.06	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8S	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8S	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	0.017 I	<0.1	<0.1	<3
MW-8S	11/02/06	<0.0016	0.011	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-9D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**0.73**	<0.1	<0.1	<3
MW-9D	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	09/05/02	<0.1	<0.1	<0.04	<0.05	**0.81**	<0.1	NA	**0.37**	<0.1	<0.1	<3
MW-9D	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	0.09	<0.1	<0.1	<3
MW-9D	10/19/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**0.43**	<0.1	<0.1	<3
MW-9D	06/03/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	**0.25**	<0.1	<0.1	<3
MW-9D	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-9D	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-9D	11/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	**0.32**	<0.0017	<0.002	<0.01
MW-10D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-12	03/18/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	10/14/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12	01/18/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	06/01/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	03/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12	04/24/06	<0.1	<0.1	<0.04	<0.05	0.0037 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.0041 I	<3
MW-12	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	10/02/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-12	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	01/31/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	11/13/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	03/18/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	05/04/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	07/09/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	10/14/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	01/18/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	06/01/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	12/13/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	02/01/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	02/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	05/23/06	<0.1	<0.1	<0.04	<0.05	0.003 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	06/27/06	0.023 I [0.021 I]	<0.1 [<0.1]	<0.04 [<0.04]	0.034 I [0.034 I]	0.0031 I [0.0031 I]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	07/26/06	0.0064 I	<0.1	<0.04	<0.05	0.0027 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	09/05/06	0.0096 [0.012]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	10/31/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	0.023 [0.02]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15	11/28/06	<0.0016	<0.0021	<0.0024	0.011	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	12/17/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	03/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/16/01	<0.1	<0.1	<0.04	<0.05	0.7	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	03/19/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-16D	09/04/02	<0.1	<0.1	<0.04	<0.05	0.04	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/19/04	<2.5	<2.5	<1	<1.25	**0.4**	<2.5	NA	<1.25	<2.5	<2.5	<75
MW-16D	06/06/05	<2.5	<2.5	<1	<1.25	0.11	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16D	12/21/05	<0.1	<0.1	<0.04	<0.05	0.083	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	04/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16D	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	07/27/06	<2	<2	<0.8	<1	0.077	<2	<10	<1	<2	<2	<60
MW-16D	09/06/06	<0.016	<0.021	<0.024	0.43	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-16D	10/02/06	0.078 [0.085]	<0.042 [<0.042]	<0.048 [<0.048]	<0.044 [<0.044]	0.059 [0.054]	<0.036 [<0.036]	<0.3 [<0.3]	<0.032 [<0.032]	<0.034 [<0.034]	<0.04 [<0.04]	<0.2 [<0.2]
MW-16D	11/02/06	0.017	<0.0105	<0.012	0.13	0.029	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16D	11/28/06	0.0077	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	12/18/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	03/01/07	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-16D	04/22/07	<0.016 [<0.016]	<0.021 [<0.021]	<0.024 [<0.024]	<0.022 [<0.022]	<0.024 [<0.024]	<0.018 [<0.018]	<0.15 [<0.15]	<0.016 [<0.016]	<0.017 [<0.017]	<0.02 [<0.02]	<0.1 [<0.1]
MW-16S	10/24/00	<0.1	<0.1	<0.04	<0.05	**7.8**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	04/17/01	1.3 [0.92]	**3.3 [2.9]**	<0.04 [<0.04]	<0.05 [<0.05]	**1.1 [1]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	10/16/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.6 [0.6]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	03/19/02	<0.1	<0.1	<0.04	<0.05	**0.58**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	09/04/02	<1	<1	<0.4	<0.5	**0.51**	<1	NA	<0.5	<1	<1	<30
MW-16S	04/07/04	<1	<1	<0.4	<0.5	0.11	<1	NA	<0.5	<1	<1	<30
MW-16S	10/19/04	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	0.07	<0.5	<15
MW-16S	06/06/05	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6
MW-16S	12/21/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	03/28/06	0.24	<0.1	<0.04	<0.05	0.062	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	04/26/06	0.35	<1	<0.4	<0.5	0.079	<1	<5	<0.5	<1	<1	<30
MW-16S	05/24/06	<2.5	<2.5	<1	<1.25	0.13	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	06/27/06	<2.5	<2.5	<1	<1.25	0.096	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	07/27/06	<1	<1	<0.4	<0.5	0.038 I	<1	<5	<0.5	<1	<1	<30
MW-16S	09/06/06	0.44	0.16	<0.048	0.22	0.084	<0.036	<0.3	<0.032	<0.034	0.065	<0.2
MW-16S	10/02/06	0.27	<0.0021	<0.0024	0.11	0.019	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	11/02/06	0.2	<0.0042	<0.0048	0.15	0.039	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-16S	11/28/06	<0.0016	<0.0021	<0.0024	0.19	0.067	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	12/18/06	<0.0016	<0.0021	<0.0024	<0.0022	0.058	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	02/01/07	<0.0016	<0.0021	<0.0024	0.081	0.028	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	03/01/07	0.15	<0.0021	<0.0024	<0.0022	0.018	<0.0018	<0.015	<0.0016	0.11	<0.002	<0.01
MW-16S	03/26/07	0.13	<0.0105	<0.012	<0.011	<0.012	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16S	04/22/07	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-17	10/25/00	<0.1	<0.1	<0.04	<0.05	**1.4**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	04/18/01	<0.1	1.5	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	10/17/01	<0.1	<0.1	<0.04	<0.05	**0.48**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	03/19/02	<0.1	<0.1	<0.04	<0.05	**0.28**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	09/05/02	<1	<1	<0.4	<0.5	**0.37**	<1	NA	<0.5	<1	<1	<30
MW-17	04/08/04	<1	<1	<0.4	<0.5	**0.4**	<1	NA	<0.5	<1	<1	<30
MW-17	10/19/04	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	<0.5	<0.5	<15
MW-17	06/03/05	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-17	12/21/05	<0.1	<0.1	<0.04	<0.05	**0.29**	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-17	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	0.22	<0.1	<3
MW-17	11/02/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-18	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	02/01/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-18	02/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0053 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	11/28/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	12/17/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	01/31/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0037 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	03/01/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	0.024 [0.023]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-18	03/26/07	<0.0016	<0.0021	<0.0024	0.0031 I	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	02/01/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	02/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	01/29/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	02/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	05/21/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	06/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	0.0038 I	<0.1	<0.1	<3
MW-20	07/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0039 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	01/29/06	<0.1	<0.1	<0.04	<0.05	0.0088 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3

Table 2
Summary of Groundwater Sample Analytical Results
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-21	02/26/06	<0.1	<0.1	<0.04	<0.05	0.0075 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	04/23/06	<0.1	<0.1	<0.04	<0.05	0.013 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	05/21/06	<0.1	<0.1	<0.04	<0.05	0.011	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	06/26/06	<0.1	<0.1	<0.04	<0.05	0.013	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	07/23/06	<0.1	<0.1	<0.04	<0.05	0.015 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	0.012	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0089 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	0.011	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	11/26/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	0.011 [0.011]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-21	12/17/06	<0.0032 [<0.0016]	<0.0042 [<0.0021]	<0.0048 [<0.0024]	<0.0044 [<0.0022]	0.012 [0.012]	<0.0036 [<0.0018]	<0.03 [<0.015]	<0.0032 [<0.0016]	<0.0034 [<0.0017]	<0.004 [<0.002]	<0.02 [<0.01]
MW-21	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	0.009 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	02/25/07	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	0.01	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.016	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	01/29/06	<0.1	<0.1	<0.04	<0.05	0.014	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	02/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	04/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	05/21/06	<0.1	<0.1	0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	06/26/06	<0.1	<0.1	<0.04	<0.05	0.02 I	<0.1	<0.5	0.044	<0.1	<0.1	<3
MW-22	07/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0057 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	11/26/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	12/17/06	<0.0032	<0.0042	<0.0048	0.051	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-22	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	02/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-D	04/05/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

LEGEND

NA	= Not Analyzed
ug/L	= Micrograms per Liter
I	= The report value is between the laboratory method detection limit and the laboratory practical quantitation limit
J	= Estimated value; value may not be accurate

Table 3
Summary of Geochemical Indicator Parameters
Chevron Orlando Superfund Site
Orlando, Florida

Sample ID	Date Collected	Iron (mg/L)	pH (SU)	DO (mg/L)	ORP (mV)	Conductivity (µS/cm)
MW-1D	02/01/07	NA	5.3	0.65	-36	NA
MW-1D	04/22/07	NA	5.14	0.27	-142	213
MW-1S	02/01/07	NA	5.58	2.34	14.7	NA
MW-1S	04/22/07	NA	5.4	0.98	-86	199
MW-3S	04/22/07	NA	5.73	2.39	-174	182
MW-4S	04/22/07	NA	5.76	1.16	-146	439
MW-11	12/17/06	0.039 V	NA	NA	NA	NA
MW-11	01/31/07	NA	6.03	2.37	41.9	NA
MW-11	02/25/07	NA	5.26	1.9	NA	201
MW-11	03/25/07	NA	4.8	1.15	249	187
MW-11	04/21/07	0.041 [0.028]	4.79	0.9	-43	187
MW-12	01/31/07	NA	5.5	0.71	28.4	NA
MW-12	04/21/07	NA	5.34	2.2	-77	198
MW-15	12/17/06	0.092 V	NA	NA	NA	NA
MW-15	02/01/07	NA	5.1	0.53	1.4	NA
MW-15	03/01/07	NA	4.8	NA	-8.5	118
MW-15	03/25/07	NA	4.76	0.88	-75	123
MW-15	04/21/07	0.047	4.73	1.7	-57	142
MW-16D	12/18/06	1.5 V	NA	NA	NA	NA
MW-16D	02/01/07	26 V	4.95	0.69	-42.9	NA
MW-16D	03/01/07	NA	5.49	1.3	-139	465
MW-16D	03/26/07	NA	5.77	0.12	-278	319
MW-16D	04/22/07	130	4.61	0.27	-142	995
MW-16S	12/18/06	0.1 V	NA	NA	NA	NA
MW-16S	02/01/07	0.19 V	5.83	0.74	3.4	NA
MW-16S	03/01/07	NA	5.03	0.29	-55	772
MW-16S	03/26/07	NA	5.12	0.86	-138	179
MW-16S	04/22/07	3.1	4.85	4.6	-140	328
MW-18	12/17/06	0.088 V	NA	NA	NA	NA
MW-18	01/31/07	NA	6.14	0.46	41.2	NA
MW-18	03/01/07	NA	4.74	NA	134	203
MW-18	03/26/07	NA	5.45	0.4	134	214
MW-18	04/21/07	NA	5.28	0.5	-47	468
MW-19	02/01/07	NA	5.16	1.21	31.7	NA
MW-19	04/21/07	NA	4.66	4.4	-26	183
MW-20	01/28/07	NA	5.68	1.44	90.2	NA
MW-20	04/22/07	NA	4.69	5.7	-64	135
MW-21	12/17/06	0.075 V [0.072 V]	NA	NA	NA	NA
MW-21	01/28/07	NA	5.78	1.41	80.8	NA
MW-21	02/25/07	NA	4.66	3.9	305	166
MW-21	03/25/07	NA	4.81	1.41	286	155
MW-21	04/22/07	NA	4.81	1.58	-66	161
MW-22	12/17/06	0.059 V	NA	NA	NA	NA
MW-22	01/28/07	NA	6.11	2.32	129	NA
MW-22	02/25/07	NA	5.01	2.76	303	260
MW-22	03/25/07	NA	4.47	2.13	368	258
MW-22	04/22/07	NA	4.45	2.84	-43	273

Table 3
Summary of Geochemical Indicator Parameters
Chevron Orlando Superfund Site
Orlando, Florida

LEGEND

NA	= Not Analyzed
DO	= Dissolved Oxygen
ORP	= Oxidation-Reduction Potential
mg/L	= Milligrams per Liter
SU	= Standard Units
mV	= MilliVolts
V	= Indicates that the analyte was detected in both the sample and the associated method blank.

ARCADIS BBL

Figures



REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., ORLANDO WEST, FLORIDA, 1955.

0 2000' 4000'

Approximate Scale: 1" = 2000'

NOTE: PROPERTY LOCATION IS APPROXIMATE ONLY.



CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

TOPOGRAPHIC MAP OF SITE LOCATION AND VICINITY

ARCADIS BBL
infrastructure, environment, facilities

FIGURE
1

[SYR-85-KLS] SYR-85-KLS LAYER: ON=*, OFF=*REF*
G:\CAD\ACTIVE\-DWG\ACT\44320001\44320802.DWG SAVED: 2/2/2007 2:12 PM LAYOUT: Layout1 PAGESETUP: ---- PENTABLE: PLTFULL.CTB PRINTED: 2/2/2007 2:12 PM BY: KSARTORI
PROJECTNAME: ----
XREFS: IMAGES:
44320X00 44320X01.tif



LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+-+-+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	alpha-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
J	ESTIMATED VALUE; VALUE MAY NOT BE ACCURATE

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

0 100' 200'
GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

alpha-BHC CONCENTRATIONS IN GROUNDWATER JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
2

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C01.dwg SAVED: 4/27/2007 5:59 PM LAYOUT:Model PAGESETUP:BL-7300N-SYR PENTABLE:PLTFULL.CTB PRINTED: 4/28/2007 6:05 PM BY:JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



0 100' 200'

GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+—+—+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	beta-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

beta-BHC CONCENTRATIONS IN GROUNDWATER
JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
3

IRV-1.30-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C02.dwg SAVED: 4/30/2007 1:53 PM LAYOUT:Model PAGESETUP:BL-7300N-SYR PENTABLE:PLTFULL.CTB PRINTED: 4/30/2007 1:54 PM BY:JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+—+—+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	LINDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OF SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

LINDANE CONCENTRATIONS IN GROUNDWATER
JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
4

IRV-13D-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C03.dwg SAVED: 4/30/2007 2:05 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 4/30/2007 2:05 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+-+-+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	α-CHLORDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

α-CHLORDANE CONCENTRATIONS IN GROUNDWATER
JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
5

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C04.dwg SAVED: 4/30/2007 2:15 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 4/30/2007 2:15 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	g-CHLORDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

g-CHLORDANE CONCENTRATIONS IN GROUNDWATER
JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
infrastructure, environment, facilities

FIGURE
6

IRV-130-MS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C05.dwg SAVED: 4/30/2007 2:22 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 4/30/2007 2:22 PM BY: JNS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+—+—+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	4,4-DDD NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

4,4-DDD CONCENTRATIONS IN GROUNDWATER
JANUARY 31 THROUGH MARCH 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
7

IRV-130-MS LAYER: ON=*; OFF=*REF*
G:\CAD\2007PROJ\45313.003\45313C06.dwg SAVED: 4/30/2007 2:29 PM LAYOUT: Model PAGESETUP: BL-730ON-SYR PENTABLE: PLTFULL.CTB PRINTED: 4/30/2007 2:29 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01

ARCADIS BBL

Attachment A

Chain-of-Custody Documentation
and Laboratory Reports

February 9, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070130.05**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
47052	CO-GW-MW-20	1/28/2007
47053	CO-GW-MW-21	1/28/2007
47054	CO-GW-MW-22	1/28/2007
47204	CO-GW-MW-11	1/31/2007
47205	CO-GW-MW-111	1/31/2007
47206	CO-GW-MW-18	1/31/2007
47207	CO-GW-MW-12	1/31/2007
47208	CO-GW-MW-15	2/1/2007
47209	CO-GW-MW-19	2/1/2007
47210	CO-EQBK-1	2/1/2007
47211	CO-GW-MW-1D	2/1/2007
47212	CO-GW-MW-1S	2/1/2007
47213	CO-GW-MW-16D	2/1/2007
47214	CO-GW-MW-16S	2/1/2007

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Sincerely

Michael W. Palmer

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47052**
Sample Designation **CO-GW-MW-20**

Matrix: Groundwater
Date Collected: 1/28/2007 10:07
Date Received: 1/30/2007 12:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/2/07						02/02/07 17:00
Date Analyzed			2/6/07	1				02/06/07 18:05	
Surrogate (10-139)	8081	%	75	1		1.0		02/06/07 18:05	02/02/07 17:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 18:05	02/02/07 17:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 18:05	02/02/07 17:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 18:05	02/02/07 17:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 18:05	02/02/07 17:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 18:05	02/02/07 17:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 18:05	02/02/07 17:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 18:05	02/02/07 17:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 18:05	02/02/07 17:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 18:05	02/02/07 17:00
Endosulfan I	8081	ug/L	0.030	1	0.0019	0.0076	959-98-8	02/06/07 18:05	02/02/07 17:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 18:05	02/02/07 17:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 18:05	02/02/07 17:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 18:05	02/02/07 17:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 18:05	02/02/07 17:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 18:05	02/02/07 17:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 18:05	02/02/07 17:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 18:05	02/02/07 17:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 18:05	02/02/07 17:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 18:05	02/02/07 17:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 18:05	02/02/07 17:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 18:05	02/02/07 17:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 18:05	02/02/07 17:00
pH									
pH	9040	SU	6.4	1		0.01		02/02/07	02/02/07

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47053**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 1/28/2007 10:38
Date Received: 1/30/2007 12:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/2/07						02/02/07 17:00
Date Analyzed			2/6/07	1				02/06/07 18:19	
Surrogate (10-139)	8081	%	68	1		1.0		02/06/07 18:19	02/02/07 17:00
a-BHC	8081	ug/L	0.009 I	1	0.0023	0.0092	319-84-6	02/06/07 18:19	02/02/07 17:00
b-BHC	8081	ug/L	0.054	1	0.0030	0.012	319-85-7	02/06/07 18:19	02/02/07 17:00
Lindane	8081	ug/L	0.009 I	1	0.0024	0.0096	58-89-9	02/06/07 18:19	02/02/07 17:00
d-BHC	8081	ug/L	0.015	1	0.0023	0.0092	319-86-8	02/06/07 18:19	02/02/07 17:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 18:19	02/02/07 17:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 18:19	02/02/07 17:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 18:19	02/02/07 17:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 18:19	02/02/07 17:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 18:19	02/02/07 17:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 18:19	02/02/07 17:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 18:19	02/02/07 17:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 18:19	02/02/07 17:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 18:19	02/02/07 17:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 18:19	02/02/07 17:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 18:19	02/02/07 17:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 18:19	02/02/07 17:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 18:19	02/02/07 17:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 18:19	02/02/07 17:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 18:19	02/02/07 17:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 18:19	02/02/07 17:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 18:19	02/02/07 17:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 18:19	02/02/07 17:00
pH									
pH	9040	SU	6.4	1		0.01		02/02/07	02/02/07

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47054**
Sample Designation **CO-GW-MW-22**

Matrix: Groundwater
Date Collected: 1/28/2007 11:10
Date Received: 1/30/2007 12:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/2/07						02/02/07 17:00
Date Analyzed			2/6/07	1				02/06/07 18:34	
Surrogate (10-139)	8081	%	71	1		1.0		02/06/07 18:34	02/02/07 17:00
a-BHC	8081	ug/L	0.04	1	0.0023	0.0092	319-84-6	02/06/07 18:34	02/02/07 17:00
b-BHC	8081	ug/L	0.085	1	0.0030	0.012	319-85-7	02/06/07 18:34	02/02/07 17:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 18:34	02/02/07 17:00
d-BHC	8081	ug/L	0.059	1	0.0023	0.0092	319-86-8	02/06/07 18:34	02/02/07 17:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 18:34	02/02/07 17:00
Aldrin	8081	ug/L	0.034	1	0.002	0.008	309-00-2	02/06/07 18:34	02/02/07 17:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 18:34	02/02/07 17:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 18:34	02/02/07 17:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 18:34	02/02/07 17:00
Endosulfan I	8081	ug/L	0.31	1	0.0019	0.0076	959-98-8	02/06/07 18:34	02/02/07 17:00
Dieldrin	8081	ug/L	0.047	1	0.0014	0.0056	60-57-1	02/06/07 18:34	02/02/07 17:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 18:34	02/02/07 17:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 18:34	02/02/07 17:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 18:34	02/02/07 17:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 18:34	02/02/07 17:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 18:34	02/02/07 17:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 18:34	02/02/07 17:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 18:34	02/02/07 17:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 18:34	02/02/07 17:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 18:34	02/02/07 17:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 18:34	02/02/07 17:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 18:34	02/02/07 17:00
pH									
pH	9040	SU	5.3	1		0.01		02/02/07	02/02/07

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47204**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 1/31/2007 11:20
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 20:03	
Surrogate (10-139)	8081	%	76	1		1.0		02/06/07 20:03	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 20:03	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 20:03	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 20:03	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 20:03	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 20:03	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 20:03	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 20:03	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 20:03	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 20:03	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 20:03	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 20:03	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 20:03	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 20:03	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 20:03	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 20:03	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 20:03	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 20:03	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 20:03	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 20:03	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 20:03	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 20:03	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 20:03	02/05/07 10:30
pH									
pH	9040	SU	7.3	1		0.01		02/09/07	02/09/07

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47205**
Sample Designation **CO-GW-MW-111**

Matrix: Groundwater
Date Collected: 1/31/2007 11:20
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 20:18	
Surrogate (10-139)	8081	%	68	1		1.0		02/06/07 20:18	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 20:18	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 20:18	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 20:18	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 20:18	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 20:18	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 20:18	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 20:18	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 20:18	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 20:18	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 20:18	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 20:18	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 20:18	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 20:18	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 20:18	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 20:18	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 20:18	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 20:18	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 20:18	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 20:18	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 20:18	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 20:18	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 20:18	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47206**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 1/31/2007 11:59
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 20:33	
Surrogate (10-139)	8081	%	77	1		1.0		02/06/07 20:33	02/05/07 10:30
a-BHC	8081	ug/L	0.0083 I	1	0.0023	0.0092	319-84-6	02/06/07 20:33	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 20:33	02/05/07 10:30
Lindane	8081	ug/L	0.0037 I	1	0.0024	0.0096	58-89-9	02/06/07 20:33	02/05/07 10:30
d-BHC	8081	ug/L	0.031	1	0.0023	0.0092	319-86-8	02/06/07 20:33	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 20:33	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 20:33	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 20:33	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 20:33	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 20:33	02/05/07 10:30
Endosulfan I	8081	ug/L	0.053	1	0.0019	0.0076	959-98-8	02/06/07 20:33	02/05/07 10:30
Dieldrin	8081	ug/L	0.010	1	0.0014	0.0056	60-57-1	02/06/07 20:33	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 20:33	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 20:33	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 20:33	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 20:33	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 20:33	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 20:33	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 20:33	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 20:33	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 20:33	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 20:33	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 20:33	02/05/07 10:30
pH									
pH	9040	SU	7.5	1		0.01		02/09/07	02/09/07

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47207**
Sample Designation **CO-GW-MW-12**

Matrix: Groundwater
Date Collected: 1/31/2007 14:21
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 20:47	
Surrogate (10-139)	8081	%	48	1		1.0		02/06/07 20:47	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 20:47	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 20:47	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 20:47	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 20:47	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 20:47	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 20:47	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 20:47	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 20:47	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 20:47	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 20:47	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 20:47	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 20:47	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 20:47	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 20:47	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 20:47	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 20:47	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 20:47	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 20:47	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 20:47	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 20:47	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 20:47	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 20:47	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47208**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 2/1/2007 10:18
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 21:02	
Surrogate (10-139)	8081	%	63	1		1.0		02/06/07 21:02	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 21:02	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 21:02	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 21:02	02/05/07 10:30
d-BHC	8081	ug/L	0.0089 I	1	0.0023	0.0092	319-86-8	02/06/07 21:02	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 21:02	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 21:02	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 21:02	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 21:02	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 21:02	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 21:02	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 21:02	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 21:02	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 21:02	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 21:02	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 21:02	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 21:02	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 21:02	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 21:02	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 21:02	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 21:02	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 21:02	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 21:02	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47209**
Sample Designation **CO-GW-MW-19**

Matrix: Groundwater
Date Collected: 2/1/2007 11:01
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 21:17	
Surrogate (10-139)	8081	%	81	1		1.0		02/06/07 21:17	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 21:17	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 21:17	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 21:17	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 21:17	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 21:17	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 21:17	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 21:17	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 21:17	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 21:17	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 21:17	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 21:17	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 21:17	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 21:17	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 21:17	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 21:17	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 21:17	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 21:17	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 21:17	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 21:17	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 21:17	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 21:17	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 21:17	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47210**
Sample Designation **CO-EQBK-1**

Matrix: Groundwater
Date Collected: 2/1/2007 11:29
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 21:32	
Surrogate (10-139)	8081	%	68	1		1.0		02/06/07 21:32	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 21:32	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 21:32	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 21:32	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 21:32	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 21:32	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 21:32	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 21:32	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 21:32	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 21:32	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 21:32	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 21:32	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 21:32	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 21:32	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 21:32	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 21:32	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 21:32	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 21:32	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 21:32	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 21:32	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 21:32	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 21:32	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 21:32	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47211**
Sample Designation **CO-GW-MW-1D**

Matrix: Groundwater
Date Collected: 2/1/2007 11:51
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 21:47	
Surrogate (10-139)	8081	%	42	1		1.0		02/06/07 21:47	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 21:47	02/05/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	02/06/07 21:47	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 21:47	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 21:47	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 21:47	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 21:47	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 21:47	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 21:47	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 21:47	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 21:47	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 21:47	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 21:47	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 21:47	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 21:47	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 21:47	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 21:47	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 21:47	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 21:47	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 21:47	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 21:47	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 21:47	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 21:47	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47212**
Sample Designation **CO-GW-MW-1S**

Matrix: Groundwater
Date Collected: 2/1/2007 12:15
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 22:02	
Surrogate (10-139)	8081	%	72	1		1.0		02/06/07 22:02	02/05/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	02/06/07 22:02	02/05/07 10:30
b-BHC	8081	ug/L	0.025	1	0.0030	0.012	319-85-7	02/06/07 22:02	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 22:02	02/05/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	02/06/07 22:02	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 22:02	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 22:02	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 22:02	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 22:02	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 22:02	02/05/07 10:30
Endosulfan I	8081	ug/L	0.038	1	0.0019	0.0076	959-98-8	02/06/07 22:02	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 22:02	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 22:02	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 22:02	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 22:02	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 22:02	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 22:02	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 22:02	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 22:02	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 22:02	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 22:02	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 22:02	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 22:02	02/05/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47213**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 2/1/2007 13:44
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/6/07	1				02/06/07 22:16	
Surrogate (10-139)	8081	%	115	1		1.0		02/06/07 22:16	02/05/07 10:30
a-BHC	8081	ug/L	0.28	20	0.0023	0.0092	319-84-6	02/08/07 15:13	02/05/07 10:30
b-BHC	8081	ug/L	2.8	20	0.0030	0.012	319-85-7	02/08/07 15:13	02/05/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	02/06/07 22:16	02/05/07 10:30
d-BHC	8081	ug/L	0.68	20	0.0023	0.0092	319-86-8	02/08/07 15:13	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/06/07 22:16	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/06/07 22:16	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	02/06/07 22:16	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/06/07 22:16	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/06/07 22:16	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/06/07 22:16	02/05/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	02/06/07 22:16	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/06/07 22:16	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/06/07 22:16	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/06/07 22:16	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/06/07 22:16	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/06/07 22:16	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/06/07 22:16	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/06/07 22:16	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/06/07 22:16	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/06/07 22:16	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/06/07 22:16	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/06/07 22:16	02/05/07 10:30
Iron									
Date Digested	3005		2/5/07						02/05/07 08:00
Date Analyzed	6010		02/06/07	10				02/06/07 17:04	
Iron	6010	mg/L	26 V	10	0.0024	0.0096	7439-89-6	02/06/07 17:04	02/05/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

SunLabs Sample Number **47214**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 2/1/2007 14:07
Date Received: 2/2/2007 15:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/5/07						02/05/07 10:30
Date Analyzed			2/8/07	20				02/08/07 15:28	
Surrogate (10-139)	8081	%	84	1		1.0		02/08/07 15:43	02/05/07 10:30
a-BHC	8081	ug/L	0.018	1	0.0023	0.0092	319-84-6	02/08/07 15:43	02/05/07 10:30
b-BHC	8081	ug/L	0.48	1	0.0030	0.012	319-85-7	02/08/07 15:43	02/05/07 10:30
Lindane	8081	ug/L	0.028	1	0.0024	0.0096	58-89-9	02/08/07 15:43	02/05/07 10:30
d-BHC	8081	ug/L	0.086	1	0.0023	0.0092	319-86-8	02/08/07 15:43	02/05/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	02/08/07 15:43	02/05/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	02/08/07 15:43	02/05/07 10:30
Heptachlor epoxide	8081	ug/L	0.081	1	0.0022	0.0088	1024-57-3	02/08/07 15:43	02/05/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	02/08/07 15:43	02/05/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	02/08/07 15:43	02/05/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	02/08/07 15:43	02/05/07 10:30
Dieldrin	8081	ug/L	0.068	1	0.0014	0.0056	60-57-1	02/08/07 15:43	02/05/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	02/08/07 15:43	02/05/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	02/08/07 15:43	02/05/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	02/08/07 15:43	02/05/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	02/08/07 15:43	02/05/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	02/08/07 15:43	02/05/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	02/08/07 15:43	02/05/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	02/08/07 15:43	02/05/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	02/08/07 15:43	02/05/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	02/08/07 15:43	02/05/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	02/08/07 15:43	02/05/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		02/08/07 15:43	02/05/07 10:30
Iron									
Date Digested	3005		2/5/07						02/05/07 08:00
Date Analyzed	6010		02/06/07	1				02/06/07 16:46	
Iron	6010	mg/L	0.19 V	1	0.0024	0.0096	7439-89-6	02/06/07 16:46	02/05/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

Batch No: **B9500**
TestCode: **8081-w**

Associated Samples
47052, 47053, 47054

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	--QC Limits-- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	--QC Limits-- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number															
Surrogate (10-139)	82														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	71	77	8	17	30-110								
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	82	89	8	15	25-113								
Aldrin	0.002 U	100	62	69	11	21	20-107								
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	75	77	3	15	27-101								
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	83	90	8	16	33-112								
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	81	90	11	17	28-143								
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: **B9507**
TestCode: **6010-L**

Associated Samples
47213, 47214

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	--QC Limits-- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	--QC Limits-- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*47122*	*47122*					
Date Digested	02/05/07		2/5/07	2/5/07	0				2/5/07	2/5/07	0				
Arsenic	0.0048 U		98	98	0	8	88-112		97	95	2	8	78-117		
Cadmium	0.0006 U		99	99	0	3	87-110		98	95	3	10	73-116		
Chromium	0.0035 U		104	101	3	10	91-112		103	98	5*	4	70-122		
Iron	0.0090		106	104	2	20	80-126			53					
Lead	0.0044 U		96	96	0	8	87-113		103	91	12*	10	64-118		

Batch No: **B9514**
TestCode: **8081-w**

Associated Samples
47204, 47205, 47206, 47207, 47208, 47209, 47210, 47211, 47212, 47213, 47214

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	--QC Limits-- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	--QC Limits-- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*47204*	*47204*					
Surrogate (10-139)	76														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	74					100	80	75	6	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	81					100	86	81	6	57	0-162		
Aldrin	0.002 U	100	64					100	70	65	7	47	0-138		

Quality Control Data

Project Number	TASK Environmental , Inc.
070130.05	Project Description: Chevron Orlando

February 9, 2007

Batch No: **B9514**

TestCode: **8081-w**

Associated Samples
47204, 47205, 47206, 47207, 47208, 47209, 47210, 47211, 47212, 47213, 47214

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*47204*	*47204*					
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	74					100	82	69	17	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	86					100	92	78	16	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	84					100	87	85	2	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

№ 5656

SunLabs, Inc. Chain of Custody

Client Name: TASK
Contact: Susan Tam
Address: 27751 Lake Jem Rd
Mount Dora, FL 32757
Phone #: 352 393 0717
FAX #:

SunLabs Project # 070130.05

Project Name: Cleaners Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just TBK

Bottle Type	AG	P
Preservative	I	N
Matrix	GW	GW
Analysis / Method Requested	8081	Dissolved

Due Date Requested: Feb 12, 2007

Remarks / Comments:

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081	Dissolved
47204	CO-GW-MW-11	1/31/07	1120	3	3	
47205	CO-GW-MW-111	1/31/07	1120	1	1	
47206	CO-GW-MW-18	"	1159	1	1	
47207	CO-GW-MW-12	"	1229	1	1	
47208	CO-GW-MW-15	2/1/07	1018	1	1	
47209	CO-GW-MW-19		1101	1	1	
47210	CO-EQBK-1		1129	1	1	
47211	CO-GW-MW-1D		1151	1	1	
47212	CO-GW-MW-1S		1215	1	1	
47213	CO-GW-MW-16D		1344	2	1	1
47214	CO-GW-MW-16S		1407	2	1	1

Sampler Signature / Date: 2/1/07

Printed Name / Affiliation: Susan Tam / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES:

Relinquished By:	Relinquished To:	Date:	Time:
SA Palmer			
Print Name / Affiliation:			
Relinquished By:	Relinquished To: SA Palmer	Date: 2/2/07	Time: 1510
Print Name / Affiliation:			
Relinquished By:	Relinquished To:	Date:	Time:
Print Name / Affiliation:			
Relinquished By:	Relinquished To:	Date:	Time:
Print Name / Affiliation:			

Internal Use Only

Cooler Temp: 6 C

On ice

Preservative Codes:
- H = Hydrochloric Acid + Ice
- I = Ice only
- N = Nitric Acid + Ice
- S = Sulfuric Acid + Ice
- VS = MeOH, OFW, + Ice
- O = Other (Specify)

Matrix Codes:
- A = Air
- DW = Drinking Water
- GW = Ground Water
- SE = Sediment
- SO = Soil
- SW = Surface Water
- W = Water (Blanks)
- O = Other (Specify)

Bottle Type Codes:
- GV = Glass Vial
- GVS = Low Level Volatile Kit
- GA = Glass Amber
- P = Plastic
- SJ = Soil Jar
- T = Tedlar Bag
- W = Whirlpak
- O = Other (Specify)

№ 5657

SunLabs, Inc. Chain of Custody

Client Name: Task
Contact: Susan Tolon
Address: 2775 Lakeview Road
Mount Dora FL 32757
Phone #: 352.993 0711
FAX #:

SunLabs Project # 070130.05

Project Name: Chevron Orlando
Project #:
PO #:
Alt Bill To: Alpen Just Bill

Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type	Preservative	Matrix	Analysis / Method Requested
				AG	1	GW	8021
47052 (D-GW-MW-20)	1/29/07	1007	1	1			
47053 (D-GW-MW-21)		1039	1	1			
47054 (D-GW-MW-22)		1110	1	1			

Due Date Requested: 2/15/07

Remarks / Comments:
More samples to come - please provide 1 report for all

*Add pH

Sampler Signature / Date: 1/29/07

Printed Name / Affiliation: Susan Tolon TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
SA Palmer	UPS		
Print Name / Affiliation:			
Relinquished By: UPS	Relinquished To:	Date: 1/30/07	Time: 1240
Print Name / Affiliation:			
Relinquished By:	Relinquished To:	Date:	Time:
Print Name / Affiliation:			
Relinquished By:	Relinquished To:	Date:	Time:
Print Name / Affiliation:			

Internal Use Only

Cooler Temp: 1.0 C

on ICE

Preservative Codes:
H = Hydrochloric Acid + Ice
I = Ice only
N = Nitric Acid + Ice
S = Sulfuric Acid + Ice
VS = MeOH, DFW, + Ice
O = Other (Specify)

Matrix Codes:
A = Air
DW = Drinking Water
GW = Ground Water
SE = Sediment
SO = Soil
SW = Surface Water
W = Water (Blanks)
O = Other (Specify)

Bottle Type Codes:
GV = Glass Vial
GVS = Low Level Volatile Kit
GA = Glass Amber
P = Plastic
SJ = Soil Jar
T = Tedlar Bag
W = Whirlpak
O = Other (Specify)

March 1, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070227.05**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
48364	CO-GW-MW-21	2/25/2007
48365	CO-GW-MW-20	2/25/2007
48366	CO-GW-MW-11	2/25/2007

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Sincerely

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070227.05	Project Description: Chevron Orlando

March 1, 2007

SunLabs Sample Number **48364**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 2/25/2007 09:51
Date Received: 2/27/2007 14:55

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/27/07						02/27/07 10:30
Date Analyzed			3/1/07	1				03/01/07 00:21	
Surrogate (10-139)	8081	%	79	1		1.0		03/01/07 00:21	02/27/07 10:30
a-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-84-6	03/01/07 00:21	02/27/07 10:30
b-BHC	8081	ug/L	0.073	1	0.0030	0.012	319-85-7	03/01/07 00:21	02/27/07 10:30
Lindane	8081	ug/L	0.013	1	0.0024	0.0096	58-89-9	03/01/07 00:21	02/27/07 10:30
d-BHC	8081	ug/L	0.030	1	0.0023	0.0092	319-86-8	03/01/07 00:21	02/27/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	03/01/07 00:21	02/27/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/01/07 00:21	02/27/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/01/07 00:21	02/27/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/01/07 00:21	02/27/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/01/07 00:21	02/27/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	03/01/07 00:21	02/27/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	03/01/07 00:21	02/27/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/01/07 00:21	02/27/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/01/07 00:21	02/27/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/01/07 00:21	02/27/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/01/07 00:21	02/27/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/01/07 00:21	02/27/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/01/07 00:21	02/27/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/01/07 00:21	02/27/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/01/07 00:21	02/27/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/01/07 00:21	02/27/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/01/07 00:21	02/27/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/01/07 00:21	02/27/07 10:30

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070227.05	Project Description: Chevron Orlando

March 1, 2007

SunLabs Sample Number **48365**
Sample Designation **CO-GW-MW-20**

Matrix: Groundwater
Date Collected: 2/25/2007 10:40
Date Received: 2/27/2007 14:55

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/27/07						02/27/07 10:30
Date Analyzed			3/1/07	1				03/01/07 00:35	
Surrogate (10-139)	8081	%	86	1		1.0		03/01/07 00:35	02/27/07 10:30
a-BHC	8081	ug/L	0.031	1	0.0023	0.0092	319-84-6	03/01/07 00:35	02/27/07 10:30
b-BHC	8081	ug/L	0.077	1	0.0030	0.012	319-85-7	03/01/07 00:35	02/27/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	03/01/07 00:35	02/27/07 10:30
d-BHC	8081	ug/L	0.082	1	0.0023	0.0092	319-86-8	03/01/07 00:35	02/27/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	03/01/07 00:35	02/27/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/01/07 00:35	02/27/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/01/07 00:35	02/27/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/01/07 00:35	02/27/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/01/07 00:35	02/27/07 10:30
Endosulfan I	8081	ug/L	0.32	1	0.0019	0.0076	959-98-8	03/01/07 00:35	02/27/07 10:30
Dieldrin	8081	ug/L	0.045	1	0.0014	0.0056	60-57-1	03/01/07 00:35	02/27/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/01/07 00:35	02/27/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/01/07 00:35	02/27/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/01/07 00:35	02/27/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/01/07 00:35	02/27/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/01/07 00:35	02/27/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/01/07 00:35	02/27/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/01/07 00:35	02/27/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/01/07 00:35	02/27/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/01/07 00:35	02/27/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/01/07 00:35	02/27/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/01/07 00:35	02/27/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070227.05	Project Description: Chevron Orlando

March 1, 2007

SunLabs Sample Number **48366**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 2/25/2007 11:26
Date Received: 2/27/2007 14:55

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		2/27/07						02/27/07 10:30
Date Analyzed			3/1/07	1				03/01/07 00:50	
Surrogate (10-139)	8081	%	90	1		1.0		03/01/07 00:50	02/27/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	03/01/07 00:50	02/27/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	03/01/07 00:50	02/27/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	03/01/07 00:50	02/27/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	03/01/07 00:50	02/27/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	03/01/07 00:50	02/27/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/01/07 00:50	02/27/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/01/07 00:50	02/27/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/01/07 00:50	02/27/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/01/07 00:50	02/27/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	03/01/07 00:50	02/27/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	03/01/07 00:50	02/27/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/01/07 00:50	02/27/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/01/07 00:50	02/27/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/01/07 00:50	02/27/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/01/07 00:50	02/27/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/01/07 00:50	02/27/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/01/07 00:50	02/27/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/01/07 00:50	02/27/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/01/07 00:50	02/27/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/01/07 00:50	02/27/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/01/07 00:50	02/27/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/01/07 00:50	02/27/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070227.05	Project Description: Chevron Orlando

March 1, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070227.05	Project Description: Chevron Orlando

March 1, 2007

Batch No: **B9693**

TestCode: **8081-w**

Associated Samples
48364, 48365, 48366

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*48353*	*48353*					
Surrogate (10-139)	82														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	75	87	15	17	30-110	100	59	79	29	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	84	92	9	15	25-113	100	51	71	33	57	0-162		
Aldrin	0.002 U	100	70	84	18	21	20-107	100	42	58	32	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	79	97	20*	15	27-101	100	72	83	14	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	89	99	11	16	33-112	100	91	101	10	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	99	103	4	17	28-143	100	93	62	40*	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

SunLabs, Inc. Chain of Custody

№ 12383

Client Name: TASK Environmental
Contact: Susan Tolom
Address: 27751 Lake Jennifer Road, Mount Dora, FL 32757
Phone / Fax: 352 383 0717
E-Mail :

SunLabs Project # 070227.05

Project Name: Chalon Oladeo
Project #: E0215
PO #:
Alt Bill To: Allen Just

Bottle Type	NG										
Preservative	I										
Matrix	GW										
Analysis / Method Requested	8010										

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles										
48364	CO-GW-MW-21	2/25/07	0951	1	1									
48365	CO-GW-MW-20	"	1040	1	1									
48366	CO-GW-MW-11	"	1126	1	1									

Due Date Requested:

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 2/25/07

Printed Name / Affiliation: Susan Tolom / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
LA Palmer			
	LA Palmer	2/27/07	1455 LAP

Bottle Type Codes:

GV = Glass Vial
GA = Glass Amber
P = Plastic
S = Soil Jar
GVS = Low Level Volatile Kit
T = Tedlar Bag
O = Other

Preservative Codes:

H = Hydrochloric Acid + Ice
I = Ice only
N = Nitric Acid + Ice
S = Sulfuric Acid + Ice
VS = MeOH, OFW, + Ice
O = Other (Specify)

Matrix Codes:

A = Air
DW = Drinking Water
GW = Ground Water
SE = Sediment
SO = Soil
SOL = Solid
SW = Surface Water
W = Water (Blanks)
O = Other (Specify)

Temp: 4.5°C

Received on Ice? Y / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / NA
Shipping Bills attached? Y / N / NA
Sample containers intact? Y / N / NA
Samples within holding times? Y / N / NA
Sufficient volume for all analyses? Y / N / NA
Are vials head-space free? Y / N / NA
Proper containers and preservatives? Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

March 15, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070302.04**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
48520	CO-GW-MW-18	3/1/2007
48521	CO-GW-MW-118	3/1/2007
48522	CO-GW-MW-15	3/1/2007
48523	CO-GW-MW-16D	3/1/2007
48524	CO-GW-MW-16S	3/1/2007

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Sincerely

Michael W. Palmer

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

SunLabs Sample Number **48520**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 3/1/2007 10:58
Date Received: 3/2/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/6/07						03/06/07 10:00
Date Analyzed			3/8/07	1				03/08/07 21:26	
Surrogate (10-139)	8081	%	73	1		1.0		03/08/07 21:26	03/06/07 10:00
a-BHC	8081	ug/L	0.0085 I	1	0.0023	0.0092	319-84-6	03/08/07 21:26	03/06/07 10:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	03/08/07 21:26	03/06/07 10:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	03/08/07 21:26	03/06/07 10:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	03/08/07 21:26	03/06/07 10:00
Heptachlor	8081	ug/L	0.024	1	0.0024	0.0096	76-44-8	03/08/07 21:26	03/06/07 10:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/08/07 21:26	03/06/07 10:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/08/07 21:26	03/06/07 10:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/08/07 21:26	03/06/07 10:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/08/07 21:26	03/06/07 10:00
Endosulfan I	8081	ug/L	0.042	1	0.0019	0.0076	959-98-8	03/08/07 21:26	03/06/07 10:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	03/08/07 21:26	03/06/07 10:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/08/07 21:26	03/06/07 10:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/08/07 21:26	03/06/07 10:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/08/07 21:26	03/06/07 10:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/08/07 21:26	03/06/07 10:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/08/07 21:26	03/06/07 10:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/08/07 21:26	03/06/07 10:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/08/07 21:26	03/06/07 10:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/08/07 21:26	03/06/07 10:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/08/07 21:26	03/06/07 10:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/08/07 21:26	03/06/07 10:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/08/07 21:26	03/06/07 10:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

SunLabs Sample Number **48521**
Sample Designation **CO-GW-MW-118**

Matrix: Groundwater
Date Collected: 3/1/2007 10:58
Date Received: 3/2/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/6/07						03/06/07 10:00
Date Analyzed			3/8/07	1				03/08/07 21:40	
Surrogate (10-139)	8081	%	68	1		1.0		03/08/07 21:40	03/06/07 10:00
a-BHC	8081	ug/L	0.0072 I	1	0.0023	0.0092	319-84-6	03/08/07 21:40	03/06/07 10:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	03/08/07 21:40	03/06/07 10:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	03/08/07 21:40	03/06/07 10:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	03/08/07 21:40	03/06/07 10:00
Heptachlor	8081	ug/L	0.023	1	0.0024	0.0096	76-44-8	03/08/07 21:40	03/06/07 10:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/08/07 21:40	03/06/07 10:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/08/07 21:40	03/06/07 10:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/08/07 21:40	03/06/07 10:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/08/07 21:40	03/06/07 10:00
Endosulfan I	8081	ug/L	0.041	1	0.0019	0.0076	959-98-8	03/08/07 21:40	03/06/07 10:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	03/08/07 21:40	03/06/07 10:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/08/07 21:40	03/06/07 10:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/08/07 21:40	03/06/07 10:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/08/07 21:40	03/06/07 10:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/08/07 21:40	03/06/07 10:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/08/07 21:40	03/06/07 10:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/08/07 21:40	03/06/07 10:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/08/07 21:40	03/06/07 10:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/08/07 21:40	03/06/07 10:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/08/07 21:40	03/06/07 10:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/08/07 21:40	03/06/07 10:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/08/07 21:40	03/06/07 10:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

SunLabs Sample Number **48522**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 3/1/2007 11:35
Date Received: 3/2/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/6/07						03/06/07 10:00
Date Analyzed			3/8/07	1				03/08/07 21:55	
Surrogate (10-139)	8081	%	72	1		1.0		03/08/07 21:55	03/06/07 10:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	03/08/07 21:55	03/06/07 10:00
b-BHC	8081	ug/L	0.0039 I	1	0.0030	0.012	319-85-7	03/08/07 21:55	03/06/07 10:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	03/08/07 21:55	03/06/07 10:00
d-BHC	8081	ug/L	0.0053 I	1	0.0023	0.0092	319-86-8	03/08/07 21:55	03/06/07 10:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	03/08/07 21:55	03/06/07 10:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/08/07 21:55	03/06/07 10:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/08/07 21:55	03/06/07 10:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/08/07 21:55	03/06/07 10:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/08/07 21:55	03/06/07 10:00
Endosulfan I	8081	ug/L	0.0079	1	0.0019	0.0076	959-98-8	03/08/07 21:55	03/06/07 10:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	03/08/07 21:55	03/06/07 10:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	03/08/07 21:55	03/06/07 10:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/08/07 21:55	03/06/07 10:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/08/07 21:55	03/06/07 10:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/08/07 21:55	03/06/07 10:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/08/07 21:55	03/06/07 10:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/08/07 21:55	03/06/07 10:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/08/07 21:55	03/06/07 10:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	03/08/07 21:55	03/06/07 10:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/08/07 21:55	03/06/07 10:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/08/07 21:55	03/06/07 10:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/08/07 21:55	03/06/07 10:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

SunLabs Sample Number **48523**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 3/1/2007 13:31
Date Received: 3/2/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/6/07						03/06/07 10:00
Date Analyzed			3/8/07	20				03/08/07 22:09	
Surrogate (10-139)	8081	%	74	20		1.0		03/08/07 22:09	03/06/07 10:00
a-BHC	8081	ug/L	0.14	20	0.0023	0.0092	319-84-6	03/08/07 22:09	03/06/07 10:00
b-BHC	8081	ug/L	2.4	20	0.0030	0.012	319-85-7	03/08/07 22:09	03/06/07 10:00
Lindane	8081	ug/L	0.048 K	20	0.0024	0.0096	58-89-9	03/08/07 22:09	03/06/07 10:00
d-BHC	8081	ug/L	0.56	20	0.0023	0.0092	319-86-8	03/08/07 22:09	03/06/07 10:00
Heptachlor	8081	ug/L	0.048 K	20	0.0024	0.0096	76-44-8	03/08/07 22:09	03/06/07 10:00
Aldrin	8081	ug/L	0.04 K	20	0.002	0.008	309-00-2	03/08/07 22:09	03/06/07 10:00
Heptachlor epoxide	8081	ug/L	0.044 K	20	0.0022	0.0088	1024-57-3	03/08/07 22:09	03/06/07 10:00
a-Chlordane	8081	ug/L	0.038 K	20	0.0019	0.0076	5103-71-9	03/08/07 22:09	03/06/07 10:00
g-Chlordane	8081	ug/L	0.042 K	20	0.0021	0.0084	5103-74-2	03/08/07 22:09	03/06/07 10:00
Endosulfan I	8081	ug/L	0.038 K	20	0.0019	0.0076	959-98-8	03/08/07 22:09	03/06/07 10:00
Dieldrin	8081	ug/L	0.028 K	20	0.0014	0.0056	60-57-1	03/08/07 22:09	03/06/07 10:00
p,p'-DDE	8081	ug/L	0.034 K	20	0.0017	0.0068	72-55-9	03/08/07 22:09	03/06/07 10:00
Endrin	8081	ug/L	0.036 K	20	0.0018	0.0072	70-20-8	03/08/07 22:09	03/06/07 10:00
Endosulfan II	8081	ug/L	0.036 K	20	0.0018	0.0072	33213-65-9	03/08/07 22:09	03/06/07 10:00
p,p'-DDD	8081	ug/L	0.032 K	20	0.0016	0.0064	72-54-8	03/08/07 22:09	03/06/07 10:00
Endrin aldehyde	8081	ug/L	0.038 K	20	0.0019	0.0076	7421-93-4	03/08/07 22:09	03/06/07 10:00
Endosulfan sulfate	8081	ug/L	0.054 K	20	0.0027	0.011	1031-07-8	03/08/07 22:09	03/06/07 10:00
p,p'-DDT	8081	ug/L	0.04 K	20	0.002	0.008	50-29-3	03/08/07 22:09	03/06/07 10:00
Endrin ketone	8081	ug/L	0.032 K	20	0.0016	0.0064	53494-70-5	03/08/07 22:09	03/06/07 10:00
Methoxychlor	8081	ug/L	0.036 K	20	0.0018	0.0072	72-43-5	03/08/07 22:09	03/06/07 10:00
Toxaphene	8081	ug/L	0.2 K	20	0.01	0.2	8001-35-2	03/08/07 22:09	03/06/07 10:00
Mirex	8081	ug/L	0.3 K	20	0.015	0.06		03/08/07 22:09	03/06/07 10:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

SunLabs Sample Number **48524**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 3/1/2007 13:48
Date Received: 3/2/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/6/07						03/06/07 10:00
Date Analyzed			3/7/07	1				03/07/07 17:25	
Surrogate (10-139)	8081	%	62	1		1.0		03/07/07 17:25	03/06/07 10:00
a-BHC	8081	ug/L	0.027	1	0.0023	0.0092	319-84-6	03/07/07 17:25	03/06/07 10:00
b-BHC	8081	ug/L	0.69	10	0.0030	0.012	319-85-7	03/08/07 22:24	03/06/07 10:00
Lindane	8081	ug/L	0.018	1	0.0024	0.0096	58-89-9	03/07/07 17:25	03/06/07 10:00
d-BHC	8081	ug/L	0.11	1	0.0023	0.0092	319-86-8	03/07/07 17:25	03/06/07 10:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	03/07/07 17:25	03/06/07 10:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	03/07/07 17:25	03/06/07 10:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	03/07/07 17:25	03/06/07 10:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	03/07/07 17:25	03/06/07 10:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	03/07/07 17:25	03/06/07 10:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	03/07/07 17:25	03/06/07 10:00
Dieldrin	8081	ug/L	0.066	10	0.0014	0.0056	60-57-1	03/08/07 22:24	03/06/07 10:00
p,p'-DDE	8081	ug/L	0.11	10	0.0017	0.0068	72-55-9	03/08/07 22:24	03/06/07 10:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	03/07/07 17:25	03/06/07 10:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	03/07/07 17:25	03/06/07 10:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	03/07/07 17:25	03/06/07 10:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	03/07/07 17:25	03/06/07 10:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	03/07/07 17:25	03/06/07 10:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	03/07/07 17:25	03/06/07 10:00
Endrin ketone	8081	ug/L	0.15	1	0.0016	0.0064	53494-70-5	03/07/07 17:25	03/06/07 10:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	03/07/07 17:25	03/06/07 10:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	03/07/07 17:25	03/06/07 10:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		03/07/07 17:25	03/06/07 10:00

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070302.04	Project Description Chevron Orlando

March 15, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
K	*The value is known to be less than the reported value based on sample size, dilution or some other variable.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070302.04	Project Description: Chevron Orlando

March 15, 2007

Batch No: **B9748**

TestCode: **8081-w**

Associated Samples
48520, 48521, 48522, 48523, 48524

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*48520*	*48520*					
Surrogate (10-139)	73														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	72	85	17	17	59-105	100	87	84	4	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	97	112	14	18	45-123	100	113	105	7	57	0-162		
Aldrin	0.002 U	100	76	81	6	19	51-94	100	93	89	4	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	88	95	8	16	57-105	100	98	94	4	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	89	100	12	16	54-120	100	104	101	3	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	112	129	14*	11	50-133	100	119	115	3	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

№ 12559

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tobin
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352 383 0717
E-Mail: susant@taskenvironmental.com

SunLabs Project #: 070302.04

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type: VG	Preservative: 1	Matrix: GW	Analysis / Method Requested: 8021
48520	CO-GW-MW-18	3/1/07	1059	3	3			
48521	CO-GW-MW-11D	"	1058	1	1			
48522	CO-GW-MW-15	"	1138	1	1			
48523	CO-GW-MW-16D	"	1331	1	1			
48524	CO-GW-MW-16S	"	1349	1	1			

Due Date Requested:

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 3/1/07

Printed Name / Affiliation: Susan Tobin / TASK

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
SO = Soil
A = Air; SOL = Solid
DW = Drinking Water; SW = Surface Water
GW = Ground Water; W = Water (Blanks)
SE = Sediment; O = Other (Specify)

Temp: 5.9°C

Received on Ice? (Y) / N / NA

Internal Use Only
Sample Condition Upon Receipt:
Custody Seals present? Y / N / (NA)
Shipping Bills attached? (Y) / N / (NA)
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? Y / N / (NA)
Proper containers and preservatives? (Y) / N / NA

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	UPS	3/1/07	1600
UPS	LA Palmer	3/2/07	1300

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

April 10, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070327.06**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
49224	CO-GW-MW-21	3/25/2007
49225	CO-GW-MW-22	3/25/2007
49226	CO-GW-MW-15	3/25/2007
49227	CO-GW-MW-11	3/25/2007
49228	CO-GW-MW-111	3/25/2007
49229	CO-GW-MW-18	3/26/2007
49230	CO-GW-MW-16S	3/26/2007

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Sincerely,

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49224**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 3/25/2007 09:52
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 17:12	
Surrogate (10-139)	8081	%	58	1		1.0		04/09/07 17:12	03/30/07 10:30
a-BHC	8081	ug/L	0.0084 I	1	0.0023	0.0092	319-84-6	04/09/07 17:12	03/30/07 10:30
b-BHC	8081	ug/L	0.052	1	0.0030	0.012	319-85-7	04/09/07 17:12	03/30/07 10:30
Lindane	8081	ug/L	0.010	1	0.0024	0.0096	58-89-9	04/09/07 17:12	03/30/07 10:30
d-BHC	8081	ug/L	0.013	1	0.0023	0.0092	319-86-8	04/09/07 17:12	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/09/07 17:12	03/30/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	04/09/07 17:12	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	04/09/07 17:12	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/09/07 17:12	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/09/07 17:12	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	04/09/07 17:12	03/30/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	04/09/07 17:12	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/09/07 17:12	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/09/07 17:12	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/09/07 17:12	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/09/07 17:12	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/09/07 17:12	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/09/07 17:12	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/09/07 17:12	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/09/07 17:12	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/09/07 17:12	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/09/07 17:12	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/09/07 17:12	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49225**
Sample Designation **CO-GW-MW-22**

Matrix: Groundwater
Date Collected: 3/25/2007 10:35
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 17:26	
Surrogate (10-139)	8081	%	70	1		1.0		04/09/07 17:26	03/30/07 10:30
a-BHC	8081	ug/L	0.016	1	0.0023	0.0092	319-84-6	04/09/07 17:26	03/30/07 10:30
b-BHC	8081	ug/L	0.058	1	0.0030	0.012	319-85-7	04/09/07 17:26	03/30/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	04/09/07 17:26	03/30/07 10:30
d-BHC	8081	ug/L	0.026	1	0.0023	0.0092	319-86-8	04/09/07 17:26	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/09/07 17:26	03/30/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	04/09/07 17:26	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	04/09/07 17:26	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/09/07 17:26	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/09/07 17:26	03/30/07 10:30
Endosulfan I	8081	ug/L	0.15	1	0.0019	0.0076	959-98-8	04/09/07 17:26	03/30/07 10:30
Dieldrin	8081	ug/L	0.013	1	0.0014	0.0056	60-57-1	04/09/07 17:26	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/09/07 17:26	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/09/07 17:26	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/09/07 17:26	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/09/07 17:26	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/09/07 17:26	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/09/07 17:26	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/09/07 17:26	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/09/07 17:26	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/09/07 17:26	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/09/07 17:26	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/09/07 17:26	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49226**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 3/25/2007 11:11
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 17:40	
Surrogate (10-139)	8081	%	78	1		1.0		04/09/07 17:40	03/30/07 10:30
a-BHC	8081	ug/L	0.0014 J	1	0.0023	0.0092	319-84-6	04/09/07 17:40	03/30/07 10:30
b-BHC	8081	ug/L	0.0053 I	1	0.0030	0.012	319-85-7	04/09/07 17:40	03/30/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	04/09/07 17:40	03/30/07 10:30
d-BHC	8081	ug/L	0.0053 I	1	0.0023	0.0092	319-86-8	04/09/07 17:40	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/09/07 17:40	03/30/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	04/09/07 17:40	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	04/09/07 17:40	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/09/07 17:40	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/09/07 17:40	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	04/09/07 17:40	03/30/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	04/09/07 17:40	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/09/07 17:40	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/09/07 17:40	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/09/07 17:40	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/09/07 17:40	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/09/07 17:40	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/09/07 17:40	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/09/07 17:40	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/09/07 17:40	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/09/07 17:40	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/09/07 17:40	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/09/07 17:40	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49227**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 3/25/2007 11:50
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 17:55	
Surrogate (10-139)	8081	%	81	1		1.0		04/09/07 17:55	03/30/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	04/09/07 17:55	03/30/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	04/09/07 17:55	03/30/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	04/09/07 17:55	03/30/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	04/09/07 17:55	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/09/07 17:55	03/30/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	04/09/07 17:55	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	04/09/07 17:55	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/09/07 17:55	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/09/07 17:55	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	04/09/07 17:55	03/30/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	04/09/07 17:55	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/09/07 17:55	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/09/07 17:55	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/09/07 17:55	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/09/07 17:55	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/09/07 17:55	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/09/07 17:55	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/09/07 17:55	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/09/07 17:55	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/09/07 17:55	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/09/07 17:55	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/09/07 17:55	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49228**
Sample Designation **CO-GW-MW-111**

Matrix: Groundwater
Date Collected: 3/25/2007 11:50
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 18:09	
Surrogate (10-139)	8081	%	82	1		1.0		04/09/07 18:09	03/30/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	04/09/07 18:09	03/30/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	04/09/07 18:09	03/30/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	04/09/07 18:09	03/30/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	04/09/07 18:09	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/09/07 18:09	03/30/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	04/09/07 18:09	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	04/09/07 18:09	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/09/07 18:09	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/09/07 18:09	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	04/09/07 18:09	03/30/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	04/09/07 18:09	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/09/07 18:09	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/09/07 18:09	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/09/07 18:09	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/09/07 18:09	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/09/07 18:09	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/09/07 18:09	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/09/07 18:09	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/09/07 18:09	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/09/07 18:09	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/09/07 18:09	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/09/07 18:09	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49229**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 3/26/2007 11:33
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/10/07	1				04/10/07 11:42	
Surrogate (10-139)	8081	%	55	1		1.0		04/10/07 11:42	03/30/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	04/10/07 11:42	03/30/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	04/10/07 11:42	03/30/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	04/10/07 11:42	03/30/07 10:30
d-BHC	8081	ug/L	0.0024 I	1	0.0023	0.0092	319-86-8	04/10/07 11:42	03/30/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	04/10/07 11:42	03/30/07 10:30
Aldrin	8081	ug/L	0.0071 I	1	0.002	0.008	309-00-2	04/10/07 11:42	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.0031 I	1	0.0022	0.0088	1024-57-3	04/10/07 11:42	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	04/10/07 11:42	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	04/10/07 11:42	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0054 I	1	0.0019	0.0076	959-98-8	04/10/07 11:42	03/30/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	04/10/07 11:42	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	04/10/07 11:42	03/30/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	04/10/07 11:42	03/30/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	04/10/07 11:42	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	04/10/07 11:42	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	04/10/07 11:42	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	04/10/07 11:42	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	04/10/07 11:42	03/30/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	04/10/07 11:42	03/30/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	04/10/07 11:42	03/30/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	04/10/07 11:42	03/30/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		04/10/07 11:42	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

SunLabs Sample Number **49230**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 3/26/2007 13:31
Date Received: 3/27/2007 13:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		3/30/07						03/30/07 10:30
Date Analyzed			4/9/07	1				04/09/07 18:38	
Surrogate (10-139)	8081	%	87	1		1.0		04/09/07 18:38	03/30/07 10:30
a-BHC	8081	ug/L	0.038	5	0.0023	0.0092	319-84-6	04/10/07 11:56	03/30/07 10:30
b-BHC	8081	ug/L	0.97	5	0.0030	0.012	319-85-7	04/10/07 11:56	03/30/07 10:30
Lindane	8081	ug/L	0.012 K	5	0.0024	0.0096	58-89-9	04/10/07 11:56	03/30/07 10:30
d-BHC	8081	ug/L	0.18	5	0.0023	0.0092	319-86-8	04/10/07 11:56	03/30/07 10:30
Heptachlor	8081	ug/L	0.012 K	5	0.0024	0.0096	76-44-8	04/10/07 11:56	03/30/07 10:30
Aldrin	8081	ug/L	0.01 K	5	0.002	0.008	309-00-2	04/10/07 11:56	03/30/07 10:30
Heptachlor epoxide	8081	ug/L	0.011 K	5	0.0022	0.0088	1024-57-3	04/10/07 11:56	03/30/07 10:30
a-Chlordane	8081	ug/L	0.0095 K	5	0.0019	0.0076	5103-71-9	04/10/07 11:56	03/30/07 10:30
g-Chlordane	8081	ug/L	0.0105 K	5	0.0021	0.0084	5103-74-2	04/10/07 11:56	03/30/07 10:30
Endosulfan I	8081	ug/L	0.0095 K	5	0.0019	0.0076	959-98-8	04/10/07 11:56	03/30/07 10:30
Dieldrin	8081	ug/L	0.075	5	0.0014	0.0056	60-57-1	04/10/07 11:56	03/30/07 10:30
p,p'-DDE	8081	ug/L	0.0085 K	5	0.0017	0.0068	72-55-9	04/10/07 11:56	03/30/07 10:30
Endrin	8081	ug/L	0.009 K	5	0.0018	0.0072	70-20-8	04/10/07 11:56	03/30/07 10:30
Endosulfan II	8081	ug/L	0.009 K	5	0.0018	0.0072	33213-65-9	04/10/07 11:56	03/30/07 10:30
p,p'-DDD	8081	ug/L	0.008 K	5	0.0016	0.0064	72-54-8	04/10/07 11:56	03/30/07 10:30
Endrin aldehyde	8081	ug/L	0.0095 K	5	0.0019	0.0076	7421-93-4	04/10/07 11:56	03/30/07 10:30
Endosulfan sulfate	8081	ug/L	0.0135 K	5	0.0027	0.011	1031-07-8	04/10/07 11:56	03/30/07 10:30
p,p'-DDT	8081	ug/L	0.01 K	5	0.002	0.008	50-29-3	04/10/07 11:56	03/30/07 10:30
Endrin ketone	8081	ug/L	0.13	5	0.0016	0.0064	53494-70-5	04/10/07 11:56	03/30/07 10:30
Methoxychlor	8081	ug/L	0.009 K	5	0.0018	0.0072	72-43-5	04/10/07 11:56	03/30/07 10:30
Toxaphene	8081	ug/L	0.05 K	5	0.01	0.2	8001-35-2	04/10/07 11:56	03/30/07 10:30
Mirex	8081	ug/L	0.075 K	5	0.015	0.06		04/10/07 11:56	03/30/07 10:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070327.06	Project Description Chevron Orlando

April 10, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
J	*Estimated value; value may not be accurate.*
K	*The value is known to be less than the reported value based on sample size, dilution or some other variable.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070327.06	Project Description: Chevron Orlando

April 10, 2007

Batch No: **B9925**

TestCode: **8081-w**

Associated Samples
49224, 49225, 49226, 49227, 49228, 49229, 49230

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	--QC Limits-- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	--QC Limits-- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*49227*	*49227*					
Surrogate (10-139)	75														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	77	84	9	14	55-107	100	78	89	13	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	88	94	7	14	47-135	100	91	97	6	57	0-162		
Aldrin	0.002 U	100	66	78	17	17	48-100	100	65	74	13	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	78	86	10	15	54-110	100	85	93	9	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	86	83	4	17	55-124	100	89	86	3	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	98	100	2	10	51-144	100	95	105	10	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

№ 12560

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: 27751 Lake Jem Rd
Address: Mount Dora, FL 32757
Susan Tolan
Phone / Fax: 3523930717
E-Mail :

SunLabs Project # 070327.06

Project Name: Chevron Orlando
Project #: EU215
PO #: ~~N/A~~
Alt Bill To: Allen West
Arcadis

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type (AG)	Preservative (1)	Matrix (GW)	Analysis / Method Requested (8021B)
49224	CO-GW-MW-21	3/25/07	0952	1				
49225	CO-GW-MW-22	"	1035	1				
49226	CO-GW-MW-15	"	1111	1				
49227	CO-GW-MW-11	"	1150	3				
49228	CO-GW-MW-111	"	1150	1				
49229	CO-GW-MW-19	3/26/07	1133	1				
49230	CO-GW-MW-16S	"	1331	1				
49231	CO-GW-MW-16D	"	1359	1				

Due Date Requested: 4/10/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

→ received broken

Sampler Signature / Date: 3/26/07

Printed Name / Affiliation: Susan Tolan / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	UPS	3/26/07	1600
UPS	SunLabs	3/27/07	13:15

Bottle Type Codes:

GV = Glass Vial; GVS = Low Level Volatile Kit; GA = Glass Amber; T = Tedlar Bag; P = Plastic; O = Other; S = Soil Jar

Preservative Codes:

H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice; I = Ice only; VS = MeOH, DFW, + Ice; N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:

A = Air; SO = Soil; DW = Drinking Water; SOL = Solid; GW = Ground Water; SW = Surface Water; SE = Sediment; W = Water (Blanks); O = Other (Specify)

Temp: 3.4°C

Received on Ice? (Y) N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / (NA)
Shipping Bills attached?	(Y) / N / NA
Sample containers intact?	(Y) / N / NA
Samples within holding times?	(Y) / N / NA
Sufficient volume for all analyses?	(Y) / N / NA
Are vials head-space free?	Y / N / (NA)
Proper containers and preservatives?	(Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com