SITE: Chevron Chemical
BREAK: 7.4
OTHER: v.4

ARCADIS BBL
Infrastructure, environment, facilities

ARCADIS U.S., Inc.
3240 El Camino Real
Suite 200
Irvine
California 92602
Tel 714.730.9052
Fax 714.730.9345
www.arcadis-us.com

ARCADIS BBL

Mr. William Denman
United States Environmental Protection Agency
Atlanta Federal Center
61 Forsyth Street, SW
Atlanta, Georgia 30303-3104

Subject:
Submittal of *Site Status Update*
Chevron Orlando Superfund Site
Orlando, Florida

Date:
August 23, 2007

Contact:
Allen C. Just, P.E.

Phone:
714.730.9052 Ext 38

Email:
allen.just@arcadis-us.com

Our ref:
B0045313.0000.00011

Dear Mr. Denman:

On behalf of Chevron Environmental Management Company (Chevron EMC), ARCADIS U.S., Inc. (ARCADIS BBL), is submitting this Site Status Update for the Chevron Orlando Superfund Site (the Site), located in Orlando, Florida. This update documents the site activities completed during the Second Quarter 2007 and the proposed activities for the Third Quarter 2007.

Please contact me at 714.730.9052 Extension 38 or via e-mail at allen.just@arcadis-us.com if you have any questions or need additional information.

Sincerely,

ARCADIS U.S., Inc.

Allen C. Just, P.E.
Sr. Engineer II

Enclosure

Copies:
Karen Milicic, FDEP, Tallahassee, FL
Mark Stella, Chevron EMC, Bellaire, TX
Susan Tobin, TASK Environmental, Mount Dora, FL
Brigitte Howe, Geomega, Boulder, CO
Matthew Coglianese, Peckar & Abramson, Miami, FL

Imagine the result

10547554

ARCADIS BBL
Infrastructure, environment, facilities

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
AUGUST 23, 2007

Site: Chevron Orlando Superfund Site

Location: Orlando, Orange County, Florida

EPA Identification No.: FLD 004 064 242

ARCADIS BBL Project No.: B0045313.0000.00011

CEMC Contact: Chevron Environmental Management Company (Chevron EMC) / Mark Stella / (713) 432-2643

Env. Consultant: ARCADIS BBL / Allen Just / (714) 730-9052 Ext. 38

Lead Agency: United States Environmental Protection Agency (USEPA) / Bill Denman / (404) 562-8939

Work Completed During Second Quarter 2007

1. Completed the installation of three permeable reactive barriers (PRBs) at the Site and the Lake Fairview Commerce Center on April 6, 2007. Three PRBs were installed in accordance with the *Revised Pilot Test Work Plan* dated November 9, 2006. The post-injection monitoring is being performed in accordance with the approved monitoring plan.
2. Conducted groundwater monitoring activities on April 21 and 22, 2007. The monitoring activities included the collection of groundwater samples from 14 wells. Analytical results for the pesticide constituents of concern (COCs) in selected wells are presented in Figures 2 through 7. Summaries of groundwater monitoring and analytical data are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
3. Conducted groundwater monitoring activities on May 18 and 20, and June 7, 2007. The monitoring activities included the collection of groundwater samples from 6 wells. Analytical results for the pesticide COCs in selected wells are presented in Figures 2 through 7. Summaries of groundwater monitoring and analytical data are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
4. Conducted groundwater monitoring activities on June 24, 25 and 26, 2007. The monitoring activities included the collection of groundwater samples from 7 wells. Analytical results for the pesticide COCs are presented in Figures 2 through 7. Summaries of the groundwater monitoring data and analytical results are presented in Tables 1, 2, and 3. Copies of the chain-of-custody documentation and laboratory report are presented in Attachment A.
5. Performed site maintenance activities including mowing, weeding, and trash removal.

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
AUGUST 23, 2007

Work Completed / To Be Performed During Third Quarter 2007

1. Submit *Site Status Update* report.
2. Conduct groundwater monitoring activities in July, August, and September 2007.
3. Prepare pilot test report documenting installation of three PRBs and initial post-treatment monitoring and sampling results.
4. Perform site maintenance activities including mowing and weed removal.

Attachments:	Table 1	Groundwater Elevation Data
	Table 2	Summary of Groundwater Analytical Results
	Table 3	Summary of Geochemical Indicator Parameters
	Figure 1	Topographic Map of Site Location and Vicinity
	Figure 2	alpha-BHC Concentrations in Groundwater
	Figure 3	beta-BHC Concentrations in Groundwater
	Figure 4	Lindane Concentrations in Groundwater
	Figure 5	a-Chlordane Concentrations in Groundwater
	Figure 6	g-Chlordane Concentrations in Groundwater
	Figure 7	4,4'-DDD Concentrations in Groundwater
	Attachment A	Chain-of-Custody Documentation and Laboratory Reports

ARCADIS BBL

Tables

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-1D	11/01/99	100.89	9.55	91.34	
MW-1D	04/03/00	100.89	10.80	90.09	
MW-1D	10/23/00	100.89	10.85	90.04	
MW-1D	04/16/01	100.89	10.96	89.93	
MW-1D	10/15/01	100.89	9.82	91.07	
MW-1D	03/18/02	100.89	10.00	90.89	
MW-1D	09/05/02	100.89	9.55	91.34	
MW-1D	03/17/03	100.89	9.80	91.09	
MW-1D	10/03/03	100.89	9.75	91.14	
MW-1D	04/07/04	100.89	10.57	90.32	
MW-1D	10/14/04	100.89	8.70	92.19	
MW-1D	05/31/05	100.89	10.88	90.01	
MW-1D	12/12/05	100.89	10.26	90.63	
MW-1D	03/26/06	100.89	11.10	89.79	
MW-1D	04/23/06	100.89	11.53	89.36	
MW-1D	05/24/06	100.89	11.65	89.24	
MW-1D	06/27/06	100.89	11.07	89.82	
MW-1D	07/26/06	100.89	10.22	90.67	
MW-1D	09/06/06	100.89	9.89	91.00	
MW-1D	10/03/06	100.89	10.14	90.75	
MW-1D	11/01/06	100.89	10.68	90.21	
MW-1D	02/01/07	100.89	10.05	90.84	
MW-1D	04/22/07	100.89	11.58	89.31	
MW-1S	11/01/99	100.93	9.62	91.31	
MW-1S	04/03/00	100.93	10.72	90.21	
MW-1S	10/23/00	100.93	10.78	90.15	
MW-1S	04/16/01	100.93	10.82	90.11	
MW-1S	10/15/01	100.93	9.65	91.28	
MW-1S	03/18/02	100.93	10.15	90.78	
MW-1S	09/05/02	100.93	9.55	91.38	
MW-1S	03/17/03	100.93	9.82	91.11	
MW-1S	10/03/03	100.93	9.73	91.20	
MW-1S	04/07/04	100.93	10.59	90.34	
MW-1S	10/14/04	100.93	8.65	92.28	
MW-1S	05/31/05	100.93	10.89	90.04	
MW-1S	12/12/05	100.93	10.25	90.68	
MW-1S	03/26/06	100.93	11.19	89.74	
MW-1S	04/23/06	100.93	11.55	89.38	
MW-1S	05/24/06	100.93	11.64	89.29	
MW-1S	06/27/06	100.93	11.09	89.84	
MW-1S	07/26/06	100.93	10.22	90.71	
MW-1S	09/06/06	100.93	9.85	91.08	
MW-1S	10/03/06	100.93	10.14	90.79	
MW-1S	11/01/06	100.93	10.69	90.24	
MW-1S	02/01/07	100.93	10.07	90.86	
MW-1S	04/22/07	100.93	11.60	89.33	
MW-2D	11/01/99	99.16	5.69	93.47	
MW-2D	04/03/00	99.16	8.01	91.15	
MW-2D	10/23/00	99.16	8.00	91.16	
MW-2D	04/16/01	99.16	8.01	91.15	
MW-2D	10/15/01	99.16	6.60	92.56	
MW-2D	03/18/02	99.16	7.13	92.03	
MW-2D	09/05/02	99.16	5.70	93.46	
MW-2D	03/17/03	99.16	6.54	92.62	
MW-2D	10/03/03	99.16	6.28	92.88	
MW-2D	04/07/04	99.16	7.30	91.86	
MW-2D	10/14/04	99.16	4.73	94.43	
MW-2D	05/31/05	99.16	7.24	91.92	
MW-2D	12/12/05	99.16	6.45	92.71	
MW-2D	11/01/06	99.16	7.20	91.96	
MW-2S	11/01/99	99.11	5.60	93.51	
MW-2S	04/03/00	99.11	7.95	91.16	
MW-2S	10/23/00	99.11	7.83	91.28	
MW-2S	04/16/01	99.11	7.98	91.13	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-2S	10/15/01	99.11	6.52	92.59	
MW-2S	03/18/02	99.11	7.00	92.11	
MW-2S	09/05/02	99.11	5.61	93.50	
MW-2S	03/17/03	99.11	6.52	92.59	
MW-2S	10/03/03	99.11	6.30	92.81	
MW-2S	04/07/04	99.11	7.27	91.84	
MW-2S	10/14/04	99.11	4.62	94.49	
MW-2S	05/31/05	99.11	7.43	91.68	
MW-2S	12/12/05	99.11	6.38	92.73	
MW-2S	11/01/06	99.11	7.12	91.99	
MW-3D	11/01/99	101.65	7.05	94.60	
MW-3D	04/03/00	101.65	9.73	91.92	
MW-3D	10/23/00	101.65	9.60	92.05	
MW-3D	04/16/01	101.65	9.56	92.09	
MW-3D	10/15/01	101.65	8.05	93.60	
MW-3D	03/18/02	101.65	7.14	94.51	
MW-3D	09/06/02	101.65	7.22	94.43	
MW-3D	03/17/03	101.65	8.12	93.53	
MW-3D	10/03/03	101.65	7.80	93.85	
MW-3D	04/07/04	101.65	9.10	92.55	
MW-3D	10/14/04	101.65	6.36	95.29	
MW-3D	05/31/05	101.65	8.73	92.92	
MW-3D	12/12/05	101.65	8.06	93.59	
MW-3D	04/23/06	101.65	10.08	91.57	
MW-3D	11/02/06	101.65	8.79	92.86	
MW-3S	11/01/99	101.82	7.00	94.82	
MW-3S	04/03/00	101.82	9.94	91.88	
MW-3S	10/23/00	101.82	9.98	91.84	
MW-3S	04/16/01	101.82	9.91	91.91	
MW-3S	10/15/01	101.82	8.10	93.72	
MW-3S	03/18/02	101.82	8.66	93.16	
MW-3S	09/05/02	101.82	6.99	94.83	
MW-3S	03/17/03	101.82	8.30	93.52	
MW-3S	10/03/03	101.82	7.82	94.00	
MW-3S	04/07/04	101.82	9.25	92.57	
MW-3S	10/14/04	101.82	6.19	95.63	
MW-3S	05/31/05	101.82	9.26	92.56	
MW-3S	12/12/05	101.82	8.14	93.68	
MW-3S	04/23/06	101.82	10.25	91.57	
MW-3S	05/24/06	101.82	10.27	91.55	
MW-3S	06/27/06	101.82	9.22	92.60	
MW-3S	07/26/06	101.82	8.11	93.71	
MW-3S	09/06/06	101.82	7.05	94.77	
MW-3S	10/02/06	101.82	7.90	93.92	
MW-3S	11/02/06	101.82	8.88	92.94	
MW-3S	04/22/07	101.82	10.55	91.27	
MW-4D	11/01/99	101.93	8.46	93.47	
MW-4D	04/03/00	101.93	11.23	90.70	
MW-4D	10/23/00	101.93	10.38	91.55	
MW-4D	04/16/01	101.93	10.67	91.26	
MW-4D	10/15/01	101.93	9.30	92.63	
MW-4D	03/18/02	101.93	9.94	91.99	
MW-4D	09/06/02	101.93	8.13	93.80	
MW-4D	03/17/03	101.93	9.47	92.46	
MW-4D	10/03/03	101.93	9.16	92.77	
MW-4D	04/07/04	101.93	10.15	91.78	
MW-4D	10/14/04	101.93	7.54	94.39	
MW-4D	05/31/05	101.93	10.39	91.54	
MW-4D	12/12/05	101.93	9.79	92.14	
MW-4D	04/23/06	101.93	11.28	90.65	
MW-4D	11/02/06	101.93	10.22	91.71	
MW-4S	11/01/99	102.51	9.14	93.37	
MW-4S	04/03/00	102.51	11.77	90.74	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-4S	10/23/00	102.51	11.30	91.21	
MW-4S	04/16/01	102.51	9.83	92.68	
MW-4S	10/15/01	102.51	9.90	92.61	
MW-4S	03/18/02	102.51	10.38	92.13	
MW-4S	09/06/02	102.51	9.12	93.39	
MW-4S	03/17/03	102.51	10.00	92.51	
MW-4S	10/03/03	102.51	9.75	92.76	
MW-4S	04/07/04	102.51	10.75	91.76	
MW-4S	10/14/04	102.51	8.08	94.43	
MW-4S	05/31/05	102.51	10.98	91.53	
MW-4S	12/12/05	102.51	10.36	92.15	
MW-4S	04/23/06	102.51	11.84	90.67	
MW-4S	05/24/06	102.51	11.98	90.53	
MW-4S	06/27/06	102.51	11.14	91.37	
MW-4S	07/27/06	102.51	10.02	92.49	
MW-4S	09/06/06	102.51	9.55	92.96	
MW-4S	10/03/06	102.51	9.90	92.61	
MW-4S	11/02/06	102.51	10.77	91.74	
MW-4S	04/22/07	102.51	11.89	90.62	
MW-5D	11/01/99	100.81	9.59	91.22	
MW-5D	04/03/00	100.81	10.97	89.84	
MW-5D	10/23/00	100.81	11.00	89.81	
MW-5D	04/16/01	100.81	11.14	89.67	
MW-5D	10/15/01	100.81	9.99	90.82	
MW-5D	03/18/02	100.81	10.24	90.57	
MW-5D	09/04/02	100.81	9.50	91.31	
MW-5D	03/17/03	100.81	9.86	90.95	
MW-5D	10/03/03	100.81	9.81	91.00	
MW-5D	04/07/04	100.81	10.50	90.31	
MW-5D	10/14/04	100.81	8.65	92.16	
MW-5D	05/31/05	100.81	10.79	90.02	
MW-5D	12/12/05	100.81	10.09	90.72	
MW-5D	04/23/06	100.81	11.42	89.39	
MW-5S	11/01/99	101.24	9.94	91.30	
MW-5S	04/03/00	101.24	11.28	89.96	
MW-5S	10/23/00	101.24	11.28	89.96	
MW-5S	04/16/01	101.24	11.40	89.84	
MW-5S	10/15/01	101.24	10.24	91.00	
MW-5S	03/18/02	101.24	10.46	90.78	
MW-5S	09/04/02	101.24	9.80	91.44	
MW-5S	03/17/03	101.24	10.23	91.01	
MW-5S	10/03/03	101.24	10.18	91.06	
MW-5S	04/07/04	101.24	10.82	90.42	
MW-5S	10/14/04	101.24	8.95	92.29	
MW-5S	05/31/05	101.24	11.15	90.09	
MW-5S	12/12/05	101.24	10.49	90.75	
MW-5S	04/23/06	101.24	11.25	89.99	
MW-6D	11/01/99	99.69	9.10	90.59	
MW-6D	04/03/00	99.69	10.28	89.41	
MW-6D	10/23/00	99.69	10.32	89.37	
MW-6D	04/16/01	99.69	10.56	89.13	
MW-6D	10/15/01	99.69	9.51	90.18	
MW-6D	03/18/02	99.69	9.55	90.14	
MW-6D	09/06/02	99.69	9.10	90.59	
MW-6D	03/17/03	99.69	9.29	90.40	
MW-6D	10/03/03	99.69	9.32	90.37	
MW-6D	04/07/04	99.69	9.76	89.93	
MW-6D	10/14/04	99.69	NA	NA	Well not accessible
MW-6D	05/31/05	99.69	NA	NA	Well not accessible
MW-6D	12/12/05	99.69	NA	NA	Well not accessible
MW-6S	11/01/99	99.80	9.20	90.60	
MW-6S	04/03/00	99.80	10.33	89.47	
MW-6S	10/23/00	99.80	10.37	89.43	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-6S	04/16/01	99.80	10.59	89.21	
MW-6S	10/15/01	99.80	9.58	90.22	
MW-6S	03/18/02	99.80	9.81	89.99	
MW-6S	09/05/02	99.80	9.25	90.55	
MW-6S	03/17/03	99.80	9.51	90.29	
MW-6S	10/03/03	99.80	9.45	90.35	
MW-6S	04/07/04	99.80	9.90	89.90	
MW-6S	10/14/04	99.80	NA	NA	Well not accessible
MW-6S	05/31/05	99.80	NA	NA	Well not accessible
MW-6S	12/12/05	99.80	NA	NA	Well not accessible
MW-7D	11/01/99	102.27	7.29	94.98	
MW-7D	04/03/00	102.27	9.80	92.47	
MW-7D	10/23/00	102.27	9.98	92.29	
MW-7D	04/16/01	102.27	9.72	92.55	
MW-7D	10/15/01	102.27	8.08	94.19	
MW-7D	03/18/02	102.27	8.94	93.33	
MW-7D	09/08/02	102.27	6.91	95.36	
MW-7D	03/17/03	102.27	7.89	94.38	
MW-7D	10/03/03	102.27	7.90	94.37	
MW-7D	04/07/04	102.27	9.30	92.97	
MW-7D	10/14/04	102.27	6.75	95.52	
MW-7D	05/31/05	102.27	7.94	94.33	
MW-7D	12/12/05	102.27	8.08	94.19	
MW-7D	04/23/06	102.27	10.12	92.15	
MW-7S	11/01/99	100.05	5.20	94.85	
MW-7S	04/03/00	100.05	7.50	92.55	
MW-7S	10/23/00	100.05	7.53	92.52	
MW-7S	04/16/01	100.05	7.32	92.73	
MW-7S	10/15/01	100.05	5.88	94.17	
MW-7S	03/18/02	100.05	6.18	93.87	
MW-7S	09/07/02	100.05	5.13	94.92	
MW-7S	03/17/03	100.05	5.16	94.89	
MW-7S	10/03/03	100.05	5.20	94.85	
MW-7S	04/07/04	100.05	7.10	92.95	
MW-7S	10/14/04	100.05	4.55	95.50	
MW-7S	05/31/05	100.05	5.61	94.44	
MW-7S	12/12/05	100.05	5.89	94.16	
MW-7S	04/23/06	100.05	7.89	92.16	
MW-8D	11/01/99	103.40	7.77	95.63	
MW-8D	04/03/00	103.40	10.41	92.99	
MW-8D	10/23/00	103.40	10.31	93.09	
MW-8D	04/16/01	103.40	9.76	93.64	
MW-8D	10/15/01	103.40	8.20	95.20	
MW-8D	03/18/02	103.40	9.15	94.25	
MW-8D	09/05/02	103.40	7.35	96.05	
MW-8D	03/17/03	103.40	8.88	94.52	
MW-8D	10/03/03	103.40	8.26	95.14	
MW-8D	04/07/04	103.40	9.35	94.05	
MW-8D	10/14/04	103.40	6.68	96.72	
MW-8D	05/31/05	103.40	9.15	94.25	
MW-8D	12/12/05	103.40	8.53	94.87	
MW-8D	04/23/06	103.40	10.27	93.13	
MW-8D	11/02/06	103.40	9.03	94.37	
MW-8S	11/01/99	102.17	6.33	95.84	
MW-8S	04/03/00	102.17	9.15	93.02	
MW-8S	10/23/00	102.17	8.86	93.31	
MW-8S	04/16/01	102.17	8.85	93.32	
MW-8S	10/15/01	102.17	7.27	94.90	
MW-8S	03/18/02	102.17	8.15	94.02	
MW-8S	09/05/02	102.17	6.25	95.92	
MW-8S	03/17/03	102.17	7.63	94.54	
MW-8S	10/03/03	102.17	6.95	95.22	
MW-8S	04/07/04	102.17	8.35	93.82	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-8S	10/14/04	102.17	5.67	96.50	
MW-8S	05/31/05	102.17	8.30	93.87	
MW-8S	12/12/05	102.17	7.65	94.52	
MW-8S	04/23/06	102.17	9.35	92.82	
MW-8S	11/02/06	102.17	8.11	94.06	
MW-9D	11/01/99	102.59	7.04	95.55	
MW-9D	04/03/00	102.59	9.39	93.20	
MW-9D	10/23/00	102.59	9.24	93.35	
MW-9D	04/16/01	102.59	9.02	93.57	
MW-9D	10/15/01	102.59	7.73	94.86	
MW-9D	03/18/02	102.59	8.40	94.19	
MW-9D	09/05/02	102.59	6.91	95.68	
MW-9D	03/17/03	102.59	8.02	94.57	
MW-9D	10/03/03	102.59	3.77	98.82	
MW-9D	04/07/04	102.59	8.70	93.89	
MW-9D	10/14/04	102.59	6.32	96.27	
MW-9D	05/31/05	102.59	8.64	93.95	
MW-9D	12/12/05	102.59	8.08	94.51	
MW-9D	04/23/06	102.59	9.67	92.92	
MW-9D	11/02/06	102.59	8.53	94.06	
MW-10D	11/01/99	104.35	9.66	94.69	
MW-10D	04/03/00	104.35	11.95	92.40	
MW-10D	10/23/00	104.35	11.60	92.75	
MW-10D	04/16/01	104.35	11.53	92.82	
MW-10D	10/15/01	104.35	10.32	94.03	
MW-10D	03/18/02	104.35	11.50	92.85	
MW-10D	09/05/02	104.35	9.48	94.87	
MW-10D	03/17/03	104.35	10.62	93.73	
MW-10D	10/03/03	104.35	10.18	94.17	
MW-10D	04/07/04	104.35	11.30	93.05	
MW-10D	10/14/04	104.35	8.80	95.55	
MW-10D	05/31/05	104.35	11.55	92.80	
MW-10D	12/12/05	104.35	11.00	93.35	
MW-10D	04/23/06	104.35	12.35	92.00	
MW-10D	11/01/06	104.35	11.36	92.99	
MW-10S	11/01/99	103.31	8.54	94.77	
MW-10S	04/03/00	103.31	10.79	92.52	
MW-10S	10/23/00	103.31	10.48	92.83	
MW-10S	04/16/01	103.31	10.41	92.90	
MW-10S	10/15/01	103.31	9.20	94.11	
MW-10S	03/18/02	103.31	9.96	93.35	
MW-10S	09/05/02	103.31	8.35	94.96	
MW-10S	03/17/03	103.31	9.51	93.80	
MW-10S	10/03/03	103.31	9.05	94.26	
MW-10S	04/07/04	103.31	10.14	93.17	
MW-10S	10/14/04	103.31	7.67	95.64	
MW-10S	05/31/05	103.31	10.41	92.90	
MW-10S	12/12/05	103.31	9.86	93.45	
MW-10S	04/23/06	103.31	11.22	92.09	
MW-10S	11/01/06	103.31	10.20	93.11	
MW-11	11/01/99	96.24	6.63	89.61	
MW-11	04/03/00	96.24	7.75	88.49	
MW-11	10/23/00	96.24	7.84	88.40	
MW-11	04/16/01	96.24	8.30	87.94	
MW-11	10/15/01	96.24	6.97	89.27	
MW-11	03/18/02	96.24	7.15	89.09	
MW-11	09/06/02	96.24	6.70	89.54	
MW-11	03/17/03	96.24	6.91	89.33	
MW-11	10/03/03	96.24	6.95	89.29	
MW-11	04/07/04	96.24	7.54	88.70	
MW-11	10/14/04	96.24	6.45	89.79	
MW-11	05/31/05	96.24	7.43	88.81	
MW-11	12/12/05	96.24	7.05	89.19	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-11	01/29/06	96.24	7.45	88.79	
MW-11	02/26/06	96.24	7.37	88.87	
MW-11	03/26/06	96.24	7.75	88.49	
MW-11	04/23/06	96.24	8.14	88.10	
MW-11	05/23/06	96.24	8.27	87.97	
MW-11	06/26/06	96.24	7.94	88.30	
MW-11	07/26/06	96.24	7.12	89.12	
MW-11	09/05/06	96.24	6.80	89.44	
MW-11	10/02/06	96.24	7.15	89.09	
MW-11	10/31/06	96.24	7.50	88.74	
MW-11	11/28/06	96.24	7.57	88.67	
MW-11	12/17/06	96.24	7.35	88.89	
MW-11	01/31/07	96.24	7.25	88.99	
MW-11	02/25/07	97.24	7.50	89.74	
MW-11	03/25/07	96.24	8.75	87.49	
MW-11	04/21/07	96.24	7.97	88.27	
MW-11	05/18/07	96.24	8.25	87.99	
MW-11	06/07/07	96.24	8.13	88.11	Resample event (05.18.07 sample broke)
MW-11	06/25/07	96.24	8.20	88.04	
MW-12	11/01/99	97.95	6.71	91.24	
MW-12	04/03/00	97.95	7.97	89.98	
MW-12	10/23/00	97.95	8.00	89.95	
MW-12	04/16/01	97.95	8.30	89.65	
MW-12	10/15/01	97.95	7.16	90.79	
MW-12	03/18/02	97.95	7.35	90.60	
MW-12	09/07/02	97.95	6.68	91.27	
MW-12	03/17/03	97.95	7.08	90.87	
MW-12	10/03/03	97.95	7.00	90.95	
MW-12	04/07/04	97.95	7.89	90.06	
MW-12	10/14/04	97.95	6.10	91.85	
MW-12	05/31/05	97.95	7.93	90.02	
MW-12	12/12/05	97.95	7.45	90.50	
MW-12	03/26/06	97.95	8.25	89.70	
MW-12	04/23/06	97.95	8.63	89.32	
MW-12	05/23/06	97.95	8.81	89.14	
MW-12	06/26/06	97.95	8.37	89.58	
MW-12	07/26/06	97.95	7.45	90.50	
MW-12	09/05/06	97.95	7.25	90.70	
MW-12	10/02/06	97.95	7.35	90.60	
MW-12	10/31/06	97.95	7.84	90.11	
MW-12	01/31/07	97.95	7.97	89.98	
MW-12	04/21/07	97.95	8.40	89.55	
MW-15	11/01/99	99.21	8.75	90.46	
MW-15	04/03/00	99.21	9.97	89.24	
MW-15	10/23/00	99.21	10.01	89.20	
MW-15	04/16/01	99.21	10.33	88.88	
MW-15	10/15/01	99.21	9.20	90.01	
MW-15	03/18/02	99.21	9.25	89.96	
MW-15	09/04/02	99.21	8.82	90.39	
MW-15	03/17/03	99.21	8.89	90.32	
MW-15	10/03/03	99.21	9.03	90.18	
MW-15	04/07/04	99.21	9.71	89.50	
MW-15	10/14/04	99.21	8.25	90.96	
MW-15	05/31/05	99.21	9.82	89.39	
MW-15	12/12/05	99.21	9.22	89.99	
MW-15	01/29/06	99.21	9.70	89.51	
MW-15	02/26/06	99.21	9.65	89.56	
MW-15	03/26/06	99.21	10.04	89.17	
MW-15	04/23/06	99.21	10.40	88.81	
MW-15	05/23/06	99.21	10.63	88.58	
MW-15	06/26/06	99.21	10.20	89.01	
MW-15	07/26/06	99.21	9.26	89.95	
MW-15	09/05/06	99.21	8.95	90.26	
MW-15	10/02/06	99.21	9.24	89.97	
MW-15	10/31/06	99.21	9.72	89.49	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-15	11/28/06	99.21	9.85	89.36	
MW-15	12/17/06	99.21	9.68	89.53	
MW-15	02/01/07	99.21	9.40	89.81	
MW-15	03/01/07	99.21	9.76	89.45	
MW-15	03/25/07	99.21	10.00	89.21	
MW-15	04/21/07	99.21	10.33	88.88	
MW-15	05/20/07	99.21	12.56	86.65	
MW-15	06/25/07	99.21	10.60	88.61	
MW-16D	11/01/99	103.70	12.05	91.65	
MW-16D	04/03/00	103.70	13.26	90.44	
MW-16D	10/23/00	103.70	13.00	90.70	
MW-16D	04/16/01	103.70	13.25	90.45	
MW-16D	10/15/01	103.70	12.60	91.10	
MW-16D	03/18/02	103.70	12.83	90.87	
MW-16D	09/04/02	103.70	11.93	91.77	
MW-16D	03/17/03	103.70	12.51	91.19	
MW-16D	10/03/03	103.70	12.38	91.32	
MW-16D	04/07/04	103.70	13.13	90.57	
MW-16D	10/14/04	103.70	11.45	92.25	
MW-16D	05/31/05	103.70	13.40	90.30	
MW-16D	12/12/05	103.70	12.91	90.79	
MW-16D	03/26/06	103.70	13.67	90.03	
MW-16D	04/23/06	103.70	13.99	89.71	
MW-16D	05/24/06	103.70	14.22	89.48	
MW-16D	06/27/06	103.70	13.59	90.11	
MW-16D	07/27/06	103.70	12.70	91.00	
MW-16D	09/06/06	103.70	12.46	91.24	
MW-16D	10/02/06	103.70	12.75	90.95	
MW-16D	11/02/06	103.70	13.27	90.43	
MW-16D	11/28/06	103.70	13.53	90.17	
MW-16D	12/18/06	103.70	13.45	90.25	
MW-16D	02/01/07	103.70	13.00	90.70	
MW-16D	03/01/07	103.70	13.25	90.45	
MW-16D	03/26/07	103.70	13.40	90.30	
MW-16D	04/22/07	103.70	13.76	89.94	
MW-16D	05/18/07	103.70	14.01	89.69	
MW-16D	06/26/07	103.70	13.75	89.95	
MW-16S	11/01/99	104.30	12.67	91.63	
MW-16S	04/03/00	104.30	13.96	90.34	
MW-16S	10/23/00	104.30	13.83	90.47	
MW-16S	04/16/01	104.30	13.66	90.64	
MW-16S	10/15/01	104.30	12.76	91.54	
MW-16S	03/18/02	104.30	13.22	91.08	
MW-16S	09/04/02	104.30	12.35	91.95	
MW-16S	03/17/03	104.30	13.17	91.13	
MW-16S	10/03/03	104.30	13.07	91.23	
MW-16S	04/07/04	104.30	13.50	90.80	
MW-16S	10/14/04	104.30	11.82	92.48	
MW-16S	05/31/05	104.30	13.74	90.56	
MW-16S	12/12/05	104.30	13.29	91.01	
MW-16S	03/26/06	104.30	14.05	90.25	
MW-16S	04/23/06	104.30	14.39	89.91	
MW-16S	05/24/06	104.30	14.62	89.68	
MW-16S	06/27/06	104.30	14.00	90.30	
MW-16S	07/27/06	104.30	13.11	91.19	
MW-16S	09/06/06	104.30	12.87	91.43	
MW-16S	10/02/06	104.30	13.15	91.15	
MW-16S	11/02/06	104.30	13.66	90.64	
MW-16S	11/28/06	104.30	13.92	90.38	
MW-16S	12/18/06	104.30	13.83	90.47	
MW-16S	02/01/07	104.30	13.38	90.92	
MW-16S	03/01/07	104.30	13.70	90.60	
MW-16S	03/26/07	104.30	13.80	90.50	
MW-16S	04/22/07	104.30	14.15	90.15	
MW-16S	05/18/07	104.30	15.15	89.15	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-16S	06/26/07	104.30	14.14	90.16	
MW-17	11/01/99	103.23	8.92	94.31	
MW-17	04/03/00	103.23	11.17	92.06	
MW-17	10/23/00	103.23	10.92	92.31	
MW-17	04/16/01	103.23	10.87	92.36	
MW-17	10/15/01	103.23	9.65	93.58	
MW-17	03/18/02	103.23	10.38	92.85	
MW-17	09/05/02	103.23	8.79	94.44	
MW-17	03/17/03	103.23	9.95	93.28	
MW-17	10/03/03	103.23	9.55	93.68	
MW-17	04/07/04	103.23	10.60	92.63	
MW-17	10/14/04	103.23	8.00	95.23	
MW-17	05/31/05	103.23	10.95	92.28	
MW-17	12/12/05	103.23	10.32	92.91	
MW-17	04/23/06	103.23	11.70	91.53	
MW-17	11/02/06	103.23	10.65	92.58	
MW-18	12/12/05	NA	8.08	NA	Top of casing elevation not surveyed
MW-18	01/29/06	NA	8.52	NA	Top of casing elevation not surveyed
MW-18	02/26/06	NA	8.45	NA	Top of casing elevation not surveyed
MW-18	03/26/06	NA	8.85	NA	Top of casing elevation not surveyed
MW-18	04/23/06	NA	9.25	NA	Top of casing elevation not surveyed
MW-18	05/23/06	NA	9.47	NA	Top of casing elevation not surveyed
MW-18	06/26/06	97.78	9.02	88.76	
MW-18	07/26/06	97.78	8.13	89.65	
MW-18	09/05/06	97.78	7.80	89.98	
MW-18	10/02/06	97.78	8.10	89.68	
MW-18	10/31/06	97.78	8.60	89.18	
MW-18	11/28/06	97.78	8.65	89.13	
MW-18	12/17/06	97.78	8.45	89.33	
MW-18	01/31/07	97.78	8.25	89.53	
MW-18	03/01/07	97.78	8.54	89.24	
MW-18	03/26/07	97.78	8.83	88.95	
MW-18	04/21/07	97.78	9.08	88.70	
MW-18	05/20/07	97.78	9.85	87.93	
MW-18	06/25/07	97.78	9.37	88.41	
MW-19	12/12/05	NA	12.94	NA	Top of casing elevation not surveyed
MW-19	01/29/06	NA	13.37	NA	Top of casing elevation not surveyed
MW-19	02/26/06	NA	13.28	NA	Top of casing elevation not surveyed
MW-19	03/26/06	NA	13.71	NA	Top of casing elevation not surveyed
MW-19	04/23/06	NA	14.15	NA	Top of casing elevation not surveyed
MW-19	05/23/06	NA	14.35	NA	Top of casing elevation not surveyed
MW-19	06/26/06	102.86	13.89	88.97	
MW-19	07/26/06	102.86	12.94	89.92	
MW-19	09/05/06	102.86	12.59	90.27	
MW-19	10/02/06	102.86	12.93	89.93	
MW-19	10/31/06	102.86	13.40	89.46	
MW-19	02/01/07	102.86	13.10	89.76	
MW-19	04/21/07	102.86	14.05	88.81	
MW-20	12/12/05	NA	11.95	NA	Top of casing elevation not surveyed
MW-20	01/29/06	NA	12.39	NA	Top of casing elevation not surveyed
MW-20	02/26/06	NA	12.43	NA	Top of casing elevation not surveyed
MW-20	03/26/06	NA	12.74	NA	Top of casing elevation not surveyed
MW-20	04/23/06	NA	13.14	NA	Top of casing elevation not surveyed
MW-20	05/21/06	NA	13.25	NA	Top of casing elevation not surveyed
MW-20	06/25/06	102.42	12.85	89.57	
MW-20	07/23/06	102.42	11.79	90.63	
MW-20	08/27/06	102.42	12.35	90.07	
MW-20	10/01/06	102.42	11.76	90.66	
MW-20	10/29/06	102.42	12.35	90.07	
MW-20	01/28/07	102.42	12.09	90.33	
MW-20	04/22/07	102.42	12.95	89.47	
MW-21	12/12/05	NA	11.68	NA	Top of casing elevation not surveyed

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments
MW-21	01/29/06	NA	12.10	NA	Top of casing elevation not surveyed
MW-21	02/26/06	NA	12.15	NA	Top of casing elevation not surveyed
MW-21	03/26/06	NA	12.45	NA	Top of casing elevation not surveyed
MW-21	04/23/06	NA	12.85	NA	Top of casing elevation not surveyed
MW-21	05/21/06	NA	12.98	NA	Top of casing elevation not surveyed
MW-21	06/25/06	101.97	12.58	89.39	
MW-21	07/23/06	101.97	11.55	90.42	
MW-21	08/27/06	101.97	12.05	89.92	
MW-21	10/01/06	101.97	11.54	90.43	
MW-21	10/29/06	101.97	12.10	89.87	
MW-21	11/26/06	101.97	12.24	89.73	
MW-21	12/17/06	101.97	12.17	89.80	
MW-21	01/28/07	101.97	11.79	90.18	
MW-21	02/25/07	101.97	12.10	89.87	
MW-21	03/25/07	101.97	14.45	87.52	Field error - depth to Groundwater is incorrect
MW-21	04/22/07	101.97	12.73	89.24	
MW-21	05/20/07	101.97	13.25	88.72	
MW-21	06/24/07	101.97	12.90	89.07	
MW-22	12/12/05	NA	10.75	NA	Top of casing elevation not surveyed
MW-22	01/29/06	NA	11.17	NA	Top of casing elevation not surveyed
MW-22	02/26/06	NA	11.16	NA	Top of casing elevation not surveyed
MW-22	03/26/06	NA	11.53	NA	Top of casing elevation not surveyed
MW-22	04/23/06	NA	11.95	NA	Top of casing elevation not surveyed
MW-22	05/21/06	NA	12.06	NA	Top of casing elevation not surveyed
MW-22	06/25/06	100.89	11.65	89.24	
MW-22	07/23/06	100.89	10.59	90.30	
MW-22	08/27/06	100.89	11.13	89.76	
MW-22	10/01/06	100.89	10.60	90.29	
MW-22	10/29/06	100.89	11.20	89.69	
MW-22	11/26/06	100.89	11.29	89.60	
MW-22	12/17/06	100.89	11.20	89.69	
MW-22	01/28/07	100.89	10.85	90.04	
MW-22	02/25/07	100.89	11.20	89.69	
MW-22	03/25/07	100.89	11.64	89.25	
MW-22	04/22/07	100.89	11.88	89.01	
MW-22	05/20/07	100.89	12.10	88.79	
MW-22	06/24/07	100.89	12.05	88.84	
MW-A	11/01/99	105.01	10.75	94.26	
MW-A	04/03/00	105.01	12.46	92.55	
MW-A	10/23/00	105.01	NA	NA	Not measured; well was not guaged
MW-A	04/16/01	105.01	12.15	92.86	
MW-A	10/15/01	105.01	11.15	93.86	
MW-A	03/18/02	105.01	11.77	93.24	
MW-A	09/05/02	105.01	7.04	97.97	
MW-A	03/17/03	105.01	11.35	93.66	
MW-A	10/03/03	105.01	10.98	94.03	
MW-A	04/07/04	105.01	12.09	92.92	
MW-A	10/14/04	105.01	9.10	95.91	
MW-A	05/31/05	105.01	12.48	92.53	
MW-A	12/12/05	105.01	12.17	92.84	
MW-D	11/01/99	102.96	7.14	95.82	
MW-D	04/03/00	102.96	9.64	93.32	
MW-D	10/23/00	102.96	9.59	93.37	
MW-D	04/16/01	102.96	9.48	93.48	
MW-D	10/15/01	102.96	11.15	91.81	
MW-D	03/18/02	102.96	8.83	94.13	
MW-D	09/06/02	102.96	10.30	92.66	
MW-D	03/17/03	102.96	8.10	94.86	
MW-D	10/03/03	102.96	7.43	95.53	
MW-D	04/07/04	102.96	8.93	94.03	
MW-D	10/14/04	102.96	6.50	96.46	
MW-D	05/31/05	102.96	8.57	94.39	
MW-D	12/12/05	102.96	7.88	95.08	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation (FT)	Depth to Groundwater (FT)	Groundwater Elevation (FT)	Comments

LEGEND

NA = Not Analyzed
FT = Feet

NOTES:
(1) Monitoring wells MW-19 through MW-22 were surveyed on May 31, 2006.

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-1D	10/25/00	**1.7**	<0.1	<0.04	**3.7**	3.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	04/18/01	**2**	<0.1	<0.04	**1.6**	3	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	10/17/01	**0.12**	<0.1	<0.04	**0.82**	0.52	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	03/20/02	**1.4**	<0.1	<0.04	<0.05	2.6	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	09/05/02	**1.3 [1.6]**	<1 [<1]	<0.4 [<0.4]	**0.83 [1]**	2 [2.5]	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]	<1 [<1]
MW-1D	03/17/03	**0.24 [0.28]**	<0.1 [<0.1]	<0.005 [<0.005]	**0.36 [0.38]**	0.36 [0.35]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	10/03/03	**0.33 [0.33]**	<0.2 [<0.2]	<0.01 [<0.01]	**0.54 [0.59]**	0.6 [0.61]	<0.01 [<0.01]	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]
MW-1D	04/08/04	**0.28 [0.32]**	<0.5 [<0.5]	<0.025 [<0.025]	**0.45 [0.49]**	0.37 [0.38]	<0.025 [<0.025]	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]
MW-1D	10/18/04	**0.14 [0.2]**	<0.1 [<0.2]	<0.005 [<0.01]	**0.36 [0.4]**	0.17 [0.2]	<0.005 [<0.01]	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]
MW-1D	06/02/05	0.031	<0.1	<0.005	**0.27**	0.08	0.061	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	12/16/05	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	0.075 [0.077]	0.036 [0.036]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	03/28/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.1	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	04/26/06	<0.005	<0.1	<0.002	<0.01	0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	05/24/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	06/28/06	<0.005	<0.1	<0.002	0.05	<0.03	0.05	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	07/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1D	09/06/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	10/03/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.049	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	11/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	02/01/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1D	04/22/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	0.045	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	10/25/00	**0.84**	<0.1	<0.04	**1.1**	5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/18/01	**0.11 [0.11]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.49 [0.49]**	1.5 [1.5]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1S	10/17/01	**0.92**	<0.1	<0.04	**0.33**	0.28	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/20/02	**0.12**	<0.1	<0.04	**0.22**	0.27	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	09/05/02	**0.13**	<0.1	<0.04	**0.2**	0.32	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/17/03	0.015	<0.1	<0.005	0.1	0.069	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	10/03/03	<0.005	<0.1	<0.005	0.08	0.09	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/08/04	**0.16**	<0.1	<0.005	**0.72**	0.48	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	10/18/04	<0.01	<0.2	<0.01	0.1	0.04	<0.01	<0.1	<0.2	<0.2	<0.2	<0.2
MW-1S	06/02/05	<0.005	<0.1	<0.005	0.07	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	03/28/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	04/26/06	<0.005	<0.1	<0.002	<0.01	0.019 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	05/24/06	0.005	<0.1	<0.002	<0.01	0.016 I	<0.002	0.08	<0.1	<0.1	<0.1	<0.1
MW-1S	06/28/06	<0.005	<0.1	<0.002	<0.01	0.013 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-1S	07/26/06	<0.005	<0.1	<0.002	<0.01	0.0097 I	0.0045	0.083	<0.1	<0.1	<0.1	<0.1
MW-1S	09/06/06	<0.0023	<0.0019	<0.002	<0.003	0.02	<0.0014	0.081	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	10/03/06	<0.0046	<0.0038	<0.004	0.034	0.016	<0.0028	<0.0038	<0.0036	<0.0054	<0.0036	<0.0038
MW-1S	11/01/06	<0.0023	<0.0019	<0.002	0.013	0.0085 I	<0.0014	0.04	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	02/01/07	<0.0023	<0.0019	<0.002	0.025	<0.0023	<0.0014	0.038	<0.0018	<0.0027	<0.0018	<0.0019
MW-1S	04/22/07	<0.0023	<0.0019	<0.002	0.033	<0.0023	<0.0014	0.058	<0.0018	<0.0027	<0.0018	<0.0019
MW-2D	04/06/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	10/25/00	**0.62**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	04/18/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	10/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	03/20/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	09/05/02	<0.04	<0.1	<0.04	**0.32**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	10/18/04	<0.005	<0.1	<0.005	**0.19**	<0.03	0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	06/02/05	0.014	<0.1	<0.005	<0.01	<0.03	0.039	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.047	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2D	11/01/06	**0.056**	<0.0019	<0.002	0.039	<0.0023	0.059	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-2S	04/06/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/25/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	04/18/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	03/20/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-2S	11/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	0.0029 I	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-3D	10/26/00	**0.08**	<0.1	<0.04	**0.14**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/18/01	**0.12**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	10/17/01	**0.06 [0.07]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	03/20/02	0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	09/06/02	<0.04	<0.1	<0.04	0.06	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/09/04	0.02	<0.1	<0.005	<0.01	<0.03	0.06	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	10/19/04	0.02	<0.1	<0.005	**0.22**	0.04	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	06/03/05	0.016 [0.016]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	0.054 [0.07]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	12/20/05	0.014	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	04/25/06	<0.005	<0.1	<0.002	0.056	<0.03	0.088	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3D	11/02/06	<0.0023	<0.0019	<0.002	0.011 I	<0.0023	0.058	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-3S	10/26/00	**0.37**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	04/18/01	**0.54**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	10/17/01	**0.55**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	03/20/02	**0.27 [0.2]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/05/02	**0.21 [0.15]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.21 [0.19]**	0.16 [0.13]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	04/09/04	**0.12**	<0.1	<0.005	<0.01	0.061	0.08	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	10/19/04	**0.09**	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	06/03/05	<0.005 [0.17]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	0.095 [0.091]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	12/20/05	**0.25**	<0.1	<0.002	<0.01	0.17	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	04/25/06	**0.25 [0.25]**	<0.1 [<0.1]	0.18 [0.16]	<0.01 [<0.01]	0.12 [0.1]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	05/24/06	**0.16 [0.13]**	<0.1 [<0.1]	<0.002 [<0.002]	**0.35 [0.25]**	0.039 [0.032]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	06/28/06	**0.14**	<0.1	<0.002	**0.19**	0.05	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-3S	07/26/06	**0.13 [0.18]**	<0.1 [<0.1]	<0.002 [<0.002]	0.067 [0.086]	0.065 [0.087]	0.076 [0.099]	0.2 [0.26]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/06/06	**0.17 [0.17]**	<0.0019 [<0.0019]	<0.002 [<0.002]	**0.11 [0.13]**	0.11 [0.096]	0.08 [0.068]	0.2 [0.16]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-3S	10/02/06	**0.45**	<0.038	<0.04	0.096	0.24	0.13	<0.038	<0.036	<0.054	<0.036	<0.038
MW-3S	11/02/06	**0.21**	<0.019	<0.02	<0.03	0.14	0.14	0.32	<0.018	<0.027	<0.018	<0.019
MW-3S	04/22/07	**0.21**	<0.019	<0.02	**0.34**	<0.023	0.16	0.39	0.59	<0.027	<0.018	<0.019
MW-4D	04/06/00	**3.9**	<0.1	<0.04	<0.05	6.6	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	10/26/00	**4.4**	<0.1	<0.04	**3.3**	9.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	04/18/01	**4.3**	<0.1	<0.04	**3.3**	6.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	10/17/01	**5.1**	<0.1	<0.04	**3.6**	10	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	03/20/02	**3**	<0.1	<0.04	<0.05	7.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	09/06/02	**2.2**	<1	<0.4	**2.2**	4.5	<0.3	<0.5	<1	<1	<1	<1
MW-4D	04/09/04	**0.63**	<1	<0.05	**0.7**	1.3	<0.05	<0.5	<1	<1	<1	<1
MW-4D	10/19/04	**0.39**	<0.5	<0.025	**0.68**	1.4	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-4D	06/06/05	**0.11**	<0.5	<0.025	**0.38**	0.27	0.086	<0.25	<0.5	<0.5	<0.5	<0.5
MW-4D	12/21/05	**0.36**	<0.1	<0.002	<0.1	0.93	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	04/26/06	**0.18**	<0.1	<0.002	<0.01	0.52	0.11	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4D	11/02/06	**0.23**	<0.038	<0.04	**0.25**	0.76	0.19	<0.038	<0.036	<0.054	<0.036	<0.038

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-4S	04/06/00	**7.6**	<0.1	<0.04	**7.5**	23	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	10/26/00	**8.8 [9.3]**	<0.1 [<0.1]	<0.04 [<0.04]	**11 [11]**	32 [33]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-4S	04/18/01	**8.4**	<0.1	<0.04	**8.4**	20	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	10/17/01	**3.1**	<0.1	<0.04	**9.5**	7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	03/20/02	**3.3**	<0.1	<0.04	**5.5**	5.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	09/06/02	**1.9 [2.4]**	<1 [<1]	<0.4 [<0.4]	**5.2 [6.5]**	3.2 [3.8]	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]	<1 [<1]
MW-4S	04/09/04	**4.4**	<5	<0.25	**6.7**	5.9	<0.25	<2.5	<5	<5	<5	<5
MW-4S	10/19/04	**2.2**	<1	<0.05	**6.7**	4	<0.05	<0.5	<1	<1	<1	<1
MW-4S	06/06/05	**2.3**	<2.5	<0.125	**12**	6.5	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	12/21/05	**3**	<0.1	<0.002	**7**	6.2	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-4S	04/26/06	**1.7**	<1	<0.02	**2.2**	4.5	0.19	<0.5	<1	<1	<1	<1
MW-4S	05/24/06	**3.2**	<2.5	<0.05	**5.9**	15	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	06/27/06	**1.5**	<2.5	<0.05	**3.4**	6.5	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-4S	07/27/06	**1.1**	<2	<0.04	**4.6**	4.4	<0.04	<1	<2	<2	<2	<2
MW-4S	09/06/06	**0.77**	<0.038	<0.04	**4.6**	3.6	0.4	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	10/03/06	**0.69**	<0.038	<0.04	**4.8**	3.8	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	11/02/06	**1.2**	<0.038	<0.04	**4.2**	4.5	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-4S	04/22/07	**3**	<0.095	<0.1	**6.2**	11	0.32	<0.095	<0.09	<0.135	<0.09	<0.095
MW-5D	04/04/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	04/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.007	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.008	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5D	04/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.009	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/04/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	0.07	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	10/15/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.008	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.013	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	12/16/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.015	<0.05	<0.1	<0.1	<0.1	<0.1
MW-5S	04/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.017	<0.05	<0.1	<0.1	<0.1	<0.1
MW-6D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-6S	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.04	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.04	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.43	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.47	<0.05	<0.1	<0.1	<0.1	<0.1
MW-7S	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.57	<0.05	<0.1	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-8D	10/25/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/08/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-8D	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	06/02/05	<0.005	<0.1	<0.005	0.02	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-8S	10/25/00	<0.04	<0.1	<0.04	**0.22**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	10/16/01	<0.04	<0.1	<0.04	**0.29**	0.09	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	03/19/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	09/05/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	10/18/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	06/02/05	<0.005	<0.1	<0.005	<0.01	<0.03	0.022	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	12/20/05	<0.005	<0.1	<0.002	<0.01	<0.03	0.012	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-8S	11/02/06	<0.0023	0.0093	<0.002	<0.003	<0.0023	0.019	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-9D	10/25/00	**0.08**	<0.1	<0.04	**0.31**	0.8	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/17/01	<0.04	<0.1	<0.04	**0.38**	0.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	10/16/01	**0.06**	<0.1	<0.04	**0.34**	0.82	0.19	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	03/19/02	**0.06**	<0.1	<0.04	**0.33**	0.29	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	09/05/02	**0.08**	<0.1	<0.04	**0.39**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/08/04	0.01	<0.1	<0.005	<0.01	0.04	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	10/19/04	0.02	<0.1	<0.005	0.07	0.06	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	06/03/05	<0.005	<0.1	<0.005	<0.01	0.023	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	12/20/05	**0.07**	<0.1	<0.002	<0.01	0.13	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	04/25/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-9D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	0.1	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-10D	10/25/00	<0.04	<0.1	<0.04	**0.84**	0.07	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	04/17/01	<0.04	<0.1	<0.04	**0.19**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	10/16/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	03/19/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	**0.15 [0.17]**	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	09/05/02	<0.04	<0.1	<0.04	0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	04/08/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	10/19/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	06/03/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	12/20/05	<0.005	<0.1	<0.002	0.02	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10D	04/25/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	11/01/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-10S	10/25/00	**1.8**	<0.1	<0.04	**19**	6.4	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	04/17/01	**1.6**	<0.1	<0.04	**24**	6.5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	10/16/01	**1.8 [1.6]**	<0.1 [<0.1]	<0.04 [<0.04]	**59 [60]**	19 [19]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	03/19/02	**0.91**	<0.1	<0.04	**29**	8.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-10S	09/05/02	**0.59**	<1	<0.4	**27**	5.9	<0.3	<0.5	<1	<1	<1	<1
MW-10S	04/08/04	**0.53**	<1	<0.05	**13**	2.5	<0.05	<0.5	<1	<1	<1	<1
MW-10S	10/19/04	**0.32**	<2.5	<0.125	**17**	2.3	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-10S	06/03/05	**0.46**	<0.5	<0.025	**12**	1.9	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-10S	12/20/05	**1.4 [1.1]**	<0.1 [<0.1]	<0.002 [<0.002]	**7.8 [5.5]**	2.1 [1.6]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	04/25/06	**0.83**	<1	<0.02	**3.2**	1.1	<0.02	<0.5	<1	<1	<1	<1
MW-10S	11/01/06	**0.58**	<0.038	<0.04	**3.6**	1.2	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-11	11/13/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	03/18/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	05/06/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	07/09/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	10/14/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	01/18/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	06/01/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	12/12/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	02/01/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	02/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	03/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	04/24/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11	05/23/06	0.005	<0.1	<0.002	<0.01	0.004 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	06/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-11	07/26/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	11/28/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	12/17/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	01/31/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-11	02/25/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	03/25/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-11	04/21/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-11	06/07/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-11	06/25/07	0.029	<0.0019	<0.002	<0.003	0.057	0.031	0.095	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	11/13/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	03/18/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	04/07/04	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	10/14/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	01/18/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	06/01/05	<0.005	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	12/13/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	03/27/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	<0.03 [<0.03]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12	04/24/06	<0.005	<0.1	<0.002	<0.01	0.0026 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	05/23/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	06/27/06	0.0024 I	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	07/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-12	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	10/02/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-12	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	01/31/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-12	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-15	10/24/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/17/01	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	10/16/01	**0.07**	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	11/13/01	0.05 [0.05]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	03/18/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.03 [<0.03]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	09/04/02	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/07/04	**0.29**	<0.1	<0.005	<0.01	0.07	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	05/04/04	**0.23**	<0.1	<0.005	0.026	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	07/09/04	**0.25 [0.52]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	<0.03 [<0.03]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	10/14/04	0.02	<0.1	<0.005	<0.01	<0.03	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	01/18/05	**0.063 [0.055]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	0.06 [0.05]	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	06/01/05	**0.18**	<0.1	<0.005	<0.01	0.21	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	12/13/05	0.021 [0.024]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.15 [0.16]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	02/01/06	0.0037 I	<0.1	<0.002	<0.01	0.061	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	02/27/06	0.0055 [0.0039 I]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.068 [0.057]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	03/27/06	0.0065	<0.1	<0.002	0.014	0.075	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	04/24/06	0.0048 I	<0.1	<0.002	<0.01	0.08	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	05/23/06	0.01	<0.1	<0.002	<0.01	0.099	0.006	0.12	<0.1	<0.1	<0.1	<0.1
MW-15	06/27/06	0.0063 [0.0086]	0.011 I [0.011 I]	<0.002 [<0.002]	0.015 [0.015]	0.064 [0.063]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15	07/26/06	0.0051	0.0074 I	<0.002	<0.01	0.044	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-15	09/05/06	<0.0023 [<0.0023]	0.013 [0.018]	<0.002 [<0.002]	<0.003 [<0.003]	0.037 [0.053]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-15	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	10/31/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	0.02 [0.019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-15	11/28/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.011	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	12/17/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	02/01/07	<0.0023	<0.0019	<0.002	<0.003	0.0089 I	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	03/01/07	<0.0023	<0.0019	<0.002	0.0039 I	0.0053 I	<0.0014	0.0079	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	03/25/07	0.0014 J	<0.0019	<0.002	0.0053 I	0.0053 I	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	04/21/07	<0.0023	<0.0019	<0.002	0.0065 I	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	05/20/07	<0.0023	<0.0019	<0.002	0.011 I	0.012	<0.0014	0.018	<0.0018	<0.0027	<0.0018	<0.0019
MW-15	06/25/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	10/25/00	<0.04	<0.1	<0.04	**0.31**	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/17/01	<0.04	<0.1	<0.04	**1.8**	0.29	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	10/16/01	**0.86**	<0.1	<0.04	**12**	3.9	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	03/19/02	**0.21 [0.25]**	<0.1 [<0.1]	<0.04 [<0.04]	**5.2 [5.9]**	1.1 [1.3]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16D	09/04/02	**0.76**	<0.1	<0.04	**0.76**	0.13	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/07/04	0.04	<0.1	<0.005	**5.1**	0.08	<0.005	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	10/19/04	**0.57**	<2.5	<0.125	**12**	2.9	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16D	06/06/05	**0.22**	<2.5	<0.125	**8.4**	1.2	<0.125	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16D	12/21/05	**0.21**	<0.1	<0.002	**3.8**	0.57	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	03/28/06	**0.059**	<0.1	<0.002	**1.2**	0.16	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	04/26/06	0.022 [0.025]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	0.02 I [0.02 I]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16D	05/24/06	0.009	<0.1	<0.002	0.046	0.038	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	06/28/06	0.021	<0.1	<0.002	**0.53**	0.069	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16D	07/27/06	**0.14**	<2	<0.04	**4.5**	1	0.096	0.066	<2	<2	<2	<2
MW-16D	09/06/06	**0.19**	0.066	<0.02	**4.9**	1.1	0.11	<0.019	<0.018	<0.027	<0.018	<0.019
MW-16D	10/02/06	**0.26 [0.24]**	<0.038 [<0.038]	<0.04 [<0.04]	**6.3 [6.5]**	1.3 [1.3]	0.21 [0.2]	<0.038 [<0.038]	<0.036 [<0.036]	<0.054 [<0.054]	<0.036 [<0.036]	<0.038 [<0.038]
MW-16D	11/02/06	**0.056**	<0.0095	<0.01	**2.5**	0.48	0.089	<0.0095	<0.009	<0.0135	<0.009	<0.0095
MW-16D	11/28/06	0.044	<0.0019	<0.002	**0.63**	0.12	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	12/18/06	0.0064 I	<0.0019	<0.002	**0.11**	0.019	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	02/01/07	**0.28**	<0.0019	<0.002	**2.8**	0.68	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16D	03/01/07	**0.14**	<0.038	<0.04	**2.4**	0.56	<0.028	<0.038	<0.036	<0.054	<0.036	<0.038
MW-16D	04/22/07	0.043 [0.049]	<0.019 [<0.019]	<0.02 [<0.02]	**0.93 [0.9]**	0.24 [0.33]	<0.014 [<0.014]	<0.019 [<0.019]	<0.018 [<0.018]	<0.027 [<0.027]	<0.018 [<0.018]	<0.019 [<0.019]
MW-16D	05/18/07	0.032 [0.031]	<0.0019 [<0.0019]	<0.002 [<0.002]	**1 [0.87]**	<0.0023 [<0.0023]	0.054 [0.055]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-16D	06/26/07	0.014	<0.0019	<0.002	**0.26**	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-16S	10/24/00	**8.9**	<0.1	<0.04	**36**	13	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	04/17/01	**1.8 [1.7]**	<0.1 [<0.1]	<0.04 [<0.04]	**27 [26]**	8.5 [7.7]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	10/16/01	**0.9 [0.9]**	<0.1 [<0.1]	<0.04 [<0.04]	**8.3 [8]**	2 [2]	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	03/19/02	**0.83**	<0.1	<0.04	**7**	2.2	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	09/04/02	**0.77**	<1	<0.4	**4.8**	1.3	0.43	<0.5	<1	<1	<1	<1
MW-16S	04/07/04	**0.1**	<1	<0.05	**2**	0.5	0.13	<0.5	<1	<1	<1	<1
MW-16S	10/19/04	<0.025	<0.5	<0.025	**0.37**	<0.15	0.07	<0.25	<0.5	<0.5	<0.5	<0.5
MW-16S	06/06/05	0.011	<0.2	<0.01	**0.59**	0.06	0.058	<0.1	<0.2	<0.2	<0.2	<0.2
MW-16S	12/21/05	0.0098	<0.1	<0.002	<0.01	0.062	0.057	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	03/28/06	0.037	<0.1	<0.002	**1.6**	0.22	0.074	<0.05	<0.1	<0.1	<0.1	<0.1
MW-16S	04/26/06	**0.069**	<1	<0.02	**2.6**	0.33	0.056	<0.5	<1	<1	<1	<1
MW-16S	05/24/06	**0.18**	<2.5	<0.05	**5.3**	0.78	0.13	0.18	<2.5	<2.5	<2.5	<2.5
MW-16S	06/27/06	**0.11**	<2.5	<0.05	**3.4**	0.52	<0.05	<1.25	<2.5	<2.5	<2.5	<2.5
MW-16S	07/27/06	0.021	<1	<0.02	**0.99**	0.14	0.056	<0.5	<1	<1	<1	<1
MW-16S	09/06/06	**0.1**	0.16	<0.04	**1.1**	0.22	0.19	0.14	<0.036	<0.054	0.13	<0.038
MW-16S	10/02/06	0.011	0.019	<0.002	**0.57**	0.12	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	11/02/06	0.027	<0.0038	<0.004	**1**	0.13	0.11	<0.0038	<0.0036	<0.0054	<0.0036	<0.0038
MW-16S	11/28/06	**0.057**	<0.0019	<0.002	**1.59**	0.032	0.13	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	12/18/06	**0.075**	<0.0019	<0.002	**1.2**	<0.0023	0.082	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	02/01/07	0.018	<0.0019	<0.002	**0.48**	0.086	0.068	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	03/01/07	0.027	<0.0019	<0.002	**0.69**	0.11	0.066	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	03/26/07	0.038	<0.0095	<0.01	**0.97**	0.18	0.075	<0.0095	<0.009	<0.0135	<0.009	<0.0095
MW-16S	04/22/07	**0.084**	<0.019	<0.02	**2.3**	0.28	<0.014	<0.019	<0.018	<0.027	<0.018	<0.019
MW-16S	05/18/07	**0.062**	<0.0019	<0.002	**3.4**	<0.0023	0.052	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-16S	06/26/07	**0.06**	<0.0019	<0.002	**5.2**	1.4	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-17	10/25/00	**5.5**	<0.1	<0.04	**4.4**	9.5	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	04/18/01	**1.9**	<0.1	<0.04	**2.1**	6.5	1.8	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	10/17/01	**1.6**	<0.1	<0.04	**2.2**	4.1	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	03/19/02	**2.4**	<0.1	<0.04	**0.94**	2.7	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	09/05/02	**1.6**	<1	<0.4	**1.3**	1.9	<0.3	<0.5	<1	<1	<1	<1
MW-17	04/08/04	**1.6**	<1	<0.05	**0.93**	2.2	0.52	<0.5	<1	<1	<1	<1
MW-17	10/19/04	**0.85**	<0.5	<0.025	**1**	2.4	<0.025	<0.25	<0.5	<0.5	<0.5	<0.5
MW-17	06/03/05	**1**	<0.2	<0.01	**2.7**	6.5	0.032	<0.1	<0.2	<0.2	<0.2	<0.2
MW-17	12/21/05	**0.83**	<0.1	<0.002	**2.3**	7.2	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	04/25/06	**0.55**	<0.1	<0.002	**1.7**	5.8	0.2	<0.05	<0.1	<0.1	<0.1	<0.1
MW-17	11/02/06	**0.51**	<0.038	<0.04	<0.06	3.9	0.19	<0.038	<0.036	<0.054	<0.036	<0.038
MW-18	12/13/05	**0.074**	<0.1	<0.002	<0.01	0.11	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	02/01/06	**0.052 [0.079]**	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [0.09]	0.19 [0.2]	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-18	02/27/06	0.02	<0.1	<0.002	<0.01	0.071	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	03/27/06	0.011	<0.1	<0.002	<0.01	0.12	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	04/24/06	0.027	<0.1	<0.002	0.01	0.15	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	05/23/06	0.037	<0.1	<0.002	0.011	0.19	0.033	0.36	<0.1	<0.1	<0.1	<0.1
MW-18	06/27/06	0.04	<0.1	0.042	<0.01	0.15	0.027	<0.05	<0.1	<0.1	<0.1	<0.1
MW-18	07/26/06	0.028	<0.1	<0.002	<0.01	<0.03	0.024	0.18	<0.1	<0.1	<0.1	<0.1
MW-18	09/05/06	0.027	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	10/02/06	0.016	<0.0019	<0.002	<0.003	<0.0023	0.0054 I	0.091	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	10/31/06	0.025	0.03	<0.002	<0.003	<0.0023	<0.0014	0.11	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	11/28/06	0.024	<0.0019	<0.002	<0.003	0.072	<0.0014	0.19	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	12/17/06	0.018	<0.0019	<0.002	<0.003	0.059	0.011	0.14	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	01/31/07	0.0083 I	<0.0019	<0.002	<0.003	0.031	0.01	0.053	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	03/01/07	0.0085 I [0.0072 I]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	<0.0023 [<0.0023]	<0.0014 [<0.0014]	0.042 [0.041]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-18	03/26/07	<0.0023	<0.0019	0.0071 I	<0.003	0.0024 I	<0.0014	0.0054 I	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	05/20/07	0.0028 I	<0.0019	<0.002	<0.003	0.014	<0.0014	0.019	<0.0018	<0.0027	<0.0018	<0.0019
MW-18	06/25/07	0.0035 I	<0.0019	<0.002	<0.003	0.014	0.0035 I	0.027	<0.0018	<0.0027	<0.0018	<0.0019

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--
MW-19	12/13/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	02/01/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	02/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	03/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	04/24/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	05/23/06	<0.005	<0.1	<0.002	0.005 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	06/27/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	07/26/06	<0.005	<0.1	<0.002	0.0037 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-19	09/05/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	10/02/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	10/31/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	02/01/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-19	04/21/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	12/12/05	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	01/29/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	02/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	03/26/06	<0.005	<0.1	<0.002	<0.01	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	05/21/06	<0.005	<0.1	<0.002	0.003 I	0.0024 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	06/26/06	<0.005	<0.1	<0.002	0.0037 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	07/23/06	<0.005	<0.1	<0.002	0.0046 I	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-20	08/27/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	10/01/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	10/29/06	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	01/28/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.03	<0.0018	<0.0027	<0.0018	<0.0019
MW-20	04/22/07	<0.0023	<0.0019	<0.002	<0.003	<0.0023	<0.0014	0.017	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	12/12/05	0.013	<0.1	<0.002	0.075	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	01/29/06	0.0094	<0.1	<0.002	0.078	0.019	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	02/26/06	0.0041 I	<0.1	<0.002	0.06	0.0097 I	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	03/26/06	<0.005	<0.1	<0.002	0.074	<0.03	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	04/23/06	0.0094	<0.1	<0.002	**0.13**	0.025 I	0.0046	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	05/21/06	0.011	<0.1	0.004	0.011	0.028	0.02	<0.05	<0.1	<0.1	<0.1	<0.1
MW-21	06/26/06	0.014	<0.1	<0.002	0.1	0.018	0.014	<0.05	<0.1	<0.1	<0.1	0.0079 I
MW-21	07/23/06	0.022	<0.1	<0.002	**0.12**	<0.03	<0.002	0.029 I	<0.1	<0.1	<0.1	<0.1
MW-21	08/27/06	0.012	<0.0019	<0.002	0.091	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	10/01/06	0.01	<0.0019	<0.002	0.081	<0.0023	0.011	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	10/29/06	0.011	<0.0019	<0.002	0.1	0.023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	11/26/06	0.0087 I [0.0094]	<0.0019 [<0.0019]	<0.002 [<0.002]	0.069 [0.068]	0.012 [0.013]	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]	<0.0019 [<0.0019]
MW-21	12/17/06	0.018 [0.019]	<0.0038 [<0.0019]	0.008 [0.0076 I]	0.075 [0.074]	<0.0046 [<0.0023]	0.009 [0.0092]	0.028 [0.026]	<0.0036 [<0.0018]	<0.0054 [<0.0027]	<0.0036 [<0.0018]	<0.0038 [<0.0019]
MW-21	01/28/07	0.009 I	<0.0019	<0.002	0.054	0.015	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	02/25/07	0.014	<0.0019	<0.002	0.073	0.03	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	03/25/07	0.0084 I	<0.0019	<0.002	0.052	0.013	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	04/22/07	0.014	<0.0019	<0.002	0.084	<0.0023	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	05/20/07	0.037	<0.0019	<0.002	0.084	0.054	0.048	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019
MW-21	06/24/07	0.027	<0.0019	<0.002	**0.12**	0.061	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018	<0.0019

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	d-BHC (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)	Endrin aldehyde (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -
MW-22	12/12/05	0.029	<0.1	<0.002	0.052	0.048	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	01/29/06	**0.11**	<0.1	<0.002	0.087	0.16	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	02/26/06	**0.085**	<0.1	<0.002	0.052	0.085	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	03/26/06	**0.086**	<0.1	<0.002	0.068	0.12	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	04/23/06	0.049	<0.1	<0.002	0.075	0.096	<0.002	<0.05	<0.1	<0.1	<0.1	<0.1
MW-22	05/21/06	**0.21**	<0.1	<0.002	**0.16**	0.31	0.08	0.72	<0.1	<0.1	<0.1	<0.1
MW-22	06/26/06	0.042	<0.1	<0.002	0.07	0.063	0.023	0.25	<0.1	<0.1	<0.1	<0.1
MW-22	07/23/06	0.018	<0.1	<0.002	0.048	<0.03	0.0077	0.09	<0.1	<0.1	<0.1	<0.1
MW-22	08/27/06	0.048	<0.0019	<0.002	0.044	0.061	<0.0014	0.25	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	10/01/06	0.018	<0.0019	<0.002	0.025	0.018	0.0093	0.097	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	10/29/06	0.04	<0.0019	<0.002	0.078	0.062	0.038	0.25	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	11/26/06	0.047	<0.0019	0.033	0.061	0.068	0.04	0.34	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	12/17/06	**0.056**	<0.0038	<0.004	0.09	<0.0046	0.045	0.26	<0.0036	<0.0054	<0.0036	<0.0038
MW-22	01/28/07	0.04	<0.0019	0.034	0.085	0.059	0.047	0.31	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	02/25/07	0.031	<0.0019	<0.002	0.077	0.082	0.045	0.32	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	03/25/07	0.016	<0.0019	<0.002	0.058	0.026	0.013	0.15	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	04/22/07	0.014	<0.0019	0.0094	0.061	<0.0023	0.014	0.18	<0.0018	<0.0027	<0.0018	<0.0019
MW-22	06/24/07	0.027	<0.0019	<0.002	0.071	<0.0023	0.037	0.29	<0.0018	<0.0027	<0.0018	<0.0019
MW-D	04/05/00	<0.04	<0.1	<0.04	<0.05	<0.03	<0.03	<0.05	<0.1	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-1D	10/25/00	<0.1	<0.1	<0.04	<0.05	0.19	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	04/18/01	<0.1	<0.1	<0.04	<0.05	0.16	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	2.5	<3
MW-1D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	09/05/02	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-1D	03/17/03	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	10/03/03	<0.2 [<0.2]	<0.2 [<0.2]	<0.08 [<0.08]	<0.1 [<0.1]	<0.1 [<0.1]	<0.2 [<0.2]	NA	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<6 [<6]
MW-1D	04/08/04	<0.5 [<0.5]	<0.5 [<0.5]	<0.2 [<0.2]	<0.25 [<0.25]	<0.25 [<0.25]	<0.5 [<0.5]	NA	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<15 [<15]
MW-1D	10/18/04	<0.1 [<0.2]	<0.1 [<0.2]	<0.04 [<0.08]	<0.05 [<0.1]	<0.05 [<0.1]	<0.1 [<0.2]	NA	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<3 [<6]
MW-1D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	12/16/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	07/26/06	<0.1	<0.1	<0.04	<0.05	0.0041 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	09/06/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	10/03/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	11/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/17/03	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/03/03	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/18/04	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	NA	<0.1	<0.2	<0.2	<6
MW-1S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	04/26/06	<0.1	<0.1	<0.04	<0.05	0.008 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	09/06/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/03/06	<0.0032	<0.0042	0.017	<0.0044	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-1S	11/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0033 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2D	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	10/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.3 [0.28]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	09/05/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	04/08/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	12/16/05	<0.1	<0.1	<0.04	<0.05	0.17	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	11/01/06	<0.0016	<0.0021	<0.0024	0.17	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-4S	04/06/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/26/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-4S	04/18/01	<0.1	<0.1	<0.04	<0.05	1.4	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	03/20/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	09/06/02	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-4S	04/09/04	<5	<5	<2	<2.5	<2.5	<5	NA	<2.5	<5	<5	<150
MW-4S	10/19/04	<1	<1	<0.4	<0.5	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4S	06/06/05	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	12/21/05	<0.1	<0.1	<0.04	<0.05	<0.5	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4S	04/26/06	<1	<1	<0.4	<0.5	<0.5	<1	<5	<0.5	<1	<1	<30
MW-4S	05/24/06	<2.5	<2.5	<1	<1.25	0.14	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	06/27/06	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	07/27/06	<2	<2	<0.8	<1	<1	<2	<10	<1	<2	<2	<60
MW-4S	09/06/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	10/03/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	11/02/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	04/22/07	<0.08	<0.105	<0.12	<0.11	<0.12	<0.09	<0.75	<0.08	0.72	<0.1	<0.5
MW-5D	04/04/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	04/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/18/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	04/04/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	03/19/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/15/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	12/16/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	04/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-6D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	0.07 [0.06]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-6S	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-7D	06/02/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	06/02/05	<0.1	<0.1	<0.04	0.1	<0.05	<0.1	<0.5	<0.05	0.21	<0.1	<3
MW-7S	12/20/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-11	11/13/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11	03/18/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11	05/06/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11	07/09/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11	10/14/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11	01/18/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	06/01/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	02/01/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	02/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	04/24/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-11	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11	07/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-11	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	11/28/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	12/17/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	01/31/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11	02/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	03/25/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11	04/21/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11	06/07/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11	06/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	11/13/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	03/18/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12	10/14/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12	01/18/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	06/01/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	03/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12	04/24/06	<0.1	<0.1	<0.04	<0.05	0.0037 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.0041 I	<3
MW-12	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	10/02/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-12	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	01/31/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-15	10/24/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	10/16/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	11/13/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	03/18/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	09/04/02	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	05/04/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	07/09/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	10/14/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15	01/18/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	06/01/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	12/13/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	02/01/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	02/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	05/23/06	<0.1	<0.1	<0.04	<0.05	0.003 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	06/27/06	0.023 I [0.021 I]	<0.1 [<0.1]	<0.04 [<0.04]	0.034 I [0.034 I]	0.0031 I [0.0031 I]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15	07/26/06	0.0064 I	<0.1	<0.04	<0.05	0.0027 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15	09/05/06	0.0096 [0.012]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	10/31/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	0.023 [0.02]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15	11/28/06	<0.0016	<0.0021	<0.0024	0.011	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	12/17/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	03/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	05/20/07	<0.0016	<0.0021	0.017	0.01	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15	06/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	10/25/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/17/01	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/16/01	<0.1	<0.1	<0.04	<0.05	**0.7**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	03/19/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16D	09/04/02	<0.1	<0.1	<0.04	<0.05	0.04	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/07/04	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/19/04	<2.5	<2.5	<1	<1.25	**0.4**	<2.5	NA	<1.25	<2.5	<2.5	<75
MW-16D	06/06/05	<2.5	<2.5	<1	<1.25	0.11	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16D	12/21/05	<0.1	<0.1	<0.04	<0.05	0.083	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	03/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	04/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16D	05/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	06/28/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	07/27/06	<2	<2	<0.8	<1	0.077	<2	<10	<1	<2	<2	<60
MW-16D	09/06/06	<0.016	<0.021	<0.024	0.43	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-16D	10/02/06	0.078 [0.085]	<0.042 [<0.042]	<0.048 [<0.048]	<0.044 [<0.044]	0.059 [0.054]	<0.036 [<0.036]	<0.3 [<0.3]	<0.032 [<0.032]	<0.034 [<0.034]	<0.04 [<0.04]	<0.2 [<0.2]
MW-16D	11/02/06	0.017	<0.0105	<0.012	0.13	0.029	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16D	11/28/06	0.0077	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	12/18/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	03/01/07	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-16D	04/22/07	<0.016 [<0.016]	<0.021 [<0.021]	<0.024 [<0.024]	<0.022 [<0.022]	<0.024 [<0.024]	<0.018 [<0.018]	<0.15 [<0.15]	<0.016 [<0.016]	<0.017 [<0.017]	<0.02 [<0.02]	<0.1 [<0.1]
MW-16D	05/18/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-16D	06/26/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-16S	10/24/00	<0.1	<0.1	<0.04	<0.05	**7.8**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	04/17/01	1.3 [0.92]	**3.3 [2.9]**	<0.04 [<0.04]	<0.05 [<0.05]	**1.1 [1]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	10/16/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.6 [0.6]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	03/19/02	<0.1	<0.1	<0.04	<0.05	**0.58**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	09/04/02	<1	<1	<0.4	<0.5	**0.51**	<1	NA	<0.5	<1	<1	<30
MW-16S	04/07/04	<1	<1	<0.4	<0.5	0.11	<1	NA	<0.5	<1	<1	<30
MW-16S	10/19/04	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	0.07	<0.5	<15
MW-16S	06/06/05	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6
MW-16S	12/21/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	03/28/06	0.24	<0.1	<0.04	<0.05	0.062	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	04/26/06	0.35	<1	<0.4	<0.5	0.079	<1	<5	<0.5	<1	<1	<30
MW-16S	05/24/06	<2.5	<2.5	<1	<1.25	0.13	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	06/27/06	<2.5	<2.5	<1	<1.25	0.096	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	07/27/06	<1	<1	<0.4	<0.5	0.038	<1	<5	<0.5	<1	<1	<30
MW-16S	09/06/06	0.44	0.16	<0.048	0.22	0.084	<0.036	<0.3	<0.032	<0.034	0.065	<0.2
MW-16S	10/02/06	0.27	<0.0021	<0.0024	0.11	0.019	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	11/02/06	0.2	<0.0042	<0.0048	0.15	0.039	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-16S	11/28/06	<0.0016	<0.0021	<0.0024	0.19	0.067	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	12/18/06	<0.0016	<0.0021	<0.0024	<0.0022	0.058	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	02/01/07	<0.0016	<0.0021	<0.0024	0.081	0.028	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	03/01/07	0.15	<0.0021	<0.0024	<0.0022	0.018	<0.0018	<0.015	<0.0016	0.11	<0.002	<0.01
MW-16S	03/26/07	0.13	<0.0105	<0.012	<0.011	<0.012	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16S	04/22/07	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-16S	05/18/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	0.068	<0.002	<0.01
MW-16S	06/26/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-17	10/25/00	<0.1	<0.1	<0.04	<0.05	**1.4**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	04/18/01	<0.1	1.5	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	10/17/01	<0.1	<0.1	<0.04	<0.05	**0.48**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	03/19/02	<0.1	<0.1	<0.04	<0.05	**0.28**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17	09/05/02	<1	<1	<0.4	<0.5	**0.37**	<1	NA	<0.5	<1	<1	<30
MW-17	04/08/04	<1	<1	<0.4	<0.5	**0.4**	<1	NA	<0.5	<1	<1	<30
MW-17	10/19/04	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	<0.5	<0.5	<15
MW-17	06/03/05	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6
MW-17	12/21/05	<0.1	<0.1	<0.04	<0.05	**0.29**	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-17	04/25/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	0.22	<0.1	<3
MW-17	11/02/06	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-18	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	02/01/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-18	02/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0053	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	11/28/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	12/17/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	01/31/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0037	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	03/01/07	<0.0016 [<0.0016]	<0.0021 [<0.0021]	0.024 [0.023]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-18	03/26/07	<0.0016	<0.0021	<0.0024	0.0031	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	05/20/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18	06/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-19	12/13/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	02/01/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	02/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	03/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	04/24/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	05/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	06/27/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	07/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19	09/05/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	10/02/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	10/31/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	02/01/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19	04/21/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	01/29/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	02/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	05/21/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	06/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	0.0038 I	<0.1	<0.1	<3
MW-20	07/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.0039 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	01/29/06	<0.1	<0.1	<0.04	<0.05	0.0088 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	02/26/06	<0.1	<0.1	<0.04	<0.05	0.0075 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	04/23/06	<0.1	<0.1	<0.04	<0.05	0.013 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	05/21/06	<0.1	<0.1	<0.04	<0.05	0.011	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	06/26/06	<0.1	<0.1	<0.04	<0.05	0.013	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	07/23/06	<0.1	<0.1	<0.04	<0.05	0.015 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	0.012	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0089 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	0.011	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	11/26/06	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	0.011 [0.011]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-21	12/17/06	<0.0032 [<0.0016]	<0.0042 [<0.0021]	<0.0048 [<0.0024]	<0.0044 [<0.0022]	0.012 [0.012]	<0.0036 [<0.0018]	<0.03 [<0.015]	<0.0032 [<0.0016]	<0.0034 [<0.0017]	<0.004 [<0.002]	<0.02 [<0.01]
MW-21	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	0.009 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	02/25/07	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	0.01	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	0.016	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	05/20/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21	06/24/07	<0.0016	<0.0021	<0.0024	<0.0022	0.018	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER SAMPLE ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	2	--	--	0.2	--	--	0.1	--	--	--
MW-22	12/12/05	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	01/29/06	<0.1	<0.1	<0.04	<0.05	0.014	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	02/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	03/26/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	04/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	05/21/06	<0.1	<0.1	0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	06/26/06	<0.1	<0.1	<0.04	<0.05	0.02 I	<0.1	<0.5	0.044	<0.1	<0.1	<3
MW-22	07/23/06	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22	08/27/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	10/01/06	<0.0016	<0.0021	<0.0024	<0.0022	0.0057 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	10/29/06	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	11/26/06	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	12/17/06	<0.0032	<0.0042	<0.0048	0.051	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-22	01/28/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	02/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	03/25/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	04/22/07	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22	06/24/07	<0.0016	<0.0021	<0.0024	<0.0022	0.041	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-D	04/05/00	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

LEGEND

NA	= Not Analyzed
ug/L	= Micrograms per Liter
I	= The report value is between the laboratory method detection limit and the laboratory practical quantitation limit
J	= Estimated value; value may not be accurate

TABLE 3
SUMMARY OF GEOCHEMICAL INDICATOR PARAMETERS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Iron (mg/L)	TOC (mg/L)	pH (SU)	DO (mg/L)	ORP (mV)	Conductivity (µS/cm)
MW-1D	02/01/07	NA	NA	5.3	0.65	-36	NA
MW-1D	04/22/07	NA	NA	5.14	0.27	-142	213
MW-1S	02/01/07	NA	NA	5.58	2.34	14.7	NA
MW-1S	04/22/07	NA	NA	5.4	0.98	-86	199
MW-3S	04/22/07	NA	NA	5.73	2.39	-174	182
MW-4S	04/22/07	NA	NA	5.76	1.16	-146	439
MW-11	12/17/06	0.039 V	NA	NA	NA	NA	NA
MW-11	01/31/07	NA	NA	6.03	2.37	41.9	NA
MW-11	02/25/07	NA	NA	5.26	1.9	NA	201
MW-11	03/25/07	NA	NA	4.8	1.15	249	187
MW-11	04/21/07	0.041 [0.028]	NA	4.79	0.9	-43	187
MW-11	05/18/07	NA	NA	4.76	0.06	72.1	165
MW-11	06/07/07	NA	NA	5.00	0.47	-186	206
MW-11	06/25/07	3.3 [NA]	115 [NA]	5.40	0.32	-179	225
MW-12	01/31/07	NA	NA	5.5	0.71	28.4	NA
MW-12	04/21/07	NA	NA	5.34	2.2	-77	198
MW-15	12/17/06	0.092 V	NA	NA	NA	NA	NA
MW-15	02/01/07	NA	NA	5.1	0.53	1.4	NA
MW-15	03/01/07	NA	NA	4.8	NA	-8.5	118
MW-15	03/25/07	NA	NA	4.76	0.88	-75	123
MW-15	04/21/07	0.047	NA	4.73	1.7	-57	142
MW-15	05/20/07	NA	NA	4.76	0.07	171	141
MW-15	06/25/07	5.2	4.11	5.8	0.11	-148	160
MW-16D	12/18/06	1.5 V	NA	NA	NA	NA	NA
MW-16D	02/01/07	26 V	NA	4.95	0.69	-42.9	NA
MW-16D	03/01/07	NA	NA	5.49	1.3	-139	465
MW-16D	03/26/07	NA	NA	5.77	0.12	-278	319
MW-16D	04/22/07	130 [NA]	NA	4.61	0.27	-142	995
MW-16D	05/18/07	NA	NA	5.97	0.11	-219	855
MW-16D	06/26/07	47	16.8	6.80	0.03	-245	386
MW-16S	12/18/06	0.1 V	NA	NA	NA	NA	NA
MW-16S	02/01/07	0.19 V	NA	5.83	0.74	3.4	NA
MW-16S	03/01/07	NA	NA	5.03	0.29	-55	772
MW-16S	03/26/07	NA	NA	5.12	0.86	-138	179
MW-16S	04/22/07	3.1	NA	4.85	4.6	-140	328
MW-16S	05/18/07	NA	NA	5.46	0.03	-158	186
MW-16S	06/26/07	1.8	112	6.52	0.05	-229	280
MW-18	12/17/06	0.088 V	NA	NA	NA	NA	NA
MW-18	01/31/07	NA	NA	6.14	0.46	41.2	NA
MW-18	03/01/07	NA	NA	4.74	NA	134	203
MW-18	03/26/07	NA	NA	5.45	0.4	134	214
MW-18	04/21/07	NA	NA	5.28	0.5	-47	468
MW-18	05/20/07	NA	NA	5.08	0.12	81	312
MW-18	06/25/07	0.059	2.48	6.00	0.26	-21	320
MW-19	02/01/07	NA	NA	5.16	1.21	31.7	NA
MW-19	04/21/07	NA	NA	4.66	4.4	-26	183
MW-20	01/28/07	NA	NA	5.68	1.44	90.2	NA
MW-20	04/22/07	NA	NA	4.69	5.7	-64	135
MW-21	12/17/06	0.075 V [0.072 V]	NA	NA	NA	NA	NA

TABLE 3
SUMMARY OF GEOCHEMICAL INDICATOR PARAMETERS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Iron (mg/L)	TOC (mg/L)	pH (SU)	DO (mg/L)	ORP (mV)	Conductivity (µS/cm)
MW-21	01/28/07	NA	NA	5.78	1.41	80.8	NA
MW-21	02/25/07	NA	NA	4.66	3.9	305	166
MW-21	03/25/07	NA	NA	4.81	1.41	286	155
MW-21	04/22/07	NA	NA	4.81	1.58	-66	161
MW-21	05/20/07	NA	NA	4.89	0.36	183	148
MW-21	06/24/07	NA	NA	5.92	0.21	137	164
MW-22	12/17/06	0.059 V	NA	NA	NA	NA	NA
MW-22	01/28/07	NA	NA	6.11	2.32	129	NA
MW-22	02/25/07	NA	NA	5.01	2.76	303	260
MW-22	03/25/07	NA	NA	4.47	2.13	368	258
MW-22	04/22/07	NA	NA	4.45	2.84	-43	273
MW-22	05/20/07	NA	NA	4.50	0.49	179	250
MW-22	06/24/07	NA	NA	5.49	0.58	89	236

LEGEND

NA	= Not Analyzed
TOC	= Total Organic Carbon
DO	= Dissolved Oxygen
ORP	= Oxidation-Reduction Potential
mg/L	= Milligrams per Liter
SU	= Standard Units
mV	= MilliVolts
V	= Indicates that the analyte was detected in both the sample and the associated method blank.

ARCADIS BBL

Figures



REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., ORLANDO WEST, FLORIDA, 1955.

0 2000' 4000'

Approximate Scale: 1" = 2000'

NOTE: PROPERTY LOCATION IS APPROXIMATE ONLY.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

TOPOGRAPHIC MAP OF SITE LOCATION AND VICINITY

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
1

[SYR-85-KLS] SYR-85-KLS LAYER: ON=*, OFF=*REF*
G:\CAD\ACTIVE\-DWG\ACT\44320001\44320802.DWG SAVED: 2/2/2007 2:12 PM LAYOUT: Layout1 PAGESETUP: ---- PENTABLE: PLTFULL.CTB PRINTED: 2/2/2007 2:12 PM BY: KSARTORI
PROJECTNAME: ----
XREFS: 44320X00 IMAGES: 44320X01.tif



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+-+-+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	alpha-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
J	ESTIMATED VALUE; VALUE MAY NOT BE ACCURATE

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

alpha-BHC CONCENTRATIONS IN GROUNDWATER JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
2

IRV-130-MS LAYER: ON=*; OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313X01.dwg SAVED: 7/26/2007 4:02 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 7/26/2007 4:02 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X — X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	beta-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

beta-BHC CONCENTRATIONS IN GROUNDWATER
JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
3

IRV-130-IMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313G02.dwg SAVED: 7/26/2007 4:18 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 7/26/2007 4:18 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X — X	FENCE
+—+—+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	LINDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OF SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

0 100' 200'
GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

LINDANE CONCENTRATIONS IN GROUNDWATER
JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
4

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313C03.dwg SAVED: 7/26/2007 4:29 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 7/26/2007 4:30 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X — X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	α-CHLORDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

α-CHLORDANE CONCENTRATIONS IN GROUNDWATER JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
5

IRV-130-JMS LAYER: ON=*; OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313C04.dwg SAVED: 7/26/2007 4:37 PM LAYOUT:Model PAGESETUP:BL-7300N-SYR PENTABLE:PLTFULL.CTB PRINTED: 7/26/2007 4:37 PM BY:JMS
PROJECT NAME:CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+-+-+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	g-CHLORDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

0 100' 200'
GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

g-CHLORDANE CONCENTRATIONS IN GROUNDWATER
JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
infrastructure, environment, facilities

FIGURE
6

IRV-130-JMS LAYER: ON=*; OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313C005.dwg SAVED: 7/26/2007 4:44 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 7/26/2007 4:44 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



0 100' 200'

GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X——X	FENCE
+-+-+	RAILROAD TRACK
▭	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	4,4-DDD NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.
K	THE VALUE IS KNOWN TO BE LESS THAN THE REPORTED VALUE SAMPLE SIZE, DILUTION OR SOME OTHER VARIBLE.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

4,4-DDD CONCENTRATIONS IN GROUNDWATER
JANUARY 28 THROUGH JUNE 26, 2007

ARCADIS BBL
Infrastructure, environment, facilities

FIGURE
7

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\CAD\2007PROJ\45313.00011\45313C06.dwg SAVED: 7/26/2007 4:51 PM LAYOUT:Model PAGESETUP:BL-7300N-STR PENTABLE:PLTFULL.CTB PRINTED: 7/26/2007 4:51 PM BY:JWS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01

ARCADIS BBL

Attachment A

Chain-of-Custody Documentation
and Laboratory Reports

SunLabs, Inc. Chain of Custody

№ 12878

Client Name: TASK Environmental
Contact: Susan Tolen
Address: 27751 Lake Jem Rd
Mount Dora, FL 32757
Phone / Fax: 352 303 0717
E-Mail: susan@taskenvironmental.com

SunLabs Project # 070423.04

Project Name: Chemo Circle
Project #: E0215
PO #:
Alt Bill To: Allenjeff Arcadis

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	SOIL	DW	GW
	Bottle Type				AG	P	GV
	Preservative				I	N	I
	Matrix				SL	GW	GW
	Analysis / Method Requested				8260B	Fe, Mn	8260B
50150	CC-GW-MW-11	4/12/07	1351	4	3	1	
50151	CC-GW-MW-11	"	1351	2	1	1	
50152	CC-GW-MW-18	"	1431	1	1		
50153	CC-GW-MW-19	"	1515	1	1		
50154	CC-GW-MW-15	"	1550	2	1	1	
50166 ~~50155~~	CC-GW-MW-12	"	1706	1	1		
50155 ~~50156~~	~~CC-GW-MW-EQBK-1~~	—	1632	1	1		
50156 ~~50157~~	CC-GW-MW-20	4/23/07	0950	1	1		
50157 ~~50158~~	CC-GW-MW-21	"	1039	1	1		
50158 ~~50159~~	CC-GW-MW-22	"	1058	1	1		
50159 ~~50160~~	CC-GW-MW-1D	"	1139	4	1		3
50160 ~~50161~~	CC-GW-MW-14D	"	1201	1	1		
50161 ~~50162~~	CC-GW-MW-10D	"	1413	2	1	1	
50162 ~~50163~~	CC-GW-MW-11D	—	1415	1	1		

UAP

Due Date Requested: May 5, 2007

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: [signature] 4/23/07

Printed Name / Affiliation: Susan Tolen / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
LA Palmer	UPS	4/23/07	1700
[signature]	LA Palmer	4/23/07	1340

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit; GA = Glass Amber; T = Tedlar Bag; P = Plastic; O = Other; S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice; I = Ice only; VS = MeOH, DFW, + Ice; N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
A = Air; SO = Soil; DW = Drinking Water; SOL = Solid; GW = Ground Water; SW = Surface Water; SE = Sediment; W = Water (Blanks); O = Other (Specify)

Temp: 4.5°C

Received on Ice? Y / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / NA
Shipping Bills attached?	Y / N / NA
Sample containers intact?	Y / N / NA
Samples within holding times?	Y / N / NA
Sufficient volume for all analyses?	Y / N / NA
Are vials head-space free?	Y / N / NA
Proper containers and preservatives?	Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

2 of 2

№ 12879

SunLabs, Inc. Chain of Custody

Client Name: TASH Environmental
Contact: Susan Tolson
Address: 27751 Lake Jessup Rd
Mt Dora, FL 32757
Phone / Fax:
E-Mail :

SunLabs Project # 070423.04

Project Name: Clean Orlando
Project #: FL025
PO #:
Alt Bill To: Allen Dot
Air Radius

Bottle Type											
Preservative	I	I									
Matrix	GW	GW									
Analysis / Method Requested	8260	1,4 Dioxane									

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles		
S0163 ~~S0164~~	CO-GW-MW-1-S	4/22/07	1441	2	1	1
S0164 ~~S0165~~	CO-GW-MW-3-S	4/22/07	1521	1	1	
S0165 ~~S0166~~	CO-GW-MW-4-S	4/22/07	1555	1	1	
LAP						

Due Date Requested:

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: [signature] 4/22/07

Printed Name / Affiliation: Susan Tolson / TASH

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
[signature]	LA Palmer	4/23/07	134
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
A = Air; SO = Soil
DW = Drinking Water; SOL = Solid
GW = Ground Water; SW = Surface Water
SE = Sediment; W = Water (Blanks)
O = Other (Specify)

Temp: 4.5°C

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / (NA)
Shipping Bills attached?	Y / N / (NA)
Sample containers intact?	(Y) / N / NA
Samples within holding times?	(Y) / N / NA
Sufficient volume for all analyses?	(Y) / N / NA
Are vials head-space free?	Y / N / (NA)
Proper containers and preservatives?	(Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

May 3, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070423.04**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
50150	CO-GW-MW-11	4/21/2007
50151	CO-GW-MW-111	4/21/2007
50152	CO-GW-MW-18	4/21/2007
50153	CO-GW-MW-19	4/21/2007
50154	CO-GW-MW-15	4/21/2007
50155	CO-EQBK-1	4/21/2007
50156	CO-GW-MW-20	4/22/2007
50157	CO-GW-MW-21	4/22/2007
50158	CO-GW-MW-22	4/22/2007
50159	CO-GW-MW-1D	4/22/2007
50160	CO-GW-MW-1S	4/22/2007
50161	CO-GW-MW-16D	4/22/2007
50162	CO-GW-MW-116D	4/22/2007
50163	CO-GW-MW-16S	4/22/2007
50164	CO-GW-MW-3S	4/22/2007
50165	CO-GW-MW-4S	4/22/2007
50166	CO-GW-MW-12	4/21/2007

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50150**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 4/21/2007 13:51
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 13:15	
Surrogate (10-139)	8081	%	76	1		1.0		05/01/07 13:15	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 13:15	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 13:15	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 13:15	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 13:15	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 13:15	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 13:15	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 13:15	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 13:15	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 13:15	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 13:15	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 13:15	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 13:15	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 13:15	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 13:15	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 13:15	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 13:15	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 13:15	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 13:15	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 13:15	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 13:15	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 13:15	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 13:15	04/26/07 11:00
Iron									
Date Digested	3005		4/24/07						04/24/07 08:00
Date Analyzed	6010		4/24/2007	1				04/24/07 17:19	
Iron	6010	mg/L	0.041	1	0.0024	0.0096	7439-89-6	04/24/07 17:19	04/24/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50151**
Sample Designation **CO-GW-MW-111**

Matrix: Groundwater
Date Collected: 4/21/2007 13:51
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 13:30	
Surrogate (10-139)	8081	%	74	1		1.0		05/01/07 13:30	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 13:30	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 13:30	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 13:30	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 13:30	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 13:30	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 13:30	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 13:30	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 13:30	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 13:30	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 13:30	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 13:30	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 13:30	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 13:30	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 13:30	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 13:30	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 13:30	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 13:30	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 13:30	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 13:30	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 13:30	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 13:30	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 13:30	04/26/07 11:00
Iron									
Date Digested	3005		4/24/07						04/24/07 08:00
Date Analyzed	6010		4/24/2007	1				04/24/07 17:21	
Iron	6010	mg/L	0.028	1	0.0024	0.0096	7439-89-6	04/24/07 17:21	04/24/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50152**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 4/21/2007 14:31
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 13:44	
Surrogate (10-139)	8081	%	69	1		1.0		05/01/07 13:44	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 13:44	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 13:44	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 13:44	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 13:44	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 13:44	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 13:44	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 13:44	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 13:44	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 13:44	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 13:44	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 13:44	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 13:44	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 13:44	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 13:44	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 13:44	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 13:44	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 13:44	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 13:44	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 13:44	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 13:44	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 13:44	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 13:44	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50153**
Sample Designation **CO-GW-MW-19**

Matrix: Groundwater
Date Collected: 4/21/2007 15:13
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 13:59	
Surrogate (10-139)	8081	%	68	1		1.0		05/01/07 13:59	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 13:59	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 13:59	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 13:59	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 13:59	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 13:59	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 13:59	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 13:59	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 13:59	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 13:59	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 13:59	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 13:59	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 13:59	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 13:59	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 13:59	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 13:59	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 13:59	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 13:59	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 13:59	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 13:59	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 13:59	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 13:59	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 13:59	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50154**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 4/21/2007 15:50
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 14:13	
Surrogate (10-139)	8081	%	84	1		1.0		05/01/07 14:13	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 14:13	04/26/07 11:00
b-BHC	8081	ug/L	0.0065 I	1	0.0030	0.012	319-85-7	05/01/07 14:13	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 14:13	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 14:13	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 14:13	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 14:13	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 14:13	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 14:13	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 14:13	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 14:13	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 14:13	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 14:13	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 14:13	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 14:13	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 14:13	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 14:13	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 14:13	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 14:13	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 14:13	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 14:13	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 14:13	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 14:13	04/26/07 11:00
Iron									
Date Digested	3005		4/24/07						04/24/07 08:00
Date Analyzed	6010		4/24/2007	1				04/24/07 17:24	
Iron	6010	mg/L	0.047	1	0.0024	0.0096	7439-89-6	04/24/07 17:24	04/24/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50155**
Sample Designation **CO-EQBK-1**

Matrix: Water
Date Collected: 4/21/2007 16:32
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 17:56	
Surrogate (10-139)	8081	%	79	1		1.0		05/01/07 17:56	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 17:56	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 17:56	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 17:56	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 17:56	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 17:56	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 17:56	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 17:56	04/26/07 11:00
a-Chlordane	8081	ug/L	0.017	1	0.0019	0.0076	5103-71-9	05/01/07 17:56	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 17:56	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 17:56	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 17:56	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 17:56	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 17:56	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 17:56	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 17:56	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 17:56	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 17:56	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 17:56	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 17:56	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 17:56	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 17:56	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 17:56	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50156**
Sample Designation **CO-GW-MW-20**

Matrix: Groundwater
Date Collected: 4/22/2007 09:58
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/2/07	1				05/02/07 18:25	
Surrogate (10-139)	8081	%	67	1		1.0		05/02/07 18:25	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/02/07 18:25	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/02/07 18:25	04/26/07 11:00
Lindane	8081	ug/L	0.0039 I	1	0.0024	0.0096	58-89-9	05/02/07 18:25	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/02/07 18:25	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/02/07 18:25	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/02/07 18:25	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/02/07 18:25	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/02/07 18:25	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/02/07 18:25	04/26/07 11:00
Endosulfan I	8081	ug/L	0.017	1	0.0019	0.0076	959-98-8	05/02/07 18:25	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/02/07 18:25	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/02/07 18:25	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/02/07 18:25	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/02/07 18:25	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/02/07 18:25	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/02/07 18:25	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/02/07 18:25	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/02/07 18:25	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/02/07 18:25	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/02/07 18:25	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/02/07 18:25	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/02/07 18:25	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50157**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 4/22/2007 10:29
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 14:57	
Surrogate (10-139)	8081	%	79	1		1.0		05/01/07 14:57	04/26/07 11:00
a-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-84-6	05/01/07 14:57	04/26/07 11:00
b-BHC	8081	ug/L	0.084	1	0.0030	0.012	319-85-7	05/01/07 14:57	04/26/07 11:00
Lindane	8081	ug/L	0.016	1	0.0024	0.0096	58-89-9	05/01/07 14:57	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 14:57	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 14:57	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 14:57	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 14:57	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 14:57	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 14:57	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 14:57	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 14:57	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 14:57	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 14:57	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 14:57	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 14:57	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 14:57	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 14:57	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 14:57	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 14:57	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 14:57	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 14:57	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 14:57	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50158**
Sample Designation **CO-GW-MW-22**

Matrix: Groundwater
Date Collected: 4/22/2007 10:56
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 15:11	
Surrogate (10-139)	8081	%	88	1		1.0		05/01/07 15:11	04/26/07 11:00
a-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-84-6	05/01/07 15:11	04/26/07 11:00
b-BHC	8081	ug/L	0.061	1	0.0030	0.012	319-85-7	05/01/07 15:11	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 15:11	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 15:11	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 15:11	04/26/07 11:00
Aldrin	8081	ug/L	0.0094	1	0.002	0.008	309-00-2	05/01/07 15:11	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 15:11	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 15:11	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 15:11	04/26/07 11:00
Endosulfan I	8081	ug/L	0.18	1	0.0019	0.0076	959-98-8	05/01/07 15:11	04/26/07 11:00
Dieldrin	8081	ug/L	0.014	1	0.0014	0.0056	60-57-1	05/01/07 15:11	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 15:11	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 15:11	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 15:11	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 15:11	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 15:11	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 15:11	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 15:11	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 15:11	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 15:11	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 15:11	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 15:11	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50159**
Sample Designation **CO-GW-MW-1D**

Matrix: Groundwater
Date Collected: 4/22/2007 11:39
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 15:26	
Surrogate (10-139)	8081	%	67	1		1.0		05/01/07 15:26	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 15:26	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 15:26	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 15:26	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 15:26	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 15:26	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 15:26	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 15:26	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 15:26	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 15:26	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 15:26	04/26/07 11:00
Dieldrin	8081	ug/L	0.045	1	0.0014	0.0056	60-57-1	05/01/07 15:26	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 15:26	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 15:26	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 15:26	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 15:26	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 15:26	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 15:26	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 15:26	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 15:26	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 15:26	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 15:26	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 15:26	04/26/07 11:00
Volatile Organic Compounds									
Date Analyzed			4/28/07	1				04/28/07 21:57	
Surrogate (66-125)	8260	%	96	1				04/28/07 21:57	
MTBE	8260	ug/L	1.1	1	0.10	0.50	1634-04-4	04/28/07 21:57	
Benzene	8260	ug/L	0.10 U	1	0.10	0.50	71-43-2	04/28/07 21:57	
Toluene	8260	ug/L	0.30 U	1	0.30	0.50	108-88-3	04/28/07 21:57	
Ethylbenzene	8260	ug/L	0.20 U	1	0.20	0.80	100-41-4	04/28/07 21:57	
Total Xylenes	8260	ug/L	0.40 U	1	0.40	2.0	1330-20-7	04/28/07 21:57	
Total VOA	8260	ug/L	0.5 U	1		0.5		04/28/07 21:57	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50160**
Sample Designation **CO-GW-MW-1S**

Matrix: Groundwater
Date Collected: 4/22/2007 12:07
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 15:40	
Surrogate (10-139)	8081	%	75	1		1.0		05/01/07 15:40	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 15:40	04/26/07 11:00
b-BHC	8081	ug/L	0.033	1	0.0030	0.012	319-85-7	05/01/07 15:40	04/26/07 11:00
Lindane	8081	ug/L	0.0033 I	1	0.0024	0.0096	58-89-9	05/01/07 15:40	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 15:40	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 15:40	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 15:40	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 15:40	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 15:40	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 15:40	04/26/07 11:00
Endosulfan I	8081	ug/L	0.058	1	0.0019	0.0076	959-98-8	05/01/07 15:40	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 15:40	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 15:40	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 15:40	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 15:40	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 15:40	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 15:40	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 15:40	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 15:40	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 15:40	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 15:40	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 15:40	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 15:40	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50161**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 4/22/2007 14:15
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/2/07	10				05/02/07 18:54	
Surrogate (10-139)	8081	%	62	10		1.0		05/02/07 18:54	04/26/07 11:00
a-BHC	8081	ug/L	0.043	10	0.0023	0.0092	319-84-6	05/02/07 18:54	04/26/07 11:00
b-BHC	8081	ug/L	0.93	10	0.0030	0.012	319-85-7	05/02/07 18:54	04/26/07 11:00
Lindane	8081	ug/L	0.024 K	10	0.0024	0.0096	58-89-9	05/02/07 18:54	04/26/07 11:00
d-BHC	8081	ug/L	0.24	10	0.0023	0.0092	319-86-8	05/02/07 18:54	04/26/07 11:00
Heptachlor	8081	ug/L	0.024 K	10	0.0024	0.0096	76-44-8	05/02/07 18:54	04/26/07 11:00
Aldrin	8081	ug/L	0.02 K	10	0.002	0.008	309-00-2	05/02/07 18:54	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.022 K	10	0.0022	0.0088	1024-57-3	05/02/07 18:54	04/26/07 11:00
a-Chlordane	8081	ug/L	0.019 K	10	0.0019	0.0076	5103-71-9	05/02/07 18:54	04/26/07 11:00
g-Chlordane	8081	ug/L	0.021 K	10	0.0021	0.0084	5103-74-2	05/02/07 18:54	04/26/07 11:00
Endosulfan I	8081	ug/L	0.019 K	10	0.0019	0.0076	959-98-8	05/02/07 18:54	04/26/07 11:00
Dieldrin	8081	ug/L	0.014 K	10	0.0014	0.0056	60-57-1	05/02/07 18:54	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.017 K	10	0.0017	0.0068	72-55-9	05/02/07 18:54	04/26/07 11:00
Endrin	8081	ug/L	0.018 K	10	0.0018	0.0072	70-20-8	05/02/07 18:54	04/26/07 11:00
Endosulfan II	8081	ug/L	0.018 K	10	0.0018	0.0072	33213-65-9	05/02/07 18:54	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.016 K	10	0.0016	0.0064	72-54-8	05/02/07 18:54	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.019 K	10	0.0019	0.0076	7421-93-4	05/02/07 18:54	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.027 K	10	0.0027	0.011	1031-07-8	05/02/07 18:54	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.02 K	10	0.002	0.008	50-29-3	05/02/07 18:54	04/26/07 11:00
Endrin ketone	8081	ug/L	0.016 K	10	0.0016	0.0064	53494-70-5	05/02/07 18:54	04/26/07 11:00
Methoxychlor	8081	ug/L	0.018 K	10	0.0018	0.0072	72-43-5	05/02/07 18:54	04/26/07 11:00
Toxaphene	8081	ug/L	0.1 K	10	0.01	0.2	8001-35-2	05/02/07 18:54	04/26/07 11:00
Mirex	8081	ug/L	0.15 K	10	0.015	0.06		05/02/07 18:54	04/26/07 11:00
Iron									
Date Digested	3005		4/24/07						04/24/07 08:00
Date Analyzed	6010		4/24/2007	100				04/24/07 17:37	
Iron	6010	mg/L	130	100	0.0024	0.0096	7439-89-6	04/24/07 17:37	04/24/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50162**
Sample Designation **CO-GW-MW-116D**

Matrix: Groundwater
Date Collected: 4/22/2007 14:15
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/2/07	10				05/02/07 19:08	
Surrogate (10-139)	8081	%	40	10		1.0		05/02/07 19:08	04/26/07 11:00
a-BHC	8081	ug/L	0.049	10	0.0023	0.0092	319-84-6	05/02/07 19:08	04/26/07 11:00
b-BHC	8081	ug/L	0.90	10	0.0030	0.012	319-85-7	05/02/07 19:08	04/26/07 11:00
Lindane	8081	ug/L	0.024 K	10	0.0024	0.0096	58-89-9	05/02/07 19:08	04/26/07 11:00
d-BHC	8081	ug/L	0.33	10	0.0023	0.0092	319-86-8	05/02/07 19:08	04/26/07 11:00
Heptachlor	8081	ug/L	0.024 K	10	0.0024	0.0096	76-44-8	05/02/07 19:08	04/26/07 11:00
Aldrin	8081	ug/L	0.02 K	10	0.002	0.008	309-00-2	05/02/07 19:08	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.022 K	10	0.0022	0.0088	1024-57-3	05/02/07 19:08	04/26/07 11:00
a-Chlordane	8081	ug/L	0.019 K	10	0.0019	0.0076	5103-71-9	05/02/07 19:08	04/26/07 11:00
g-Chlordane	8081	ug/L	0.021 K	10	0.0021	0.0084	5103-74-2	05/02/07 19:08	04/26/07 11:00
Endosulfan I	8081	ug/L	0.019 K	10	0.0019	0.0076	959-98-8	05/02/07 19:08	04/26/07 11:00
Dieldrin	8081	ug/L	0.014 K	10	0.0014	0.0056	60-57-1	05/02/07 19:08	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.017 K	10	0.0017	0.0068	72-55-9	05/02/07 19:08	04/26/07 11:00
Endrin	8081	ug/L	0.018 K	10	0.0018	0.0072	70-20-8	05/02/07 19:08	04/26/07 11:00
Endosulfan II	8081	ug/L	0.018 K	10	0.0018	0.0072	33213-65-9	05/02/07 19:08	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.016 K	10	0.0016	0.0064	72-54-8	05/02/07 19:08	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.019 K	10	0.0019	0.0076	7421-93-4	05/02/07 19:08	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.027 K	10	0.0027	0.011	1031-07-8	05/02/07 19:08	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.02 K	10	0.002	0.008	50-29-3	05/02/07 19:08	04/26/07 11:00
Endrin ketone	8081	ug/L	0.016 K	10	0.0016	0.0064	53494-70-5	05/02/07 19:08	04/26/07 11:00
Methoxychlor	8081	ug/L	0.018 K	10	0.0018	0.0072	72-43-5	05/02/07 19:08	04/26/07 11:00
Toxaphene	8081	ug/L	0.1 K	10	0.01	0.2	8001-35-2	05/02/07 19:08	04/26/07 11:00
Mirex	8081	ug/L	0.15 K	10	0.015	0.06		05/02/07 19:08	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50163**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 4/22/2007 14:41
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/2/07	10				05/02/07 16:24	
Surrogate (10-139)	8081	%	59	10		1.0		05/02/07 16:24	04/26/07 11:00
a-BHC	8081	ug/L	0.084	10	0.0023	0.0092	319-84-6	05/02/07 16:24	04/26/07 11:00
b-BHC	8081	ug/L	2.3	10	0.0030	0.012	319-85-7	05/02/07 16:24	04/26/07 11:00
Lindane	8081	ug/L	0.024 K	10	0.0024	0.0096	58-89-9	05/02/07 16:24	04/26/07 11:00
d-BHC	8081	ug/L	0.28	10	0.0023	0.0092	319-86-8	05/02/07 16:24	04/26/07 11:00
Heptachlor	8081	ug/L	0.024 K	10	0.0024	0.0096	76-44-8	05/02/07 16:24	04/26/07 11:00
Aldrin	8081	ug/L	0.02 K	10	0.002	0.008	309-00-2	05/02/07 16:24	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.022 K	10	0.0022	0.0088	1024-57-3	05/02/07 16:24	04/26/07 11:00
a-Chlordane	8081	ug/L	0.019 K	10	0.0019	0.0076	5103-71-9	05/02/07 16:24	04/26/07 11:00
g-Chlordane	8081	ug/L	0.021 K	10	0.0021	0.0084	5103-74-2	05/02/07 16:24	04/26/07 11:00
Endosulfan I	8081	ug/L	0.019 K	10	0.0019	0.0076	959-98-8	05/02/07 16:24	04/26/07 11:00
Dieldrin	8081	ug/L	0.014 K	10	0.0014	0.0056	60-57-1	05/02/07 16:24	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.017 K	10	0.0017	0.0068	72-55-9	05/02/07 16:24	04/26/07 11:00
Endrin	8081	ug/L	0.018 K	10	0.0018	0.0072	70-20-8	05/02/07 16:24	04/26/07 11:00
Endosulfan II	8081	ug/L	0.018 K	10	0.0018	0.0072	33213-65-9	05/02/07 16:24	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.016 K	10	0.0016	0.0064	72-54-8	05/02/07 16:24	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.019 K	10	0.0019	0.0076	7421-93-4	05/02/07 16:24	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.027 K	10	0.0027	0.011	1031-07-8	05/02/07 16:24	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.02 K	10	0.002	0.008	50-29-3	05/02/07 16:24	04/26/07 11:00
Endrin ketone	8081	ug/L	0.016 K	10	0.0016	0.0064	53494-70-5	05/02/07 16:24	04/26/07 11:00
Methoxychlor	8081	ug/L	0.018 K	10	0.0018	0.0072	72-43-5	05/02/07 16:24	04/26/07 11:00
Toxaphene	8081	ug/L	0.1 K	10	0.01	0.2	8001-35-2	05/02/07 16:24	04/26/07 11:00
Mirex	8081	ug/L	0.15 K	10	0.015	0.06		05/02/07 16:24	04/26/07 11:00
Iron									
Date Digested	3005		4/24/07						04/24/07 08:00
Date Analyzed	6010		4/24/2007	1				04/24/07 17:33	
Iron	6010	mg/L	3.1	1	0.0024	0.0096	7439-89-6	04/24/07 17:33	04/24/07 08:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50164**
Sample Designation **CO-GW-MW-3S**

Matrix: Groundwater
Date Collected: 4/22/2007 15:21
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	10				05/01/07 16:38	
Surrogate (10-139)	8081	%	46	10		1.0		05/01/07 16:38	04/26/07 11:00
a-BHC	8081	ug/L	0.21	10	0.0023	0.0092	319-84-6	05/01/07 16:38	04/26/07 11:00
b-BHC	8081	ug/L	0.34	10	0.0030	0.012	319-85-7	05/01/07 16:38	04/26/07 11:00
Lindane	8081	ug/L	0.024 K	10	0.0024	0.0096	58-89-9	05/01/07 16:38	04/26/07 11:00
d-BHC	8081	ug/L	0.023 K	10	0.0023	0.0092	319-86-8	05/01/07 16:38	04/26/07 11:00
Heptachlor	8081	ug/L	0.024 K	10	0.0024	0.0096	76-44-8	05/01/07 16:38	04/26/07 11:00
Aldrin	8081	ug/L	0.02 K	10	0.002	0.008	309-00-2	05/01/07 16:38	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.022 K	10	0.0022	0.0088	1024-57-3	05/01/07 16:38	04/26/07 11:00
a-Chlordane	8081	ug/L	0.019 K	10	0.0019	0.0076	5103-71-9	05/01/07 16:38	04/26/07 11:00
g-Chlordane	8081	ug/L	0.021 K	10	0.0021	0.0084	5103-74-2	05/01/07 16:38	04/26/07 11:00
Endosulfan I	8081	ug/L	0.39	10	0.0019	0.0076	959-98-8	05/02/07 19:37	04/26/07 11:00
Dieldrin	8081	ug/L	0.16	10	0.0014	0.0056	60-57-1	05/01/07 16:38	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.017 K	10	0.0017	0.0068	72-55-9	05/01/07 16:38	04/26/07 11:00
Endrin	8081	ug/L	0.018 K	10	0.0018	0.0072	70-20-8	05/01/07 16:38	04/26/07 11:00
Endosulfan II	8081	ug/L	0.59	10	0.0018	0.0072	33213-65-9	05/01/07 16:38	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.016 K	10	0.0016	0.0064	72-54-8	05/01/07 16:38	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.019 K	10	0.0019	0.0076	7421-93-4	05/01/07 16:38	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.027 K	10	0.0027	0.011	1031-07-8	05/01/07 16:38	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.02 K	10	0.002	0.008	50-29-3	05/01/07 16:38	04/26/07 11:00
Endrin ketone	8081	ug/L	0.016 K	10	0.0016	0.0064	53494-70-5	05/01/07 16:38	04/26/07 11:00
Methoxychlor	8081	ug/L	0.018 K	10	0.0018	0.0072	72-43-5	05/01/07 16:38	04/26/07 11:00
Toxaphene	8081	ug/L	0.1 K	10	0.01	0.2	8001-35-2	05/01/07 16:38	04/26/07 11:00
Mirex	8081	ug/L	0.15 K	10	0.015	0.06		05/01/07 16:38	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50165**
Sample Designation **CO-GW-MW-4S**

Matrix: Groundwater
Date Collected: 4/22/2007 15:58
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	50				05/01/07 16:53	
Surrogate (10-139)	8081	%	0 SD	50		1.0		05/01/07 16:53	04/26/07 11:00
a-BHC	8081	ug/L	3.0	50	0.0023	0.0092	319-84-6	05/01/07 16:53	04/26/07 11:00
b-BHC	8081	ug/L	6.2	50	0.0030	0.012	319-85-7	05/01/07 16:53	04/26/07 11:00
Lindane	8081	ug/L	0.12 K	50	0.0024	0.0096	58-89-9	05/01/07 16:53	04/26/07 11:00
d-BHC	8081	ug/L	11	50	0.0023	0.0092	319-86-8	05/01/07 16:53	04/26/07 11:00
Heptachlor	8081	ug/L	0.12 K	50	0.0024	0.0096	76-44-8	05/01/07 16:53	04/26/07 11:00
Aldrin	8081	ug/L	0.1 K	50	0.002	0.008	309-00-2	05/01/07 16:53	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.11 K	50	0.0022	0.0088	1024-57-3	05/01/07 16:53	04/26/07 11:00
a-Chlordane	8081	ug/L	0.095 K	50	0.0019	0.0076	5103-71-9	05/01/07 16:53	04/26/07 11:00
g-Chlordane	8081	ug/L	0.105 K	50	0.0021	0.0084	5103-74-2	05/01/07 16:53	04/26/07 11:00
Endosulfan I	8081	ug/L	0.095 K	50	0.0019	0.0076	959-98-8	05/01/07 16:53	04/26/07 11:00
Dieldrin	8081	ug/L	0.32	50	0.0014	0.0056	60-57-1	05/01/07 16:53	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.72	50	0.0017	0.0068	72-55-9	05/01/07 16:53	04/26/07 11:00
Endrin	8081	ug/L	0.09 K	50	0.0018	0.0072	70-20-8	05/01/07 16:53	04/26/07 11:00
Endosulfan II	8081	ug/L	0.09 K	50	0.0018	0.0072	33213-65-9	05/01/07 16:53	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.08 K	50	0.0016	0.0064	72-54-8	05/01/07 16:53	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.095 K	50	0.0019	0.0076	7421-93-4	05/01/07 16:53	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.135 K	50	0.0027	0.011	1031-07-8	05/01/07 16:53	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.1 K	50	0.002	0.008	50-29-3	05/01/07 16:53	04/26/07 11:00
Endrin ketone	8081	ug/L	0.08 K	50	0.0016	0.0064	53494-70-5	05/01/07 16:53	04/26/07 11:00
Methoxychlor	8081	ug/L	0.09 K	50	0.0018	0.0072	72-43-5	05/01/07 16:53	04/26/07 11:00
Toxaphene	8081	ug/L	0.5 K	50	0.01	0.2	8001-35-2	05/01/07 16:53	04/26/07 11:00
Mirex	8081	ug/L	0.75 K	50	0.015	0.06		05/01/07 16:53	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

SunLabs Sample Number **50166**
Sample Designation **CO-GW-MW-12**

Matrix: Groundwater
Date Collected: 4/21/2007 17:06
Date Received: 4/23/2007 13:40

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		4/26/2007						04/26/07 11:00
Date Analyzed			5/1/07	1				05/01/07 17:07	
Surrogate (10-139)	8081	%	56	1		1.0		05/01/07 17:07	04/26/07 11:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/01/07 17:07	04/26/07 11:00
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/01/07 17:07	04/26/07 11:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/01/07 17:07	04/26/07 11:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/01/07 17:07	04/26/07 11:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/01/07 17:07	04/26/07 11:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/01/07 17:07	04/26/07 11:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/01/07 17:07	04/26/07 11:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/01/07 17:07	04/26/07 11:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/01/07 17:07	04/26/07 11:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/01/07 17:07	04/26/07 11:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/01/07 17:07	04/26/07 11:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/01/07 17:07	04/26/07 11:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/01/07 17:07	04/26/07 11:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/01/07 17:07	04/26/07 11:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/01/07 17:07	04/26/07 11:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/01/07 17:07	04/26/07 11:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/01/07 17:07	04/26/07 11:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/01/07 17:07	04/26/07 11:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/01/07 17:07	04/26/07 11:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/01/07 17:07	04/26/07 11:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/01/07 17:07	04/26/07 11:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/01/07 17:07	04/26/07 11:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
K	*The value is known to be less than the reported value based on sample size, dilution or some other variable.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RPD	*Relative Percent Difference*
SD	*Surrogate diluted out of range.*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

Batch No: C1092
TestCode: Fe-w

Associated Samples: 50150, 50151, 50154, 50161, 50163

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*50150*	*50150*					
Date Digested	4/24/07														
Date Analyzed	4/24/07														
Iron	0.0024 U		92*	87*	6	10	101-109		89	89	0	0	75-117		

Batch No: C1115
TestCode: 8081-w

Associated Samples: 50150, 50151, 50152, 50153, 50154, 50155, 50156, 50157, 50158, 50159, 50160, 50161, 50162, 50163, 50164, 50165, 50166

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*50150*	*50150*					
Surrogate (10-139)	60														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	74	80	8	14	55-107	100	79	81	2	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	97	102	5	14	47-135	100	106	107	1	57	0-162		
Aldrin	0.002 U	100	67	70	4	17	48-100	100	73	70	4	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	82	89	8	15	54-110	100	83	85	2	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	92	111	19*	17	55-124	100	108	105	3	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	100	114	13*	10	51-144	100	114	108	5	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: C1134
TestCode: 8260-w Short

Associated Samples: 50159

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*50241*					*50240*	
Surrogate (66-125)	96														
Dichlorodifluoromethane	0.30 U														
Chloromethane	0.10 U														
Vinyl chloride	0.09 U														
Bromomethane	0.40 U														
Chloroethane	0.30 U														
Trichlorofluoromethane	0.20 U														
1,1-Dichloroethene	0.15 U	25	104	103	1	20	46-162	25	100						
Methylene chloride	1.70 U														
trans-1,2-Dichloroethene	0.20 U														

Quality Control Data

Project Number	TASK Environmental , Inc.
070423.04	Project Description: Chevron Orlando

May 3, 2007

Batch No: C1134

TestCode: 8260-w Short

Associated Samples: 50159

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*50241*					*50240*	
1,1-Dichloroethane	0.1 U														
cis-1,2-Dichloroethene	0.2 U														
Chloroform	0.10 U														
1,1,1-Trichloroethane	0.1 U														
Carbon tetrachloride	0.20 U														
1,2-Dichloroethane	0.20 U														
Trichloroethene	0.20 U	25	96	95	1	21	70-129	25	92						
1,2-Dichloropropane	0.10 U														
Bromodichloromethane	0.10 U														
cis-1,3-Dichloropropene	0.20 U														
trans-1,3-Dichloropropene	0.20 U														
1,1,2-Trichloroethane	0.7 U														
Tetrachloroethene	0.25 U														
Dibromochloromethane	0.15 U														
Chlorobenzene	0.20 U	25	100	98	2	18	83-119	25	98						
Bromoform	0.30 U														
1,1,2,2-Tetrachloroethane	0.2 U														
1,3-Dichlorobenzene	0.30 U														
1,4-Dichlorobenzene	0.40 U														
1,2-Dichlorobenzene	0.20 U														
MTBE	0.05 U														
Benzene	0.10 U	25	93	91	2	21	61-127	25	88						
Toluene	0.30 U	25	92	92	0	25	54-141	25	88					7.4	
Ethylbenzene	0.20 U														
Total Xylenes	0.40 U														
Total VOA	0.1 U														

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

№ 12561

SunLabs, Inc. Chain of Custody

Client Name: TASK ENV
Contact: Susan Tolan
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352.383.0717
E-Mail :

SunLabs Project # 070522.02

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just
Arcadis BBL

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081
51045	(2)-GW-MW-16(1)	5/18/07	1200	3	3
51046	(2)-GW-MW-11(1)	"	1200	1	1
51047	(2)-GW-MW-16S	"	1227	1	1
	(2)-GW-MW-11 *	—	1520	1	1
51048	(2)-GW-MW-21	5/20/07	0944	1	1
	(2)-GW-MW-22 *	"	1025	1	1
51049	(2)-GW-MW-18	"	1101	1	1
51050	(2)-GW-MW-15	—	1133	1	1

Bottle Type: AG
Preservative: 1
Matrix: GW

Due Date Requested: 5/31/07
☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:
Broken in shipment
MW-11
MW-22

Sampler Signature / Date: 5/21/07

Printed Name / Affiliation: Susan Tolan / TASK ENV

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	Greyhound	5/20/07	1300
UPS	LA Palmer	5/22/07	1245

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
A = Air; SO = Soil
DW = Drinking Water; SOL = Solid
GW = Ground Water; SW = Surface Water
SE = Sediment; W = Water (Blanks)
O = Other (Specify)

Internal Use Only
Sample Condition Upon Receipt:
Custody Seals present? Y / N / NA
Shipping Bills attached? Y / N / NA
Sample containers intact? Y / N / NA
Samples within holding times? Y / N / NA
Sufficient volume for all analyses? Y / N / NA
Are vials head-space free? Y / N / NA
Proper containers and preservatives? Y / N / NA

Temp: 12°C

Received on Ice? Y / N / NA
* Water

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

June 6, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070522.02**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
51045	CO-GW-MW-16D	5/18/2007
51046	CO-GW-MW-116D	5/18/2007
51047	CO-GW-MW-16S	5/18/2007
51048	CO-GW-MW-21	5/20/2007
51049	CO-GW-MW-18	5/20/2007
51050	CO-GW-MW-15	5/20/2007

Samples were received at 12 degrees C and were analyzed as-received, at the request of the client.

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Sincerely,

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51045**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 5/18/2007 12:00
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 17:01	
Surrogate (10-139)	8081	%	54	1		1.0		05/30/07 17:01	05/24/06 15:15
a-BHC	8081	ug/L	0.032	1	0.0023	0.0092	319-84-6	05/30/07 17:01	05/24/06 15:15
b-BHC	8081	ug/L	1.0	10	0.0030	0.012	319-85-7	06/05/07 12:48	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 17:01	05/24/06 15:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/30/07 17:01	05/24/06 15:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	06/05/07 12:48	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 17:01	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/30/07 17:01	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 17:01	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 17:01	05/24/06 15:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/30/07 17:01	05/24/06 15:15
Dieldrin	8081	ug/L	0.054	1	0.0014	0.0056	60-57-1	05/30/07 17:01	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/30/07 17:01	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 17:01	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 17:01	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 17:01	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 17:01	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 17:01	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 17:01	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 17:01	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 17:01	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 17:01	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 17:01	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51046**
Sample Designation **CO-GW-MW-116D**

Matrix: Groundwater
Date Collected: 5/18/2007 12:00
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 17:16	
Surrogate (10-139)	8081	%	81	1		1.0		05/30/07 17:16	05/24/06 15:15
a-BHC	8081	ug/L	0.031	1	0.0023	0.0092	319-84-6	05/30/07 17:16	05/24/06 15:15
b-BHC	8081	ug/L	0.87	10	0.0030	0.012	319-85-7	06/05/07 13:02	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 17:16	05/24/06 15:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	05/30/07 17:16	05/24/06 15:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/30/07 17:16	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 17:16	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/30/07 17:16	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 17:16	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 17:16	05/24/06 15:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/30/07 17:16	05/24/06 15:15
Dieldrin	8081	ug/L	0.055	1	0.0014	0.0056	60-57-1	05/30/07 17:16	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/30/07 17:16	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 17:16	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 17:16	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 17:16	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 17:16	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 17:16	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 17:16	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 17:16	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 17:16	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 17:16	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 17:16	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51047**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 5/18/2007 12:27
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 17:30	
Surrogate (10-139)	8081	%	61	1		1.0		05/30/07 17:30	05/24/06 15:15
a-BHC	8081	ug/L	0.062	1	0.0023	0.0092	319-84-6	05/30/07 17:30	05/24/06 15:15
b-BHC	8081	ug/L	3.4	10	0.0030	0.012	319-85-7	06/05/07 13:17	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 17:30	05/24/06 15:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	06/05/07 13:17	05/24/06 15:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/30/07 17:30	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 17:30	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/30/07 17:30	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 17:30	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 17:30	05/24/06 15:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/30/07 17:30	05/24/06 15:15
Dieldrin	8081	ug/L	0.052	1	0.0014	0.0056	60-57-1	05/30/07 17:30	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.068	1	0.0017	0.0068	72-55-9	05/30/07 17:30	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 17:30	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 17:30	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 17:30	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 17:30	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 17:30	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 17:30	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 17:30	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 17:30	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 17:30	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 17:30	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51048**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 5/20/2007 09:44
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 17:44	
Surrogate (10-139)	8081	%	71	1		1.0		05/30/07 17:44	05/24/06 15:15
a-BHC	8081	ug/L	0.037	1	0.0023	0.0092	319-84-6	05/30/07 17:44	05/24/06 15:15
b-BHC	8081	ug/L	0.084	1	0.0030	0.012	319-85-7	05/30/07 17:44	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 17:44	05/24/06 15:15
d-BHC	8081	ug/L	0.054	1	0.0023	0.0092	319-86-8	05/30/07 17:44	05/24/06 15:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/30/07 17:44	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 17:44	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/30/07 17:44	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 17:44	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 17:44	05/24/06 15:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	05/30/07 17:44	05/24/06 15:15
Dieldrin	8081	ug/L	0.048	1	0.0014	0.0056	60-57-1	05/30/07 17:44	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/30/07 17:44	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 17:44	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 17:44	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 17:44	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 17:44	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 17:44	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 17:44	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 17:44	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 17:44	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 17:44	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 17:44	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51049**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 5/20/2007 11:01
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 17:59	
Surrogate (10-139)	8081	%	69	1		1.0		05/30/07 17:59	05/24/06 15:15
a-BHC	8081	ug/L	0.0028 I	1	0.0023	0.0092	319-84-6	05/30/07 17:59	05/24/06 15:15
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	05/30/07 17:59	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 17:59	05/24/06 15:15
d-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-86-8	05/30/07 17:59	05/24/06 15:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	05/30/07 17:59	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 17:59	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	05/30/07 17:59	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 17:59	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 17:59	05/24/06 15:15
Endosulfan I	8081	ug/L	0.019	1	0.0019	0.0076	959-98-8	05/30/07 17:59	05/24/06 15:15
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/30/07 17:59	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/30/07 17:59	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 17:59	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 17:59	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 17:59	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 17:59	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 17:59	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 17:59	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 17:59	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 17:59	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 17:59	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 17:59	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

SunLabs Sample Number **51050**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 5/20/2007 11:33
Date Received: 5/22/2007 12:45

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		05/24/06						05/24/06 15:15
Date Analyzed			5/30/07	1				05/30/07 18:13	
Surrogate (10-139)	8081	%	69	1		1.0		05/30/07 18:13	05/24/06 15:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	05/30/07 18:13	05/24/06 15:15
b-BHC	8081	ug/L	0.011 I	1	0.0030	0.012	319-85-7	05/30/07 18:13	05/24/06 15:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	05/30/07 18:13	05/24/06 15:15
d-BHC	8081	ug/L	0.012	1	0.0023	0.0092	319-86-8	05/30/07 18:13	05/24/06 15:15
Heptachlor	8081	ug/L	0.017	1	0.0024	0.0096	76-44-8	05/30/07 18:13	05/24/06 15:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	05/30/07 18:13	05/24/06 15:15
Heptachlor epoxide	8081	ug/L	0.010	1	0.0022	0.0088	1024-57-3	05/30/07 18:13	05/24/06 15:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	05/30/07 18:13	05/24/06 15:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	05/30/07 18:13	05/24/06 15:15
Endosulfan I	8081	ug/L	0.018	1	0.0019	0.0076	959-98-8	05/30/07 18:13	05/24/06 15:15
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	05/30/07 18:13	05/24/06 15:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	05/30/07 18:13	05/24/06 15:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	05/30/07 18:13	05/24/06 15:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	05/30/07 18:13	05/24/06 15:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	05/30/07 18:13	05/24/06 15:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	05/30/07 18:13	05/24/06 15:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	05/30/07 18:13	05/24/06 15:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	05/30/07 18:13	05/24/06 15:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	05/30/07 18:13	05/24/06 15:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	05/30/07 18:13	05/24/06 15:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	05/30/07 18:13	05/24/06 15:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		05/30/07 18:13	05/24/06 15:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070522.02	Project Description: Chevron Orlando

June 6, 2007

Batch No: C1337

TestCode: 8081-w

Associated Samples
51045, 51046, 51047, 51048, 51049, 51050

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	--QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*51122*	*51122*					
Surrogate (10-139)	79														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	77						79	90	13	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	96						101	76	28	57	0-162		
Aldrin	0.002 U	100	70						68	77	12	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	80						80	92	14	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	90						92	104	12	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	104						103	106	3	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U *The analyte was not detected at or above the reported detection limit.*

№ 12562

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tobin
Address: 27251 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: (352) 383-0717
E-Mail :

SunLabs Project # 070608.01

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type	Preservative	Matrix	Analysis / Method Requested
					AG	I	GW	8021
5; 5825	CO-GW-MW-11	6/7/07	1148	3	✓			

Due Date Requested: ASAP

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 6/7/07

Printed Name / Affiliation: Susan Tobin / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	Fed Ex	6/7/07	1600
Fed Ex	N Just	6/8/07	855

Bottle Type Codes:

GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:

H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:

A = Air; SO = Soil
DW = Drinking Water; SOL = Solid
GW = Ground Water; SW = Surface Water
SE = Sediment; W = Water (Blanks)
O = Other (Specify)

Temp: 19°C

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? (Y) / N / NA
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? Y / N / (NA)
Proper containers and preservatives? (Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

June 18, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070608.01**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
51585	CO-GW-MW-11	6/7/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070608.01	Project Description: Chevron Orlando

June 18, 2007

SunLabs Sample Number **51585**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 6/7/2007 11:48
Date Received: 6/8/2007 08:55

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/13/07						06/13/07 10:30
Date Analyzed			6/16/07	1				06/16/07 01:34	
Surrogate (10-139)	8081	%	79	1		1.0		06/16/07 01:34	06/13/07 10:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	06/16/07 01:34	06/13/07 10:30
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	06/16/07 01:34	06/13/07 10:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	06/16/07 01:34	06/13/07 10:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	06/16/07 01:34	06/13/07 10:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	06/16/07 01:34	06/13/07 10:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	06/16/07 01:34	06/13/07 10:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	06/16/07 01:34	06/13/07 10:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	06/16/07 01:34	06/13/07 10:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	06/16/07 01:34	06/13/07 10:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	06/16/07 01:34	06/13/07 10:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	06/16/07 01:34	06/13/07 10:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	06/16/07 01:34	06/13/07 10:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	06/16/07 01:34	06/13/07 10:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	06/16/07 01:34	06/13/07 10:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	06/16/07 01:34	06/13/07 10:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	06/16/07 01:34	06/13/07 10:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	06/16/07 01:34	06/13/07 10:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	06/16/07 01:34	06/13/07 10:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	06/16/07 01:34	06/13/07 10:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	06/16/07 01:34	06/13/07 10:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	06/16/07 01:34	06/13/07 10:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		06/16/07 01:34	06/13/07 10:30

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070608.01	Project Description Chevron Orlando

June 18, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070608.01	Project Description: Chevron Orlando

June 18, 2007

Batch No: **C1519**

TestCode: **8081-w**

Associated Samples
51585

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*51585*	*51585*					
Surrogate (10-139)	71														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	73	78	7	14	48-123	100	57	56	2	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	105	111	6	11	69-134	100	60	59	2	57	0-162		
Aldrin	0.002 U	100	68	71	4	17	42-118	100	64	72	12	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	73	78	7	21	58-116	100	63	59	7	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	72	82	13	23	61-131	100	61	54	12	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	101	115	13	19	68-147	100	82	69	17	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

Q1	*The result for the spike(s) were not within acceptable control limits. However, the LCS data was within acceptable control limits. Therefore the poor spike results can be attributed to matrix.*
U	*The analyte was not detected at or above the reported detection limit.*

№ 13450

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolan
Address: 27251 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax:
E-Mail :

SunLabs Project # 070626.08

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen, Just
BBL-Arcadis

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type	Preservative	Matrix	Analysis / Method Requested: 8081	TOC	Dis Iron	Total Iron
					GV	H	GW				
					GV	N	GW				
					P	N	GW				
					P	N	GW				
52350	CO-GW-MW-21	6/26/07	0953	1				1			
52351	CO-GW-MW-22	6/26/07	0931	1				1			
52352/3	CO-GW-MW-11	6/26/07	1116	8				3	3	1	1
52354/5	CO-GW-MW-111	6/26/07	1116	6				1	3	1	1
52356/7	CO-GW-MW-18	6/26/07	1326	6				1	3	1	1
52358/9	CO-GW-MW-15	6/26/07	1400	6				1	3	1	1
52360/1 ~~52356~~	CO-GW-MW-165	6/26/07	1023	6				1	3	1	1
52362/3 52357	CO-GW-MW-160	6/26/07	1053	6				1	3	1	1

Due Date Requested: 7/10/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

NO SAMPLE
MW-111 8081 only

Sampler Signature / Date: 6/26/07

Printed Name / Affiliation: Susan Tolan / TASK

Bottle Type Codes:

GV = Glass Vial
GA = Glass Amber
P = Plastic
S = Soil Jar
GVS = Low Level Volatile Kit
T = Tedlar Bag
O = Other

Preservative Codes:

H = Hydrochloric Acid + Ice
I = Ice only
N = Nitric Acid + Ice
S = Sulfuric Acid + Ice
VS = MeOH, DFW, + Ice
O = Other (Specify)

Matrix Codes:

A = Air
DW = Drinking Water
GW = Ground Water
SE = Sediment
SO = Soil
SOL = Solid
SW = Surface Water
W = Water (Blanks)
O = Other (Specify)

Temp: 5.8°C

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? Y / N / (NA)
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? Y / N / (NA)
Proper containers and preservatives? (Y) / N / NA

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
LA Palmer	UPS	6/27/07	1230
	AT Tolan	6/26/07	1119
	LA Palmer	6/26/07	1505

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

July 17, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **070626.08**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
52350	CO-GW-MW-21	6/24/2007
52351	CO-GW-MW-22	6/24/2007
52352	CO-GW-MW-11	6/25/2007
52353	CO-GW-MW-11 Filtered	6/25/2007
52354	CO-GW-MW-111	6/25/2007
52356	CO-GW-MW-18	6/25/2007
52357	CO-GW-MW-18 Filtered	6/25/2007
52358	CO-GW-MW-15	6/25/2007
52359	CO-GW-MW-15 Filtered	6/25/2007
52360	CO-GW-MW-16S	6/26/2007
52361	CO-GW-MW-16S Filtered	6/26/2007
52362	CO-GW-MW-16D	6/26/2007
52363	CO-GW-MW-16D Filtered	6/26/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52350**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 6/24/2007 09:53
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 15:58	
Surrogate (10-139)	8081	%	66	1		1.0		07/07/07 15:58	06/28/07 08:45
a-BHC	8081	ug/L	0.027	1	0.0023	0.0092	319-84-6	07/07/07 15:58	06/28/07 08:45
b-BHC	8081	ug/L	0.12	1	0.0030	0.012	319-85-7	07/07/07 15:58	06/28/07 08:45
Lindane	8081	ug/L	0.018	1	0.0024	0.0096	58-89-9	07/07/07 15:58	06/28/07 08:45
d-BHC	8081	ug/L	0.061	1	0.0023	0.0092	319-86-8	07/07/07 15:58	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 15:58	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 15:58	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 15:58	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 15:58	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 15:58	06/28/07 08:45
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	07/07/07 15:58	06/28/07 08:45
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	07/07/07 15:58	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 15:58	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 15:58	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 15:58	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 15:58	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 15:58	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 15:58	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 15:58	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 15:58	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 15:58	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 15:58	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 15:58	06/28/07 08:45

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52351**
Sample Designation **CO-GW-MW-22**

Matrix: Groundwater
Date Collected: 6/24/2007 10:31
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 16:12	
Surrogate (10-139)	8081	%	73	1		1.0		07/07/07 16:12	06/28/07 08:45
a-BHC	8081	ug/L	0.027	1	0.0023	0.0092	319-84-6	07/07/07 16:12	06/28/07 08:45
b-BHC	8081	ug/L	0.071	1	0.0030	0.012	319-85-7	07/07/07 16:12	06/28/07 08:45
Lindane	8081	ug/L	0.041	1	0.0024	0.0096	58-89-9	07/07/07 16:12	06/28/07 08:45
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	07/07/07 16:12	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 16:12	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 16:12	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 16:12	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 16:12	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 16:12	06/28/07 08:45
Endosulfan I	8081	ug/L	0.29	1	0.0019	0.0076	959-98-8	07/07/07 16:12	06/28/07 08:45
Dieldrin	8081	ug/L	0.037	1	0.0014	0.0056	60-57-1	07/07/07 16:12	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 16:12	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 16:12	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 16:12	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 16:12	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 16:12	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 16:12	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 16:12	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 16:12	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 16:12	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 16:12	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 16:12	06/28/07 08:45

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52352**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 6/25/2007 11:16
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 16:27	
Surrogate (10-139)	8081	%	67	1		1.0		07/07/07 16:27	06/28/07 08:45
a-BHC	8081	ug/L	0.029	1	0.0023	0.0092	319-84-6	07/07/07 16:27	06/28/07 08:45
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	07/07/07 16:27	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 16:27	06/28/07 08:45
d-BHC	8081	ug/L	0.057	1	0.0023	0.0092	319-86-8	07/07/07 16:27	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 16:27	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 16:27	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 16:27	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 16:27	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 16:27	06/28/07 08:45
Endosulfan I	8081	ug/L	0.095	1	0.0019	0.0076	959-98-8	07/07/07 16:27	06/28/07 08:45
Dieldrin	8081	ug/L	0.031	1	0.0014	0.0056	60-57-1	07/07/07 16:27	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 16:27	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 16:27	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 16:27	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 16:27	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 16:27	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 16:27	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 16:27	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 16:27	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 16:27	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 16:27	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 16:27	06/28/07 08:45
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 09:46	
Iron	6010	mg/L	3.3	1	0.0024	0.0096	7439-89-6	06/28/07 09:46	06/27/07 08:30
Total Organic Carbon									
Date Analyzed			7/12/07 S10	1				07/12/07 18:22	
Total Organic Carbon	9060	mg/L	115	1	4.84	20		07/12/07 18:22	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52353**
Sample Designation **CO-GW-MW-11 Filtered**

Matrix: Groundwater
Date Collected: 6/25/2007 11:16
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 09:48	
Iron	6010	mg/L	3.3	1	0.0024	0.0096	7439-89-6	06/28/07 09:48	06/27/07 08:30

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52354**
Sample Designation **CO-GW-MW-111**

Matrix: Groundwater
Date Collected: 6/25/2007 11:16
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 16:41	
Surrogate (10-139)	8081	%	94	1		1.0		07/07/07 16:41	06/28/07 08:45
a-BHC	8081	ug/L	0.024	1	0.0023	0.0092	319-84-6	07/07/07 16:41	06/28/07 08:45
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	07/07/07 16:41	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 16:41	06/28/07 08:45
d-BHC	8081	ug/L	0.047	1	0.0023	0.0092	319-86-8	07/07/07 16:41	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 16:41	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 16:41	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 16:41	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 16:41	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 16:41	06/28/07 08:45
Endosulfan I	8081	ug/L	0.075	1	0.0019	0.0076	959-98-8	07/07/07 16:41	06/28/07 08:45
Dieldrin	8081	ug/L	0.028	1	0.0014	0.0056	60-57-1	07/07/07 16:41	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 16:41	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 16:41	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 16:41	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 16:41	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 16:41	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 16:41	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 16:41	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 16:41	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 16:41	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 16:41	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 16:41	06/28/07 08:45

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52356**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 6/25/2007 13:26
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 16:56	
Surrogate (10-139)	8081	%	61	1		1.0		07/07/07 16:56	06/28/07 08:45
a-BHC	8081	ug/L	0.0035 I	1	0.0023	0.0092	319-84-6	07/07/07 16:56	06/28/07 08:45
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	07/07/07 16:56	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 16:56	06/28/07 08:45
d-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-86-8	07/07/07 16:56	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 16:56	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 16:56	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 16:56	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 16:56	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 16:56	06/28/07 08:45
Endosulfan I	8081	ug/L	0.027	1	0.0019	0.0076	959-98-8	07/07/07 16:56	06/28/07 08:45
Dieldrin	8081	ug/L	0.0035 I	1	0.0014	0.0056	60-57-1	07/07/07 16:56	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 16:56	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 16:56	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 16:56	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 16:56	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 16:56	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 16:56	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 16:56	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 16:56	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 16:56	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 16:56	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 16:56	06/28/07 08:45
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 09:56	
Iron	6010	mg/L	0.059	1	0.0024	0.0096	7439-89-6	06/28/07 09:56	06/27/07 08:30
Total Organic Carbon									
Date Analyzed			7/12/07 S10	1				07/12/07 14:41	
Total Organic Carbon	9060	mg/L	2.48	1	0.24	1		07/12/07 14:41	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52357**
Sample Designation **CO-GW-MW-18 Filtered**

Matrix: Groundwater
Date Collected: 6/25/2007 13:26
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 09:58	
Iron	6010	mg/L	0.034	1	0.0024	0.0096	7439-89-6	06/28/07 09:58	06/27/07 08:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52358**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 6/25/2007 14:08
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 17:10	
Surrogate (10-139)	8081	%	83	1		1.0		07/07/07 17:10	06/28/07 08:45
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	07/07/07 17:10	06/28/07 08:45
b-BHC	8081	ug/L	0.0030 U	1	0.0030	0.012	319-85-7	07/07/07 17:10	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 17:10	06/28/07 08:45
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	07/07/07 17:10	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 17:10	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 17:10	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 17:10	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 17:10	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 17:10	06/28/07 08:45
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	07/07/07 17:10	06/28/07 08:45
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	07/07/07 17:10	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 17:10	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 17:10	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 17:10	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 17:10	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 17:10	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 17:10	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 17:10	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 17:10	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 17:10	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 17:10	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 17:10	06/28/07 08:45
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	2				06/28/07 10:33	
Iron	6010	mg/L	5.2	2	0.0024	0.0096	7439-89-6	06/28/07 10:33	06/27/07 08:30
Total Organic Carbon									
Date Analyzed			7/12/07 S10	1				07/12/07 14:08	
Total Organic Carbon	9060	mg/L	4.11	1	0.24	1		07/12/07 14:08	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52359**
Sample Designation **CO-GW-MW-15 Filtered**

Matrix: Groundwater
Date Collected: 6/25/2007 14:08
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	2				06/28/07 10:35	
Iron	6010	mg/L	6.0	2	0.0024	0.0096	7439-89-6	06/28/07 10:35	06/27/07 08:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52360**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 6/26/2007 10:13
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 17:24	
Surrogate (10-139)	8081	%	97	1		1.0		07/07/07 17:24	06/28/07 08:45
a-BHC	8081	ug/L	0.060	1	0.0023	0.0092	319-84-6	07/07/07 17:24	06/28/07 08:45
b-BHC	8081	ug/L	5.2	20	0.06	0.24	319-85-7	07/11/07 17:46	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 17:24	06/28/07 08:45
d-BHC	8081	ug/L	1.4	20	0.046	0.18	319-86-8	07/11/07 17:46	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 17:24	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 17:24	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 17:24	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 17:24	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 17:24	06/28/07 08:45
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	07/07/07 17:24	06/28/07 08:45
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	07/07/07 17:24	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 17:24	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 17:24	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 17:24	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 17:24	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 17:24	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 17:24	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 17:24	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 17:24	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 17:24	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 17:24	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 17:24	06/28/07 08:45
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 10:05	
Iron	6010	mg/L	1.8	1	0.0024	0.0096	7439-89-6	06/28/07 10:05	06/27/07 08:30
Total Organic Carbon									
Date Analyzed			7/12/07 S10	1				07/12/07 10:13	
Total Organic Carbon	9060	mg/L	112	1	4.84	20		07/12/07 10:13	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52361**
Sample Designation **CO-GW-MW-16S Filtered**

Matrix: Groundwater
Date Collected: 6/26/2007 10:13
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	1				06/28/07 10:17	
Iron	6010	mg/L	1.8	1	0.0024	0.0096	7439-89-6	06/28/07 10:17	06/27/07 08:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52362**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 6/26/2007 10:53
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		06/28/07						06/28/07 08:45
Date Analyzed			7/7/07	1				07/07/07 17:39	
Surrogate (10-139)	8081	%	96	1		1.0		07/07/07 17:39	06/28/07 08:45
a-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-84-6	07/07/07 17:39	06/28/07 08:45
b-BHC	8081	ug/L	0.26	1	0.0030	0.012	319-85-7	07/07/07 17:39	06/28/07 08:45
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	07/07/07 17:39	06/28/07 08:45
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	07/07/07 17:39	06/28/07 08:45
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	07/07/07 17:39	06/28/07 08:45
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	07/07/07 17:39	06/28/07 08:45
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	07/07/07 17:39	06/28/07 08:45
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	07/07/07 17:39	06/28/07 08:45
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	07/07/07 17:39	06/28/07 08:45
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	07/07/07 17:39	06/28/07 08:45
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	07/07/07 17:39	06/28/07 08:45
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	07/07/07 17:39	06/28/07 08:45
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	70-20-8	07/07/07 17:39	06/28/07 08:45
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	07/07/07 17:39	06/28/07 08:45
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	07/07/07 17:39	06/28/07 08:45
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	07/07/07 17:39	06/28/07 08:45
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	07/07/07 17:39	06/28/07 08:45
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	07/07/07 17:39	06/28/07 08:45
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	07/07/07 17:39	06/28/07 08:45
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	07/07/07 17:39	06/28/07 08:45
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	07/07/07 17:39	06/28/07 08:45
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		07/07/07 17:39	06/28/07 08:45
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	10				06/28/07 10:42	
Iron	6010	mg/L	47	10	0.0024	0.0096	7439-89-6	06/28/07 10:42	06/27/07 08:30
Total Organic Carbon									
Date Analyzed			7/12/07 S10	1				07/12/07 10:53	
Total Organic Carbon	9060	mg/L	16.8	1	0.24	1		07/12/07 10:53	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

SunLabs Sample Number **52363**
Sample Designation **CO-GW-MW-16D Filtered**

Matrix: Groundwater
Date Collected: 6/26/2007 10:53
Date Received: 6/26/2007 15:05

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Iron									
Date Digested	3005		6/27/2007						06/27/07 08:30
Date Analyzed	6010		6/28/2007	10				06/28/07 10:45	
Iron	6010	mg/L	45	10	0.0024	0.0096	7439-89-6	06/28/07 10:45	06/27/07 08:30

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

Footnotes	
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RPD	*Relative Percent Difference*
S10	*This analysis performed by Spectrum Analytical, Inc., Certification # E87600/E87936.*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
070626.08	Project Description: Chevron Orlando

July 17, 2007

Batch No: **C1643**

TestCode: **6010-L**

Associated Samples: 52352, 52353, 52356, 52357, 52358, 52359, 52360, 52361, 52362, 52363

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*52283*	*52283*					
Date Digested	6/27/07	1000	27/07	27/07	0			1000	27/07	27/07	0				
Arsenic	0.0048 U	1000	91	92	1			1000	92	92	0				
Barium	0.001 U	1000	96	94	2			1000	86	90	5				
Boron	0.001 U	1000	96	96	0			1000	100	99	1				
Cadmium	0.0006 U	1000	93	91	2			1000	93	92	1				
Chromium	0.0035 U	1000	96	93	3			1000	95	95	0				
Iron	0.0023 U	1000	105	102	3					132					
Lead	0.0044 U	1000	93	92	1			1000	93	93	0				
Manganese	0.0006 U	1000	101	100	1			1000	98	102	4				
Phosphorous	0.015 U	1000	89	89	0					31					
Selenium	0.0047 U	1000	92	89	3			1000	94	92	2				
Silver	0.0033 U	1000	97	93	4			1000	95	93	2				

Batch No: **C1666**

TestCode: **8081-w**

Associated Samples: 52350, 52351, 52352, 52354, 52356, 52358, 52360, 52362

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*52352*	*52352*					
Surrogate (10-139)	65														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	66	74	11	14	48-123	100	70	70	0	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	79	85	7	11	69-134	100	86	82	5	57	0-162		
Aldrin	0.002 U	100	60	67	11	17	42-118	100	108	118	9	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	67	76	13	21	58-116	100	102	108	6	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	80	95	17	23	61-131	100	98	90	9	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	99	113	13	19	68-147	100	100	112	11	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
U	*The analyte was not detected at or above the reported detection limit.*