SITE: Chevron Chemical
BREAK: 7.4
OTHER: v. 6

ARCADIS
Infrastructure, environment, facilities

ARCADIS
3240 El Camino Real
Suite 200
Irvine
California 92602-1385
Tel 714.730.9052
Fax 714.730.9345
www.arcadis-us.com

ENVIRONMENTAL

Mr. William Denman
United States Environmental Protection Agency
Atlanta Federal Center
61 Forsyth Street, SW
Atlanta, Georgia 30303-3104

Subject:
Submittal of *Site Status Update*
Chevron Orlando Superfund Site
Orlando, Florida

Date:
March 13, 2008

Contact:
Allen C. Just, P.E.

Phone:
714.730.9052 Ext 38

Email:
allen.just@arcadis-us.com

Our ref:
B0045313.0000.00020

Dear Mr. Denman:

On behalf of Chevron Environmental Management Company (Chevron EMC), ARCADIS is submitting this *Site Status Update* for the Chevron Orlando Superfund Site (the Site), located in Orlando, Florida. This update documents the site activities completed during the Fourth Quarter 2007 and the proposed activities for the First Quarter 2008.

Please contact me at 714.730.9052 Extension 38 or via e-mail at allen.just@arcadis-us.com if you have any questions or need additional information.

Sincerely,

ARCADIS

Allen C. Just, P.E.
Principal Engineer

Copies:
Karen Milicic, FDEP, Tallahassee, FL
Mark Stella, Chevron EMC, Bellaire, TX
Susan Tobin, TASK Environmental, Mount Dora, FL
Brigitte Howe, Geomega, Boulder, CO
Matthew Coglianese, Peckar & Abramson, Miami, FL

Imagine the result

10586753

G:\Common\ALLEN\Orlando\Site Status Updates\4Q 2007\4Q 2007 Site Status Update Submittal.doc

ARCADIS
Infrastructure, environment, facilities

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
MARCH 13, 2008

Site: Chevron Orlando Superfund Site

Location: Orlando, Orange County, Florida

EPA Identification No.: FLD 004 064 242

ARCADIS Project No.: B0045313.0000.00020

CEMC Contact: Chevron Environmental Management Company (Chevron EMC) / Mark Stella / (713) 432-2643

Env. Consultant: ARCADIS / Allen Just / (714) 730-9052 Ext. 38

Lead Agency: United States Environmental Protection Agency (USEPA) / Bill Denman / (404) 562-8939

Work Completed During Fourth Quarter 2007

1. Installed groundwater monitoring wells MW-25S, MW-25M, and MW-25D; and replaced monitoring well MW-24S at the Chevron property (See Figure 1) on October 12 through 14, 2007. Wells MW-25S, MW-25M, and MW-25D (Figure 2) were screened between 7 and 17 feet below ground surface (bgs); 20 and 30 feet bgs; and 30 and 40 feet bgs, respectively. Well MW-24S (Figure 2) was replaced due to excessive fine-grained soils within the screened interval which prevented the well from being properly developed. The replacement well was screened between 7 and 17 feet bgs; and constructed with a smaller slot size for the well casing and finer grain-size sand for the filter pack.

2. Installed groundwater monitoring wells MW-26D through MW-31D at the Lake Fairview Commerce Center (See Figure 2) on October 20 and 21, 2007. Wells MW-26D through MW-31D (Figure 2) were screened between 25 and 35 feet bgs.

3. Conducted groundwater monitoring activities on October 18, 24, 28, 29, 30, November 1, and 2, 2007. The monitoring activities included the collection of groundwater samples from 32 wells. Historical groundwater monitoring data is presented in Tables 1 through 3. Analytical results for selected pesticides are presented in Figures 3 through 6. Copies of the chain-of-custody documentation and laboratory reports are presented in Appendix A.

4. Installed six additional permeable reactive barriers (PRBs) at the Chevron property and the Lake Fairview Commerce Center on November 6 through 18, 2007. The six PRBs (No. 4.0; No. 5.0; No. 5.1; No. 6.0; No. 7.0; and No. 7.1; See Figure 2) were installed in general accordance with the *Pilot Test Work Plan Addendum* dated October 23, 2007. Field activities were initiated upon receipt of the United States Environmental Protection Agency (USEPA) approval letter dated October 30, 2007. The Florida Department of Environmental Protection (FDEP) also approved the work plan; and a Right-of-Way (R-O-W) permit was issued by the Florida Department of Transportation (FDOT) for the installation activities of PRB No. 4.0 (Figure 2).

5. Installed groundwater monitoring wells MW-32D through MW-34D at the Lake Fairview Commerce Center; and MW-36S, MW-36D, MW-37S, MW-37D, and MW-38D at the Chevron property on November 16 through 19, 2007. Wells MW-32D through MW-34D (Figure 2) were screened between 25 and 35 feet bgs. Wells MW-36S, MW-36D, MW-37S, MW-37D, and MW-38D (Figure 2) were screened between 7 and 17 feet bgs; 18 and 28 feet bgs; 7 and 17 feet bgs; 20 and 30 feet bgs; and 20 and 30 feet bgs, respectively.

6. Conducted groundwater monitoring activities on November 27, 28, December 2, and 5, 2007. The monitoring activities included the collection of groundwater samples from 21 wells. Historical groundwater monitoring data is presented in Tables 1 through 3. Analytical results for selected pesticides are presented in Figures 3 through 6. Copies of the chain-of-custody documentation and laboratory reports are presented in Appendix A.

7. Installed groundwater monitoring wells MW-40S and MW-40D at the Chevron property on December 14 and 15, 2007. Wells MW-40S and MW-40D (Figure 2) were screened between 7

and 17 feet bgs and 20 and 30 feet bgs, respectively. Depth to groundwater measurements were collected on December 14, 2007. This data was utilized to develop the groundwater elevation contour maps for the shallow and deep zones presented as Figures 7 and 8, respectively. Historical groundwater elevation data is presented in Table 1.

8. Performed site maintenance activities including mowing, weeding, and trash removal.

ARCADIS
Infrastructure, environment, facilities

SITE STATUS UPDATE
CHEVRON ORLANDO SUPERFUND SITE
MARCH 13, 2008

Work Completed / To Be Performed During First Quarter 2008

1. Conducted groundwater monitoring activities on January 6, 8, 9, and 10, 2008. The monitoring activities included the collection of groundwater samples from 24 wells.
2. Conducted groundwater monitoring activities on February 11 and 12, 2008. The monitoring activities included the collection of groundwater samples from 7 wells.
3. Submit *Site Status Update* report.
4. Submit *PRB Pilot Test Expansion Report* documenting the installation of six additional PRBs and preliminary post-treatment monitoring and sampling results.
5. Conduct groundwater monitoring activities in March 2008.
6. Continue to evaluate soil data and remedial alternatives.
7. Perform site maintenance activities including mowing and weed removal.

Attachments:	Table 1	Groundwater Elevation Data
	Table 2	Summary of Groundwater Analytical Results
	Table 3	Summary of Geochemical Indicator Parameters
	Figure 1	Topographic Map of Site Location and Vicinity
	Figure 2	Site Plan
	Figure 3	alpha-BHC Concentrations in Groundwater Fourth Quarter 2007
	Figure 4	beta-BHC Concentrations in Groundwater Fourth Quarter 2007
	Figure 5	Lindane Concentrations in Groundwater Fourth Quarter 2007
	Figure 6	delta-BHC Concentrations in Groundwater Fourth Quarter 2007
	Figure 7	Groundwater Elevation Contour Map Shallow Wells - December 14, 2007
	Figure 8	Groundwater Elevation Contour Map Deep Wells - December 14, 2007
	Appendix A	Chain-of-Custody Documentation and Laboratory Reports

ARCADIS

Attachments

ARCADIS

Tables

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-1D	11/01/99	100.89	9.55	91.34	
MW-1D	04/03/00	100.89	10.80	90.09	
MW-1D	10/23/00	100.89	10.85	90.04	
MW-1D	04/16/01	100.89	10.96	89.93	
MW-1D	10/15/01	100.89	9.82	91.07	
MW-1D	03/18/02	100.89	10.00	90.89	
MW-1D	09/05/02	100.89	9.55	91.34	
MW-1D	03/17/03	100.89	9.80	91.09	
MW-1D	10/03/03	100.89	9.75	91.14	
MW-1D	04/07/04	100.89	10.57	90.32	
MW-1D	10/14/04	100.89	8.70	92.19	
MW-1D	05/31/05	100.89	10.88	90.01	
MW-1D	12/12/05	100.89	10.26	90.63	
MW-1D	03/26/06	100.89	11.10	89.79	
MW-1D	04/23/06	100.89	11.53	89.36	
MW-1D	05/24/06	100.89	11.65	89.24	
MW-1D	06/27/06	100.89	11.07	89.82	
MW-1D	07/26/06	100.89	10.22	90.67	
MW-1D	09/06/06	100.89	9.89	91.00	
MW-1D	10/03/06	100.89	10.14	90.75	
MW-1D	11/01/06	100.89	10.68	90.21	
MW-1D	02/01/07	100.89	10.05	90.84	
MW-1D	04/22/07	100.89	11.58	89.31	
MW-1D	08/01/07	100.89	11.15	89.74	
MW-1D	11/02/07	100.89	10.47	90.42	
MW-1D	12/14/07	100.89	11.70	89.19	
MW-1S	11/01/99	100.93	9.62	91.31	
MW-1S	04/03/00	100.93	10.72	90.21	
MW-1S	10/23/00	100.93	10.78	90.15	
MW-1S	04/16/01	100.93	10.82	90.11	
MW-1S	10/15/01	100.93	9.65	91.28	
MW-1S	03/18/02	100.93	10.15	90.78	
MW-1S	09/05/02	100.93	9.55	91.38	
MW-1S	03/17/03	100.93	9.82	91.11	
MW-1S	10/03/03	100.93	9.73	91.20	
MW-1S	04/07/04	100.93	10.59	90.34	
MW-1S	10/14/04	100.93	8.65	92.28	
MW-1S	05/31/05	100.93	10.89	90.04	
MW-1S	12/12/05	100.93	10.25	90.68	
MW-1S	03/26/06	100.93	11.19	89.74	
MW-1S	04/23/06	100.93	11.55	89.38	
MW-1S	05/24/06	100.93	11.64	89.29	
MW-1S	06/27/06	100.93	11.09	89.84	
MW-1S	07/26/06	100.93	10.22	90.71	
MW-1S	09/06/06	100.93	9.85	91.08	
MW-1S	10/03/06	100.93	10.14	90.79	
MW-1S	11/01/06	100.93	10.69	90.24	
MW-1S	02/01/07	100.93	10.07	90.86	
MW-1S	04/22/07	100.93	11.60	89.33	
MW-1S	08/01/07	100.93	11.16	89.77	
MW-1S	11/02/07	100.93	10.47	90.46	
MW-1S	12/14/07	100.93	11.20	89.73	
MW-2D	11/01/99	99.16	5.69	93.47	
MW-2D	04/03/00	99.16	8.01	91.15	
MW-2D	10/23/00	99.16	8.00	91.16	
MW-2D	04/16/01	99.16	8.01	91.15	
MW-2D	10/15/01	99.16	6.60	92.56	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-2D	03/18/02	99.16	7.13	92.03	
MW-2D	09/05/02	99.16	5.70	93.46	
MW-2D	03/17/03	99.16	6.54	92.62	
MW-2D	10/03/03	99.16	6.28	92.88	
MW-2D	04/07/04	99.16	7.30	91.86	
MW-2D	10/14/04	99.16	4.73	94.43	
MW-2D	05/31/05	99.16	7.24	91.92	
MW-2D	12/12/05	99.16	6.45	92.71	
MW-2D	11/01/06	99.16	7.20	91.96	
MW-2D	11/02/07	99.16	7.35	91.81	
MW-2D	12/05/07	99.16	8.17	90.99	
MW-2D	12/14/07	99.16	8.34	90.82	
MW-2S	11/01/99	99.11	5.60	93.51	
MW-2S	04/03/00	99.11	7.95	91.16	
MW-2S	10/23/00	99.11	7.83	91.28	
MW-2S	04/16/01	99.11	7.98	91.13	
MW-2S	10/15/01	99.11	6.52	92.59	
MW-2S	03/18/02	99.11	7.00	92.11	
MW-2S	09/05/02	99.11	5.61	93.50	
MW-2S	03/17/03	99.11	6.52	92.59	
MW-2S	10/03/03	99.11	6.30	92.81	
MW-2S	04/07/04	99.11	7.27	91.84	
MW-2S	10/14/04	99.11	4.62	94.49	
MW-2S	05/31/05	99.11	7.43	91.68	
MW-2S	12/12/05	99.11	6.38	92.73	
MW-2S	11/01/06	99.11	7.12	91.99	
MW-2S	12/05/07	99.11	8.09	91.02	
MW-2S	12/14/07	99.11	8.29	90.82	
MW-3D	11/01/99	101.65	7.05	94.60	
MW-3D	04/03/00	101.65	9.73	91.92	
MW-3D	10/23/00	101.65	9.60	92.05	
MW-3D	04/16/01	101.65	9.56	92.09	
MW-3D	10/15/01	101.65	8.05	93.60	
MW-3D	03/18/02	101.65	7.14	94.51	
MW-3D	09/06/02	101.65	7.22	94.43	
MW-3D	03/17/03	101.65	8.12	93.53	
MW-3D	10/03/03	101.65	7.80	93.85	
MW-3D	04/07/04	101.65	9.10	92.55	
MW-3D	10/14/04	101.65	6.36	95.29	
MW-3D	05/31/05	101.65	8.73	92.92	
MW-3D	12/12/05	101.65	8.06	93.59	
MW-3D	04/23/06	101.65	10.08	91.57	
MW-3D	11/02/06	101.65	8.79	92.86	
MW-3D	11/01/07	101.65	8.90	92.75	
MW-3D	12/14/07	101.65	9.99	91.66	
MW-3S	11/01/99	101.82	7.00	94.82	
MW-3S	04/03/00	101.82	9.94	91.88	
MW-3S	10/23/00	101.82	9.98	91.84	
MW-3S	04/16/01	101.82	9.91	91.91	
MW-3S	10/15/01	101.82	8.10	93.72	
MW-3S	03/18/02	101.82	8.66	93.16	
MW-3S	09/05/02	101.82	6.99	94.83	
MW-3S	03/17/03	101.82	8.30	93.52	
MW-3S	10/03/03	101.82	7.82	94.00	
MW-3S	04/07/04	101.82	9.25	92.57	
MW-3S	10/14/04	101.82	6.19	95.63	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-3S	05/31/05	101.82	9.26	92.56	
MW-3S	12/12/05	101.82	8.14	93.68	
MW-3S	04/23/06	101.82	10.25	91.57	
MW-3S	05/24/06	101.82	10.27	91.55	
MW-3S	06/27/06	101.82	9.22	92.60	
MW-3S	07/26/06	101.82	8.11	93.71	
MW-3S	09/06/06	101.82	7.05	94.77	
MW-3S	10/02/06	101.82	7.90	93.92	
MW-3S	11/02/06	101.82	8.88	92.94	
MW-3S	04/22/07	101.82	10.55	91.27	
MW-3S	11/01/07	101.82	9.05	92.77	
MW-3S	12/14/07	101.82	10.18	91.64	
MW-4D	11/01/99	101.93	8.46	93.47	
MW-4D	04/03/00	101.93	11.23	90.70	
MW-4D	10/23/00	101.93	10.38	91.55	
MW-4D	04/16/01	101.93	10.67	91.26	
MW-4D	10/15/01	101.93	9.30	92.63	
MW-4D	03/18/02	101.93	9.94	91.99	
MW-4D	09/06/02	101.93	8.13	93.80	
MW-4D	03/17/03	101.93	9.47	92.46	
MW-4D	10/03/03	101.93	9.16	92.77	
MW-4D	04/07/04	101.93	10.15	91.78	
MW-4D	10/14/04	101.93	7.54	94.39	
MW-4D	05/31/05	101.93	10.39	91.54	
MW-4D	12/12/05	101.93	9.79	92.14	
MW-4D	04/23/06	101.93	11.28	90.65	
MW-4D	11/02/06	101.93	10.22	91.71	
MW-4D	11/01/07	101.93	10.07	91.86	
MW-4D	12/14/07	101.93	10.92	91.01	
MW-4S	11/01/99	102.51	9.14	93.37	
MW-4S	04/03/00	102.51	11.77	90.74	
MW-4S	10/23/00	102.51	11.30	91.21	
MW-4S	04/16/01	102.51	9.83	92.68	
MW-4S	10/15/01	102.51	9.90	92.61	
MW-4S	03/18/02	102.51	10.38	92.13	
MW-4S	09/06/02	102.51	9.12	93.39	
MW-4S	03/17/03	102.51	10.00	92.51	
MW-4S	10/03/03	102.51	9.75	92.76	
MW-4S	04/07/04	102.51	10.75	91.76	
MW-4S	10/14/04	102.51	8.08	94.43	
MW-4S	05/31/05	102.51	10.98	91.53	
MW-4S	12/12/05	102.51	10.36	92.15	
MW-4S	04/23/06	102.51	11.84	90.67	
MW-4S	05/24/06	102.51	11.98	90.53	
MW-4S	06/27/06	102.51	11.14	91.37	
MW-4S	07/27/06	102.51	10.02	92.49	
MW-4S	09/06/06	102.51	9.55	92.96	
MW-4S	10/03/06	102.51	9.90	92.61	
MW-4S	11/02/06	102.51	10.77	91.74	
MW-4S	04/22/07	102.51	11.89	90.62	
MW-4S	11/01/07	102.51	10.00	92.51	
MW-4S	12/14/07	102.51	11.49	91.02	
MW-5D	11/01/99	100.81	9.59	91.22	
MW-5D	04/03/00	100.81	10.97	89.84	
MW-5D	10/23/00	100.81	11.00	89.81	
MW-5D	04/16/01	100.81	11.14	89.67	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-5D	10/15/01	100.81	9.99	90.82	
MW-5D	03/18/02	100.81	10.24	90.57	
MW-5D	09/04/02	100.81	9.50	91.31	
MW-5D	03/17/03	100.81	9.86	90.95	
MW-5D	10/03/03	100.81	9.81	91.00	
MW-5D	04/07/04	100.81	10.50	90.31	
MW-5D	10/14/04	100.81	8.65	92.16	
MW-5D	05/31/05	100.81	10.79	90.02	
MW-5D	12/12/05	100.81	10.09	90.72	
MW-5D	04/23/06	100.81	11.42	89.39	
MW-5D	08/01/07	100.81	11.15	89.66	
MW-5D	11/02/07	100.81	10.46	90.35	
MW-5D	12/14/07	100.81	11.21	89.60	
MW-5S	11/01/99	101.24	9.94	91.30	
MW-5S	04/03/00	101.24	11.28	89.96	
MW-5S	10/23/00	101.24	11.28	89.96	
MW-5S	04/16/01	101.24	11.40	89.84	
MW-5S	10/15/01	101.24	10.24	91.00	
MW-5S	03/18/02	101.24	10.46	90.78	
MW-5S	09/04/02	101.24	9.80	91.44	
MW-5S	03/17/03	101.24	10.23	91.01	
MW-5S	10/03/03	101.24	10.18	91.06	
MW-5S	04/07/04	101.24	10.82	90.42	
MW-5S	10/14/04	101.24	8.95	92.29	
MW-5S	05/31/05	101.24	11.15	90.09	
MW-5S	12/12/05	101.24	10.49	90.75	
MW-5S	04/23/06	101.24	11.25	89.99	
MW-5S	08/01/07	101.24	11.53	89.71	
MW-5S	12/14/07	101.24	11.61	89.63	
MW-6D	11/01/99	99.69	9.10	90.59	
MW-6D	04/03/00	99.69	10.28	89.41	
MW-6D	10/23/00	99.69	10.32	89.37	
MW-6D	04/16/01	99.69	10.56	89.13	
MW-6D	10/15/01	99.69	9.51	90.18	
MW-6D	03/18/02	99.69	9.55	90.14	
MW-6D	09/06/02	99.69	9.10	90.59	
MW-6D	03/17/03	99.69	9.29	90.40	
MW-6D	10/03/03	99.69	9.32	90.37	
MW-6D	04/07/04	99.69	9.76	89.93	
MW-6D	10/14/04	99.69	NA	NA	Well not accessible
MW-6D	05/31/05	99.69	NA	NA	Well not accessible
MW-6D	12/12/05	99.69	NA	NA	Well not accessible
MW-6D	08/01/07	99.69	10.17	89.52	
MW-6D	12/14/07	99.69	NA	NA	Not measured; well was not guaged
MW-6S	11/01/99	99.80	9.20	90.60	
MW-6S	04/03/00	99.80	10.33	89.47	
MW-6S	10/23/00	99.80	10.37	89.43	
MW-6S	04/16/01	99.80	10.59	89.21	
MW-6S	10/15/01	99.80	9.58	90.22	
MW-6S	03/18/02	99.80	9.81	89.99	
MW-6S	09/05/02	99.80	9.25	90.55	
MW-6S	03/17/03	99.80	9.51	90.29	
MW-6S	10/03/03	99.80	9.45	90.35	
MW-6S	04/07/04	99.80	9.90	89.90	
MW-6S	10/14/04	99.80	NA	NA	Well not accessible
MW-6S	05/31/05	99.80	NA	NA	Well not accessible

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-6S	12/12/05	99.80	NA	NA	Well not accessible
MW-6S	08/01/07	99.80	10.30	89.50	
MW-6S	12/14/07	99.80	NA	NA	Not measured; well was not guaged
MW-7D	11/01/99	102.28	7.29	94.99	
MW-7D	04/03/00	102.28	9.80	92.48	
MW-7D	10/23/00	102.28	9.98	92.30	
MW-7D	04/16/01	102.28	9.72	92.56	
MW-7D	10/15/01	102.28	8.08	94.20	
MW-7D	03/18/02	102.28	8.94	93.34	
MW-7D	09/08/02	102.28	6.91	95.37	
MW-7D	03/17/03	102.28	7.89	94.39	
MW-7D	10/03/03	102.28	7.90	94.38	
MW-7D	04/07/04	102.28	9.30	92.98	
MW-7D	10/14/04	102.28	6.75	95.53	
MW-7D	05/31/05	102.28	7.94	94.34	
MW-7D	12/12/05	102.28	8.08	94.20	
MW-7D	04/23/06	102.28	10.12	92.16	
MW-7D	12/14/07	102.28	10.00	92.28	
MW-7S	11/01/99	100.06	5.20	94.86	
MW-7S	04/03/00	100.06	7.50	92.56	
MW-7S	10/23/00	100.06	7.53	92.53	
MW-7S	04/16/01	100.06	7.32	92.74	
MW-7S	10/15/01	100.06	5.88	94.18	
MW-7S	03/18/02	100.06	6.18	93.88	
MW-7S	09/07/02	100.06	5.13	94.93	
MW-7S	03/17/03	100.06	5.16	94.90	
MW-7S	10/03/03	100.06	5.20	94.86	
MW-7S	04/07/04	100.06	7.10	92.96	
MW-7S	10/14/04	100.06	4.55	95.51	
MW-7S	05/31/05	100.06	5.61	94.45	
MW-7S	12/12/05	100.06	5.89	94.17	
MW-7S	04/23/06	100.06	7.89	92.17	
MW-7S	12/14/07	100.06	7.79	92.27	
MW-8D	11/01/99	102.15	7.77	94.38	
MW-8D	04/03/00	102.15	10.41	91.74	
MW-8D	10/23/00	102.15	10.31	91.84	
MW-8D	04/16/01	102.15	9.76	92.39	
MW-8D	10/15/01	102.15	8.20	93.95	
MW-8D	03/18/02	102.15	9.15	93.00	
MW-8D	09/05/02	102.15	7.35	94.80	
MW-8D	03/17/03	102.15	8.88	93.27	
MW-8D	10/03/03	102.15	8.26	93.89	
MW-8D	04/07/04	102.15	9.35	92.80	
MW-8D	10/14/04	102.15	6.68	95.47	
MW-8D	05/31/05	102.15	9.15	93.00	
MW-8D	12/12/05	102.15	8.53	93.62	
MW-8D	04/23/06	102.15	10.27	91.88	
MW-8D	11/02/06	102.15	9.03	93.12	
MW-8D	12/14/07	102.15	9.13	93.02	
MW-8S	11/01/99	103.03	6.33	96.70	
MW-8S	04/03/00	103.03	9.15	93.88	
MW-8S	10/23/00	103.03	8.86	94.17	
MW-8S	04/16/01	103.03	8.85	94.18	
MW-8S	10/15/01	103.03	7.27	95.76	
MW-8S	03/18/02	103.03	8.15	94.88	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-8S	09/05/02	103.03	6.25	96.78	
MW-8S	03/17/03	103.03	7.63	95.40	
MW-8S	10/03/03	103.03	6.95	96.08	
MW-8S	04/07/04	103.03	8.35	94.68	
MW-8S	10/14/04	103.03	5.67	97.36	
MW-8S	05/31/05	103.03	8.30	94.73	
MW-8S	12/12/05	103.03	7.65	95.38	
MW-8S	04/23/06	103.03	9.35	93.68	
MW-8S	11/02/06	103.03	8.11	94.92	
MW-8S	12/14/07	103.03	10.05	92.98	
MW-9D	11/01/99	102.59	7.04	95.55	
MW-9D	04/03/00	102.59	9.39	93.20	
MW-9D	10/23/00	102.59	9.24	93.35	
MW-9D	04/16/01	102.59	9.02	93.57	
MW-9D	10/15/01	102.59	7.73	94.86	
MW-9D	03/18/02	102.59	8.40	94.19	
MW-9D	09/05/02	102.59	6.91	95.68	
MW-9D	03/17/03	102.59	8.02	94.57	
MW-9D	10/03/03	102.59	3.77	98.82	
MW-9D	04/07/04	102.59	8.70	93.89	
MW-9D	10/14/04	102.59	6.32	96.27	
MW-9D	05/31/05	102.59	8.64	93.95	
MW-9D	12/12/05	102.59	8.08	94.51	
MW-9D	04/23/06	102.59	9.67	92.92	
MW-9D	11/02/06	102.59	8.53	94.06	
MW-9D	12/14/07	102.59	9.40	93.19	
MW-10D	11/01/99	104.35	9.66	94.69	
MW-10D	04/03/00	104.35	11.95	92.40	
MW-10D	10/23/00	104.35	11.60	92.75	
MW-10D	04/16/01	104.35	11.53	92.82	
MW-10D	10/15/01	104.35	10.32	94.03	
MW-10D	03/18/02	104.35	11.50	92.85	
MW-10D	09/05/02	104.35	9.48	94.87	
MW-10D	03/17/03	104.35	10.62	93.73	
MW-10D	10/03/03	104.35	10.18	94.17	
MW-10D	04/07/04	104.35	11.30	93.05	
MW-10D	10/14/04	104.35	8.80	95.55	
MW-10D	05/31/05	104.35	11.55	92.80	
MW-10D	12/12/05	104.35	11.00	93.35	
MW-10D	04/23/06	104.35	12.35	92.00	
MW-10D	11/01/06	104.35	11.36	92.99	
MW-10D	07/31/07	104.35	11.87	92.48	
MW-10D	11/01/07	104.35	11.12	93.23	
MW-10D	12/14/07	104.35	12.01	92.34	
MW-10S	11/01/99	103.31	8.54	94.77	
MW-10S	04/03/00	103.31	10.79	92.52	
MW-10S	10/23/00	103.31	10.48	92.83	
MW-10S	04/16/01	103.31	10.41	92.90	
MW-10S	10/15/01	103.31	9.20	94.11	
MW-10S	03/18/02	103.31	9.96	93.35	
MW-10S	09/05/02	103.31	8.35	94.96	
MW-10S	03/17/03	103.31	9.51	93.80	
MW-10S	10/03/03	103.31	9.05	94.26	
MW-10S	04/07/04	103.31	10.14	93.17	
MW-10S	10/14/04	103.31	7.67	95.64	
MW-10S	05/31/05	103.31	10.41	92.90	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-10S	12/12/05	103.31	9.86	93.45	
MW-10S	04/23/06	103.31	11.22	92.09	
MW-10S	11/01/06	103.31	10.20	93.11	
MW-10S	07/31/07	103.31	10.71	92.60	
MW-10S	11/01/07	103.31	9.99	93.32	
MW-10S	12/14/07	103.31	10.90	92.41	
MW-11S	11/01/99	96.24	6.63	89.61	
MW-11S	04/03/00	96.24	7.75	88.49	
MW-11S	10/23/00	96.24	7.84	88.40	
MW-11S	04/16/01	96.24	8.30	87.94	
MW-11S	10/15/01	96.24	6.97	89.27	
MW-11S	03/18/02	96.24	7.15	89.09	
MW-11S	09/06/02	96.24	6.70	89.54	
MW-11S	03/17/03	96.24	6.91	89.33	
MW-11S	10/03/03	96.24	6.95	89.29	
MW-11S	04/07/04	96.24	7.54	88.70	
MW-11S	10/14/04	96.24	6.45	89.79	
MW-11S	05/31/05	96.24	7.43	88.81	
MW-11S	12/12/05	96.24	7.05	89.19	
MW-11S	01/29/06	96.24	7.45	88.79	
MW-11S	02/26/06	96.24	7.37	88.87	
MW-11S	03/26/06	96.24	7.75	88.49	
MW-11S	04/23/06	96.24	8.14	88.10	
MW-11S	05/23/06	96.24	8.27	87.97	
MW-11S	06/26/06	96.24	7.94	88.30	
MW-11S	07/26/06	96.24	7.12	89.12	
MW-11S	09/05/06	96.24	6.80	89.44	
MW-11S	10/02/06	96.24	7.15	89.09	
MW-11S	10/31/06	96.24	7.50	88.74	
MW-11S	11/28/06	96.24	7.57	88.67	
MW-11S	12/17/06	96.24	7.35	88.89	
MW-11S	01/31/07	96.24	7.25	88.99	
MW-11S	02/25/07	96.24	7.50	88.74	
MW-11S	03/25/07	96.24	8.75	87.49	
MW-11S	04/21/07	96.24	7.97	88.27	
MW-11S	05/18/07	96.24	8.25	87.99	
MW-11S	06/07/07	96.24	8.13	88.11	Resample event (05.18.07 sample broke)
MW-11S	06/25/07	96.24	8.20	88.04	
MW-11S	07/30/07	96.24	7.73	88.51	
MW-11S	08/23/07	96.24	7.50	88.74	
MW-11S	09/30/07	96.24	7.01	89.23	
MW-11S	10/29/07	96.24	7.20	89.04	
MW-11S	12/02/07	96.24	7.61	88.63	
MW-11S	12/14/07	96.24	7.78	88.46	
MW-12S	11/01/99	97.95	6.71	91.24	
MW-12S	04/03/00	97.95	7.97	89.98	
MW-12S	10/23/00	97.95	8.00	89.95	
MW-12S	04/16/01	97.95	8.30	89.65	
MW-12S	10/15/01	97.95	7.16	90.79	
MW-12S	03/18/02	97.95	7.35	90.60	
MW-12S	09/07/02	97.95	6.68	91.27	
MW-12S	03/17/03	97.95	7.08	90.87	
MW-12S	10/03/03	97.95	7.00	90.95	
MW-12S	04/07/04	97.95	7.89	90.06	
MW-12S	10/14/04	97.95	6.10	91.85	
MW-12S	05/31/05	97.95	7.93	90.02	
MW-12S	12/12/05	97.95	7.45	90.50	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-12S	03/26/06	97.95	8.25	89.70	
MW-12S	04/23/06	97.95	8.63	89.32	
MW-12S	05/23/06	97.95	8.81	89.14	
MW-12S	06/26/06	97.95	8.37	89.58	
MW-12S	07/26/06	97.95	7.45	90.50	
MW-12S	09/05/06	97.95	7.25	90.70	
MW-12S	10/02/06	97.95	7.35	90.60	
MW-12S	10/31/06	97.95	7.84	90.11	
MW-12S	01/31/07	97.95	7.97	89.98	
MW-12S	04/21/07	97.95	8.40	89.55	
MW-12S	08/04/07	97.95	8.00	89.95	
MW-12S	10/29/07	97.95	7.43	90.52	
MW-12S	12/14/07	97.95	8.09	89.86	
MW-15S	11/01/99	99.21	8.75	90.46	
MW-15S	04/03/00	99.21	9.97	89.24	
MW-15S	10/23/00	99.21	10.01	89.20	
MW-15S	04/16/01	99.21	10.33	88.88	
MW-15S	10/15/01	99.21	9.20	90.01	
MW-15S	03/18/02	99.21	9.25	89.96	
MW-15S	09/04/02	99.21	8.82	90.39	
MW-15S	03/17/03	99.21	8.89	90.32	
MW-15S	10/03/03	99.21	9.03	90.18	
MW-15S	04/07/04	99.21	9.71	89.50	
MW-15S	10/14/04	99.21	8.25	90.96	
MW-15S	05/31/05	99.21	9.82	89.39	
MW-15S	12/12/05	99.21	9.22	89.99	
MW-15S	01/29/06	99.21	9.70	89.51	
MW-15S	02/26/06	99.21	9.65	89.56	
MW-15S	03/26/06	99.21	10.04	89.17	
MW-15S	04/23/06	99.21	10.40	88.81	
MW-15S	05/23/06	99.21	10.63	88.58	
MW-15S	06/26/06	99.21	10.20	89.01	
MW-15S	07/26/06	99.21	9.26	89.95	
MW-15S	09/05/06	99.21	8.95	90.26	
MW-15S	10/02/06	99.21	9.24	89.97	
MW-15S	10/31/06	99.21	9.72	89.49	
MW-15S	11/28/06	99.21	9.85	89.36	
MW-15S	12/17/06	99.21	9.68	89.53	
MW-15S	02/01/07	99.21	9.40	89.81	
MW-15S	03/01/07	99.21	9.76	89.45	
MW-15S	03/25/07	99.21	10.00	89.21	
MW-15S	04/21/07	99.21	10.33	88.88	
MW-15S	05/20/07	99.21	12.56	86.65	
MW-15S	06/25/07	99.21	10.60	88.61	
MW-15S	07/30/07	99.21	10.06	89.15	
MW-15S	08/23/07	99.21	9.78	89.43	
MW-15S	09/30/07	99.21	9.50	89.71	
MW-15S	10/28/07	99.21	9.49	89.72	
MW-15S	11/27/07	99.21	9.91	89.30	
MW-15S	12/14/07	99.21	10.03	89.18	
MW-16D	11/01/99	103.71	12.05	91.66	
MW-16D	04/03/00	103.71	13.26	90.45	
MW-16D	10/23/00	103.71	13.00	90.71	
MW-16D	04/16/01	103.71	13.25	90.46	
MW-16D	10/15/01	103.71	12.60	91.11	
MW-16D	03/18/02	103.71	12.83	90.88	
MW-16D	09/04/02	103.71	11.93	91.78	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-16D	03/17/03	103.71	12.51	91.20	
MW-16D	10/03/03	103.71	12.38	91.33	
MW-16D	04/07/04	103.71	13.13	90.58	
MW-16D	10/14/04	103.71	11.45	92.26	
MW-16D	05/31/05	103.71	13.40	90.31	
MW-16D	12/12/05	103.71	12.91	90.80	
MW-16D	03/26/06	103.71	13.67	90.04	
MW-16D	04/23/06	103.71	13.99	89.72	
MW-16D	05/24/06	103.71	14.22	89.49	
MW-16D	06/27/06	103.71	13.59	90.12	
MW-16D	07/27/06	103.71	12.70	91.01	
MW-16D	09/06/06	103.71	12.46	91.25	
MW-16D	10/02/06	103.71	12.75	90.96	
MW-16D	11/02/06	103.71	13.27	90.44	
MW-16D	11/28/06	103.71	13.53	90.18	
MW-16D	12/18/06	103.71	13.45	90.26	
MW-16D	02/01/07	103.71	13.00	90.71	
MW-16D	03/01/07	103.71	13.25	90.46	
MW-16D	03/26/07	103.71	13.40	90.31	
MW-16D	04/22/07	103.71	13.76	89.95	
MW-16D	05/18/07	103.71	14.01	89.70	
MW-16D	06/26/07	103.71	13.75	89.96	
MW-16D	07/31/07	103.71	13.34	90.37	
MW-16D	08/26/07	103.71	13.49	90.22	
MW-16D	09/30/07	103.71	12.79	90.92	
MW-16D	10/29/07	103.71	12.63	91.08	
MW-16D	12/05/07	103.71	13.20	90.51	
MW-16D	12/14/07	103.71	13.27	90.44	
MW-16S	11/01/99	104.03	12.67	91.36	
MW-16S	04/03/00	104.03	13.96	90.07	
MW-16S	10/23/00	104.03	13.83	90.20	
MW-16S	04/16/01	104.03	13.66	90.37	
MW-16S	10/15/01	104.03	12.76	91.27	
MW-16S	03/18/02	104.03	13.22	90.81	
MW-16S	09/04/02	104.03	12.35	91.68	
MW-16S	03/17/03	104.03	13.17	90.86	
MW-16S	10/03/03	104.03	13.07	90.96	
MW-16S	04/07/04	104.03	13.50	90.53	
MW-16S	10/14/04	104.03	11.82	92.21	
MW-16S	05/31/05	104.03	13.74	90.29	
MW-16S	12/12/05	104.03	13.29	90.74	
MW-16S	03/26/06	104.03	14.05	89.98	
MW-16S	04/23/06	104.03	14.39	89.64	
MW-16S	05/24/06	104.03	14.62	89.41	
MW-16S	06/27/06	104.03	14.00	90.03	
MW-16S	07/27/06	104.03	13.11	90.92	
MW-16S	09/06/06	104.03	12.87	91.16	
MW-16S	10/02/06	104.03	13.15	90.88	
MW-16S	11/02/06	104.03	13.66	90.37	
MW-16S	11/28/06	104.03	13.92	90.11	
MW-16S	12/18/06	104.03	13.83	90.20	
MW-16S	02/01/07	104.03	13.38	90.65	
MW-16S	03/01/07	104.03	13.70	90.33	
MW-16S	03/26/07	104.03	13.80	90.23	
MW-16S	04/22/07	104.03	14.15	89.88	
MW-16S	05/18/07	104.03	15.15	88.88	
MW-16S	06/26/07	104.03	14.14	89.89	
MW-16S	07/31/07	104.03	13.72	90.31	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well ID	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-16S	08/26/07	104.03	13.49	90.54	
MW-16S	09/30/07	104.03	13.19	90.84	
MW-16S	10/29/07	104.03	12.98	91.05	
MW-16S	12/05/07	104.03	13.60	90.43	
MW-16S	12/14/07	104.03	13.64	90.39	
MW-17S	11/01/99	103.23	8.92	94.31	
MW-17S	04/03/00	103.23	11.17	92.06	
MW-17S	10/23/00	103.23	10.92	92.31	
MW-17S	04/16/01	103.23	10.87	92.36	
MW-17S	10/15/01	103.23	9.65	93.58	
MW-17S	03/18/02	103.23	10.38	92.85	
MW-17S	09/05/02	103.23	8.79	94.44	
MW-17S	03/17/03	103.23	9.95	93.28	
MW-17S	10/03/03	103.23	9.55	93.68	
MW-17S	04/07/04	103.23	10.60	92.63	
MW-17S	10/14/04	103.23	8.00	95.23	
MW-17S	05/31/05	103.23	10.95	92.28	
MW-17S	12/12/05	103.23	10.32	92.91	
MW-17S	04/23/06	103.23	11.70	91.53	
MW-17S	11/02/06	103.23	10.65	92.58	
MW-17S	12/14/07	103.23	11.35	91.88	
MW-18S	12/12/05	NA	8.08	NA	Top of casing elevation not surveyed
MW-18S	01/29/06	NA	8.52	NA	Top of casing elevation not surveyed
MW-18S	02/26/06	NA	8.45	NA	Top of casing elevation not surveyed
MW-18S	03/26/06	NA	8.85	NA	Top of casing elevation not surveyed
MW-18S	04/23/06	NA	9.25	NA	Top of casing elevation not surveyed
MW-18S	05/23/06	NA	9.47	NA	Top of casing elevation not surveyed
MW-18S	06/26/06	97.78	9.02	88.76	
MW-18S	07/26/06	97.78	8.13	89.65	
MW-18S	09/05/06	97.78	7.80	89.98	
MW-18S	10/02/06	97.78	8.10	89.68	
MW-18S	10/31/06	97.78	8.60	89.18	
MW-18S	11/28/06	97.78	8.65	89.13	
MW-18S	12/17/06	97.78	8.45	89.33	
MW-18S	01/31/07	97.78	8.25	89.53	
MW-18S	03/01/07	97.78	8.54	89.24	
MW-18S	03/26/07	97.78	8.83	88.95	
MW-18S	04/21/07	97.78	9.08	88.70	
MW-18S	05/20/07	97.78	9.85	87.93	
MW-18S	06/25/07	97.78	9.37	88.41	
MW-18S	07/30/07	97.78	8.84	88.94	
MW-18S	08/26/07	97.78	8.62	89.16	
MW-18S	09/30/07	97.78	8.16	89.62	
MW-18S	10/29/07	97.78	8.27	89.51	
MW-18S	12/02/07	97.78	8.68	89.10	
MW-18S	12/14/07	97.78	8.87	88.91	
MW-19S	12/12/05	NA	12.94	NA	Top of casing elevation not surveyed
MW-19S	01/29/06	NA	13.37	NA	Top of casing elevation not surveyed
MW-19S	02/26/06	NA	13.28	NA	Top of casing elevation not surveyed
MW-19S	03/26/06	NA	13.71	NA	Top of casing elevation not surveyed
MW-19S	04/23/06	NA	14.15	NA	Top of casing elevation not surveyed
MW-19S	05/23/06	NA	14.35	NA	Top of casing elevation not surveyed
MW-19S	06/26/06	102.86	13.89	88.97	
MW-19S	07/26/06	102.86	12.94	89.92	
MW-19S	09/05/06	102.86	12.59	90.27	
MW-19S	10/02/06	102.86	12.93	89.93	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-19S	10/31/06	102.86	13.40	89.46	
MW-19S	02/01/07	102.86	13.10	89.76	
MW-19S	04/21/07	102.86	14.05	88.81	
MW-19S	08/04/07	102.86	13.64	89.22	
MW-19S	10/28/07	102.86	13.21	89.65	
MW-19S	12/14/07	102.86	13.84	89.02	
MW-20S	12/12/05	NA	11.95	NA	Top of casing elevation not surveyed
MW-20S	01/29/06	NA	12.39	NA	Top of casing elevation not surveyed
MW-20S	02/26/06	NA	12.43	NA	Top of casing elevation not surveyed
MW-20S	03/26/06	NA	12.74	NA	Top of casing elevation not surveyed
MW-20S	04/23/06	NA	13.14	NA	Top of casing elevation not surveyed
MW-20S	05/21/06	NA	13.25	NA	Top of casing elevation not surveyed
MW-20S	06/25/06	102.42	12.85	89.57	
MW-20S	07/23/06	102.42	11.79	90.63	
MW-20S	08/27/06	102.42	12.35	90.07	
MW-20S	10/01/06	102.42	11.76	90.66	
MW-20S	10/29/06	102.42	12.35	90.07	
MW-20S	01/28/07	102.42	12.09	90.33	
MW-20S	04/22/07	102.42	12.95	89.47	
MW-20S	07/29/07	102.42	12.60	89.82	
MW-20S	10/28/07	102.42	11.95	90.47	
MW-20S	12/14/07	102.42	NA	NA	Not measured; well was not guaged
MW-21S	12/12/05	NA	11.68	NA	Top of casing elevation not surveyed
MW-21S	01/29/06	NA	12.10	NA	Top of casing elevation not surveyed
MW-21S	02/26/06	NA	12.15	NA	Top of casing elevation not surveyed
MW-21S	03/26/06	NA	12.45	NA	Top of casing elevation not surveyed
MW-21S	04/23/06	NA	12.85	NA	Top of casing elevation not surveyed
MW-21S	05/21/06	NA	12.98	NA	Top of casing elevation not surveyed
MW-21S	06/25/06	101.97	12.58	89.39	
MW-21S	07/23/06	101.97	11.55	90.42	
MW-21S	08/27/06	101.97	12.05	89.92	
MW-21S	10/01/06	101.97	11.54	90.43	
MW-21S	10/29/06	101.97	12.10	89.87	
MW-21S	11/26/06	101.97	12.24	89.73	
MW-21S	12/17/06	101.97	12.17	89.80	
MW-21S	01/28/07	101.97	11.79	90.18	
MW-21S	02/25/07	101.97	12.10	89.87	
MW-21S	03/25/07	101.97	14.45	87.52	Field error - depth to Groundwater is incorrect
MW-21S	04/22/07	101.97	12.73	89.24	
MW-21S	05/20/07	101.97	13.25	88.72	
MW-21S	06/24/07	101.97	12.90	89.07	
MW-21S	07/29/07	101.97	12.44	89.53	
MW-21S	08/26/07	101.97	12.15	89.82	
MW-21S	09/30/07	101.97	11.79	90.18	
MW-21S	10/28/07	101.97	11.75	90.22	
MW-21S	12/14/07	101.97	NA	NA	Not measured; well was not guaged
MW-22S	12/12/05	NA	10.75	NA	Top of casing elevation not surveyed
MW-22S	01/29/06	NA	11.17	NA	Top of casing elevation not surveyed
MW-22S	02/26/06	NA	11.16	NA	Top of casing elevation not surveyed
MW-22S	03/26/06	NA	11.53	NA	Top of casing elevation not surveyed
MW-22S	04/23/06	NA	11.95	NA	Top of casing elevation not surveyed
MW-22S	05/21/06	NA	12.06	NA	Top of casing elevation not surveyed
MW-22S	06/25/06	100.89	11.65	89.24	
MW-22S	07/23/06	100.89	10.59	90.30	
MW-22S	08/27/06	100.89	11.13	89.76	
MW-22S	10/01/06	100.89	10.60	90.29	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well ID	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-22S	10/29/06	100.89	11.20	89.69	
MW-22S	11/26/06	100.89	11.29	89.60	
MW-22S	12/17/06	100.89	11.20	89.69	
MW-22S	01/28/07	100.89	10.85	90.04	
MW-22S	02/25/07	100.89	11.20	89.69	
MW-22S	03/25/07	100.89	11.64	89.25	
MW-22S	04/22/07	100.89	11.88	89.01	
MW-22S	05/20/07	100.89	12.10	88.79	
MW-22S	06/24/07	100.89	12.05	88.84	
MW-22S	07/29/07	100.89	11.55	89.34	
MW-22S	08/26/07	100.89	11.32	89.57	
MW-22S	09/30/07	100.89	10.88	90.01	
MW-22S	10/28/07	100.89	10.95	89.94	
MW-22S	12/14/07	100.89	NA	NA	Not measured; well was not guaged
MW-23D	09/29/07	NA	8.31	NA	Top of casing elevation not surveyed
MW-23D	12/14/07	97.99	8.65	89.34	
MW-23M	09/29/07	NA	8.01	NA	Top of casing elevation not surveyed
MW-23M	12/14/07	97.73	8.57	89.16	
MW-23S	09/29/07	NA	7.83	NA	Top of casing elevation not surveyed
MW-23S	12/14/07	97.51	8.50	89.01	
MW-24D	09/30/07	NA	9.38	NA	Top of casing elevation not surveyed
MW-24D	10/30/07	NA	9.31	NA	Top of casing elevation not surveyed
MW-24D	12/14/07	101.66	10.31	91.35	
MW-24S	09/30/07	NA	9.40	NA	Top of casing elevation not surveyed
MW-24S	10/30/07	NA	9.68	NA	Top of casing elevation not surveyed
MW-24S	12/14/07	102.07	10.72	91.35	
MW-25D	10/18/07	NA	12.01	NA	Top of casing elevation not surveyed
MW-25D	10/30/07	NA	12.34	NA	Top of casing elevation not surveyed
MW-25D	12/14/07	103.98	12.96	91.02	
MW-25M	10/18/07	NA	12.20	NA	Top of casing elevation not surveyed
MW-25M	12/14/07	104.21	13.15	91.06	
MW-25S	10/18/07	NA	12.55	NA	Top of casing elevation not surveyed
MW-25S	12/14/07	104.58	13.57	91.01	
MW-26D	10/24/07	NA	10.10	NA	Top of casing elevation not surveyed
MW-26D	12/02/07	NA	7.40	NA	Top of casing elevation not surveyed
MW-26D	12/14/07	99.74	10.70	89.04	
MW-27D	10/24/07	NA	7.95	NA	Top of casing elevation not surveyed
MW-27D	12/02/07	NA	8.53	NA	Top of casing elevation not surveyed
MW-27D	12/14/07	99.06	8.70	90.36	
MW-28D	10/28/07	NA	5.85	NA	Top of casing elevation not surveyed
MW-28D	12/02/07	NA	6.45	NA	Top of casing elevation not surveyed
MW-28D	12/14/07	98.17	6.61	91.56	
MW-29D	10/24/07	NA	7.59	NA	Top of casing elevation not surveyed
MW-29D	10/30/07	NA	7.75	NA	Top of casing elevation not surveyed
MW-29D	12/02/07	NA	8.20	NA	Top of casing elevation not surveyed
MW-29D	12/14/07	96.58	8.04	88.54	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-30D	10/24/07	NA	8.70	NA	Top of casing elevation not surveyed
MW-30D	12/02/07	NA	9.10	NA	Top of casing elevation not surveyed
MW-30D	12/14/07	97.84	9.23	88.61	
MW-31D	10/24/07	NA	8.01	NA	Top of casing elevation not surveyed
MW-31D	12/02/07	NA	8.40	NA	Top of casing elevation not surveyed
MW-31D	12/14/07	98.27	8.73	89.54	
MW-32D	11/27/07	NA	10.40	NA	Top of casing elevation not surveyed
MW-32D	12/14/07	NA	10.55	NA	Top of casing elevation not surveyed
MW-33D	11/27/07	NA	8.65	NA	Top of casing elevation not surveyed
MW-33D	12/14/07	97.88	8.78	89.10	
MW-34D	11/27/07	NA	6.40	NA	Top of casing elevation not surveyed
MW-34D	12/14/07	99.04	6.67	92.37	
MW-35D	12/14/07	98.34	NA	NA	Not measured; well was not guaged
MW-36D	12/05/07	NA	10.00	NA	Top of casing elevation not surveyed
MW-36D	12/14/07	102.44	10.15	92.29	
MW-36S	12/05/07	NA	10.27	NA	Top of casing elevation not surveyed
MW-36S	12/14/07	103.12	10.58	92.54	
MW-37D	11/28/07	NA	9.45	NA	Top of casing elevation not surveyed
MW-37D	12/14/07	102.70	9.73	92.97	
MW-37S	11/28/07	NA	10.00	NA	Top of casing elevation not surveyed
MW-37S	12/14/07	103.27	10.33	92.94	
MW-38D	12/05/07	NA	6.65	NA	Top of casing elevation not surveyed
MW-38D	12/14/07	101.22	6.86	94.36	
MW-39D	12/14/07	99.04	NA	NA	Not measured; well was not guaged
MW-40D	12/14/07	103.98	NA	NA	Not measured; well was not guaged
MW-40S	12/14/07	104.41	NA	NA	Not measured; well was not guaged
MW-A	11/01/99	105.01	10.75	94.26	
MW-A	04/03/00	105.01	12.46	92.55	
MW-A	10/23/00	105.01	NA	NA	Not measured; well was not guaged
MW-A	04/16/01	105.01	12.15	92.86	
MW-A	10/15/01	105.01	11.15	93.86	
MW-A	03/18/02	105.01	11.77	93.24	
MW-A	09/05/02	105.01	7.04	97.97	
MW-A	03/17/03	105.01	11.35	93.66	
MW-A	10/03/03	105.01	10.98	94.03	
MW-A	04/07/04	105.01	12.09	92.92	
MW-A	10/14/04	105.01	9.10	95.91	
MW-A	05/31/05	105.01	12.48	92.53	
MW-A	12/12/05	105.01	12.17	92.84	
MW-A	07/31/07	105.01	12.87	92.14	
MW-A	12/14/07	105.01	13.01	92.00	
MW-D	11/01/99	102.96	7.14	95.82	
MW-D	04/03/00	102.96	9.64	93.32	
MW-D	10/23/00	102.96	9.59	93.37	

TABLE 1
GROUNDWATER ELEVATION DATA
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Well I.D.	Date	Top of Casing Elevation	Depth to Groundwater	Groundwater Elevation	Comments
MW-D	04/16/01	102.96	9.48	93.48	
MW-D	10/15/01	102.96	11.15	91.81	
MW-D	03/18/02	102.96	8.83	94.13	
MW-D	09/06/02	102.96	10.30	92.66	
MW-D	03/17/03	102.96	8.10	94.86	
MW-D	10/03/03	102.96	7.43	95.53	
MW-D	04/07/04	102.96	8.93	94.03	
MW-D	10/14/04	102.96	6.50	96.46	
MW-D	05/31/05	102.96	8.57	94.39	
MW-D	12/12/05	102.96	7.88	95.08	
MW-D	12/14/07	102.96	9.59	93.37	

LEGEND

NA = Not Applicable

NOTES:

(1) All measurements are reported in feet.

(2) Monitoring wells MW-A, MW-D, and MW-1 through MW-17 were surveyed on October 16, 1998.

(3) Monitoring wells MW-18 through MW-22 were surveyed on May 30, 2006.

(4) Monitoring wells MW-23 through MW-40 were surveyed on December 7, 2007.

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-1D	10/01/91	<1	NA	NA	<1	NA	<1	NA	<2	NA	NA	NA	NA
MW-1D	04/01/93	**2.2**	NA	NA	**0.93**	NA	2.4	NA	0.19	NA	NA	NA	NA
MW-1D	09/01/93	**2**	NA	NA	**1.5**	NA	3.3	NA	<0.1	NA	NA	NA	NA
MW-1D	04/01/95	**0.77**	NA	NA	**0.53**	NA	1.6	NA	0.32	NA	NA	NA	NA
MW-1D	10/01/95	**1**	NA	NA	<0.05	NA	1.9	NA	<0.1	NA	NA	NA	NA
MW-1D	02/01/96	**0.96**	NA	NA	**0.92**	NA	1.7	NA	<1	NA	NA	NA	NA
MW-1D	05/01/96	**0.8**	NA	NA	**0.88**	NA	1.9	NA	<0.1	NA	NA	NA	NA
MW-1D	09/01/96	**0.59**	NA	NA	**0.92**	NA	1.5	NA	<0.5	NA	NA	NA	NA
MW-1D	12/01/96	**0.92**	NA	NA	**0.59**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-1D	03/01/97	**1.1**	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-1D	10/01/97	**1**	NA	NA	**1**	NA	3	NA	0.3	NA	NA	NA	NA
MW-1D	03/01/98	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-1D	10/01/98	**1.2**	NA	NA	<0.05	NA	1.3	NA	<0.2	NA	NA	NA	NA
MW-1D	03/01/99	**0.93**	NA	NA	**1.1**	NA	1.8	NA	<1	NA	NA	NA	NA
MW-1D	11/01/99	**0.74**	<0.1	NA	**1.1**	<1	1.2	NA	<0.1	1	NA	NA	NA
MW-1D	04/06/00	**1.2**	<0.05	<0.05	**2**	<0.05	1.2	<1	<0.1	<0.05	<0.1	<0.1	<0.05
MW-1D	10/25/00	**1.7**	<0.1	<0.04	**3.7**	NA	3.4	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1D	04/18/01	**2**	<0.1	<0.04	**1.6**	NA	3	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1D	10/17/01	**0.12**	<0.1	<0.04	**0.82**	NA	0.52	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1D	03/20/02	**1.4**	<0.1	<0.04	<0.05	NA	2.6	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1D	09/05/02	**1.3 [1.6]**	<1 [<1]	<0.4 [<0.4]	**0.83 [1]**	NA	2 [2.5]	NA	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]
MW-1D	03/17/03	**0.24 [0.28]**	<0.1 [<0.1]	<0.005 [<0.005]	**0.36 [0.38]**	NA	0.36 [0.35]	NA	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	10/03/03	**0.33 [0.33]**	<0.2 [<0.2]	<0.01 [<0.01]	**0.54 [0.59]**	NA	0.6 [0.61]	NA	<0.01 [<0.01]	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]
MW-1D	04/08/04	**0.28 [0.32]**	<0.5 [<0.5]	<0.025 [<0.025]	**0.45 [0.49]**	NA	0.37 [0.38]	NA	<0.025 [<0.025]	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]
MW-1D	10/18/04	**0.14 [0.2]**	<0.1 [<0.2]	<0.005 [<0.01]	**0.36 [0.4]**	NA	0.17 [0.2]	NA	<0.005 [<0.01]	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]
MW-1D	06/02/05	0.031	<0.1	<0.005	**0.27**	NA	0.08	NA	0.061	<0.05	<0.1	<0.1	<0.1
MW-1D	12/16/05	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	0.075 [0.077]	NA	0.036 [0.036]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1D	03/28/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.1	<0.05	<0.1	<0.1	<0.1
MW-1D	04/26/06	<0.005	<0.1	<0.002	<0.01	NA	0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1D	05/24/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1D	06/28/06	<0.005	<0.1	<0.002	0.05	NA	<0.03	NA	0.05	<0.05	<0.1	<0.1	<0.1
MW-1D	07/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1D	09/06/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-1D	10/03/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.049	<0.0018	<0.0027	<0.0018
MW-1D	11/01/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-1D	02/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-1D	04/22/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.045	<0.0019	<0.0018	<0.0027	<0.0018
MW-1D	08/01/07	0.0054 I	<0.0019	<0.002	0.037	NA	<0.0023	NA	0.063	<0.0019	<0.0018	<0.0027	<0.0018
MW-1D	11/02/07	0.018	<0.0019	<0.002	<0.003	NA	0.065	NA	<0.0014	0.19	<0.0018	<0.0027	<0.0018
MW-1S	10/01/91	**0.26**	NA	NA	**0.4**	NA	0.97	NA	NA	NA	NA	NA	NA
MW-1S	04/01/93	**0.92**	NA	NA	**0.77**	NA	2.9	NA	NA	NA	NA	NA	NA
MW-1S	09/01/93	**5**	NA	NA	**2**	NA	7.7	NA	NA	NA	NA	NA	NA
MW-1S	04/01/95	**2.5**	NA	NA	**1.3**	NA	2.3	NA	NA	NA	NA	NA	NA
MW-1S	10/01/95	**1.9**	NA	NA	**0.89**	NA	3.5	NA	NA	NA	NA	NA	NA
MW-1S	02/01/96	**1.4**	NA	NA	**1.4**	NA	4.5	NA	NA	NA	NA	NA	NA
MW-1S	05/01/96	**1.7**	NA	NA	**1.4**	NA	3.4	NA	NA	NA	NA	NA	NA
MW-1S	09/01/96	**1.4**	NA	NA	**0.76**	NA	3.8	NA	NA	NA	NA	NA	NA
MW-1S	12/01/96	**3.1**	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-1S	03/01/97	**3.9**	NA	NA	<0.5	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-1S	10/01/97	**4**	NA	NA	**2**	NA	10	NA	NA	NA	NA	NA	NA
MW-1S	03/01/98	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-1S	10/01/98	**1.8**	NA	NA	<0.4	NA	6	NA	NA	NA	NA	NA	NA
MW-1S	03/01/99	**2.5**	NA	NA	**2.5**	NA	6.5	NA	NA	NA	NA	NA	NA
MW-1S	11/01/99	**0.26**	NA	NA	**0.48**	<1	0.85	NA	NA	NA	NA	NA	NA
MW-1S	04/06/00	**1.4**	<0.25	<0.25	**1.7**	<0.25	2.4	<1	<0.25	<0.25	<0.5	<0.25	<0.25
MW-1S	10/25/00	**0.84**	<0.1	<0.04	**1.1**	NA	5	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1S	04/18/01	**0.11 [0.11]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.49 [0.49]**	NA	1.5 [1.5]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-1S	10/17/01	**0.92**	<0.1	<0.04	**0.33**	NA	0.28	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1S	03/20/02	**0.12**	<0.1	<0.04	**0.22**	NA	0.27	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1S	09/05/02	**0.13**	<0.1	<0.04	**0.2**	NA	0.32	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-1S	03/17/03	0.015	<0.1	<0.005	0.1	NA	0.069	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-1S	10/03/03	<0.005	<0.1	<0.005	0.08	NA	0.09	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-1S	04/08/04	**0.16**	<0.1	<0.005	**0.72**	NA	0.48	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-1S	10/18/04	<0.01	<0.2	<0.01	0.1	NA	0.04	NA	<0.01	<0.1	<0.2	<0.2	<0.2
MW-1S	06/02/05	<0.005	<0.1	<0.005	0.07	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--	--
MW-1S	12/16/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1S	03/28/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1S	04/26/06	<0.005	<0.1	<0.002	<0.01	NA	0.019 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1S	05/24/06	0.005	<0.1	<0.002	<0.01	NA	0.016 I	NA	<0.002	0.08	<0.1	<0.1	<0.1
MW-1S	06/28/06	<0.005	<0.1	<0.002	<0.01	NA	0.013 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-1S	07/26/06	<0.005	<0.1	<0.002	<0.01	NA	0.0097 I	NA	0.0045	0 083	<0.1	<0.1	<0.1
MW-1S	09/06/06	<0.0023	<0.0019	<0.002	<0.003	NA	0.02	NA	<0.0014	0.081	<0.0018	<0.0027	<0.0018
MW-1S	10/03/06	<0.0046	<0.0038	<0.004	0.034	NA	0.016	NA	<0.0028	<0.0038	<0.0036	<0.0054	<0.0036
MW-1S	11/01/06	<0.0023	<0.0019	<0.002	0.013	NA	0.0085 I	NA	<0.0014	0.04	<0.0018	<0.0027	<0.0018
MW-1S	02/01/07	<0.0023	<0.0019	<0.002	0.025	NA	<0.0023	NA	<0.0014	0.038	<0.0018	<0.0027	<0.0018
MW-1S	04/22/07	<0.0023	<0.0019	<0.002	0.033	NA	<0.0023	NA	<0.0014	0.058	<0.0018	<0.0027	<0.0018
MW-1S	08/01/07	<0.0023	<0.0019	<0.002	0.045	NA	0.019	NA	0.0058	0.053	<0.0018	<0.0027	<0.0018
MW-1S	11/02/07	<0.0023	<0.0019	<0.002	0.052	NA	0.021	NA	<0.0014	0.059	<0.0018	<0.0027	<0.0018
MW-2D	10/01/91	**0.68**	NA	NA	<0.5	NA	<0.5	NA	<1	NA	NA	NA	NA
MW-2D	04/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	09/01/93	**0.26**	NA	NA	**1.4**	NA	0.21	NA	<0.1	NA	NA	NA	NA
MW-2D	04/01/95	<0.25	NA	NA	**0.45**	NA	<0.25	NA	<0.5	NA	NA	NA	NA
MW-2D	10/01/95	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	02/01/96	**0.11**	NA	NA	**0.23**	NA	0.19	NA	<0.1	NA	NA	NA	NA
MW-2D	05/01/96	<0.05	NA	NA	**0.24**	NA	0.15	NA	<0.1	NA	NA	NA	NA
MW-2D	09/01/96	<0.05	NA	NA	**0.18**	NA	0.1	NA	<0.1	NA	NA	NA	NA
MW-2D	12/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	10/01/97	0.05	NA	NA	**0.2**	NA	<0.01	NA	0.4	NA	NA	NA	NA
MW-2D	03/01/98	**0.18**	NA	NA	**0.44**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	10/01/98	**0.14**	NA	NA	<0.05	NA	0.12	NA	<0.1	NA	NA	NA	NA
MW-2D	03/01/99	**0.13**	NA	NA	**0.36**	NA	0.18	NA	<1	NA	NA	NA	NA
MW-2D	11/01/99	**1.3**	NA	0.23	**0.4**	<1	0.05	NA	<0.1	NA	NA	NA	NA
MW-2D	04/06/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2D	10/25/00	**0.62**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2D	04/18/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	10/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-2D	03/20/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2D	09/05/02	<0.04	<0.1	<0.04	**0.32**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2D	04/08/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-2D	10/18/04	<0.005	<0.1	<0.005	**0.19**	NA	<0.03	NA	0.03	<0.05	<0.1	<0.1	<0.1
MW-2D	06/02/05	0.014	<0.1	<0.005	<0.01	NA	<0.03	NA	0.039	<0.05	<0.1	<0.1	<0.1
MW-2D	12/16/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.047	<0.05	<0.1	<0.1	<0.1
MW-2D	11/01/06	**0.056**	<0.0019	<0.002	0.039	NA	<0.0023	NA	0.059	<0.0019	<0.0018	<0.0027	<0.0018
MW-2D	11/02/07	**0.26**	<0.0019	<0.002	<0.003	NA	0.41	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-2D	12/05/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.4	<0.0018	<0.0027	<0.0018
MW-2S	10/01/91	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	04/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	09/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	04/01/95	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	10/01/95	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	02/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	05/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	09/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	12/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	10/01/97	0.02	NA	NA	0.07	NA	0.04	NA	NA	NA	NA	NA	NA
MW-2S	03/01/98	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	10/01/98	<0.05	NA	NA	0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	03/01/99	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	11/01/99	<0.05	NA	NA	<0.05	<1	<0.05	NA	NA	NA	NA	NA	NA
MW-2S	04/06/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	10/25/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	04/18/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	10/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	03/20/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	09/05/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-2S	04/08/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-2S	10/18/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-2S	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-2S	12/16/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0 05	<0.1	<0.1	<0.1
MW-2S	11/01/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.0029 I	<0.0019	<0.0018	<0.0027	<0.0018
MW-2S	12/05/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-3D	10/01/91	<0.25	NA	NA	<0.25	NA	<0.05	NA	<0.5	NA	NA	NA	NA
MW-3D	09/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	04/01/95	<0.05	NA	NA	0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	10/01/95	0.05	NA	NA	0.07	NA	0.08	NA	<0.1	NA	NA	NA	NA
MW-3D	02/01/96	**0.06**	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	05/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	09/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	12/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	10/01/97	**0.09**	NA	NA	0.1	NA	<0.01	NA	0.04	NA	NA	NA	NA
MW-3D	03/01/98	**0.07**	NA	NA	0.06	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	10/01/98	**0.14**	NA	NA	**0.19**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	03/01/99	**0.13**	NA	NA	**0.13**	NA	0.21	NA	0.1	NA	NA	NA	NA
MW-3D	11/01/99	**0.11**	NA	NA	**0.14**	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-3D	04/06/00	**0.46**	<0.25	<0.25	<0.25	<0.25	0.47	<1	<0.5	<0.25	<0.5	<0.5	<0.5
MW-3D	10/26/00	**0.08**	<0.1	<0.04	**0.14**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3D	04/18/01	**0.12**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3D	10/17/01	**0.06 [0.07]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	03/20/02	0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3D	09/06/02	<0.04	<0.1	<0.04	0.06	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3D	04/09/04	0.02	<0.1	<0.005	<0.01	NA	<0.03	NA	0.06	<0.05	<0.1	<0.1	<0.1
MW-3D	10/19/04	0.02	<0.1	<0.005	**0.22**	NA	0.04	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-3D	06/03/05	0.016 [0.016]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	0.054 [0.07]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3D	12/20/05	0.014	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-3D	04/25/06	<0.005	<0.1	<0.002	0.056	NA	<0.03	NA	0.088	<0.05	<0.1	<0.1	<0.1
MW-3D	11/02/06	<0.0023	<0.0019	<0.002	0.011 I	NA	<0.0023	NA	0.058	<0.0019	<0.0018	<0.0027	<0.0018
MW-3D	11/01/07	0.011	<0.0019	<0.002	0.02	NA	<0.0023	NA	0.043	<0.0019	0.034	<0.0027	<0.0018
MW-3S	10/01/91	<0.15	NA	0.22	**0.61**	5.8	<0.15	NA	<0.1	NA	NA	NA	NA
MW-3S	09/01/93	**0.81**	NA	<0.05	**2.2**	12	0.73	NA	<0.1	NA	NA	NA	NA
MW-3S	04/01/95	**0.58**	NA	<0.25	**2.2**	17	0.89	NA	<0.5	NA	NA	NA	NA
MW-3S	10/01/95	**0.24**	NA	<0.1	<0.1	<2	0.24	NA	<0.2	NA	NA	NA	NA
MW-3S	02/01/96	**0.43**	NA	<0.05	**0.45**	2.9	0.35	NA	0.2	NA	NA	NA	NA
MW-3S	05/01/96	**0.47**	NA	<0.05	**0.94**	<1	0.67	NA	<0.1	NA	NA	NA	NA
MW-3S	09/01/96	**0.52**	NA	0.17	<0.05	<1	0.48	NA	<0.1	NA	NA	NA	NA
MW-3S	12/01/96	<0.25	NA	<0.25	<0.25	<5	<0.25	NA	<0.5	NA	NA	NA	NA
MW-3S	03/01/97	<0.25	NA	<0.25	<0.25	<5	<0.25	NA	<0.5	NA	NA	NA	NA
MW-3S	10/01/97	**0.8**	NA	<0.01	**0.9**	<0.75	0.6	NA	0.06	NA	NA	NA	NA
MW-3S	03/01/98	**0.46**	NA	<0.01	**0.89**	<0.75	0.53	NA	0.2	NA	NA	NA	NA
MW-3S	10/01/98	**0.39**	NA	<0.04	**0.74**	<0.23	0.26	NA	<0.1	NA	NA	NA	NA
MW-3S	03/01/99	**0.35**	NA	<0.5	**0.99**	<1	2.2	NA	0.79	NA	NA	NA	NA
MW-3S	11/01/99	**0.17**	NA	<0.01	**0.14**	<2	<0.1	NA	<0.2	NA	NA	NA	NA
MW-3S	04/06/00	**0.35**	<0.05	<0.05	**0.68**	<0.05	0.19	<1	0.56	<0.05	<0.1	<0.1	<0.1
MW-3S	10/26/00	**0.37**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3S	04/18/01	**0.54**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3S	10/17/01	**0.55**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-3S	03/20/02	**0.27 [0.2]**	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/05/02	**0.21 [0.15]**	<0.1 [<0.1]	<0.04 [<0.04]	**0.21 [0.19]**	NA	0.16 [0.13]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	04/09/04	**0.12**	<0.1	<0.005	<0.01	NA	0.061	NA	0.08	<0.05	<0.1	<0.1	<0.1
MW-3S	10/19/04	**0.09**	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-3S	06/03/05	<0.005 [0.17]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	0.095 [0.091]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	12/20/05	**0.25**	<0.1	<0.002	<0.01	NA	0.17	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-3S	04/25/06	**0.25 [0.25]**	<0.1 [<0.1]	0.18 [0.16]	<0.01 [<0.01]	NA	0.12 [0.1]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	05/24/06	**0.16 [0.13]**	<0.1 [<0.1]	<0.002 [<0.002]	**0.35 [0.25]**	NA	0.039 [0.032]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	06/28/06	**0.14**	<0.1	<0.002	**0.19**	NA	0.05	NA	0.07	<0.05	<0.1	<0.1	<0.1
MW-3S	07/26/06	**0.13 [0.18]**	<0.1 [<0.1]	<0.002 [<0.002]	0.067 [0.086]	NA	0.065 [0.087]	NA	0.076 [0.099]	0.2 [0.26]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-3S	09/06/06	**0.17 [0.17]**	<0.0019 [<0.0019]	<0.002 [<0.002]	**0.11 [0.13]**	NA	0.11 [0.096]	NA	0.08 [0.068]	0.2 [0.16]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-3S	10/02/06	**0.45**	<0.038	<0.04	0.096	NA	0.24	NA	0.13	<0.038	<0.036	<0.054	<0.036
MW-3S	11/02/06	**0.21**	<0.019	<0.02	<0.03	NA	0.14	NA	0.14	0.32	<0.018	<0.027	<0.018
MW-3S	04/22/07	**0.21**	<0.019	<0.02	**0.34**	NA	<0.023	NA	0.16	0.39	0.59	<0.027	<0.018
MW-3S	11/01/07	**0.22**	<0.0019	<0.002	**0.24**	NA	<0.0023	NA	0.17	0.33	0.27	<0.0027	<0.0018
MW-4D	10/02/91	**3.2**	NA	NA	**4.9**	NA	13	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-4D	04/02/93	**5.7**	NA	NA	**2.4**	NA	16	NA	<0.1	NA	NA	NA	NA
MW-4D	09/01/93	**5.3**	NA	NA	**3.5**	NA	13	NA	<0.1	NA	NA	NA	NA
MW-4D	04/01/95	**4.5**	NA	NA	**3.5**	NA	10	NA	<1	NA	NA	NA	NA
MW-4D	10/01/95	**2.8**	NA	NA	**5.6**	NA	7.1	NA	<1	NA	NA	NA	NA
MW-4D	02/01/96	**1.3**	NA	NA	**1.1**	NA	2.9	NA	<1	NA	NA	NA	NA
MW-4D	05/01/96	**2.5**	NA	NA	**4.1**	NA	6.4	NA	<0.1	NA	NA	NA	NA
MW-4D	09/01/96	**3.4**	NA	NA	**4.5**	NA	7.1	NA	<1	NA	NA	NA	NA
MW-4D	12/01/96	**6.2**	NA	NA	**4.7**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-4D	03/01/97	**4.4**	NA	NA	<0.5	NA	<0.5	NA	<1	NA	NA	NA	NA
MW-4D	10/01/97	**4**	NA	NA	**2**	NA	10	NA	0.3	NA	NA	NA	NA
MW-4D	03/01/98	<0.1	NA	NA	<0.1	NA	<0.1	NA	<0.1	NA	NA	NA	NA
MW-4D	10/01/98	**3.1**	NA	NA	**3.6**	NA	9.2	NA	<0.4	NA	NA	NA	NA
MW-4D	03/01/99	**4.1**	NA	NA	**3.1**	NA	8.6	NA	0.63	NA	NA	NA	NA
MW-4D	11/01/99	**8.4**	NA	0.34	**11**	<5	14	NA	<0.5	0.66	NA	NA	NA
MW-4D	04/06/00	**3.9**	<0.1	<0.04	<0.05	NA	6.6	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4D	10/26/00	**4.4**	<0.1	<0.04	**3.3**	NA	9.4	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4D	04/18/01	**4.3**	<0.1	<0.04	**3.3**	NA	6.7	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4D	10/17/01	**5.1**	<0.1	<0.04	**3.6**	NA	10	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4D	03/20/02	**3**	<0.1	<0.04	<0.05	NA	7.4	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4D	09/06/02	**2.2**	<1	<0.4	**2.2**	NA	4.5	NA	<0.3	<0.5	<1	<1	<1
MW-4D	04/09/04	**0.63**	<1	<0.05	**0.7**	NA	1.3	NA	<0.05	<0.5	<1	<1	<1
MW-4D	10/19/04	**0.39**	<0.5	<0.025	**0.68**	NA	1.4	NA	<0.025	<0.25	<0.5	<0.5	<0.5
MW-4D	06/06/05	**0.11**	<0.5	<0.025	**0.38**	NA	0.27	NA	0.086	<0.25	<0.5	<0.5	<0.5
MW-4D	12/21/05	**0.36**	<0.1	<0.002	<0.1	NA	0.93	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-4D	04/26/06	**0.18**	<0.1	<0.002	<0.01	NA	0.52	NA	0.11	<0.05	<0.1	<0.1	<0.1
MW-4D	11/02/06	**0.23**	<0.038	<0.04	**0.25**	NA	0.76	NA	0.19	<0.038	<0.036	<0.054	<0.036
MW-4D	11/01/07	**0.42**	<0.0019	<0.002	**0.45**	NA	1.2	NA	0.35	<0.0019	<0.0018	<0.0027	<0.0018
MW-4S	10/02/91	**1.3**	NA	NA	**1.6**	NA	5.9	NA	<0.1	NA	NA	NA	NA
MW-4S	04/02/93	**4.5**	NA	NA	**1.7**	NA	5.8	NA	0.16	NA	NA	NA	NA
MW-4S	09/01/93	**9.2**	NA	NA	**3.5**	NA	15	NA	<0.1	NA	NA	NA	NA
MW-4S	04/01/95	**19**	NA	NA	**8.7**	NA	31	NA	<2	NA	NA	NA	NA
MW-4S	10/01/95	**8.7**	NA	NA	**3.6**	NA	<0.5	NA	<1	NA	NA	NA	NA
MW-4S	02/01/96	**12**	NA	NA	**4.3**	NA	15	NA	<1	NA	NA	NA	NA
MW-4S	05/01/96	**19**	NA	NA	**11**	NA	26	NA	<0.1	NA	NA	NA	NA
MW-4S	09/01/96	**10**	NA	NA	**10**	NA	15	NA	<1	NA	NA	NA	NA
MW-4S	12/01/96	**17**	NA	NA	**9.3**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-4S	03/01/97	**8.3**	NA	NA	<0.5	NA	22	NA	<1	NA	NA	NA	NA
MW-4S	10/01/97	**20**	NA	NA	**10**	NA	40	NA	<0.5	NA	NA	NA	NA
MW-4S	03/01/98	<0.5	NA	NA	<0.5	NA	<0.5	NA	<0.5	NA	NA	NA	NA
MW-4S	10/01/98	**10**	NA	NA	**14**	NA	20	NA	<1	NA	NA	NA	NA
MW-4S	03/01/99	**15**	NA	NA	**7.6**	NA	26	NA	<5	NA	NA	NA	NA
MW-4S	11/01/99	**3**	<0.1	<1	**2.7**	<1	5.4	NA	<2	NA	<2	NA	<2
MW-4S	04/06/00	**7.6**	<0.1	<0.04	**7.5**	NA	23	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4S	10/26/00	**8.8 [9.3]**	<0.1 [<0.1]	<0.04 [<0.04]	**11 [11]**	NA	32 [33]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-4S	04/18/01	**8.4**	<0.1	<0.04	**8.4**	NA	20	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4S	10/17/01	**3.1**	<0.1	<0.04	**9.5**	NA	7	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4S	03/20/02	**3.3**	<0.1	<0.04	**5.5**	NA	5.2	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-4S	09/06/02	**1.9 [2.4]**	<1 [<1]	<0.4 [<0.4]	**5.2 [6.5]**	NA	3.2 [3.8]	NA	<0.3 [<0.3]	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<1 [<1]
MW-4S	04/09/04	**4.4**	<5	<0.25	**6.7**	NA	5.9	NA	<0.25	<2.5	<5	<5	<5
MW-4S	10/19/04	**2.2**	<1	<0.05	**6.7**	NA	4	NA	<0.05	<0.5	<1	<1	<1
MW-4S	06/06/05	**2.3**	<2.5	<0.125	**12**	NA	6.5	NA	<0.125	<1.25	<2.5	<2.5	<2.5
MW-4S	12/21/05	**3**	<0.1	<0.002	**7**	NA	6.2	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-4S	04/26/06	**1.7**	<1	<0.02	**2.2**	NA	4.5	NA	0.19	<0.5	<1	<1	<1
MW-4S	05/24/06	**3.2**	<2.5	<0.05	**5.9**	NA	15	NA	<0.05	<1.25	<2.5	<2.5	<2.5
MW-4S	06/27/06	**1.5**	<2.5	<0.05	**3.4**	NA	6.5	NA	<0.05	<1.25	<2.5	<2.5	<2.5
MW-4S	07/27/06	**1.1**	<2	<0.04	**4.6**	NA	4.4	NA	<0.04	<1	<2	<2	<2
MW-4S	09/06/06	**0.77**	<0.038	<0.04	**4.6**	NA	3.6	NA	0.4	<0.038	<0.036	<0.054	<0.036
MW-4S	10/03/06	**0.69**	<0.038	<0.04	**4.8**	NA	3.8	NA	<0.028	<0.038	<0.036	<0.054	<0.036
MW-4S	11/02/06	**1.2**	<0.038	<0.04	**4.2**	NA	4.5	NA	<0.028	<0.038	<0.036	<0.054	<0.036
MW-4S	04/22/07	**3**	<0.095	<0.1	**6.2**	NA	11	NA	0.32	<0.095	<0.09	<0.135	<0.09
MW-4S	11/01/07	**1.3**	<0.0019	<0.002	**5.7**	NA	5.1	NA	0.14	<0.0019	<0.0018	<0.0027	<0.0018
MW-5D	09/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	04/01/95	<0.05	NA	NA	**0.15**	NA	0.08	NA	<0.1	NA	NA	NA	NA
MW-5D	10/01/95	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	02/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-5D	05/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	09/01/96	<0.05	NA	NA	0.06	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	12/01/96	<0.05	NA	NA	**0.11**	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	10/01/97	0.02	NA	NA	**0.2**	NA	0.05	NA	0.1	NA	NA	NA	NA
MW-5D	03/01/98	0.05	NA	NA	**0.19**	NA	<0.05	NA	0.15	NA	NA	NA	NA
MW-5D	03/01/99	<0.3	NA	NA	**0.16**	NA	0.23	NA	0.12	NA	NA	NA	NA
MW-5D	11/01/99	<0.05	<0.1	NA	<0.05	<0.1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-5D	04/04/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	04/17/01	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-5D	10/16/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5D	03/19/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5D	09/04/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5D	04/07/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.007	<0.05	<0.1	<0.1	<0.1
MW-5D	10/18/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.008	<0.05	<0.1	<0.1	<0.1
MW-5D	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-5D	12/16/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-5D	04/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.009	<0.05	<0.1	<0.1	<0.1
MW-5D	08/01/07	<0.0023	<0.0019	<0.002	0.011 I	NA	<0.0023	NA	0.0054 I	<0.0019	<0.0018	<0.0027	<0.0018
MW-5D	11/02/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-5S	09/01/93	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	04/01/95	NA	NA	NA	NA	NA	NA	NA	0.1	NA	NA	NA	NA
MW-5S	10/01/95	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	02/01/96	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	05/01/96	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	09/01/96	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	12/01/96	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	03/01/97	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	10/01/97	NA	NA	NA	NA	NA	NA	NA	0.03	NA	NA	NA	NA
MW-5S	03/01/98	NA	NA	NA	NA	NA	NA	NA	0.12	NA	NA	NA	NA
MW-5S	03/01/99	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-5S	11/01/99	<0.05	NA	NA	<0.05	<1	<0.05	NA	0.12	NA	NA	NA	NA
MW-5S	04/04/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5S	10/24/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5S	04/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5S	10/16/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-5S	03/19/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	0.07	<0.05	<0.1	<0.1	<0.1
MW-5S	09/04/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	0.07	<0.05	<0.1	<0.1	<0.1
MW-5S	04/07/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.03	<0.05	<0.1	<0.1	<0.1
MW-5S	10/15/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.008	<0.05	<0.1	<0.1	<0.1
MW-5S	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.013	<0.05	<0.1	<0.1	<0.1
MW-5S	12/16/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.015	<0.05	<0.1	<0.1	<0.1
MW-5S	04/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.017	<0.05	<0.1	<0.1	<0.1
MW-5S	08/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.0062	<0.0019	<0.0018	<0.0027	<0.0018
MW-6D	09/01/93	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	04/01/95	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	10/01/95	NA	NA	NA	NA	<1	NA	NA	0.15	NA	NA	NA	NA
MW-6D	02/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	05/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	09/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	12/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	03/01/97	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	10/01/97	NA	NA	NA	NA	<0.75	NA	NA	0.1	NA	NA	NA	NA
MW-6D	03/01/98	NA	NA	NA	NA	<0.75	NA	NA	0.48	NA	NA	NA	NA
MW-6D	03/01/99	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6D	04/04/00	**0.11**	<0.05	<0.05	<0.05	<0.05	<0.05	<1	0.24	<0.05	<0.1	<0.1	<0.1
MW-6D	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-6D	08/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	0.0097	NA	0.0037 I	<0.0019	<0.0018	<0.0027	<0.0018
MW-6S	09/01/93	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	04/01/95	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	10/01/95	NA	NA	NA	NA	1.34	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	02/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	05/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--	--
MW-6S	09/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	12/01/96	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	03/01/97	NA	NA	NA	NA	<1	NA	NA	<0.1	NA	NA	NA	NA
MW-6S	10/01/97	NA	NA	NA	NA	<0.75	NA	NA	<0.01	NA	NA	NA	NA
MW-6S	03/01/98	NA	NA	NA	NA	<0.75	NA	NA	0.16	NA	NA	NA	NA
MW-6S	03/01/99	NA	NA	NA	NA	<1	NA	NA	<0.05	NA	NA	NA	NA
MW-6S	04/04/00	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	0.08	<0.05	<0.1	<0.1	<0.1
MW-6S	10/24/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-6S	08/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.0073	<0.0019	<0.0018	<0.0027	<0.0018
MW-7D	09/01/93	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	04/01/95	NA	NA	NA	<0.05	NA	NA	NA	0.23	NA	NA	NA	NA
MW-7D	10/01/95	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	02/01/96	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	05/01/96	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	09/01/96	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	12/01/96	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	03/01/97	NA	NA	NA	<0.05	NA	NA	NA	<0.1	NA	NA	NA	NA
MW-7D	10/01/97	NA	NA	NA	0.04	NA	NA	NA	0.1	NA	NA	NA	NA
MW-7D	03/01/98	NA	NA	NA	<0.05	NA	NA	NA	0.18	NA	NA	NA	NA
MW-7D	03/01/99	NA	NA	NA	<0.3	NA	NA	NA	<0.5	NA	NA	NA	NA
MW-7D	04/05/00	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	NA	<0.1	<0.1	<0.1	<0.1
MW-7D	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.04	<0.05	<0.1	<0.1	<0.1
MW-7D	12/20/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.04	<0.05	<0.1	<0.1	<0.1
MW-7D	04/25/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-7S	09/01/93	NA	NA	<0.05	<0.05	<1	NA	NA	<0.1	NA	NA	NA	<0.1
MW-7S	04/01/95	NA	NA	<0.05	<0.1	3.4	NA	NA	1.9	NA	NA	NA	<0.1
MW-7S	10/01/95	NA	NA	<0.05	<0.1	8.2	NA	NA	<0.1	NA	NA	NA	<0.1
MW-7S	02/01/96	NA	NA	<0.05	<0.05	4.7	NA	NA	1.7	NA	NA	NA	0.26
MW-7S	05/01/96	NA	NA	<0.05	<0.1	3.4	NA	NA	0.32	NA	NA	NA	<0.1
MW-7S	09/01/96	NA	NA	<0.05	<0.1	11	NA	NA	1.8	NA	NA	NA	<0.1
MW-7S	12/01/96	NA	NA	<0.05	<0.05	<1	NA	NA	3.5	NA	NA	NA	<0.1
MW-7S	03/01/97	NA	NA	<0.05	<0.1	<1	NA	NA	<0.1	NA	NA	NA	<0.1
MW-7S	10/01/97	NA	NA	<0.01	0.06	<0.75	NA	NA	2	NA	NA	NA	<0.01
MW-7S	03/01/98	NA	NA	<0.01	<0.05	<0.77	NA	NA	1.15	NA	NA	NA	0.16
MW-7S	03/01/99	NA	NA	0.12	<0.05	<1	NA	NA	0.99	NA	NA	NA	<0.1
MW-7S	04/05/00	<0.05	<0.05	NA	<0.05	0.12	<0.05	<1	NA	NA	<0.1	<0.1	<0.1
MW-7S	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.43	<0.05	<0.1	<0.1	<0.1
MW-7S	12/20/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.47	<0.05	<0.1	<0.1	<0.1
MW-7S	04/25/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.57	<0.05	<0.1	<0.1	<0.1
MW-8D	09/01/93	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	04/01/95	**0.16**	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	10/01/95	**0.08**	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	02/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	05/01/96	**0.08**	NA	NA	0.06	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	09/01/96	**0.06**	NA	NA	0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	12/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	10/01/97	**0.2**	NA	NA	0.04	NA	0.02	NA	0.01	NA	NA	NA	<0.01
MW-8D	03/01/98	**0.36**	NA	NA	<0.05	NA	<0.05	NA	<0.1	NA	NA	NA	<0.01
MW-8D	10/01/98	**0.41**	NA	NA	<0.05	NA	0.087	NA	<0.1	NA	NA	NA	0.068
MW-8D	03/01/99	**0.19**	NA	NA	0.08	NA	0.1	NA	<0.1	NA	NA	NA	<0.1
MW-8D	11/01/99	0.05	NA	NA	0.06	<1	<0.05	NA	<0.1	NA	NA	NA	<0.1
MW-8D	10/25/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8D	04/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8D	10/16/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8D	03/19/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8D	09/05/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8D	04/08/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-8D	10/18/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-8D	06/02/05	<0.005	<0.1	<0.005	0.02	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-8D	12/20/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-8D	04/25/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-8D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-8S	09/01/93	**0.14**	NA	NA	**0.61**	<1	0.09	NA	<0.1	NA	NA	NA	NA
MW-8S	04/01/95	0.05	NA	NA	<0.05	1.1	0.11	NA	0.13	NA	NA	NA	NA
MW-8S	10/01/95	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	02/01/96	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	05/01/96	<0.05	NA	NA	<0.05	<1	0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	09/01/96	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	12/01/96	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	03/01/97	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	10/01/97	0.03	NA	NA	0.04	<0.78	0.02	NA	0.1	NA	NA	NA	NA
MW-8S	03/01/98	<0.05	NA	NA	<0.05	<0.75	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	10/01/98	<0.05	NA	NA	<0.05	<0.23	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	03/01/99	0.02	NA	NA	<0.05	<1	0.09	NA	<0.1	NA	NA	NA	NA
MW-8S	11/01/99	<0.05	NA	NA	<0.05	<1	<0.05	NA	<0.1	NA	NA	NA	NA
MW-8S	04/05/00	**0.09**	<0.05	<0.05	<0.05	<0.05	<0.05	<1	NA	<0.1	<0.1	<0.1	<0.1
MW-8S	10/25/00	<0.04	<0.1	<0.04	**0.22**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8S	04/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8S	10/16/01	<0.04	<0.1	<0.04	**0.29**	NA	0.09	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8S	03/19/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8S	09/05/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-8S	04/08/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.02	<0.05	<0.1	<0.1	<0.1
MW-8S	10/18/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-8S	06/02/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	0.022	<0.05	<0.1	<0.1	<0.1
MW-8S	12/20/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.012	<0.05	<0.1	<0.1	<0.1
MW-8S	04/25/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	0.02	<0.05	<0.1	<0.1	<0.1
MW-8S	11/02/06	<0.0023	0.0093	<0.002	<0.003	NA	<0.0023	NA	0.019	<0.0019	<0.0018	<0.0027	<0.0018
MW-9D	09/01/93	**0.25**	NA	NA	**0.32**	NA	0.41	NA	NA	NA	NA	NA	NA
MW-9D	04/01/95	**0.21**	NA	NA	**0.74**	NA	0.34	NA	NA	NA	NA	NA	NA
MW-9D	10/01/95	**0.27**	NA	NA	**1.3**	NA	0.87	NA	NA	NA	NA	NA	NA
MW-9D	02/01/96	**0.31**	NA	NA	**1.5**	NA	0.63	NA	NA	NA	NA	NA	NA
MW-9D	05/01/96	**0.57**	NA	NA	**3.1**	NA	1.2	NA	NA	NA	NA	NA	NA
MW-9D	09/01/96	**0.46**	NA	NA	**3.6**	NA	1.6	NA	NA	NA	NA	NA	NA
MW-9D	12/01/96	**0.63**	NA	NA	**3.5**	NA	0.77	NA	NA	NA	NA	NA	NA
MW-9D	03/01/97	<0.5	NA	NA	**6.7**	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-9D	10/01/97	**0.9**	NA	NA	**3**	NA	0.8	NA	NA	NA	NA	NA	NA
MW-9D	03/01/98	**0.47**	NA	NA	**3.3**	NA	0.6	NA	NA	NA	NA	NA	NA
MW-9D	10/01/98	**1.2**	NA	NA	**3.7**	NA	0.81	NA	NA	NA	NA	NA	NA
MW-9D	03/01/99	**0.4**	NA	NA	**2**	NA	0.57	NA	NA	NA	NA	NA	NA
MW-9D	11/01/99	**0.28**	<0.1	NA	**2.3**	<5	0.31	NA	NA	NA	NA	NA	NA
MW-9D	04/05/00	**0.56**	<0.25	<0.25	**1**	<0.25	0.67	<1	<0.5	<0.5	<0.5	<0.5	<0.5
MW-9D	10/25/00	**0.08**	<0.1	<0.04	**0.31**	NA	0.8	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-9D	04/17/01	<0.04	<0.1	<0.04	**0.38**	NA	0.2	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-9D	10/16/01	**0.06**	<0.1	<0.04	**0.34**	NA	0.82	NA	0.19	<0.05	<0.1	<0.1	<0.1
MW-9D	03/19/02	**0.06**	<0.1	<0.04	**0.33**	NA	0.29	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-9D	09/05/02	**0.08**	<0.1	<0.04	**0.39**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-9D	04/08/04	0.01	<0.1	<0.005	<0.01	NA	0.04	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-9D	10/19/04	0.02	<0.1	<0.005	0.07	NA	0.06	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-9D	06/03/05	<0.005	<0.1	<0.005	<0.01	NA	0.023	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-9D	12/20/05	**0.07**	<0.1	<0.002	<0.01	NA	0.13	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-9D	04/25/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-9D	11/02/06	<0.0023	<0.0019	<0.002	<0.003	NA	0.1	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-10D	09/01/93	**1**	NA	<0.05	**6.2**	NA	12	NA	NA	NA	NA	NA	<0.1
MW-10D	04/01/95	**0.55**	NA	<0.05	**4.6**	NA	0.59	NA	NA	NA	NA	NA	<0.1
MW-10D	10/01/95	<0.05	NA	<0.05	**2.6**	NA	0.07	NA	NA	NA	NA	NA	<0.1
MW-10D	02/01/96	**0.15**	NA	0.06	**1.2**	NA	0.11	NA	NA	NA	NA	NA	<0.1
MW-10D	05/01/96	<0.05	NA	<0.05	**1.27**	NA	0.05	NA	NA	NA	NA	NA	<0.1
MW-10D	09/01/96	0.05	NA	<0.05	0.05	NA	0.05	NA	NA	NA	NA	NA	<0.1
MW-10D	12/01/96	<0.05	NA	<0.05	<0.05	NA	<0.05	NA	NA	NA	NA	NA	<0.1
MW-10D	03/01/97	<0.05	NA	<0.05	<0.05	NA	<0.05	NA	NA	NA	NA	NA	<0.1
MW-10D	10/01/97	<0.01	NA	<0.01	**0.3**	NA	0.02	NA	NA	NA	NA	NA	<0.01
MW-10D	03/01/98	<0.05	NA	<0.01	**0.19**	NA	<0.05	NA	NA	NA	NA	NA	<0.01
MW-10D	10/01/98	**0.065**	NA	<0.04	**0.6**	NA	0.086	NA	NA	NA	NA	NA	0.077
MW-10D	03/01/99	<0.3	NA	<0.3	**0.12**	NA	<0.3	NA	NA	NA	NA	NA	<0.5
MW-10D	11/01/99	<0.05	NA	<0.05	**0.63**	<1	<0.05	NA	NA	NA	NA	NA	<0.1
MW-10D	04/05/00	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.1	<0.1	<0.1	<0.1	<0.1
MW-10D	10/25/00	<0.04	<0.1	<0.04	**0.84**	NA	0.07	NA	<0.03	<0.05	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-10D	04/17/01	<0.04	<0.1	<0.04	**0.19**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-10D	10/16/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-10D	03/19/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	**0.15 [0.17]**	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	09/05/02	<0.04	<0.1	<0.04	0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-10D	04/08/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-10D	10/19/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-10D	06/03/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-10D	12/20/05	<0.005	<0.1	<0.002	0.02	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-10D	04/25/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10D	11/01/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-10D	07/31/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-10D	11/01/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-10S	09/01/93	**2**	NA	NA	**70**	<1	37	NA	NA	NA	NA	NA	NA
MW-10S	04/01/95	**3.6**	NA	NA	**47**	<10	16	NA	NA	NA	NA	NA	NA
MW-10S	10/01/95	**2.6**	NA	NA	**28**	<10	12	NA	NA	NA	NA	NA	NA
MW-10S	02/01/96	**4**	NA	NA	**17**	<10	9	NA	NA	NA	NA	NA	NA
MW-10S	05/01/96	**6.8**	NA	NA	**32**	7.5	16	NA	NA	NA	NA	NA	NA
MW-10S	09/01/96	<4.2	NA	NA	<15	<1	<14	NA	NA	NA	NA	NA	NA
MW-10S	12/01/96	**4.7**	NA	NA	**23**	<1	9.3	NA	NA	NA	NA	NA	NA
MW-10S	03/01/97	**5.7**	NA	NA	**46**	<10	12	NA	NA	NA	NA	NA	NA
MW-10S	10/01/97	**0.8**	NA	NA	**8**	<0.77	3	NA	NA	NA	NA	NA	NA
MW-10S	03/01/98	**2.2**	NA	NA	**19**	<0.75	6.6	NA	NA	NA	NA	NA	NA
MW-10S	10/01/98	**3.5**	NA	NA	**24**	<0.23	9	NA	NA	NA	NA	NA	NA
MW-10S	03/01/99	**2.7**	NA	NA	**23**	<20	9	NA	NA	NA	NA	NA	NA
MW-10S	11/01/99	**1**	NA	NA	**21**	<20	4.7	NA	NA	NA	NA	NA	NA
MW-10S	04/05/00	**2.4**	<1	<1	**15**	<1	4.7	<1	<2	<2	<2	<2	<2
MW-10S	10/25/00	**1.8**	<0.1	<0.04	**19**	NA	6.4	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-10S	*04/17/01*	***1.6***	*<0.1*	*<0.04*	***24***	*NA*	*6.5*	*NA*	*<0.03*	*<0.05*	*<0.1*	*<0.1*	*<0.1*
MW-10S	10/16/01	**1.8 [1.6]**	<0.1 [<0.1]	<0.04 [<0.04]	**59 [60]**	NA	19 [19]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	03/19/02	**0.91**	<0.1	<0.04	**29**	NA	8.7	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-10S	09/05/02	**0.59**	<1	<0.4	**27**	NA	5.9	NA	<0.3	<0.5	<1	<1	<1
MW-10S	04/08/04	**0.53**	<1	<0.05	**13**	NA	2.5	NA	<0.05	<0.5	<1	<1	<1
MW-10S	10/19/04	**0.32**	<2.5	<0.125	**17**	NA	2.3	NA	<0.125	<1.25	<2.5	<2.5	<2.5
MW-10S	06/03/05	**0.46**	<0.5	<0.025	**12**	NA	1.9	NA	<0.025	<0.25	<0.5	<0.5	<0.5
MW-10S	12/20/05	**1.4 [1.1]**	<0.1 [<0.1]	<0.002 [<0.002]	**7.8 [5.5]**	NA	2.1 [1.6]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-10S	04/25/06	**0.83**	<1	<0.02	**3.2**	NA	1.1	NA	<0.02	<0.5	<1	<1	<1
MW-10S	11/01/06	**0.58**	<0.038	<0.04	**3.6**	NA	1.2	NA	<0.028	<0.038	<0.036	<0.054	<0.036
MW-10S	07/31/07	**0.95**	<0.038	<0.04	**4.9**	NA	1.7	NA	0.055 I	<0.038	<0.036	<0.054	<0.036
MW-10S	11/01/07	**0.98**	<0.0019	<0.002	**6.4**	NA	1.9	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	09/01/93	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/95	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/95	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	02/01/96	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	05/01/96	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	09/01/96	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	12/01/96	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/97	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/97	<0.01	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/98	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/99	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/00	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/04/00	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.1	<0.05	<0.1	<0.1	<0.1
MW-11S	10/01/00	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/01	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/01	<0.04	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	11/13/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-11S	03/18/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-11S	05/06/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-11S	07/09/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-11S	10/14/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-11S	01/18/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-11S	06/01/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-11S	12/12/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-11S	02/01/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-11S	02/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--	--
MW-11S	03/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-11S	04/24/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11S	05/23/06	0.005	<0.1	<0.002	<0.01	NA	0.004 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-11S	06/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-11S	07/26/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-11S	09/05/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	10/02/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	10/31/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	11/28/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	12/17/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	01/31/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	02/25/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	03/25/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	04/21/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	06/07/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	06/25/07	0.029	<0.0019	<0.002	<0.003	NA	0.057	NA	0.031	0.095	<0.0018	<0.0027	<0.0018
MW-11S	07/30/07	0.013 [0.014]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	0.04 [0.035]	NA	0.02 [0.015]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	08/23/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	0.016 [0.015]	NA	0.0085 [0.0091]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	09/30/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-11S	10/29/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-11S	12/02/07	<0.0023	<0.0019	<0.002	0.038	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	09/01/93	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	04/01/95	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	10/01/95	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	02/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	05/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	09/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	12/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	03/01/97	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	10/01/97	NA	NA	0.01	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	03/01/98	NA	NA	<0.01	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	10/01/98	NA	NA	<0.04	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	03/01/99	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-12S	11/01/99	<0.05	NA	<0.05	<0.05	<1	<0.05	NA	NA	NA	NA	NA	NA
MW-12S	04/04/00	<0.05	<0.05	<0.05	<0.05	<0.05	0.1	<1	<0.1	<0.05	<0.1	<0.1	<0.1
MW-12S	10/24/00	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12S	04/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-12S	11/13/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-12S	03/18/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-12S	04/07/04	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-12S	10/14/04	<0.005 [<0.005]	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12S	01/18/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-12S	06/01/05	<0.005	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-12S	12/13/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-12S	03/27/06	<0.005 [<0.005]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-12S	04/24/06	<0.005	<0.1	<0.002	<0.01	NA	0.0026 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-12S	05/23/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-12S	06/27/06	0.0024 I	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-12S	07/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-12S	09/05/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	10/02/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-12S	10/31/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	01/31/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	04/21/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	08/04/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-12S	10/29/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	02/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	05/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	09/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	12/01/96	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	03/01/97	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	10/01/97	<0.01	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	03/01/98	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	10/01/98	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	03/01/99	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-15S	11/01/99	<0.05	NA	NA	<0.05	<1	<0.05	NA	NA	NA	NA	NA	NA
MW-15S	04/04/00	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<1	<0.1	<0.05	<0.1	<0.1	<0.1
MW-15S	10/24/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-15S	04/17/01	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-15S	10/16/01	**0.07**	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-15S	11/13/01	0.05 [0.05]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	03/18/02	<0.04 [<0.04]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	NA	<0.03 [<0.03]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	09/04/02	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-15S	04/07/04	**0.29**	<0.1	<0.005	<0.01	NA	0.07	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-15S	05/04/04	**0.23**	<0.1	<0.005	0.026	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-15S	07/09/04	**0.25 [0.52]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	<0.03 [<0.03]	NA	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	10/14/04	0.02	<0.1	<0.005	<0.01	NA	<0.03	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-15S	01/18/05	**0.063 [0.055]**	<0.1 [<0.1]	<0.005 [<0.005]	<0.01 [<0.01]	NA	0.06 [0.05]	NA	<0.005 [<0.005]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	06/01/05	**0.18**	<0.1	<0.005	<0.01	NA	0.21	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-15S	12/13/05	0.021 [0.024]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	0.15 [0.16]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	02/01/06	0.0037 I	<0.1	<0.002	<0.01	NA	0.061	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-15S	02/27/06	0.0055 [0.0039 I]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	0.068 [0.057]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	03/27/06	0.0065	<0.1	<0.002	0.014	NA	0.075	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-15S	04/24/06	0.0048 I	<0.1	<0.002	<0.01	NA	0.08	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-15S	05/23/06	0.01	<0.1	<0.002	<0.01	NA	0.099	NA	0.006	0.12	<0.1	<0.1	<0.1
MW-15S	06/27/06	0.0063 [0.0086]	0.011 I [0.011 I]	<0.002 [<0.002]	0.015 [0.015]	NA	0.064 [0.063]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-15S	07/26/06	0.0051	0.0074 I	<0.002	<0.01	NA	0.044	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-15S	09/05/06	<0.0023 [<0.0023]	0.013 [0.018]	<0.002 [<0.002]	<0.003 [<0.003]	NA	0.037 [0.053]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-15S	10/02/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	10/31/06	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	0.02 [0.019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-15S	11/28/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.011	<0.0018	<0.0027	<0.0018
MW-15S	12/17/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	02/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	0.0089 I	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	03/01/07	<0.0023	<0.0019	<0.002	0.0039 I	NA	0.0053 I	NA	<0.0014	0.0079	<0.0018	<0.0027	<0.0018
MW-15S	03/25/07	NA	<0.0019	<0.002	0.0053 I	NA	0.0053 I	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	04/21/07	<0.0023	<0.0019	<0.002	0.0065 I	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	05/20/07	<0.0023	<0.0019	<0.002	0.011 I	NA	0.012	NA	<0.0014	0.018	<0.0018	<0.0027	<0.0018
MW-15S	06/25/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	07/30/07	<0.0023	<0.0019	<0.002	**0.13**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	08/23/07	<0.0023	<0.0019	<0.002	**0.13**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	09/30/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-15S	10/28/07	<0.0023	<0.0019	<0.002	0.053	NA	<0.0023	NA	<0.0014	0.11	<0.0018	<0.0027	<0.0018
MW-15S	11/27/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.071	<0.0018	<0.0027	<0.0018
MW-16D	10/01/97	**1**	NA	<0.3	**10**	NA	5	NA	<0.3	NA	<0.3	NA	NA
MW-16D	03/01/98	**5.2**	NA	0.29	**17**	NA	8.3	NA	<0.2	NA	0.34	NA	NA
MW-16D	10/01/98	**4.5**	NA	<0.04	**21**	NA	8.3	NA	<0.1	NA	<0.09	NA	NA
MW-16D	03/01/99	**1.9**	NA	<0.5	**15**	NA	6.5	NA	<0.5	NA	<1	NA	NA
MW-16D	11/01/99	<0.5	NA	<0.5	**4.1**	<10	0.57	NA	<1	NA	<1	NA	NA
MW-16D	04/05/00	**0.74**	<0.25	<0.25	**4.4**	<0.25	1.1	<10	<0.5	<0.5	<0.5	<0.5	<0.5
MW-16D	10/25/00	<0.04	<0.1	<0.04	**0.31**	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16D	04/17/01	<0.04	<0.1	<0.04	**1.8**	NA	0.29	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16D	10/16/01	**0.86**	<0.1	<0.04	**12**	NA	3.9	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16D	03/19/02	**0.21 [0.25]**	<0.1 [<0.1]	<0.04 [<0.04]	**5.2 [5.9]**	NA	1.1 [1.3]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16D	09/04/02	**0.76**	<0.1	<0.04	**0.76**	NA	0.13	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16D	04/07/04	0.04	<0.1	<0.005	**5.1**	NA	0.08	NA	<0.005	<0.05	<0.1	<0.1	<0.1
MW-16D	10/19/04	**0.57**	<2.5	<0.125	**12**	NA	2.9	NA	<0.125	<1.25	<2.5	<2.5	<2.5
MW-16D	06/06/05	**0.22**	<2.5	<0.125	**8.4**	NA	1.2	NA	<0.125	<1.25	<2.5	<2.5	<2.5
MW-16D	12/21/05	**0.21**	<0.1	<0.002	**3.8**	NA	0.57	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-16D	03/28/06	**0.059**	<0.1	<0.002	**1.2**	NA	0.16	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-16D	04/26/06	0.022 [0.025]	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [<0.01]	NA	0.02 I [0.02 I]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16D	05/24/06	0.009	<0.1	<0.002	0.046	NA	0.038	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-16D	06/28/06	0.021	<0.1	<0.002	**0.53**	NA	0.069	NA	<0.002	<0 05	<0.1	<0.1	<0.1
MW-16D	07/27/06	**0.14**	<2	<0.04	**4.5**	NA	1	NA	0.096	0.066	<2	<2	<2
MW-16D	09/06/06	**0.19**	0.066	<0.02	**4.9**	NA	1.1	NA	0.11	<0.019	<0.018	<0.027	<0.018
MW-16D	10/02/06	**0.26 [0.24]**	<0.038 [<0.038]	<0.04 [<0.04]	**6.3 [6.5]**	NA	1.3 [1.3]	NA	0.21 [0.2]	<0.038 [<0.038]	<0.036 [<0.036]	<0.054 [<0.054]	<0.036 [<0.036]
MW-16D	11/02/06	**0.056**	<0.0095	<0.01	**2.5**	NA	0.48	NA	0.089	<0.0095	<0.009	<0.0135	<0.009
MW-16D	11/28/06	0.044	<0.0019	<0.002	**0.63**	NA	0.12	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	12/18/06	0.0064 I	<0.0019	<0.002	**0.11**	NA	0.019	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	02/01/07	**0.28**	<0.0019	<0.002	**2.8**	NA	0.68	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	03/01/07	**0.14**	<0.038	<0.04	**2.4**	NA	0.56	NA	<0.028	<0.038	<0.036	<0.054	<0.036
MW-16D	04/22/07	0.043 [0.049]	<0.019 [<0.019]	<0.02 [<0.02]	**0.93 [0.9]**	NA	0.24 [0.33]	NA	<0.014 [<0.014]	<0.019 [<0.019]	<0.018 [<0.018]	<0.027 [<0.027]	<0.018 [<0.018]

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-16D	05/18/07	0.032 [0.031]	<0.0019 [<0.0019]	<0.002 [<0.002]	**1 [0.87]**	NA	<0.0023 [<0.0023]	NA	0.054 [0.055]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-16D	06/26/07	0.014	<0.0019	<0.002	**0.26**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	07/31/07	<0.0023	<0.0019	<0.002	<0.003	NA	0.27	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	08/26/07	0.013	<0.0019	<0.002	**0.36**	NA	<0.0023	NA	0.011	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	09/30/07	0.014	<0.0019	<0.002	**0.31**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	10/29/07	0.049	<0.0019	<0.002	**1.3**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16D	12/05/07	**0.054**	<0.0019	<0.002	**1.4**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	10/01/97	**5**	NA	<0.3	**20**	NA	8	NA	<0.3	NA	<0.3	NA	NA
MW-16S	03/01/98	**0.84**	NA	<0.1	**6.7**	NA	2.1	NA	0.21	NA	<0.01	NA	NA
MW-16S	10/01/98	**1**	NA	<0.04	**8.3**	NA	2.8	NA	<0.4	NA	<0.09	NA	NA
MW-16S	03/01/99	**4.1**	NA	<0.5	**1.7**	NA	6.3	NA	0.17	NA	<1	NA	NA
MW-16S	11/01/99	<0.05	NA	<0.05	**3.2**	<1	0.49	NA	<0.1	NA	<0.1	NA	NA
MW-16S	04/05/00	**1.9**	<0.25	<0.25	**17**	<0.25	4.4	<20	<0.5	<0.5	<0.5	<0.5	<0.5
MW-16S	10/24/00	**8.9**	<0.1	<0.04	**36**	NA	13	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16S	04/17/01	**1.8 [1.7]**	<0.1 [<0.1]	<0.04 [<0.04]	**27 [26]**	NA	8.5 [7.7]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	10/16/01	**0.9 [0.9]**	<0.1 [<0.1]	<0.04 [<0.04]	**8.3 [8]**	NA	2 [2]	NA	<0.03 [<0.03]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-16S	03/19/02	**0.83**	<0.1	<0.04	**7**	NA	2.2	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-16S	09/04/02	**0.77**	<1	<0.4	**4.8**	NA	1.3	NA	0.43	<0.5	<1	<1	<1
MW-16S	04/07/04	**0.1**	<1	<0.05	**2**	NA	0.5	NA	0.13	<0.5	<1	<1	<1
MW-16S	10/19/04	<0.025	<0.5	<0.025	**0.37**	NA	<0.15	NA	0.07	<0.25	<0.5	<0.5	<0.5
MW-16S	06/06/05	0.011	<0.2	<0.01	**0.59**	NA	0.06	NA	0.058	<0.1	<0.2	<0.2	<0.2
MW-16S	12/21/05	0.0098	<0.1	<0.002	<0.01	NA	0.062	NA	0.057	<0.05	<0.1	<0.1	<0.1
MW-16S	03/28/06	0.037	<0.1	<0.002	**1.6**	NA	0.22	NA	0.074	<0.05	<0.1	<0.1	<0.1
MW-16S	04/26/06	**0.069**	<1	<0.02	**2.6**	NA	0.33	NA	0.056	<0.5	<1	<1	<1
MW-16S	05/24/06	**0.18**	<2.5	<0.05	**5.3**	NA	0.78	NA	0.13	0.18	<2.5	<2.5	<2.5
MW-16S	06/27/06	**0.11**	<2.5	<0.05	**3.4**	NA	0.52	NA	<0.05	<1.25	<2.5	<2.5	<2.5
MW-16S	07/27/06	0.021	<1	<0.02	**0.99**	NA	0.14	NA	0.056	<0.5	<1	<1	<1
MW-16S	09/06/06	**0.1**	0.16	<0.04	**1.1**	NA	0.22	NA	0.19	0.14	<0.036	<0.054	0.13
MW-16S	10/02/06	0.011	0.019	<0.002	**0.57**	NA	0.12	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	11/02/06	0.027	<0.0038	<0.004	**1**	NA	0.13	NA	0.11	<0.0038	<0.0036	<0.0054	<0.0036
MW-16S	11/28/06	**0.057**	<0.0019	<0.002	**1.59**	NA	0.032	NA	0.13	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	12/18/06	**0.075**	<0.0019	<0.002	**1.2**	NA	<0.0023	NA	0.082	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	02/01/07	0.018	<0.0019	<0.002	**0.48**	NA	0.086	NA	0.068	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	03/01/07	0.027	<0.0019	<0.002	**0.69**	NA	0.11	NA	0.066	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	03/26/07	0.038	<0.0095	<0.01	**0.97**	NA	0.18	NA	0.075	<0.0095	<0.009	<0.0135	<0.009
MW-16S	04/22/07	**0.084**	<0.019	<0.02	**2.3**	NA	0.28	NA	<0.014	<0.019	<0.018	<0.027	<0.018
MW-16S	05/18/07	**0.062**	<0.0019	<0.002	**3.4**	NA	<0.0023	NA	0.052	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	06/26/07	**0.06**	<0.0019	<0.002	**5.2**	NA	1.4	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	07/31/07	**0.13 I**	<0.038	<0.04	**2.7**	NA	0.34	NA	0.081 I	<0.038	<0.036	<0.054	<0.036
MW-16S	08/26/07	**0.13**	<0.0019	<0.002	**2.5**	NA	0.49	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	09/30/07	**0.11**	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	10/29/07	**0.099**	<0.0019	<0.002	**1.5**	NA	0.24	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-16S	12/05/07	**0.13**	<0.0019	<0.002	**1.5**	NA	<0.0023	NA	0.062	<0.0019	<0.0018	<0.0027	<0.0018
MW-17S	10/01/98	**7.5**	NA	NA	NA	NA	14	NA	1.9	NA	NA	NA	NA
MW-17S	03/01/99	**5.6**	NA	NA	**5.3**	NA	11	NA	1.5	NA	NA	NA	NA
MW-17S	11/01/99	**0.68**	NA	NA	**1.3**	<10	1.7	NA	<1	NA	NA	NA	NA
MW-17S	04/05/00	**5.9**	NA	<0.05	**5**	<0.25	10	<1	NA	<0.5	<0.05	<0.5	<0.05
MW-17S	10/25/00	**5.5**	<0.1	<0.04	**4.4**	NA	9.5	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-17S	04/18/01	**1.9**	<0.1	<0.04	**2.1**	NA	6.5	NA	1.8	<0.05	<0.1	<0.1	<0.1
MW-17S	10/17/01	**1.6**	<0.1	<0.04	**2.2**	NA	4.1	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-17S	03/19/02	**2.4**	<0.1	<0.04	**0.94**	NA	2.7	NA	<0.03	<0.05	<0.1	<0.1	<0.1
MW-17S	09/05/02	**1.6**	<1	<0.4	**1.3**	NA	1.9	NA	<0.3	<0.5	<1	<1	<1
MW-17S	04/08/04	**1.6**	<1	<0.05	**0.93**	NA	2.2	NA	0.52	<0.5	<1	<1	<1
MW-17S	10/19/04	**0.85**	<0.5	<0.025	**1**	NA	2.4	NA	<0.025	<0.25	<0.5	<0.5	<0.5
MW-17S	06/03/05	**1**	<0.2	<0.01	**2.7**	NA	6.5	NA	0.032	<0.1	<0.2	<0.2	<0.2
MW-17S	12/21/05	**0.83**	<0.1	<0.002	**2.3**	NA	7.2	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-17S	04/25/06	**0.55**	<0.1	<0.002	**1.7**	NA	5.8	NA	0.2	<0.05	<0.1	<0.1	<0.1
MW-17S	11/02/06	**0.51**	<0.038	<0.04	<0.06	NA	3.9	NA	0.19	<0.038	<0.036	<0.054	<0.036
MW-18S	12/13/05	**0.074**	<0.1	<0.002	<0.01	NA	0.11	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-18S	02/01/06	**0.052 [0.079]**	<0.1 [<0.1]	<0.002 [<0.002]	<0.01 [0.09]	NA	0.19 [0.2]	NA	<0.002 [<0.002]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]
MW-18S	02/27/06	0.02	<0.1	<0.002	<0.01	NA	0.071	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-18S	03/27/06	0.011	<0.1	<0.002	<0.01	NA	0.12	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-18S	04/24/06	0.027	<0.1	<0.002	0.01	NA	0.15	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-18S	05/23/06	0.037	<0.1	<0.002	0.011	NA	0.19	NA	0.033	0.36	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-18S	06/27/06	0.04	<0.1	0.042	<0.01	NA	0.15	NA	0.027	<0.05	<0.1	<0.1	<0.1
MW-18S	07/26/06	0.028	<0.1	<0.002	<0.01	NA	<0.03	NA	0.024	0.18	<0.1	<0.1	<0.1
MW-18S	09/05/06	0.027	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-18S	10/02/06	0.016	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.0054 I	0.091	<0.0018	<0.0027	<0.0018
MW-18S	10/31/06	0.025	0.03	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.11	<0.0018	<0.0027	<0.0018
MW-18S	11/28/06	0.024	<0.0019	<0.002	<0.003	NA	0.072	NA	<0.0014	0.19	<0.0018	<0.0027	<0.0018
MW-18S	12/17/06	0.018	<0.0019	<0.002	<0.003	NA	0.059	NA	0.011	0.14	<0.0018	<0.0027	<0.0018
MW-18S	01/31/07	0.0083 I	<0.0019	<0.002	<0.003	NA	0.031	NA	0.01	0.053	<0.0018	<0.0027	<0.0018
MW-18S	03/01/07	0.0085 I [0.0072 I]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	0.042 [0.041]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-18S	03/26/07	<0.0023	<0.0019	0.0071 I	<0.003	NA	0.0024 I	NA	<0.0014	0.0054 I	<0.0018	<0.0027	<0.0018
MW-18S	04/21/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-18S	05/20/07	0.0028 I	<0.0019	<0.002	<0.003	NA	0.014	NA	<0.0014	0.019	<0.0018	<0.0027	<0.0018
MW-18S	06/25/07	0.0035 I	<0.0019	<0.002	<0.003	NA	0.014	NA	0.0035 I	0.027	<0.0018	<0.0027	<0.0018
MW-18S	07/30/07	0.0051 I	<0.0019	<0.002	<0.003	NA	0.031	NA	0.017	<0.0019	<0.0018	<0.0027	<0.0018
MW-18S	08/26/07	0.005 I	<0.0019	<0.002	<0.003	NA	0.029	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-18S	09/30/07	<0.0023	<0.0019	<0.002	<0.003	NA	0.0076 I	NA	<0.0014	0.0095	<0.0018	<0.0027	<0.0018
MW-18S	10/29/07	0.0042 I	<0.0019	<0.002	<0.003	NA	0.03	NA	<0.0014	0.024	<0.0018	<0.0027	<0.0018
MW-18S	12/02/07	0.011	<0.0019	<0.002	<0.003	NA	0.074	NA	0.0057	0.086	<0.0018	<0.0027	<0.0018
MW-19S	12/13/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	02/01/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	02/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	03/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	04/24/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	05/23/06	<0.005	<0.1	<0.002	0.005 I	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	06/27/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	07/26/06	<0.005	<0.1	<0.002	0.0037 I	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-19S	09/05/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-19S	10/02/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-19S	10/31/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-19S	02/01/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-19S	04/21/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-19S	08/04/07	<0.0023	<0.0019	<0.002	0.0069 I	NA	0.0032 I	NA	<0.0014	0.003 I	<0.0018	<0.0027	<0.0018
MW-19S	10/28/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-20S	12/12/05	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	01/29/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	02/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	03/26/06	<0.005	<0.1	<0.002	<0.01	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	05/21/06	<0.005	<0.1	<0.002	0.003 I	NA	0.0024 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	06/26/06	<0.005	<0.1	<0.002	0.0037 I	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	07/23/06	<0.005	<0.1	<0.002	0.0046 I	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-20S	08/27/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-20S	10/01/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-20S	10/29/06	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-20S	01/28/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.03	<0.0018	<0.0027	<0.0018
MW-20S	04/22/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	0.017	<0.0018	<0.0027	<0.0018
MW-20S	07/29/07	<0.0023 [<0.0023]	<0.0019 [<0.0019]	<0.002 [<0.002]	<0.003 [<0.003]	NA	<0.0023 [<0.0023]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-20S	10/28/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	12/12/05	0.013	<0.1	<0.002	0.075	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-21S	01/29/06	0.0094	<0.1	<0.002	0.078	NA	0.019	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-21S	02/26/06	0.0041 I	<0.1	<0.002	0.06	NA	0.0097 I	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-21S	03/26/06	<0.005	<0.1	<0.002	0.074	NA	<0.03	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-21S	04/23/06	0.0094	<0.1	<0.002	**0.13**	NA	0.025 I	NA	0.0046	<0.05	<0.1	<0.1	<0.1
MW-21S	05/21/06	0.011	<0.1	0.004	0.011	NA	0.028	NA	0.02	<0.05	<0.1	<0.1	<0.1
MW-21S	06/26/06	0.014	<0.1	<0.002	0.1	NA	0.018	NA	0.014	<0.05	<0.1	<0.1	<0.1
MW-21S	07/23/06	0.022	<0.1	<0.002	**0.12**	NA	<0.03	NA	<0.002	0.029 I	<0.1	<0.1	<0.1
MW-21S	08/27/06	0.012	<0.0019	<0.002	0.091	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	10/01/06	0.01	<0.0019	<0.002	0.081	NA	<0.0023	NA	0.011	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	10/29/06	0.011	<0.0019	<0.002	0.1	NA	0.023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	11/26/06	0.0087 I [0.0094]	<0.0019 [<0.0019]	<0.002 [<0.002]	0.069 [0.068]	NA	0.012 [0.013]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-21S	12/17/06	0.018 [0.019]	<0.0038 [<0.0019]	0.008 [0.0076 I]	0.075 [0.074]	NA	<0.0046 [<0.0023]	NA	0.009 [0.0092]	0.028 [0.026]	<0.0036 [<0.0018]	<0.0054 [<0.0027]	<0.0036 [<0.0018]
MW-21S	01/28/07	0.009 I	<0.0019	<0.002	0.054	NA	0.015	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	02/25/07	0.014	<0.0019	<0.002	0.073	NA	0.03	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	03/25/07	0.0084 I	<0.0019	<0.002	0.052	NA	0.013	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	04/22/07	0.014	<0.0019	<0.002	0.084	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	--	0.1	--	--	--	--	--	--	--	--
MW-21S	05/20/07	0.037	<0.0019	<0.002	0.084	NA	0.054	NA	0.048	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	06/24/07	0.027	<0.0019	<0.002	**0.12**	NA	0.061	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	07/29/07	0.011	<0.0019	<0.002	0.088	NA	0.039	NA	0.0098	<0.0019	<0.0018	<0.0027	<0.0018
MW-21S	08/26/07	0.0089 I	<0.0019	<0.002	0.081	NA	0.014	NA	0.0059	<0.0019	0.015	<0.0027	<0.0018
MW-21S	09/30/07	**0.07**	<0.0019	<0.002	**0.17**	NA	0.16	NA	<0.0014	0.058	<0.0018	<0.0027	<0.0018
MW-21S	10/28/07	0.005 I	<0.0019	<0.002	0.05	NA	0.0068 I	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-22S	12/12/05	0.029	<0.1	<0.002	0.052	NA	0.048	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-22S	01/29/06	**0.11**	<0.1	<0.002	0.087	NA	0.16	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-22S	02/26/06	**0.085**	<0.1	<0.002	0.052	NA	0.085	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-22S	03/26/06	**0.086**	<0.1	<0.002	0.068	NA	0.12	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-22S	04/23/06	0.049	<0.1	<0.002	0.075	NA	0.096	NA	<0.002	<0.05	<0.1	<0.1	<0.1
MW-22S	05/21/06	**0.21**	<0.1	<0.002	**0.16**	NA	0.31	NA	0.08	0.72	<0.1	<0.1	<0.1
MW-22S	06/26/06	0.042	<0.1	<0.002	0.07	NA	0.063	NA	0.023	0.25	<0.1	<0.1	<0.1
MW-22S	07/23/06	0.018	<0.1	<0.002	0.048	NA	<0.03	NA	0.0077	0.09	<0.1	<0.1	<0.1
MW-22S	08/27/06	0.048	<0.0019	<0.002	0.044	NA	0.061	NA	<0.0014	0.25	<0.0018	<0.0027	<0.0018
MW-22S	10/01/06	0.018	<0.0019	<0.002	0.025	NA	0.018	NA	0.0093	0.097	<0.0018	<0.0027	<0.0018
MW-22S	10/29/06	0.04	<0.0019	<0.002	0.078	NA	0.062	NA	0.038	0.25	<0.0018	<0.0027	<0.0018
MW-22S	11/26/06	0.047	<0.0019	0.033	0.061	NA	0.068	NA	0.04	0.34	<0.0018	<0.0027	<0.0018
MW-22S	12/17/06	**0.056**	<0.0038	<0.004	0.09	NA	<0.0046	NA	0.045	0.26	<0.0036	<0.0054	<0.0036
MW-22S	01/28/07	0.04	<0.0019	0.034	0.085	NA	0.059	NA	0.047	0.31	<0.0018	<0.0027	<0.0018
MW-22S	02/25/07	0.031	<0.0019	<0.002	0.077	NA	0.082	NA	0.045	0.32	<0.0018	<0.0027	<0.0018
MW-22S	03/25/07	0.016	<0.0019	<0.002	0.058	NA	0.026	NA	0.013	0.15	<0.0018	<0.0027	<0.0018
MW-22S	04/22/07	0.014	<0.0019	0.0094	0.061	NA	<0.0023	NA	0.014	0.18	<0.0018	<0.0027	<0.0018
MW-22S	06/24/07	0.027	<0.0019	<0.002	0.071	NA	<0.0023	NA	0.037	0.29	<0.0018	<0.0027	<0.0018
MW-22S	07/29/07	0.023	<0.0019	<0.002	0.052	NA	<0.0023	NA	0.025	<0.0019	<0.0018	<0.0027	<0.0018
MW-22S	08/26/07	0.013	<0.0019	<0.002	0.033	NA	0.014	NA	<0.0014	0.14	<0.0018	<0.0027	<0.0018
MW-22S	09/30/07	0.0028 I	<0.0019	<0.002	0.015	NA	<0.0023	NA	<0.0014	0.041	<0.0018	<0.0027	<0.0018
MW-22S	10/28/07	0.0078 I [0.0081 I]	<0.0019 [<0.0019]	<0.002 [<0.002]	0.019 [0.018]	NA	0.014 [0.0084 I]	NA	0.0065 [0.0056]	<0.0019 [<0.0019]	<0.0018 [<0.0018]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-23D	09/29/07	0.019	<0.0019	<0.002	0.081	NA	0.13	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-23M	09/29/07	0.012	<0.0019	<0.002	**0.68**	NA	0.75	NA	0.025	<0.0019	<0.0018	<0.0027	<0.0018
MW-23S	09/29/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-24D	10/30/07	**0.11**	<0.0019	<0.002	**0.38**	NA	0.94	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-24S	10/30/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-25D	10/30/07	<0.0023	<0.0019	<0.002	0.011 I	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-25M	10/18/07	<0.0023	<0.0019	<0.002	**0.29**	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-25S	10/18/07	<0.0023	<0.0019	<0.002	0.069	NA	<0.0023	NA	0.13	<0.0019	0.045	<0.0027	<0.0018
MW-26D	10/24/07	<0.0023	<0.0019	<0.002	0.035	NA	<0.0023	NA	0.014	<0.0019	<0.0018	<0.0027	<0.0018
MW-26D	12/02/07	<0.0023	<0.0019	<0.002	0.029	NA	<0.0023	NA	0.017	0.0085	<0.0018	<0.0027	<0.0018
MW-27D	10/24/07	0.022	<0.0019	<0.002	**0.48**	NA	<0.0023	NA	0.0076	<0.0019	<0.0018	<0.0027	<0.0018
MW-27D	12/02/07	0.032	<0.0019	<0.002	**1.1**	NA	<0.0023	NA	0.012	<0.0019	<0.0018	<0.0027	<0.0018
MW-28D	10/28/07	**0.1**	<0.0019	<0.002	**2.4**	NA	<0.0023	NA	0.13	<0.0019	<0.0018	<0.0027	<0.0018
MW-28D	12/02/07	**0.069**	<0.0019	<0.002	**2.3**	NA	<0.0023	NA	0.11	<0.0019	<0.0018	<0.0027	<0.0018
MW-29D	10/24/07	**2.3**	<0.0019	<0.002	**2.1**	NA	6.9	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-29D	10/30/07	**1.4 [1.8]**	<0.0019 [<0.0019]	<0.002 [<0.002]	**1.3 [1.6]**	NA	3.2 [3.7]	NA	<0.0014 [<0.0014]	<0.0019 [<0.0019]	0.72 [0.87]	<0.0027 [<0.0027]	<0.0018 [<0.0018]
MW-29D	12/02/07	**1.8**	<0.038	<0.04	**1.8**	NA	5.6	NA	0.14	<0.038	<0.036	<0.054	<0.036
MW-30D	10/24/07	<0.0023	<0.0019	<0.002	**0.18**	NA	<0.0023	NA	<0.0014	0.075	<0.0018	<0.0027	<0.0018
MW-30D	12/02/07	<0.0023	<0.0019	<0.002	**0.25**	NA	<0.0023	NA	<0.0014	0.011	0.014	<0.0027	<0.0018
MW-31D	10/24/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.007	0.068	<0.0018	<0.0027	<0.0018
MW-31D	12/02/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	0.0034 I	<0.0019	<0.0018	<0.0027	<0.0018
MW-32D	11/27/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	a-BHC (ug/L)	a-Chlordane (ug/L)	Aldrin (ug/L)	b-BHC (ug/L)	Chlordane (ug/L)	d-BHC (ug/L)	Demeton-O (ug/L)	Dieldrin (ug/L)	Endosulfan I (ug/L)	Endosulfan II (ug/L)	Endosulfan sulfate (ug/L)	Endrin (ug/L)
Cleanup Goal		0.05	2	- -	0.1	- -	- -	- -	- -	- -	- -	- -	- -
MW-33D	11/27/07	<0.0023	<0.0019	<0.002	0.022	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-34D	11/27/07	0.044	<0.0019	<0.002	**3**	NA	<0.0023	NA	0.029	<0.0019	<0.0018	<0.0027	<0.0018
MW-36D	12/05/07	**8.2**	<0.0019	<0.002	**2.3**	NA	6	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-36S	12/05/07	**0.76**	<0.0019	<0.002	**0.59**	NA	1	NA	0.094	<0.0019	<0.0018	<0.0027	<0.0018
MW-37D	11/28/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-37S	11/28/07	**0.1**	<0.0019	<0.002	**0.22**	NA	<0.0023	NA	<0.0014	<0.0019	0.5	<0.0027	<0.0018
MW-38D	12/05/07	<0.046	<0.038	<0.04	<0.06	NA	<0.046	NA	0.71	<0.038	<0.036	<0.054	<0.036
MW-A	10/18/90	<0.01	NA	NA	<0.01	NA	<0.01	NA	NA	NA	NA	NA	NA
MW-A	10/02/91	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-A	07/31/07	<0.0023	<0.0019	<0.002	<0.003	NA	<0.0023	NA	<0.0014	<0.0019	<0.0018	<0.0027	<0.0018
MW-D	10/02/90	NA	NA	0.014	NA	NA	NA	NA	NA	0.023	NA	NA	NA
MW-D	10/18/90	<0.01	NA	NA	<0.01	NA	<0.01	NA	NA	NA	NA	NA	NA
MW-D	10/01/91	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.14	NA	NA	NA
MW-D	10/02/91	<0.05	NA	NA	<0.05	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-D	04/01/93	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.14	NA	NA	NA
MW-D	09/01/93	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	04/01/95	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	10/01/95	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	02/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	05/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	09/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	12/01/96	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	03/01/97	NA	NA	<0.05	NA	NA	NA	NA	NA	<0.05	NA	NA	NA
MW-D	10/01/97	NA	NA	<0.01	NA	NA	NA	NA	NA	<0.01	NA	NA	NA
MW-D	03/01/98	NA	NA	<0.01	NA	NA	NA	NA	NA	<0.01	NA	NA	NA
MW-D	03/01/99	NA	NA	<0.05	NA	NA	0.08	NA	NA	<0.05	NA	NA	NA
MW-D	04/05/00	<0.04	<0.1	<0.04	<0.05	NA	<0.03	NA	<0.03	<0.05	<0.1	<0.1	<0.1

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	--	2	--	--	0.2	--	--	0.1	--	--	--
MW-1D	10/01/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	04/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1D	11/01/99	NA	NA	NA	NA	1	<0.05	NA	NA	<0.1	NA	0.17	NA
MW-1D	04/06/00	<0.1	NA	NA	<0.05	<0.05	0.13	NA	NA	<0.1	NA	<0.1	<3
MW-1D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	0.19	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	04/18/01	<0.1	<0.1	<0.1	<0.04	<0.05	0.16	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	2.5	<3
MW-1D	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1D	09/05/02	<1 [<1]	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-1D	03/17/03	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	10/03/03	<0.2 [<0.2]	<0.2 [<0.2]	<0.2 [<0.2]	<0.08 [<0.08]	<0.1 [<0.1]	<0.1 [<0.1]	<0.2 [<0.2]	NA	<0.1 [<0.1]	<0.2 [<0.2]	<0.2 [<0.2]	<6 [<6]
MW-1D	04/08/04	<0.5 [<0.5]	<0.5 [<0.5]	<0.5 [<0.5]	<0.2 [<0.2]	<0.25 [<0.25]	<0.25 [<0.25]	<0.5 [<0.5]	NA	<0.25 [<0.25]	<0.5 [<0.5]	<0.5 [<0.5]	<15 [<15]
MW-1D	10/18/04	<0.1 [<0.2]	<0.1 [<0.2]	<0.1 [<0.2]	<0.04 [<0.08]	<0.05 [<0.1]	<0.05 [<0.1]	<0.1 [<0.2]	NA	<0.05 [<0.1]	<0.1 [<0.2]	<0.1 [<0.2]	<3 [<6]
MW-1D	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	12/16/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1D	03/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	04/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	05/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	06/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	07/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.0041 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1D	09/06/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	10/03/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	11/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	04/22/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.004 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1D	11/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/01/91	NA	NA	NA	NA	<2	NA	NA	NA	NA	<0.3	NA	NA
MW-1S	04/01/93	NA	NA	NA	NA	<0.07	NA	NA	NA	NA	0.18	NA	NA
MW-1S	09/01/93	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-1S	04/01/95	NA	NA	NA	NA	<0.25	NA	NA	NA	NA	<0.5	NA	NA
MW-1S	10/01/95	NA	NA	NA	NA	<0.25	NA	NA	NA	NA	<0.5	NA	NA
MW-1S	02/01/96	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	<1	NA	NA
MW-1S	05/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-1S	09/01/96	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	<0.1	NA	NA
MW-1S	12/01/96	NA	NA	NA	NA	3.3	NA	NA	NA	NA	<0.1	NA	NA
MW-1S	03/01/97	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	<1	NA	NA
MW-1S	10/01/97	NA	NA	NA	NA	<0.01	NA	NA	NA	NA	<0.01	NA	NA
MW-1S	03/01/98	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-1S	10/01/98	NA	NA	NA	NA	<0.6	NA	NA	NA	NA	<0.3	NA	NA
MW-1S	03/01/99	NA	NA	NA	NA	<1	NA	NA	NA	NA	<2	NA	NA
MW-1S	11/01/99	NA	NA	NA	NA	0.36	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-1S	04/06/00	<0.5	NA	NA	<0.25	<0.25	<0.25	NA	NA	<0.5	NA	<0.25	<15
MW-1S	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-1S	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	03/17/03	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/03/03	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-1S	10/18/04	<0.2	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	NA	<0.1	<0.2	<0.2	<6
MW-1S	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	--	2	--	--	0.2	--	--	0.1	--	--	--
MW-1S	12/16/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	03/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	04/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.008 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	05/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	06/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	07/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-1S	09/06/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	10/03/06	<0.0038	<0.0032	<0.0042	0.017	<0.0044	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-1S	11/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	04/22/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0033 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0043 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-1S	11/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2D	10/01/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	04/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2D	11/01/99	NA	NA	NA	NA	0.7	**1.3**	NA	NA	<0.1	NA	NA	NA
MW-2D	04/06/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	04/18/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	10/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.3 [0.28]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-2D	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	10/18/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2D	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	12/16/05	<0.1	<0.1	<0.1	<0.04	<0.05	0.17	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2D	11/01/06	<0.0019	<0.0016	<0.0021	<0.0024	0.17	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2D	11/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	**1.1**	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2D	12/05/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	**0.98**	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2S	10/01/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	04/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-2S	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-2S	04/06/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	04/18/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	10/18/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-2S	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-2S	12/16/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-2S	11/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-2S	12/05/07	<0.0019	<0.0016	<0.0021	0.015	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-3D	10/01/91	NA	NA	NA	NA	<0.35	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	09/01/93	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	04/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	10/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	02/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	05/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	09/01/96	NA	NA	NA	NA	0.1	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	12/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	03/01/97	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	10/01/97	NA	NA	NA	NA	<0.01	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	03/01/98	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	10/01/98	NA	NA	NA	NA	<0.06	NA	NA	NA	NA	<0.1	NA	NA
MW-3D	03/01/99	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	0.2	NA	NA
MW-3D	11/01/99	NA	NA	NA	NA	0.11	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-3D	04/06/00	<0.5	NA	NA	<0.25	<0.25	<0.25	NA	NA	<0.5	NA	<0.5	<15
MW-3D	10/26/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	04/18/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	10/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3D	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	09/06/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	04/09/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	10/19/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3D	06/03/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3D	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.017	<3
MW-3D	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.017	<3
MW-3D	11/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-3D	11/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-3S	10/01/91	NA	NA	NA	NA	NA	<0.15	NA	NA	**1.8**	0.74	NA	NA
MW-3S	09/01/93	NA	NA	NA	NA	NA	<0.05	NA	NA	**2.3**	<0.1	NA	NA
MW-3S	04/01/95	NA	NA	NA	NA	NA	<0.25	NA	NA	**2.2**	1.1	NA	NA
MW-3S	10/01/95	NA	NA	NA	NA	NA	<0.1	NA	NA	<0.2	<0.2	NA	NA
MW-3S	02/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	**0.5**	<0.1	NA	NA
MW-3S	05/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-3S	09/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-3S	12/01/96	NA	NA	NA	NA	NA	<0.25	NA	NA	<0.5	<0.5	NA	NA
MW-3S	03/01/97	NA	NA	NA	NA	NA	<0.25	NA	NA	<0.5	<0.5	NA	NA
MW-3S	10/01/97	NA	NA	NA	NA	NA	<0.01	NA	NA	**0.4**	<0.01	NA	NA
MW-3S	03/01/98	NA	NA	NA	NA	NA	0.09	NA	NA	**0.46**	<0.1	NA	NA
MW-3S	10/01/98	NA	NA	NA	NA	NA	<0.04	NA	NA	<0.04	<0.1	NA	NA
MW-3S	03/01/99	NA	NA	NA	NA	NA	<0.5	NA	NA	**2.3**	2.3	NA	NA
MW-3S	11/01/99	NA	NA	NA	NA	0.28	<0.1	NA	NA	<0.2	<0.2	NA	NA
MW-3S	04/06/00	<0.1	NA	NA	<0.05	NA	<0.05	NA	NA	<0.1	NA	NA	<3
MW-3S	10/26/00	<0.1	<0.1	<0.1	<0.04	<0.05	0.17	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	04/18/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**2.6**	<0.1	2.9	<3
MW-3S	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	03/20/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	09/05/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	04/09/04	<0.1	0.5	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	0.11	<0.1	<3
MW-3S	10/19/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-3S	06/03/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-3S	04/25/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-3S	05/24/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	0.72 [0.57]	<3 [<3]
MW-3S	06/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-3S	07/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	0.086 I [0.095 I]	<3 [<3]
MW-3S	09/06/06	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	0.11 [0.096]	<0.01 [<0.01]
MW-3S	10/02/06	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-3S	11/02/06	<0.019	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-3S	04/22/07	<0.019	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-3S	11/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	0.16	<0.01
MW-4D	10/02/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-4D	04/02/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-4D	11/01/99	NA	NA	NA	NA	1.2	<0.3	NA	NA	<0.5	NA	NA	NA
MW-4D	04/06/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	10/26/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	04/18/01	<0.1	<0.1	<0.1	2.3	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4D	09/06/02	<1	<1	<1	<0.4	1.7	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4D	04/09/04	<1	<1	<1	<0.4	<0.5	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4D	10/19/04	<0.5	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	<0.5	<0.5	<15
MW-4D	06/06/05	<0.5	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	<2.5	<0.25	<0.5	<0.5	<15
MW-4D	12/21/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.5	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4D	04/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4D	11/02/06	<0.038	<0.032	<0.042	<0.048	0.21	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4D	11/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-4S	10/02/91	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-4S	04/02/93	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-4S	09/01/93	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-4S	04/01/95	NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA
MW-4S	10/01/95	NA	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-4S	02/01/96	NA	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-4S	05/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-4S	09/01/96	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	NA	NA
MW-4S	12/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-4S	03/01/97	NA	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-4S	10/01/97	NA	NA	NA	NA	NA	1	NA	NA	NA	NA	NA	NA
MW-4S	03/01/98	NA	NA	NA	NA	NA	<0.5	NA	NA	NA	NA	NA	NA
MW-4S	10/01/98	NA	NA	NA	NA	NA	<1	NA	NA	NA	NA	NA	NA
MW-4S	03/01/99	NA	NA	NA	NA	NA	<2.5	NA	NA	NA	NA	NA	NA
MW-4S	11/01/99	NA	NA	NA	NA	2.3	<1	NA	NA	<0.1	NA	NA	NA
MW-4S	04/06/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/26/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-4S	04/18/01	<0.1	<0.1	<0.1	<0.04	<0.05	1.4	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	03/20/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-4S	09/06/02	<1 [<1]	<1 [<1]	<1 [<1]	<0.4 [<0.4]	<0.5 [<0.5]	<0.5 [<0.5]	<1 [<1]	NA	<0.5 [<0.5]	<1 [<1]	<1 [<1]	<30 [<30]
MW-4S	04/09/04	<5	<5	<5	<2	<2.5	<2.5	<5	NA	<2.5	<5	<5	<150
MW-4S	10/19/04	<1	<1	<1	<0.4	<0.5	<0.5	<1	NA	<0.5	<1	<1	<30
MW-4S	06/06/05	<2.5	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	12/21/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.5	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-4S	04/26/06	<1	<1	<1	<0.4	<0.5	<0.5	<1	<5	<0.5	<1	<1	<30
MW-4S	05/24/06	<2.5	<2.5	<2.5	<1	<1.25	0.14	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	06/27/06	<2.5	<2.5	<2.5	<1	<1.25	<1.25	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-4S	07/27/06	<2	<2	<2	<0.8	<1	<1	<2	<10	<1	<2	<2	<60
MW-4S	09/06/06	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	10/03/06	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	11/02/06	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-4S	04/22/07	<0.095	<0.08	<0.105	<0.12	<0.11	<0.12	<0.09	<0.75	<0.08	0.72	<0.1	<0.5
MW-4S	11/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-5D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-5D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5D	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-5D	04/04/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	04/17/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-5D	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	09/04/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	04/07/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	10/18/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5D	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	12/16/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	04/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5D	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-5D	11/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-5S	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-5S	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-5S	04/04/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/24/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	09/04/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	04/07/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	10/15/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-5S	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	12/16/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	04/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-5S	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-6D	09/01/93	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	04/01/95	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	10/01/95	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	02/01/96	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	05/01/96	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	09/01/96	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	12/01/96	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	03/01/97	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	10/01/97	NA	NA	NA	<0.04	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	03/01/98	NA	NA	NA	0.04	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	03/01/99	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA	NA
MW-6D	04/04/00	<0.1	NA	NA	<0.05	0.13	<0.05	NA	NA	<0.1	NA	NA	<3
MW-6D	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	0.07 [0.06]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-6D	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-6S	09/01/93	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	04/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	10/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	02/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	05/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-6S	09/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	12/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	03/01/97	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	10/01/97	NA	NA	NA	NA	0.02	NA	NA	NA	NA	NA	NA	NA
MW-6S	03/01/98	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	03/01/99	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-6S	04/04/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	<0.1	NA	<0.1	<3
MW-6S	10/24/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-6S	08/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-7D	09/01/93	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	04/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	10/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	02/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	05/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	09/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	12/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	03/01/97	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	10/01/97	NA	NA	NA	NA	0.09	NA	NA	NA	NA	NA	NA	NA
MW-7D	03/01/98	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA	NA
MW-7D	03/01/99	NA	NA	NA	NA	<0.3	NA	NA	NA	NA	NA	NA	NA
MW-7D	04/05/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	<0.1	NA	<0.1	<0.5
MW-7D	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7D	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	09/01/93	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	04/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	10/01/95	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	02/01/96	NA	NA	NA	NA	0.21	NA	NA	NA	NA	0.11	NA	NA
MW-7S	05/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	09/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	12/01/96	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	03/01/97	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	10/01/97	NA	NA	NA	NA	0.4	NA	NA	NA	NA	<0.01	NA	NA
MW-7S	03/01/98	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	<0.1	NA	NA
MW-7S	03/01/99	NA	NA	NA	NA	0.36	NA	NA	NA	NA	0.15	NA	NA
MW-7S	04/05/00	<0.1	NA	NA	<0.05	0.2	<0.05	NA	NA	<0.1	NA	<0.1	<0.5
MW-7S	06/02/05	<0.1	<0.1	<0.1	<0.04	0.1	<0.05	<0.1	<0.5	<0.05	0.21	<0.1	<3
MW-7S	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-7S	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	0.12	NA	NA	NA
MW-8D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	0.05	NA	NA	NA
MW-8D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	0.055	NA	NA	NA
MW-8D	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	<0.04	NA	NA	NA
MW-8D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	NA	NA	NA
MW-8D	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	04/08/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-8D	10/18/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8D	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8D	11/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		--	--	2	--	--	0.2	--	--	0.1	--	--	--
MW-8S	09/01/93	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	04/01/95	NA	NA	NA	NA	NA	<0.05	NA	NA	**0.15**	NA	NA	NA
MW-8S	10/01/95	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	02/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	05/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	09/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	12/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	03/01/97	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	10/01/97	NA	NA	NA	NA	NA	0.03	NA	NA	<0.01	NA	NA	NA
MW-8S	03/01/98	NA	NA	NA	NA	NA	<0.01	NA	NA	<0.01	NA	NA	NA
MW-8S	10/01/98	NA	NA	NA	NA	NA	<0.04	NA	NA	<0.04	NA	NA	NA
MW-8S	03/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-8S	04/05/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	0.1	NA	<0.1	<0.5
MW-8S	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	0.06	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	10/18/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-8S	06/02/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8S	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-8S	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	0.017 I	<0.1	<0.1	<3
MW-8S	11/02/06	<0.0019	<0.0016	0.011	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-9D	09/01/93	NA	NA	NA	NA	NA	<0.05	NA	NA	**3**	NA	NA	NA
MW-9D	04/01/95	NA	NA	NA	NA	NA	<0.05	NA	NA	**0.71**	NA	NA	NA
MW-9D	10/01/95	NA	NA	NA	NA	NA	<0.05	NA	NA	**0.87**	NA	NA	NA
MW-9D	02/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	**1.1**	NA	NA	NA
MW-9D	05/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-9D	09/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-9D	12/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-9D	03/01/97	NA	NA	NA	NA	NA	<0.5	NA	NA	<1	NA	NA	NA
MW-9D	10/01/97	NA	NA	NA	NA	NA	<0.05	NA	NA	**0.2**	NA	NA	NA
MW-9D	03/01/98	NA	NA	NA	NA	NA	0.019	NA	NA	**0.18**	NA	NA	NA
MW-9D	10/01/98	NA	NA	NA	NA	NA	<0.04	NA	NA	**0.21**	NA	NA	NA
MW-9D	03/01/99	NA	NA	NA	NA	NA	<0.1	NA	NA	**0.12**	NA	NA	NA
MW-9D	11/01/99	NA	NA	NA	NA	NA	<0.3	NA	NA	<0.5	NA	NA	NA
MW-9D	04/05/00	<0.5	NA	NA	<0.25	<0.25	<0.25	NA	NA	**0.54**	NA	<0.5	<2.5
MW-9D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**0.73**	<0.1	<0.1	<3
MW-9D	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-9D	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	**0.81**	<0.1	NA	**0.37**	<0.1	<0.1	<3
MW-9D	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	0.09	<0.1	<0.1	<3
MW-9D	10/19/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	**0.43**	<0.1	<0.1	<3
MW-9D	06/03/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	**0.25**	<0.1	<0.1	<3
MW-9D	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-9D	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-9D	11/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	**0.32**	<0.0017	<0.002	<0.01
MW-10D	09/01/93	NA	NA	NA	NA	NA	**1**	NA	NA	NA	NA	NA	NA
MW-10D	04/01/95	NA	NA	NA	NA	NA	**0.87**	NA	NA	NA	NA	NA	NA
MW-10D	10/01/95	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-10D	02/01/96	NA	NA	NA	NA	NA	0.09	NA	NA	NA	NA	NA	NA
MW-10D	05/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-10D	09/01/96	NA	NA	NA	NA	NA	0.05	NA	NA	NA	NA	NA	NA
MW-10D	12/01/96	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-10D	03/01/97	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-10D	10/01/97	NA	NA	NA	NA	NA	<0.01	NA	NA	NA	NA	NA	NA
MW-10D	03/01/98	NA	NA	NA	NA	NA	0.015	NA	NA	NA	NA	NA	NA
MW-10D	10/01/98	NA	NA	NA	NA	NA	0.086	NA	NA	NA	NA	NA	NA
MW-10D	03/01/99	NA	NA	NA	NA	NA	<0.3	NA	NA	NA	NA	NA	NA
MW-10D	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-10D	04/05/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	<0.1	NA	<0.1	<0.5
MW-10D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-10D	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10D	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10D	03/19/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-10D	09/05/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10D	04/08/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10D	10/19/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10D	06/03/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-10D	12/20/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-10D	04/25/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	0.05 [0.024 I]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-10D	11/01/06	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-10D	07/31/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-10D	11/01/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-10S	09/01/93	NA	NA	NA	NA	<0.05	**1.2**	NA	NA	<0.1	<0.1	NA	NA
MW-10S	04/01/95	NA	NA	NA	NA	<0.5	**1.6**	NA	NA	<1	<1	NA	NA
MW-10S	10/01/95	NA	NA	NA	NA	<0.5	**0.98**	NA	NA	<1	<1	NA	NA
MW-10S	02/01/96	NA	NA	NA	NA	<0.5	**3.4**	NA	NA	<1	<1	NA	NA
MW-10S	05/01/96	NA	NA	NA	NA	<0.05	**6.6**	NA	NA	<0.1	<0.1	NA	NA
MW-10S	09/01/96	NA	NA	NA	NA	<0.05	<3.8	NA	NA	<0.1	0.12	NA	NA
MW-10S	12/01/96	NA	NA	NA	NA	<0.05	**3.4**	NA	NA	<0.1	<0.1	NA	NA
MW-10S	03/01/97	NA	NA	NA	NA	<0.5	**3.7**	NA	NA	<1	<1	NA	NA
MW-10S	10/01/97	NA	NA	NA	NA	<0.01	**0.5**	NA	NA	<0.1	<0.01	NA	NA
MW-10S	03/01/98	NA	NA	NA	NA	<0.05	**1.1**	NA	NA	<0.3	<0.1	NA	NA
MW-10S	10/01/98	NA	NA	NA	NA	<0.06	**2.3**	NA	NA	**0.73**	<0.1	NA	NA
MW-10S	03/01/99	NA	NA	NA	NA	<1	**1.8**	NA	NA	<2	<2	NA	NA
MW-10S	11/01/99	NA	NA	NA	NA	<1	<1	NA	NA	<2	<2	NA	NA
MW-10S	04/05/00	<2	NA	NA	<1	<1	**1.8**	NA	NA	<2	NA	<2	<10
MW-10S	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	**1.1**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10S	04/17/01	<0.1	1.3	**2.7**	<0.04	<0.05	**2.1**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10S	10/16/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-10S	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-10S	09/05/02	<1	0.81	<1	<0.4	<0.5	**0.28**	<1	NA	<0.5	<1	<1	<30
MW-10S	04/08/04	<1	<1	<1	<0.4	<0.5	**0.22**	<1	NA	<0.5	<1	<1	<30
MW-10S	10/19/04	<2.5	<2.5	<2.5	<1	<1.25	<1.25	<2.5	NA	<1.25	<2.5	<2.5	<75
MW-10S	06/03/05	<0.5	<0.5	<0.5	<0.2	<0.25	0.13	<0.5	<2.5	<0.25	<0.5	<0.5	<15
MW-10S	12/20/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.38 [0.33]**	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-10S	04/25/06	<1	<1	<1	<0.4	<0.5	**0.22**	0.44	<5	<0.5	<1	<1	<30
MW-10S	11/01/06	<0.038	0.17	<0.042	<0.048	<0.044	0.16	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-10S	07/31/07	<0.038	0.41	<0.042	<0.048	<0.044	**0.45**	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-10S	11/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	**0.49**	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/04/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	<0.1	NA	<0.1	<3
MW-11S	10/01/00	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	04/01/01	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	10/01/01	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-11S	11/13/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11S	03/18/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11S	05/06/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11S	07/09/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11S	10/14/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-11S	01/18/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	06/01/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	12/12/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	02/01/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	02/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-11S	03/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	04/24/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-11S	05/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	06/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-11S	07/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-11S	09/05/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	10/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	10/31/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	11/28/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	12/17/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	01/31/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	02/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	03/25/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	04/21/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	06/07/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	06/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	07/30/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	08/23/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0 0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	09/30/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-11S	10/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-11S	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	0.04	0 02	NA	NA
MW-12S	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	0.03	<0.1	NA	NA
MW-12S	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	<0.04	<0.1	NA	NA
MW-12S	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	<0.1	<0.1	NA	NA
MW-12S	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-12S	04/04/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	**0.11**	NA	0.1	<3
MW-12S	10/24/00	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12S	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12S	11/13/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12S	03/18/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12S	04/07/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-12S	10/14/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12S	01/18/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	06/01/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	12/13/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	03/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-12S	04/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.0037 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	05/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	06/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-12S	07/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	0.0041 I	<3
MW-12S	09/05/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	10/02/06	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-12S	10/31/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	01/31/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	04/21/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	08/04/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-12S	10/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	10/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-15S	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-15S	11/01/99	NA	NA	NA	NA	NA	<0.05	NA	NA	<0.1	NA	NA	NA
MW-15S	04/04/00	<0.1	NA	NA	<0.05	<0.05	<0.05	NA	NA	<0.1	NA	<0.1	<3
MW-15S	10/24/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	11/13/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	03/18/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	09/04/02	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	04/07/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	05/04/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	07/09/04	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	10/14/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-15S	01/18/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	06/01/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	12/13/05	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	02/01/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	02/27/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	03/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	04/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	05/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.003 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	06/27/06	<0.1 [<0.1]	0.023 I [0.021 I]	<0.1 [<0.1]	<0.04 [<0.04]	0.034 I [0.034 I]	0.0031 I [0.0031 I]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-15S	07/26/06	<0.1	0.0064 I	<0.1	<0.04	<0.05	0.0027 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-15S	09/05/06	<0.0019 [<0.0019]	0.0096 [0.012]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15S	10/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	10/31/06	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	0.023 [0.02]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-15S	11/28/06	<0.0019	<0.0016	<0.0021	<0.0024	0.011	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	12/17/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	03/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	03/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	04/21/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	05/20/07	<0.0019	<0.0016	<0.0021	0.017	0.01	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	06/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	07/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	08/23/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	10/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-15S	11/27/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	10/01/97	NA	NA	NA	NA	<0.3	**0.5**	NA	NA	**0.3**	<0.3	NA	NA
MW-16D	03/01/98	NA	NA	NA	NA	<0.05	**5.6**	NA	NA	<0.01	<0.1	NA	NA
MW-16D	10/01/98	NA	NA	NA	NA	<0.06	**4.5**	NA	NA	<1	<0.1	NA	NA
MW-16D	03/01/99	NA	NA	NA	NA	<0.5	**1.2**	NA	NA	<1	<1	NA	NA
MW-16D	11/01/99	NA	NA	NA	NA	<0.5	<0.5	NA	NA	<1	<1	NA	NA
MW-16D	04/05/00	<0.5	NA	NA	<0.25	<0.25	**0.63**	NA	NA	<0.5	NA	<0.5	<2.5
MW-16D	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/16/01	<0.1	<0.1	<0.1	<0.04	<0.05	**0.7**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	03/19/02	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16D	09/04/02	<0.1	<0.1	<0.1	<0.04	<0.05	0.04	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	04/07/04	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16D	10/19/04	<2.5	<2.5	<2.5	<1	<1.25	**0.4**	<2.5	NA	<1.25	<2.5	<2.5	<75
MW-16D	06/06/05	<2.5	<2.5	<2.5	<1	<1.25	0.11	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16D	12/21/05	<0.1	<0.1	<0.1	<0.04	<0.05	0.083	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	03/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	04/26/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16D	05/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	06/28/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16D	07/27/06	<2	<2	<2	<0.8	<1	0.077	<2	<10	<1	<2	<2	<60
MW-16D	09/06/06	<0.019	<0.016	<0.021	<0.024	0.43	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-16D	10/02/06	<0.038 [<0.038]	0.078 [0.085]	<0.042 [<0.042]	<0.048 [<0.048]	<0.044 [<0.044]	0.059 [0.054]	<0.036 [<0.036]	<0.3 [<0.3]	<0.032 [<0.032]	<0.034 [<0.034]	<0.04 [<0.04]	<0.2 [<0.2]
MW-16D	11/02/06	<0.0095	0.017	<0.0105	<0.012	0.13	0.029	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16D	11/28/06	<0.0019	0.0077	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	12/18/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	03/01/07	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-16D	04/22/07	<0.019 [<0.019]	<0.016 [<0.016]	<0.021 [<0.021]	<0.024 [<0.024]	<0.022 [<0.022]	<0.024 [<0.024]	<0.018 [<0.018]	<0.15 [<0.15]	<0.016 [<0.016]	<0.017 [<0.017]	<0.02 [<0.02]	<0.1 [<0.1]

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-16D	05/18/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-16D	06/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	07/31/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	08/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	10/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16D	12/05/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	10/01/97	NA	NA	NA	NA	<0.3	**5**	NA	NA	<0.3	<0.3	NA	NA
MW-16S	03/01/98	NA	NA	NA	NA	0.17	**0.88**	NA	NA	<0.1	<0.1	NA	NA
MW-16S	10/01/98	NA	NA	NA	NA	<0.6	**1.3**	NA	NA	<0.04	<0.1	NA	NA
MW-16S	03/01/99	NA	NA	NA	NA	<0.5	**2.8**	NA	NA	<1	<1	NA	NA
MW-16S	11/01/99	NA	NA	NA	NA	<0.05	<0.05	NA	NA	<0.1	<0.1	NA	NA
MW-16S	04/05/00	<0.5	NA	NA	<0.25	<0.25	**1.9**	NA	NA	<0.5	NA	<0.5	<2.5
MW-16S	10/24/00	<0.1	<0.1	<0.1	<0.04	<0.05	**7.8**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	04/17/01	<0.1 [<0.1]	1.3 [0.92]	**3.3 [2.9]**	<0.04 [<0.04]	<0.05 [<0.05]	**1.1 [1]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	10/16/01	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	**0.6 [0.6]**	<0.1 [<0.1]	NA	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-16S	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	**0.58**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-16S	09/04/02	<1	<1	<1	<0.4	<0.5	**0.51**	<1	NA	<0.5	<1	<1	<30
MW-16S	04/07/04	<1	<1	<1	<0.4	<0.5	0.11	<1	NA	<0.5	<1	<1	<30
MW-16S	10/19/04	<0.5	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	0.07	<0.5	<15
MW-16S	06/06/05	<0.2	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6
MW-16S	12/21/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	03/28/06	<0.1	0.24	<0.1	<0.04	<0.05	0.062	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-16S	04/26/06	<1	0.35	<1	<0.4	<0.5	0.079	<1	<5	<0.5	<1	<1	<30
MW-16S	05/24/06	<2.5	<2.5	<2.5	<1	<1.25	0.13	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	06/27/06	<2.5	<2.5	<2.5	<1	<1.25	0.096	<2.5	<12.5	<1.25	<2.5	<2.5	<75
MW-16S	07/27/06	<1	<1	<1	<0.4	<0.5	0.038 I	<1	<5	<0.5	<1	<1	<30
MW-16S	09/06/06	<0.038	0.44	0.16	<0.048	0.22	0.084	<0.036	<0.3	<0.032	<0.034	0.065	<0.2
MW-16S	10/02/06	<0.0019	0.27	<0.0021	<0.0024	0.11	0.019	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	11/02/06	<0.0038	0.2	<0.0042	<0.0048	0.15	0.039	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-16S	11/28/06	<0.0019	<0.0016	<0.0021	<0.0024	0.19	0.067	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	12/18/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.058	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	0.081	0.028	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	03/01/07	<0.0019	0.15	<0.0021	<0.0024	<0.0022	0.018	<0.0018	<0.015	<0.0016	0.11	<0.002	<0.01
MW-16S	03/26/07	<0.0095	0.13	<0.0105	<0.012	<0.011	<0.012	<0.009	<0.075	<0.008	<0.0085	<0.01	<0.05
MW-16S	04/22/07	<0.019	<0.016	<0.021	<0.024	<0.022	<0.024	<0.018	<0.15	<0.016	<0.017	<0.02	<0.1
MW-16S	05/18/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	0.068	<0.002	<0.01
MW-16S	06/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	07/31/07	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-16S	08/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	10/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-16S	12/05/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.069	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-17S	10/01/98	NA	NA	NA	NA	NA	**3.8**	NA	NA	NA	NA	NA	NA
MW-17S	03/01/99	NA	NA	NA	NA	NA	**1.9**	NA	NA	NA	NA	NA	NA
MW-17S	11/01/99	NA	NA	NA	NA	NA	<0.5	NA	NA	<1	NA	NA	NA
MW-17S	04/05/00	<0.5	NA	NA	<0.25	<0.05	**2.3**	NA	NA	<0.1	NA	<0.5	<0.5
MW-17S	10/25/00	<0.1	<0.1	<0.1	<0.04	<0.05	**1.4**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17S	04/18/01	<0.1	<0.1	1.5	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17S	10/17/01	<0.1	<0.1	<0.1	<0.04	<0.05	**0.48**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17S	03/19/02	<0.1	<0.1	<0.1	<0.04	<0.05	**0.28**	<0.1	NA	<0.05	<0.1	<0.1	<3
MW-17S	09/05/02	<1	<1	<1	<0.4	<0.5	**0.37**	<1	NA	<0.5	<1	<1	<30
MW-17S	04/08/04	<1	<1	<1	<0.4	<0.5	**0.4**	<1	NA	<0.5	<1	<1	<30
MW-17S	10/19/04	<0.5	<0.5	<0.5	<0.2	<0.25	<0.25	<0.5	NA	<0.25	<0.5	<0.5	<15
MW-17S	06/03/05	<0.2	<0.2	<0.2	<0.08	<0.1	<0.1	<0.2	<1	<0.1	<0.2	<0.2	<6
MW-17S	12/21/05	<0.1	<0.1	<0.1	<0.04	<0.05	**0.29**	<0.1	<0 5	<0.05	<0.1	<0.1	<3
MW-17S	04/25/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	0.22	<0.1	<3
MW-17S	11/02/06	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-18S	12/13/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	02/01/06	<0.1 [<0.1]	<0.1 [<0.1]	<0.1 [<0.1]	<0.04 [<0.04]	<0.05 [<0.05]	<0.05 [<0.05]	<0.1 [<0.1]	<0.5 [<0.5]	<0.05 [<0.05]	<0.1 [<0.1]	<0.1 [<0.1]	<3 [<3]
MW-18S	02/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	03/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	04/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	05/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-18S	06/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	07/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-18S	09/05/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	10/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	10/31/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0053 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	11/28/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	12/17/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	01/31/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0037 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	03/01/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	0.024 [0.023]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-18S	03/26/07	<0.0019	<0.0016	<0.0021	<0.0024	0.0031 I	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	04/21/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	05/20/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	06/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	07/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	08/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	10/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-18S	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	12/13/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	02/01/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	02/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	03/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	04/24/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	05/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	06/27/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	07/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-19S	09/05/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	10/02/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	10/31/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	02/01/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	04/21/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	08/04/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-19S	10/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	12/12/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	01/29/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	02/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	03/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	05/21/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	06/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	0.0038 I	<0.1	<0.1	<3
MW-20S	07/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-20S	08/27/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	10/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	10/29/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	01/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	04/22/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0039 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-20S	07/29/07	<0.0019 [0.003 I]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0 0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-20S	10/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	12/12/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	01/29/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.0088 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	02/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.0075 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	03/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0 1	<0.1	<3
MW-21S	04/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.013 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	05/21/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.011	<0.1	<0.5	<0.05	<0 1	<0.1	<3
MW-21S	06/26/06	0.0079 I	<0.1	<0.1	<0.04	<0.05	0.013	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	07/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.015 I	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-21S	08/27/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.012	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	10/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0089 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	10/29/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.011	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	11/26/06	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	0.011 [0.011]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-21S	12/17/06	<0.0038 [<0.0019]	<0.0032 [<0.0016]	<0.0042 [<0.0021]	<0.0048 [<0.0024]	<0.0044 [<0.0022]	0.012 [0.012]	<0.0036 [<0.0018]	<0.03 [<0.015]	<0.0032 [<0.0016]	<0.0034 [<0.0017]	<0.004 [<0.002]	<0.02 [<0.01]
MW-21S	01/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.009 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	02/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	03/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.01	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	04/22/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.016	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-21S	05/20/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	06/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.018	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	07/29/07	0.0066 I	<0.0016	<0.0021	<0.0024	<0.0022	0.012	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	08/26/07	<0.0019	<0.0016	<0.0021	0.018	<0.0022	0.01	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.023	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-21S	10/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0084 I	0.028	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	12/12/05	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	01/29/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.014	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	02/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	03/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	04/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	05/21/06	<0.1	<0.1	<0.1	0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	06/26/06	<0.1	<0.1	<0.1	<0.04	<0.05	0.02 I	<0.1	<0.5	0.044	<0.1	<0.1	<3
MW-22S	07/23/06	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	<0.5	<0.05	<0.1	<0.1	<3
MW-22S	08/27/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	10/01/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0057 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	10/29/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.013	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	11/26/06	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	12/17/06	<0.0038	<0.0032	<0.0042	<0.0048	0.051	<0.0048	<0.0036	<0.03	<0.0032	<0.0034	<0.004	<0.02
MW-22S	01/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	02/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	03/25/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	04/22/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	06/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.041	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	07/29/07	0.005 I	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	08/26/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0056 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	09/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0024 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-22S	10/28/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-23D	09/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-23M	09/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-23S	09/29/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-24D	10/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-24S	10/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-25D	10/30/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-25M	10/18/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-25S	10/18/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-26D	10/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-26D	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-27D	10/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-27D	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-28D	10/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-28D	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-29D	10/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-29D	10/30/07	<0.0019 [<0.0019]	<0.0016 [<0.0016]	<0.0021 [<0.0021]	<0.0024 [<0.0024]	<0.0022 [<0.0022]	<0.0024 [<0.0024]	<0.0018 [<0.0018]	<0.015 [<0.015]	<0.0016 [<0.0016]	<0.0017 [<0.0017]	<0.002 [<0.002]	<0.01 [<0.01]
MW-29D	12/02/07	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	<0.04	<0.2
MW-30D	10/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-30D	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-31D	10/24/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-31D	12/02/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-32D	11/27/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	0.056	<0.01

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Endrin aldehyde (ug/L)	Endrin ketone (ug/L)	g-Chlordane (ug/L)	Heptachlor (ug/L)	Heptachlor epoxide (ug/L)	Lindane (ug/L)	Methoxychlor (ug/L)	Mirex (ug/L)	p,p'-DDD (ug/L)	p,p'-DDE (ug/L)	p,p'-DDT (ug/L)	Toxaphene (ug/L)
Cleanup Goal		- -	- -	2	- -	- -	0.2	- -	- -	0.1	- -	- -	- -
MW-33D	11/27/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-34D	11/27/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.0029 I	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-36D	12/05/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	**22**	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-36S	12/05/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	**1.5**	<0.0018	<0.015	**0.27**	<0.0017	<0.002	<0.01
MW-37D	11/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	**0.17**	<0.0017	<0.002	<0.01
MW-37S	11/28/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	0.045	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-38D	12/05/07	<0.038	<0.032	<0.042	<0.048	<0.044	<0.048	<0.036	<0.3	<0.032	<0.034	2.9	<0.2
MW-A	10/18/90	NA	NA	NA	NA	NA	<0.01	NA	NA	NA	NA	NA	NA
MW-A	10/02/91	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-A	07/31/07	<0.0019	<0.0016	<0.0021	<0.0024	<0.0022	<0.0024	<0.0018	<0.015	<0.0016	<0.0017	<0.002	<0.01
MW-D	10/02/90	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	10/18/90	NA	NA	NA	NA	NA	<0.01	NA	NA	NA	NA	NA	NA
MW-D	10/01/91	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	10/02/91	NA	NA	NA	NA	NA	<0.05	NA	NA	NA	NA	NA	NA
MW-D	04/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	09/01/93	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	04/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	10/01/95	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	02/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	05/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	09/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	12/01/96	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	03/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	10/01/97	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	03/01/98	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	03/01/99	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-D	04/05/00	<0.1	<0.1	<0.1	<0.04	<0.05	<0.05	<0.1	NA	<0.05	<0.1	<0.1	<3

LEGEND

NA	= Not Analyzed
ug/L	= Micrograms per Liter
[value]	= Duplicate sample result
I	= The report value is between the laboratory method detection limit and the laboratory practical quantitation limit (PQL)

TABLE 3
SUMMARY OF GEOCHEMICAL INDICATOR PARAMETERS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Iron (mg/L)	TOC (mg/L)	pH (SU)	DO (mg/L)	ORP (mV)	Conductivity (µS/cm)
MW-11S	12/17/06	0.039 V	NA	5.42	0.64	-14.6	184
MW-11S	01/31/07	NA	NA	6.03	2.37	41.9	190
MW-11S	02/25/07	NA	NA	5.26	1.90	NA	201
MW-11S	03/25/07	NA	NA	4.80	1.15	249	187
MW-11S	04/21/07	0.041	NA	4.79	0.90	-43	187
MW-11S	05/18/07	NA	NA	4.76	0.06	72.1	165
MW-11S	06/07/07	NA	NA	5.00	0.47	-186	206
MW-11S	06/25/07	3.3	115	5.40	0.32	-179	225
MW-11S	07/30/07	2.5	228	5.13	0.33	-200.5	279
MW-11S	08/23/07	2.0	277	4.66	0.24	-204	261
MW-11S	09/30/07	1.5	128	4.63	0.25	-225	185
MW-11S	10/29/07	1.1 V	74	4.74	0.19	-203	148
MW-11S	12/02/07	0.66	15.3	5.63	0.12	-231	113
MW-15S	12/17/06	0.092 V	NA	5.95	0.44	-20	156
MW-15S	02/01/07	NA	NA	5.10	0.53	1.4	130
MW-15S	03/01/07	NA	NA	4.80	NA	-8.5	118
MW-15S	03/25/07	NA	NA	4.76	0.88	-75	123
MW-15S	04/21/07	0.047	NA	4.73	1.70	-57	142
MW-15S	05/20/07	NA	NA	4.76	0.07	171	141
MW-15S	06/25/07	5.2	4.11	5.80	0.11	-148	160
MW-15S	07/30/07	22	480	5.23	0.21	-211	340
MW-15S	08/23/07	21	913	4.70	0.18	-195	518
MW-15S	09/30/07	40	520	4.56	0.59	-206	501
MW-15S	10/28/07	15 V	156	5.06	0.22	-226	210
MW-15S	11/27/07	17 V	113	5.47	0.14	-232	192
MW-16D	12/18/06	1.5 V	NA	5.27	0.41	-61	108
MW-16D	02/01/07	28 V	NA	4.95	0.69	-42.9	336
MW-16D	03/01/07	NA	NA	5.49	1.3	-139	465
MW-16D	03/26/07	NA	NA	5.77	0.12	-278	319
MW-16D	04/22/07	130	NA	4.61	0.27	-142	995
MW-16D	05/18/07	NA	NA	5.97	0.11	-219	855
MW-16D	06/26/07	47	16.8	6.80	0.03	-245	386
MW-16D	07/31/07	13 V	16.4	6.29	0.13	-253	262
MW-16D	08/26/07	0.67	16.4	5.94	0.09	-248	284
MW-16D	09/30/07	6.6	13.7	5.91	0.38	-209	234
MW-16D	10/29/07	8.0 V	70.5	5.90	0.28	-260	255
MW-16D	12/05/07	6.7 V	10.9	5.73	0.09	-216	236
MW-16S	12/18/06	0.1 V	NA	6.08	0.72	-47	83
MW-16S	02/01/07	0.19 V	NA	5.83	0.74	3.4	87
MW-16S	03/01/07	NA	NA	5.03	0.29	-55	772
MW-16S	03/26/07	NA	NA	5.12	0.86	-138	179
MW-16S	04/22/07	3.1	NA	4.85	4.6	-140	328
MW-16S	05/18/07	NA	NA	5.46	0.03	-158	186
MW-16S	06/26/07	1.8	112	6.52	0.05	-229	280
MW-16S	07/31/07	1.0 V	130	6.10	0.19	-260	432
MW-16S	08/26/07	8.1	10	5.79	1.15	-246	135
MW-16S	09/30/07	0.33	6.89	5.86	0.86	-251	110
MW-16S	10/29/07	0.20 V	5.19	5.80	0.23	-227	111
MW-16S	12/05/07	0.29 V	5.45	6.12	0.26	-197	119
MW-18S	12/17/06	0.088 V	NA	6.98	0.30	17	183
MW-18S	01/31/07	NA	NA	6.14	0.46	41.2	196
MW-18S	03/01/07	NA	NA	4.74	NA	134	203
MW-18S	03/26/07	NA	NA	5.45	0.4	134	214
MW-18S	04/21/07	NA	NA	5.28	0.5	-47	468
MW-18S	05/20/07	NA	NA	5.08	0.12	81	312
MW-18S	06/25/07	0.059	2.48	6.00	0.26	-21	320
MW-18S	07/30/07	0.031	1.95	5.71	3.4	151	307
MW-18S	08/26/07	0.052	5.8	5.34	1.12	-84	347

TABLE 3
SUMMARY OF GEOCHEMICAL INDICATOR PARAMETERS
CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

Sample ID	Date Collected	Iron (mg/L)	TOC (mg/L)	pH (SU)	DO (mg/L)	ORP (mV)	Conductivity (µS/cm)
MW-18S	09/30/07	0.027	6.36	5.60	1.05	-149.8	369
MW-18S	10/29/07	0.031	3.64	5.38	0.22	-132	315
MW-18S	12/02/07	0.023	3.01	5.80	0.28	-152	280
MW-23D	09/29/07	NA	NA	6.74	0.19	-184	446
MW-23M	09/29/07	NA	NA	6.44	0.20	-134	216
MW-24D	10/30/07	NA	NA	6.62	0.50	-266	250
MW-24S	10/30/07	NA	NA	6.74	0.19	-242	510
MW-29D	10/24/07	NA	NA	5.24	0.34	-209	226
MW-29D	10/30/07	NA	NA	5.40	NA	-211	233
MW-29D	12/02/07	NA	NA	5.82	0.19	-243	217
MW-30D	10/24/07	NA	NA	5.89	1.79	-128	189
MW-30D	12/02/07	NA	NA	6.52	0.10	-161	241
MW-32D	11/27/07	NA	NA	6.09	0.18	-227	1319

LEGEND

NA	= Not Analyzed
Iron	= Dissolved Iron (Laboratory)
TOC	= Total Organic Carbon (Laboratory)
pH	= Measure of Acidity/Alkalinity (Field)
DO	= Dissolved Oxygen (Field)
ORP	= Oxidation-Reduction Potential (Field)
Conductivity	= Specific Conductivity (Field)
mg/L	= Milligrams per Liter
SU	= Standard Units
mV	= MilliVolts
µS/cm	= Microsiemens per Centimeter
V	= Indicates that the analyte was detected in both the sample and the associated method blank.

ARCADIS

Figures



REFERENCE: BASE MAP USGS 7.5. MIN. TOPO. QUAD., ORLANDO WEST, FLORIDA, 1955.

0 2000' 4000'

Approximate Scale: 1" = 2000'

NOTE: PROPERTY LOCATION IS APPROXIMATE ONLY.



CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

TOPOGRAPHIC MAP OF SITE LOCATION AND VICINITY

ARCADIS

FIGURE
1

CITY:SYR DIVGROUP:85 DB:KLS LD: AM: PD: TM: TR: LYR:ON=*;OFF=*REF*
G:\CAD\ACT\60045313\0000\00011\45313X02.DWG LAYOUT: 1 SAVED: 1/14/2008 10:30 AM ACADVER: 17.0S (LMS TECH) PAGESETUP: --- PLOTSTYLETABLE: PLTFULL.CTB PLOTTED: 1/14/2008 10:30 AM BY: SARTORI, KATHERINE
XREFS: IMAGES: PROJECTNAME: ---
45313X00 45313X01.TIF



LEGEND

- MW-1D — DEEP MONITORING WELL
- MW-1S — SHALLOW MONITORING WELL
- MW-25M — MIDDLE MONITORING WELL
- X — X FENCE
- RAILROAD TRACK
- EXISTING INJECTION POINT
- ▲ SOIL BORING LOCATIONS

0 100' 200'

GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

SITE PLAN

ARCADIS

FIGURE
2

IRV-130-JMS LAYER: ON=*; OFF=*REF*
F:\IBM\CAD\2007PROJ\45313.00012\45313B06.dwg SAVED 1/25/2008 4:00 PM LAYOUT:Model PAGESETUP:BL-7300N-SYR PENTABLE.PLTFULL.CTB PRINTED:1/25/2008 4:00 PM BY:JMS
PROJECT NAME:CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
MW-25M	MIDDLE MONITORING WELL
X——X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	alpha-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

alpha-BHC CONCENTRATIONS IN GROUNDWATER FOURTH QUARTER 2007

ARCADIS

FIGURE 3

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.020\45313C01.dwg SAVED: 2/25/2008 4:54 PM LAYOUT:Model PAGESETUP: BL-730ON-SYR PENTABLE PLTFULL.CTB PRINTED: 2/25/2008 4:54 PM BY: JMS
PROJECT NAME CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

- MW-1D — DEEP MONITORING WELL
- MW-1S — SHALLOW MONITORING WELL
- MW-25M — MIDDLE MONITORING WELL
- X — X FENCE
- RAILROAD TRACK
- ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
- <NUMBER — beta-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
- NS — NOT SAMPLED
- I — THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
- NA — NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

beta-BHC CONCENTRATIONS IN GROUNDWATER FOURTH QUARTER 2007

ARCADIS

FIGURE 4

IRV-130-JMS LAYER: ON=*; OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.020\45313G02.dwg SAVED: 2/25/2008 5:01 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 2/25/2008 5:01 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
X — X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	LINDANE NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

LINDANE CONCENTRATIONS IN GROUNDWATER FOURTH QUARTER 2007

ARCADIS

FIGURE 5

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.020\45313C03.dwg SAVED: 2/25/2008 5:09 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 2/25/2008 5:09 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS:
IMAGES:
45313X01



BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

LEGEND

MW-1D	DEEP MONITORING WELL
MW-1S	SHALLOW MONITORING WELL
MW-25M	MIDDLE MONITORING WELL
X — X	FENCE
	RAILROAD TRACK
	ANALYTE DETECTED AT CONCENTRATION GREATER THAN CLEANUP STANDARD
<NUMBER	delta-BHC NOT DETECTED ABOVE LABORATORY REPORTING LIMITS
NS	NOT SAMPLED
I	THE REPORTED VALUE IS BETWEEN THE LABORATORY METHOD DETECTION LIMIT AND THE LABORATORY PRACTICAL QUANTITATION LIMIT.
NA	NOT ANALYZED. SAMPLE COLLECTED, BOTTLE BROKEN IN TRANSIT.

ANALYTE	CLEANUP STANDARD
alpha-BHC	0.05
beta-BHC	0.1
LINDANE	0.2
CHLORDANE	2
4,4'-DDD	0.1

CONCENTRATIONS ARE IN MICROGRAMS PER LITER (PPB)

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

delta-BHC CONCENTRATIONS IN GROUNDWATER
FOURTH QUARTER 2007

ARCADIS

FIGURE
6

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.020\45313C04.dwg SAVED: 2/25/2008 5:36 PM LAYOUT:Model PAGESETUP:BL-7300N-SYR PENTABLE.PLTFULL.CTB PRINTED 2/25/2008 5:36 PM BY:JMS
PROJECT NAME:CHEVRON ORLANDO
XREFS: IMAGES:
45313X01



LEGEND

- MW-1D — DEEP MONITORING WELL
- MW-1S — SHALLOW MONITORING WELL
- x——x FENCE
- RAILROAD TRACK
- (89.86) GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- —90.00— GROUNDWATER ELEVATION CONTOUR LINE (FEET ABOVE MEAN SEA LEVEL)
- INFERRED GROUNDWATER FLOW DIRECTION

0 100' 200'
GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

GROUNDWATER ELEVATION CONTOUR MAP
SHALLOW WELLS - DECEMBER 14, 2007

ARCADIS

FIGURE
7

IRV-130-JMS LAYER: ON=* OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.0020\45313W01.dwg SAVED: 2/25/2008 1:48 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 1/25/2008 1:48 PM BY: JMS
PROJECT NAME: CHEVRON ORLANDO
XREFS: IMAGES:
45313X01 FIG 3.jpg



LEGEND

- MW-1D — DEEP MONITORING WELL
- MW-1S — SHALLOW MONITORING WELL
- X——X — FENCE
- RAILROAD TRACK
- (89.54) — GROUNDWATER ELEVATION (FEET ABOVE MEAN SEA LEVEL)
- * — GROUNDWATER ELEVATION APPEARS TO BE ANOMALOUS AND WAS NOT USED TO CALCULATE CONTOURS
- —90.00— — GROUNDWATER ELEVATION CONTOUR LINE (FEET ABOVE MEAN SEA LEVEL)
- INFERRED GROUNDWATER FLOW DIRECTION

0 100' 200'

GRAPHIC SCALE

BASE MAP IS FROM LD BRADLEY LAND SURVEYORS, FILE NUMBER 98383, NO DATE, AT A SCALE OF 1"=100'.

CHEVRON EMC
HOUSTON, TEXAS

CHEVRON ORLANDO SUPERFUND SITE
ORLANDO, FLORIDA

GROUNDWATER ELEVATION CONTOUR MAP
DEEP WELLS - DECEMBER 14, 2007

ARCADIS

FIGURE
8

IRV-130-JMS LAYER: ON=*, OFF=*REF*
G:\COMMON\ALLEN\PROJECT DRAWINGS\2007\45313.0020\45313W02.dwg SAVED: 1/25/2008 1:51 PM LAYOUT: Model PAGESETUP: BL-7300N-SYR PENTABLE: PLTFULL.CTB PRINTED: 1/25/2008 1:51 PM BY: JMS
PROJECT NAME CHEVRON ORLANDO
XREFS: IMAGES:
45313X01 FIG 4.tiff

ARCADIS

Appendix A

Chain-of-Custody Documentation
and Laboratory Reports

October 29, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071019.03**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
56925	CO-GW-MW-25S	10/18/2007
56926	CO-GW-MW-25M	10/18/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071019.03	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **56925**
Sample Designation **CO-GW-MW-25S**

Matrix: Groundwater
Date Collected: 10/18/2007 14:27
Date Received: 10/19/2007 12:25

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/22/07						10/22/07 17:00
Date Analyzed			10/27/07	1				10/27/07 20:18	
Surrogate (10-139)	8081	%	75	1		1.0		10/27/07 20:18	10/22/07 17:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	10/27/07 20:18	10/22/07 17:00
b-BHC	8081	ug/L	0.069	1	0.003	0.012	319-85-7	10/27/07 20:18	10/22/07 17:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 20:18	10/22/07 17:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 20:18	10/22/07 17:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 20:18	10/22/07 17:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 20:18	10/22/07 17:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 20:18	10/22/07 17:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 20:18	10/22/07 17:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 20:18	10/22/07 17:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	10/27/07 20:18	10/22/07 17:00
Dieldrin	8081	ug/L	0.13	1	0.0014	0.0056	60-57-1	10/27/07 20:18	10/22/07 17:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 20:18	10/22/07 17:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 20:18	10/22/07 17:00
Endosulfan II	8081	ug/L	0.045	1	0.0018	0.0072	33213-65-9	10/27/07 20:18	10/22/07 17:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 20:18	10/22/07 17:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 20:18	10/22/07 17:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 20:18	10/22/07 17:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 20:18	10/22/07 17:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 20:18	10/22/07 17:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 20:18	10/22/07 17:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 20:18	10/22/07 17:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 20:18	10/22/07 17:00

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071019.03	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **56926**
Sample Designation **CO-GW-MW-25M**

Matrix: Groundwater
Date Collected: 10/18/2007 15:00
Date Received: 10/19/2007 12:25

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/22/07						10/22/07 17:00
Date Analyzed			10/27/07	1				10/27/07 20:32	
Surrogate (10-139)	8081	%	71	1		1.0		10/27/07 20:32	10/22/07 17:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	10/27/07 20:32	10/22/07 17:00
b-BHC	8081	ug/L	0.29	1	0.003	0.012	319-85-7	10/27/07 20:32	10/22/07 17:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 20:32	10/22/07 17:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 20:32	10/22/07 17:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 20:32	10/22/07 17:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 20:32	10/22/07 17:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 20:32	10/22/07 17:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 20:32	10/22/07 17:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 20:32	10/22/07 17:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	10/27/07 20:32	10/22/07 17:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	10/27/07 20:32	10/22/07 17:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 20:32	10/22/07 17:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 20:32	10/22/07 17:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 20:32	10/22/07 17:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 20:32	10/22/07 17:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 20:32	10/22/07 17:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 20:32	10/22/07 17:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 20:32	10/22/07 17:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 20:32	10/22/07 17:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 20:32	10/22/07 17:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 20:32	10/22/07 17:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 20:32	10/22/07 17:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071019.03	Project Description: Chevron Orlando

October 29, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071019.03	Project Description: Chevron Orlando

October 29, 2007

Batch No: **C2747**

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 56925, 56926

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*56872*	*56872*					
Surrogate (10-139)	91														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	57	50 *	13 *	11	56-99	100	70	73	4	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	64	55	15	15	53-140	100	80	84	5	57	0-162		
Aldrin	0.002 U	100	63	58	8	12	50-104	100	73	73	0	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	74	66	11	11	53-110	100	96	102	6	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	88	81	8	17	62-130	100	91	98	7	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	80	73	9	13	53-171	100	79	86	8	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

MI	*Matrix Interference*
U	*The analyte was not detected at or above the reported detection limit.*

№ 12568

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolan
Address: 27751 Lake Jem Road
Mount Dora, FL
Phone / Fax: 352 383-0717
E-Mail :

SunLabs Project # 071019.03

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen West
Arcadis

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081
Bottle Type					AG
Preservative					I
Matrix					GW
56925	CO-GW-MW-25S	10/18/07	1421	3	3
56926	CO-GW-MW-25M	10/18/07	1500	1	1

Due Date Requested: 10/26/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 10/18/07

Printed Name / Affiliation: Susan Tolan / TASK

Bottle Type Codes:

GV = Glass Vial
GVS = Low Level Volatile Kit
GA = Glass Amber
T = Tedlar Bag
P = Plastic
O = Other
S = Soil Jar

Preservative Codes:

H = Hydrochloric Acid + Ice
S = Sulfuric Acid + Ice
I = Ice only
VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice
O = Other (Specify)

Matrix Codes:

SO = Soil
A = Air
SOL = Solid
DW = Drinking Water
SW = Surface Water
GW = Ground Water
W = Water (Blanks)
SE = Sediment
O = Other (Specify)

Temp: 3.7°C

Received on Ice? (Y) N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? Y / N / (NA)
Sample containers intact? (Y) N / NA
Samples within holding times? (Y) N / NA
Sufficient volume for all analyses? (Y) N / NA
Are vials head-space free? Y / N / (NA)
Proper containers and preservatives? (Y) N / NA

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
[signature]	[signature]	10/19/07	1225
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

October 29, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071025.01**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
57236	CO-GW-MW-29	10/24/2007
57237	CO-GW-MW-30	10/24/2007
57238	CO-GW-MW-26	10/24/2007
57239	CO-GW-MW-27	10/24/2007
57240	CO-GW-MW-31	10/24/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **57236**
Sample Designation **CO-GW-MW-29**

Matrix: Groundwater
Date Collected: 10/24/2007 10:37
Date Received: 10/25/2007 11:20

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/25/07						10/25/07 17:30
Date Analyzed			10/27/07	1				10/27/07 17:44	
Surrogate (10-139)	8081	%	129	20		1.0		10/29/07 12:21	10/25/07 17:30
a-BHC	8081	ug/L	2.3	20	0.046	0.18	319-84-6	10/29/07 12:21	10/25/07 17:30
b-BHC	8081	ug/L	2.1	20	0.06	0.24	319-85-7	10/29/07 12:21	10/25/07 17:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 17:44	10/25/07 17:30
d-BHC	8081	ug/L	6.9	20	0.046	0.18	319-86-8	10/29/07 12:21	10/25/07 17:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 17:44	10/25/07 17:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 17:44	10/25/07 17:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 17:44	10/25/07 17:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 17:44	10/25/07 17:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 17:44	10/25/07 17:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	10/27/07 17:44	10/25/07 17:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	10/27/07 17:44	10/25/07 17:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 17:44	10/25/07 17:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 17:44	10/25/07 17:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 17:44	10/25/07 17:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 17:44	10/25/07 17:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 17:44	10/25/07 17:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 17:44	10/25/07 17:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 17:44	10/25/07 17:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 17:44	10/25/07 17:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 17:44	10/25/07 17:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 17:44	10/25/07 17:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 17:44	10/25/07 17:30
Volatile Organic Compounds									
Date Analyzed			10/27/2007	1				10/27/07 02:36	
Surrogate (66-125)	8260	%	110	1				10/27/07 02:36	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/27/07 02:36	
Benzene	8260	ug/L	7.9	1	0.1	0.5	71-43-2	10/27/07 02:36	
Toluene	8260	ug/L	0.74	1	0.3	0.5	108-88-3	10/27/07 02:36	
Ethylbenzene	8260	ug/L	3.7	1	0.2	0.8	100-41-4	10/27/07 02:36	
Total Xylenes	8260	ug/L	38	1	0.4	2	1330-20-7	10/27/07 02:36	
Total VOA	8260	ug/L	50.34	1		0.5		10/27/07 02:36	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **57237**
Sample Designation **CO-GW-MW-30**

Matrix: Groundwater
Date Collected: 10/24/2007 11:29
Date Received: 10/25/2007 11:20

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/25/07						10/25/07 17:30
Date Analyzed			10/27/07	1				10/27/07 17:58	
Surrogate (10-139)	8081	%	93	1		1.0		10/27/07 17:58	10/25/07 17:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	10/27/07 17:58	10/25/07 17:30
b-BHC	8081	ug/L	0.18	1	0.003	0.012	319-85-7	10/27/07 17:58	10/25/07 17:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 17:58	10/25/07 17:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 17:58	10/25/07 17:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 17:58	10/25/07 17:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 17:58	10/25/07 17:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 17:58	10/25/07 17:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 17:58	10/25/07 17:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 17:58	10/25/07 17:30
Endosulfan I	8081	ug/L	0.075	1	0.0019	0.0076	959-98-8	10/27/07 17:58	10/25/07 17:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	10/27/07 17:58	10/25/07 17:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 17:58	10/25/07 17:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 17:58	10/25/07 17:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 17:58	10/25/07 17:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 17:58	10/25/07 17:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 17:58	10/25/07 17:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 17:58	10/25/07 17:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 17:58	10/25/07 17:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 17:58	10/25/07 17:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 17:58	10/25/07 17:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 17:58	10/25/07 17:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 17:58	10/25/07 17:30
Volatile Organic Compounds									
Date Analyzed			10/26/2007	1				10/26/07 22:34	
Surrogate (66-125)	8260	%	96	1				10/26/07 22:34	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/26/07 22:34	
Benzene	8260	ug/L	0.1 U	1	0.1	0.5	71-43-2	10/26/07 22:34	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	10/26/07 22:34	
Ethylbenzene	8260	ug/L	0.2 U	1	0.2	0.8	100-41-4	10/26/07 22:34	
Total Xylenes	8260	ug/L	0.4 U	1	0.4	2	1330-20-7	10/26/07 22:34	
Total VOA	8260	ug/L	0.1 U	1		0.5		10/26/07 22:34	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **57238**
Sample Designation **CO-GW-MW-26**

Matrix: Groundwater
Date Collected: 10/24/2007 11:31
Date Received: 10/25/2007 11:20

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/25/07						10/25/07 17:30
Date Analyzed			10/27/07	1				10/27/07 18:12	
Surrogate (10-139)	8081	%	89	1		1.0		10/27/07 18:12	10/25/07 17:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	10/27/07 18:12	10/25/07 17:30
b-BHC	8081	ug/L	0.035	1	0.003	0.012	319-85-7	10/27/07 18:12	10/25/07 17:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 18:12	10/25/07 17:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 18:12	10/25/07 17:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 18:12	10/25/07 17:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 18:12	10/25/07 17:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 18:12	10/25/07 17:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 18:12	10/25/07 17:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 18:12	10/25/07 17:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	10/27/07 18:12	10/25/07 17:30
Dieldrin	8081	ug/L	0.014	1	0.0014	0.0056	60-57-1	10/27/07 18:12	10/25/07 17:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 18:12	10/25/07 17:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 18:12	10/25/07 17:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 18:12	10/25/07 17:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 18:12	10/25/07 17:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 18:12	10/25/07 17:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 18:12	10/25/07 17:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 18:12	10/25/07 17:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 18:12	10/25/07 17:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 18:12	10/25/07 17:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 18:12	10/25/07 17:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 18:12	10/25/07 17:30
Volatile Organic Compounds									
Date Analyzed			10/26/2007	1				10/26/07 23:01	
Surrogate (66-125)	8260	%	96	1				10/26/07 23:01	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/26/07 23:01	
Benzene	8260	ug/L	0.1 U	1	0.1	0.5	71-43-2	10/26/07 23:01	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	10/26/07 23:01	
Ethylbenzene	8260	ug/L	0.2 U	1	0.2	0.8	100-41-4	10/26/07 23:01	
Total Xylenes	8260	ug/L	0.4 U	1	0.4	2	1330-20-7	10/26/07 23:01	
Total VOA	8260	ug/L	0.1 U	1		0.5		10/26/07 23:01	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **57239**
Sample Designation **CO-GW-MW-27**

Matrix: Groundwater
Date Collected: 10/24/2007 14:19
Date Received: 10/25/2007 11:20

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/25/07						10/25/07 17:30
Date Analyzed			10/27/07	1				10/27/07 18:26	
Surrogate (10-139)	8081	%	66	1		1.0		10/27/07 18:26	10/25/07 17:30
a-BHC	8081	ug/L	0.022	1	0.0023	0.0092	319-84-6	10/27/07 18:26	10/25/07 17:30
b-BHC	8081	ug/L	0.48	1	0.003	0.012	319-85-7	10/27/07 18:26	10/25/07 17:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 18:26	10/25/07 17:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 18:26	10/25/07 17:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 18:26	10/25/07 17:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 18:26	10/25/07 17:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 18:26	10/25/07 17:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 18:26	10/25/07 17:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 18:26	10/25/07 17:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	10/27/07 18:26	10/25/07 17:30
Dieldrin	8081	ug/L	0.0076	1	0.0014	0.0056	60-57-1	10/27/07 18:26	10/25/07 17:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 18:26	10/25/07 17:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 18:26	10/25/07 17:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 18:26	10/25/07 17:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 18:26	10/25/07 17:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 18:26	10/25/07 17:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 18:26	10/25/07 17:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 18:26	10/25/07 17:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 18:26	10/25/07 17:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 18:26	10/25/07 17:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 18:26	10/25/07 17:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 18:26	10/25/07 17:30
Volatile Organic Compounds									
Date Analyzed			10/27/2007	1				10/27/07 01:43	
Surrogate (66-125)	8260	%	93	1				10/27/07 01:43	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/27/07 01:43	
Benzene	8260	ug/L	0.1 U	1	0.1	0.5	71-43-2	10/27/07 01:43	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	10/27/07 01:43	
Ethylbenzene	8260	ug/L	0.2 U	1	0.2	0.8	100-41-4	10/27/07 01:43	
Total Xylenes	8260	ug/L	0.4 U	1	0.4	2	1330-20-7	10/27/07 01:43	
Total VOA	8260	ug/L	0.1 U	1		0.5		10/27/07 01:43	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

SunLabs Sample Number **57240**
Sample Designation **CO-GW-MW-31**

Matrix: Groundwater
Date Collected: 10/24/2007 15:15
Date Received: 10/25/2007 11:20

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/25/07						10/25/07 17:30
Date Analyzed			10/27/07	1				10/27/07 18:40	
Surrogate (10-139)	8081	%	81	1		1.0		10/27/07 18:40	10/25/07 17:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	10/27/07 18:40	10/25/07 17:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	10/27/07 18:40	10/25/07 17:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	10/27/07 18:40	10/25/07 17:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	10/27/07 18:40	10/25/07 17:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	10/27/07 18:40	10/25/07 17:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	10/27/07 18:40	10/25/07 17:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	10/27/07 18:40	10/25/07 17:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	10/27/07 18:40	10/25/07 17:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	10/27/07 18:40	10/25/07 17:30
Endosulfan I	8081	ug/L	0.068	1	0.0019	0.0076	959-98-8	10/27/07 18:40	10/25/07 17:30
Dieldrin	8081	ug/L	0.0070	1	0.0014	0.0056	60-57-1	10/27/07 18:40	10/25/07 17:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	10/27/07 18:40	10/25/07 17:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	10/27/07 18:40	10/25/07 17:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	10/27/07 18:40	10/25/07 17:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	10/27/07 18:40	10/25/07 17:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	10/27/07 18:40	10/25/07 17:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	10/27/07 18:40	10/25/07 17:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	10/27/07 18:40	10/25/07 17:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	10/27/07 18:40	10/25/07 17:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	10/27/07 18:40	10/25/07 17:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	10/27/07 18:40	10/25/07 17:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		10/27/07 18:40	10/25/07 17:30
Volatile Organic Compounds									
Date Analyzed			10/27/2007	1				10/27/07 02:10	
Surrogate (66-125)	8260	%	93	1				10/27/07 02:10	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/27/07 02:10	
Benzene	8260	ug/L	0.1 U	1	0.1	0.5	71-43-2	10/27/07 02:10	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	10/27/07 02:10	
Ethylbenzene	8260	ug/L	0.2 U	1	0.2	0.8	100-41-4	10/27/07 02:10	
Total Xylenes	8260	ug/L	0.4 U	1	0.4	2	1330-20-7	10/27/07 02:10	
Total VOA	8260	ug/L	0.1 U	1		0.5		10/27/07 02:10	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071025.01	Project Description Chevron Orlando

October 29, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071025.01	Project Description: Chevron Orlando

October 29, 2007

Batch No: C2792

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 57236, 57237, 57238, 57239, 57240

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number															
Surrogate (10-139)	96														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	74	72	3	11	56-99								
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	84	82	2	15	53-140								
Aldrin	0.002 U	100	71	63	12	12	50-104								
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	83	81	2	11	53-110								
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	75	70	7	17	62-130								
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	80	77	4	13	53-171								
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: C2813

Test: Volatile Organic Compounds

TestCode: BTEX-w

Associated Samples: 57236, 57237, 57238, 57239, 57240

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57238*					*57237*	
Surrogate (66-125)	97													94	
MTBE	0.10 U													0	
Benzene	0.10 U	50	90					50	97					0	
Toluene	0.30 U	50	87					50	96					0	
Ethylbenzene	0.20 U													0	
Total Xylenes	0.40 U													0	
Total VOA	0.10 U													0	

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

MI	*Matrix Interference*
U	*The analyte was not detected at or above the reported detection limit.*

№ 12569

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolom
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352 383 0717
E-Mail :

SunLabs Project # 071025.01

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just Arcadis

Bottle Type	AG	GV
Preservative	H	H
Matrix	GW	GW
Analysis / Method Requested	8081	8260 MTBE X MTBE

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081	8260 MTBE X MTBE
57236	CO-GW-MW-29	10/24/07	1037	4	1	3
57237	CO-GW-MW-30	"	1129	4	1	3
57238	CO-GW-MW-26	"	1131	4	1	3
57239	CO-GW-MW-27	"	1419	4	1	3
57240	CO-GW-MW-31	"	1515	4	1	3

Due Date Requested: 10/26/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 10/24/07

Printed Name / Affiliation: Susan Tolom / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	LA Palmer	10/25/07	1120
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:

GV = Glass Vial
GVS = Low Level Volatile Kit
GA = Glass Amber
T = Tedlar Bag
P = Plastic
O = Other
S = Soil Jar

Preservative Codes:

H = Hydrochloric Acid + Ice
S = Sulfuric Acid + Ice
I = Ice only
VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice
O = Other (Specify)

Matrix Codes:

A = Air
SO = Soil
DW = Drinking Water
SOL = Solid
GW = Ground Water
SW = Surface Water
SE = Sediment
W = Water (Blanks)
O = Other (Specify)

Temp: 3.0°

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? Y / N / (NA)
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? (Y) / N / NA
Proper containers and preservatives? (Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

November 9, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071031.03**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
57489	CO-GW-MW-22	10/28/2007
57490	CO-GW-MW-122	10/28/2007
57491	CO-GW-MW-21	10/28/2007
57492	CO-GW-MW-20	10/28/2007
57493	CO-GW-MW-28	10/28/2007
57494	CO-GW-MW-15	10/28/2007
57495	CO-GW-MW-19	10/28/2007
57496	CO-GW-MW-11	10/29/2007
57497	CO-GW-MW-18	10/29/2007
57498	CO-EQBK-1	10/29/2007
57499	CO-GW-MW-12	10/29/2007
57500	CO-GW-MW-16S	10/29/2007
57501	CO-GW-MW-16D	10/29/2007
57502	CO-GW-MW-24S	10/30/2007
57503	CO-GW-MW-24D	10/30/2007
57504	CO-GW-MW-25D	10/30/2007
57505	CO-GW-MW-29	10/30/2007
57506	CO-GW-MW-129	10/30/2007

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57489**
Sample Designation **CO-GW-MW-22**

Matrix: Groundwater
Date Collected: 10/28/2007 10:00
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 19:33	
Surrogate (10-139)	8081	%	88	1		1.0		11/05/07 19:33	11/02/07 16:30
a-BHC	8081	ug/L	0.0078 I	1	0.0023	0.0092	319-84-6	11/05/07 19:33	11/02/07 16:30
b-BHC	8081	ug/L	0.019	1	0.003	0.012	319-85-7	11/05/07 19:33	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 19:33	11/02/07 16:30
d-BHC	8081	ug/L	0.014	1	0.0023	0.0092	319-86-8	11/05/07 19:33	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 19:33	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 19:33	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 19:33	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 19:33	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 19:33	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 19:33	11/02/07 16:30
Dieldrin	8081	ug/L	0.0065	1	0.0014	0.0056	60-57-1	11/05/07 19:33	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 19:33	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 19:33	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 19:33	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 19:33	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 19:33	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 19:33	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 19:33	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 19:33	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 19:33	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 19:33	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 19:33	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57490**
Sample Designation **CO-GW-MW-122**

Matrix: Groundwater
Date Collected: 10/28/2007 10:00
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 19:46	
Surrogate (10-139)	8081	%	88	1		1.0		11/05/07 19:46	11/02/07 16:30
a-BHC	8081	ug/L	0.0081 I	1	0.0023	0.0092	319-84-6	11/05/07 19:46	11/02/07 16:30
b-BHC	8081	ug/L	0.018	1	0.003	0.012	319-85-7	11/05/07 19:46	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 19:46	11/02/07 16:30
d-BHC	8081	ug/L	0.0084 I	1	0.0023	0.0092	319-86-8	11/05/07 19:46	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 19:46	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 19:46	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 19:46	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 19:46	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 19:46	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 19:46	11/02/07 16:30
Dieldrin	8081	ug/L	0.0056	1	0.0014	0.0056	60-57-1	11/05/07 19:46	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 19:46	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 19:46	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 19:46	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 19:46	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 19:46	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 19:46	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 19:46	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 19:46	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 19:46	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 19:46	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 19:46	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57491**
Sample Designation **CO-GW-MW-21**

Matrix: Groundwater
Date Collected: 10/28/2007 10:39
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 20:00	
Surrogate (10-139)	8081	%	77	1		1.0		11/05/07 20:00	11/02/07 16:30
a-BHC	8081	ug/L	0.0050 I	1	0.0023	0.0092	319-84-6	11/05/07 20:00	11/02/07 16:30
b-BHC	8081	ug/L	0.050	1	0.003	0.012	319-85-7	11/05/07 20:00	11/02/07 16:30
Lindane	8081	ug/L	0.0084 I	1	0.0024	0.0096	58-89-9	11/05/07 20:00	11/02/07 16:30
d-BHC	8081	ug/L	0.0068 I	1	0.0023	0.0092	319-86-8	11/05/07 20:00	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 20:00	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 20:00	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 20:00	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 20:00	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 20:00	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 20:00	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 20:00	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 20:00	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 20:00	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 20:00	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 20:00	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 20:00	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 20:00	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 20:00	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 20:00	11/02/07 16:30
Methoxychlor	8081	ug/L	0.028	1	0.0018	0.0072	72-43-5	11/05/07 20:00	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 20:00	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 20:00	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57492**
Sample Designation **CO-GW-MW-20**

Matrix: Groundwater
Date Collected: 10/28/2007 11:04
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 20:14	
Surrogate (10-139)	8081	%	70	1		1.0		11/05/07 20:14	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 20:14	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 20:14	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 20:14	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 20:14	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 20:14	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 20:14	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 20:14	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 20:14	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 20:14	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 20:14	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 20:14	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 20:14	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 20:14	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 20:14	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 20:14	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 20:14	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 20:14	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 20:14	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 20:14	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 20:14	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 20:14	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 20:14	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57493**
Sample Designation **CO-GW-MW-28**

Matrix: Groundwater
Date Collected: 10/28/2007 13:49
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/31/07						10/31/07 18:00
Date Analyzed			11/2/07	1				11/02/07 12:17	
Surrogate (10-139)	8081	%	84	1		1.0		11/02/07 12:17	10/31/07 18:00
a-BHC	8081	ug/L	0.10	1	0.0023	0.0092	319-84-6	11/02/07 12:17	10/31/07 18:00
b-BHC	8081	ug/L	2.4	10	0.003	0.012	319-85-7	11/02/07 12:59	10/31/07 18:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/02/07 12:17	10/31/07 18:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/02/07 12:17	10/31/07 18:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/02/07 12:17	10/31/07 18:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/02/07 12:17	10/31/07 18:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/02/07 12:17	10/31/07 18:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/02/07 12:17	10/31/07 18:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/02/07 12:17	10/31/07 18:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/02/07 12:17	10/31/07 18:00
Dieldrin	8081	ug/L	0.13	1	0.0014	0.0056	60-57-1	11/02/07 12:17	10/31/07 18:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/02/07 12:17	10/31/07 18:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/02/07 12:17	10/31/07 18:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/02/07 12:17	10/31/07 18:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/02/07 12:17	10/31/07 18:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/02/07 12:17	10/31/07 18:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/02/07 12:17	10/31/07 18:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/02/07 12:17	10/31/07 18:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/02/07 12:17	10/31/07 18:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/02/07 12:17	10/31/07 18:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/02/07 12:17	10/31/07 18:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/02/07 12:17	10/31/07 18:00
Volatile Organic Compounds									
Date Analyzed			10/31/07	1				10/31/07 18:41	
Surrogate (66-125)	8260	%	99	1				10/31/07 18:41	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/31/07 18:41	
Benzene	8260	ug/L	0.1 U	1	0.1	0.5	71-43-2	10/31/07 18:41	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	10/31/07 18:41	
Ethylbenzene	8260	ug/L	0.2 U	1	0.2	0.8	100-41-4	10/31/07 18:41	
Total Xylenes	8260	ug/L	0.4 U	1	0.4	2	1330-20-7	10/31/07 18:41	
Total VOA	8260	ug/L	0.1 U	1		0.5		10/31/07 18:41	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57494**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 10/28/2007 14:27
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 20:28	
Surrogate (10-139)	8081	%	78	1		1.0		11/05/07 20:28	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 20:28	11/02/07 16:30
b-BHC	8081	ug/L	0.053	1	0.003	0.012	319-85-7	11/05/07 20:28	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 20:28	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 20:28	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 20:28	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 20:28	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 20:28	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 20:28	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 20:28	11/02/07 16:30
Endosulfan I	8081	ug/L	0.11	1	0.0019	0.0076	959-98-8	11/05/07 20:28	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 20:28	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 20:28	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 20:28	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 20:28	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 20:28	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 20:28	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 20:28	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 20:28	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 20:28	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 20:28	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 20:28	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 20:28	11/02/07 16:30
Iron dissolved									
Date Digested	3005		11/1/2007						11/01/07 09:00
Date Analyzed	6010		11/6/2007	5				11/06/07 15:40	
Iron dissolved	6010	mg/L	15 V	5	0.012	0.048	7439-89-6	11/06/07 15:40	11/01/07 09:00
Total Organic Carbon									
Date Analyzed			11/8/07 S17	1				11/08/07 12:56	
Total Organic Carbon	SM5310C	mg/L	156	10	3	9		11/08/07 12:56	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57495**
Sample Designation **CO-GW-MW-19**

Matrix: Groundwater
Date Collected: 10/28/2007 14:57
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 20:42	
Surrogate (10-139)	8081	%	85	1		1.0		11/05/07 20:42	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 20:42	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 20:42	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 20:42	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 20:42	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 20:42	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 20:42	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 20:42	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 20:42	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 20:42	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 20:42	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 20:42	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 20:42	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 20:42	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 20:42	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 20:42	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 20:42	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 20:42	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 20:42	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 20:42	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 20:42	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 20:42	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 20:42	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57496**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 10/29/2007 12:48
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 20:56	
Surrogate (10-139)	8081	%	66	1		1.0		11/05/07 20:56	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 20:56	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 20:56	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 20:56	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 20:56	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 20:56	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 20:56	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 20:56	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 20:56	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 20:56	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 20:56	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 20:56	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 20:56	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 20:56	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 20:56	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 20:56	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 20:56	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 20:56	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 20:56	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 20:56	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 20:56	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 20:56	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 20:56	11/02/07 16:30
Iron dissolved									
Date Digested	3005		11/1/2007						11/01/07 09:00
Date Analyzed	6010		11/6/2007	1				11/06/07 15:21	
Iron dissolved	6010	mg/L	1.1 V	1	0.0024	0.0096	7439-89-6	11/06/07 15:21	11/01/07 09:00
Total Organic Carbon									
Date Analyzed			11/8/07 S17	1				11/08/07 12:56	
Total Organic Carbon	SM5310C	mg/L	74	10	3	9		11/08/07 12:56	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57497**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 10/29/2007 13:24
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 21:10	
Surrogate (10-139)	8081	%	60	1		1.0		11/05/07 21:10	11/02/07 16:30
a-BHC	8081	ug/L	0.0042 I	1	0.0023	0.0092	319-84-6	11/05/07 21:10	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 21:10	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 21:10	11/02/07 16:30
d-BHC	8081	ug/L	0.030	1	0.0023	0.0092	319-86-8	11/05/07 21:10	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 21:10	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 21:10	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 21:10	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 21:10	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 21:10	11/02/07 16:30
Endosulfan I	8081	ug/L	0.024	1	0.0019	0.0076	959-98-8	11/05/07 21:10	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 21:10	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 21:10	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 21:10	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 21:10	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 21:10	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 21:10	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 21:10	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 21:10	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 21:10	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 21:10	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 21:10	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 21:10	11/02/07 16:30
Iron dissolved									
Date Digested	3005		11/1/2007						11/01/07 09:00
Date Analyzed	6010		11/6/2007	1				11/06/07 15:24	
Iron dissolved	6010	mg/L	0.031 V	1	0.0024	0.0096	7439-89-6	11/06/07 15:24	11/01/07 09:00
Total Organic Carbon									
Date Analyzed			11/2/07 S17	1				11/02/07 09:29	
Total Organic Carbon	SM5310C	mg/L	3.64	1	0.3	0.91		11/02/07 09:29	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57498**
Sample Designation **CO-EQBK-1**

Matrix: Groundwater
Date Collected: 10/29/2007 13:44
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 21:23	
Surrogate (10-139)	8081	%	94	1		1.0		11/05/07 21:23	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 21:23	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 21:23	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 21:23	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 21:23	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 21:23	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 21:23	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 21:23	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 21:23	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 21:23	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 21:23	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 21:23	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 21:23	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 21:23	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 21:23	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 21:23	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 21:23	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 21:23	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 21:23	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 21:23	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 21:23	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 21:23	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 21:23	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57499**
Sample Designation **CO-GW-MW-12**

Matrix: Groundwater
Date Collected: 10/29/2007 14:20
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 21:37	
Surrogate (10-139)	8081	%	66	1		1.0		11/05/07 21:37	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 21:37	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 21:37	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 21:37	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 21:37	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 21:37	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 21:37	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 21:37	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 21:37	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 21:37	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 21:37	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 21:37	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 21:37	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 21:37	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 21:37	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 21:37	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 21:37	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 21:37	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 21:37	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 21:37	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 21:37	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 21:37	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 21:37	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57500**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 10/29/2007 15:08
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 21:51	
Surrogate (10-139)	8081	%	111	1		1.0		11/05/07 21:51	11/02/07 16:30
a-BHC	8081	ug/L	0.099	1	0.0023	0.0092	319-84-6	11/05/07 21:51	11/02/07 16:30
b-BHC	8081	ug/L	1.5	10	0.03	0.12	319-85-7	11/06/07 13:59	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 21:51	11/02/07 16:30
d-BHC	8081	ug/L	0.24	1	0.0023	0.0092	319-86-8	11/05/07 21:51	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 21:51	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 21:51	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 21:51	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 21:51	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 21:51	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 21:51	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 21:51	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 21:51	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 21:51	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 21:51	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 21:51	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 21:51	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 21:51	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 21:51	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 21:51	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 21:51	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 21:51	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 21:51	11/02/07 16:30
Iron dissolved									
Date Digested	3005		11/1/2007						11/01/07 09:00
Date Analyzed	6010		11/6/2007	1				11/06/07 15:26	
Iron dissolved	6010	mg/L	0.20 V	1	0.0024	0.0096	7439-89-6	11/06/07 15:26	11/01/07 09:00
Total Organic Carbon									
Date Analyzed			11/2/07 S17	1				11/02/07 09:29	
Total Organic Carbon	SM5310C	mg/L	5.19	1	0.3	0.91		11/02/07 09:29	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57501**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 10/29/2007 15:39
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 22:05	
Surrogate (10-139)	8081	%	70	1		1.0		11/05/07 22:05	11/02/07 16:30
a-BHC	8081	ug/L	0.049	1	0.0023	0.0092	319-84-6	11/05/07 22:05	11/02/07 16:30
b-BHC	8081	ug/L	1.3	10	0.03	0.12	319-85-7	11/06/07 14:13	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 22:05	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 22:05	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 22:05	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 22:05	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 22:05	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 22:05	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 22:05	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 22:05	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 22:05	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 22:05	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 22:05	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 22:05	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 22:05	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 22:05	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 22:05	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 22:05	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 22:05	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 22:05	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 22:05	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 22:05	11/02/07 16:30
Iron dissolved									
Date Digested	3005		11/1/2007						11/01/07 09:00
Date Analyzed	6010		11/6/2007	2				11/06/07 15:43	
Iron dissolved	6010	mg/L	8.0 V	2	0.0048	0.019	7439-89-6	11/06/07 15:43	11/01/07 09:00
Total Organic Carbon									
Date Analyzed			11/8/07 S17	1				11/08/07 12:56	
Total Organic Carbon	SM5310C	mg/L	70.5	10	3	9		11/08/07 12:56	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57502**
Sample Designation **CO-GW-MW-24S**

Matrix: Groundwater
Date Collected: 10/30/2007 10:37
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/02/07						11/02/07 16:30
Date Analyzed			11/5/07	1				11/05/07 22:19	
Surrogate (10-139)	8081	%	95	1		1.0		11/05/07 22:19	11/02/07 16:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/05/07 22:19	11/02/07 16:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/05/07 22:19	11/02/07 16:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/05/07 22:19	11/02/07 16:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/05/07 22:19	11/02/07 16:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/05/07 22:19	11/02/07 16:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/05/07 22:19	11/02/07 16:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/05/07 22:19	11/02/07 16:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/05/07 22:19	11/02/07 16:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/05/07 22:19	11/02/07 16:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/05/07 22:19	11/02/07 16:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/05/07 22:19	11/02/07 16:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/05/07 22:19	11/02/07 16:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/05/07 22:19	11/02/07 16:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/05/07 22:19	11/02/07 16:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/05/07 22:19	11/02/07 16:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/05/07 22:19	11/02/07 16:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/05/07 22:19	11/02/07 16:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/05/07 22:19	11/02/07 16:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/05/07 22:19	11/02/07 16:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/05/07 22:19	11/02/07 16:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/05/07 22:19	11/02/07 16:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/05/07 22:19	11/02/07 16:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57503**
Sample Designation **CO-GW-MW-24D**

Matrix: Groundwater
Date Collected: 10/30/2007 14:16
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 19:57	
Surrogate (10-139)	8081	%	40	1		1.0		11/06/07 19:57	11/05/07 14:30
a-BHC	8081	ug/L	0.11	1	0.0023	0.0092	319-84-6	11/06/07 19:57	11/05/07 14:30
b-BHC	8081	ug/L	0.38	1	0.003	0.012	319-85-7	11/06/07 19:57	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 19:57	11/05/07 14:30
d-BHC	8081	ug/L	0.94	10	0.0023	0.0092	319-86-8	11/07/07 15:14	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 19:57	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 19:57	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 19:57	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 19:57	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 19:57	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 19:57	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 19:57	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 19:57	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 19:57	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 19:57	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 19:57	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 19:57	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 19:57	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 19:57	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 19:57	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 19:57	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 19:57	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 19:57	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57504**
Sample Designation **CO-GW-MW-25D**

Matrix: Groundwater
Date Collected: 10/30/2007 15:00
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 20:11	
Surrogate (10-139)	8081	%	84	1		1.0		11/06/07 20:11	11/05/07 14:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/06/07 20:11	11/05/07 14:30
b-BHC	8081	ug/L	0.011 I	1	0.003	0.012	319-85-7	11/06/07 20:11	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 20:11	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 20:11	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 20:11	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 20:11	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 20:11	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 20:11	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 20:11	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 20:11	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 20:11	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 20:11	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 20:11	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 20:11	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 20:11	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 20:11	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 20:11	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 20:11	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 20:11	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 20:11	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 20:11	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 20:11	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57505**
Sample Designation **CO-GW-MW-29**

Matrix: Groundwater
Date Collected: 10/30/2007 16:18
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/31/07						10/31/07 18:00
Date Analyzed			11/2/07	1				11/02/07 12:31	
Surrogate (10-139)	8081	%	116	1		1.0		11/02/07 12:31	10/31/07 18:00
a-BHC	8081	ug/L	1.4	10	0.0023	0.0092	319-84-6	11/02/07 13:13	10/31/07 18:00
b-BHC	8081	ug/L	1.3	10	0.003	0.012	319-85-7	11/02/07 13:13	10/31/07 18:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/02/07 12:31	10/31/07 18:00
d-BHC	8081	ug/L	3.2	10	0.0023	0.0092	319-86-8	11/02/07 13:13	10/31/07 18:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/02/07 12:31	10/31/07 18:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/02/07 12:31	10/31/07 18:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/02/07 12:31	10/31/07 18:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/02/07 12:31	10/31/07 18:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/02/07 12:31	10/31/07 18:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/02/07 12:31	10/31/07 18:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/02/07 12:31	10/31/07 18:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/02/07 12:31	10/31/07 18:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/02/07 12:31	10/31/07 18:00
Endosulfan II	8081	ug/L	0.72	10	0.0018	0.0072	33213-65-9	11/02/07 13:13	10/31/07 18:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/02/07 12:31	10/31/07 18:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/02/07 12:31	10/31/07 18:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/02/07 12:31	10/31/07 18:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/02/07 12:31	10/31/07 18:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/02/07 12:31	10/31/07 18:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/02/07 12:31	10/31/07 18:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/02/07 12:31	10/31/07 18:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/02/07 12:31	10/31/07 18:00
Volatile Organic Compounds									
Date Analyzed			10/31/07	1				10/31/07 15:08	
Surrogate (66-125)	8260	%	118	1				10/31/07 15:08	
MTBE	8260	ug/L	0.1 U	1	0.1	0.5	1634-04-4	10/31/07 15:08	
Benzene	8260	ug/L	8.6	1	0.1	0.5	71-43-2	10/31/07 15:08	
Toluene	8260	ug/L	0.54	1	0.3	0.5	108-88-3	10/31/07 15:08	
Ethylbenzene	8260	ug/L	4.4	1	0.2	0.8	100-41-4	10/31/07 15:08	
Total Xylenes	8260	ug/L	31	1	0.4	2	1330-20-7	10/31/07 15:08	
Total VOA	8260	ug/L	44.54	1		0.5		10/31/07 15:08	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

SunLabs Sample Number **57506**
Sample Designation **CO-GW-MW-129**

Matrix: Groundwater
Date Collected: 10/30/2007 16:18
Date Received: 10/31/2007 12:15

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		10/31/07						10/31/07 18:00
Date Analyzed			11/2/07	1				11/02/07 12:45	
Surrogate (10-139)	8081	%	101	1		1.0		11/02/07 12:45	10/31/07 18:00
a-BHC	8081	ug/L	1.8	10	0.0023	0.0092	319-84-6	11/02/07 13:27	10/31/07 18:00
b-BHC	8081	ug/L	1.6	10	0.003	0.012	319-85-7	11/02/07 13:27	10/31/07 18:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/02/07 12:45	10/31/07 18:00
d-BHC	8081	ug/L	3.7	10	0.0023	0.0092	319-86-8	11/02/07 13:27	10/31/07 18:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/02/07 12:45	10/31/07 18:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/02/07 12:45	10/31/07 18:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/02/07 12:45	10/31/07 18:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/02/07 12:45	10/31/07 18:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/02/07 12:45	10/31/07 18:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/02/07 12:45	10/31/07 18:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/02/07 12:45	10/31/07 18:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/02/07 12:45	10/31/07 18:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/02/07 12:45	10/31/07 18:00
Endosulfan II	8081	ug/L	0.87	10	0.0018	0.0072	33213-65-9	11/02/07 13:27	10/31/07 18:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/02/07 12:45	10/31/07 18:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/02/07 12:45	10/31/07 18:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/02/07 12:45	10/31/07 18:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/02/07 12:45	10/31/07 18:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/02/07 12:45	10/31/07 18:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/02/07 12:45	10/31/07 18:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/02/07 12:45	10/31/07 18:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/02/07 12:45	10/31/07 18:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

Footnotes	
*	SunLabs is not currently NELAC certified for this analyte.
I	The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MB	Method Blank
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NA	Sample not analyzed at client's request.
RL	RL(reporting limit) = PQL(practical quantitation limit).
RPD	Relative Percent Difference
S17	Analysis performed by Florida-Spectrum Environmental services. NELAC #E86006.
U	The analyte was not detected at or above the reported detection limit.
V	Indicates that the analyte was detected in both the sample and the associated method blank.

Quality Control Data

Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

Batch No: C2855

Test: Volatile Organic Compounds

TestCode: BTEX-w

Associated Samples: 57493, 57505

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57468*					*57472*	
Surrogate (66-125)	99													98	
MTBE	0.10 U													0	
Benzene	0.10 U	50	95					50	86					0	
Toluene	0.30 U	50	90					50	83					0	
Ethylbenzene	0.20 U													0	
Total Xylenes	0.40 U													0	
Total VOA	0.10 U													0	

Batch No: C2856

Test: Metals by EPA Method 6010

TestCode: 6010-L

Associated Samples: 57494, 57496, 57497, 57500, 57501

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57451*	*57451*					
Date Digested	11/01/07	1000	01/07	01/07	0			1000	01/07	01/07	0				
Date Analyzed	11/02/07	1000	02/07	02/07	0			1000	02/07	02/07	0				
Arsenic	0.0048 U	1000	94	95	1			1000	97	96	1				
Barium	0.001 U	1000	93	93	0			1000	90	91	1				
Cadmium	0.0006 U	1000	94	97	3			1000	95	95	0				
Chromium	0.0035 U	1000	98	98	0			1000	95	96	1				
Iron	0.011	1000	104	106	2			1000	102	101	1				
Lead	0.0044 U	1000	93	96	3			1000	87	87	0				
Manganese	0.002 I	1000	101	105	4			1000	100	101	1				
Selenium	0.0047 U	1000	94	96	2			1000	92	92	0				
Silver	0.0033 U	1000	99	101	2			1000	98	97	1				
Zinc	0.0029 U	1000	95	97	2			1000	95	95	0				

Batch No: C2865

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 57493, 57505, 57506

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number															
Surrogate (10-139)	101														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	81	80	1	11	56-99								
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	86	85	1	15	53-140								
Aldrin	0.002 U	100	67	68	1	12	50-104								
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	90	91	1	11	53-110								
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	88	90	2	17	62-130								
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														

Quality Control Data

Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

Batch No: C2865

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 57493, 57505, 57506

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number															
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	102	105	3	13	53-171								
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: C2894

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 57489, 57490, 57491, 57492, 57494, 57495, 57496, 57497, 57498, 57499, 57500, 57501, 57502

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57489*	*57489*					
Surrogate (10-139)	73														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	72					100	68	64	6	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	81					100	89	92	3	57	0-162		
Aldrin	0.002 U	100	67					100	94	66	35	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	71					100	79	75	5	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	78					100	78	75	4	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	72					100	78	75	4	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: C2910

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 57503, 57504

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57591*	*57591*					
Surrogate (10-139)	84														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	91					100	52	50	4	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	98					100	44	49	11	57	0-162		
Aldrin	0.002 U	100	87					100	34	38	11	47	0-138		

Quality Control Data

Project Number	TASK Environmental , Inc.
071031.03	Project Description: Chevron Orlando

November 9, 2007

Batch No: **C2910**

Associated Samples: 57503, 57504

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57591*	*57591*					
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	89					100	74	79	7	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	99					100	64	72	12	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	91					100	54	56	4	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

1 of 2

№ 13913

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolan
Address: 27751 Lake Jem Rd, Mount Dora, FL 32757
Phone / Fax: 352-383-0717
E-Mail :

SunLabs Project # ~~DS~~ LAF 071031.03

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just, ARCadis-DBL

Bottle Type	~~AG~~	GV	GV	P						
Preservative	I	H	H	N						
Matrix	GW	GW	GW	GW						
Analysis / Method Requested	BTEX	8260/MTBE	TOC	Dis Iron						

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	BTEX	8260/MTBE	TOC	Dis Iron
57489	CO-GW-MW-22	10/29/07	1000	3	3			
57490	CO-GW-MW-22	"	1000	1	1			
57491	CO-GW-MW-21		1031	1	1			
57492	CO-GW-MW-20		1104	1	1			
57493	CO-GW-MW-28		1349	4	1	3		
57494	CO-GW-MW-15		1427	5	1		3	1
57495	CO-GW-MW-19	—	1451	1	1			
57496	CO-GW-MW-11	10/29/07	1248	5	1		3	1
57497	CO-GW-MW-18	"	1324	5	1		3	1
57498	CO-EQBK-1		1344	1	1			
57499	CO-~~EQB~~GW-MW-12		1420	1	1			
57500	CO-GW-MW-16S		1509	5	1		3	1
57501	CO-GW-MW-16D	—	1539	5	1		3	1
57502	CO-GW-MW-24S	10/30/07	1037	1	1			

Due Date Requested: Rush MW-29: 29; 10/7 for others
☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 10/31/07

Printed Name / Affiliation: Susan Tolan / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
		10/31/07	1215
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit; GA = Glass Amber; T = Tedlar Bag; P = Plastic; O = Other; S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice; I = Ice only; VS = MeOH, OFW, + Ice; N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
SO = Soil; A = Air; SOL = Solid; DW = Drinking Water; SW = Surface Water; GW = Ground Water; W = Water (Blanks); SE = Sediment; O = Other (Specify)

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / NA
Shipping Bills attached?	Y / N / NA
Sample containers intact?	Y / N / NA
Samples within holding times?	Y / N / NA
Sufficient volume for all analyses?	Y / N / NA
Are vials head-space free?	Y / N / NA
Proper containers and preservatives?	Y / N / NA

Temp: 4.8°C

Received on Ice? Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

2 of 2

№ 12571

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolbm
Address: 27751 Lake Jem Road
Mount Dora, FL
Phone / Fax: 352 383 0717
E-Mail :

SunLabs Project # 071031.03

Project Name: Chevron Orlando
Project #: F0215
PO #:
Alt Bill To: Allen Just
Arcadis-BBL

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	Bottle Type	Preservative	Matrix	Analysis / Method Requested
					AG	G		
					1	H		
					GW	GW		
57503	CO-GW-MW-24D	10/31/07	1416	1	1			8021 BTEX/MTBE
57504	CO-GW-MW-25D		1500	1	1			
57505	CO-GW-MW-29		1618	4	1	3		
57506	CO-GW-MW-129		1619	1	1			

Due Date Requested: Rush MW-29 and MW-29

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 10/31/07

Printed Name / Affiliation: Susan Tolbm / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
		10/31/07	1215
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:

GV = Glass Vial
GA = Glass Amber
P = Plastic
S = Soil Jar
GVS = Low Level Volatile Kit
T = Tedlar Bag
O = Other

Preservative Codes:

H = Hydrochloric Acid + Ice
I = Ice only
N = Nitric Acid + Ice
S = Sulfuric Acid + Ice
VS = MeOH, DFW, + Ice
O = Other (Specify)

Matrix Codes:

A = Air
DW = Drinking Water
GW = Ground Water
SE = Sediment
SO = Soil
SOL = Solid
SW = Surface Water
W = Water (Blanks)
O = Other (Specify)

Temp: 4.8°C

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? Y / N / (NA)
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? (Y) / N / NA
Proper containers and preservatives? (Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

November 8, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071102.11**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
57590	CO-GW-MW-10S	11/1/2007
57591	CO-GW-MW-10D	11/1/2007
57592	CO-GW-MW-110D	11/1/2007
57593	CO-GW-MW-3S	11/1/2007
57594	CO-GW-MW-3D	11/1/2007
57595	CO-GW-MW-4S	11/1/2007
57596	CO-GW-MW-4D	11/1/2007
57597	CO-GW-MW-1S	11/2/2007
57598	CO-GW-MW-1D	11/2/2007
57599	CO-GW-MW-5D	11/2/2007
57600	CO-GW-MW-2D	11/2/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57590**
Sample Designation **CO-GW-MW-10S**

Matrix: Groundwater
Date Collected: 11/1/2007 11:18
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 20:53	
Surrogate (10-139)	8081	%	58	1		1.0		11/06/07 20:53	11/05/07 14:30
a-BHC	8081	ug/L	0.98	20	0.046	0.18	319-84-6	11/07/07 15:27	11/05/07 14:30
b-BHC	8081	ug/L	6.4	20	0.06	0.24	319-85-7	11/07/07 15:27	11/05/07 14:30
Lindane	8081	ug/L	0.49	20	0.048	0.19	58-89-9	11/07/07 15:27	11/05/07 14:30
d-BHC	8081	ug/L	1.9	20	0.046	0.18	319-86-8	11/07/07 15:27	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 20:53	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 20:53	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 20:53	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 20:53	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 20:53	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 20:53	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 20:53	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 20:53	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 20:53	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 20:53	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 20:53	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 20:53	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 20:53	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 20:53	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 20:53	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 20:53	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 20:53	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 20:53	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57591**
Sample Designation **CO-GW-MW-10D**

Matrix: Groundwater
Date Collected: 11/1/2007 11:58
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 21:06	
Surrogate (10-139)	8081	%	56	1		1.0		11/06/07 21:06	11/05/07 14:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/06/07 21:06	11/05/07 14:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/06/07 21:06	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 21:06	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 21:06	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 21:06	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 21:06	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 21:06	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 21:06	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 21:06	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 21:06	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 21:06	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 21:06	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 21:06	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 21:06	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 21:06	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 21:06	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 21:06	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 21:06	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 21:06	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 21:06	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 21:06	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 21:06	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57592**
Sample Designation **CO-GW-MW-110D**

Matrix: Groundwater
Date Collected: 11/1/2007 11:58
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 21:20	
Surrogate (10-139)	8081	%	58	1		1.0		11/06/07 21:20	11/05/07 14:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/06/07 21:20	11/05/07 14:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/06/07 21:20	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 21:20	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 21:20	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 21:20	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 21:20	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 21:20	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 21:20	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 21:20	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 21:20	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 21:20	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 21:20	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 21:20	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 21:20	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 21:20	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 21:20	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 21:20	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 21:20	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 21:20	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 21:20	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 21:20	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 21:20	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57593**
Sample Designation **CO-GW-MW-3S**

Matrix: Groundwater
Date Collected: 11/1/2007 13:00
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 21:34	
Surrogate (10-139)	8081	%	46	1		1.0		11/06/07 21:34	11/05/07 14:30
a-BHC	8081	ug/L	0.22	1	0.0023	0.0092	319-84-6	11/06/07 21:34	11/05/07 14:30
b-BHC	8081	ug/L	0.24	1	0.003	0.012	319-85-7	11/06/07 21:34	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 21:34	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 21:34	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 21:34	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 21:34	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 21:34	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 21:34	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 21:34	11/05/07 14:30
Endosulfan I	8081	ug/L	0.33	1	0.0019	0.0076	959-98-8	11/06/07 21:34	11/05/07 14:30
Dieldrin	8081	ug/L	0.17	1	0.0014	0.0056	60-57-1	11/06/07 21:34	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 21:34	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 21:34	11/05/07 14:30
Endosulfan II	8081	ug/L	0.27	1	0.0018	0.0072	33213-65-9	11/06/07 21:34	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 21:34	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 21:34	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 21:34	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.16	1	0.002	0.008	50-29-3	11/06/07 21:34	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 21:34	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 21:34	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 21:34	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 21:34	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57594**
Sample Designation **CO-GW-MW-3D**

Matrix: Groundwater
Date Collected: 11/1/2007 13:43
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 22:16	
Surrogate (10-139)	8081	%	107	1		1.0		11/06/07 22:16	11/05/07 14:30
a-BHC	8081	ug/L	0.011	1	0.0023	0.0092	319-84-6	11/06/07 22:16	11/05/07 14:30
b-BHC	8081	ug/L	0.020	1	0.003	0.012	319-85-7	11/06/07 22:16	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 22:16	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 22:16	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 22:16	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 22:16	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 22:16	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 22:16	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 22:16	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 22:16	11/05/07 14:30
Dieldrin	8081	ug/L	0.043	1	0.0014	0.0056	60-57-1	11/06/07 22:16	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 22:16	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 22:16	11/05/07 14:30
Endosulfan II	8081	ug/L	0.034	1	0.0018	0.0072	33213-65-9	11/06/07 22:16	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 22:16	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 22:16	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 22:16	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 22:16	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 22:16	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 22:16	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 22:16	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 22:16	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57595**
Sample Designation **CO-GW-MW-4S**

Matrix: Groundwater
Date Collected: 11/1/2007 14:25
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 22:30	
Surrogate (10-139)	8081	%	70	1		1.0		11/06/07 22:30	11/05/07 14:30
a-BHC	8081	ug/L	1.3	20	0.046	0.18	319-84-6	11/07/07 15:41	11/05/07 14:30
b-BHC	8081	ug/L	5.7	20	0.06	0.24	319-85-7	11/07/07 15:41	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 22:30	11/05/07 14:30
d-BHC	8081	ug/L	5.1	20	0.046	0.18	319-86-8	11/07/07 15:41	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 22:30	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 22:30	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 22:30	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 22:30	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 22:30	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 22:30	11/05/07 14:30
Dieldrin	8081	ug/L	0.14	1	0.0014	0.0056	60-57-1	11/06/07 22:30	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 22:30	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 22:30	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 22:30	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 22:30	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 22:30	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 22:30	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 22:30	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 22:30	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 22:30	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 22:30	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 22:30	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57596**
Sample Designation **CO-GW-MW-4D**

Matrix: Groundwater
Date Collected: 11/1/2007 14:52
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 22:43	
Surrogate (10-139)	8081	%	86	1		1.0		11/06/07 22:43	11/05/07 14:30
a-BHC	8081	ug/L	0.42	1	0.0023	0.0092	319-84-6	11/06/07 22:43	11/05/07 14:30
b-BHC	8081	ug/L	0.45	1	0.003	0.012	319-85-7	11/06/07 22:43	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 22:43	11/05/07 14:30
d-BHC	8081	ug/L	1.2	20	0.046	0.18	319-86-8	11/07/07 16:09	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 22:43	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 22:43	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 22:43	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 22:43	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 22:43	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 22:43	11/05/07 14:30
Dieldrin	8081	ug/L	0.35	1	0.0014	0.0056	60-57-1	11/06/07 22:43	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 22:43	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 22:43	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 22:43	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 22:43	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 22:43	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 22:43	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 22:43	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 22:43	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 22:43	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 22:43	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 22:43	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57597**
Sample Designation **CO-GW-MW-1S**

Matrix: Groundwater
Date Collected: 11/2/2007 11:40
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 22:57	
Surrogate (10-139)	8081	%	77	1		1.0		11/06/07 22:57	11/05/07 14:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/06/07 22:57	11/05/07 14:30
b-BHC	8081	ug/L	0.052	1	0.003	0.012	319-85-7	11/06/07 22:57	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 22:57	11/05/07 14:30
d-BHC	8081	ug/L	0.021	1	0.0023	0.0092	319-86-8	11/06/07 22:57	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 22:57	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 22:57	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 22:57	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 22:57	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 22:57	11/05/07 14:30
Endosulfan I	8081	ug/L	0.059	1	0.0019	0.0076	959-98-8	11/06/07 22:57	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 22:57	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 22:57	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 22:57	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 22:57	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 22:57	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 22:57	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 22:57	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 22:57	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 22:57	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 22:57	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 22:57	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 22:57	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57598**
Sample Designation **CO-GW-MW-1D**

Matrix: Groundwater
Date Collected: 11/2/2007 12:07
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 23:11	
Surrogate (10-139)	8081	%	59	1		1.0		11/06/07 23:11	11/05/07 14:30
a-BHC	8081	ug/L	0.018	1	0.0023	0.0092	319-84-6	11/06/07 23:11	11/05/07 14:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/06/07 23:11	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 23:11	11/05/07 14:30
d-BHC	8081	ug/L	0.065	1	0.0023	0.0092	319-86-8	11/06/07 23:11	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 23:11	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 23:11	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 23:11	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 23:11	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 23:11	11/05/07 14:30
Endosulfan I	8081	ug/L	0.19	1	0.0019	0.0076	959-98-8	11/06/07 23:11	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 23:11	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 23:11	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 23:11	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 23:11	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 23:11	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 23:11	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 23:11	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 23:11	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 23:11	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 23:11	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 23:11	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 23:11	11/05/07 14:30
Volatile Organic Compounds									
Date Analyzed			11/03/07	1				11/03/07 18:28	
Surrogate (66-125)	8260	%	94	1				11/03/07 18:28	
MTBE	8260	ug/L	2.1	1	0.1	0.5	1634-04-4	11/03/07 18:28	
Benzene	8260	ug/L	0.28 I	1	0.1	0.5	71-43-2	11/03/07 18:28	
Toluene	8260	ug/L	0.3 U	1	0.3	0.5	108-88-3	11/03/07 18:28	
Ethylbenzene	8260	ug/L	0.51 I	1	0.2	0.8	100-41-4	11/03/07 18:28	
Total Xylenes	8260	ug/L	0.66 I	1	0.4	2	1330-20-7	11/03/07 18:28	
Total VOA	8260	ug/L	1.45	1		0.5		11/03/07 18:28	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57599**
Sample Designation **CO-GW-MW-5D**

Matrix: Groundwater
Date Collected: 11/2/2007 12:55
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 23:25	
Surrogate (10-139)	8081	%	83	1		1.0		11/06/07 23:25	11/05/07 14:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	11/06/07 23:25	11/05/07 14:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/06/07 23:25	11/05/07 14:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	11/06/07 23:25	11/05/07 14:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	11/06/07 23:25	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 23:25	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 23:25	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 23:25	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 23:25	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 23:25	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 23:25	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 23:25	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 23:25	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 23:25	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 23:25	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 23:25	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 23:25	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 23:25	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 23:25	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 23:25	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 23:25	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 23:25	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 23:25	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

SunLabs Sample Number **57600**
Sample Designation **CO-GW-MW-2D**

Matrix: Groundwater
Date Collected: 11/2/2007 13:40
Date Received: 11/2/2007 16:10

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/05/07						11/05/07 14:30
Date Analyzed			11/6/07	1				11/06/07 23:39	
Surrogate (10-139)	8081	%	103	1		1.0		11/06/07 23:39	11/05/07 14:30
a-BHC	8081	ug/L	0.26	10	0.0023	0.0092	319-84-6	11/07/07 15:55	11/05/07 14:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	11/07/07 15:55	11/05/07 14:30
Lindane	8081	ug/L	1.1	10	0.0024	0.0096	58-89-9	11/07/07 15:55	11/05/07 14:30
d-BHC	8081	ug/L	0.41	10	0.0023	0.0092	319-86-8	11/07/07 15:55	11/05/07 14:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	11/06/07 23:39	11/05/07 14:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	11/06/07 23:39	11/05/07 14:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	11/06/07 23:39	11/05/07 14:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	11/06/07 23:39	11/05/07 14:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	11/06/07 23:39	11/05/07 14:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	11/06/07 23:39	11/05/07 14:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	11/06/07 23:39	11/05/07 14:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	11/06/07 23:39	11/05/07 14:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	11/06/07 23:39	11/05/07 14:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	11/06/07 23:39	11/05/07 14:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	11/06/07 23:39	11/05/07 14:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	11/06/07 23:39	11/05/07 14:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	11/06/07 23:39	11/05/07 14:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	11/06/07 23:39	11/05/07 14:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	11/06/07 23:39	11/05/07 14:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	11/06/07 23:39	11/05/07 14:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	11/06/07 23:39	11/05/07 14:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		11/06/07 23:39	11/05/07 14:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071102.11	Project Description: Chevron Orlando

November 8, 2007

Batch No: C2896

Test: Volatile Organic Compounds

TestCode: BTEX-w

Associated Samples
57598

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57589*					*57588*	
Surrogate (66-125)	98													99	
MTBE	0.10 U													0	
Benzene	0.10 U	50	94	92	2	5	78-118	50	88					3.4	
Toluene	0.30 U	50	91	87	4	4	81-112	50	85					0	
Ethylbenzene	0.20 U													0	
Total Xylenes	0.40 U													0	
Total VOA	0.10 U														

Batch No: C2910

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples
57590, 57591, 57592, 57593, 57594, 57595, 57596, 57597, 57598, 57599, 57600

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*57591*	*57591*					
Surrogate (10-139)	84														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	91					100	52	50	4	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	98					100	44	49	11	57	0-162		
Aldrin	0.002 U	100	87					100	34	38	11	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	89					100	74	79	7	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	99					100	64	72	12	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	91					100	54	56	4	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U — *The analyte was not detected at or above the reported detection limit.*

№ 13914

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolan
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352 383 0717
E-Mail :

SunLabs Project # 071102.11

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just
Arcadis

Bottle Type	AG	GV									
Preservative	I	H									
Matrix	GW	GW									
Analysis / Method Requested	8021	8260B									

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8021	8260B
57590	CO-GW-MW-10S	11/1/07	1118	1	1	
57591	CO-GW-MW-10D		1158	3	3	
57592	CO-GW-MW-11D		1158	1	1	
57593	CO-GW-MW-3S		1300	1	1	
57594	CO-GW-MW-3D		1343	1	1	
57595	CO-GW-MW-4S		1425	1	1	
57596	CO-GW-MW-4D		1452	1	1	
57597	CO-GW-MW-1S	11/2/07	1140	1		
57598	CO-GW-MW-1D		1207	4	1	3
57599	CO-GW-MW-5D		1255	1	1	
57600	CO-GW-MW-2D		1340			

Due Date Requested:

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

Sampler Signature / Date: 11/2/07

Printed Name / Affiliation: Susan Tolan / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
		11/2/07	16:10
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:

GV = Glass Vial
GVS = Low Level Volatile Kit
GA = Glass Amber
T = Tedlar Bag
P = Plastic
O = Other
S = Soil Jar

Preservative Codes:

H = Hydrochloric Acid + Ice
S = Sulfuric Acid + Ice
I = Ice only
VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice
O = Other (Specify)

Matrix Codes:

SO = Soil
A = Air
SOL = Solid
DW = Drinking Water
SW = Surface Water
GW = Ground Water
W = Water (Blanks)
SE = Sediment
O = Other (Specify)

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / NA
Shipping Bills attached?	Y / N / NA
Sample containers intact?	Y / N / NA
Samples within holding times?	Y / N / NA
Sufficient volume for all analyses?	Y / N / NA
Are vials head-space free?	Y / N / NA
Proper containers and preservatives?	Y / N / NA

Temp: 20°C

Received on Ice? Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

December 5, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071129.02**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
58486	CO-GW-MW-34	11/27/2007
58487	CO-GW-MW-33	11/27/2007
58488	CO-GW-MW-133	11/27/2007
58489	CO-GW-MW-15	11/27/2007
58490	CO-GW-MW-37S	11/28/2007
58491	CO-GW-MW-37M	11/28/2007
58492	CO-GW-MW-32	11/27/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58486**
Sample Designation **CO-GW-MW-34**

Matrix: Groundwater
Date Collected: 11/27/2007 13:56
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 13:24	
Surrogate (10-139)	8081	%	65	1		1.0		12/04/07 13:24	11/30/07 16:00
a-BHC	8081	ug/L	0.044	1	0.0023	0.0092	319-84-6	12/04/07 13:24	11/30/07 16:00
b-BHC	8081	ug/L	3.0	20	0.06	0.24	319-85-7	12/04/07 16:10	11/30/07 16:00
Lindane	8081	ug/L	0.0029 I	1	0.0024	0.0096	58-89-9	12/04/07 13:24	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 13:24	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 13:24	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 13:24	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 13:24	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 13:24	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 13:24	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 13:24	11/30/07 16:00
Dieldrin	8081	ug/L	0.029	1	0.0014	0.0056	60-57-1	12/04/07 13:24	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 13:24	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 13:24	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 13:24	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 13:24	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 13:24	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 13:24	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 13:24	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 13:24	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 13:24	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 13:24	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 13:24	11/30/07 16:00

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58487**
Sample Designation **CO-GW-MW-33**

Matrix: Groundwater
Date Collected: 11/27/2007 14:50
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 13:38	
Surrogate (10-139)	8081	%	86	1		1.0		12/04/07 13:38	11/30/07 16:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/04/07 13:38	11/30/07 16:00
b-BHC	8081	ug/L	0.022	1	0.003	0.012	319-85-7	12/04/07 13:38	11/30/07 16:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/04/07 13:38	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 13:38	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 13:38	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 13:38	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 13:38	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 13:38	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 13:38	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 13:38	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 13:38	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 13:38	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 13:38	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 13:38	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 13:38	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 13:38	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 13:38	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 13:38	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 13:38	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 13:38	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 13:38	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 13:38	11/30/07 16:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58488**
Sample Designation **CO-GW-MW-133**

Matrix: Groundwater
Date Collected: 11/27/2007 14:50
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 13:52	
Surrogate (10-139)	8081	%	86	1		1.0		12/04/07 13:52	11/30/07 16:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/04/07 13:52	11/30/07 16:00
b-BHC	8081	ug/L	0.015	1	0.003	0.012	319-85-7	12/04/07 13:52	11/30/07 16:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/04/07 13:52	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 13:52	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 13:52	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 13:52	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 13:52	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 13:52	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 13:52	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 13:52	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 13:52	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 13:52	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 13:52	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 13:52	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 13:52	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 13:52	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 13:52	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 13:52	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 13:52	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 13:52	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 13:52	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 13:52	11/30/07 16:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58489**
Sample Designation **CO-GW-MW-15**

Matrix: Groundwater
Date Collected: 11/27/2007 16:05
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 14:05	
Surrogate (10-139)	8081	%	83	1		1.0		12/04/07 14:05	11/30/07 16:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/04/07 14:05	11/30/07 16:00
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/04/07 14:05	11/30/07 16:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/04/07 14:05	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 14:05	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 14:05	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 14:05	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 14:05	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 14:05	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 14:05	11/30/07 16:00
Endosulfan I	8081	ug/L	0.071	1	0.0019	0.0076	959-98-8	12/04/07 14:05	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 14:05	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 14:05	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 14:05	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 14:05	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 14:05	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 14:05	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 14:05	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 14:05	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 14:05	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 14:05	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 14:05	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 14:05	11/30/07 16:00
Iron dissolved									
Date Digested	3005		12/3/2007						12/03/07 08:30
Date Analyzed	6010		12/5/2007	5				12/05/07 11:05	
Iron dissolved	6010	mg/L	17 V	5	0.012	0.048	7439-89-6	12/05/07 11:05	12/03/07 08:30
Total Organic Carbon									
Date Analyzed			12/5/07 S17	1				12/05/07 16:27	
Total Organic Carbon	SM5310C	mg/L	113	1	3.02	9.06		12/05/07 16:27	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58490**
Sample Designation **CO-GW-MW-37S**

Matrix: Groundwater
Date Collected: 11/28/2007 13:49
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 14:19	
Surrogate (10-139)	8081	%	100	1		1.0		12/04/07 14:19	11/30/07 16:00
a-BHC	8081	ug/L	0.10	1	0.0023	0.0092	319-84-6	12/04/07 14:19	11/30/07 16:00
b-BHC	8081	ug/L	0.22	1	0.003	0.012	319-85-7	12/04/07 14:19	11/30/07 16:00
Lindane	8081	ug/L	0.045	1	0.0024	0.0096	58-89-9	12/04/07 14:19	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 14:19	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 14:19	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 14:19	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 14:19	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 14:19	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 14:19	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 14:19	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 14:19	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 14:19	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 14:19	11/30/07 16:00
Endosulfan II	8081	ug/L	0.50	1	0.0018	0.0072	33213-65-9	12/04/07 14:19	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 14:19	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 14:19	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 14:19	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 14:19	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 14:19	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 14:19	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 14:19	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 14:19	11/30/07 16:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58491**
Sample Designation **CO-GW-MW-37M**

Matrix: Groundwater
Date Collected: 11/28/2007 14:32
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 14:33	
Surrogate (10-139)	8081	%	123	1		1.0		12/04/07 14:33	11/30/07 16:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/04/07 14:33	11/30/07 16:00
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/04/07 14:33	11/30/07 16:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/04/07 14:33	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 14:33	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 14:33	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 14:33	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 14:33	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 14:33	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 14:33	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 14:33	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 14:33	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 14:33	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 14:33	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 14:33	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.17	.1	0.0016	0.0064	72-54-8	12/04/07 14:33	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 14:33	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 14:33	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/04/07 14:33	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 14:33	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 14:33	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 14:33	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 14:33	11/30/07 16:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

SunLabs Sample Number **58492**
Sample Designation **CO-GW-MW-32**

Matrix: Groundwater
Date Collected: 11/27/2007 15:41
Date Received: 11/28/2007 18:58

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		11/30/07						11/30/07 16:00
Date Analyzed			12/4/07	1				12/04/07 14:47	
Surrogate (10-139)	8081	%	34	1		1.0		12/04/07 14:47	11/30/07 16:00
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/04/07 14:47	11/30/07 16:00
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/04/07 14:47	11/30/07 16:00
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/04/07 14:47	11/30/07 16:00
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/04/07 14:47	11/30/07 16:00
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/04/07 14:47	11/30/07 16:00
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/04/07 14:47	11/30/07 16:00
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/04/07 14:47	11/30/07 16:00
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/04/07 14:47	11/30/07 16:00
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/04/07 14:47	11/30/07 16:00
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/04/07 14:47	11/30/07 16:00
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/04/07 14:47	11/30/07 16:00
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/04/07 14:47	11/30/07 16:00
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/04/07 14:47	11/30/07 16:00
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/04/07 14:47	11/30/07 16:00
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/04/07 14:47	11/30/07 16:00
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/04/07 14:47	11/30/07 16:00
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/04/07 14:47	11/30/07 16:00
p,p'-DDT	8081	ug/L	0.056	1	0.002	0.008	50-29-3	12/04/07 14:47	11/30/07 16:00
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/04/07 14:47	11/30/07 16:00
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/04/07 14:47	11/30/07 16:00
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/04/07 14:47	11/30/07 16:00
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/04/07 14:47	11/30/07 16:00

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071129.02	Project Description Chevron Orlando

December 5, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
S17	*Analysis performed by Florida-Spectrum Environmental services. NELAC #E86006.*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071129.02	Project Description: Chevron Orlando

December 5, 2007

Batch No: C3148

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 58486, 58487, 58488, 58489, 58490, 58491, 58492

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*58489*	*58489*					
Surrogate (10-139)	80														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	66	65	2	11	56-99	100	106	106	0	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	67	73	9	15	53-140	100	73	104	35	57	0-162		
Aldrin	0.002 U	100	59	62	5	12	50-104	100	116	34	109 *	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	60	59	2	11	53-110	100	55	62	12	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	73	73	0	17	62-130	100	71	67	6	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	64	60	6	13	53-171	100	68	67	1	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

Batch No: C3151

Test: Metals by EPA Method 6010

TestCode: 6010-L

Associated Samples: 58489

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*58499*	*58499*					
Date Digested	12/03/07	1000	03/07	03/07	0			1000	03/07	03/07	0				
Date Analyzed	12/04/07	1000	04/07	04/07	0			1000	04/07	04/07	0				
Copper	0.003 I	1000	106	104	2			1000	107	103	4				
Iron	0.004 I	1000	98	97	1			1000	135	127	6				
Nickel	0.0025 U	1000	101	100	1			1000	101	100	1				
Zinc	0.024	1000	106	101	5			1000	121	106	13				

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
Q1	*The result for the spike(s) were not within acceptable control limits. However, the LCS data was within acceptable control limits. Therefore the poor spike results can be attributed to matrix.*
U	*The analyte was not detected at or above the reported detection limit.*

№ 14877

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolom
Address: 27751 Lake Jem Rd
Mount Dora, FL
Phone / Fax: 352 3930717
E-Mail :

SunLabs Project # 071129.02

Project Name: Chev. Oil
Project #:
PO #:
Alt Bill To:

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8021	TOC	Dis Iron
Bottle Type					AG	GV	P
Preservative					I	H	N
Matrix					GW	GW	GW
58486	CO-GW-MW-34	11/27/07	1356	1	1		
58487	CO-GW-MW-33	11/27/07	1450	1	1		
58488	CO-GW-MW-133	"	1450	1	1		
58489	CO-GW-MW-15	"	1605	~~5~~ 7	3	3	1
58490	CO-GW-MW-37S	11/28/07	1349	1	1		
58491	CO-GW-MW-37M	11/28/07	1432	1	1		
58492	CO-GW-MW-32	11/27/07	1541	1	1		

Due Date Requested: 12/5/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:
Rush MW-34, 33, 32

Please decant MW-37M

Sampler Signature / Date: 11/28/07

Printed Name / Affiliation: Susan Tolom / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
[illegible]	N. [illegible]	11/28/07	1858

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW, + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
A = Air; SO = Soil
DW = Drinking Water; SOL = Solid
GW = Ground Water; SW = Surface Water
SE = Sediment; W = Water (Blanks)
O = Other (Specify)

Internal Use Only
Sample Condition Upon Receipt:
Custody Seals present? Y / N / NA
Shipping Bills attached? Y / N / NA
Sample containers intact? Y / N / NA
Samples within holding times? Y / N / NA
Sufficient volume for all analyses? Y / N / NA
Are vials head-space free? Y / N / NA
Proper containers and preservatives? Y / N / NA

Temp: 4.6 °C
Received on Ice? Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

December 10, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071203.01**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
58538	CO-GW-MW-11	12/2/2007
58539	CO-GW-MW-111	12/2/2007
58540	CO-GW-MW-29	12/2/2007
58541	CO-GW-MW-18	12/2/2007
58542	CO-GW-MW-26	12/2/2007
58543	CO-GW-MW-27	12/2/2007
58544	CO-GW-MW-28	12/2/2007
58545	CO-GW-MW-31	12/2/2007
58546	CO-GW-MW-30	12/2/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58538**
Sample Designation **CO-GW-MW-11**

Matrix: Groundwater
Date Collected: 12/2/2007 09:46
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 11:12	
Surrogate (10-139)	8081	%	76	1		1.0		12/07/07 11:12	12/05/07 10:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/07/07 11:12	12/05/07 10:15
b-BHC	8081	ug/L	0.038	1	0.003	0.012	319-85-7	12/07/07 11:12	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 11:12	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 11:12	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 11:12	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 11:12	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 11:12	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 11:12	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 11:12	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/07/07 11:12	12/05/07 10:15
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/07/07 11:12	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 11:12	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 11:12	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 11:12	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 11:12	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 11:12	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 11:12	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 11:12	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 11:12	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 11:12	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 11:12	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 11:12	12/05/07 10:15
Iron dissolved									
Date Digested	3005		12/4/2007						12/04/07 08:00
Date Analyzed	6010		12/5/2007	1				12/05/07 10:53	
Iron dissolved	6010	mg/L	0.66	1	0.0024	0.0096	7439-89-6	12/05/07 10:53	12/04/07 08:00
Total Organic Carbon									
Date Analyzed			12/6/07 S17	1				12/06/07 10:26	
Total Organic Carbon	SM5310C	mg/L	15.3	1	0.302	0.906		12/06/07 10:26	

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520
Tampa, FL 33634

Laboratory ID Number - E84809

Phone: (813) 881-9401
Email: Info@SunLabsInc.com
Website: www.SunLabsInc.com

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58539**
Sample Designation **CO-GW-MW-111**

Matrix: Groundwater
Date Collected: 12/2/2007 09:46
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 11:26	
Surrogate (10-139)	8081	%	74	1		1.0		12/07/07 11:26	12/05/07 10:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/07/07 11:26	12/05/07 10:15
b-BHC	8081	ug/L	0.039	1	0.003	0.012	319-85-7	12/07/07 11:26	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 11:26	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 11:26	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 11:26	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 11:26	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 11:26	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 11:26	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 11:26	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/07/07 11:26	12/05/07 10:15
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/07/07 11:26	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 11:26	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 11:26	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 11:26	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 11:26	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 11:26	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 11:26	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 11:26	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 11:26	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 11:26	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 11:26	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 11:26	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58540**
Sample Designation **CO-GW-MW-29**

Matrix: Groundwater
Date Collected: 12/2/2007 10:41
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	20				12/07/07 11:39	
Surrogate (10-139)	8081	%	128	20		1.0		12/07/07 11:39	12/05/07 10:15
a-BHC	8081	ug/L	1.8	20	0.046	0.18	319-84-6	12/07/07 11:39	12/05/07 10:15
b-BHC	8081	ug/L	1.8	20	0.06	0.24	319-85-7	12/07/07 11:39	12/05/07 10:15
Lindane	8081	ug/L	0.048 K	20	0.048	0.19	58-89-9	12/07/07 11:39	12/05/07 10:15
d-BHC	8081	ug/L	5.6	20	0.046	0.18	319-86-8	12/07/07 11:39	12/05/07 10:15
Heptachlor	8081	ug/L	0.048 K	20	0.048	0.19	76-44-8	12/07/07 11:39	12/05/07 10:15
Aldrin	8081	ug/L	0.04 K	20	0.04	0.16	309-00-2	12/07/07 11:39	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.044 K	20	0.044	0.18	1024-57-3	12/07/07 11:39	12/05/07 10:15
a-Chlordane	8081	ug/L	0.038 K	20	0.038	0.15	5103-71-9	12/07/07 11:39	12/05/07 10:15
g-Chlordane	8081	ug/L	0.042 K	20	0.042	0.17	5103-74-2	12/07/07 11:39	12/05/07 10:15
Endosulfan I	8081	ug/L	0.038 K	20	0.038	0.15	959-98-8	12/07/07 11:39	12/05/07 10:15
Dieldrin	8081	ug/L	0.14	20	0.028	0.11	60-57-1	12/07/07 11:39	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.034 K	20	0.034	0.14	72-55-9	12/07/07 11:39	12/05/07 10:15
Endrin	8081	ug/L	0.036 K	20	0.036	0.14	72-20-8	12/07/07 11:39	12/05/07 10:15
Endosulfan II	8081	ug/L	0.036 K	20	0.036	0.14	33213-65-9	12/07/07 11:39	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.032 K	20	0.032	0.13	72-54-8	12/07/07 11:39	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.038 K	20	0.038	0.15	7421-93-4	12/07/07 11:39	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.054 K	20	0.054	0.22	1031-07-8	12/07/07 11:39	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.04 K	20	0.04	0.16	50-29-3	12/07/07 11:39	12/05/07 10:15
Endrin ketone	8081	ug/L	0.032 K	20	0.032	0.13	53494-70-5	12/07/07 11:39	12/05/07 10:15
Methoxychlor	8081	ug/L	0.036 K	20	0.036	0.14	72-43-5	12/07/07 11:39	12/05/07 10:15
Toxaphene	8081	ug/L	0.2 K	20	0.2	4	8001-35-2	12/07/07 11:39	12/05/07 10:15
Mirex	8081	ug/L	0.3 K	20	0.3	1.2		12/07/07 11:39	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58541**
Sample Designation **CO-GW-MW-18**

Matrix: Groundwater
Date Collected: 12/2/2007 11:18
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 11:53	
Surrogate (10-139)	8081	%	65	1		1.0		12/07/07 11:53	12/05/07 10:15
a-BHC	8081	ug/L	0.011	1	0.0023	0.0092	319-84-6	12/07/07 11:53	12/05/07 10:15
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/07/07 11:53	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 11:53	12/05/07 10:15
d-BHC	8081	ug/L	0.074	1	0.0023	0.0092	319-86-8	12/07/07 11:53	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 11:53	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 11:53	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 11:53	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 11:53	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 11:53	12/05/07 10:15
Endosulfan I	8081	ug/L	0.086	1	0.0019	0.0076	959-98-8	12/07/07 11:53	12/05/07 10:15
Dieldrin	8081	ug/L	0.0057	1	0.0014	0.0056	60-57-1	12/07/07 11:53	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 11:53	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 11:53	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 11:53	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 11:53	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 11:53	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 11:53	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 11:53	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 11:53	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 11:53	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 11:53	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 11:53	12/05/07 10:15
Iron dissolved									
Date Digested	3005		12/4/2007						12/04/07 08:00
Date Analyzed	6010		12/5/2007	1				12/05/07 10:56	
Iron dissolved	6010	mg/L	0.023	1	0.0024	0.0096	7439-89-6	12/05/07 10:56	12/04/07 08:00
Total Organic Carbon									
Date Analyzed			12/6/07 S17	1				12/06/07 10:27	
Total Organic Carbon	SM5310C	mg/L	3.01	1	0.302	0.906		12/06/07 10:27	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58542**
Sample Designation **CO-GW-MW-26**

Matrix: Groundwater
Date Collected: 12/2/2007 13:35
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 12:07	
Surrogate (10-139)	8081	%	95	1		1.0		12/07/07 12:07	12/05/07 10:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/07/07 12:07	12/05/07 10:15
b-BHC	8081	ug/L	0.029	1	0.003	0.012	319-85-7	12/07/07 12:07	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 12:07	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 12:07	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 12:07	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 12:07	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 12:07	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 12:07	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 12:07	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0085	1	0.0019	0.0076	959-98-8	12/07/07 12:07	12/05/07 10:15
Dieldrin	8081	ug/L	0.017	1	0.0014	0.0056	60-57-1	12/07/07 12:07	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 12:07	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 12:07	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 12:07	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 12:07	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 12:07	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 12:07	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 12:07	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 12:07	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 12:07	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 12:07	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 12:07	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58543**
Sample Designation **CO-GW-MW-27**

Matrix: Groundwater
Date Collected: 12/2/2007 14:41
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 12:49	
Surrogate (10-139)	8081	%	65	1		1.0		12/07/07 12:49	12/05/07 10:15
a-BHC	8081	ug/L	0.032	1	0.0023	0.0092	319-84-6	12/07/07 12:49	12/05/07 10:15
b-BHC	8081	ug/L	1.1	10	0.003	0.012	319-85-7	12/07/07 13:58	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 12:49	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 12:49	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 12:49	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 12:49	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 12:49	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 12:49	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 12:49	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/07/07 12:49	12/05/07 10:15
Dieldrin	8081	ug/L	0.012	1	0.0014	0.0056	60-57-1	12/07/07 12:49	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 12:49	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 12:49	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 12:49	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 12:49	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 12:49	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 12:49	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 12:49	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 12:49	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 12:49	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 12:49	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 12:49	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58544**
Sample Designation **CO-GW-MW-28**

Matrix: Groundwater
Date Collected: 12/2/2007 15:22
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 13:02	
Surrogate (10-139)	8081	%	81	1		1.0		12/07/07 13:02	12/05/07 10:15
a-BHC	8081	ug/L	0.069	1	0.0023	0.0092	319-84-6	12/07/07 13:02	12/05/07 10:15
b-BHC	8081	ug/L	2.3	20	0.003	0.012	319-85-7	12/07/07 15:21	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 13:02	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 13:02	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 13:02	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 13:02	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 13:02	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 13:02	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 13:02	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/07/07 13:02	12/05/07 10:15
Dieldrin	8081	ug/L	0.11	1	0.0014	0.0056	60-57-1	12/07/07 13:02	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 13:02	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 13:02	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 13:02	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 13:02	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 13:02	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 13:02	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 13:02	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 13:02	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 13:02	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 13:02	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 13:02	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58545**
Sample Designation **CO-GW-MW-31**

Matrix: Groundwater
Date Collected: 12/2/2007 16:00
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 13:16	
Surrogate (10-139)	8081	%	91	1		1.0		12/07/07 13:16	12/05/07 10:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/07/07 13:16	12/05/07 10:15
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/07/07 13:16	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 13:16	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 13:16	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 13:16	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 13:16	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 13:16	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 13:16	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 13:16	12/05/07 10:15
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/07/07 13:16	12/05/07 10:15
Dieldrin	8081	ug/L	0.0034 I	1	0.0014	0.0056	60-57-1	12/07/07 13:16	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 13:16	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 13:16	12/05/07 10:15
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/07/07 13:16	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 13:16	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 13:16	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 13:16	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 13:16	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 13:16	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 13:16	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 13:16	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 13:16	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

SunLabs Sample Number **58546**
Sample Designation **CO-GW-MW-30**

Matrix: Groundwater
Date Collected: 12/2/2007 16:30
Date Received: 12/3/2007 13:00

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/05/07						12/05/07 10:15
Date Analyzed			12/7/07	1				12/07/07 13:30	
Surrogate (10-139)	8081	%	86	1		1.0		12/07/07 13:30	12/05/07 10:15
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/07/07 13:30	12/05/07 10:15
b-BHC	8081	ug/L	0.25	1	0.003	0.012	319-85-7	12/07/07 13:30	12/05/07 10:15
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/07/07 13:30	12/05/07 10:15
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/07/07 13:30	12/05/07 10:15
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/07/07 13:30	12/05/07 10:15
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/07/07 13:30	12/05/07 10:15
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/07/07 13:30	12/05/07 10:15
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/07/07 13:30	12/05/07 10:15
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/07/07 13:30	12/05/07 10:15
Endosulfan I	8081	ug/L	0.011	1	0.0019	0.0076	959-98-8	12/07/07 13:30	12/05/07 10:15
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/07/07 13:30	12/05/07 10:15
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/07/07 13:30	12/05/07 10:15
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/07/07 13:30	12/05/07 10:15
Endosulfan II	8081	ug/L	0.014	1	0.0018	0.0072	33213-65-9	12/07/07 13:30	12/05/07 10:15
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/07/07 13:30	12/05/07 10:15
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/07/07 13:30	12/05/07 10:15
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/07/07 13:30	12/05/07 10:15
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/07/07 13:30	12/05/07 10:15
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/07/07 13:30	12/05/07 10:15
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/07/07 13:30	12/05/07 10:15
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/07/07 13:30	12/05/07 10:15
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/07/07 13:30	12/05/07 10:15

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
K	*The value is known to be less than the reported value based on sample size, dilution or some other variable.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
S17	*Analysis performed by Florida-Spectrum Environmental services. NELAC #E86006.*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071203.01	Project Description: Chevron Orlando

December 10, 2007

Batch No: C3166

Test: Iron dissolved

TestCode: Fe-dissolved

Associated Samples: 58538, 58541

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									58538	58538					
Date Digested	2/4/2007 U														
Date Analyzed	2/5/2007 U														
Iron dissolved	0.0024 U	1000	97	99	2			1000	98	101	3				

Batch No: C3180

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 58538, 58539, 58540, 58541, 58542, 58543, 58544, 58545, 58546

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									58538	58538					
Surrogate (10-139)	83														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	76	76	0	11	56-99	100	72	64	12	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	73	79	8	15	53-140	100	52	51	2	57	0-162		
Aldrin	0.002 U	100	70	74	6	12	50-104	100	44	46	4	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	67	76	13*	11	53-110	100	95	99	4	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	74	82	10	17	62-130	100	73	71	3	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	70	79	12	13	53-171	100	69	65	6	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
Q1	*The result for the spike(s) were not within acceptable control limits. However, the LCS data was within acceptable control limits. Therefore the poor spike results can be attributed to matrix.*
U	*The analyte was not detected at or above the reported detection limit.*

№ 13915

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolom
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352-383-0717
E-Mail :

SunLabs Project # 071203.01

Project Name: Chevron Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Just
Arcadis

Bottle Type	AG	GV	P							
Preservative	I	H	N							
Matrix	GW	GW	GW							
Analysis / Method Requested	8081	TOC	Dis Iron							

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081	TOC	Dis Iron
58538	CO-GW-MW-11	12/2/07	0946	7	3	3	1
58539	CO-GW-MW-111	"	0946	1	1		
58540	CO-GW-MW-29*	"	1041	1	1		
58541	CO-GW-MW-18		1118	5	1	3	1
58542	CO-GW-MW-26		1335	1	1		
58543	CO-GW-MW-27		1441	1	1		
58544	CO-GW-MW-28		1522	1	1		
58545	CO-GW-MW-31*		1600	1	1		
58546	CO-GW-MW-30*		1630	1	1		

Due Date Requested: 12/10/07

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:
* Samples are very turbid. Please let the sediment settle and decant water for analysis.

Sampler Signature / Date: [signature] 12/3/07

Printed Name / Affiliation: Susan Tolom / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
[signature]	LA Palmer	12/3/07	1300
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:
GV = Glass Vial; GVS = Low Level Volatile Kit
GA = Glass Amber; T = Tedlar Bag
P = Plastic; O = Other
S = Soil Jar

Preservative Codes:
H = Hydrochloric Acid + Ice; S = Sulfuric Acid + Ice
I = Ice only; VS = MeOH, OFW. + Ice
N = Nitric Acid + Ice; O = Other (Specify)

Matrix Codes:
A = Air; SO = Soil
DW = Drinking Water; SOL = Solid
GW = Ground Water; SW = Surface Water
SE = Sediment; W = Water (Blanks)
O = Other (Specify)

Temp: 4.9°C

Received on Ice? Y / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present?	Y / N / NA
Shipping Bills attached?	Y / N / NA
Sample containers intact?	Y / N / NA
Samples within holding times?	Y / N / NA
Sufficient volume for all analyses?	Y / N / NA
Are vials head-space free?	Y / N / NA
Proper containers and preservatives?	Y / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com

December 17, 2007

Susan Tobin
TASK Environmental , Inc.
27751 Lake Jem Road
Mount Dora, FL 32757

Re: SunLabs Project Number: **071206.05**
Client Project Description: **Chevron Orlando**

Dear Mrs. Tobin:

Enclosed is the report of laboratory analysis for the following samples:

Sample Number	Sample Description	Date Collected
58762	CO-GW-MW-2S	12/5/2007
58763	CO-GW-MW-2D	12/5/2007
58764	CO-EQBK-1	12/5/2007
58765	CO-GW-MW-16S	12/5/2007
58766	CO-GW-MW-16D	12/5/2007
58767	CO-GW-MW-36S	12/5/2007
58768	CO-GW-MW-36D	12/5/2007
58769	CO-GW-MW-38D	12/5/2007

Copies of the Chain(s)-of-Custody, if received, are attached to this report.

If you have any questions or comments concerning this report, please do not hesitate to contact us.

Michael W. Palmer
Vice President, Laboratory Operations

Enclosures

Unless Otherwise Noted and Where Applicable:

These samples were received at the proper temperature and were analyzed as received. The results herein relate only to the items tested or to the samples as received by the laboratory • This report shall not be reproduced except in full, without the written approval of the laboratory • Results for all solid matrices are reported on a dry weight basis • All samples will be disposed of within 45 days of the date of receipt of the samples • All samples in the body of the report are environmental samples. All results in the Quality Control (QC) section are labeled appropriately • All results meet the requirements of the NELAC standards • Footnotes are given at the end of the report • Uncertainty values are available upon request.

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58762**
Sample Designation **CO-GW-MW-2S**

Matrix: Groundwater
Date Collected: 12/5/2007 11:38
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 21:05	
Surrogate (10-139)	8081	%	72	1		1.0		12/12/07 21:05	12/11/07 09:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/12/07 21:05	12/11/07 09:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/12/07 21:05	12/11/07 09:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/12/07 21:05	12/11/07 09:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/12/07 21:05	12/11/07 09:30
Heptachlor	8081	ug/L	0.015	1	0.0024	0.0096	76-44-8	12/12/07 21:05	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 21:05	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 21:05	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 21:05	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 21:05	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 21:05	12/11/07 09:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/12/07 21:05	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 21:05	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 21:05	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 21:05	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 21:05	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 21:05	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 21:05	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 21:05	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 21:05	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 21:05	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 21:05	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 21:05	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58763**
Sample Designation **CO-GW-MW-2D**

Matrix: Groundwater
Date Collected: 12/5/2007 12:13
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 21:18	
Surrogate (10-139)	8081	%	80	1		1.0		12/12/07 21:18	12/11/07 09:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/12/07 21:18	12/11/07 09:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/12/07 21:18	12/11/07 09:30
Lindane	8081	ug/L	0.98	10	0.024	0.096	58-89-9	12/13/07 11:39	12/11/07 09:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/12/07 21:18	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 21:18	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 21:18	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 21:18	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 21:18	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 21:18	12/11/07 09:30
Endosulfan I	8081	ug/L	0.40	1	0.0019	0.0076	959-98-8	12/12/07 21:18	12/11/07 09:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/12/07 21:18	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 21:18	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 21:18	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 21:18	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 21:18	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 21:18	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 21:18	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 21:18	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 21:18	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 21:18	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 21:18	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 21:18	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58764**
Sample Designation **CO-EQBK-1**

Matrix: Groundwater
Date Collected: 12/5/2007 11:52
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 21:59	
Surrogate (10-139)	8081	%	91	1		1.0		12/12/07 21:59	12/11/07 09:30
a-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-84-6	12/12/07 21:59	12/11/07 09:30
b-BHC	8081	ug/L	0.003 U	1	0.003	0.012	319-85-7	12/12/07 21:59	12/11/07 09:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/12/07 21:59	12/11/07 09:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/12/07 21:59	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 21:59	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 21:59	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 21:59	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 21:59	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 21:59	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 21:59	12/11/07 09:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/12/07 21:59	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 21:59	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 21:59	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 21:59	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 21:59	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 21:59	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 21:59	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 21:59	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 21:59	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 21:59	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 21:59	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 21:59	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58765**
Sample Designation **CO-GW-MW-16S**

Matrix: Groundwater
Date Collected: 12/5/2007 14:14
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 22:12	
Surrogate (10-139)	8081	%	89	1		1.0		12/12/07 22:12	12/11/07 09:30
a-BHC	8081	ug/L	0.13	1	0.0023	0.0092	319-84-6	12/12/07 22:12	12/11/07 09:30
b-BHC	8081	ug/L	1.5	10	0.003	0.012	319-85-7	12/13/07 11:52	12/11/07 09:30
Lindane	8081	ug/L	0.069	1	0.0024	0.0096	58-89-9	12/12/07 22:12	12/11/07 09:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/12/07 22:12	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 22:12	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 22:12	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 22:12	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 22:12	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 22:12	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 22:12	12/11/07 09:30
Dieldrin	8081	ug/L	0.062	10	0.0014	0.0056	60-57-1	12/13/07 11:52	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 22:12	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 22:12	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 22:12	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 22:12	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 22:12	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 22:12	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 22:12	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 22:12	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 22:12	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 22:12	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 22:12	12/11/07 09:30
Iron dissolved									
Date Digested	3005		12/7/2007						12/07/07 08:30
Date Analyzed	6010		12/11/2007	1				12/11/07 11:41	
Iron dissolved	6010	mg/L	0.29 V	1	0.0024	0.0096	7439-89-6	12/11/07 11:41	12/07/07 08:30
Total Organic Carbon									
Date Analyzed			12/8/07 S17	1				12/08/07 13:47	
Total Organic Carbon	SM5310C	mg/L	5.45	1	0.3	0.91		12/08/07 13:47	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58766**
Sample Designation **CO-GW-MW-16D**

Matrix: Groundwater
Date Collected: 12/5/2007 14:41
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 22:26	
Surrogate (10-139)	8081	%	62	1		1.0		12/12/07 22:26	12/11/07 09:30
a-BHC	8081	ug/L	0.054	1	0.0023	0.0092	319-84-6	12/12/07 22:26	12/11/07 09:30
b-BHC	8081	ug/L	1.4	10	0.003	0.012	319-85-7	12/13/07 12:06	12/11/07 09:30
Lindane	8081	ug/L	0.0024 U	1	0.0024	0.0096	58-89-9	12/12/07 22:26	12/11/07 09:30
d-BHC	8081	ug/L	0.0023 U	1	0.0023	0.0092	319-86-8	12/12/07 22:26	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 22:26	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 22:26	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 22:26	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 22:26	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 22:26	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 22:26	12/11/07 09:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/12/07 22:26	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 22:26	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 22:26	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 22:26	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 22:26	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 22:26	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 22:26	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 22:26	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 22:26	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 22:26	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 22:26	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 22:26	12/11/07 09:30
Iron dissolved									
Date Digested	3005		12/7/2007						12/07/07 08:30
Date Analyzed	6010		12/11/2007	2				12/11/07 12:51	
Iron dissolved	6010	mg/L	6.7 V	2	0.0048	0.019	7439-89-6	12/11/07 12:51	12/07/07 08:30
Total Organic Carbon									
Date Analyzed			12/10/07 S17	1				12/10/07 16:46	
Total Organic Carbon	SM5310C	mg/L	10.9	1	0.3	0.91		12/10/07 16:46	

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58767**
Sample Designation **CO-GW-MW-36S**

Matrix: Groundwater
Date Collected: 12/5/2007 15:14
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 22:39	
Surrogate (10-139)	8081	%	30	1		1.0		12/12/07 22:39	12/11/07 09:30
a-BHC	8081	ug/L	0.76	10	0.0023	0.0092	319-84-6	12/13/07 12:19	12/11/07 09:30
b-BHC	8081	ug/L	0.59	10	0.003	0.012	319-85-7	12/13/07 12:19	12/11/07 09:30
Lindane	8081	ug/L	1.5	10	0.0024	0.0096	58-89-9	12/13/07 12:19	12/11/07 09:30
d-BHC	8081	ug/L	1.0	10	0.0023	0.0092	319-86-8	12/13/07 12:19	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 22:39	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 22:39	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 22:39	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 22:39	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 22:39	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 22:39	12/11/07 09:30
Dieldrin	8081	ug/L	0.094	1	0.0014	0.0056	60-57-1	12/12/07 22:39	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 22:39	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 22:39	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 22:39	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.27	1	0.0016	0.0064	72-54-8	12/12/07 22:39	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 22:39	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 22:39	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 22:39	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 22:39	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 22:39	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 22:39	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 22:39	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58768**
Sample Designation **CO-GW-MW-36D**

Matrix: Groundwater
Date Collected: 12/5/2007 16:05
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/12/07	1				12/12/07 22:53	
Surrogate (10-139)	8081	%	105	1		1.0		12/12/07 22:53	12/11/07 09:30
a-BHC	8081	ug/L	8.2	50	0.0023	0.0092	319-84-6	12/13/07 12:33	12/11/07 09:30
b-BHC	8081	ug/L	2.3	50	0.003	0.012	319-85-7	12/13/07 12:33	12/11/07 09:30
Lindane	8081	ug/L	22	50	0.0024	0.0096	58-89-9	12/13/07 12:33	12/11/07 09:30
d-BHC	8081	ug/L	6.0	50	0.0023	0.0092	319-86-8	12/13/07 12:33	12/11/07 09:30
Heptachlor	8081	ug/L	0.0024 U	1	0.0024	0.0096	76-44-8	12/12/07 22:53	12/11/07 09:30
Aldrin	8081	ug/L	0.002 U	1	0.002	0.008	309-00-2	12/12/07 22:53	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.0022 U	1	0.0022	0.0088	1024-57-3	12/12/07 22:53	12/11/07 09:30
a-Chlordane	8081	ug/L	0.0019 U	1	0.0019	0.0076	5103-71-9	12/12/07 22:53	12/11/07 09:30
g-Chlordane	8081	ug/L	0.0021 U	1	0.0021	0.0084	5103-74-2	12/12/07 22:53	12/11/07 09:30
Endosulfan I	8081	ug/L	0.0019 U	1	0.0019	0.0076	959-98-8	12/12/07 22:53	12/11/07 09:30
Dieldrin	8081	ug/L	0.0014 U	1	0.0014	0.0056	60-57-1	12/12/07 22:53	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.0017 U	1	0.0017	0.0068	72-55-9	12/12/07 22:53	12/11/07 09:30
Endrin	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-20-8	12/12/07 22:53	12/11/07 09:30
Endosulfan II	8081	ug/L	0.0018 U	1	0.0018	0.0072	33213-65-9	12/12/07 22:53	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.0016 U	1	0.0016	0.0064	72-54-8	12/12/07 22:53	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.0019 U	1	0.0019	0.0076	7421-93-4	12/12/07 22:53	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.0027 U	1	0.0027	0.011	1031-07-8	12/12/07 22:53	12/11/07 09:30
p,p'-DDT	8081	ug/L	0.002 U	1	0.002	0.008	50-29-3	12/12/07 22:53	12/11/07 09:30
Endrin ketone	8081	ug/L	0.0016 U	1	0.0016	0.0064	53494-70-5	12/12/07 22:53	12/11/07 09:30
Methoxychlor	8081	ug/L	0.0018 U	1	0.0018	0.0072	72-43-5	12/12/07 22:53	12/11/07 09:30
Toxaphene	8081	ug/L	0.01 U	1	0.01	0.2	8001-35-2	12/12/07 22:53	12/11/07 09:30
Mirex	8081	ug/L	0.015 U	1	0.015	0.06		12/12/07 22:53	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

SunLabs Sample Number **58769**
Sample Designation **CO-GW-MW-38D**

Matrix: Groundwater
Date Collected: 12/5/2007 16:32
Date Received: 12/6/2007 14:30

Parameters	Method	Units	Results	Dil Factor	MDL	RL	CAS Number	Date/Time Analyzed	Date/Time Prep
Organochlorine Pesticides by EPA Method 8081									
Date Extracted	3510		12/11/07						12/11/07 09:30
Date Analyzed			12/13/07	1				12/13/07 23:06	
Surrogate (10-139)	8081	%	133	2		1.0		12/13/07 23:06	12/11/07 09:30
a-BHC	8081	ug/L	0.046 K	20	0.046	0.18	319-84-6	12/13/07 12:46	12/11/07 09:30
b-BHC	8081	ug/L	0.06 K	20	0.06	0.24	319-85-7	12/13/07 12:46	12/11/07 09:30
Lindane	8081	ug/L	0.048 K	20	0.048	0.19	58-89-9	12/13/07 12:46	12/11/07 09:30
d-BHC	8081	ug/L	0.046 K	20	0.046	0.18	319-86-8	12/13/07 12:46	12/11/07 09:30
Heptachlor	8081	ug/L	0.048 K	20	0.048	0.19	76-44-8	12/13/07 12:46	12/11/07 09:30
Aldrin	8081	ug/L	0.04 K	20	0.04	0.16	309-00-2	12/13/07 12:46	12/11/07 09:30
Heptachlor epoxide	8081	ug/L	0.044 K	20	0.044	0.18	1024-57-3	12/13/07 12:46	12/11/07 09:30
a-Chlordane	8081	ug/L	0.038 K	20	0.038	0.15	5103-71-9	12/13/07 12:46	12/11/07 09:30
g-Chlordane	8081	ug/L	0.042 K	20	0.042	0.17	5103-74-2	12/13/07 12:46	12/11/07 09:30
Endosulfan I	8081	ug/L	0.038 K	20	0.038	0.15	959-98-8	12/13/07 12:46	12/11/07 09:30
Dieldrin	8081	ug/L	0.71	20	0.028	0.11	60-57-1	12/13/07 12:46	12/11/07 09:30
p,p'-DDE	8081	ug/L	0.034 K	20	0.034	0.14	72-55-9	12/13/07 12:46	12/11/07 09:30
Endrin	8081	ug/L	0.036 K	20	0.036	0.14	72-20-8	12/13/07 12:46	12/11/07 09:30
Endosulfan II	8081	ug/L	0.036 K	20	0.036	0.14	33213-65-9	12/13/07 12:46	12/11/07 09:30
p,p'-DDD	8081	ug/L	0.032 K	20	0.032	0.13	72-54-8	12/13/07 12:46	12/11/07 09:30
Endrin aldehyde	8081	ug/L	0.038 K	20	0.038	0.15	7421-93-4	12/13/07 12:46	12/11/07 09:30
Endosulfan sulfate	8081	ug/L	0.054 K	20	0.054	0.22	1031-07-8	12/13/07 12:46	12/11/07 09:30
p,p'-DDT	8081	ug/L	2.9	20	0.04	0.16	50-29-3	12/13/07 12:46	12/11/07 09:30
Endrin ketone	8081	ug/L	0.032 K	20	0.032	0.13	53494-70-5	12/13/07 12:46	12/11/07 09:30
Methoxychlor	8081	ug/L	0.036 K	20	0.036	0.14	72-43-5	12/13/07 12:46	12/11/07 09:30
Toxaphene	8081	ug/L	0.2 K	20	0.2	4	8001-35-2	12/13/07 12:46	12/11/07 09:30
Mirex	8081	ug/L	0.3 K	20	0.3	1.2		12/13/07 12:46	12/11/07 09:30

Report of Laboratory Analysis

SunLabs Project Number	TASK Environmental , Inc.
071206.05	Project Description Chevron Orlando

December 17, 2007

Footnotes	
*	*SunLabs is not currently NELAC certified for this analyte.*
I	*The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.*
K	*The value is known to be less than the reported value based on sample size, dilution or some other variable.*
LCS	*Laboratory Control Sample*
LCSD	*Laboratory Control Sample Duplicate*
MB	*Method Blank*
MS	*Matrix Spike*
MSD	*Matrix Spike Duplicate*
NA	*Sample not analyzed at client's request.*
RL	*RL(reporting limit) = PQL(practical quantitation limit).*
RPD	*Relative Percent Difference*
S17	*Analysis performed by Florida-Spectrum Environmental services. NELAC #E86006.*
U	*The analyte was not detected at or above the reported detection limit.*
V	*Indicates that the analyte was detected in both the sample and the associated method blank.*

Quality Control Data

Project Number	TASK Environmental , Inc.
071206.05	Project Description: Chevron Orlando

December 17, 2007

Batch No: C3198

Test: Metals by EPA Method 6010

TestCode: 6010-L

Associated Samples: 58765, 58766

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*58765*	*58765*					
Date Digested	2/7/2007 U	1000	07/07	07/07	0			1000	07/07	07/07	0				
Date Analyzed	2/10/2007 U	1000	10/07	10/07	0			1000	10/07	10/07	0				
Arsenic	0.0048 U	1000	98	99	1			1000	100	96	4				
Barium	0.001 U	1000	101	102	1			1000	100	98	2				
Cadmium	0.0006 U	1000	98	100	2			1000	98	98	0				
Chromium	0.0035 U	1000	101	101	0			1000	102	104	2				
Copper	0.007 I	1000	107	107	0			1000	103	101	2				
Iron	0.011	1000	104	102	2			1000	103	97	6				
Lead	0.0044 U	1000	101	102	1			1000	102	100	2				
Phosphorous	0.015 U	1.0	100	100	0			1.0	95	97	2				
Selenium	0.0047 U	1000	98	99	1			1000	98	97	1				
Silver	0.0033 U	1000	102	102	0			1000	103	104	1				

Batch No: C3252

Test: Organochlorine Pesticides by EPA Method 8081

TestCode: 8081-w

Associated Samples: 58762, 58763, 58764, 58765, 58766, 58767, 58768, 58769

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits--- RPD	LCS	MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits--- RPD	MS	Dup RPD	Qualifiers
Parent Sample Number									*58689*	*58689*					
Surrogate (10-139)	58														
a-BHC	0.0023 U														
b-BHC	0.0030 U														
Lindane	0.0024 U	100	66	70	6	11	56-99	100	56	63	12	42	23-128		
d-BHC	0.0023 U														
Heptachlor	0.0024 U	100	73	78	7	15	53-140	100	60	69	14	57	0-162		
Aldrin	0.002 U	100	63	64	2	12	50-104	100	46	53	14	47	0-138		
Heptachlor epoxide	0.0022 U														
a-Chlordane	0.0019 U														
g-Chlordane	0.0021 U														
Endosulfan I	0.0019 U														
Dieldrin	0.0014 U	100	70	76	8	11	53-110	100	59	65	10	31	14-135		
p,p'-DDE	0.0017 U														
Endrin	0.0018 U	100	89	86	3	17	62-130	100	66	70	6	96	0-159		
Endosulfan II	0.0018 U														
p,p'-DDD	0.0016 U														
Endrin aldehyde	0.0019 U														
Endosulfan sulfate	0.0027 U														
p,p'-DDT	0.002 U	100	78	85	9	13	53-171	100	108	72	40*	29	0-144		
Endrin ketone	0.0016 U														
Methoxychlor	0.0018 U														
Toxaphene	0.01 U														
Mirex	0.015 U														

* indicates value is outside control limits for %Recovery or greater than acceptance criteria for RP

Footnotes

U *The analyte was not detected at or above the reported detection limit.*

№ 14252

SunLabs, Inc. Chain of Custody

Client Name: TASK Environmental
Contact: Susan Tolom
Address: 27751 Lake Jem Road
Mount Dora, FL 32757
Phone / Fax: 352 383 0717
E-Mail :

SunLabs Project # 071206.05

Project Name: ~~FO~~ Chev Orlando
Project #: E0215
PO #:
Alt Bill To: Allen Nist Arcadis

Bottle Type	AG	GV	P
Preservative	1	H	N
Matrix	GW	GW	GW
Analysis / Method Requested	8081	TOC	Dis Iron

SunLabs Sample #	Sample Description	Sample Date	Sample Time	# of Bottles	8081	TOC	Dis Iron
587762	CO-GW-MW-2S	12/5/07	1138	1	1		
587763	CO-GW-MW-2D	"	1213	3	3		
587764	CO-EQBK-1	"	1152	1	1		
587765	CO-GW-MW-16S		1414	5	1	3	1
587766	CO-GW-MW-16D		1441	5	1	3	1
587767	CO-GW-MW-36S		1514	1	1		
587768	CO-GW-MW-36D		1605	1	1		
587769	CO-GW-MW-38D*	—	1632	1	1		

Due Date Requested:

☐ FDEP PreApproval site
☐ Current rates ☐ Old rates

Remarks / Comments:

* Use caution - open in hood

Sampler Signature / Date: 12/6/07

Printed Name / Affiliation: Susan Tolom / TASK

SUNLABS, INC. RESERVES THE RIGHT TO BILL FOR UNUSED/ UNRETURNED SAMPLES AND TO RETURN UNUSED SAMPLES.

Relinquished By:	Relinquished To:	Date:	Time:
	LA Palmer	12/6/07	1430
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:
Relinquished By:	Relinquished To:	Date:	Time:

Bottle Type Codes:

GV = Glass Vial
GA = Glass Amber
P = Plastic
S = Soil Jar
GVS = Low Level Volatile Kit
T = Tedlar Bag
O = Other

Preservative Codes:

H = Hydrochloric Acid + Ice
I = Ice only
N = Nitric Acid + Ice
S = Sulfuric Acid + Ice
VS = MeOH, DFW, + Ice
O = Other (Specify)

Matrix Codes:

A = Air
DW = Drinking Water
GW = Ground Water
SE = Sediment
SO = Soil
SOL = Solid
SW = Surface Water
W = Water (Blanks)
O = Other (Specify)

Temp: 2.4°C

Received on Ice? (Y) / N / NA

Internal Use Only

Sample Condition Upon Receipt:

Custody Seals present? Y / N / (NA)
Shipping Bills attached? Y / N / (NA)
Sample containers intact? (Y) / N / NA
Samples within holding times? (Y) / N / NA
Sufficient volume for all analyses? (Y) / N / NA
Are vials head-space free? (Y) / N / NA
Proper containers and preservatives? (Y) / N / NA

SunLabs, Inc.
5460 Beaumont Center Blvd., Suite 520, Tampa, Florida 33634
Phone: 813-881-9401 / Fax: 813-354-4661
e-mail: info@SunLabsInc.com www.SunLabsInc.com