EUGENE F. MOONEY
SECRETARY

Site: A.L. Taylor
Break: 17.7
Other:

JULIAN M. CARROLL
GOVERNOR

COMMONWEALTH OF KENTUCKY
DEPARTMENT FOR NATURAL RESOURCES AND ENVIRONMENTAL PROTECTION
BUREAU OF ENVIRONMENTAL PROTECTION
DIVISION OF HAZARDOUS MATERIAL
AND WASTE MANAGEMENT
FRANKFORT, KENTUCKY 40601

MEMORANDUM

TO: Irene Steinhardt
Assistant To The Secretary

FROM: Hussein Aldis, Geologist HA.
Hazardous Material Management Section

DATE: January 18, 1979

SUBJECT: Geologic Settings of Illegal Waste Disposal Sites in Louisville area.

Donald

1) Distler Residence - Belvins Gap Road.
Sited on New Providence Shale Member of the Borden Formation. Low permeability, low ground water potential.

Very little likelihood of ground water pollution; strong likelihood of surface water pollution. Drains via Crane Run and Pond Creek to Salt River.

2) 'Bennie's Last Chance.' On recent Alluvium and Glacial outwash of the Ohio valley.
Distler's parents

Overlays a good aquifer. Good chance of both ground and surface water pollution. Drains via Stump Gap Creek and Pond Creek to Salt River.

3) "The Brickyard,' West Point. On recent Alluvium and Glacial outwash.

Overlays an excellant aquifer and important public water supply. Strong likelihood of ground water pollution and good chance of surface water pollution.

Drains via Bee Branch to Salt River.

4) A.L. Taylor site. On New Providence Shale Member of Borden Formation. Low ground water potential. Very little likelihood of ground water pollution. Strong likelihood of surface water pollution.

Drains via Brooks Run to Floyds Fork of Salt River.

Note: In all cases of surface water pollution the stream may become a source of ground water by bank recharge lower down its course.

HA:jlc

10949071

U.S. EPA REGION IV

SDMS

POOR LEGIBILITY

PORTIONS OF THIS DOCUMENT MAY BE DIFFICULT TO VIEW DUE TO THE QUALITY OF THE ORIGINAL.

TO MAKE THE DOCUMENT READABLE, TRY ONE OR MORE OF THE FOLLOWING:

From the Displays Settings in Windows Control Panel:

1. Set the Color Quality to the highest available: 24 bit or 36 bit.
2. Increase or decrease the Screen resolution.

From the Monitor/Display Controls:

1. For dark image page, increase the brightness and decrease the contrast.
2. For light image page, decrease the brightness and increase the contrast.

** PLEASE CONTACT THE APPROPRIATE RECORDS CENTER TO VIEW THE MATERIAL**

V. 2-040506

Recd by BLM from J E McClure 1/15/79

KENTUCKY STATE POLICE
CRIME LABORATORY

pe 1

Request for Examination

Case No. _____

Laboratory No. _____

TO: Crime Laboratory

FROM: J.E. McCLURE

DEPARTMENT:
DEPT. FOR NAT. RESOURCES

OFFENSE: UNPERMITTED DISPOSAL OF HAZ. WASTE
DATE: ?
COUNTY: JEFF.
VICTIM:
SUSPECT OR ACCUSED: ?
INVESTIGATING OFFICER: DNREP
DEPARTMENT:

EXHIBITS:
4 WATER SAMPS
4 DRUM SAMPS.

CASE HISTORY:
ILLEGAL (UNPERMITTED) DUMPING OF HAZ. WASTE ON A.L. TAYLOR PROPERTY, BULLITT CO, KY.

EXAMINATION REQUESTED:
DETERMINE HYDROCARBONS PRESENT IN DRUM SAMPS + WATER SAMPS.

DISPOSITION OF EVIDENCE (Check one)
Return to Officer ( )
Destroy ( )
Hold for Pick up (✓)

Date _____ Reviewed by _____ Officer Making Request _____

Attach additional pages if needed.

KSP 25 7/76

File

GENERATOR MEETING ON THE A. L. TAYLOR PROPERTY, SCHEDULED FOR

1:30, Tuesday, February 20, 5th Floor Conference Room

Persons Contacted:

1. Ford Motor Company -- Medford Lee, Corporate Industrial Relations Office
   Bill Christopher
2. G. W. Whiteside Company -- G. W. Whiteside
3. Louisville Varnish Company -- Leo H. Griesbum, President
   Carrul Terry & Hermon Eiley
4. Kurfees Coating, Inc. -- ~~Mr. Tony~~ - Plant Production
5. Reliance Universal -- William Rutledge, Vice President, Corporate Operations
   Charles Robertson

Persons indicating that they would attend:

1. Ford Motor Company -- Corporate representative will be present.
2. G. W. Whiteside Company -- G. W. Whiteside
3. Louisville Varnish Company -- Leo H. Griesbum
4. Kurfees Coating, Inc. -- Message delivered, no reply received at 4 p.m. 2/16
5. Reliance Universal -- William Rutledge and Corporate Attorney

Kentucky news
COMMONWEALTH OF KENTUCKY
Department of Public Information

DRAFT

CONTACT: Edmund Shelby (502) 564-2041
Department for Natural Resources
and Environmental Protection

FRANKFORT, Ky.(March 21, 1979)--The Kentucky Department for Natural Resources and Environmental Protection today released results from sediment samples taken at the Valley of the Drums hazardous waste site in Bullitt County that show low ultra trace levels of polychlorinated biphenyls (PCB).

PCBs cause liver diseases, skin rashes and birth defects in humans and cancer in laboratory animals.

Taken in February by the U. S. Environmental Protection Agency (EPA), the samples show varying amounts of PCBs at the Valley of the Drums, Wilson Creek, Pond Creek and Stump Gap Creek.

According to the EPA results, which were sent to the department late Monday, sediment samples taken at three sites at the Valley show concentrations of PCBs within the 1 to 14 parts per million range. Samples from four sites along Wilson Creek show concentrations from 0.01 to 3.0 parts per million. Trace levels of PCBs were found in the sediment of Pond Creek and a trace (0.1 parts per million) of PCBs was found in Stump Gap Creek.

Concentrations of three parts per million and above are considered significant by EPA.

-more-

According to Eugene Mooney, the department's secretary, both water and sediment samples were taken for the Louisville area hazardous waste sites known as Benny's Last Chance (Distler Farm) in Jefferson County, an abandoned brickyard at West Point in Hardin County and the Valley of the Drums (A. L. Taylor farm) in Bullitt County.

"The only water that was highly contaminated was Wilson Creek," Mooney said. "The results show organics such as ketones and alcohols were present at the time of the sampling. However, it is believed that the filtration system installed by EPA recently will eliminate that problem."

"The PCBs show up in the sediment samples because they are heavier than water and so settle on the bottom," he said.

"It appears safe to assume that since the highest concentration is at the site, then the PCBs originate from the site," he added.

The levels decrease as the distance from the site increases.

"Our major concern right now is to see that the public is protected from this potential threat," Mooney said. "So then we are advising against fishing in any of these streams because PCBs can collect and multiply in fish tissue. For example, 6.5 to 22 parts per million of PCBs were found in Lake Hartwell in South Carolina. Catfish fillets from the lake showed 110 parts per million."

-more-

Mooney also said that more samples will have to be taken to determine the extent of the problem and that a biological survey of Wilson Creek will begin soon.

"We must also find exactly where on the site the PCBs are coming from," Mooney said. "Then we will have to isolate it and either dispose of it or prevent it from escaping."

Mooney said that federal regulations, adopted in April of last year, limit disposal to federally approved landfills. There are only four such landfills in the nation.

If the PCBs are in liquid form, however, they must be burned in a federally approved incinerator. There are no such incinerators in existence, according to Mooney, so then it would have to be placed in special storage until a proper means of disposal can be found.

EPA banned the discharge of PCBs into rivers and streams in February 1978. Since then, the only manufacturer of the chemical in the U. S., Monsanto Chemical Corp., has agreed to halt its production.

The chemical has been used in several manufacturing processes such as for auto tires and oil for electric transformers.

BRIEFING SUMMARY
6/19/79

13.68-Acre Farm

Drinking Water (VOA & Extractable Data)

- West Point, NY, Raw & Finished - Clean. No organic compounds present at concentrations greater than 5 ug/l.
- Ft. Knox Well Supply - Clean. No organic compounds present at concentrations greater than 5 ug/l.
- Private Residences (Abbott Beach Road) Clean, except for trichlorofluoromethane 5-38 ug/l range. However, blank contamination makes the data somewhat questionable. Should be resampled.

Ambient Water & Sediment

- Stump Gap Creek (Water) - low level (<20 ug/l) ketone, phthalates, and sulfonamide-type compounds.
- Stump Gap Creek (Sediment) - Several unidentified compounds <1 mg/kg. Trace (<0.1 mg/kg), Aroclor 1260.

Core Samples

- All core samples to be extracted.

Brickyard

Ambient Water & Sediment

- Bee Branch (Water) - Clean. No organic compounds present at concentrations greater than 5 ug/l.
- Bee Branch (Sediment) - Clean. No organic compounds present at concentrations greater than 1 mg/kg.

Cores

- All cores samples to be extracted.

A. J. Taylor Site

Drinking Water (VOA & Extractable Data)

- Judd Res. (National Turnpike) - Low concentration organics detected (chloroform, bromodichloro ethane, xylene, diethyl-phthalate). Due to low concentration of compounds, the well should be resampled, prior to data release.
- Sweeney Res. (P. O. Box 241) - Clean. No organic compounds present at concentrations greater than 5 ug/l.

Ambient Water & Sediment

- Wilson Creek (Water) Organics present include ketones (mg/l), aromatics, alcohols, acids, phthalates (ug/l). Highly contaminated.

PCBs

- Wilson Creek (Sediment) - Significant number of unidentified compounds in the 1-10 mg/kg range. PCB detected in four creek sampling sites in low concentrations (0.01-3.0 mg/kg).

Wilson Creek Sediment < 3 ppm

- Pond Creek (Water) - Few organics present, mostly less than 10 ug/l.
- Pond Creek (Sediment) - Significant number of unidentified compounds in the 1 mg/kg or less concentration. Trace levels of PCB and chlordane detected.

Pond Creek Trace only

SURFACE

- Taylor Site Samples (Water) - Organics present include ketones (ug/l), aromatics, alcohols, acids, phthalates (ug/l). Highly contaminated.
- Taylor Site Samples (Sediment) - Significant number of unidentified compounds <1-400 mg/kg range. PCB detected at three sediment sampling sites (1-14.0 mg/kg range).

Grab samples at site < 14 ppm

Cores

- All core samples to be extracted.

General Statements about Ambient samples - Surface water and sediment

- The majority of volatile organic compounds present in greater than 10-ug/l concentration are chemicals commonly used as solvents in such things as paints, resins, varnishes, lacquer, and dry cleaning, also degreasers and paint removers. Many of the extractable compounds are commonly associated with the manufacture of paint-related products.
- None of the organic chemicals (Hexa, Octa, and HCB) connected with the Louisville STP spill in March 1977 were detected in any samples analyzed.
- Screening for chlorinated pesticides revealed low levels (<0.01 mg/kg) of chlordane in some Pond Creek sediment samples. No other chlorinated pesticides were detected.
- Low level PCB (Aroclor 1260 & 1254) detected at Taylor site, Wilson Creek, Pond Creek, Stump Gap Creek in sediments. However, none detected in surface waters.

M E M O R A N D U M

March 23, 1979

TO: HUSSEIN ALDIS, Supervisor
Hazardous Waste Management Section

THROUGH: ROBERT L. SHOLAR, Environmental Specialist
Hazardous Waste Management Section

FROM: ROBERT KOENTOP, Environmental Specialist RK
Hazardous Waste Management Section

SUBJECT: Inventory at the A. L. Taylor Site (aka Valley of the Drums)

A state task force consisting of Steve Sims, Milly Wright and myself worked in conjunction with Jim Sparks (OH Materials, Findley, Ohio) to count and record all surface standing drums.

The drums were arranged in either rows or small groups. A large cluster of these rows and/or groups was considered an area, while each individual row or group was considered a section.

Heavy nylon twine and surveyors ribbon was used to wrap each section to prevent:

1. double counting of barrels
2. omission of barrels from the count
3. undetected addition of barrels to a section already counted.

The drums of each section were then classified into four groups: liquids, solids, empties (condition to be recycled), and unknowns. Additionally, any company names that could be detected on the drums were also recorded for that section.

The state task force worked on this inventory from March 13, 1979, to March 21, 1979.

The sum total results of the four classifications of barrels are: Liquids - 1846, Solid - 2854, Empty - 376, Unknown - 775, and total barrel count - 5851.

May 2 Memo Koentop
Solids 385
Liquids 338
Empty 52

The enclosed data consists of:

1. Map of the valley with its designated areas and sections.
2. The liquid, solid, empty, and unknown count per section.
3. Total amount of barrels counted per company at the site.
4. Amount of barrels counted per company per section.

RK/lrw

Enclosure

Sept 5-4-12

ON-SITE BUILDING

TELEPHONE POLES

GROUP (SECTION) OF BARRELS

LETTERS DENOTE AREAS

NUMBERS DENOTE SECTIONS



AREA	SECTION	LIQUID	SOLID	EMPTY	UNKNOWN	TOTAL
A	1	–	–	–	41	41
	2	48	19	–	120	187
	3	–	–	143	–	143
B	1	42	40	–	10	92
	2	18	59	–	–	77
	3	17	50	–	3	70
	4	36	47	–	1	84
	5	18	70	–	4	92
	6	11	40	–	–	51
	7	31	25	–	1	57
	8	26	34	–	9	69
C	1	33	35	–	9	77
	2	23	52	2	41	118
	3	27	47	3	38	115
D	1	117	105	1	6	229
	2	61	111	–	16	188
	3	71	103	–	–	174
E	1	33	47	–	–	80
	2	37	51	2	7	97
	3	41	65	–	3	109
	4	26	84	–	52	162
	5	19	57	–	22	98
F	1	51	39	–	5	95
	2	33	56	–	23	112
	3	33	69	–	19	121
	4	16	86	1	19	122
gal. drums	5	–	123	–	–	123
	6	–	78	–	–	78

AREA	SECTION	LIQUIDS	SOLID	EMPTY	UNKNOWN	TOTAL
G	1	-	-	-	34	34
	2	-	-	214	-	214
H	1	25	13	-	-	38
	2	53	51	2	1	107
	3	50	60	-	1	111
	4	8	1	-	10	19
I	1	105	110	-	59	274
	2	83	113	-	64	260
	3	116	85	-	57	258
	4	106	109	1	9	225
	5	49	87	-	11	147
	6	58	95	1	3	157
	7	66	86	-	12	164
	8	81	133	-	14	228
J	1	29	38	-	11	78
	2	40	34	-	2	76
	3	36	75	-	10	121
	4	29	65	-	16	110
	5	22	40	-	7	69
	6	5	27	1	-	33
	7	17	40	1	5	63
	8	-	-	4	-	4
	TOTAL	1846	2854	376	775	5851

NO.	
1	ALGARAF CO.
1	AMICAN CAN CO.
1	AMOCO
1	ARGUS
40	ASHLAND CHEMICALS
1	CARGILL
22	CHEVRON
1	CONTINENTAL FILTERS
2	COOK PAINT AND VARNISHING CO.
3	CYANAMID
1	DEL-MAR DIV. OF T.C.P
2	DETREX CHEMICAL INDUSTRIES
5	DOW CHEMICAL
2	DOW CORNING
2	DUPONT
2	EASTMAN KODAK
4	ENCO
20	FORD MOTOR CO.
78	GAGE PRODUCTS CO.
1	GENERAL ELECTRIC
1	GLIDDEN
1	GUARDSMAN COATING
1	I.B.M.
1	INDUSTRIAL FINISHERS OF KENTUCKY
1	JOHNSON'S

NO.	
2	KEMPER BROS.
1	KEMPER, DIV. OF TAPPAN
1	KOEHR, INC.
1	KOEHRING
1	KOEHRING ATOMASTER
2	KOPPE
1	KOPRER
1	L. BERMAN CO.
2	LOUISVILLE COATING
2	LOUISVILLE VARNISH
1	M+B METAL PRODUCTS CO.
1	M.C. CHEMICALS GROUP
1	MECO-METALS CO.
5	3M
5	MOBIL CHEMICAL
1	MONSANTO
1	NEWBERRY WOOD PRODUCTS
1	NU-TONE DIV. OF SCOVILL MFG. CO.
1	OHIO SEALER DIV. OF NDN CO.
1	OKLAHOMA FURNITURE MFG CO.
1	OLIN
1	PERRY + DERRICK
1	PETERS REMINGTON MFG.
1	PFIZER
1	P.F. LAUMEI BROS.

NO.	
1	PLASTIC + METAL FINISHING
2	PLASTIC PARTS INC.
3	PORTER PAINT
1	P.P.G INDUSTRIES CHEMICAL DIVISION
1	PREMIUM FINISHES
1	QUAKER STATE MOTOR OIL
2	R.C.A. CONSUMER ELECTRONICS
143	RELIANCE
1	RICOLINE
10	ROHM + HAAS
2	SINNETT
76	SIRCO
1	S + O
1	SOUTHEAST INK + LACQUR
2	SPENCER-KELLOGG
5	STANDARD FURNITURE CO.
1	STANDARD OIL CO.
1	STEIN-HALL CO. INC.
1	TECHNICAL PRODUCTS INC.
1	TELL CITY CHAIR CO.
2	TENNECO
7	UNITED CABINET CO.
1	UNITED CHEMICAL CO.
4	WARD FURNITURE DIV. OF DESOTO

NO.	
3	WHITESIDES, GEORGE, W.
1	XL INDUSTRIAL

PER COMPANY PER SECTIO

AREA A SECTION 1	NONE	
AREA A SECTION 2	NONE	
AREA A SECTION 3	3 - ASHLAND CHEMICALS 3 - RELIANCE 1 - CYANAMID 1 - DOW CHEMICAL	1 - FORD MOTOR CO. 1 - 3M 1 - AMICAN CAN CO.
AREA B SECTION 1	2 - ASHLAND CHEMICALS 1 - GUARDSMAN COATING	1 - TENNECO
AREA B SECTION 2	1 - GAGE PRODUCTS CO. 1 - FORD MOTOR	1 - RELIANCE
AREA B SECTION 3	1 - DEL-MAR DIV. OF T.C.P 2 - GAGE PRODUCTS CO.	1 - RELIANCE 2 - KOEHRING ATOMASTER DIV.
AREA B SECTION 4	1 - 3M 6 - CHEVRON 11 - GAGE PRODUCTS CO.	2 - LOUISVILLE COATING 1 - FORD MOTOR CO.
AREA B SECTION 5	1 - ASHLAND CHEMICALS 4 - RELIANCE	

AREA B SECTION 6	1- KEMPER BROS. INC. 1- FORD MOTOR CO.	
AREA B SECTION 7	9- GAGE PRODUCTS CO. 2- FORD MOTOR CO.	1- STANDARD OIL CO.
AREA B SECTION 8	5- GAGE PRODUCTS CO. 3- FORD MOTOR CO. 1- PREMIUM FINISHES (CINN, OH)	
AREA C SECTION 1	1- PFIZER 1- DUPONT	
AREA C SECTION 2	1- 3M 1- OLIN 2- GAGE PRODUCTS CO. 1- OHIO SEALER DIV. OF NDN CO.	1- RELIANCE 1- ROHM-HAAS 2- ASHLAND CHEMICALS 1- RICOLINE (CHICAGO)
AREA C SECTION 3	2- RELIANCE 1- GENERAL ELECTRIC 1- ASHLAND CHEMICALS	1- SPENCER-KELLOGG (CHICAGO
AREA D SECTION 1	15- RELIANCE 1- CARGILL 1- WARD FURNITURE DIV. OF DESOTO 3- ENCO 1- DOW CHEMICAL	1- GAGE PRODUCTS CO. 1- SINNETT 1- KEMPER BROS (IND.) 1- S+D

AREA D — 5 - RELIANCE
SECTION 2

AREA D — 18 - RELIANCE
SECTION 3 — 1 - M+B METAL PRODUCTS CO.
1 - OKLAHOMA FURNITURE MFG. CO.
1 - LOUISVILLE FORD MOTOR CO.

AREA E — 1 - RELIANCE
SECTION 1

AREA E — NONE
SECTION 2

AREA E — 4 - RELIANCE
SECTION 3

AREA E — NONE
SECTION 4

AREA E — 1 - DOW CORNING
SECTION 5

AREA F — 2 - KOPPE
SECTION 1 — 1 - EASTMAN KODAK
1 - UNITED CABINET CO.
1 - ASHLAND CHEMICALS

AREA F SECTION 2	6- RELIANCE 1- ROHM + HAAS 2- ASHLAND CHEMICALS	2- GAGE PRODUCTS 1- TECHNICAL PRODUCI I
AREA F SECTION 3	5- RELIANCE 1- ENCO 1- CHEVRON	1- GAGE PRODUCTS CO. 1- ALGARAF CO. 2- ASHLAND CHEMICALS
AREA F SECTION 4	2- WARD FURNITURE CO. 2- ASHLAND CHEMICALS	1- ROHM + HAAS 4- RELIANCE
AREA F SECTION 5	NONE	
AREA F SECTION 6	1- MONSANTO 76 - SIRCO	
AREA G SECTION 1	2- GAGE PRODUCTS CO.	
AREA G SECTION 2	4- RELIANCE 1- ROHM+HAAS	1- DUPONT 1- GAGE PRODUCTS CO.
AREA H SECTION 1	3- RELIANCE	

AREA H SECTION 2	10 - RELIANCE 1 - ASHLAND CHEMICALS 1 - FORD MOTOR CO.	1 - [illegible] CONSUMER ELECTRONICS 1 - ROHM + HAAS
AREA H SECTION 3	7 - RELIANCE 2 - ROHM + HAAS 1 - FORD MOTOR CO.	1 - M.C. CHEMICALS GROUP (CARPENTERSVILLE, ILL)
AREA H SECTION 4	2 - CHEVRON 1 - GAGE PRODUCTS CO.	
AREA I SECTION 1	1 - SPENCER-KELLOGG 1 - GAGE PRODUCTS CO. 1 - PETERS REMINGTON MFG 1 - ARGUS 1 - SOUTHEAST INK + LACQUR 1 - PORTER PAINT 1 - TENNECO	7 - RELIANCE 3 - ASHLAND CHEMICALS 2 - COOK PAINT + VARNISHING 2 - P.F. LAUMEI BROS. 3 - MOBIL CHEMICAL CO. 1 - PLASTIC PARTS INC. 1 - NU-TONE DIV. OF SCOVILL MFG. CO.
AREA I SECTION 2	2 - GEO. W. WHITESIDES 1 - EASTMAN KODAK CHEMICALS 1 - PLASTIC + METAL FINISHING 1 - FORD MOTOR CO. 7 - RELIANCE 1 - LOUISVILLE VARNISH 2 - GAGE PRODUCTS CO. 1 - TELL CITY CHAIR CO.	2 - ASHLAND CHEMICALS 1 - MOBIL CHEMICAL CO. 1 - UNITED CHEMICAL CO. 1 - INDUSTRIAL FINISHERS OF KY. 6 - UNITED CABINET 1 - NEWBERRY WOOD PRODUCTS 1 - PLASTIC PARTS INC. 1 - PERRY + DERRICK 1 - DIV. OF KOEHRING CO.

AREA I SECTION 3	13- RELIANCE 2- PORTER PAINT	11- GAGE PRODUCTS CO. 2- ASHLAND CHEMICALS
AREA I SECTION 4	1- R.C.A. 1- P.P.G INDUSTRIES CHEMICAL DIVISION 1- ROHM + HAAS 3- CHEVRON	6- GAGE PRODUCTS CO. 2- RELIANCE 1- ASHLAND CHEMICALS
AREA I SECTION 5	1- 3M 1- GLIDDEN 2- DOW CHEMICAL 1- ASHLAND CHEMICAL 1- LOUISVILLE VARNISH 1- KEMPER DIV. OF TAPPAN	2- CHEVRON 4- GAGE PRODUCTS CO. 2- RELIANCE 2- FORD 1- DETREX CHEMICAL INDUSTRIES
AREA I SECTION 6	1- KOEHR INC. 2- ASHLAND CHEMICAL 3- GAGE PRODUCTS CO. 1- RELIANCE	1- ROHM + HAAS 1- MOBIL CHEMICAL 1- GEO. W. WHITESIDES CO.
AREA I SECTION 7	5- STANDARD FURNITURE CO. 2- GAGE PRODUCTS CO. 4- ASHLAND CHEMICAL 1- DETREX 1- L. BERMAN CO.	1- FORD MOTOR CO. 1- XL INDUSTRIAL CHEMICAL DIVISI (HIGHTSTOWN, NJ) 1- RELIANCE

AREA I	1- ROHM + HAAS	1- FORD MOTOR CO.
SECTION 8	3- CHEVRON	1- ASHLAND CHEMICAL
	1- DOW	1- I.B.M.
	4- RELIANCE	1- WARD FURNITURE CO.

AREA J	3- GAGE PRODUCTS CO.	2- RELIANCE
SECTION 1	1- ASHLAND CHEMICALS	1- 3M
	2- CHEVRON	1- QUAKER STATE MOTOR OI

AREA J	3- ASHLAND CHEMICALS	1- JOHNSON'S
SECTION 2	1- KOPRER	1- FORD MOTOR CO.
	8- GAGE PRODUCTS CO.	

AREA J	1- DOW CORNING	3- CHEVRON
SECTION 3	6- RELIANCE	1- GAGE PRODUCTS CO.
	1- AMOCO	2- CYANAMID

AREA J	2- RELIANCE
SECTION 4	1- FORD MOTOR CO.
	1- MECO METALS CO.

AREA J	1- CONTINENTAL FILTERS
SECTION 5	

AREA J	1- SINNETT
SECTION 6	1- RELIANCE

AREA J 3- RELIANCE
SECTION 7 1- STEIN-HALL CO. INC.

AREA J 3- ASHLAND CHEMICALS
SECTION 8