NEVADA GOLDFIELDS INC.

BARITE HILL PROJECT

Highway 221 & State Road 33-162
P.O. Box 1510
McCormick, South Carolina 29835
Phone 803/465-3321 Fax 803/465-4308

RECEIVED
AUG 7 1992
WATER QUALITY ASSESSMENT AND ENFORCEMENT DIVISION

August 4, 1992

Enforcement Division
S.C. Department of Health & Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

Dear Sirs:

Enclosed please find a copy of the monitor well results for the second quarter of 1992. These results are submitted as required by DHEC Construction Permit #16,225, Condition 3.

If you have any questions or comments, please feel free to call me at (803) 443-2222.

Sincerely;

Jean V. Whisnant

Jean V. Whisnant
Nevada Goldfields, Inc.

enc.

•DHEC MONITOR WELLS
QUARTERLY REPORTS

GW-1

LOCATION 21891.200, 7227.100

COLLAR ELEVATION - 408.200
DEPTH OF WELL - 36.95 ft

DATE	3/27/91	6/26/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER	22.38	23.22	26.99	24.34	22.56	23.96
WATER ELEVATION	385.82	384.98	381.21	383.86	385.64	384.24
Silver	<0.01	0.04	<0.010	<0.010	0.02	<0.01
Aluminum	144	411	752	19.7	6.5	57.3
Barium	1.80	8.51	4.87	0.32	0.09	0.69
Calcium	3.2	3.6	3.9	2.3	17	3
Cadmium	0.012	0.039	0.047	<0.005	0.040	0.007
Chromium	0.07	0.58	0.26	0.01	0.02	0.04
Copper	0.80	3.57	3.17	0.18	0.21	0.54
Iron	290	718	1332	44.4	46.0	148
Potassium	17	30	56	3	4	8
Magnesium	86.7	197	416	10.9	7	32
Manganese	3.57	8.28	15.7	0.47	0.35	1.46
Sodium	5	4	7	3	9	4
Nickel	0.06	0.32		<0.02	0.04	<0.02
Zinc	0.58	1.07	1.85	0.05	1.72	0.22
Mercury	<0.0002	0.0009	0.0003	<0.0002	<0.0002	<0.0002
Arsenic	0.015	<0.5	<0.025	<0.005	0.011	<0.005
Lead	0.220	0.45	0.355	0.017	0.042	0.051
Selenium X	<0.05	<0.025	<.25	<0.005	<0.005	<0.025
TOC	3	3	3	2	2	6
Alkalinity	28.35	17.8	16	13	<1	<1
Chloride	3	3	3	8	4	3
pH	6.0	5.84	5.73	5.08	4.53	5.06
Sulfate	<300	22	22	30	190	<30
Spec. Cond.	100	90	65	74	448	72.5
Temperature	22	23		19	14	17.5
Ammonia N	0.43	0.42		0.41	<.1	0.2
Nitrite N			<0.05	<0.05		
Nitrate NX	<0.2	<.20	<0.05	0.07	<.1	<.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	129	68	18	53	262	66

GW-2

LOCATION 21534.600, 6638.400

COLLAR ELEVATION - 418.190
DEPTH OF WELL - 28.20 ft

DATE	3/27/91	6/26/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER	17.22	18.71	20.15	21.50	18.52	20.25
WATER ELEVATION	400.97	399.48	398.04	396.69	399.67	397.94
Silver	<0.01	<0.01	<0.010	<0.010	0.07	<0.01
Aluminum	18.4	12.8	2.8	2.6	23.5	9.1
Barium	0.28	0.41	0.11	0.08	0.54	0.20
Calcium	19.2	14.3	16.6	8.7	3	21
Cadmium	0.080	0.108	0.016	0.019	<0.005	0.031
Chromium	0.06	0.06	<0.01	0.01	0.03	0.04
Copper	0.53	0.82	0.15	0.15	0.37	0.25
Iron	48.4	61.9	23.3	12.1	46.0	59.3
Potassium	6	5	4	3	4	3
Magnesium	17.6	11.4	4.70	1.87	10	10
Manganese	0.70	0.42	0.24	0.08	0.48	0.38
Sodium	15	7	7	5	4	8
Nickel	0.08	0.08	<0.02	<0.02	0.04	0.02
Zinc	2.19	1.70	0.35	0.93	0.11	2.01
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	0.024	<0.05	<0.005	0.020	<0.005	0.012
Lead	0.320	0.22	0.034	0.056	0.112	0.047
Selenium	<0.005	<0.005	<0.005	<0.005	<0.020	<0.005
TOC	4	2	3	2	2	5
Alkalinity	7.35	7.4	17	14	7.4	<1
Chloride	4	4	4	5	3	4
pH	5.2	4.12	6.01	4.64	5.72	3.62
Sulfate	100	65	90	108	20	190
Spec. Cond.	285	220	70	316	92	426
Temperature	22	22.5		18	16	19
Ammonia N	0.2	0.34		0.21	<0.1	<0.1
Nitrite N			<0.05	<0.05		
Nitrate N	0.56	<0.20	0.08	<0.05	<0.05	<0.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	259	167	104	188	31	349

GW-3

LOCATION 19335.400, 3873.900

COLLAR ELEVATION - 383.200
DEPTH OF WELL - 22.60 ft

DATE	3/27/91	6/28/91	9/19/91	12/19/91	3/31/92	dup.	6/26/92	dup.
DEPTH TO WATER	8.11	9.3	11.81	12.54	7.94		9.46	
WATER ELEVATION	375.09	373.9	371.39	370.66	375.26		373.74	
Silver	<0.01	<0.010	<0.010	<0.010	0.02	0.03	<0.01	<0.01
Aluminum	11.4	24.3	4.3	4.7	56.6	26.9	21.2	18.7
Barium	0.08	0.03	0.02	<0.02	0.05	0.04	0.05	0.08
Calcium	34.1	15.6	16.2	11.8	17	16	17	16
Cadmium	<0.002	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Chromium	0.03	0.03	<0.01	<0.01	0.07	0.03	0.03	0.04
Copper	0.03	0.10	0.03	0.01	0.15	0.08	0.05	0.06
Iron	16.1	28.9	5.51	6.60	72.8	34.5	33.8	38.4
Potassium	<2	<2	<2	<2	<2	<2	<2	<2
Magnesium	25.2	34.1	15.9	12.4	74	40	33	35
Manganese	1.01	1.44	0.60	0.43	3.14	1.73	1.36	1.45
Sodium	30	8	10	7	9	9	10	10
Nickel	0.02	0.08	<0.02	<0.02	0.04	0.02	<0.02	<0.02
Zinc	0.08	0.44	0.04	0.05	0.61	0.30	0.32	0.29
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.04	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Lead	0.007	0.008	<0.005	0.008	0.014	0.010	<0.005	<0.005
Selenium X	<0.05	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TOC	3	1	<1	<1	<1	<1	2	2
Alkalinity	168	73.5	77	72	72.5	72.5	67	70
Chloride	43	4	4	3	4	4	4	4
pH	6.9	6.84	6.62	6.34	6.80		6.59	
Sulfate	8	25	28	29	22	23	18	20
Spec. Cond.	400	195	180	204	209		192	
Temperature	22	22.5		19	17		19	
Ammonia N	0.60	0.24		<0.1	<0.1	0.1	<0.1	<0.1
Nitrite N			<0.05	<0.05				
Nitrate N	<0.05	<0.05	<0.05	<0.05	<0.2	<0.05	<0.1	<0.2
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	333	156	92	53	103	111	143	143

GW-5

LOCATION 18774.200, 6890.800

COLLAR ELEVATION - 432.600
DEPTH OF WELL - 37.8 ft

DATE	3/27/91	6/28/91	9/19/91	12/19/91	2/27/92	dup.	5/14/92
DEPTH TO WATER	12.89	12.6	13.69	15.22	13.37		13.99
WATER ELEVATION	419.71	420	418.91	417.38	419.23		418.61
Silver	<0.01	<0.010	<0.010	<0.010	<0.010	<0.010	<0.01
Aluminum	6.8	4.3	3.1	125	58.1	120	26.3
Barium	<0.02	0.03	0.03	0.46	0.29	0.44	0.12
Calcium	13.0	27.8	28.1	64.7	45.7	74.7	34
Cadmium	<0.002	<0.005	<0.005	0.005	<0.005	<0.005	<0.005
Chromium	<0.01	<0.01	<0.01	0.32	0.147	0.3	0.07
Copper	0.02	0.04	<0.02	0.22	0.11	0.2	0.05
Iron	8.64	5.23	3.76	185	92.6	162	39.8
Potassium	<2	<2	<2	6	3	6	2
Magnesium	15.9	19.3	20.1	97.2	58.6	86.1	34
Manganese	0.61	0.55	0.65	4.86	3.01	4.11	1.30
Sodium	8	28	30	25	20	28	26
Nickel	<0.02	0.03	<0.02	0.11	0.06	0.1	0.02
Zinc	0.12	0.15	<0.02	0.66	0.43	0.57	0.14
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.02	<0.005	<0.025	<0.005	<0.025	<0.005
Lead	0.005	0.014	<0.005	0.026	0.025	0.028	<0.005
Selenium	<0.005	<0.005	<0.005	<0.10	<0.025	<0.025	<0.005
TOC	2	2	1	2	2	2	1
Alkalinity	65.1	173.3	173	165	168	170	153
Chloride	4	41	41	60	38	44	38
pH	6.7	6.73	6.85	6.47	6.94	6.88	6.82
Sulfate	22	<12	3	<30	6	<3	<30
Spec. Cond.	180	395	355	407	374	376	376
Temperature	23	22.5		19	15.5	15.5	18
Ammonia N	0.38	0.34		0.15	0.13	<0.1	0.1
Nitrite N			<0.05	<0.05			
Nitrate N	<0.05	<0.05	0.09	0.11	<0.05	<0.05	0.11
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	185	251	154	237	264	264	257

GW-6

LOCATION 18937.500, 6179.100

COLLAR ELEVATION - 425.900
DEPTH OF WELL - 28.4 ft

DATE	3/27/91	6/28/91	9/19/91	12/19/91	2/28/92	5/14/92
DEPTH TO WATER	2.6	2.4	4.79	6.42	5.33	6.29
WATER ELEVATION	423.3	423.5	421.11	419.48	420.57	419.61
Silver	<0.01	<0.010	<0.010	<0.010	<0.010	<0.010
Aluminum	1.2	1.8	1.5	0.6	2.6	1.8
Barium	0.03	0.03	0.05	0.04	0.03	0.05
Calcium	18.1	21.7	21.6	22.5	18.7	22
Cadmium	<0.002	<0.005	<0.005	<0.005	<0.005	<0.005
Chromium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	<0.02	0.02	0.03	<0.01	0.02	<0.01
Iron	1.02	1.59	1.06	0.59	2.23	1.2
Potassium	<2	2	<2	<2	<2	<2
Magnesium	10.2	11.5	11.8	11.9	10.1	12
Manganese	0.22	0.32	1.38	0.96	0.53	1.16
Sodium	26	29	31	30	22	27
Nickel	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	<0.02	0.11	0.08	<0.02	0.02	<0.02
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.02	<0.005	<0.005	<0.005	<0.005
Lead	0.017	0.015	<0.005	<0.005	0.016	<0.005
Selenium	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TOC	5	8	2	1	1	1
Alkalinity	87.15	86.1	122	118	89	90
Chloride		49	44	41	43	42
pH	7.0	6.55	6.70	6.27	6.51	6.59
Sulfate	12	14	16	13	12	11
Spec. Cond.	290	320	320	316	312.5	349.8
Temperature	23	22.5		20	14.7	15.6
Ammonia N	0.19	0.24		<0.1	<0.1	0.1
Nitrite N			<0.05	<0.05		
Nitrate N	0.06	<0.05	<0.05	0.19	0.10	<0.05
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	272	220	162	216	234	235

Well H

LOCATION 19964.470, 5082.480

COLLAR ELEVATION - 440.900
DEPTH OF WELL - 48.68 ft

DATE	3/13/91	6/26/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER		24.01	25.51	32.16	28.16	29.58
WATER ELEVATION		416.89	415.39	408.74	412.74	411.32
Silver	<0.01	<0.01	<0.010	<0.010	<0.010	<0.01
Aluminum	8.1	3.1	1.4	0.7	1.9	1.4
Barium	0.07	0.05	0.07	0.03	0.03	0.03
Calcium	1.5	1.1	0.6	0.2	<1	<2
Cadmium	0.004	<0.002	<0.005	<0.005	<0.005	<0.005
Chromium	0.11	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	0.09	0.04	<0.02	0.01	0.04	<0.02
Iron	18.4	6.85	2.45	2.42	6.5	7.4
Potassium	<2	<2	<2	<2	<2	<2
Magnesium	1.08	0.73	0.37	0.15	<1	4
Manganese	1.21	0.83	1.21	0.58	0.42	0.49
Sodium	5	3	6	5	4	4
Nickel	0.03	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	0.10	0.03	<0.02	<0.02	0.03	0.05
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.03	<0.005	<0.005	<0.005	<0.005
Lead	0.019	0.015	<0.005	0.012	0.016	0.008
Selenium	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TOC	5	<1	<1	2	<1	5
Alkalinity	7.4	6.3	7	4.2	38.8	6
Chloride	2.7	3	4	4	4	4
pH	5.30	5.29	5.57	5.39	5.27	5.22
Sulfate X	<6	<3	<3	<3	3	<3
Spec. Cond.	22	20	30	38	30	31
Temperature	21	22.5		20	17	18
Ammonia N	0.22	0.25		0.21	0.1	<0.1
Nitrite N			<0.05	<0.05		
Nitrate N	0.07	0.07	0.06	0.07	0.08	<0.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	45	37	132	18	<10	14

Well I

LOCATION 20322.500, 5618.710

COLLAR ELEVATION - 462.324
DEPTH OF WELL - 88.30 ft

DATE	3/13/91	6/26/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER		44.52	45.78	49.65	48.58	50.44
WATER ELEVATION		417.804	416.544	412.674	413.744	411.884
Silver	<0.01	<0.01	<0.010	<0.010	<0.010	<0.010
Aluminum	29.0	8.1	29	6.5	3.9	8.7
Barium	0.13	0.04	0.10	0.04	0.03	0.05
Calcium	1.9	1	1.3	1.1	1.2	<2
Cadmium	0.010	<0.002	<0.005	<0.005	<0.005	<0.005
Chromium	0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	0.12	0.04	0.08	0.03	0.02	0.04
Iron	24.9	6.18	14	6.10	2.3	7.7
Potassium	<2	<2	<2	<2	<2	<2
Magnesium	4.42	2.92	5	2.82	2	3
Manganese	1.34	0.36	0.94	0.38	0.15	0.48
Sodium	4	3	4	3	4	4
Nickel	0.03	<0.02	<0.02	<0.02	<0.02	<0.02
Zinc	0.22	0.08	0.17	0.04	0.05	0.07
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	0.0004
Arsenic	0.006	<0.03	<0.005	<0.005	<0.005	<0.005
Lead	0.017	0.007	0.015	0.008	0.007	<0.005
Selenium	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TOC	3	<1	1	1	<1	2
Alkalinity	3.2	5.3	6	12.6	5.3	7
Chloride	3.7	4	4	5	4	5
pH	5.37	5.06	5.10	5.31	5.21	5.06
Sulfate X	<12	6	3	4	5	4
Spec. Cond.	38	30	30	45	44	46
Temperature	21	22.5		19	17	17
Ammonia N	0.18	0.11		<0.1	<0.1	<0.1
Nitrite N			<0.05	<0.05		
Nitrate N	0.13	0.16	0.14	0.19	0.18	<0.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	37	16	16	18	<10	27

Well J

LOCATION 20329.940, 5321.770

COLLAR ELEVATION - 455.939
DEPTH OF WELL - 63.90 ft

DATE	3/13/91	6/28/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER		47.80	48.64	52.31	49.4	51.38
WATER ELEVATION		408.139	407.299	403.629	406.539	404.559
Silver	<0.01	<0.010	<0.010	<0.010	<0.01	<0.01
Aluminum	3.6	1.1	1.9	0.9	2.3	3.2
Barium	<0.02	<0.02	<0.02	<0.02	<0.02	0.04
Calcium	1.1	1.5	1.3	1.2	1	2
Cadmium	<0.002	<0.005	<0.005	<0.005	<0.005	<0.005
Chromium	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
Copper	0.03	0.05	0.03	0.03	0.04	0.04
Iron	5.26	2.52	2.54	2.68	6.6	7.2
Potassium	<2	<2	<2	<2	<2	<2
Magnesium	2.70	2.79	3.00	2.62	3	3
Manganese	0.11	0.03	0.02	0.04	0.08	0.11
Sodium	3	4	3	4	3	4
Nickel	<0.02	0.06	<0.02	<0.02	<0.02	<0.02
Zinc	0.05	0.12	0.04	0.05	0.03	0.05
Mercury	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.02	<0.005	<0.005	<0.005	<0.005
Lead	<0.005	0.011	0.013	0.087	0.005	<0.005
Selenium	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TOC	1	1	<1	<1	<1	3
Alkalinity	4.2	9.5	11	12.6	10.5	11
Chloride	3.4	4	4	4	4	4
pH	5.62	5.56	5.46	5.75	5.65	5.46
Sulfate X	4	7	5	<6	<3	5
Spec. Cond.	40	40	35	50	58	46
Temperature	22	22		19	18	18
Ammonia N	<0.1	0.56		0.25	<0.1	<0.1
Nitrite N			<0.05	<0.05		
Nitrate N	0.08	0.07	0.08	0.13	0.09	<0.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
TDS	37	39	14	24	<10	46

Well K

LOCATION 20363.710, 5015.310

COLLAR ELEVATION - 458.346
DEPTH OF WELL - 81.53 ft

DATE	6/5/91	6/26/91	9/19/91	12/19/91	3/31/92	6/26/92
DEPTH TO WATER	47.58	47.93	48.79	53.19	51.00	52.30
WATER ELEVATION	410.766	410.416	409.556	405.156	407.346	406.046
Silver	<0.01	0.01	<0.010	<0.010	0.06	<0.01
Aluminum	0.6	30.2	166	31.0	48.2	70
Barium	0.07	0.07	0.39	0.16	0.12	0.14
Calcium	9.0	4	14.8	8.5	7	9
Cadmium	<0.002	0.004	0.016	<0.005	<0.005	0.007
Chromium	<0.01	0.06	0.26	0.04	0.08	0.09
Hex Chromium	<0.01					
Copper	<0.02	0.08	0.29	0.06	0.09	0.12
Iron	0.32	55	272	43.8	87.4	100
Potassium	<2.0	<2	<2	<2	<2	<2
Magnesium	13.0	28.2	145	29.6	41	48
Manganese	0.14	1.02	5.00	1.09	1.48	1.73
Sodium	6	3	7	7	5	6
Nickel	<0.02	0.05	0.19	0.03	0.05	0.07
Zinc	0.11	0.51	2.68	0.60	0.80	1.13
Mercury	0.0002	<0.0002	<0.0002	<0.0002	<0.0002	<0.0002
Arsenic	<0.005	<0.05	<0.025	<0.025	<0.005	<0.005
Lead	<0.005	0.027	0.032	0.010	0.016	0.012
Selenium	<0.005	<0.025	<.12	<0.10	<0.005	<0.05
TOC	1	<1	<1	1	<1	3
Alkalinity	39.9	5	44	32	38.8	39
Res. Chlorine	<0.1					
Chloride	4	4	5	9	4	4
pH	7.0	6.33	6.57	6.51	6.3	6.39
Sulfate	<12	<3	6	30	3	<12
Spec. Cond.	100	90	85	97	96	90
Temperature	20	22		19	17	19
Ammonia N	0.51	0.21		0.14	<0.1	<0.1
Nitrite N			<0.05	<0.05		
Nitrate N	<0.05	<0.05	0.09	0.14	0.07	<0.1
Cyanide (total)	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
Oil & Grease	18					
TDS	85	69	24	62	31	58
TSS	3435					

Davis & Floyd, Inc.
P.O. Drawer 428
Greenwood, S.C. 29648

Phone: (803)-229_5211

NEVADA GOLDFIELDS, INC.
P.O. BOX 1530
McCORMICK, SC 29835

Attn: SCOTT WILKINSON
Invoice Number:

Order #: 92-06-212
Date: 07/28/92 13:43
Work ID: JOB NO. 7561.00
Date Received: 06/26/92
Date Completed: 07/09/92
Client Code: NEVADA_GOLD

SAMPLE IDENTIFICATION

Sample Number	Sample Description	Sample Number	Sample Description
01	GW1	05	I
02	GW2	06	J
03	GW3	07	K
04	H	08	T

WE ARE PLEASED TO PROVIDE THIS CERTIFIED REPORT OF ANALYSES. FEEL FREE TO TELEPHONE IF FURTHER EXPLANATION IS REQUIRED. UNLESS OTHER ARRANGEMENTS HAVE BEEN MADE, SAMPLES WILL BE DISPOSED OF OR RETURNED 28 DAYS FROM THE DATE OF THIS REPORT.

Certified By
John H. McCord Jr.

RECEIVED JUL 30 1992

TEST RESULTS BY SAMPLE

Sample: 01A GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	5.02		pH units	06/26/92	CBC

Sample: 01B GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	0.2		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 01C GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	<1		mg/l	07/02/92	MRT
CHLORIDE	3		mg/l	06/30/92	MT
SULFATE	<30 X		mg/l	07/01/92	NCE

Sample: 01D GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	66		mg/l	06/29/92	NCE

Sample: 01E GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 01F GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	6		mg/l	07/08/92	DMH

Sample: 01G GW1 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	57.3		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.69		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	0.007		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	3		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	0.04		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.54		mg/l	07/06/92	IHM
IRON (TOTAL)	148		mg/l	07/01/92	IHM
LEAD (TOTAL)	0.051		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	32		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	1.46		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	8		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.025 X		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	4		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.22		mg/l	07/06/92	IHM

Sample: 02A GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	3.48		pH units	06/26/92	CBC

Sample: 02B GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 02C GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	<1		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	190		mg/l	07/06/92	NCE

Sample: 02D GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	349		mg/l	06/29/92	NCE

Sample: 02E GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 02F GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	5		mg/l	07/08/92	DMH

Sample: 02G GW2 **Collected: 06/26/92** **Category: AQUEOUS**

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	9.1		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	0.012		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.20		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	0.031		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	21		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	0.04		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.25		mg/l	07/06/92	IHM
IRON (TOTAL)	59.3		mg/l	07/01/92	IHM
LEAD (TOTAL)	0.047		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	10		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	0.38		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	3		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	8		mg/l	07/01/92	IHM
ZINC (TOTAL)	2.01		mg/l	07/06/92	IHM

TEST RESULTS BY SAMPLE

Sample: 03A GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	6.68		pH units	06/26/92	CBC

Sample: 03B GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 03C GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	67		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	18		mg/l	07/01/92	NCE

Sample: 03D GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	143		mg/l	06/30/92	NCE

Sample: 03E GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 03F GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	2		mg/l	07/08/92	DMH

Sample: 03G GW3 Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	21.2		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.05		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	<0.005		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	17		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	0.03		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.05		mg/l	07/06/92	IHM
IRON (TOTAL)	33.8		mg/l	07/01/92	IHM
LEAD (TOTAL)	<0.005		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	33		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	1.36		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	10		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.32		mg/l	07/06/92	IHM

Davis & Floyd, Inc.

TEST RESULTS BY SAMPLE

Sample: 04A H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	5.10		pH units	06/26/92	CBC

Sample: 04B H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 04C H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	6		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	<3		mg/l	07/01/92	NCE

Sample: 04D H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	14		mg/l	06/30/92	NCE

Sample: 04E H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 04F H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	5		mg/l	07/08/92	DMH

Sample: 04G H Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	1.4		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.03		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	<0.005		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	<2		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	<0.01		mg/l	07/01/92	IHM
COPPER (TOTAL)	<0.02		mg/l	07/06/92	IHM
IRON (TOTAL)	7.4		mg/l	07/01/92	IHM
LEAD (TOTAL)	0.008		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	4		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	0.49		mg/l	07/01/92	IHM
MERCURY (TOTAL)	0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	4		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.05		mg/l	07/06/92	IHM

TEST RESULTS BY SAMPLE

Sample: 05A I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	5.03		pH units	06/26/92	CBC

Sample: 05B I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 05C I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	7		mg/l	07/02/92	MRT
CHLORIDE	5		mg/l	06/30/92	MT
SULFATE	4		mg/l	07/01/92	NCE

Sample: 05D I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	27		mg/l	06/29/92	NCE

Sample: 05E I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 05F I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	2		mg/l	07/08/92	DMH

Sample: 05G I Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	8.7		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.05		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	<0.005		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	<2		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	<0.01		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.04		mg/l	07/06/92	IHM
IRON (TOTAL)	7.7		mg/l	07/01/92	IHM
LEAD (TOTAL)	<0.005		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	3		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	0.48		mg/l	07/01/92	IHM
MERCURY (TOTAL)	0.0004		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	4		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.07		mg/l	07/06/92	IHM

TEST RESULTS BY SAMPLE

Sample: 06A J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	5.53		pH units	06/26/92	CBC

Sample: 06B J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 06C J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	11		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	5		mg/l	07/01/92	NCE

Sample: 06D J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	46		mg/l	06/29/92	NCE

Sample: 06E J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 06F J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	3		mg/l	07/08/92	DMH

Sample: 06G J Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	3.2		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.04		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	<0.005		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	2		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	<0.01		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.04		mg/l	07/06/92	IHM
IRON (TOTAL)	7.2		mg/l	07/01/92	IHM
LEAD (TOTAL)	<0.005		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	3		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	0.11		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	4		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.05		mg/l	07/06/92	IHM

TEST RESULTS BY SAMPLE

Sample: 07A K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	6.38		pH units	06/26/92	CBC

Sample: 07B K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.1 X		mg/l	06/29/92	DMH

Sample: 07C K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	39		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	<12 X		mg/l	07/01/92	NCE

Sample: 07D K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	58		mg/l	06/29/92	NCE

Sample: 07E K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 07F K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	3		mg/l	07/08/92	DMH

Sample: 07G K Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	70		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.14		mg/l	07/08/92	IHM
CADMIUM (TOTAL)	0.007		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	9		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	0.09		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.12		mg/l	07/06/92	IHM
IRON (TOTAL)	100		mg/l	07/01/92	IHM
LEAD (TOTAL)	0.012		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	48		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	1.73		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	0.07		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.05 X		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	6		mg/l	07/01/92	IHM
ZINC (TOTAL)	1.13		mg/l	07/06/92	IHM

Davis & Floyd, Inc.

TEST RESULTS BY SAMPLE

Sample: 08A T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
pH (LAB)	6.67		pH units	06/26/92	CBC

Sample: 08B T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
AMMONIA NITROGEN	<0.1		mg/l	07/01/92	DMH
NITRATE NITROGEN	<0.2 X		mg/l	06/29/92	DMH

Sample: 08C T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
BICARBONATE ALKALINITY	70		mg/l	07/02/92	MRT
CHLORIDE	4		mg/l	06/30/92	MT
SULFATE	20		mg/l	07/01/92	NCE

Sample: 08D T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL DISSOLVED SOLIDS	143		mg/l	06/29/92	NCE

Sample: 08E T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
CYANIDE (TOTAL)	<0.005		mg/l	07/01/92	MRT

Sample: 08F T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
TOTAL ORGANIC CARBON	2		mg/l	07/08/92	DMH

Sample: 08G T Collected: 06/26/92 Category: AQUEOUS

Test Description	Result	Limit	Units	Analyzed	By
ALUMINUM (TOTAL)	18.7		mg/l	07/06/92	IHM
ARSENIC (TOTAL)	<0.005		mg/l	07/01/92	BDL
BARIUM (TOTAL)	0.08		mg/l	07/01/92	IHM
CADMIUM (TOTAL)	<0.005		mg/l	07/01/92	IHM
CALCIUM (TOTAL)	16		mg/l	07/06/92	IHM
CHROMIUM (TOTAL)	0.04		mg/l	07/01/92	IHM
COPPER (TOTAL)	0.06		mg/l	07/06/92	IHM
IRON (TOTAL)	38.4		mg/l	07/01/92	IHM
LEAD (TOTAL)	<0.005		mg/l	06/30/92	BDL
MAGNESIUM (TOTAL)	35		mg/l	07/01/92	IHM
MANGANESE (TOTAL)	1.45		mg/l	07/01/92	IHM
MERCURY (TOTAL)	<0.0002		mg/l	07/07/92	BDL
NICKEL (TOTAL)	<0.02		mg/l	07/06/92	IHM
POTASSIUM (TOTAL)	<2		mg/l	07/01/92	IHM
SELENIUM (TOTAL)	<0.005		mg/l	07/01/92	BDL
SILVER (TOTAL)	<0.01		mg/l	06/30/92	BDL
SODIUM (TOTAL)	10		mg/l	07/01/92	IHM
ZINC (TOTAL)	0.29		mg/l	07/06/92	IHM

Will fax up True chain of custody Monday morning

9206212

DAVIS & FLOYD

Chain of Custody Form

Page __ of __

816 East Durst Street, Greenwood, S.C. 29649 Phone (803)229-5211 Fax (803)229-7119

PROJ. NO.: 7561.00

PROJECT NAME: Nevada Goldfields

SAMPLERS NAME/AFFILIATION:(PRINTED): Bob Rogers / Ernest Culpepper

SAMPLE NO.	DATE	GRAB	TIME	COMP.	TIME ON	TIME OFF	SAMPLE DESCRIPTION	NO. OF BOTTLES	1 1.25ml plas	2 1 liter plast	3 250ml plas	4 1 liter plas	5 250 amber glass	6 1 liter plas	7	8	9	10	11	12	13	14	15	SAMPLE TYPE	POTENTIAL HAZARD
	6/26/92	X					GW1	6																	
							GW2	6																	
							GW3	6																	
							H	6																	
							I	6																	
							J	6																	
							K	6																	
							T	6																	

* Took NH3 & NO3 out of TOC bottle, because there was not a separate bottle for those two tests. 6/26/92

RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED BY: (SIGNATURE)	RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED BY: (SIGNATURE)
J Whisnant					

RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED FOR LAB BY: (SIGNATURE)	DATE / TIME	CLIENT CONTACT:	
		Christie Joyce	6/26/92 16:50	RESULTS SENT TO:	DATE:

DW-DRINKING WATER WW-WASTE WATER HW-HAZARDOUS WATER SD-SOLID AB-ABSORBENT TUBE

GW-GROUND WATER RC-RCRA SW-SURFACE WATER IM-IMPINGER SOLUTION F -FILTERS

DAVIS & FLOYD

Chain of Custody Form

Page ___ of ___

816 East Durst Street, Greenwood, S.C. 29649 Phone (803)229-5211 Fax (803)229-7119

PROJ. NO.: 7561.00

PROJECT NAME: Nevada Goldfields

SAMPLERS NAME/AFFILIATION:(PRINTED): Robert Rogers / Ernest Culpepper

SAMPLE NO.	DATE	GRAB	TIME	COMP	TIME ON	TIME OFF	SAMPLE DESCRIPTION	NO. OF BOTTLES	1 125ml plas	2 1 liter plast	3 250ml plas	4 1 liter plas	5 250 amber glass	6 1 liter plas	7	8	9	10	11	12	13	14	15	SAMPLE TYPE	POTENTIAL HAZARD
1	6-26-92		1130				Monitor well H	6	1	1	1	1	1	1											
2			9:35				I	6	1	1	1	1	1	1											
3			1004				J	6	1	1	1	1	1	1											
4			1046				K	6	1	1	1	1	1	1											
5			1330				T	6	1	1	1	1	1	1											
6			1410				GW-1	6	1	1	1	1	1	1											
7			1435				GW-2	6	1	1	1	1	1	1											
8			1315				GW-3	6	1	1	1	1	1	1											

RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED BY: (SIGNATURE)	RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED BY: (SIGNATURE)
Ernest Culpepper	6-26-92 15:15	Joan Whisonant	Joan Whisonant	6-26-92	

RELINQUISHED BY: (SIGNATURE)	DATE / TIME	RECEIVED FOR LAB BY: (SIGNATURE)	DATE / TIME	CLIENT CONTACT:
				RESULTS SENT TO: DATE:

DW–DRINKING WATER WW–WASTE WATER HW–HAZARDOUS WATER SD–SOLID AB–ABSORBENT TUBE
GW–GROUND WATER RC–RCRA SW–SURFACE WATER IM–IMPINGER SOLUTION F –FILTERS