CONESTOGA-ROVERS & ASSOCIATES

GM Drive and 4th Street, Bedford, Indiana 47421
Telephone: (812) 277-8960 Fax: (812) 277-8980
www.CRAworld.com

FACSIMILE

DATE: 9/17/03

REFERENCE NO.: 32664-40

TO: Kevin Hing

FACSIMILE NO.: (313) 989-2551

FROM: Ric Faler

Total Pages (Including Cover Page) 12

☒ Facsimile is Receiver's Original

Original Will Follow By:

☐ Mail
☐ Overnight Courier
☐ E-mail

MESSAGE

US EPA RECORDS CENTER REGION 5
508781

* New analytical for Sybill

THIS FAX TRANSMISSION IS INTENDED ONLY FOR THE ADDRESSEE(S) SHOWN ON THIS FORM AND MAY CONTAIN CONFIDENTIAL OR PRIVILEGED INFORMATION FROM CONESTOGA-ROVERS & ASSOCIATES (CRA). ANY DISCLOSURE, COPYING, DISTRIBUTION, OR USE OF THE CONTENTS OF THIS FAX, WITHOUT THE CONSENT OF CRA, IS PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE (COLLECT).

REGISTERED COMPANY FOR ISO 9001 ENGINEERING DESIGN

SGS CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3033839** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/17/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc

CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

TK-097

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

CT&E Sample ID:	3033839001	Matrix:	Aqueous
Client Sample ID:	L-32664-090803-SM-045	Location:	
Collected:	09/08/2003 11:00	Project:	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	Sampled By:	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2'	09/11/03 11:07	09/11/03 13:33	MAH	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2'	09/11/03 15:46	09/11/03 15:49	KAA	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B'		09/10/03 17:48	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	7.45		S.U.		SW-846 9040B		09/10/03 17:48	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1221	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1232	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1242	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1248	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1254	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1260	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1262	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
Aroclor-1268	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/10/03 23:45	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Barium	0.062	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Cadmium	0.0016J	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Chromium	ND	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Mercury	ND	0.2	mg/l	0.0020	SW-846 7470A	09/10/03 12:00	09/10/03 16:35	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1
Silver	ND M	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:29	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates *Reported:* 9/17/2003

CT&E Sample ID:	3033839001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090803-SM-045	**Location:**	
Collected:	09/08/2003 11:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/10/03 22:19	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Chloroform	0.020	6	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/10/03 22:19	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/l	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/12/03 18:32	BPJ	4

SGS CT&E Environmental Services Inc.
Michigan Division

TK-098

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

CT&E Sample ID:	3033839002	Matrix:	Aqueous
Client Sample ID:	L-32664-090803-SM-046	Location:	
Collected:	09/08/2003 11:00	Project:	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	Sampled By:	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2'	09/11/03 11:07	09/11/03 13:33	MAH	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2'	09/11/03 15:46	09/11/03 15:49	KAA	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B'		09/10/03 17:48	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	7.47		S.U.		SW-846 9040B		09/10/03 17:48	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1221	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1232	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1242	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1248	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1254	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1260	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1262	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
Aroclor-1268	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:13	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Barium	0.062	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Cadmium	0.0018J	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Chromium	0.0019J	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/10/03 12:00	09/10/03 16:38	PSK	4
Lead	0.0013J	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:42	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates *Reported:* 9/17/2003

CT&E Sample ID:	3033839002	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090803-SM-046	**Location:**	
Collected:	09/08/2003 11:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/10/03 22:57	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Chloroform	0.020	6	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/10/03 22:57	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Hexachloroethane	0.0014J	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 15:30	BPJ	4

SGS CT&E Environmental Services Inc.
Michigan Division

TK-099

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

CT&E Sample ID:	3033839003	Matrix:	Aqueous
Client Sample ID:	L-32664-090803-SM-047	Location:	
Collected:	09/08/2003 11:00	Project:	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	Sampled By:	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2'	09/11/03 11:07	09/11/03 13:33	MAH	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2'	09/11/03 15:46	09/11/03 15:49	KAA	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B'		09/10/03 17:48	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	7.50		S.U.		SW-846 9040B		09/10/03 17:48	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1221	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1232	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1242	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1248	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1254	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1260	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1262	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
Aroclor-1268	ND		ug/L	0.13	SW-846 8082 / SW-846 3510C	09/10/03 17:49	09/11/03 00:41	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Barium	0.058	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Cadmium	0.0018J	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Chromium	0.0021J	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/10/03 12:00	09/10/03 16:41	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/12/03 14:35	09/11/03 09:47	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

CT&E Sample ID:	3033839003	Matrix:	Aqueous
Client Sample ID:	L-32664-090803-SM-047	Location:	
Collected:	09/08/2003 11:00	Project:	Project 32664 Sybill, Inc.
Received:	09/09/2003 08:30	Sampled By:	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/10/03 23:34	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Chloroform	0.032	6	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/10/03 23:34	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/11/03 15:29	09/15/03 16:16	BPJ	4

CT&E Environmental Services Inc.

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

SHIPPED TO (Labora 167377

COC Serial 1-843-1877

1200 Conrad Industrial Drive, Livingston, TN 38751

CHAIN OF CUSTODY RECORD

REFERENCE NUMBER: 32664

PROJECT NAME: Sybill, Inc. 3033839

SAMPLER'S SIGNATURE: [signature] PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	PARAMETERS: Full TCLP	ACL	PCBs	REMARKS
1	9-8-03	1100	L-32664-040803-SM-045	L	4	✓	✓	✓	
2			" " 046	L	4	✓	✓	✓	
3			" " 047	L	4	✓	✓	✓	ASAP
4			" " 048	Soil	1	✓	✓	✓	
5			049	Soil	1	✓	✓	✓	
6									

TOTAL NUMBER OF CONTAINERS

RELINQUISHED BY: 1. Shawn McLean	DATE: 9-8-03 TIME: 1400	RECEIVED BY: 1. [signature]	DATE: 9/8/03 TIME: 1400
RELINQUISHED BY: 2. [signature]	DATE: 9/8/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier

AIR BILL No.

White - Fully Executed Copy; Yellow - Receiving Laboratory Copy; Pink - Shipper Copy; Goldenrod - Sampler Copy

24071

SAMPLE TEAM: SM

RECEIVED FOR LABORATORY BY:

DATE: TIME:

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of 1

Project Number: 3033839 Date Logged In: 9/19/03 Login Person Initials: PA

This section to be completed when corrective action is required:

Client: CRA Project Name:
Client Contact: Phone Number:

If no to any, notify the project manager and project manager documents client response below.	YES	NO
1. Were custody seals/original packing tape intact?	✓	
2. Are the samples in good condition, i.e. not broken or leaking?	✓	
3. Are samples within holding times?	✓	
4. Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5. Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6. Do the samples match the COC?	✓	
7. Were the proper containers used?	✓	
8 Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9. Is there adequate sample volume for requested analyses and QC?	✓	
10. Do water VOC samples contain headspace less than the size of a pea?		
11. Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*		
12. Is the chain of custody signed?	✓	
13. Is sub-sampling required? *(note bottles created and preserved below)*		
14. Were proper sample weights met for Wisconsin soil samples?		

COMMENTS/CORRECTIVE ACTION

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp. No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033839 Conestoga-Rovers & Associates Reported: 9/17/2003

REPORT ADDENDA

- [ ] Case Narrative
- [ ] Quality Control Data
- [ ] Field Notes
- [ ] Well Inspection Reports/Statics
- [ ] Subcontractor Report
- [ ] Data Summary Report
- [ ] Other _____
- [ ] None

CONESTOGA-ROVERS & ASSOCIATES

14496 Sheldon Road, Suite #200
Plymouth, Michigan 48170
Telephone: (734) 453-5123 Fax: (734) 453-5201
www.CRAworld.com

FACSIMILE

DATE: September 19, 2003

REFERENCE NO.: 32664-40

TO: Lorie Hong

FACSIMILE NO.: (313) 989-2551

FROM: Liz Faler

Total Pages (Including Cover Page) 12

☒ **Facsimile is Receiver's Original**

Original Will Follow By:

☐ Mail
☐ Overnight Courier
☐ E-mail

MESSAGE

New Sybill analytical.

THIS FAX TRANSMISSION IS INTENDED ONLY FOR THE ADDRESSEE(S) SHOWN ON THIS FORM AND MAY CONTAIN CONFIDENTIAL OR PRIVILEGED INFORMATION FROM CONESTOGA-ROVERS & ASSOCIATES (CRA). ANY DISCLOSURE, COPYING, DISTRIBUTION, OR USE OF THE CONTENTS OF THIS FAX, WITHOUT THE CONSENT OF CRA, IS PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE (COLLECT).

REGISTERED COMPANY FOR ISO 9001 ENGINEERING DESIGN

EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER

SGS CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3033926** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

9/19/2003
Date

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates *Reported:* 9/19/2003

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

TR-102

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates Reported: 9/19/2003

CT&E Sample ID:	3033926001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090903-SM-050	**Location:**	
Collected:	09/09/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).
8270/tclp: Sample was diluted due to matrix interference.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/17/03 14:12	09/17/03 14:15	JB	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/17/03 08:30	09/18/03 08:37	JB	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/15/03 14:36	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	6.96		S.U.		SW-846 9040B		09/15/03 14:36	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1221	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1232	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1242	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1248	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1254	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1260	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1262	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
Aroclor-1268	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 06:53	JL	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Barium	0.036 B	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Cadmium	ND	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Chromium	ND	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/17/03 11:00	09/17/03 14:59	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:40	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3033926* Conestoga-Rovers & Associates *Reported:* *9/19/2003*

CT&E Sample ID:	3033926001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090903-SM-050	**Location:**	
Collected:	09/09/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/17/03 19:39	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/17/03 19:39	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
2,4,6-Trichlorophenol	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Hexachlorobenzene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Hexachlorobutadiene	ND D,M	0.5	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Hexachloroethane	ND D,M	3	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Nitrobenzene	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Pentachlorophenol	ND D,M	100	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4
Pyridine	ND D,M	5	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 16:12	BPJ	4

TK-103

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates Reported: 9/19/2003

CT&E Sample ID:	3033926002	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090903-SM-051	**Location:**	
Collected:	09/09/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2'	09/17/03 14:12	09/17/03 14:15	JB	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2'	09/17/03 08:30	09/18/03 08:37	JB	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B'		09/15/03 14:36	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	5.70		S.U.		SW-846 9040B		09/15/03 14:36	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1221	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1232	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1242	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1248	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1254	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1260	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1262	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
Aroclor-1268	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:21	JL	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Barium	0.016	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Cadmium	ND	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Chromium	0.0097	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/17/03 11:00	09/17/03 15:02	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1
Silver	ND M	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 22:45	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates *Reported:* 9/19/2003

CT&E Sample ID:	3033926002	**Matrix:**	Aqueous
Client Sample ID:	L-32664-090903-SM-051	**Location:**	
Collected:	09/09/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/17/03 20:06	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/17/03 20:06	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/16/03 23:25	BPJ	4

27

TK-104

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates *Reported:* 9/19/2003

CT&E Sample ID:	3033926003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091003-SM-052	**Location:**	
Collected:	09/10/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/17/03 14:12	09/17/03 14:15	JB	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/17/03 08:30	09/18/03 08:37	JB	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/15/03 14:36	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/12/03 13:09	WD	4
pH	6.06		S.U.		SW-846 9040B		09/15/03 14:36	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1221	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1232	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1242	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1248	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1254	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1260	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1262	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
Aroclor-1268	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/18/03 07:49	JL	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Barium	0.023 B	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Cadmium	ND	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Chromium	ND	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/17/03 11:00	09/17/03 15:08	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/16/03 13:44	09/17/03 23:17	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3033926* Conestoga-Rovers & Associates *Reported:* *9/19/2003*

CT&E Sample ID:	3033926003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091003-SM-052	**Location:**	
Collected:	09/10/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/12/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/17/03 20:33	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/17/03 20:33	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/16/03 12:17	09/17/03 00:55	BPJ	4

CT&E Environmental Services Inc.

3033926

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

SI 167524 COC Serial 5) (231)843-1877

800 Conrad Industrial Drive, Ludington MI 49431

CHAIN OF CUSTODY RECORD

REFERENCE NUMBER: 32664

PROJECT NAME: Sybill, Inc.

SAMPLER'S SIGNATURE: SM PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	PCBs								REMARKS
1	9-11-03		L-32664-090903-SM-050	L	4	✓	✓	✓								
2			L-32664-090903-SM-051	L	4	✓	✓	✓								
3			L-32664-091003-SM-052	L	4	✓	✓	✓								5 day tat
TOTAL NUMBER OF CONTAINERS																

RELINQUISHED BY: 1. Shawn McLean	DATE: 9/11/03 TIME: 11:00AM	RECEIVED BY: 1. [signature]	DATE: 9/11/03 TIME: 11:00 AM
RELINQUISHED BY: 2. [signature]	DATE: 9/11/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: AIR BILL No.

White -Fully Executed Copy Pink -Shipper Copy
Yellow -Receiving Laboratory Copy Goldenrod -Sampler Copy

24072

SAMPLE TEAM: SM

RECEIVED FOR LABORATORY BY: [signature]

DATE: 9-12-03 TIME: 8:30 5°C

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of 1

Project Number: 3035926 Date Logged In: 9/12/03 Login Person Initials: PA

This section to be completed when corrective action is required:

Client: CRA Project Name:
Client Contact: Phone Number:

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?	✓	
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*	✓	
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*	✓	
14.	Were proper sample weights met for Wisconsin soil samples?	✓	

COMMENTS/CORRECTIVE ACTION
Sample ID indicate samples were collected on 9/9 + 9/10; COC indicates 9/11. Logged 9/9 & 9/10.

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp. No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033926 Conestoga-Rovers & Associates Reported: 9/19/2003

REPORT ADDENDA

- [ ] Case Narrative
- [ ] Quality Control Data
- [ ] Field Notes
- [ ] Well Inspection Reports/Statics
- [ ] Subcontractor Report
- [ ] Data Summary Report
- [ ] Other _____
- [ ] None

CONESTOGA-ROVERS & ASSOCIATES

14496 Sheldon Road, Suite #200
Plymouth, Michigan 48170
Telephone: (734) 453-5123 Fax: (734) 453-5201
www.CRAworld.com

FACSIMILE

DATE: 9/23/03

REFERENCE NO.: 32664

TO: Liz Faler

FACSIMILE NO.: 313 551-0891

FROM: KMJ

Total Pages (Including Cover Page) 12

☐ Facsimile is Receiver's Original

Original Will Follow By:

☐ Mail
☐ Overnight Courier
☐ E-mail

MESSAGE

To: Gary Berndt (313) 841-4951
From: Liz Faler
We would like to ship both these areas.

Thanks,
Liz

THIS FAX TRANSMISSION IS INTENDED ONLY FOR THE ADDRESSEE(S) SHOWN ON THIS FORM AND MAY CONTAIN CONFIDENTIAL OR PRIVILEGED INFORMATION FROM CONESTOGA-ROVERS & ASSOCIATES (CRA). ANY DISCLOSURE, COPYING, DISTRIBUTION, OR USE OF THE CONTENTS OF THIS FAX, WITHOUT THE CONSENT OF CRA, IS PROHIBITED. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE NOTIFY US IMMEDIATELY BY TELEPHONE (COLLECT).

REGISTERED COMPANY FOR ISO 9001 ENGINEERING DESIGN

EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER

CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3033960** **#32664 Sybill**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

9/22/2003
Date

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Member of the SGS Group (Societe Generale de Surveillance)

CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

CD-105
Containment Dike
Around Tank #1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960001	Matrix:	Non Aqueous Liquid
Client Sample ID:	L-32664-091103-SM-053A	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

(oil layer)

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/19/03 13:35	WD	
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Benzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960001	Matrix:	Non Aqueous Liquid
Client Sample ID:	L-32664-091103-SM-053A	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Chloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Trichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:31	JDS	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1221	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1232	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1242	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1248	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1254	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1260	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1262	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	
Aroclor-1268	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 12:54	ESA	

CD-105
Containment Dike Around Tank #1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960002	Matrix:	Aqueous
Client Sample ID:	L-32664-091103-SM-053B	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

(water layer)

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2'	09/17/03 14:12	09/17/03 14:15	JB	3
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2'	09/17/03 08:30	09/18/03 08:37	JB	3
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B'		09/17/03 13:17	SKP	3
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/19/03 13:35	WD	3
pH	4.22		S.U.		SW-846 9040B		09/17/03 13:17	SKP	3
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1221	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1232	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1242	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1248	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1254	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1260	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1262	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
Aroclor-1268	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 11:43	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Barium	0.031	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Cadmium	ND	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Chromium	0.016	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/17/03 11:00	09/17/03 15:23	PSK	2
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:01	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960002	Matrix:	Aqueous
Client Sample ID:	L-32664-091103-SM-053B	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
2-Butanone (M E K)	0.39	200	mg/L	0.050	SW-846 8260B		09/17/03 22:22	JDS	2
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/17/03 22:22	JDS	2
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
2,4,6-Trichlorophenol	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Hexachlorobenzene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Hexachlorobutadiene	ND D,M	0.5	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Hexachloroethane	ND D,M	3	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Nitrobenzene	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Pentachlorophenol	ND D,M	100	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2
Pyridine	ND D,M	5	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/19/03 17:59	BPJ	2

FT-106
Frac Tank (FM-331)

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates *Reported:* 9/22/2003

CT&E Sample ID:	3033960003	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091103-SM-054A	**Location:**	
Collected:	09/11/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	**Sampled By:**	SM

Oil layer

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/19/03 13:35	WD	
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Benzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B'	09/15/03 14:30	09/17/03 12:00	JDS	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960003	Matrix:	Non Aqueous Liquid
Client Sample ID:	L-32664-091103-SM-054A	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Chloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Trichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/15/03 14:30	09/17/03 12:00	JDS	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1221	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1232	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1242	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1248	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1254	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1260	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1262	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	
Aroclor-1268	ND		mg/Kg	1.00	SW-846 8082 / SW-846 3580A	09/19/03 14:07	09/22/03 13:21	ESA	

FT-106
Frac Tank (FM-331)

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates *Reported:* 9/22/2003

CT&E Sample ID:	3033960004	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091103-SM-054B	**Location:**	
Collected:	09/11/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	**Sampled By:**	SM

Waterlayer

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).
8270/tclp: Sample was diluted due to matrix interference.
PCB: Sample was diluted due to matrix interference.
PCB: Sample too dilute to quantify surrogate.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/17/03 14:12	09/17/03 14:15	JB	3
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/17/03 08:30	09/18/03 08:37	JB	3
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/17/03 13:17	SKP	3
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/19/03 13:35	WD	3
pH	4.52		S.U.		SW-846 9040B		09/17/03 13:17	SKP	3
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1221	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1232	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1242	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1248	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1254	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1260	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1262	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
Aroclor-1268	ND D,M		ug/L	40	SW-846 8082 / SW-846 3510C	09/15/03 17:05	09/22/03 12:34	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.21 J	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
Barium	0.31	100	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
Cadmium	ND	1	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
Chromium	0.31	5	mg/L	0.012	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/17/03 11:00	09/17/03 15:29	PSK	2
Lead	0.14	5	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033960 Conestoga-Rovers & Associates Reported: 9/22/2003

CT&E Sample ID:	3033960004	Matrix:	Aqueous
Client Sample ID:	L-32664-091103-SM-054B	Location:	
Collected:	09/11/2003 00:00	Project:	Project 32664 Sybill, Inc.
Received:	09/13/2003 09:00	Sampled By:	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Selenium	0.034 J	1	mg/L	0.032	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
Silver	ND	5	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/18/03 13:33	09/19/03 14:24	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
2-Butanone (M E K)	0.85	200	mg/L	0.050	SW-846 8260B		09/17/03 22:49	JDS	2
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Tetrachloroethene	0.016	0.7	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/17/03 22:49	JDS	2
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
2,4,6-Trichlorophenol	ND D,M	2	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	2.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Hexachlorobenzene	ND D,M	0.13	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Hexachlorobutadiene	ND D,M	0.5	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Hexachloroethane	ND D,M	3	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Nitrobenzene	ND D,M	2	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Pentachlorophenol	ND D,M	100	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2
Pyridine	ND D,M	5	mg/L	2.0	SW-846 8270C / SW-846 3510C	09/18/03 11:04	09/18/03 23:21	BPJ	2

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

CHAIN OF CUSTODY RECORD

SHIPPED TO (Laboratory Name): CT&E (SGS) (231)-843-1877
1200 Conrad Industrial Drive Ludington MI 49431

REFERENCE NUMBER: 32664

PROJECT NAME: Sybill 3033960

SAMPLER'S SIGNATURE: [signature] PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	TCL VOC + Freon	Ignitability	PCBs	Full TCLP	RCI					REMARKS
1			L-32664-091103-SM-053A	L	4	✓	✓	✓							
2			" " - 053B	L	4			✓		✓	✓				
3			" " - 054A	L	4	✓	✓	✓							5day tat
4			" " 054B	L	4			✓		✓	✓				
															please
TOTAL NUMBER OF CONTAINERS					16										

RELINQUISHED BY: 1. Shawn McLean	DATE: 9.12.03 TIME: 12:00	RECEIVED BY: 1. [signature]	DATE: 9/12/03 TIME: 12:00
RELINQUISHED BY: 2. [signature]	DATE: 9/12/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier AIR BILL No.

White -Fully Executed Copy Pink -Shipper Copy
Yellow -Receiving Laboratory Copy Goldenrod -Sampler Copy

24073

SAMPLE TEAM: [signature]

RECEIVED FOR LABORATORY BY: [signature]
DATE: 9/13/03 TIME: 9:00 6°C

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3033594** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

9/24/2003
Date

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3033594 | Conestoga-Rovers & Associates | Reported: 9/24/2003

CT&E Sample ID:	3033594001	**Matrix:**	Aqueous
Client Sample ID:	L-082003-KMB-023	**Location:**	
Collected:	08/20/2003 13:00	**Project:**	Project 32664 Sybill, Inc.
Received:	08/23/2003 09:45	**Sampled By:**	KMB

Comments: Results reported as received.
Barium: Matrix spike below QC Acceptance criteria.
pH: Sample pH is less than 1. pH strips were used for analysis.
Lead: Matrix spike below QC Acceptance criteria.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	08/29/03 12:21	09/02/03 08:56	MAH	1
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	08/29/03 13:50	09/02/03 13:52	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Corrosive				SW-846 9040B[1]		08/28/03 13:28	KAA	1
pH	1.00		S.U.		SW-846 9040B		08/28/03 13:28	KAA	1
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1221	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1232	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1242	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1248	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1254	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1260	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1262	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
Aroclor-1268	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 04:55	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.87	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Barium	1.9 M	100	mg/L	0.040	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Cadmium	0.030	1	mg/L	0.020	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Chromium	8.9	5	mg/L	0.060	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/22/03 14:00	09/22/03 19:00	PSK	1
Lead	0.26 M	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Selenium	ND	1	mg/L	0.16	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1
Silver	ND	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 22:16	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3033594* Conestoga-Rovers & Associates *Reported:* *9/24/2003*

CT&E Sample ID:	3033594002	**Matrix:**	Aqueous
Client Sample ID:	L-082003-KMB-020	**Location:**	
Collected:	08/20/2003 14:00	**Project:**	Project 32664 Sybill, Inc.
Received:	08/23/2003 09:45	**Sampled By:**	KMB

Comments: Results reported as received.
pH: Sample pH is greater than 14. pH strips were used for analysis.
Silver: Matrix spike below QC Acceptance criteria.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	08/29/03 12:21	09/02/03 08:57	MAH	1
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	08/29/03 13:50	09/02/03 13:52	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Corrosive				SW-846 9040B[1]		08/28/03 13:29	KAA	1
pH	14.0		S.U.		SW-846 9040B		08/28/03 13:29	KAA	1
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1221	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1232	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1242	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1248	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1254	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1260	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1262	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
Aroclor-1268	ND		ug/L	2.0	SW-846 8082 / SW-846 3510C	08/29/03 10:50	08/30/03 05:22	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.25	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Barium	6.2	100	mg/L	0.10	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Cadmium	ND	1	mg/L	0.050	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Chromium	0.24 J	5	mg/L	0.15	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Mercury	0.0052	0.2	mg/L	0.0020	SW-846 7470A	09/22/03 14:00	09/22/03 19:09	PSK	1
Lead	ND	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Selenium	ND	1	mg/L	0.40	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1
Silver	ND M	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	08/29/03 14:57	09/02/03 23:02	SRO	1

REPORT ADDENDA

- ☐ Case Narrative
- ☐ Quality Control Data
- ☐ Field Notes
- ☐ Well Inspection Reports/Statics
- ☐ Subcontractor Report
- ☐ Data Summary Report
- ☐ Other _____
- ☐ None

CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3034119** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/29/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

Roll-off w/ soil

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034119* Conestoga-Rovers & Associates *Reported:* *9/29/2003*

CT&E Sample ID:	3034119001	**Matrix:**	Solid
Client Sample ID:	S-32664-092303-SM-062	**Location:**	
Collected:	09/23/2003 08:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/24/2003 08:45	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/26/03 10:18	09/26/03 10:46	MAH	1
Reactive Sulfide	ND		mg/Kg	70	SW-846 7.3.4.2[1]	09/26/03 10:56	09/26/03 10:58	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	1
Ignitability	Non				SW-846 7.1[1]		09/25/03 09:41	WD	1
pH	7.74		S.U.		SW-846 9045C		09/24/03 14:47	SRS	1
Total Solids	71.9		%	0.10	SM19 2540G[1]		09/24/03 11:12	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1221	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1232	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1242	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1248	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1254	390		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1260	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1262	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
Aroclor-1268	ND		ug/Kg	46	SW-846 8082 / SW-846 3550B	09/24/03 13:21	09/27/03 23:01	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.27 J,D,M	5	mg/L	0.050	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
Barium	0.46 D,M	100	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
Cadmium	0.051 J,D,M	1	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
Chromium	0.12 J,D,M	5	mg/L	0.030	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/25/03 13:50	09/25/03 16:04	PSK	1
Lead	0.026 J,D,M	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
Selenium	ND D,M	1	mg/L	0.080	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034119* Conestoga-Rovers & Associates *Reported:* *9/29/2003*

CT&E Sample ID:	3034119001	**Matrix:**	Solid
Client Sample ID:	S-32664-092303-SM-062	**Location:**	
Collected:	09/23/2003 08:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/24/2003 08:45	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	0.037 J,D,M	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 15:53	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 18:22	JDS	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 18:22	JDS	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 21:50	BPJ	1

B Ash Pit

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034119 | Conestoga-Rovers & Associates | Reported: 9/29/2003

CT&E Sample ID:	3034119002	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092303-SM-063	**Location:**	
Collected:	09/23/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/24/2003 08:45	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column; SW-846 Method 3665 Sulfuric Acid) and Sulfur (SW-846 Method 3660 Copper).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/26/03 10:18	09/26/03 10:46	MAH	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/26/03 10:56	09/26/03 10:58	JB	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/24/03 14:47	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/26/03 12:35	WD	4
pH	7.48		S.U.		SW-846 9040B		09/24/03 14:47	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1221	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1232	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1242	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1248	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1254	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1260	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1262	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
Aroclor-1268	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/25/03 12:25	09/27/03 22:34	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.12 J,D,M	5	mg/L	0.050	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Barium	0.086 D,M	100	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Cadmium	0.015 J,D,M	1	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Chromium	0.100 D,M	5	mg/L	0.030	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/25/03 13:50	09/25/03 16:10	PSK	4
Lead	ND D,M	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Selenium	ND D,M	1	mg/L	0.080	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1
Silver	ND D,M	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/25/03 15:12	09/26/03 16:07	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034119* Conestoga-Rovers & Associates *Reported:* *9/29/2003*

CT&E Sample ID:	3034119002	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092303-SM-063	**Location:**	
Collected:	09/23/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/24/2003 08:45	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
2-Butanone (M E K)	0.068	200	mg/L	0.050	SW-846 8260B		09/25/03 18:49	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 18:49	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
3&4-Methylphenol (p&m-Cresol)	0.38	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/25/03 12:28	09/25/03 23:22	BPJ	4

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

CHAIN OF CUSTODY RECORD

SHIPPED TO (Laboratory Name): CT & E (SGS)
1900 Conrad Industrial Drive Ludington MI 49431

REFERENCE NUMBER: ~~05926~~ 032664 SM

PROJECT NAME: Sybill 3034119

SAMPLER'S SIGNATURE: SM

PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	PCBs							REMARKS
1	9-23-03	0800	S-32664-092303-SM-062	soil	1	✓	✓	✓							
2		0900	L-32664-092303-SM-063	aqueous	4	✓	✓	✓							48 hr tat
TOTAL NUMBER OF CONTAINERS															

RELINQUISHED BY: 1. Shawn McLean	DATE: 092303 TIME: 14:15	RECEIVED BY: 1.	DATE: 9/23/03 TIME: 14:15
RELINQUISHED BY: 2.	DATE: 9/23/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT:

AIR BILL No.

White -Fully Executed Copy
Yellow -Receiving Laboratory Copy
Pink -Shipper Copy
Goldenrod -Sampler Copy

24076

SAMPLE TEAM: SDM

RECEIVED FOR LABORATORY BY:

DATE: 9/24/03 TIME: 8:45 4°C

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of 1

Project Number: 303 4119 Date Logged In: 9/24/03 Login Person Initials: KCB

This section to be completed when corrective action is required:

Client: CRA Project Name:
Client Contact: Phone Number:

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?	—	
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*	—	
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*	—	
14.	Were proper sample weights met for Wisconsin soil samples?	—	

COMMENTS/CORRECTIVE ACTION

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp. No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

REPORT ADDENDA

- [ ] Case Narrative
- [ ] Quality Control Data
- [ ] Field Notes
- [ ] Well Inspection Reports/Statics
- [ ] Subcontractor Report
- [ ] Data Summary Report
- [ ] Other _____
- [ ] None

CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3034090** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/30/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

Tank #1 Sludge

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034090 Conestoga-Rovers & Associates Reported: 9/30/2003

CT&E Sample ID:	3034090001	**Matrix:**	Solid
Client Sample ID:	S-32664-091903-SM-060	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	
pH	5.63		S.U.		SW-846 9045C		09/24/03 14:47	SRS	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1221	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1232	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1242	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1248	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1254	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1260	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1262	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
Aroclor-1268	ND		ug/Kg	770	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 06:59	ESA	
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.11	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Barium	0.14	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Cadmium	0.024	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Chromium	0.087 J	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Mercury	0.0045	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 16:50	PSK	
Lead	0.071	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Selenium	0.047 J	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	
Silver	0.016 J	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:16	SRO	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034090* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034090001	**Matrix:**	Solid
Client Sample ID:	S-32664-091903-SM-060	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
2-Butanone (M E K)	0.16	200	mg/L	0.050	SW-846 8260B		09/25/03 17:28	JDS	
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 17:28	JDS	
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
3&4-Methylphenol (p&m-Cresol)	0.35	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 12:44	BPJ	

Tank #1 Frac Tank

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034090 Conestoga-Rovers & Associates *Reported:* 9/30/2003

CT&E Sample ID:	3034090002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091903-SM-061A	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2-Dichloroethane	256	<0.5mg/L	ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Benzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B'	09/21/03 11:30	09/27/03 16:47	JEH	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034090* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034090002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091903-SM-061A	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Bromomethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Chloroethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Chloromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Dichlorodifluoromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Trichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Trichlorofluoromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/21/03 11:30	09/27/03 16:47	JEH	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1221	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1232	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1242	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1248	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1254	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1260	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1262	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	
Aroclor-1268	ND		mg/Kg	0.96	SW-846 8082 / SW-846 3580A	09/24/03 12:17	09/25/03 13:21	ESA	

Tank #1 Frac Tank

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034090 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034090003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091903-SM-061B	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	2
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	2
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/24/03 14:47	SRS	2
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	2
pH	4.16		S.U.		SW-846 9040B		09/24/03 14:47	SRS	2
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1221	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1232	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1242	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1248	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1254	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1260	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1262	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
Aroclor-1268	ND		ug/L	1.0	SW-846 8082 / SW-846 3510C	09/23/03 15:54	09/25/03 15:05	ESA	3
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.039	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Barium	0.069	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Cadmium	ND	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Chromium	0.051	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 15:38	PSK	1
Lead	0.031	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1
Silver	ND M	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:02	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034090* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034090003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091903-SM-061B	**Location:**	
Collected:	09/19/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/20/2003 09:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
1,2-Dichloroethane	0.016	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
2-Butanone (M E K)	0.34	200	mg/L	0.050	SW-846 8260B		09/25/03 17:55	JDS	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 17:55	JDS	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
3&4-Methylphenol (p&m-Cresol)	0.031	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/23/03 15:57	09/24/03 13:30	BPJ	1

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

CHAIN OF CUSTODY RECORD

SHIPPED TO (Laboratory Name): CT&E (SGS)
1200 Conrad Industrial Drive, Ludington MI 49431

REFERENCE NUMBER: 32664

PROJECT NAME: Sybill 3034090

SAMPLER'S SIGNATURE: SM PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	PCB's	TCL VOC & Freon	Ignitability						REMARKS
1	9-19-03		S-32664-091903-SM-060	sludge	2	✓	✓	✓								
2			L-32664-091903-SM-061A	L	4			✓	✓	✓						48 hr tat
3			061B	L	4	✓	✓	✓								
			TOTAL NUMBER OF CONTAINERS		10											

RELINQUISHED BY: 1. Shawn McLean	DATE: 9-19-03 TIME:	RECEIVED BY: 1. [signature]	DATE: 9/19/03 TIME: 12:00
RELINQUISHED BY: 2. [signature]	DATE: 9/19/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier AIR BILL No.

White -Fully Executed Copy Pink -Shipper Copy
Yellow -Receiving Laboratory Copy Goldenrod -Sampler Copy

24075

SAMPLE TEAM: SM

RECEIVED FOR LABORATORY BY:

DATE: TIME: 5°C

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of ___

Project Number: 3034090 Date Logged In: 9/22/03 Login Person Initials: KE

This section to be completed when corrective action is required:

Client: CRA Project Name: ___
Client Contact: ___ Phone Number: ___

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?	✓	
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*	✓	
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*	✓	
14.	Were proper sample weights met for Wisconsin soil samples?	✓	

COMMENTS/CORRECTIVE ACTION

___

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

___

REPORT ADDENDA

- [ ] Case Narrative
- [ ] Quality Control Data
- [ ] Field Notes
- [ ] Well Inspection Reports/Statics
- [ ] Subcontractor Report
- [ ] Data Summary Report
- [ ] Other _____
- [ ] None

SGS CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3034069** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/30/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

Air Scrubber Floor

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091603-SM-010R	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	4
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	4
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/24/03 14:47	SRS	4
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	4
pH	7.85		S.U.		SW-846 9040B		09/24/03 14:47	SRS	4
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1221	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1232	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1242	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1248	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1254	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1260	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1262	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
Aroclor-1268	ND		ug/L	0.12	SW-846 8082 / SW-846 3510C	09/24/03 10:58	09/25/03 16:52	ESA	4
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Barium	0.065	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Cadmium	0.0021	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Chromium	ND	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 15:44	PSK	4
Lead	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Selenium	ND	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1
Silver	ND M	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:30	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-091603-SM-010R	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 15:13	JDS	4
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Chloroform	0.016	6	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 15:13	JDS	4
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:12	BPJ	4

SGS CT&E Environmental Services Inc.
Michigan Division

Tank #12
(TK-107

Workorder: 3034069 Conestoga-Rovers & Associates Reported: 9/30/2003

CT&E Sample ID:	3034069002	**Matrix:**	Solid
Client Sample ID:	S-32664-091603-SM-055	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	1
Reactive Sulfide	ND		mg/Kg	60	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	1
Ignitability	Non				SW-846 7.1[1]		09/25/03 09:41	WD	1
pH	4.23		S.U.		SW-846 9045C		09/24/03 14:47	SRS	1
Total Solids	78.3		%	0.10	SM19 2540G[1]		09/22/03 06:39	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1221	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1232	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1242	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1248	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1254	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1260	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1262	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
Aroclor-1268	ND		ug/Kg	240	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/25/03 20:53	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.095 J	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
Barium	0.11	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
Cadmium	0.065	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
Chromium	0.16	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 15:52	PSK	1
Lead	3.4	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
Selenium	0.037 J	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069002	**Matrix:**	Solid
Client Sample ID:	S-32664-091603-SM-055	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	0.018 J	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:39	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 15:40	JDS	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 15:40	JDS	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 14:57	BPJ	1

Tank #19 (TK066)
9,000 gal

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 Conestoga-Rovers & Associates Reported: 9/30/2003

CT&E Sample ID:	3034069003	**Matrix:**	Solid
Client Sample ID:	S-32664-091603-SM-056	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
8270/tclp: Sample fails acceptance criteria for (1) surrogate.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	50	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	1
Reactive Sulfide	ND		mg/Kg	100	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	1
Ignitability	Non				SW-846 7.1[1]		09/25/03 09:41	WD	1
pH	12.7 D002		S.U.		SW-846 9045C		09/24/03 14:47	SRS	1
Total Solids	52.6		%	0.10	SM19 2540G[1]		09/22/03 06:39	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1221	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1232	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1242	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1248	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1254	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1260	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1262	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
Aroclor-1268	ND		ug/Kg	360	SW-846 8082 / SW-846 3550B	09/23/03 09:54	09/26/03 16:03	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.061	5	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
Barium	0.95	100	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
Cadmium	0.016	1	mg/L	0.0020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
Chromium	0.24	5	mg/L	0.0060	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 15:58	PSK	1
Lead	0.33	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069003	**Matrix:**	Solid
Client Sample ID:	S-32664-091603-SM-056	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Selenium	0.018	1	mg/L	0.016	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
Silver	ND	5	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 11:58	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 16:07	JDS	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 16:07	JDS	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
2,4,6-Trichlorophenol	ND D,M	2	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	2.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Hexachlorobenzene	ND D,M	0.13	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Hexachlorobutadiene	ND D,M	0.5	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Hexachloroethane	ND D,M	3	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Nitrobenzene	ND D,M	2	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Pentachlorophenol	ND D,M	100	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1
Pyridine	ND D,M	5	mg/L	2.0	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 18:42	BPJ	1

SGS CT&E Environmental Services Inc.
Michigan Division

Tank #2 10-15 feet

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069004	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-057	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	2
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Benzene	350		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B'	09/19/03 15:30	09/27/03 17:19	JEH	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069004	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-057	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Chloromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Trichloroethene	285	<0.5mg/L	ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:19	JEH	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1221	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1232	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1242	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1248	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1254	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1260	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1262	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2
Aroclor-1268	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:13	JL	2

Tank #2 23-27'

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069005	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-058A	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	2
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Benzene	429		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B[1]	09/19/03 15:30	09/27/03 17:50	JEH	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069005	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-058A	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Chloromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Trichloroethene	330	<0.5mg/L	ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 17:50	JEH	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1221	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1232	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1242	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1248	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1254	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1260	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1262	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2
Aroclor-1268	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/23/03 05:41	JL	2

SGS CT&E Environmental Services Inc.
Michigan Division

Tank #2 23-27'

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069006	**Matrix:**	Solid
Client Sample ID:	S-32664-091803-SM-058B	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	1
Reactive Sulfide	ND		mg/Kg	70	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	1
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	
pH	4.74		S.U.		SW-846 9045C		09/24/03 14:47	SRS	1
Total Solids	73.1		%	0.10	SM19 2540G[1]		09/22/03 06:39	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1221	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1232	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1242	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1248	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1254	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1260	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1262	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
Aroclor-1268	ND		ug/Kg	1400	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/25/03 15:59	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.42	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
Barium	1.2 J	100	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
Cadmium	0.053 J	1	mg/L	0.0040	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
Chromium	0.17 J	5	mg/L	0.012	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
Mercury	0.0024	0.2	mg/L	0.0020	SW-846 7470A	09/23/03 13:00	09/23/03 16:11	PSK	1
Lead	0.15 J	5	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
Selenium	0.054 J	1	mg/L	0.032	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069006	**Matrix:**	Solid
Client Sample ID:	S-32664-091803-SM-058B	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	0.033 J	5	mg/L	0.0080	SW-846 6020 / SW-846 3010A	09/23/03 15:05	09/24/03 12:02	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 16:34	JDS	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 16:34	JDS	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
2,4,6-Trichlorophenol	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Hexachlorobenzene	ND D,M	0.13	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Hexachlorobutadiene	ND D,M	0.5	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Hexachloroethane	ND D,M	3	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Nitrobenzene	ND D,M	2	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Pentachlorophenol	ND D,M	100	mg/L	0.10	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1
Pyridine	ND D,M	5	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/24/03 15:58	09/25/03 20:58	BPJ	1

Tank #2
32-37'

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069007	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-059A	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
PHYSICAL PROPERTY ANALYSIS									
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	2
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Benzene	420	20.5mg/L	ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B[1]	09/19/03 15:30	09/27/03 18:22	JEH	
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034069* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034069007	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	L-32664-091803-SM-059A	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Chloroform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Chloromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Trichloroethene	321	<0.5mg/L	ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/19/03 15:30	09/27/03 18:22	JEH	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1221	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1232	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1242	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1248	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1254	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1260	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1262	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2
Aroclor-1268	ND		mg/Kg	0.99	SW-846 8082 / SW-846 3580A	09/19/03 17:35	09/25/03 13:46	ESA	2

SGS CT&E Environmental Services Inc.
Michigan Division

Tank #2 32-37'

Workorder: 3034069 Conestoga-Rovers & Associates Reported: 9/30/2003

CT&E Sample ID:	3034069008	**Matrix:**	Solid
Client Sample ID:	S-32664-091803-SM-059B	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).
8260 TCLP: High surrogate recovery due to matrix, confirmed by 2nd analysis.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/23/03 12:27	09/23/03 14:36	JB	2
Reactive Sulfide	ND		mg/Kg	60	SW-846 7.3.4.2[1]	09/23/03 10:59	09/24/03 11:05	JB	2
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/24/03 14:47	SRS	2
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/24/03 13:32	WD	
pH	4.95		S.U.		SW-846 9045C		09/24/03 14:47	SRS	2
Total Solids	82.3		%	0.10	SM19 2540G[1]		09/22/03 06:39	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1221	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1232	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1242	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1248	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1254	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1260	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1262	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
Aroclor-1268	ND		ug/Kg	1000	SW-846 8082 / SW-846 3550B	09/23/03 09:58	09/26/03 02:43	ESA	2
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic D004	11	5	mg/L	0.50	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
Barium	27	100	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
Cadmium	0.39	1	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
Chromium D007	7.2	5	mg/L	0.30	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
Mercury D009	0.46 D	0.2	mg/L	0.040	SW-846 7470A	09/23/03 13:00	09/23/03 16:34	PSK	2
Lead D008	6.7	5	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034069 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034069008	**Matrix:**	Solid
Client Sample ID:	S-32664-091803-SM-059B	**Location:**	
Collected:	09/18/2003 00:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/19/2003 08:30	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Selenium D010	1.4	1	mg/L	0.80	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
Silver	0.53	5	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/24/03 11:28	09/25/03 20:03	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
1,2-Dichloroethane	ND	0.5	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
1,4-Dichlorobenzene	ND	7.5	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
2-Butanone (M E K)	0.26	200	mg/L	0.045	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Benzene D018	0.72	0.5	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Carbon tetrachloride	ND	0.5	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Chlorobenzene	ND	100	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Chloroform	ND	6	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Tetrachloroethene	ND	0.7	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Trichloroethene	ND	0.5	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
Vinyl chloride	ND	0.2	mg/L	0.0090	SW-846 8260B / SW-846 5030B	09/24/03 09:45	09/27/03 19:26	JDS	
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
2,4,6-Trichlorophenol	ND D,M	2	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	990	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Hexachlorobenzene	ND D,M	0.13	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Hexachlorobutadiene	ND D,M	0.5	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Hexachloroethane	ND D,M	3	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Nitrobenzene	ND D,M	2	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Pentachlorophenol	ND D,M	100	mg/L	500	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	
Pyridine	ND D,M	5	mg/L	990	SW-846 8270C / SW-846 3580A	09/25/03 10:16	09/25/03 19:27	BPJ	

3034069

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

SHIPPED T: 1200 Co

CT&E Environmental Services Inc.

167726

COC Serial

231-843-1877

49431

CHAIN OF CUSTODY RECORD

REFERENCE NUMBER: 032664

PROJECT NAME: Sybill, Inc

SAMPLER'S SIGNATURE: SM

PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	PCB's	TLC VOC's from Ignitability			PCB's			REMARKS
1	9-18-03		L-32664-091603-SM-010R 1	L	4	✓	✓	✓							
2			S-32664-091603-SM-055 2	S	1	✓	✓	✓							5 day tat
3			S-32664-091603-SM-056 2	S	1	✓	✓	✓							
4			L-32664-091803-SM-057 3	L	*4					✓	✓	✓			please
5			L-32664-091803-SM-058A 3	L	*4					✓	✓	✓			
6			S-32664-091803-SM-058B 3	sludge	1	✓	✓	✓							
7			L-32664-091803-SM-059A 3	L	4					✓	✓	✓			
8			S-32664-091803-SM-059B 3	sludge	2	✓	✓	✓							
			TOTAL NUMBER OF CONTAINERS		21										

RELINQUISHED BY: 1. Shawn McLean	DATE: 9-18-03 TIME: 12:00	RECEIVED BY: 1.	DATE: 9/18/03 TIME: 12:00
RELINQUISHED BY: 2. SM	DATE: 9/18/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier

AIR BILL No.

White -Fully Executed Copy
Yellow -Receiving Laboratory Copy
Pink -Shipper Copy
Goldenrod -Sampler Copy

24074

SAMPLE TEAM: SM

RECEIVED FOR LABORATORY BY:

DATE: 9/19/03 TIME: 8:30 9a.

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of 1

Project Number: 3034069 Date Logged In: 9/19/03 Login Person Initials: EE

This section to be completed when corrective action is required:

Client: CRA Project Name:
Client Contact: Phone Number:

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*		✓
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?		
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*		
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*		
14.	Were proper sample weights met for Wisconsin soil samples?		

COMMENTS/CORRECTIVE ACTION
COC date for some is different than ID date. Logged ID date.

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

DDH 9/30/03

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)
9/30/03: Change client ID's: S-57A to L-57, S-58A to L58A & S59A to L-59A.

REPORT ADDENDA

- ☐ Case Narrative
- ☐ Quality Control Data
- ☐ Field Notes
- ☐ Well Inspection Reports/Statics
- ☐ Subcontractor Report
- ☐ Data Summary Report
- ☐ Other _____
- ☐ None

SGS CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3034143** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/30/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division-
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant.
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

SGS CT&E Environmental Services Inc.
Michigan Division

Ash Pit sludge

High pH Drum in Basement

Workorder: 3034143 Conestoga-Rovers & Associates Reported: 9/30/2003

CT&E Sample ID:	3034143001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-064	**Location:**	
Collected:	09/24/2003 08:38	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).
8260 TCLP: Low surrogate recovery, confirmed by MS analysis.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/26/03 10:18	09/26/03 10:48	MAH	2
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/26/03 10:56	09/26/03 10:58	JB	2
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/29/03 09:18	SKP	2
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/26/03 12:35	WD	2
pH	11.2		S.U.		SW-846 9040B		09/29/03 09:18	SKP	2
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1221	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1232	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1242	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1248	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1254	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1260	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1262	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
Aroclor-1268	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:24	ESA	2
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	4.9 D,M	5	mg/L	2.0	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 18:56	SRO	
Barium	3.7	100	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 01:58	SRO	1
Cadmium D006	1.7	1	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 01:58	SRO	1
Chromium	2.7 D,M	5	mg/L	1.2	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 18:56	SRO	
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/26/03 11:58	09/26/03 15:52	PSK	2
Lead	0.62	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 01:58	SRO	1
Selenium	ND D,M	1	mg/L	3.2	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 18:56	SRO	
Silver	1.2 M	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 01:58	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143001	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-064	**Location:**	
Collected:	09/24/2003 08:38	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/25/03 17:01	JDS	2
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/25/03 17:01	JDS	2
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND D,M	400	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
2,4,6-Trichlorophenol	ND D,M	2	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
2,4-Dinitrotoluene	ND D,M	0.13	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
2-Methylphenol (o-Cresol)	ND D,M	200	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
3&4-Methylphenol (p&m-Cresol)	ND D,M	200	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Hexachlorobenzene	ND D,M	0.13	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Hexachlorobutadiene	ND D,M	0.5	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Hexachloroethane	ND D,M	3	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Nitrobenzene	ND D,M	2	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Pentachlorophenol	ND D,M	100	mg/L	0.50	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2
Pyridine	ND D,M	5	mg/L	1.0	SW-846 8270C / SW-846 3510C	09/26/03 14:29	09/29/03 14:43	BPJ	2

D-113 Drum in Basement

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034143 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Sample cleanup performed for hydrocarbons (SW-846 Method 3620 Florisil Column).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/26/03 10:18	09/26/03 10:55	MAH	3
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/26/03 10:56	09/26/03 10:58	JB	3
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/29/03 09:18	SKP	3
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/26/03 12:35	WD	3
pH	9.24		S.U.		SW-846 9040B		09/29/03 09:18	SKP	3
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1,1-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1,2,2-Tetrachloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1,2-Trichloro-1,2,2-fluoroet	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1,2-Trichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,1-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2,3-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2,3-Trichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2,4-Trichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2,4-Trimethylbenzene	9600		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2-Dibromo-3-chloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2-Dibromoethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2-Dichloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,3,5-Trimethylbenzene	2630		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,3-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
1,3-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
1,4-Dichlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2,2-Dichloropropane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2-Butanone (M E K)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2-Chloroethylvinyl ether	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2-Hexanone	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
2-Methylnaphthalene	17000		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
4-Chlorotoluene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
4-Isopropyltoluene	1530		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
4-Methyl-2-pentanone (MIBK)	676		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Acetone	1780		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Acrolein (2-Propenal)	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Acrylonitrile	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Allyl chloride	ND		ug/Kg	100	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Benzene	187		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Bromobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Bromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B[1]	09/22/03 11:00	09/27/03 18:54	JEH	2
Bromodichloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Bromoform	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Bromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Carbon disulfide	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Carbon tetrachloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Chlorobenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Chloroethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Chloroform	328		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Chloromethane	ND		ug/Kg	370	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
cis-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
cis-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Dibromochloromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Dibromomethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Dichlorodifluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Diethyl Ether	ND		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Diisopropyl ether	ND		ug/Kg	100	SW-846 8260B / SW-846 5030B'	09/22/03 11:00	09/27/03 18:54	JEH	2
Ethylbenzene	1170		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Hexachlorobutadiene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Hexachloroethane	ND		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Isopropylbenzene	526		ug/Kg	130	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Methyl iodide	ND		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Methyl-t-butyl ether	ND		ug/Kg	100	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Methylene chloride	ND		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
n-Butylbenzene	2500		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
n-Propylbenzene	1330		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Naphthalene	5060		ug/Kg	620	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
o-Xylene	1910		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
P & M -Xylene	4580		ug/Kg	250	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
sec-Butylbenzene	1610		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Styrene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
tert-Butylbenzene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Tetrachloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Tetrahydrofuran	ND		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Toluene	4190		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
trans-1,2-Dichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
trans-1,3-Dichloropropene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
trans-1,4-Dichloro-2-Butene	ND		ug/Kg	100	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Trichloroethene	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Trichlorofluoromethane	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Vinyl acetate	ND		ug/Kg	600	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2
Vinyl chloride	ND		ug/Kg	120	SW-846 8260B / SW-846 5030B	09/22/03 11:00	09/27/03 18:54	JEH	2

GC/MS SEMIVOLATILE ORGANIC ANALYSIS

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034143 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
1,2,4-Trichlorobenzene	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
1,2-Dichlorobenzene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
1,2-Diphenylhydrazine	ND		mg/Kg	930	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
1,3-Dichlorobenzene	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
1,4-Dichlorobenzene	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
1-Methylnaphthalene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4,5-Trichlorophenol	ND D,M		mg/Kg	700	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4,6-Trichlorophenol	ND D,M		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4-Dichlorophenol	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4-Dimethylphenol	ND		mg/Kg	700	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4-Dinitrophenol	ND		mg/Kg	370	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,4-Dinitrotoluene	ND D,M		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2,6-Dinitrotoluene	ND		mg/Kg	420	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Chloronaphthalene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Chlorophenol	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Methylnaphthalene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Methyl-4,6-dinitrophenol	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Methylphenol (o-Cresol)	ND D,M		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Nitroaniline	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
2-Nitrophenol	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
3&4-Methylphenol (p&m-Cresol)	ND D,M		mg/Kg	700	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
3,3-Dichlorobenzidine	ND		mg/Kg	1200	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
3-Nitroaniline	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Bromophenyl phenyl ether	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Chloro-3-methylphenol	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Chloroaniline	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Chlorophenyl phenyl ether	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Nitroaniline	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
4-Nitrophenol	ND		mg/Kg	330	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Acenaphthene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Acenaphthylene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
Acetophenone	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A[1]	09/26/03 14:26	09/29/03 12:16	BPJ	3
Aniline	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Anthracene	ND		mg/Kg	330	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Atrazine (Aatrex)	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A[1]	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzaldehyde	ND		mg/Kg	700	SW-846 8270C / SW-846 3580A[1]	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzidine	ND		mg/Kg	3700	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzo(a)anthracene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzo[a]pyrene	ND		mg/Kg	93	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzo[b]fluoranthene	ND		mg/Kg	140	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzo[g,h,i]perylene	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzo[k]fluoranthene	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzoic acid	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Benzyl alcohol	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Biphenyl	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A[1]	09/26/03 14:26	09/29/03 12:16	BPJ	3
Bis(2-chloroethoxy)methane	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Bis(2-chloroethyl) ether	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Bis(2-chloroisopropyl) ether	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Bis(2-ethylhexyl) phthalate	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Butyl benzyl phthalate	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Caprolactam	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A[1]	09/26/03 14:26	09/29/03 12:16	BPJ	3
Carbazole	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Chrysene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Di-n-butylphthalate	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
di-n-Octylphthalate	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Dibenzo[a,h]anthracene	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Dibenzofuran	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Diethylphthalate	ND		mg/Kg	700	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Dimethylphthalate	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Fluoranthene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Fluorene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Hexachlorobenzene	ND D,M		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
Hexachlorobutadiene	ND D,M		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Hexachlorocyclopentadiene	ND		mg/Kg	140	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Hexachloroethane	ND D,M		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Indeno[1,2,3-c,d] pyrene	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Isophorone	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
N-Nitrosodi-n-propylamine	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
N-Nitrosodimethylamine	ND		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
N-Nitrosodiphenylamine	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Naphthalene	ND		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Nitrobenzene	ND D,M		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Pentachlorophenol	ND D,M		mg/Kg	460	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Phenanthrene	ND		mg/Kg	280	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Phenol	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Pyrene	ND		mg/Kg	230	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
Pyridine	ND D,M		mg/Kg	190	SW-846 8270C / SW-846 3580A	09/26/03 14:26	09/29/03 12:16	BPJ	3
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1221	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1232	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1242	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1248	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1254	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1260	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1262	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
Aroclor-1268	ND		mg/Kg	0.98	SW-846 8082 / SW-846 3580A	09/25/03 13:56	09/27/03 23:11	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND J	5	mg/L	0.50	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	
Barium	ND	100	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	

CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143002	**Matrix:**	Non Aqueous Liquid
Client Sample ID:	S-32664-092403-SM-065	**Location:**	
Collected:	09/24/2003 09:08	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Cadmium	ND	1	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	
Chromium	ND	5	mg/L	0.30	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/26/03 11:58	09/26/03 16:00	PSK	
Lead	ND	5	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	
Selenium	ND	1	mg/L	0.80	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	
Silver	ND M	5	mg/L	0.20	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:08	SRO	

Tank 62 "Caustic" labelled

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034143 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Comments: Results reported as received.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).
8260: Sample was diluted due to matrix interference; surrogates outside QC Acceptance Criteria.

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/26/03 10:18	09/26/03 10:50	MAH	1
Reactive Sulfide	ND		mg/Kg	50	SW-846 7.3.4.2[1]	09/26/03 10:56	09/26/03 10:58	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9040B[1]		09/29/03 09:18	SKP	1
Flashpoint Fahrenheit	>200		deg F		SW-846 1010		09/26/03 12:35	WD	1
pH	10.5		S.U.		SW-846 9040B		09/29/03 09:18	SKP	1
GC/MS VOLATILE ORGANIC ANALYSIS									
1,1,1,2-Tetrachloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1,1-Trichloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1,2,2-Tetrachloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1,2-Trichloro-1,2,2-fluoroet	ND D,M		ug/L	150	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1,2-Trichloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1-Dichloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1-Dichloroethene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,1-Dichloropropene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2,3-Trichlorobenzene	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2,3-Trichloropropane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2,4-Trichlorobenzene	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2,4-Trimethylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2-Dibromo-3-chloropropane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2-Dibromoethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2-Dichlorobenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2-Dichloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,2-Dichloropropane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,3,5-Trimethylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,3-Dichlorobenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
1,3-Dichloropropane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
1,4-Dichlorobenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2,2-Dichloropropane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2-Butanone (M E K)	ND D,M		ug/L	1300	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2-Chloroethylvinyl ether	ND D,M		ug/L	500	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2-Chlorotoluene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2-Hexanone	ND D,M		ug/L	2500	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
2-Methylnaphthalene	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
4-Chlorotoluene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
4-Isopropyltoluene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
4-Methyl-2-pentanone (MIBK)	ND D,M		ug/L	2500	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Acetone	ND D,M		ug/L	1300	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Acrolein (2-Propenal)	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Acrylonitrile	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Allyl chloride	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Benzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Bromobenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Bromochloromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B[1]	09/29/03 08:00	09/29/03 12:37	JEH	2
Bromodichloromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Bromoform	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Bromomethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Carbon disulfide	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Carbon tetrachloride	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Chlorobenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Chloroethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Chloroform	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Chloromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
cis-1,2-Dichloroethene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
cis-1,3-Dichloropropene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Dibromochloromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Dibromomethane	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS VOLATILE ORGANIC ANALYSIS									
Dichlorodifluoromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Diethyl Ether	ND D,M		ug/L	500	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Diisopropyl ether	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B[1]	09/29/03 08:00	09/29/03 12:37	JEH	2
Ethylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Hexachlorobutadiene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Hexachloroethane	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Isopropylbenzene	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Methyl iodide	ND D;M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Methyl-t-butyl ether	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Methylene chloride	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
n-Butylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
n-Propylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Naphthalene	ND D,M		ug/L	250	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
o-Xylene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
P & M -Xylene	ND D,M		ug/L	100	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
sec-Butylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Styrene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
tert-Butylbenzene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Tetrachloroethene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Tetrahydrofuran	ND D,M		ug/L	5000	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Toluene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
trans-1,2-Dichloroethene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
trans-1,3-Dichloropropene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
trans-1,4-Dichloro-2-Butene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Trichloroethene	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Trichlorofluoromethane	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Vinyl acetate	ND D,M		ug/L	2500	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2
Vinyl chloride	ND D,M		ug/L	50	SW-846 8260B / SW-846 5030B	09/29/03 08:00	09/29/03 12:37	JEH	2

GC/MS SEMIVOLATILE ORGANIC ANALYSIS

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
1,2,4-Trichlorobenzene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
1,2-Dichlorobenzene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
1,3-Dichlorobenzene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
1,4-Dichlorobenzene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4,5-Trichlorophenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4,6-Trichlorophenol	ND		ug/L	160	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4-Dichlorophenol	ND		ug/L	400	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4-Dimethylphenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4-Dinitrophenol	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,4-Dinitrotoluene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2,6-Dinitrotoluene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Chloronaphthalene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Chlorophenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Methylnaphthalene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Methyl-4,6-dinitrophenol	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Methylphenol (o-Cresol)	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Nitroaniline	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
2-Nitrophenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
3&4-Methylphenol (p&m-Cresol)	ND		ug/L	400	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
3,3-Dichlorobenzidine	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
3-Nitroaniline	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Bromophenyl phenyl ether	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Chloro-3-methylphenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Chloroaniline	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Chlorophenyl phenyl ether	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Nitroaniline	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
4-Nitrophenol	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Acenaphthene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Acenaphthylene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Anthracene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Benzo(a)anthracene	ND		ug/L	40	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034143* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
Benzo[a]pyrene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Benzo[b]fluoranthene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Benzo[g,h,i]perylene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Benzo[k]fluoranthene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Bis(2-chloroethoxy)methane	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Bis(2-chloroethyl) ether	ND		ug/L	60	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Bis(2-chloroisopropyl) ether	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Bis(2-ethylhexyl) phthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Butyl benzyl phthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Carbazole	ND		ug/L	400	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Chrysene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Di-n-butylphthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
di-n-Octylphthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Dibenzo[a,h]anthracene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Dibenzofuran	ND		ug/L	160	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Diethylphthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Dimethylphthalate	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Fluoranthene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Fluorene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Hexachlorobenzene	ND		ug/L	400	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Hexachlorobutadiene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Hexachlorocyclopentadiene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Hexachloroethane	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Indeno[1,2,3-c,d] pyrene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Isophorone	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
N-Nitrosodi-n-propylamine	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
N-Nitrosodiphenylamine	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Naphthalene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Nitrobenzene	ND		ug/L	80	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Pentachlorophenol	ND		ug/L	800	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Phenanthrene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034143 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034143003	**Matrix:**	Aqueous
Client Sample ID:	L-32664-092403-SM-066	**Location:**	
Collected:	09/24/2003 09:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/25/2003 09:15	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GC/MS SEMIVOLATILE ORGANIC ANALYSIS									
Phenol	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Pyrene	ND		ug/L	200	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
Pyridine	ND		ug/L	2000	SW-846 8270C / SW-846 3510C	09/25/03 16:02	09/25/03 19:32	BPJ	2
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1221	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1232	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1242	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1248	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1254	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1260	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1262	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
Aroclor-1268	ND		ug/L	4.0	SW-846 8082 / SW-846 3510C	09/25/03 16:04	09/27/03 02:51	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	1.3 J	5	mg/L	0.25	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Barium	3.9	100	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Cadmium	0.21 J	1	mg/L	0.050	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Chromium	0.91	5	mg/L	0.15	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Mercury	0.014	0.2	mg/L	0.0020	SW-846 7470A	09/26/03 11:58	09/26/03 16:13	PSK	
Lead	0.16 J	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Selenium	ND	1	mg/L	0.40	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	
Silver	0.26 J	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/27/03 12:40	09/29/03 02:17	SRO	

CRA

CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

SHIPPED TO (Laboratory Name): CT & E (SGS) 231-843-1877
1200 Conrad Industrial Drive, Ludington MI 49431

REFERENCE NUMBER: 032664

PROJECT NAME: Sybill 3034143

CHAIN OF CUSTODY RECORD

SAMPLER'S SIGNATURE: SM PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME		SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	PCBs	TCLP metals	total VOCs	total SVOCs					REMARKS
1	9-24-03	0830	L 32664-092403-SM-064	sludge	2	✓	✓	✓								
2	1	0900	S 32664-092403-SM-065	aqueous	2		✓	✓	✓	✓	✓					48 hr
3	1	0900	L 32664-092403-SM-066	aqueous	1		✓	✓	✓	✓	✓					tat
TOTAL NUMBER OF CONTAINERS					7											

RELINQUISHED BY: 1. SM	DATE: 9-24-03 TIME: 10:25	RECEIVED BY: 1.	DATE: 9/24/03 TIME: 10:25
RELINQUISHED BY: 2.	DATE: 9/24/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier AIR BILL No.

White -Fully Executed Copy Pink -Shipper Copy
Yellow -Receiving Laboratory Copy Goldenrod -Sampler Copy

24078

SAMPLE TEAM: SDM

RECEIVED FOR LABORATORY BY: KS

DATE: 9/25/03 TIME: 9:15 5°C

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of

Project Number: 3034143 Date Logged In: 9/25/03 Login Person Initials: KE

This section to be completed when corrective action is required:

Client: CRA
Client Contact:

Project Name:
Phone Number:

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?		
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*		
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*		
14.	Were proper sample weights met for Wisconsin soil samples?		

COMMENTS/CORRECTIVE ACTION

COC indicates -064 is sludge, its actually aqueous, sample-065 is actually NAQL.

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

REPORT ADDENDA

- [ ] Case Narrative
- [ ] Quality Control Data
- [ ] Field Notes
- [ ] Well Inspection Reports/Statics
- [ ] Subcontractor Report
- [ ] Data Summary Report
- [ ] Other _____
- [ ] None

SGS CT&E Environmental Services Inc.
Michigan Division

Laboratory Report

Project:	**Project 32664 Sybill, Inc.**
CT&E Work Order:	**3034166** **#32664 Sybill, Inc.**
Client:	**Conestoga-Rovers & Associates** **14496 Sheldon Road** **Suite 200** **Plymouth, MI 48170**
Attention:	**Paul Wiseman**

Certification:

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, other than the conditions noted on the sample data sheet(s) and/or the case narrative. This certification applies only to the tested parameters and the specific sample(s) received at the laboratory.

Respectfully submitted,

Denise Heckler

9/30/2003
Date

Denise Heckler, Project Manager
CT&E Environmental Services Inc.
Michigan Division
1200 Conrad Industrial Drive
Ludington, MI 49431
Phone: 231.843.1877
Fax: 231.845.9942
E-mail: dheckler@sgsenvironmental.com

This report contains _____ **pages**

This report shall not be reproduced, in whole or in part, without the written approval of CT&E Environmental Services Inc.

Report Order

Report Legend
Laboratory Report
Chain-of-Custody Record
Log-In Check List
Preservation Check List
Report Addenda

Laboratory Report Legend

The laboratory holds the following certifications:

National Environmental Laboratory Accreditation Program (NELAP), Accreditation No. 100433 (State of Illinois)
State of Alaska UST, Approval No. UST-048
State of Indiana, Certification No. C-MI-01
State of Maryland, Certification No. 266
State of Michigan, Certification No. 0021
State of Wisconsin, Certification No. 999959180
United States Army Corps of Engineers

Container Identification (ID)

The unique container ID is comprised of the CT&E Sample ID plus a "-" and the number found in the Cont. ID column.

Qualifiers (located next to the Result column)

ND	Not detected
B	Blank contaminant
D	Dilution
J	Estimated result
M	Matrix interference
N	Presumptive evidence by GC/MS library search
E	Concentration exceeds calibration range
U	Not detected

Footnotes

(1) Parameter analyzed according to method; this combination of method and / or parameter has not been evaluated by NELAP

PPE/ floor dry/vac hose

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034166 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034166001	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-067	**Location:**	
Collected:	09/25/2003 11:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/29/03 10:28	09/30/03 10:36	JB	1
Reactive Sulfide	ND		mg/Kg	60	SW-846 7.3.4.2[1]	09/29/03 10:45	09/30/03 10:48	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/29/03 09:18	SKP	1
Ignitability	Non				SW-846 7.1[1]		09/29/03 15:22	WD	1
pH	8.07		S.U.		SW-846 9045C		09/29/03 09:18	SKP	1
Total Solids	86.5		%	0.10	SM19 2540G[1]		09/29/03 07:03	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1221	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1232	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1242	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1248	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1254	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1260	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1262	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
Aroclor-1268	ND		ug/Kg	38	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:11	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	ND	5	mg/L	0.050	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
Barium	0.40	100	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
Cadmium	ND	1	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
Chromium	ND	5	mg/L	0.030	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/30/03 13:58	09/30/03 15:33	PSK	1
Lead	ND	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
Selenium	ND	1	mg/L	0.080	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: *3034166* Conestoga-Rovers & Associates *Reported:* *9/30/2003*

CT&E Sample ID:	3034166001	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-067	**Location:**	
Collected:	09/25/2003 11:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	ND	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:02	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/29/03 17:22	JEH	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/29/03 17:22	JEH	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 16:58	BPJ	1

SGS CT&E Environmental Services Inc.
Michigan Division

Tank in lab

Workorder: 3034166 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034166002	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-068	**Location:**	
Collected:	09/25/2003 14:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	40	SW-846 7.3.3.2[1]	09/29/03 10:28	09/30/03 10:36	JB	1
Reactive Sulfide	ND		mg/Kg	70	SW-846 7.3.4.2[1]	09/29/03 10:45	09/30/03 10:48	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/29/03 09:18	SKP	1
Ignitability	Non				SW-846 7.1[1]		09/29/03 15:22	WD	1
pH	13.9		S.U.		SW-846 9045C		09/29/03 09:18	SKP	1
Total Solids	68.6		%	0.10	SM19 2540G[1]		09/29/03 07:03	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1221	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1232	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1242	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1248	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1254	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1260	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1262	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
Aroclor-1268	ND		ug/Kg	49	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 15:38	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.27 J	5	mg/L	0.10	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
Barium	0.19 J	100	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
Cadmium	0.075 J	1	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
Chromium	0.18 J	5	mg/L	0.060	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/30/03 13:58	09/30/03 15:40	PSK	1
Lead	ND	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
Selenium	ND	1	mg/L	0.16	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034166 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034166002	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-068	**Location:**	
Collected:	09/25/2003 14:00	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	0.072 J	5	mg/L	0.040	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:18	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/29/03 18:16	JEH	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/29/03 18:16	JEH	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.40	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Hexachloroethane	ND	3	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Nitrobenzene	ND	2	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.20	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1
Pyridine	ND	5	mg/L	0.40	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 18:28	BPJ	1

SGS CT&E Environmental Services Inc.
Michigan Division

Floor of pump

Workorder: 3034166 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034166003	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-069	**Location:**	
Collected:	09/25/2003 14:30	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Comments: Results reported on Dry Weight basis.
PCB: Multiple cleanups performed for hydrocarbons (SW-846 Method 3620 Florisil Column and SW-846 Method 3665 Sulfuric Acid).

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
GENERAL CHEMISTRY ANALYSIS									
Reactive Cyanide	ND		mg/Kg	30	SW-846 7.3.3.2[1]	09/29/03 10:28	09/30/03 10:36	JB	1
Reactive Sulfide	ND		mg/Kg	70	SW-846 7.3.4.2[1]	09/29/03 10:45	09/30/03 10:48	JB	1
PHYSICAL PROPERTY ANALYSIS									
Corrosivity pH Analysis	Non				SW-846 9045C[1]		09/29/03 09:18	SKP	1
Ignitability	Non				SW-846 7.1[1]		09/29/03 15:22	WD	1
pH	9.89		S.U.		SW-846 9045C		09/29/03 09:18	SKP	1
Total Solids	76.0		%	0.10	SM19 2540G[1]		09/29/03 07:03	SKP	
GC SEMIVOLATILE ORGANIC ANALYSIS									
Aroclor-1016	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1221	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1232	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1242	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1248	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1254	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1260	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1262	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
Aroclor-1268	ND		ug/Kg	250	SW-846 8082 / SW-846 3550B	09/26/03 09:36	09/27/03 16:05	ESA	1
TCLP METAL ANALYSIS SW-846 Method 1311									
Arsenic	0.056 J	5	mg/L	0.050	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
Barium	0.44	100	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
Cadmium	0.018 J	1	mg/L	0.010	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
Chromium	0.052 J	5	mg/L	0.030	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
Mercury	ND	0.2	mg/L	0.0020	SW-846 7470A	09/30/03 13:58	09/30/03 15:43	PSK	1
Lead	ND	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
Selenium	ND	1	mg/L	0.080	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1

SGS CT&E Environmental Services Inc.
Michigan Division

Workorder: 3034166 | Conestoga-Rovers & Associates | Reported: 9/30/2003

CT&E Sample ID:	3034166003	**Matrix:**	Solid
Client Sample ID:	S-32664-092403-SM-069	**Location:**	
Collected:	09/25/2003 14:30	**Project:**	Project 32664 Sybill, Inc.
Received:	09/26/2003 09:00	**Sampled By:**	SM

Test Description	Result	Allowable Limit	Unit	Reporting Detection Limit	Method Analysis / Preparation	Prepared Date / Time	Analyzed Date / Time	Analyst	Cont. ID
TCLP METAL ANALYSIS SW-846 Method 1311									
Silver	ND	5	mg/L	0.020	SW-846 6020 / SW-846 3010A	09/29/03 14:12	09/30/03 13:22	SRO	1
TCLP VOLATILES SW-846 Method 1311									
1,1-Dichloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
1,2-Dichloroethane	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
1,4-Dichlorobenzene	ND	7.5	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
2-Butanone (M E K)	ND	200	mg/L	0.050	SW-846 8260B		09/29/03 17:49	JEH	1
Benzene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Carbon tetrachloride	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Chlorobenzene	ND	100	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Chloroform	ND	6	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Tetrachloroethene	ND	0.7	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Trichloroethene	ND	0.5	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
Vinyl chloride	ND	0.2	mg/L	0.010	SW-846 8260B		09/29/03 17:49	JEH	1
TCLP SEMI-VOLATILES SW1311									
2,4,5-Trichlorophenol	ND	400	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
2,4,6-Trichlorophenol	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
2,4-Dinitrotoluene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
2-Methylphenol (o-Cresol)	ND	200	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
3&4-Methylphenol (p&m-Cresol)	ND	200	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Hexachlorobenzene	ND	0.13	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Hexachlorobutadiene	ND	0.5	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Hexachloroethane	ND	3	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Nitrobenzene	ND	2	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Pentachlorophenol	ND	100	mg/L	0.010	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1
Pyridine	ND	5	mg/L	0.020	SW-846 8270C / SW-846 3510C	09/29/03 16:35	09/29/03 19:13	BPJ	1

CRA
CONESTOGA-ROVERS & ASSOCIATES, INC.
14496 Sheldon Road, Suite 200
Plymouth, MI 48170 • (734) 453-5123

CT&E Environmental Services Inc.

170073

COC Serial 43- 1877

SHIPPED TO (Labora
Conrad
1200 Industrial Drive, Livingston

CHAIN OF CUSTODY RECORD

REFERENCE NUMBER: 032664

PROJECT NAME: Sybill 3034166

SAMPLER'S SIGNATURE: SM PRINTED NAME: Shawn McLean

SEQ. No.	DATE	TIME	EMF	SAMPLE TYPE	No. OF CONTAINERS	Full TCLP	RCI	RCB's								REMARKS
1	9-25-03	1100	S-32664-092403-SM-~~066~~-067	S	1	✓	✓	✓								
2	1	1400	S-32664-092403-SM-~~067~~-068	S	1	✓	✓	✓								48 hr test
3	1	1430	S-32664-092403-SM-~~068~~-069	S	1	✓	✓	✓								
TOTAL NUMBER OF CONTAINERS																

RELINQUISHED BY: 1. SM - Shawn McLean	DATE: 9-25-03 TIME:	RECEIVED BY: 1.	DATE: 9/25/03 TIME: 12:40
RELINQUISHED BY: 2.	DATE: 9/25/03 TIME:	RECEIVED BY: 2.	DATE: TIME:
RELINQUISHED BY: 3.	DATE: TIME:	RECEIVED BY: 1.	DATE: TIME:

METHOD OF SHIPMENT: lab courier

AIR BILL No.

White -Fully Executed Copy
Yellow -Receiving Laboratory Copy
Pink -Shipper Copy
Goldenrod -Sampler Copy

24079

SAMPLE TEAM: SM

RECEIVED FOR LABORATORY BY:

DATE: 9/26/03 TIME: 900 60c

1001 (FORMS)-APRIL 29, 93-REV.0-(C)(F-01)

Attach to the COC and include with the final report.

SGS

Environmental Services
Michigan Division

Login Checklist

page: 1 of 1

Project Number: 3034166 Date Logged In: 9/26/03 Login Person Initials: DA

This section to be completed when corrective action is required:

Client: CRA Project Name:
Client Contact: Phone Number:

If no to any, notify the project manager and project manager documents client response below.

		YES	NO
1.	Were custody seals/original packing tape intact?	✓	
2.	Are the samples in good condition, i.e. not broken or leaking?	✓	
3.	Are samples within holding times?	✓	
4.	Were the samples received on ice (ice in direct contact with the samples)? *If yes, and Wisconsin samples, do not record the sample temperature.*	✓	
5.	Is the temperature of the samples between 2-6°C? *NOTE: Samples not between 2-6°C that are received at the laboratory on the day of sample collections do not require client notification.*	✓	
6.	Do the samples match the COC?	✓	
7.	Were the proper containers used?	✓	
8	Were the samples collected in CT&E Environmental Services containers? *No corrective action required.*	✓	
9.	Is there adequate sample volume for requested analyses and QC?	✓	
10.	Do water VOC samples contain headspace less than the size of a pea?	—	
11.	Are samples preserved to the proper pH? *(attach Preservative Check Sheet)* *If no, identify sample bottle and preservative, adjust to the proper pH, and note below.*	—	
12.	Is the chain of custody signed?	✓	
13.	Is sub-sampling required? *(note bottles created and preserved below)*	—	
14.	Were proper sample weights met for Wisconsin soil samples?	—	

COMMENTS/CORRECTIVE ACTION
COC ID indicates samples were collected 9/24; Date + Time on COC indicates 9/25.

Containers Created

40 mL vial	1 Liter amber	250 mL plastic	500 mL plastic	1 Liter plastic	2 oz. glass	4 oz. glass	8 oz. glass	other	Samp. No.
									1
									2
									3
									4
									5
									6
									7
									8
									9
									0

Preservative code: A = MeOH, B = HNO_3, C = H_2SO_4, D = NaOH, E = HCl

CLIENT RESPONSE (Provide date/time of contact, client response and project manager initials)

REPORT ADDENDA

- ☐ Case Narrative
- ☐ Quality Control Data
- ☐ Field Notes
- ☐ Well Inspection Reports/Statics
- ☐ Subcontractor Report
- ☐ Data Summary Report
- ☐ Other _____
- ☐ None