NELAP CERTIFICATE NUMBER 01955

ANALYTICAL RESULTS

PERFORMED BY

GULF COAST ANALYTICAL LABORATORIES, INC.

7979 GSRI Rd.

Baton Rouge, LA 70820

Report Date

GCAL Report 210052027

Deliver To	,
Attn	MC252 Deliverables

Project MC252 Response

6020688

Laboratory Endorsement

Sample analysis was performed in accordance with approved methodologies provided by the Environmental Protection Agency or other recognized agencies. The samples and their corresponding extracts will be maintained for a period of 30 days unless otherwise arranged. Following this retention period the samples will be disposed in accordance with GCAL's Standard Operating Procedures.

Common Abbreviations Utilized in this Report

ND	Indicates the result was Not Detected at the specified RDL
DO	Indicates the result was Diluted Out
MI	Indicates the result was subject to Matrix Interference
TNTC	Indicates the result was Too Numerous To Count
SUBC	Indicates the analysis was Sub-Contracted
FLD	Indicates the analysis was performed in the Field
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
00:00	Reported as a time equivalent to 12:00 AM

Reporting Flags Utilized in this Report

J	Indicates an estimated value
U	Indicates the compound was analyzed for but not detected
B	(ORGANICS) Indicates the analyte was detected in the associated Method Blank
B	(INORGANICS) Indicates the result is between the RDL and MDL

Sample receipt at GCAL is documented through the attached chain of custody. In accordance with NELAC, this report shall be reproduced only in full and with the written permission of GCAL. The results contained within this report relate only to the samples reported. The documented results are presented within this report.

This report pertains only to the samples listed in the Report Sample Summary and should be retained as a permanent record thereof. The results contained within this report are intended for the use of the client. Any unauthorized use of the information contained in this report is prohibited.

I certify that this data package is in compliance with the NELAC standard and terms and conditions of the contract and Statement of Work both technically and for completeness, for other than the conditions in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted has been authorized by the Quality Assurance Manager or his/her designee, as verified by the following signature.

Estimated uncertainty of measurement is available upon request. This report is in compliance with the DOD QSM as specified in the contract if applicable.

_____

Robyn Migues
Technical Director
GCAL REPORT 210052027

THIS REPORT CONTAINS _____ PAGES.

Report Sample Summary

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202117	B22B-WA01	Water	05/16/2010 11:13	05/20/2010 10:00
21005202118	B22C-WA01	Water	05/16/2010 11:21	05/20/2010 10:00
21005202119	B22D-WA01	Water	05/16/2010 11:28	05/20/2010 10:00
21005202120	B22E-WA01	Water	05/16/2010 11:24	05/20/2010 10:00
21005202121	B22F-WA01	Water	05/16/2010 11:34	05/20/2010 10:00
21005202122	B22G-WA01	Water	05/16/2010 11:39	05/20/2010 10:00
21005202123	B22H-WA01	Water	05/16/2010 11:44	05/20/2010 10:00
21005202124	B22I-WA01	Water	05/16/2010 11:50	05/20/2010 10:00
21005202125	B22J-WA01	Water	05/16/2010 11:55	05/20/2010 10:00
21005202126	B22K-WA01	Water	05/16/2010 11:58	05/20/2010 10:00
21005202127	B22L-WA01	Water	05/16/2010 12:01	05/20/2010 10:00
21005202128	B23B-WA01	Water	05/16/2010 14:28	05/20/2010 10:00
21005202129	B23C-WA01	Water	05/16/2010 14:35	05/20/2010 10:00
21005202130	B23D-WA01	Water	05/16/2010 14:39	05/20/2010 10:00
21005202131	B23E-WA01	Water	05/16/2010 14:42	05/20/2010 10:00
21005202132	B23F-WA01	Water	05/16/2010 14:45	05/20/2010 10:00
21005202133	B23G-WA01	Water	05/16/2010 14:50	05/20/2010 10:00
21005202134	B23H-WA01	Water	05/16/2010 14:56	05/20/2010 10:00
21005202135	B23I-WA01	Water	05/16/2010 14:57	05/20/2010 10:00
21005202136	B23J-WA01	Water	05/16/2010 15:00	05/20/2010 10:00
21005202137	B23K-WA01	Water	05/16/2010 15:05	05/20/2010 10:00
21005202138	B23L-WA01	Water	05/16/2010 15:11	05/20/2010 10:00

Summary of Compounds Detected

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202118	**B22C-WA01**	Water	05/16/2010 11:21	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
108-88-3	Toluene	1.43J	5.00	0.059	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202122	**B22G-WA01**	Water	05/16/2010 11:39	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	4.94J	10.0	0.093	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202124	**B22I-WA01**	Water	05/16/2010 11:50	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	6.41J	10.0	0.093	ug/L
71-43-2	Benzene	37.9	5.00	0.054	ug/L
110-82-7	Cyclohexane	34.7	5.00	0.064	ug/L
100-41-4	Ethylbenzene	6.71	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	1.08J	5.00	0.035	ug/L
108-87-2	Methylcyclohexane	30.9	5.00	0.072	ug/L
108-88-3	Toluene	56.2	5.00	0.059	ug/L
1330-20-7	Xylene (total)	47.3	5.00	0.050	ug/L

Library Search Volatiles

CAS#	Parameter	Result	Retention	Units
74-98-6	Propane	222	1.67	ug/L
638-04-0	Cyclohexane, 1,3-dimethyl-, cis-	5.00	7.35	ug/L
611-14-3	Benzene, 1-ethyl-2-methyl-	10.9	12.50	ug/L
526-73-8	Benzene, 1,2,3-trimethyl-	5.24	12.70	ug/L
75-28-5	Isobutane	123	1.81	ug/L
106-97-8	Butane	163	1.92	ug/L
78-78-4	Butane, 2-methyl-	61.0	2.34	ug/L
109-66-0	Pentane	54.8	2.55	ug/L
287-92-3	Cyclopentane	33.9	3.37	ug/L
96-14-0	Pentane, 3-methyl-	10.9	3.58	ug/L
96-37-7	Cyclopentane, methyl-	29.7	4.38	ug/L
822-50-4	Cyclopentane, 1,2-dimethyl-, trans-	5.42	5.53	ug/L

Summary of Compounds Detected (con't)

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202126	**B22K-WA01**	Water	05/16/2010 11:58	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	4.54J	10.0	0.093	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202127	**B22L-WA01**	Water	05/16/2010 12:01	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	1.58J	10.0	0.093	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202128	**B23B-WA01**	Water	05/16/2010 14:28	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	1.56J	10.0	0.093	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202129	**B23C-WA01**	Water	05/16/2010 14:35	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
67-64-1	Acetone	1.45J	10.0	1.15	ug/L
110-82-7	Cyclohexane	0.545J	5.00	0.064	ug/L
108-88-3	Toluene	1.20J	5.00	0.059	ug/L

Library Search Volatiles

CAS#	Parameter	Result	Retention	Units
75-28-5	Isobutane	1.82	1.81	ug/L
106-97-8	Butane	3.22	1.92	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202130	**B23D-WA01**	Water	05/16/2010 14:39	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
108-88-3	Toluene	1.32J	5.00	0.059	ug/L

Summary of Compounds Detected (con't)

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202130	**B23D-WA01**	Water	05/16/2010 14:39	05/20/2010 10:00

Library Search Volatiles

CAS#	Parameter	Result	Retention	Units
75-28-5	Isobutane	1.52	1.81	ug/L
106-97-8	Butane	2.19	1.92	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202131	**B23E-WA01**	Water	05/16/2010 14:42	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
67-64-1	Acetone	1.31J	10.0	1.15	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202135	**B23I-WA01**	Water	05/16/2010 14:57	05/20/2010 10:00

Library Search Volatiles

CAS#	Parameter	Result	Retention	Units
74-98-6	Propane	110	1.66	ug/L
620-14-4	Benzene, 1-ethyl-3-methyl-	3.75	13.20	ug/L
75-28-5	Isobutane	89.6	1.81	ug/L
106-97-8	Butane	121	1.92	ug/L
78-78-4	Butane, 2-methyl-	40.5	2.34	ug/L
109-66-0	Pentane	32.0	2.55	ug/L
1191-96-4	Cyclopropane, ethyl-	14.0	3.39	ug/L
3769-23-1	1-Hexene, 4-methyl-	5.25	3.59	ug/L
624-64-6	2-Butene, (E)-	13.9	4.39	ug/L
611-14-3	Benzene, 1-ethyl-2-methyl-	3.35	12.60	ug/L

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	4.25J	10.0	0.093	ug/L
71-43-2	Benzene	31.5	5.00	0.054	ug/L
110-82-7	Cyclohexane	20.0	5.00	0.064	ug/L
100-41-4	Ethylbenzene	4.59J	5.00	0.063	ug/L
108-87-2	Methylcyclohexane	18.0	5.00	0.072	ug/L
108-88-3	Toluene	52.2	5.00	0.059	ug/L
1330-20-7	Xylene (total)	34.0	5.00	0.050	ug/L

Summary of Compounds Detected (con't)

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202136	**B23J-WA01**	Water	05/16/2010 15:00	05/20/2010 10:00

Library Search Volatiles

CAS#	Parameter	Result	Retention	Units
4170-30-3	2-Butenal	17.8	1.67	ug/L
513-36-0	Propane, 1-chloro-2-methyl-	16.3	1.82	ug/L
106-97-8	Butane	24.0	1.93	ug/L
106-88-7	Oxirane, ethyl-	12.6	2.35	ug/L

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
71-43-2	Benzene	3.52J	5.00	0.054	ug/L
110-82-7	Cyclohexane	5.97	5.00	0.064	ug/L
108-87-2	Methylcyclohexane	7.70	5.00	0.072	ug/L
108-88-3	Toluene	8.44	5.00	0.059	ug/L
1330-20-7	Xylene (total)	6.40	5.00	0.050	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202137	**B23K-WA01**	Water	05/16/2010 15:05	05/20/2010 10:00

SW-846 8260B

CAS#	Parameter	Result	RDL	MDL	Units
78-93-3	2-Butanone	4.19J	10.0	0.093	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202117	**B22B-WA01**	Water	05/16/2010 11:13	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:18	JCK	432303

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202117	**B22B-WA01**	Water	05/16/2010 11:13	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:18	JCK	432303

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	44.2	ug/L	88	78 - 130
1868-53-7	Dibromofluoromethane	50	50.1	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	53.3	ug/L	107	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	50.4	ug/L	101	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:18	JCK	432708

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202118	**B22C-WA01**	Water	05/16/2010 11:21	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:41	CLH	432303

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**1.43J**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202118	**B22C-WA01**	Water	05/16/2010 11:21	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:41	CLH	432303

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	46.7	ug/L	93	78 - 130
1868-53-7	Dibromofluoromethane	50	50	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	54	ug/L	108	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	52.5	ug/L	105	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 22:41	CLH	432708

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202119	**B22D-WA01**	Water	05/16/2010 11:28	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:03	CLH	432303

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202119	**B22D-WA01**	Water	05/16/2010 11:28	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:03	CLH	432303

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	45.9	ug/L	92	78 - 130
1868-53-7	Dibromofluoromethane	50	51.6	ug/L	103	77 - 127
2037-26-5	Toluene d8	50	54.1	ug/L	108	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.8	ug/L	104	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:03	CLH	432708

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202120	**B22E-WA01**	Water	05/16/2010 11:24	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:26	CLH	432303

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202120	**B22E-WA01**	Water	05/16/2010 11:24	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:26	CLH	432303

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	45.5	ug/L	91	78 - 130
1868-53-7	Dibromofluoromethane	50	50.8	ug/L	102	77 - 127
2037-26-5	Toluene d8	50	55.1	ug/L	110	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.3	ug/L	103	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/20/2010 23:26	CLH	432708

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202121	**B22F-WA01**	Water	05/16/2010 11:34	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:27	CLH	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202121	**B22F-WA01**	Water	05/16/2010 11:34	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:27	CLH	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.3	ug/L	95	78 - 130
1868-53-7	Dibromofluoromethane	50	49.8	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	48.7	ug/L	97	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.2	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:27	CLH	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202122	**B22G-WA01**	Water	05/16/2010 11:39	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:52	CLH	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**4.94J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202122	**B22G-WA01**	Water	05/16/2010 11:39	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:52	CLH	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.4	ug/L	95	78 - 130
1868-53-7	Dibromofluoromethane	50	49.4	ug/L	99	77 - 127
2037-26-5	Toluene d8	50	49.9	ug/L	100	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.4	ug/L	103	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 03:52	CLH	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202123	**B22H-WA01**	Water	05/16/2010 11:44	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:18	CLH	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202123	**B22H-WA01**	Water	05/16/2010 11:44	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:18	CLH	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	48.5	ug/L	97	78 - 130
1868-53-7	Dibromofluoromethane	50	50.2	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	50.3	ug/L	101	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	50.8	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:18	CLH	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202124	**B22I-WA01**	Water	05/16/2010 11:50	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:44	CLH	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**6.41J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	**Benzene**	**37.9**	**5.00**	**0.054**	**ug/L**
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	**Cyclohexane**	**34.7**	**5.00**	**0.064**	**ug/L**
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	**Ethylbenzene**	**6.71**	**5.00**	**0.063**	**ug/L**
98-82-8	**Isopropylbenzene (Cumene)**	**1.08J**	**5.00**	**0.035**	**ug/L**
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	**Methylcyclohexane**	**30.9**	**5.00**	**0.072**	**ug/L**
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**56.2**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	**Xylene (total)**	**47.3**	**5.00**	**0.050**	**ug/L**
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202124	**B22I-WA01**	Water	05/16/2010 11:50	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:44	CLH	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	49.4	ug/L	99	78 - 130
1868-53-7	Dibromofluoromethane	50	49.9	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	49.7	ug/L	99	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 04:44	CLH	432715

CAS#	Parameter	Result	Retention	Units
74-98-6	**Propane**	**222**	**1.67**	**ug/L**
638-04-0	**Cyclohexane, 1,3-dimethyl-, cis-**	**5.00**	**7.35**	**ug/L**
611-14-3	**Benzene, 1-ethyl-2-methyl-**	**10.9**	**12.50**	**ug/L**
526-73-8	**Benzene, 1,2,3-trimethyl-**	**5.24**	**12.70**	**ug/L**
75-28-5	**Isobutane**	**123**	**1.81**	**ug/L**
106-97-8	**Butane**	**163**	**1.92**	**ug/L**
78-78-4	**Butane, 2-methyl-**	**61.0**	**2.34**	**ug/L**
109-66-0	**Pentane**	**54.8**	**2.55**	**ug/L**
287-92-3	**Cyclopentane**	**33.9**	**3.37**	**ug/L**
96-14-0	**Pentane, 3-methyl-**	**10.9**	**3.58**	**ug/L**
96-37-7	**Cyclopentane, methyl-**	**29.7**	**4.38**	**ug/L**
822-50-4	**Cyclopentane, 1,2-dimethyl-, trans-**	**5.42**	**5.53**	**ug/L**

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202125	**B22J-WA01**	Water	05/16/2010 11:55	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 06:53	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202125	**B22J-WA01**	Water	05/16/2010 11:55	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 06:53	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	48.2	ug/L	96	78 - 130
1868-53-7	Dibromofluoromethane	50	49.6	ug/L	99	77 - 127
2037-26-5	Toluene d8	50	49.5	ug/L	99	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	50.9	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 06:53	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202126	**B22K-WA01**	Water	05/16/2010 11:58	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:19	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**4.54J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202126	**B22K-WA01**	Water	05/16/2010 11:58	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:19	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47	ug/L	94	78 - 130
1868-53-7	Dibromofluoromethane	50	49.8	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	49.1	ug/L	98	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.4	ug/L	103	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:19	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202127	**B22L-WA01**	Water	05/16/2010 12:01	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:45	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**1.58J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202127	**B22L-WA01**	Water	05/16/2010 12:01	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:45	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.8	ug/L	96	78 - 130
1868-53-7	Dibromofluoromethane	50	49.6	ug/L	99	77 - 127
2037-26-5	Toluene d8	50	49.8	ug/L	100	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	50.8	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 07:45	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202128	**B23B-WA01**	Water	05/16/2010 14:28	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:11	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**1.56J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202128	**B23B-WA01**	Water	05/16/2010 14:28	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:11	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.6	ug/L	95	78 - 130
1868-53-7	Dibromofluoromethane	50	49.4	ug/L	99	77 - 127
2037-26-5	Toluene d8	50	49.8	ug/L	100	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.2	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:11	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202129	**B23C-WA01**	Water	05/16/2010 14:35	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:36	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	**Acetone**	**1.45J**	**10.0**	**1.15**	**ug/L**
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	**Cyclohexane**	**0.545J**	**5.00**	**0.064**	**ug/L**
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**1.20J**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202129	**B23C-WA01**	Water	05/16/2010 14:35	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:36	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.9	ug/L	96	78 - 130
1868-53-7	Dibromofluoromethane	50	49.9	ug/L	100	77 - 127
2037-26-5	Toluene d8	50	49.9	ug/L	100	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.1	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 08:36	AGC	432715

CAS#	Parameter	Result	Retention	Units
75-28-5	**Isobutane**	**1.82**	**1.81**	**ug/L**
106-97-8	**Butane**	**3.22**	**1.92**	**ug/L**

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202130	**B23D-WA01**	Water	05/16/2010 14:39	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:02	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**1.32J**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202130	**B23D-WA01**	Water	05/16/2010 14:39	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:02	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	49.1	ug/L	98	78 - 130
1868-53-7	Dibromofluoromethane	50	49.1	ug/L	98	77 - 127
2037-26-5	Toluene d8	50	50.1	ug/L	100	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	50.9	ug/L	102	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:02	AGC	432715

CAS#	Parameter	Result	Retention	Units
75-28-5	**Isobutane**	**1.52**	**1.81**	**ug/L**
106-97-8	**Butane**	**2.19**	**1.92**	**ug/L**

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202131	**B23E-WA01**	Water	05/16/2010 14:42	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:28	AGC	432315

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	**Acetone**	**1.31J**	**10.0**	**1.15**	**ug/L**
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202131	**B23E-WA01**	Water	05/16/2010 14:42	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:28	AGC	432315

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.6	ug/L	95	78 - 130
1868-53-7	Dibromofluoromethane	50	49.7	ug/L	99	77 - 127
2037-26-5	Toluene d8	50	49.4	ug/L	99	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.6	ug/L	103	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 09:28	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202132	**B23F-WA01**	Water	05/16/2010 14:45	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 17:48	AGC	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202132	**B23F-WA01**	Water	05/16/2010 14:45	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 17:48	AGC	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	44.2	ug/L	88	78 - 130
1868-53-7	Dibromofluoromethane	50	51.6	ug/L	103	77 - 127
2037-26-5	Toluene d8	50	55.8	ug/L	112	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	49.4	ug/L	99	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 17:48	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202133	**B23G-WA01**	Water	05/16/2010 14:50	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:11	AGC	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202133	**B23G-WA01**	Water	05/16/2010 14:50	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:11	AGC	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	42.6	ug/L	85	78 - 130
1868-53-7	Dibromofluoromethane	50	50.8	ug/L	102	77 - 127
2037-26-5	Toluene d8	50	55.3	ug/L	111	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	52.5	ug/L	105	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:11	AGC	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202134	**B23H-WA01**	Water	05/16/2010 14:56	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:33	SLR	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202134	**B23H-WA01**	Water	05/16/2010 14:56	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:33	SLR	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	44	ug/L	88	78 - 130
1868-53-7	Dibromofluoromethane	50	51.5	ug/L	103	77 - 127
2037-26-5	Toluene d8	50	55.2	ug/L	110	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	51.7	ug/L	103	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:33	SLR	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202135	**B23I-WA01**	Water	05/16/2010 14:57	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:56	SLR	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**4.25J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	**Benzene**	**31.5**	**5.00**	**0.054**	**ug/L**
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	**Cyclohexane**	**20.0**	**5.00**	**0.064**	**ug/L**
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	**Ethylbenzene**	**4.59J**	**5.00**	**0.063**	**ug/L**
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	**Methylcyclohexane**	**18.0**	**5.00**	**0.072**	**ug/L**
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**52.2**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	**Xylene (total)**	**34.0**	**5.00**	**0.050**	**ug/L**
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202135	**B23I-WA01**	Water	05/16/2010 14:57	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:56	SLR	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	50.1	ug/L	100	78 - 130
1868-53-7	Dibromofluoromethane	50	50.6	ug/L	101	77 - 127
2037-26-5	Toluene d8	50	55.9	ug/L	112	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	53.1	ug/L	106	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 18:56	SLR	432715

CAS#	Parameter	Result	Retention	Units
74-98-6	**Propane**	**110**	**1.66**	**ug/L**
620-14-4	**Benzene, 1-ethyl-3-methyl-**	**3.75**	**13.20**	**ug/L**
75-28-5	**Isobutane**	**89.6**	**1.81**	**ug/L**
106-97-8	**Butane**	**121**	**1.92**	**ug/L**
78-78-4	**Butane, 2-methyl-**	**40.5**	**2.34**	**ug/L**
109-66-0	**Pentane**	**32.0**	**2.55**	**ug/L**
1191-96-4	**Cyclopropane, ethyl-**	**14.0**	**3.39**	**ug/L**
3769-23-1	**1-Hexene, 4-methyl-**	**5.25**	**3.59**	**ug/L**
624-64-6	**2-Butene, (E)-**	**13.9**	**4.39**	**ug/L**
611-14-3	**Benzene, 1-ethyl-2-methyl-**	**3.35**	**12.60**	**ug/L**

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202136	**B23J-WA01**	Water	05/16/2010 15:00	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:18	SLR	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	**Benzene**	**3.52J**	**5.00**	**0.054**	**ug/L**
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	**Cyclohexane**	**5.97**	**5.00**	**0.064**	**ug/L**
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	**Methylcyclohexane**	**7.70**	**5.00**	**0.072**	**ug/L**
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	**Toluene**	**8.44**	**5.00**	**0.059**	**ug/L**
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	**Xylene (total)**	**6.40**	**5.00**	**0.050**	**ug/L**
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202136	**B23J-WA01**	Water	05/16/2010 15:00	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:18	SLR	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	47.4	ug/L	95	78 - 130
1868-53-7	Dibromofluoromethane	50	50.7	ug/L	101	77 - 127
2037-26-5	Toluene d8	50	55.3	ug/L	111	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	52.7	ug/L	105	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:18	SLR	432715

CAS#	Parameter	Result	Retention	Units
4170-30-3	**2-Butenal**	**17.8**	**1.67**	**ug/L**
513-36-0	**Propane, 1-chloro-2-methyl-**	**16.3**	**1.82**	**ug/L**
106-97-8	**Butane**	**24.0**	**1.93**	**ug/L**
106-88-7	**Oxirane, ethyl-**	**12.6**	**2.35**	**ug/L**

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202137	**B23K-WA01**	Water	05/16/2010 15:05	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:41	SLR	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	**2-Butanone**	**4.19J**	**10.0**	**0.093**	**ug/L**
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202137	**B23K-WA01**	Water	05/16/2010 15:05	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:41	SLR	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	42.8	ug/L	86	78 - 130
1868-53-7	Dibromofluoromethane	50	51.9	ug/L	104	77 - 127
2037-26-5	Toluene d8	50	54.6	ug/L	109	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	52.2	ug/L	104	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 19:41	SLR	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202138	**B23L-WA01**	Water	05/16/2010 15:11	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 20:03	SLR	432409

CAS#	Parameter	Result	RDL	MDL	Units
71-55-6	1,1,1-Trichloroethane	0.106U	5.00	0.106	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	5.00	0.073	ug/L
79-00-5	1,1,2-Trichloroethane	0.095U	5.00	0.095	ug/L
75-34-3	1,1-Dichloroethane	0.031U	5.00	0.031	ug/L
75-35-4	1,1-Dichloroethene	0.164U	5.00	0.164	ug/L
87-61-6	1,2,3-Trichlorobenzene	0.110U	5.00	0.110	ug/L
120-82-1	1,2,4-Trichlorobenzene	0.119U	5.00	0.119	ug/L
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	5.00	0.082	ug/L
106-93-4	1,2-Dibromoethane	0.047U	5.00	0.047	ug/L
95-50-1	1,2-Dichlorobenzene	0.079U	5.00	0.079	ug/L
107-06-2	1,2-Dichloroethane	0.086U	5.00	0.086	ug/L
78-87-5	1,2-Dichloropropane	0.064U	5.00	0.064	ug/L
541-73-1	1,3-Dichlorobenzene	0.099U	5.00	0.099	ug/L
106-46-7	1,4-Dichlorobenzene	0.118U	5.00	0.118	ug/L
78-93-3	2-Butanone	0.093U	10.0	0.093	ug/L
591-78-6	2-Hexanone	0.503U	10.0	0.503	ug/L
108-10-1	4-Methyl-2-pentanone	0.065U	10.0	0.065	ug/L
67-64-1	Acetone	1.15U	10.0	1.15	ug/L
71-43-2	Benzene	0.054U	5.00	0.054	ug/L
74-97-5	Bromochloromethane	0.095U	5.00	0.095	ug/L
75-27-4	Bromodichloromethane	0.053U	5.00	0.053	ug/L
75-25-2	Bromoform	0.104U	5.00	0.104	ug/L
74-83-9	Bromomethane	0.264U	5.00	0.264	ug/L
75-15-0	Carbon disulfide	0.143U	5.00	0.143	ug/L
56-23-5	Carbon tetrachloride	0.148U	5.00	0.148	ug/L
108-90-7	Chlorobenzene	0.027U	5.00	0.027	ug/L
75-00-3	Chloroethane	0.351U	5.00	0.351	ug/L
67-66-3	Chloroform	0.057U	5.00	0.057	ug/L
74-87-3	Chloromethane	0.089U	5.00	0.089	ug/L
110-82-7	Cyclohexane	0.064U	5.00	0.064	ug/L
124-48-1	Dibromochloromethane	0.041U	5.00	0.041	ug/L
75-71-8	Dichlorodifluoromethane	0.096U	5.00	0.096	ug/L
10061-01-5	cis-1,3-Dichloropropene	0.031U	5.00	0.031	ug/L
10061-02-6	trans-1,3-Dichloropropene	0.054U	5.00	0.054	ug/L
100-41-4	Ethylbenzene	0.063U	5.00	0.063	ug/L
98-82-8	Isopropylbenzene (Cumene)	0.035U	5.00	0.035	ug/L
79-20-9	Methyl Acetate	1.42U	5.00	1.42	ug/L
108-87-2	Methylcyclohexane	0.072U	5.00	0.072	ug/L
75-09-2	Methylene chloride	0.327U	5.00	0.327	ug/L
100-42-5	Styrene	0.051U	5.00	0.051	ug/L
127-18-4	Tetrachloroethene	0.121U	5.00	0.121	ug/L
108-88-3	Toluene	0.059U	5.00	0.059	ug/L
79-01-6	Trichloroethene	0.062U	5.00	0.062	ug/L
75-69-4	Trichlorofluoromethane	0.123U	5.00	0.123	ug/L
76-13-1	Trichlorotrifluoroethane	0.127U	5.00	0.127	ug/L
75-01-4	Vinyl chloride	0.093U	5.00	0.093	ug/L
1330-20-7	Xylene (total)	0.050U	5.00	0.050	ug/L
156-59-2	cis-1,2-Dichloroethene	0.061U	5.00	0.061	ug/L
1634-04-4	tert-Butyl methyl ether (MTBE)	0.052U	5.00	0.052	ug/L
156-60-5	trans-1,2-Dichloroethene	0.107U	5.00	0.107	ug/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
21005202138	**B23L-WA01**	Water	05/16/2010 15:11	05/20/2010 10:00

SW-846 8260B

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 20:03	SLR	432409

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50	43.6	ug/L	87	78 - 130
1868-53-7	Dibromofluoromethane	50	52.2	ug/L	104	77 - 127
2037-26-5	Toluene d8	50	55.2	ug/L	110	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50	52.4	ug/L	105	71 - 127

Library Search Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	05/21/2010 20:03	SLR	432715

CAS#	Parameter	Result	Retention	Units
	No tics detected	ND		ug/L

GC/MS Volatiles Quality Control Summary

Analytical Batch 432303	**Client ID**	MB432303	LCS432303	LCSD432303	
Prep Batch N/A	**GCAL ID**	833833	833834	833835	
	Sample Type	Method Blank	LCS	LCSD	
	Analytical Date	05/20/2010 15:35	05/20/2010 14:03	05/20/2010 14:26	
	Matrix	Water	Water	Water	

SW-846 8260B		**Units**	ug/L	**Spike**	**Result**		**Control**	**Result**			**RPD**
		Result	**RDL**	**Added**		**% R**	**Limits % R**		**% R**	**RPD**	**Limit**
67-64-1	Acetone	1.15U	1.15	50.0	58.9	118	44 - 156	60.3	121	2	30
74-97-5	Bromochloromethane	0.095U	0.095	50.0	50.3	101	76 - 130	50.0	100	0.6	30
75-27-4	Bromodichloromethane	0.053U	0.053	50.0	56.7	113	74 - 125	55.1	110	3	30
75-25-2	Bromoform	0.104U	0.104	50.0	45.2	90	64 - 122	43.9	88	3	30
74-83-9	Bromomethane	0.264U	0.264	50.0	45.5	91	47 - 138	49.0	98	7	30
75-15-0	Carbon disulfide	0.143U	0.143	50.0	55.2	110	69 - 136	51.9	104	6	30
56-23-5	Carbon tetrachloride	0.148U	0.148	50.0	45.2	90	76 - 128	44.9	90	0.7	30
75-00-3	Chloroethane	0.351U	0.351	50.0	46.8	94	62 - 141	46.3	93	1	30
67-66-3	Chloroform	0.057U	0.057	50.0	51.5	103	75 - 122	50.9	102	1	30
74-87-3	Chloromethane	0.089U	0.089	50.0	47.0	94	59 - 132	46.1	92	2	30
124-48-1	Dibromochloromethane	0.041U	0.041	50.0	45.7	91	71 - 123	46.4	93	2	30
75-71-8	Dichlorodifluoromethane	0.096U	0.096	50.0	46.8	94	58 - 140	49.6	99	6	30
75-34-3	1,1-Dichloroethane	0.031U	0.031	50.0	49.9	100	74 - 127	48.7	97	2	30
107-06-2	1,2-Dichloroethane	0.086U	0.086	50.0	54.5	109	71 - 129	52.0	104	5	30
156-59-2	cis-1,2-Dichloroethene	0.061U	0.061	50.0	55.1	110	73 - 130	51.3	103	7	30
156-60-5	trans-1,2-Dichloroethene	0.107U	0.107	50.0	49.6	99	69 - 132	51.4	103	4	30
75-09-2	Methylene chloride	0.327U	0.327	50.0	46.6	93	68 - 132	49.8	100	7	30
78-87-5	1,2-Dichloropropane	0.064U	0.064	50.0	50.4	101	72 - 128	50.4	101	0	30
10061-01-5	cis-1,3-Dichloropropene	0.031U	0.031	50.0	50.2	100	71 - 132	49.6	99	1	30
10061-02-6	trans-1,3-Dichloropropene	0.054U	0.054	50.0	52.1	104	71 - 131	49.5	99	5	30
100-41-4	Ethylbenzene	0.063U	0.063	50.0	58.5	117	74 - 126	53.8	108	8	30
591-78-6	2-Hexanone	0.503U	0.503	50.0	55.9	112	50 - 135	56.2	112	0.5	30
98-82-8	Isopropylbenzene (Cumene)	0.035U	0.035	50.0	52.6	105	71 - 125	47.3	95	11	30
78-93-3	2-Butanone	0.093U	0.093	50.0	65.2	130	58 - 137	63.7	127	2	30
108-10-1	4-Methyl-2-pentanone	0.065U	0.065	50.0	52.4	105	57 - 132	50.1	100	4	30
100-42-5	Styrene	0.051U	0.051	50.0	50.3	101	71 - 127	46.9	94	7	30
127-18-4	Tetrachloroethene	0.121U	0.121	50.0	48.1	96	68 - 128	45.3	91	6	30
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	0.073	50.0	58.5	117	70 - 122	55.3	111	6	30
120-82-1	1,2,4-Trichlorobenzene	0.119U	0.119	50.0	53.9	108	61 - 135	46.0	92	16	30
71-55-6	1,1,1-Trichloroethane	0.106U	0.106	50.0	51.5	103	76 - 126	50.1	100	3	30
79-00-5	1,1,2-Trichloroethane	0.095U	0.095	50.0	53.1	106	72 - 121	52.2	104	2	30
75-69-4	Trichlorofluoromethane	0.123U	0.123	50.0	49.0	98	72 - 136	51.5	103	5	30
75-01-4	Vinyl chloride	0.093U	0.093	50.0	50.2	100	68 - 132	50.2	100	0	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 432303		**Client ID**	MB432303			LCS432303			LCSD432303		
Prep Batch N/A		**GCAL ID**	833833			833834			833835		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/20/2010 15:35			05/20/2010 14:03			05/20/2010 14:26		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	**Result**	ug/L **RDL**	**Spike Added**	**Result**	**% R**	**Control Limits % R**	**Result**	**% R**	**RPD**	**RPD Limit**
96-12-8	1,2-Dibromo-3-chloropropane		0.082U	0.082	50.0	46.2	92	57 - 121	45.2	90	2	30
106-93-4	1,2-Dibromoethane		0.047U	0.047	50.0	47.0	94	70 - 124	47.5	95	1	30
1634-04-4	tert-Butyl methyl ether (MTBE)		0.052U	0.052	50.0	50.0	100	71 - 125	54.3	109	8	30
1330-20-7	Xylene (total)		0.050U	0.050	150	153	102	74 - 127	141	94	8	30
108-87-2	Methylcyclohexane		0.072U	0.072	50.0	58.7	117	67 - 138	48.3	97	19	30
110-82-7	Cyclohexane		0.064U	0.064	50.0	56.4	113	69 - 132	52.8	106	7	30
79-20-9	Methyl Acetate		1.42U	1.42	50.0	45.3	91	57 - 139	51.6	103	13	30
76-13-1	Trichlorotrifluoroethane		0.127U	0.127	50.0	54.4	109	72 - 136	50.8	102	7	30
541-73-1	1,3-Dichlorobenzene		0.099U	0.099	50.0	55.7	111	74 - 126	48.3	97	14	30
106-46-7	1,4-Dichlorobenzene		0.118U	0.118	50.0	54.9	110	72 - 122	48.5	97	12	30
95-50-1	1,2-Dichlorobenzene		0.079U	0.079	50.0	53.4	107	71 - 126	48.2	96	10	30
87-61-6	1,2,3-Trichlorobenzene		0.110U	0.110	50.0	53.1	106	65 - 131	46.5	93	13	30
75-35-4	1,1-Dichloroethene		0.164U	0.164	50.0	49.1	98	69 - 129	49.8	100	1	20
71-43-2	Benzene		0.054U	0.054	50.0	58.4	117	70 - 129	55.5	111	5	20
79-01-6	Trichloroethene		0.062U	0.062	50.0	57.5	115	76 - 129	54.6	109	5	20
108-88-3	Toluene		0.059U	0.059	50.0	54.1	108	72 - 120	50.8	102	6	20
108-90-7	Chlorobenzene		0.027U	0.027	50.0	52.2	104	74 - 123	49.9	100	5	20
Surrogate												
460-00-4	4-Bromofluorobenzene		46.3	93	50	48.4	97	78 - 130	50.2	100		
1868-53-7	Dibromofluoromethane		48.9	98	50	48.8	98	77 - 127	50.1	100		
2037-26-5	Toluene d8		53.9	108	50	47.7	95	76 - 134	47.3	95		
17060-07-0	1,2-Dichloroethane-d4		50.1	100	50	52.7	105	71 - 127	52.9	106		

Analytical Batch 432315		**Client ID**	MB432315			LCS432315			LCSD432315		
Prep Batch N/A		**GCAL ID**	833852			833853			833854		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/20/2010 23:48			05/20/2010 22:31			05/20/2010 22:57		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	**Result**	ug/L **RDL**	**Spike Added**	**Result**	**% R**	**Control Limits % R**	**Result**	**% R**	**RPD**	**RPD Limit**
67-64-1	Acetone		1.15U	1.15	50.0	42.0	84	44 - 156	35.8	72	16	30
74-97-5	Bromochloromethane		0.095U	0.095	50.0	50.6	101	76 - 130	44.4	89	13	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 432315		**Client ID**	MB432315			LCS432315			LCSD432315		
Prep Batch N/A		**GCAL ID**	833852			833853			833854		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/20/2010 23:48			05/20/2010 22:31			05/20/2010 22:57		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	ug/L		**Spike**	**Result**		**Control**	**Result**			**RPD**
		Result	**RDL**		**Added**		**% R**	**Limits % R**		**% R**	**RPD**	**Limit**
75-27-4	Bromodichloromethane	0.053U	0.053		50.0	49.9	100	74 - 125	43.9	88	13	30
75-25-2	Bromoform	0.104U	0.104		50.0	46.8	94	64 - 122	42.3	85	10	30
74-83-9	Bromomethane	0.264U	0.264		50.0	38.2	76	47 - 138	37.9	76	0.8	30
75-15-0	Carbon disulfide	0.143U	0.143		50.0	50.0	100	69 - 136	41.6	83	18	30
56-23-5	Carbon tetrachloride	0.148U	0.148		50.0	50.4	101	76 - 128	44.6	89	12	30
75-00-3	Chloroethane	0.351U	0.351		50.0	48.2	96	62 - 141	40.2	80	18	30
67-66-3	Chloroform	0.057U	0.057		50.0	50.0	100	75 - 122	43.6	87	14	30
74-87-3	Chloromethane	0.089U	0.089		50.0	40.1	80	59 - 132	35.2	70	13	30
124-48-1	Dibromochloromethane	0.041U	0.041		50.0	52.1	104	71 - 123	46.7	93	11	30
75-71-8	Dichlorodifluoromethane	0.096U	0.096		50.0	34.5	69	58 - 140	29.1	58	17	30
75-34-3	1,1-Dichloroethane	0.031U	0.031		50.0	48.2	96	74 - 127	42.0	84	14	30
107-06-2	1,2-Dichloroethane	0.086U	0.086		50.0	49.1	98	71 - 129	42.9	86	13	30
156-59-2	cis-1,2-Dichloroethene	0.061U	0.061		50.0	49.1	98	73 - 130	43.0	86	13	30
156-60-5	trans-1,2-Dichloroethene	0.107U	0.107		50.0	48.9	98	69 - 132	42.4	85	14	30
75-09-2	Methylene chloride	0.327U	0.327		50.0	47.4	95	68 - 132	40.8	82	15	30
78-87-5	1,2-Dichloropropane	0.064U	0.064		50.0	48.5	97	72 - 128	42.6	85	13	30
10061-01-5	cis-1,3-Dichloropropene	0.031U	0.031		50.0	49.4	99	71 - 132	44.2	88	11	30
10061-02-6	trans-1,3-Dichloropropene	0.054U	0.054		50.0	50.6	101	71 - 131	46.2	92	9	30
100-41-4	Ethylbenzene	0.063U	0.063		50.0	50.3	101	74 - 126	42.7	85	16	30
591-78-6	2-Hexanone	0.503U	0.503		50.0	41.5	83	50 - 135	38.5	77	8	30
98-82-8	Isopropylbenzene (Cumene)	0.035U	0.035		50.0	52.2	104	71 - 125	43.9	88	17	30
78-93-3	2-Butanone	0.093U	0.093		50.0	37.7	75	58 - 137	34.6	69	9	30
108-10-1	4-Methyl-2-pentanone	0.065U	0.065		50.0	40.9	82	57 - 132	38.4	77	6	30
100-42-5	Styrene	0.051U	0.051		50.0	52.1	104	71 - 127	44.8	90	15	30
127-18-4	Tetrachloroethene	0.121U	0.121		50.0	48.3	97	68 - 128	41.3	83	16	30
79-34-5	1,1,2,2-Tetrachloroethane	0.073U	0.073		50.0	42.7	85	70 - 122	41.2	82	4	30
120-82-1	1,2,4-Trichlorobenzene	0.119U	0.119		50.0	48.4	97	61 - 135	46.2	92	5	30
71-55-6	1,1,1-Trichloroethane	0.106U	0.106		50.0	48.0	96	76 - 126	42.1	84	13	30
79-00-5	1,1,2-Trichloroethane	0.095U	0.095		50.0	47.8	96	72 - 121	42.1	84	13	30
75-69-4	Trichlorofluoromethane	0.123U	0.123		50.0	47.6	95	72 - 136	42.0	84	13	30
75-01-4	Vinyl chloride	0.093U	0.093		50.0	43.9	88	68 - 132	38.3	77	14	30
96-12-8	1,2-Dibromo-3-chloropropane	0.082U	0.082		50.0	36.7	73	57 - 121	39.1	78	6	30
106-93-4	1,2-Dibromoethane	0.047U	0.047		50.0	46.9	94	70 - 124	41.3	83	13	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 432315		**Client ID**	MB432315			LCS432315			LCSD432315		
Prep Batch N/A		**GCAL ID**	833852			833853			833854		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/20/2010 23:48			05/20/2010 22:31			05/20/2010 22:57		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	**Result**	ug/L **RDL**	**Spike Added**	**Result**	**% R**	**Control Limits % R**	**Result**	**% R**	**RPD**	**RPD Limit**
1634-04-4	tert-Butyl methyl ether (MTBE)		0.052U	0.052	50.0	47.0	94	71 - 125	42.1	84	11	30
1330-20-7	Xylene (total)		0.050U	0.050	150	156	104	74 - 127	133	89	16	30
108-87-2	Methylcyclohexane		0.072U	0.072	50.0	53.9	108	67 - 138	43.1	86	22	30
110-82-7	Cyclohexane		0.064U	0.064	50.0	50.8	102	69 - 132	42.6	85	18	30
79-20-9	Methyl Acetate		1.42U	1.42	50.0	43.9	88	57 - 139	41.8	84	5	30
76-13-1	Trichlorotrifluoroethane		0.127U	0.127	50.0	49.7	99	72 - 136	42.4	85	16	30
541-73-1	1,3-Dichlorobenzene		0.099U	0.099	50.0	49.3	99	74 - 126	41.9	84	16	30
106-46-7	1,4-Dichlorobenzene		0.118U	0.118	50.0	50.2	100	72 - 122	42.6	85	16	30
95-50-1	1,2-Dichlorobenzene		0.079U	0.079	50.0	50.7	101	71 - 126	43.8	88	15	30
87-61-6	1,2,3-Trichlorobenzene		0.110U	0.110	50.0	49.1	98	65 - 131	48.5	97	1	30
75-35-4	1,1-Dichloroethene		0.164U	0.164	50.0	46.2	92	69 - 129	40.3	81	14	20
71-43-2	Benzene		0.054U	0.054	50.0	48.2	96	70 - 129	42.0	84	14	20
79-01-6	Trichloroethene		0.062U	0.062	50.0	48.0	96	76 - 129	41.3	83	15	20
108-88-3	Toluene		0.059U	0.059	50.0	48.1	96	72 - 120	41.7	83	14	20
108-90-7	Chlorobenzene		0.027U	0.027	50.0	48.8	98	74 - 123	42.4	85	14	20
Surrogate												
460-00-4	4-Bromofluorobenzene		48.1	96	50	50.4	101	78 - 130	49.8	100		
1868-53-7	Dibromofluoromethane		49.1	98	50	49.8	100	77 - 127	50.2	100		
2037-26-5	Toluene d8		50	100	50	50.8	102	76 - 134	50.4	101		
17060-07-0	1,2-Dichloroethane-d4		49.4	99	50	49.3	99	71 - 127	49.3	99		

Analytical Batch 432409		**Client ID**	MB432409			LCS432409			LCSD432409		
Prep Batch N/A		**GCAL ID**	834259			834260			834261		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/21/2010 17:03			05/21/2010 15:25			05/21/2010 15:47		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	**Result**	ug/L **RDL**	**Spike Added**	**Result**	**% R**	**Control Limits % R**	**Result**	**% R**	**RPD**	**RPD Limit**
67-64-1	Acetone		1.15U	1.15	50.0	47.4	95	44 - 156	43.9	88	8	30
74-97-5	Bromochloromethane		0.095U	0.095	50.0	45.2	90	76 - 130	42.0	84	7	30
75-27-4	Bromodichloromethane		0.053U	0.053	50.0	45.4	91	74 - 125	45.2	90	0.4	30
75-25-2	Bromoform		0.104U	0.104	50.0	48.5	97	64 - 122	46.9	94	3	30

GC/MS Volatiles Quality Control Summary

Analytical Batch 432409		**Client ID**	MB432409			LCS432409			LCSD432409		
Prep Batch N/A		**GCAL ID**	834259			834260			834261		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/21/2010 17:03			05/21/2010 15:25			05/21/2010 15:47		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**	**Result**	ug/L **RDL**	**Spike Added**	**Result**	**% R**	**Control Limits % R**	**Result**	**% R**	**RPD**	**RPD Limit**
74-83-9	Bromomethane		0.264U	0.264	50.0	51.4	103	47 - 138	47.2	94	9	30
75-15-0	Carbon disulfide		0.143U	0.143	50.0	49.8	100	69 - 136	48.7	97	2	30
56-23-5	Carbon tetrachloride		0.148U	0.148	50.0	45.6	91	76 - 128	43.5	87	5	30
75-00-3	Chloroethane		0.351U	0.351	50.0	50.3	101	62 - 141	46.7	93	7	30
67-66-3	Chloroform		0.057U	0.057	50.0	47.7	95	75 - 122	46.4	93	3	30
74-87-3	Chloromethane		0.089U	0.089	50.0	49.5	99	59 - 132	40.1	80	21	30
124-48-1	Dibromochloromethane		0.041U	0.041	50.0	48.1	96	71 - 123	47.3	95	2	30
75-71-8	Dichlorodifluoromethane		0.096U	0.096	50.0	40.1	80	58 - 140	36.5	73	9	30
75-34-3	1,1-Dichloroethane		0.031U	0.031	50.0	43.8	88	74 - 127	41.5	83	5	30
107-06-2	1,2-Dichloroethane		0.086U	0.086	50.0	44.5	89	71 - 129	43.1	86	3	30
156-59-2	cis-1,2-Dichloroethene		0.061U	0.061	50.0	48.6	97	73 - 130	46.6	93	4	30
156-60-5	trans-1,2-Dichloroethene		0.107U	0.107	50.0	49.1	98	69 - 132	46.0	92	7	30
75-09-2	Methylene chloride		0.327U	0.327	50.0	46.0	92	68 - 132	45.7	91	0.7	30
78-87-5	1,2-Dichloropropane		0.064U	0.064	50.0	51.6	103	72 - 128	49.3	99	5	30
10061-01-5	cis-1,3-Dichloropropene		0.031U	0.031	50.0	44.8	90	71 - 132	44.8	90	0	30
10061-02-6	trans-1,3-Dichloropropene		0.054U	0.054	50.0	46.6	93	71 - 131	45.7	91	2	30
100-41-4	Ethylbenzene		0.063U	0.063	50.0	48.8	98	74 - 126	46.6	93	5	30
591-78-6	2-Hexanone		0.503U	0.503	50.0	42.0	84	50 - 135	42.4	85	0.9	30
98-82-8	Isopropylbenzene (Cumene)		0.035U	0.035	50.0	47.0	94	71 - 125	45.3	91	4	30
78-93-3	2-Butanone		0.093U	0.093	50.0	49.6	99	58 - 137	51.5	103	4	30
108-10-1	4-Methyl-2-pentanone		0.065U	0.065	50.0	45.7	91	57 - 132	43.0	86	6	30
100-42-5	Styrene		0.051U	0.051	50.0	48.2	96	71 - 127	46.7	93	3	30
127-18-4	Tetrachloroethene		0.121U	0.121	50.0	49.4	99	68 - 128	45.7	91	8	30
79-34-5	1,1,2,2-Tetrachloroethane		0.073U	0.073	50.0	46.5	93	70 - 122	44.9	90	4	30
120-82-1	1,2,4-Trichlorobenzene		0.119U	0.119	50.0	48.2	96	61 - 135	42.8	86	12	30
71-55-6	1,1,1-Trichloroethane		0.106U	0.106	50.0	44.8	90	76 - 126	44.5	89	0.7	30
79-00-5	1,1,2-Trichloroethane		0.095U	0.095	50.0	45.0	90	72 - 121	44.9	90	0.2	30
75-69-4	Trichlorofluoromethane		0.123U	0.123	50.0	42.8	86	72 - 136	41.9	84	2	30
75-01-4	Vinyl chloride		0.093U	0.093	50.0	47.8	96	68 - 132	42.7	85	11	30
96-12-8	1,2-Dibromo-3-chloropropane		0.082U	0.082	50.0	42.4	85	57 - 121	41.8	84	1	30
106-93-4	1,2-Dibromoethane		0.047U	0.047	50.0	48.8	98	70 - 124	48.3	97	1	30
1634-04-4	tert-Butyl methyl ether (MTBE)		0.052U	0.052	50.0	48.3	97	71 - 125	45.9	92	5	30
1330-20-7	Xylene (total)		0.050U	0.050	150	144	96	74 - 127	139	93	4	30

GC/MS Volatiles Quality Control Summary

Analytical Batch	432409	**Client ID**	MB432409			LCS432409			LCSD432409		
Prep Batch	N/A	**GCAL ID**	834259			834260			834261		
		Sample Type	Method Blank			LCS			LCSD		
		Analytical Date	05/21/2010 17:03			05/21/2010 15:25			05/21/2010 15:47		
		Matrix	Water			Water			Water		
SW-846 8260B		**Units**		ug/L	**Spike**	**Result**		**Control**	**Result**			**RPD**
		Result		**RDL**	**Added**		**% R**	**Limits % R**		**% R**	**RPD**	**Limit**
108-87-2	Methylcyclohexane	0.072U		0.072	50.0	51.1	102	67 - 138	46.4	93	10	30
110-82-7	Cyclohexane	0.064U		0.064	50.0	50.7	101	69 - 132	47.3	95	7	30
79-20-9	Methyl Acetate	1.42U		1.42	50.0	49.8	100	57 - 139	43.6	87	13	30
76-13-1	Trichlorotrifluoroethane	0.127U		0.127	50.0	49.8	100	72 - 136	48.4	97	3	30
541-73-1	1,3-Dichlorobenzene	0.099U		0.099	50.0	53.0	106	74 - 126	50.5	101	5	30
106-46-7	1,4-Dichlorobenzene	0.118U		0.118	50.0	50.7	101	72 - 122	47.8	96	6	30
95-50-1	1,2-Dichlorobenzene	0.079U		0.079	50.0	53.8	108	71 - 126	50.2	100	7	30
87-61-6	1,2,3-Trichlorobenzene	0.110U		0.110	50.0	51.4	103	65 - 131	46.8	94	9	30
75-35-4	1,1-Dichloroethene	0.164U		0.164	50.0	47.9	96	69 - 129	48.0	96	0.2	20
71-43-2	Benzene	0.054U		0.054	50.0	51.0	102	70 - 129	50.4	101	1	20
79-01-6	Trichloroethene	0.062U		0.062	50.0	46.5	93	76 - 129	46.0	92	1	20
108-88-3	Toluene	0.059U		0.059	50.0	45.0	90	72 - 120	43.7	87	3	20
108-90-7	Chlorobenzene	0.027U		0.027	50.0	45.1	90	74 - 123	43.5	87	4	20
Surrogate												
460-00-4	4-Bromofluorobenzene	44.4		89	50	50.1	100	78 - 130	50.7	101		
1868-53-7	Dibromofluoromethane	49.1		98	50	48	96	77 - 127	48.2	96		
2037-26-5	Toluene d8	53.6		107	50	49.5	99	76 - 134	49.4	99		
17060-07-0	1,2-Dichloroethane-d4	47.7		95	50	47.5	95	71 - 127	47.6	95		

SAMPLES ARE PROPERTY OF BP BP/4751/~~[illegible]~~ 210052027 / 5-22-10 Page 4/4

B&B Laboratories, Inc.

CHAIN OF CUSTODY RECORD

TDI Brooks

Home Office 1902 Pinon College Station TX 77845 phone (979) 693-3446 fax (979) 693-6389 http://www.tdi-bi.com

Client: BP

Project ID: MSC-252

B&B Contact: Andrew McQueen

Sampler Signature:

F

Analyses

Sample ID	Sample Date	Sample Time	Sample Matrix	Preservative	Containers Type	Containers No.	VOA + TICs up to 20	8015					Comments
B22B-WA01	5/16/10	11:13	water	HCl	40 ml VOA	1	X	X				17	
B22C-WA01	5/16/10	11:21				1	X	X				18	
B22D-WA01	5/16/10	11:28				1	X	X				19	
B22E-WA01	5/16/10	11:24				1	X	X				20	
B22F-WA01	5/16/10	11:34				1	X	X				21	
B22G-WA01	5/16/10	11:39				1	X	X				22	
B22H-WA01	5/16/10	11:44				1	X	X				23	
B22I-WA01	5/16/10	11:50				1	X	X				24	
B22J-WA01	5/16/10	11:55				1	X	X				25	
B22K-WA01	5/16/10	11:58				1	X	X				26	
B22L-WA01	5/16/10	12:01			~~Total # of Containers~~	1	X	X				27	

Other Instructions

Relinquished By	Company Name	Date	Time	Received By	Company Name	Date	Time
Printed Name: Andrew McQueen	ENTRIX	5/18/10	06:40	Printed Name: RICHARD MORRISON	ACE	5/18/10	06:40
Signature:				Signature: Richard Morrison			
Printed Name:				Printed Name: Scott Miles	LSA	5/18/10	1125
Signature: Scott Miles	LSA	5/20/10	0933	Signature:	CCCL	5/20/10	933

Fed Ex 5-20-2010 1000 AC CCL 5-20-10 1000

Matrix:

T=Tissue
S=Soil/Sediment
R=Rinseate
P=Product
G=Gas
Ws=Waste
HW=Hazardous Waste
W=Water

Sample Container: Vol/material

G=Glass
P=Plastic
C=Core
B=Bag

43

SAMPLES ARE PROPERTY OF BP 210052027 20/4751/~~2100 52027~~/S 2710

Page 7/4

B&B Laboratories, Inc.

CHAIN OF CUSTODY RECORD

TDI Brooks

Home Office 1902 Pinon College Station TX 77845 phone (979) 693-3446 fax (979) 693-6389 http://www.tdi-bi.com

Client: BP

Project ID: MSC-252

B&B Contact: Andrew McQueen

Sampler Signature:

F

Analyses

Sample ID	Sample Date	Sample Time	Sample Matrix	Preservative	Containers Type	Containers No.	VOA + TICs up to 20	8015					Comments
B23B-WA01	5/16/10	14:28	water	HCl	40ml VOA	1	X	X				28	
B23C-WA01	5/16/10	14:35				1	X	X				29	
B23D-WA01	5/16/10	14:39				1	X	X				30	
B23E-WA01	5/16/10	14:42				1	X	X				31	
B23F-WA01	5/16/10	14:45				1	X	X				32	
B23G-WA01	5/16/10	14:50				1	X	X				33	
B23H-WA01	5/16/10	14:56				1	X	X				34	
B23I-WA01	5/16/10	14:57				1	X	X				35	
B23J-WA01	5/16/10	15:00				1	X	X				36	
B23K-WA01	5/16/10	15:05				1	X	X				37	
B23L-WA01	5/16/10	15:11			Total # of Containers	1	X	X				38	

Relinquished By	Company Name	Date	Time	Received By	Company Name	Date	Time
Printed Name: Andrew McQueen	ENTRIX	5/18/10	06:40	Printed Name: RICHARD MOLAISON	ACE	5/18/10	06:40
Signature:				Signature:			
Printed Name:				Printed Name: Scott Miller	LSU	5/18/10	1125
Signature: Scott Miller	LSU	5/20/10	0933	Signature:	Geoc	5-20-10	933

5-20-10 1000 AC GCAK 5-20-10 1000

Matrix:

T=Tissue G=Gas
S=Soil/Sediment Ws=Waste
R=Rinseate HW=Hazardous Waste
P=Product W=Water

Sample Container: Vol/material

G=Glass C=Core
P=Plastic B=Bag

915