May 07, 2010

Cheryl Metzler
B.P. OIL COMPANY
501 Westlake Boulevard
Houston, TX 77079-

Bureau Veritas Work Order No. 10050248

Reference:

Dear Cheryl Metzler:

Bureau Veritas North America, Inc. received 43 samples on 5/6/2010 for the analyses presented in the following report.

Enclosed is a copy of the Chain-of-Custody record, acknowledging receipt of these samples. Please note that any unused portion of the samples will be discarded 30 days after the date of this report, unless you have requested otherwise.

This material is confidential and is intended solely for the person to whom it is addressed. If this is received in error, please contact the number provided below.

We appreciate the opportunity to assist you. If you have any questions concerning this report, please contact a Client Services Representative at (800) 806-5887.

Sincerely,

Scott Wallowitz for

Wendy Lesniak
Client Services Representative

cc:

Bureau Veritas North America, Inc.
22345 Roethel Drive
Novi, MI 48375

Main: (248) 344.1770
Fax: (248) 344.2655
www.us.bureauveritas.com

6046362

CASE NARRATIVE

Date: *07-May-10*

Client: **B.P. OIL COMPANY**

Project:

Work Order No **10050248**

The results of this report relate only to the samples listed in the body of this report.

Unless otherwise noted below, the following statements apply: 1) all samples were received in acceptable condition, 2) all quality control results associated with this sample set were within acceptable limits and/or do not adversely affect the reported results, and 3) the industrial hygiene results have not been blank corrected.

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102020 **Date Sampled:** 5/1/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 001A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	170	11	3.1	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102021 **Date Sampled:** 5/1/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 002A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	240	16	4.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102022

Date Sampled: 5/1/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 003A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	250	16	4.7	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102023

Date Sampled: 5/1/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 004A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	260	17	4.8	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102024

Date Sampled: 5/1/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 005A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	380	25	7.0	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102025

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 006A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102026

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 007A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	42	2.7	0.77	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102027

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 008A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	48	3.2	0.89	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102028

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 009A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	40	2.6	0.74	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102029

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 010A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	73	4.8	1.4	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102030

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 011A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	83	5.4	1.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102031

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 012A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	67	4.4	1.2	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102032

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 013A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102033

Date Sampled: 5/2/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 014A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102034

Date Sampled: 5/3/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 015A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102035

Date Sampled: 5/3/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 016A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	32	2.1	0.58	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102036
Sample Type: 3M 3520 PM
Lab Number: 017A

Date Sampled: 5/3/2010
Date Received: 5/6/2010
Sampling Time (min): 480
Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	260	17	4.8	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102037
Sample Type: 3M 3520 PM
Lab Number: 018A

Date Sampled: 5/3/2010
Date Received: 5/6/2010
Sampling Time (min): 480
Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	73	4.8	1.4	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102038

Date Sampled: 5/3/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 019A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	62	4.0	1.1	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102039

Date Sampled: 5/3/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 020A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	57	3.7	1.1	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102040
Sample Type: 3M 3520 PM
Lab Number: 021A

Date Sampled: 5/3/2010
Date Received: 5/6/2010
Sampling Time (min): 480
Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	81	5.3	1.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102041
Sample Type: 3M 3520 PM
Lab Number: 022A

Date Sampled: 5/3/2010
Date Received: 5/6/2010
Sampling Time (min): 480
Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	520	34	9.6	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	11	0.86	0.20	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102042

Date Sampled: 5/3/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 023A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	420	27	7.8	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	11	0.83	0.19	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102010

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 024A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	180	11	3.2	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102011

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 025A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	360	23	6.6	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	7.3	0.56	0.13	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102012

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 026A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	180	12	3.4	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102013 **Date Sampled:** 4/30/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 027A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	290	19	5.3	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	6.1	0.46	0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102014 **Date Sampled:** 4/30/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 028A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	310	20	5.7	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	6.2	0.47	0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102015

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 029A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102016

Date Sampled: 5/1/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 030A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	<2.0	<0.55	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102017 **Date Sampled:** 5/1/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 031A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	140	8.9	2.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102018 **Date Sampled:** 5/1/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 032A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	110	7.0	2.0	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102019 **Date Sampled:** 5/1/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 033A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	250	17	4.7	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102000 **Date Sampled:** 4/29/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 034A **Sampling Time (min):** 0

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	--	--	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	--	--	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	<30	--	--	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	--	--	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	--	--	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102001

Date Sampled: 4/29/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 035A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	52	3.4	0.96	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102002

Date Sampled: 4/29/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 036A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	63	4.1	1.2	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102003 **Date Sampled:** 4/29/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 037A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	57	3.7	1.0	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102004 **Date Sampled:** 4/29/2010

Sample Type: 3M 3520 PM **Date Received:** 5/6/2010

Lab Number: 038A **Sampling Time (min):** 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	62	4.0	1.1	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102005

Date Sampled: 4/29/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 039A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)		Analytical Results (µg)	(mg/m³)	(ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5		<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3		<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	Total	240	15	4.4	30	5/6/2010	OSHA 7/NIOSH 1550
	Back Section		190 (a)	Breakthrough = 393%				
Toluene	31.4		<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3		<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

(a) Analysis indicates possible breakthrough; back section result is greater than 50% of the front section result.

Sample Identification: MC252102006

Date Sampled: 4/29/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 040A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	(mg/m³)	(ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	81	5.3	1.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	3.7	0.24	0.064	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102007

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 041A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	650	42	12	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	13	0.98	0.23	6	5/6/2010	OSHA 7/NIOSH 1550

Sample Identification: MC252102008

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 042A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	<1	<0.059	<0.018	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	<3	<0.23	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	240	16	4.5	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	<3	<0.20	<0.053	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	<6	<0.46	<0.11	6	5/6/2010	OSHA 7/NIOSH 1550

ANALYTICAL RESULTS

Date: *07-May-10*

Client: B.P. OIL COMPANY

Project:

Work Order No: 10050248

Sample Identification: MC252102009

Date Sampled: 4/30/2010

Sample Type: 3M 3520 PM

Date Received: 5/6/2010

Lab Number: 043A

Sampling Time (min): 480

Analyst: CCR

Analyte	Sampling Rate (cc/min)	Analytical Results (µg)	Analytical Results (mg/m³)	Analytical Results (ppm)	Reporting Limit (µg)	Date Analyzed	Method Reference
Benzene	35.5	3.0	0.18	0.055	1	5/6/2010	OSHA 7/NIOSH 1550
Ethylbenzene	27.3	4.3	0.33	0.075	3	5/6/2010	OSHA 7/NIOSH 1550
THCs as n-Hexane	32	690	45	13	30	5/6/2010	OSHA 7/NIOSH 1550
Toluene	31.4	9.5	0.63	0.17	3	5/6/2010	OSHA 7/NIOSH 1550
Xylene, Total	27.3	23	1.8	0.40	6	5/6/2010	OSHA 7/NIOSH 1550

General Notes:
<: Less than the indicated reporting limit (RL).
--: Information not available or not applicable.
Back sections (if applicable) were checked and showed no significant breakthrough unless otherwise noted.

Request for Laboratory Analytical Services

IMPORTANT: Date results required: ASAP

Rush charges authorized? Yes ☒ No ☐

Fax or ☐ E-mail results ☒

E-mail Address: cheryl.metzler@bp.com

Page: 1

For Lab Use Only

Lab Project No. 10050248

Bureau Veritas North America, Inc.

Report results to:
Name: Cheryl ~~Metker~~ Metzler
Company: BP
Mailing Address: 501 W. Lake Park Blvd
City, State, Zip: Houston TX 77079
Telephone No.: 361-649-0307
Fax No.:

Client Project Number:

Send invoice to:
Name: BP America
Company: Scanning Dept. 5646
Address: PO Box 22024
City, State, Zip: Tulsa, OK 74121-2024

P.O. No.: ZKRAUMD252

Special instructions and/or specific regulatory requirements:
(method, limit of detection, etc.)

Soil samples only: Which state are these from?

Water samples are:
Drinking water
Groundwater
Wastewater

Enter a "P" here if preservative added.

ANALYSIS REQUESTED
(List each analyte on the lines below, multiple analytes per line) OSHA 7

Client Sample Identification	Date Sampled	Time Sampled	Matrix/Media	Air Volume (Liters)	# of Containers	ANALYSIS REQUESTED
MC252-10-2-020	5-1-10	8hrs	OVM			NIOSH 1550 (n-Hexane), ~~NIOSH 1501~~
MC252-10-2-021						
MC252-10-2-022						BTEX and THC's per
MC252-10-2-023						client DE
MC252-10-2-024						
MC252-10-2-025	5-2-10					
MC252-10-2-026						
MC252-10-2-027						
MC252-10-2-028						
MC252-10-2-029						

Collected by: Chad Comeaux **Date/Time** 5-5-10 1230 **Collector's Signature:** [signature] **Date/Time** 5-5-10 1230
Relinquished by: **Date/Time** **Received by:** **Date/Time**
Relinquished by: **Date/Time** **Received by:** [signature] **Date/Time** 5/6 1051
Method of Shipment: **Sample Condition on Receipt:**
Authorized by: Acceptable **Other:**
Date/Time: **(Signature MUST accompany request!)** **(Explain)**

Ship to:

Detroit (IH, Environmental, & Asbestos)
22345 Roethel Drive
Novi, Michigan, 48375
Phone: 248.344.2652, Toll-free 800.806.5887
Fax: 248-344-2655

Visit our Website:
http://labonline.claytongrp.com

Atlanta (Asbestos & Electron Microscopy)
3380 Chastain Meadows Pkwy., Suite 300
Kennesaw, Georgia, 30144
Phone: 770.499.7500, Toll-free 800.252.9919
Fax: 770.499.7511

Request for Laboratory Analytical Services

IMPORTANT: Date results required: _____

Rush charges authorized? Yes ☐ No ☐

Fax or ☐ E-mail results ☐

E-mail Address: _____

Page: 5

For Lab Use Only

Lab Project No.

Bureau Veritas North America, Inc.

Report results to:
Name _____
Company _____
Mailing Address _____
City, State, Zip _____
Telephone No. _____

Client Project Number: _____
Fax No. _____

Send invoice to:
Name _____
Company _____
Address _____
City, State, Zip _____

P.O. No. _____

Soil samples only: Which state are these from? _____

Special instructions and/or specific regulatory requirements:
(method, limit of detection, etc.) _____

Water samples are:
Drinking water ____
Groundwater ____
Wastewater ____

Enter a "P" here if preservative added.

Client Sample Identification	Date Sampled	Time Sampled	Matrix/Media	Air Volume (Liters)	# of Containers	ANALYSIS REQUESTED (List each analyte on the lines below, multiple analytes per line)
MC25210-2000	4-29-10	0hrs	3m			NIOSH 1550, OSHA 7
MC25210-2001	4-29-10	8hrs	3m			
MC25210-2002	4-29-10	8hrs	3m			
MC25210-2003	4-29-10	8hrs	3m			
MC25210-2004	4-29-10	8hrs	3m			
MC25210-2005	4-29-10	8hrs	3m			
MC25210-2006	4-29-10	8hrs	3m			
MC25210-2007	4-30-10	8hrs	3m			
MC25210-2008	4-30-10	8hrs	3m			
MC25210-2009	4-30-10	8hrs	3m			

Collected by: Chad Comeaux ***Date/Time*** 5-5-10 1230 ***Collector's Signature:*** [signature] ***Date/Time*** 5-5-10 1230

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** _____ ***Date/Time*** _____

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** [signature] ***Date/Time*** 5/6 1052

Method of Shipment: _____ ***Sample Condition on Receipt:*** _____

Authorized by: _____ ***Acceptable*** _____ ***Other:*** _____

Date/Time: _____ ***(Signature MUST accompany request!)*** ***(Explain)*** _____

Ship to:

Detroit (IH, Environmental, & Asbestos)
22345 Roethel Drive
Novi, Michigan, 48375
Phone: 248.344.2652, Toll-free 800.806.5887
Fax: 248-344-2655

Visit our Website:
http://labonline.claytongrp.com

Atlanta (Asbestos & Electron Microscopy)
3380 Chastain Meadows Pkwy., Suite 300
Kennesaw, Georgia, 30144
Phone: 770.499.7500, Toll-free 800.252.9919
Fax: 770.499.7511

Request for Laboratory Analytical Services

IMPORTANT: Date results required: _____

Rush charges authorized? Yes ☐ No ☐

Fax or ☐ E-mail results ☐

E-mail Address: _____

Page: 2

For Lab Use Only

Lab Project No.

Bureau Veritas North America, Inc.

Report results to:
Name _____
Company _____
Mailing Address _____
City, State, Zip _____
Telephone No. _____

Client Project Number: _____
Fax No. _____

Send invoice to:
Name _____
Company _____
Address _____
City, State, Zip _____

P.O. No. _____

Soil samples only: Which state are these from? _____

Special instructions and/or specific regulatory requirements:
(method, limit of detection, etc.) _____

Water samples are:
Drinking water ____
Groundwater ____
Wastewater ____

Enter a "P" here if preservative added.

Client Sample Identification	Date Sampled	Time Sampled	Matrix/Media	Air Volume (Liters)	# of Containers	ANALYSIS REQUESTED (List each analyte on the lines below, multiple analytes per line)
mc 252 10 2030	5-2-10	8hrs	3m			NIOSH 1550, OSHA-7
mc 252 10 2031	5-2-10	8hrs	3m			
mc 252 10 2032	5-2-10	8hrs	3m			
mc 252 10 2033	5-2-10	8hrs	3m			
mc 252 10 2034	5-3-10	8hrs	3m			
mc 252 10 2035	5-3-10	8hrs	3m			
mc 252 10 2036	5-3-10	8hrs	3m			
mc 252 10 2037	5-3-10	8hrs	3m			
mc 252 10 2038	5-3-10	8hrs	3m			
mc 252 10 2039	5-3-10	8hrs	3m			

Collected by: Chad Comeaux ***Date/Time*** 5-5-10 1230 ***Collector's Signature:*** [signature] ***Date/Time*** 5-5-10 1230

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** _____ ***Date/Time*** _____

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** [signature] ***Date/Time*** 5/6 1051

Method of Shipment: _____ ***Sample Condition on Receipt:*** _____

Authorized by: _____ ***Acceptable*** ____ ***Other:*** _____

Date/Time: _____ ***(Signature MUST accompany request!)*** ***(Explain)*** _____

Ship to:

Detroit (IH, Environmental, & Asbestos)
22345 Roethel Drive
Novi, Michigan, 48375
Phone: 248.344.2652, Toll-free 800.806.5887
Fax: 248-344-2655

Visit our Website:
http://labonline.claytongrp.com

Atlanta (Asbestos & Electron Microscopy)
3380 Chastain Meadows Pkwy., Suite 300
Kennesaw, Georgia, 30144
Phone: 770.499.7500, Toll-free 800.252.9919
Fax: 770.499.7511

Request for Laboratory Analytical Services

IMPORTANT: Date results required: _____

Rush charges authorized? Yes ☐ No ☐

Fax or ☐ E-mail results ☐

E-mail Address: _____

Page: 3

For Lab Use Only

Lab Project No.

Bureau Veritas North America, Inc.

Report results to:
Name _____
Company _____
Mailing Address _____
City, State, Zip _____
Telephone No. _____

Client Project Number: _____

Fax No. _____

Send invoice to:
Name _____
Company _____
Address _____
City, State, Zip _____

P.O. No. _____

Soil samples only: Which state are these from? _____

Special instructions and/or specific regulatory requirements:
(method, limit of detection, etc.) _____

Water samples are:
Drinking water ____
Groundwater ____
Wastewater ____

Enter a "P" here if preservative added.

Client Sample Identification	Date Sampled	Time Sampled	Matrix/Media	Air Volume (Liters)	# of Containers	ANALYSIS REQUESTED (List each analyte on the lines below, multiple analytes per line)
mc 252 10 2040	5-3-10	8hrs	3m			NIOSH 1550, OSHA 7
mc 252 10 2041	5-3-10	8hrs	3m			
mc 252 10 2042	5-3-10	8hrs	3m			

Collected by: Chad Comeaux ***Date/Time*** 5-5-10 1930 ***Collector's Signature:*** _____ ***Date/Time*** 5-5-10 1930

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** _____ ***Date/Time*** _____

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** _____ ***Date/Time*** 5/6 1051

Method of Shipment: _____ ***Sample Condition on Receipt:*** _____

Authorized by: _____ ***Acceptable*** ____ ***Other:*** _____

Date/Time: _____ ***(Signature MUST accompany request!)*** ***(Explain)*** _____

Ship to:

Detroit (IH, Environmental, & Asbestos)
22345 Roethel Drive
Novi, Michigan, 48375
Phone: 248.344.2652, Toll-free 800.806.5887
Fax: 248-344-2655

Visit our Website:
http://labonline.claytongrp.com

Atlanta (Asbestos & Electron Microscopy)
3380 Chastain Meadows Pkwy., Suite 300
Kennesaw, Georgia, 30144
Phone: 770.499.7500, Toll-free 800.252.9919
Fax: 770.499.7511

Request for Laboratory Analytical Services

IMPORTANT: Date results required: _____

Rush charges authorized? Yes ☐ No ☐

Fax or ☐ E-mail results ☐

E-mail Address: _____

Page: 4

For Lab Use Only

Lab Project No.

Bureau Veritas North America, Inc.

Report results to:
Name _____
Company _____
Mailing Address _____
City, State, Zip _____
Telephone No. _____

Client Project Number: _____
Fax No. _____

Send invoice to:
Name _____
Company _____
Address _____
City, State, Zip _____

P.O. No. _____

Special instructions and/or specific regulatory requirements:
(method, limit of detection, etc.) _____

Soil samples only: Which state are these from? _____

Water samples are:
Drinking water ____
Groundwater ____
Wastewater ____

Enter a "P" here if preservative added.

Client Sample Identification	Date Sampled	Time Sampled	Matrix/Media	Air Volume (Liters)	# of Containers	ANALYSIS REQUESTED (List each analyte on the lines below, multiple analytes per line)
mc252 10-2010	4-30-10	8hrs	3m			NIOSH 1550, OSHA 7
mc252 10-2011	4-30-10	8hrs	3m			
mc 252 10-2012	4-30-10	8hrs	3m			
mc 252 10-2013	4-30-10	8hrs	3m			
mc 252 10-2014	4-30-10	8hrs	3m			
mc 252 10-2015	4-30-10	8hrs	3m			
mc 252 10-2016	5-1-10	8hrs	3m			
mc 252 10-2017	5-1-10	8hrs	3m			
mc 252 10-2018	5-1-10	8hrs	3m			
mc 252 10-2019	5-1-10	8hrs	3m			

Collected by: Chad Comeaux ***Date/Time*** 5-5-10 1230 ***Collector's Signature:*** [signature] ***Date/Time*** 5-5-10 1230

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** _____ ***Date/Time*** _____

Relinquished by: _____ ***Date/Time*** _____ ***Received by:*** [signature] ***Date/Time*** 5/6 1052

Method of Shipment: _____ ***Sample Condition on Receipt:*** _____

Authorized by: _____ ***Acceptable*** ____ ***Other:*** _____

Date/Time: _____ ***(Signature MUST accompany request!)*** ***(Explain)*** _____

Ship to:

Detroit (IH, Environmental, & Asbestos)
22345 Roethel Drive
Novi, Michigan, 48375
Phone: 248.344.2652, Toll-free 800.806.5887
Fax: 248-344-2655

Visit our Website:
http://labonline.claytongrp.com

Atlanta (Asbestos & Electron Microscopy)
3380 Chastain Meadows Pkwy., Suite 300
Kennesaw, Georgia, 30144
Phone: 770.499.7500, Toll-free 800.252.9919
Fax: 770.499.7511