GROENDYKE TRANSPORT, INC.

TRANSPORTERS OF COMMODITIES IN BULK

E. D. (TERRY) BAIN
DIRECTOR OF ENVIRONMENTAL QUALITY & CLEANING SERVICES

GENERAL OFFICES
P. O. BOX 632
ENID, OKLAHOMA 73702
580 / 213-9275
800 / 843-2103
FACSIMILE
580 / 977-3319
tbain@groendyke.com

RECEIVED
11 JUN 10 PM 2:39
SUPERFUND DIV.
DIRECTOR'S OFC.

Ms. Cynthia Brown

Removal Enforcement Coordinator (6SF-TF)

United States Environmental Protection Agency

Region 6

1445 Ross Avenue

Dallas, Texas 75202

Each answer has been numbered as requested in the 104(e) information request Letter.

1. Everett Duane Bain, 2510 Rock Island Blvd., Enid, Oklahoma 73702.
2. Everett Duane Bain, Director of Environment, 2510 Rock Island Blvd., Enid, Oklahoma 73702. Phone 580-213-9275, Fax 580-97703319, e-mail tbain@groendyke.com.
3. Everett D. Bain, 2510 Rock Island Blvd. Enid, Oklahoma 73702. Phone 580-213-9275, Fax 580-977-3319, e-mail tbain@groendyke.com.
4. To my knowledge none. A. none B. none.
5. Groendyke Transport, Inc. used U.S. Oil Recovery to dispose of oily wash water and wastewater which was generated from washing cargo tanks at our cleaning facilities. Groendyke is a liquid bulk transporter of petroleum products and chemicals. All units when returned to the cleaning facility were RCRA empty containers. Residue is washed from cargo tank and all water disposed. Groendyke transports only there own waste wash water. Groendyke had no business relation with MCC.
6. Everett Bain 2510 Rock Island Blvd. Enid Oklahoma 73702. Rusty Dillon Terminal manager Amarillo Texas7 9108 phone 806-335-1686. Gary Beavers Terminal Manager Longview Texas no longer employed by Groendyke whereabouts unknown. John Payne Channelview Texas Terminal Manager, no longer employed by Groendyke whereabouts unknown.

652111

7. Number seven has been answered above in number six, except for the U.S. Oil Recovery Vice President and general Manager Mr. Tom Starustka 400 North Richie Pasadena Texas 77506. Telephone number 713-473-0013. All agreements and communications were with Mr. Starustka.
8. Groendyke does not have this knowledge. Groendyke cargo tanks are returned to our facilities for cleaning. They are RCRA empty containers and any residue cleaned from the cargo tank goes into our wash water and Groendyke becomes the generator. Groendyke does not accept waste at our facilities.
9. Groendyke is a generator and transporter of only Groendyke generated waste water. All waste to U. S. Oil Recovery had oil in the water due to the lube oil that we cleaned at our facility. We do not know the quantity and volume by weight of all waste taken to U. S. Oil Recovery. C. Process of generation is from cleaning of RCRA empty cargo tanks at our Groendyke truck cleaning facility. Please see attached all available documentation Groendyke was able to obtain. D. Please see attached what Groendyke was able to obtain.
10. Everett Bain, Director of Environment. Environmental Department. As Director Groendyke I made all agreements with Tom Starustka of U. S. Oil Recovery. I am the only person in the Environmental Department.
11. Same as above. Everett Bain Groendyke Transport, Inc.
12. Per Mr. Starustka Vice President and General Manager stated the wash water that Groendyke had for disposal had high oil content. The oil was to be separated for oil recovery and the remains to be sent to a biological pre-treatment system and then discharge on to Gulf States Disposal for further treatment and then final discharge to the Houston ship channel. Also at times the biological treated water would go to the City of Pasadena and then discharge to the Houston ship channel.
13. Answered this question in number twelve. Oil recovery and biological pre-treatment.
14. To my knowledge U. S. Oil Recovery's function was oil recovery and waste water reclamation through biological pretreatment and disposal and that they were properly permitted as a TSD facility. I met Tom Starustka at the U.S. Oil Recovery facility in early 2007 and he gave me a tour and it was very clean and well kept at the time. He showed me how the drivers were to check in to the facility and that a sample of each load would be taken and compared to our profile. Also where the drivers would back into the dumping pits and much equipment that would separate the oil and move water to tanks for biological pretreatment. I was never made aware of any issues until May of 2010.

ASK Laboratories, Inc.

Analytical Services Kwik!

ASK LABORATORIES, INC.
5935 GLENOAK LANE
AMARILLO, TEXAS 79109

Attn: CUSTOMER SERVICES
Phone: (806) 353-4425

GROENDYKE TRANSPORT INC.
10201 TRIANGLE DR.
AMARILLO, TX 79107

Attn: RUSTY DILLON
Invoice Number:

Order #: 08-05-112
Date: 06/11/08 14:17
Work ID: HEEL TANK
Date Received: 05/29/08
Date Completed: 06/11/08
Client Code: GROENDYKE_TR

SAMPLE IDENTIFICATION

Sample Number	Sample Description	Sample Number	Sample Description
01	HEEL TANK		

Certified By

Alan D. King

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
acsimile (806) 352-6454

ease Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including ose for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for cidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of ervices rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 08-05-112 **ASK LABORATORIES, INC.**
06/11/08 14:17

TEST RESULTS BY SAMPLE

Sample: 01A HEEL TANK **Collected: 05/29/08 10:00**

Test Description	Result	RCRA Limit	Units	Analyzed	By
CORROSIVITY PH	5.84	2.0-12.5	units		
IGNITIBILITY	FP>140°F	140°F	PASS	06/03/08	MJP
REACTIVE CYANIDE	<20	250	mg/kg	06/04/08	MJP
REACTIVE SULFIDE	120	500	mg/kg	06/02/08	DLS
TCLP EXTRACTION (LIQUID)					
FINAL pH	5.84			05/29/08	DLS
TCLP METAL ANALYSIS					
ARSENIC	0.9	5.0	mg/l	06/09/08	PAT
BARIUM	0.2	100	mg/l	06/09/08	PAT
CADMIUM	<0.1	1.0	mg/l	06/09/08	PAT
CHROMIUM	0.1	5.0	mg/l	06/09/08	PAT
LEAD	<0.1	5.0	mg/l	06/09/08	PAT
MERCURY	<0.02	0.2	mg/l	06/09/08	PAT
SELENIUM	<0.1	1.0	mg/l	06/09/08	PAT
SILVER	<0.1	5.0	mg/l	06/09/08	PAT
TCLP SEMIVOLATILE COMPOUNDS					
CRESOLS (o,m,p,)	<0.008	200	mg/l	06/04/08	JRM
PYRIDINE	0.011	5.0	mg/l	06/04/08	JRM
2,4-DINITROTOLUENE	<0.050	0.13	mg/l	06/04/08	JRM
HEXACHLOROBUTADIENE	<0.003	0.5	mg/l	06/04/08	JRM
NITROBENZENE	0.051	2.0	mg/l	06/04/08	JRM
PENTACHLOROPHENOL	<0.200	100	mg/l	06/04/08	JRM
2,4,5-TRICHLOROPHENOL	<0.100	400	mg/l	06/04/08	JRM
2,4,6-TRICHLOROPHENOL	<0.050	2.0	mg/l	06/04/08	JRM
1,4-DICHLOROBENZENE	<0.003	7.5	mg/l	06/04/08	JRM
HEXACHLOROETHANE	<0.003	3.0	mg/l	06/04/08	JRM
HEXACHLOROBENZENE	<0.003	0.13	mg/l	06/04/08	JRM

Surrogates				
2-FLUOROPHENOL	75	Min: 21	Max: 100	
PHENOL-d6	74	Min: 10	Max: 94	
NITROBENZENE-d5	78	Min: 35	Max: 114	
2-FLUOROBIPHENYL	45	Min: 43	Max: 116	
2,4,6-TRIBROMOPHENOL	46	Min: 10	Max: 123	
TERPHENYL-d14	33	Min: 33	Max: 141	

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454

lease Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including ıose for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for ·cidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of ervices rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

ASK Laboratories, Inc.

Analytical Services Kwik!

Order # 08-05-112 **ASK LABORATORIES, INC.**
06/11/08 14:17

TEST RESULTS BY SAMPLE

Sample: 01A HEEL TANK **Collected: 05/29/08 10:00**

Test Description	Result	RCRA Limit	Units	Analyzed	By
TCLP VOLATILE ORGANIC COMPOUNDS					
BENZENE	0.088	0.5	mg/l	05/30/08	JRM
CARBON TETRACHLORIDE	<0.020	0.5	mg/l	05/30/08	JRM
CHLOROBENZENE	<0.020	100	mg/l	05/30/08	JRM
CHLOROFORM	<0.020	6.0	mg/l	05/30/08	JRM
1,4-DICHLOROBENZENE	<0.020	7.5	mg/l	05/30/08	JRM
1,2-DICHLOROETHANE	<0.020	0.5	mg/l	05/30/08	JRM
1,1-DICHLOROETHENE	<0.020	0.7	mg/l	05/30/08	JRM
METHYL ETHYL KETONE	0.725	200	mg/l	05/30/08	JRM
TETRACHLOROETHENE	<0.020	0.7	mg/l	05/30/08	JRM
TRICHLOROETHENE	<0.020	0.5	mg/l	05/30/08	JRM
VINYL CHLORIDE	<0.040	0.2	mg/l	05/30/08	JRM

Surrogates					
1,2 DICHLOROETHANE-d4	102	Min:	80	Max:	120
TOLUENE d-8	95	Min:	80	Max:	120
BROMOFLUOROBENZENE	97	Min:	80	Max:	120

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454

'lease Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including ıose for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for ıcidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of ervices rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

Order # 08-05-112 **ASK LABORATORIES, INC.**
06/11/08 14:17

QA/QC INFORMATION

BATCH ID #VO0802-32	LCS	MS	MSD	RPD	BLANK
1,1-DICHLOROETHENE	109%	102%	97%	5.5%	bdl
BENZENE	99%	97%	98%	1.0%	bdl
TRICHLOROETHENE	102%	104%	99%	4.9%	bdl
TOLUENE	101%	96%	97%	0.5%	bdl
CHLOROBENZENE	103%	100%	99%	1.0%	bdl

SEMIVOLATILE ORGANICS

BATCH ID#SV-08-01-32	CCV	LCS	LCSD	RPD	BLANK
PYRIDINE	94%	78%	86%	9.3%	bdl
PHENOL	76%	99%	102%	3.0%	bdl
1,4-DICHLOROBENZENE	80%	80%	84%	4.7%	bdl
o-CRESOL	73%	85%	87%	1.3%	bdl
NAPHTHALENE	52%	63%	65%	2.8%	bdl
PHENANTHRENE	46%	60%	56%	8.1%	bdl
ANTHRACENE	47%	62%	56%	9.4%	bdl
BENZ(a)ANTHRACENE	52%	67%	61%	10.0%	bdl
CHRYSENE	46%	53%	48%	10.2%	bdl
BENZO-b-FLUORANTHENE	48%	61%	54%	11.7%	bdl
BENZO-k-FLUORANTHENE	49%	62%	56%	10.8%	bdl
BENZO-a-PYRENE	55%	65%	59%	9.8%	bdl

METALS	RPD	SPIKE RECOVERY	QC RECOVERY	BLANK
ARSENIC	5.0%	99%	100%	bdl
BARIUM	6.3%	97%	101%	bdl
CADMIUM	4.5%	96%	97%	bdl
CHROMIUM	1.7%	91%	105%	bdl
LEAD	2.2%	97%	99%	bdl
MERCURY	2.0%	113%	80%	bdl
SELENIUM	1.8%	102%	107%	bdl
SILVER	5.2%	112%	103%	bdl

COMPOUND	RPD	SPIKE RECOVERY	QC RECOVERY	BLANK
SULFIDE	3.9%	****	100%	bdl
CYANIDE	1.2%	75.4%	111%	bdl

bdl= below detectable levels

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454

'lease Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including ıose for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for ıcidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of ervices rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

TEST METHODOLOGIES

TEST CODE : TCL_EL TEST NAME : TCLP EXTRACTION

TCLP EXTRACTION : FEDERAL REGULATION; VOL 55, NO. 126, APPENDIX II, METHOD 1311

ZERO HEADSPACE EXTRACTION "ZHE"

TEST CODE : METALS TEST NAME : METALS

METHOD 6020 : INDUCTIVELY COUPLED PLASMA-MASS SPECTROMETRY. TEST METHODS FOR EVALUATING SOLID WASTE, JANUARY 1998.

METHOD 7470 : MERCURY IN LIQUID WASTE, MANUAL COLD-VAPOR TECHNIQUE. TEST METHODS FOR EVALUATING SOLID WASTE, 3RD EDITION, DECEMBER 1987.

TEST CODE : TCLP_O TEST NAME : TCLP ORGANICS

METHOD 8260/8270: GAS CHROMATOGRAPHY WITH MASS SELECTIVE DETECTOR. SW-846 TEST METHODS FOR EVALUATING SOLID WASTES.

TEST CODE : CN_REC TEST NAME : REACTIVE CYANIDE

METHOD 7.3.4.2 AS OUTLINED IN SW-846 TEST METHODS FOR EVALUATING SOLID WASTE,

TEST CODE : IGNT TEST NAME : IGNITIBILITY

METHOD 1010 : IGNITIBILITY (FLASH POINT) SW-846 TEST METHODS FOR EVALUATING SOLID WASTE,

TEST CODE : PH_C TEST NAME : CORROSIVITY (pH) ANALYSIS

METHOD 9040B : ELECTROMETRIC FOR LIQUID WASTES

TEST CODE : S2_REC TEST NAME : REACTIVE SULFIDE

METHOD 7.3.4.2 AS OUTLINED IN SW-846 TEST METHODS FOR EVALUATING SOLID WASTE,

5935 Glenoak Lane
Amarillo, Texas 79109
Telephone (806) 353-4425
Toll Free 1-800-423-9443
Facsimile (806) 352-6454

This report is intended solely for the use of the client listed on the cover page of this report. It may contain priveleged and confidential information. It may not be reproduced in full or in part without the expressed written consent of the listed client, or ASK Laboratories, Inc.

Please Note: Liability and Damages. ASK Laboratories, Inc. liability and clients exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by ASK Laboratories, Inc. within thirty days of the applicable service. In no event shall ASK Laboratories, Inc. be liable for incidental or consequential damages, including those without limitation, business interruption, loss of use, or loss of profits incurred by the client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by ASK Laboratories, Inc. regardless of whether such claim is based upon any of the preceding stated reasons or otherwise.

Please print or type. (Form designed for use on elite (12-p[illegible] [illegible]pewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214911 JJK

5. Generator's Name and Mailing Address
Groendyke Transport, Inc
10201 Triangle
Amarillo, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: Groendyke Transport
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
U.S.Oil & Recovery
400 N. Richey
Pasadena, TX 77506
Facility's Phone:
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. Class I Waste Water	1	TT	3600	G	D001	D011	
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
Avoid skin and eye contact. If exposed to skin and/or eyes flush area with water for 15 minutes and seek medical attention
U.S. Oil & Recovery profile # 0608-1797

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** *I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged,* marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: RUSTY DILLON
Signature: Rusty Dillon
Month 12 Day 31 Year 07

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: CODY ANGLIN
Signature: Cody Anglin
Month 12 Day 31 Year 07
Transporter 2 Printed/Typed Name
Signature
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H135 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: April Cooper
Signature: April Cooper
Month 1 Day 11 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST	1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number
	TXD981915614	1	806-335-1686	001214912 JJK

5. Generator's Name and Mailing Address
Groendyke Transport, Inc
10201 Triangle Drive
Amarillo, TX 79108

Generator's Site Address (if different than mailing address): Same

Generator's Phone:

6. Transporter 1 Company Name: Groendyke Transport, Inc — U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name — U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S.Oil & Recovery, 400 N.Richey, Pasadena, TX 77506 — U.S. EPA ID Number: TXR000051540

Facility's Phone:

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	1. Class I Waste Water	1	TT	2100	GAL	
	2.					
	3.					
	4.					

14. Special Handling Instructions and Additional Information
Avoid skin and eye contact. If exposed to skin and/or eyes flush area with water for 5 minutes and seek medical attention.
U.S.Oil & Recovery profile # 0608-1797

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon — Signature: Rusty Dillon — Month 03 Day 17 Year 08

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Tim Taylor — Signature: Tim Taylor — Month 03 Day 17 Year 08
Transporter 2 Printed/Typed Name — Signature — Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:
18b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator) — Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: H Cooper — Signature: H Cooper — Month 03 Day 18 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) /Previous editions are obsolete. DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of: 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214914 JJK

5. Generator's Name and Mailing Address
Groendyke Transport, Inc
10201 Triangle
Amarillo, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: Groendyke Transport, Inc
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
U.S.Oil & Recovery
400 N.Richey
Pasadena, TX 77506
Facility's Phone:

U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. Class I Waste Water	1	TT	2900	G	D001	D011	D018
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
Avoid skin and/or eye contact. If exposed to skin and/or eyes flush area with water for 15 minutes and seek medical assistance.
U.S. Oil & Recovery profile # 0608-1797

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon
Signature: Rusty Dillon
Month 06 Day 16 Year 08

INT'L

16. International Shipments
☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Royson Adams
Signature: Royson Adams
Month 06 Day 16 Year 08
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

DESIGNATED FACILITY

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: April Cooper
Signature: April Cooper
Month 06 Day 26 Year 08

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214915 JJK

5. Generator's Name and Mailing Address
Groenyke Transport, INCN
10201 Triangle
Amarillo, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: Groendyke Transport, INC
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
U.S. Oil & Recovery
400 N Richey
Pasadena, TX 77506
Facility's Phone:
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. Class 1 Waste Water	1	TT	4400	G	000	211	91
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
Avoid skin and/or eye contact. If exosed to skin and/or eyes flush area with water for 15 minutes and seek meical asistance.
U.S. Oil & Recovery proile # 0608-1797

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon
Signature: Rusty Dillon
Month 09 Day 10 Year 08

GENERATOR

INT'L

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Jack Hatcher
Signature
Month 09 Day 10 Year 08
Transporter 2 Printed/Typed Name: STEVE JACKSON
Signature
Month 9 Day 16 Year 08

DESIGNATED FACILITY

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:
18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Enrique Ramirez
Signature
Month 9 Day 17 Year 08

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of: 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214919 JJK

GENERATOR

5. Generator's Name and Mailing Address
Groendyke Transport, Inc
10201 Triangle
Amarillo, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: Groendyke Transport, Inc
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
U.S.Oil & Recovery
400 N. Richey
Pasadena, TX 77506
Facility's Phone:
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	1. Class I Waste Water	1	TT	1200	GLS	
	2.					
	3.					
	4.					

14. Special Handling Instructions and Additional Information
Avoid skin and/or eye contact. If exposed to skin and/or eyes flush area with water for 15 minutes and seek medical assistance.
PROFILE # 0608-1797

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable International and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon
Signature: Rusty Dillon
Month Day Year: 12 31 08

INT'L

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Tim Taylor
Signature: Tim Taylor
Month Day Year: 12 31 08
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year:

DESIGNATED FACILITY

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number:
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year:

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Luis Garcia
Signature:
Month Day Year: 01 06 09

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214920 JJK

5. Generator's Name and Mailing Address
Groendyke Transport
10201 Triangle
Amarillo, TX 79108
Generator's Phone: 806-335-1686

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: Groendyke Transport
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
U.S.Oil & Recovery
400 N.Richey
Pasadena, TX 77506
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. Class I Waste Water	1	TT	2983	Gls	000	211	91
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
Avoid skin and eye contact. If exposed to skin and or eyes flush area with water for 15 minutes and seek medical attention
Profile # 0608-1797

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon
Signature: Rusty Dillon
Month 03 Day 31 Year 09

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: Donna Finson
Signature:
Month 03 Day 31 Year 09
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Cody Cox
Signature:
Month 04 Day 01 Year 09

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD981915614
2. Page 1 of: 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214921 JJK

5. Generator's Name and Mailing Address
GROENDYKE TRANSPORT
10201 TRIANGLE DR.
AMARILLO, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: GROENDYKE TRANSPORT
U.S. EPA ID Number: TXD981915614

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address
U.S. Oil & Recovery
400 N Richey
Pasadena, TX 77506
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. CLASS I WASTE WATER	1	TT	1934	GLS	000	211	91
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
Avoid skin and eye contact. If exposed to skin and/or eyes flush areas with water for 15 minutes and seek medical attention.
PROFILE # 0608-1797

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: RUSTY DILLON
Signature: Rusty Dillon
Month 6 Day 30 Year 09

GENERATOR

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

INT'L

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: JIM CARVEAU
Signature:
Month 6 Day 30 Year 09
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

TRANSPORTER

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:
18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name:
Signature:
Month 7 Day 1 Year 09

DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

CHEMTREC 800-424-9300

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD 981915614
2. Page 1 of: 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214922 JJK

5. Generator's Name and Mailing Address
GROENDYKE TRANSPORT
10201 TRIANGLE Dr.
AMARILLO, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: GROENDYKE TRANSPORT
U.S. EPA ID Number: TXD 981915614

7. Transporter 2 Company Name
U.S. EPA ID Number

8. Designated Facility Name and Site Address
U.S. Oil & Recovery
400 N. Richey
PASADENA, TX 77506
Facility's Phone: (713) 473-0013
U.S. EPA ID Number: TXR 000091540

GENERATOR

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. CLASS I WASTE WATER	1	TT	2375	GAL.	D001	D011	D91
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
AVOID SKIN & EYE contact. If EXPOSED to skin and/or EYES FLUSH AREAS with WATER for 15 MINUTES and SEEK medical ATTENTION.
Profile # 0608-1797

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Rusty Dillon
Signature: Rusty Dillon
Month 9 Day 30 Year 09

INT'L

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: JEFF RILEY
Signature:
Month 9 Day 30 Year 09
Transporter 2 Printed/Typed Name
Signature:
Month Day Year

DESIGNATED FACILITY

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Alex Garcia
Signature:
Month 10 Day 2 Year 09

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD 981915614
2. Page 1 of: 1
3. Emergency Response Phone: 806-335-1686
4. Manifest Tracking Number: 001214923 JJK

5. Generator's Name and Mailing Address
GROENDYKE TRANSPORT
10201 TRIANGLE Dr.
Amarillo, TX 79108
Generator's Phone:

Generator's Site Address (if different than mailing address): SAME

6. Transporter 1 Company Name: GROENDYKE TRANSPORT — U.S. EPA ID Number: TXD 981915614

7. Transporter 2 Company Name — U.S. EPA ID Number:

8. Designated Facility Name and Site Address
U.S. Oil & Recovery
400 N. Richey
Pasadena, TX 77506
Facility's Phone: (713) 473-0013 — U.S. EPA ID Number: TXR 000051540

9a. HM	9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. CLASS I WASTE WATER	1	TT	3027.4	gal	000	211	91
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
AVOID SKIN & EYE CONTACT. IF EXPOSED to skin and/or EYES FLUSH AREAS WITH WATER FOR 15 MINUTES AND SEEK MEDICAL ATTENTION.
PROFILE # 0608-1797

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable International and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: RUSTY DILLON — Signature: [signature] — Month 12 Day 31 Year 09

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: DAVID Williams — Signature: [signature] — Month 12 Day 31 Year 09
Transporter 2 Printed/Typed Name — Signature — Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator) — U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator) — Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Anthony CUTA-A — Signature: [signature] — Month 01 Day 04 Year 10

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

US OIL RECOVERY LLC
Generator Liquid Profile Sheet
Please Print in Ink or Type

E. Generator Certification

By signing this profile sheet, the generator (or his representative) certifies that unless clearly stated above or in attachments:

1. This waste does not contain regulated quantities of PCB's (polychlorinated biphenyls).
2. This waste is not hazardous by reference to local and state law or by reference to US EPA rules 40 CFR Part 261 Subpart C (characteristic hazardous wastes) and Part 261 Subpart D (listed hazardous wastes).
3. This sheet and its attachments obtain true and accurate descriptions of the waste material. All relevant information regarding known or suspected hazards in the possession of the generator have been disclosed.
4. The generator will promptly notify USOR of any material change in the composition of the waste which could result in the waste otherwise being characterized as hazardous pursuant to US EPA rules.

Generator Authorized Signature: Terry Bain	Printed Name: TERRY BAIN
Title: Dir. of Envir. Date: 7/21/06	

F. Submittals

1. Representative one quart sample of waste material.
2. Copy of form and supplemental information submitted to the Texas Commission on Environmental Quality for waste classification purposes.
3. Copies of applicable Material Safety Data Sheets.
4. Signed laboratory analysis of waste

Generator's Certification of Representative Sample (Fill Out Only if Submitting a Sample)

In order to determine whether USOR can accept the Liquid Waste described in the Generator's Liquid Waste Profile Sheet Code referenced above, you must supply a representative sample of the waste, or sign Part E below certifying that analytical data presented to USOR were derived from testing of a representative sample. A representative sample is defined as a sample obtained using any of the applicable sampling methods specified in federal, state or local regulations. If you collect a representative sample of your waste, label and ship your sample along with this form to USOR. If you have any questions, please refer to the instructions for this form or contact USOR

A. Sampling Method (Indicate the method used)

- 1. ☐ I have obtained a representative sample of the waste material described in the Generator's Liquid Waste Profile Sheet referenced above according to the sampling methods specified in 40 CFR 261 – Appendix 1.
- 2. ☐ I have obtained a representative sample of the waste material described in the Generator's Liquid Waste Profile Sheet referenced above by an equivalent method.

B. Sampling Source:

☐ Drum ☐ Lagoon ☐ Pit ☐ Pond ☐ Tank ☐ Vat ☐ Other (Describe)

Witness Verification (if required): In most circumstances the customer will obtain the sample. However, in those cases in which USOR or another contractor obtains the sample, one of the customer's employees must be present to direct the particular source to be sampled, to witness the sampling and to complete this part D.

D. I was personally present during the sampling described. I directed the waste source to be sampled, and I verify the information noted above.

Witness' Name (printed): Signature:

Witness' Title: Employer: Date:

E. Representative Data Certification

By signing below the customer is certifying that the analytical data presented to USOR were derived from testing of a representative sample taken in accordance with on e of the methods listed in Part A of this form.

Printed Name: Signature:

Title: Date:

These manifest are wrong they should have gone as non-Haz. JB

US OIL RECOVERY LLC

Generator Liquid Profile Sheet
Please Print in Ink or Type

PLEASE INDICATE. BY PLACING A CHECK IN THE APPROPRIATE BOX. ANALYSIS THAT IS **NOT** REQUIRED DUE TO PROCESS KNOWLEDGE.

X TCLP Metals	(Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium and Silver)
X TCLP Semivolatiles	(o-Cresol, m-Cresol, p-Cresol, Cresol (total) 2-4 Dinitrotolune, Hexachlorobenzene, Pentachlorophenol, Pyridine, 2-4-5 Trichlorophenol and 2-4-6 Trichlorophenol)
X TCLP Herbicides/Pesticides	(Chlordane, 2-4-D Endrin, Heptachlor, Heptachlor epoxide, Lindane, Methoxychlor, Toxaphene and 2-4-5 TP/Silvex)
X TCLP Volatiles	(Benzene, Carbon Tetrachloride, Chlorobenzene, Chloroform, Methyl Ethyl Ketone 1-4 Dichlorobenzene, 1-2 Dichloroethane, 1-1 Dichloroethylene, Trichloroethylene, Tetrachloroethylene and Vinyl Chloride)
X TNRCC Appendix 1.	(TAC 30. Section 335 – Subchapter R, Table 1) or Total Petroleum Hydrocarbons
X RCI	(Reactive Cyanide, Reactive Sulfide, Corrosivity, Ignitability)

PLEASE DESCRIBE IN DETAIL THE PROCESS GENERATING THIS WASTE:

Rinse water from cleaning tank trucks

I Certify that the above information is complete and accurate to the best of my knowledge and ability to determine, that no deliberate, or willful omissions of composition or properties exists. That all known or suspect hazards have been disclosed and that the waste is not designated a Hazardous Waste as defined by the USEPA per CFR 261.3 or contains PCB's regulated by TSCA 40 CFR 761.

Signature: Terry Bain Date: 7/21/06

Print Name: TERRY BAIN

Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com NELAP-accredited #02008

ANA-LAB CORP.® THE COMPLETE SERVICE LAB

LONGVIEW

Project 318400

Report To

Terry Bain
Groendyke
PO Box 632
Enid, OK 73702-

Results for Client GROB

Parameter	Results	Units	RL	Flags	CAS	Bottle
834288 **Tank Sample**						*Received:* 06/09/2006
Liquid Aqueous	*Collected by:* PEH		*Affiliation:*	Ana-Lab		06/09/2006 0810
EPA 1010			*Analyzed: RED*	*06/13/2006*	*1115*	*QCgroup* *186062*
Flash Point (Reg. Limit 140.0 F)	**>201**	**Degrees F**				01
EPA 9040 B			*Analyzed: RED*	*06/15/2006*	*0945*	*QCgroup* *186308*
Laboratory pH	**2.4 @ 12C**	**SU**				01
EPA Method 1110			*Analyzed: TLK*	*06/15/2006*	*1230*	*QCgroup* *186558*
Corrosion to Steel(Reg Lim 6.35)	**Non-Corrosive**	**mm/year**	6			03
EPA Method 6020			*Analyzed: WOB*	*06/13/2006*	*1453*	*QCgroup* *186112*
TCLP Arsenic	**0.0790**	**mg/L**	0.0100		7440-38-2	15
TCLP Barium	**0.440**	**mg/L**	0.00500		7440-39-3	15
TCLP Cadmium	**ND**	**mg/L**	0.00500		7440-43-9	15
TCLP Chromium	**0.585**	**mg/L**	0.00500		7440-47-3	15
TCLP Lead	**0.0550**	**mg/L**	0.00500		7439-92-1	15
TCLP Selenium	**0.0760**	**mg/L**	0.0100		7782-49-2	15
TCLP Silver	**ND**	**mg/L**	0.00500		7440-22-4	15
EPA Method 7470A			*Analyzed: HVM*	*06/13/2006*	*133*	*QCgroup* *186046*
TCLP Mercury	**ND**	**mg/L**	0.00150		7439-97-6	17
EPA Method 8260B			*Analyzed: ACJ*	*06/14/2006*	*1947*	*QCgroup* *186183*
TCLP 1,2-Dichloroethane	**ND**	**mg/L**	0.500		107-06-2	14
TCLP 1,1-Dichloroethene	**ND**	**mg/L**	0.500		75-34-3	14
TCLP Benzene	**ND**	**mg/L**	0.500		71-43-2	14
TCLP Carbon Tetrachloride	**ND**	**mg/L**	0.500		56-23-5	14
TCLP Chlorobenzene	**ND**	**mg/L**	0.500		108-90-7	14
TCLP Chloroform	**ND**	**mg/L**	0.500		67-66-3	14
TCLP MEK (Reg. Limit 200)	**ND**	**mg/L**	0.500		78-93-3	14
TCLP Tetrachloroethylene	**ND**	**mg/L**	0.500		127-18-4	14
TCLP Trichloroethylene	**ND**	**mg/L**	0.500		79-01-6	14
TCLP Vinyl Chloride	**ND**	**mg/L**	0.500		75-01-4	14
EPA Method 8270C			*Analyzed: LJM*	*06/21/2006*	*215*	*QCgroup* *186954*
TCLP Bis(2-chloroethyl) ether	**ND**	**mg/L**	10.0		111-44-4	22
TCLP 4-Methylphenol (p-Cresol)	**ND**	**mg/L**	20.0			22
TCLP 2-Methylphenol (o-Cresol)	**ND**	**mg/L**	25.0			22
TCLP 1,4-Dichlorobenzene	**ND**	**mg/L**	10.0		106-46-7	22
TCLP 2,4-Dinitrotoluene	**ND**	**mg/L**	10.0		121-14-2	22
TCLP Hexachlorethane	**ND**	**mg/L**	10.0		67-72-1	22
TCLP Hexachlorobenzene	**ND**	**mg/L**	10.0		118-74-1	22
TCLP Hexachlorobutadiene	**ND**	**mg/L**	10.0		87-68-3	22
TCLP Nitrobenzene	**ND**	**mg/L**	10.0		98-95-3	22
TCLP Pentachlorophenol	**ND**	**mg/L**	50.0		87-86-5	22
TCLP Pyridine (Reg. Limit 5)	**ND**	**mg/L**	30.0		110-86-1	22
TCLP Total Cresols (Reg Lim 200)	**ND**	**mg/L**	25.0		108-39-4,ect.	22

Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com NELAP-accredited #02008

ANA-LAB CORP.® THE COMPLETE SERVICE LAB

Project 318400

Report To:

Terry Bain
Groendyke
PO Box 632
Enid, OK 73702-

Results for Client GROB

Parameter	Results	Units	RL	Flags	CAS	Bottle
834288 **Tank Sample**						*Received:* 06/09/2006
Liquid Aqueous	*Collected by:* PEH		*Affiliation:* Ana-Lab			06/09/2006 0810
EPA Method 8270C			*Analyzed: UM*	*06/21/2006*	*215*	*QCgroup* *186954*
TCLP 2,4,6-Trichlorophenol	ND	mg/L	10.0		88-06-2	22
TCLP 2,4,5-Trichlorophenol	ND	mg/L	10.0		95-95-4	22
EPA SW846 7.3.3.2			*Analyzed: RSV*	*06/13/2006*	*0603*	*QCgroup* *186100*
Reactivity Cyanide(Reg. Lim 250)	ND	mg/L	100			20
SW 8081A			*Analyzed: UM*	*06/16/2006*	*1327*	*QCgroup* *186667*
TCLP Gamma-BHC (Lindane)	ND	mg/L	0.0250		58-89-9	25
TCLP Chlordane	ND	mg/L	0.100		57-74-9	25
TCLP Endrin	ND	mg/L	0.0250		72-20-8	25
TCLP Heptachlor	ND	mg/L	0.0250		76-44-8	25
TCLP Heptachlor Epoxide	ND	mg/L	0.0250		1024-57-3	25
TCLP Methoxychlor	ND	mg/L	0.0250		72-43-5	25
TCLP Toxaphene	ND	mg/L	0.0250		8001-35-2	25
SW-846			*Analyzed: CAL*	*06/14/2006*		
Reactivity	Non-Reactive					
SW-846 7.3.4.2			*Analyzed: RSV*	*06/13/2006*	*2130*	*QCgroup* *186103*
Reactivity Sulfide(Reg. Lim 500)	ND	mg/kg	10.0			20

Sample Preparation

834288 **Tank Sample**						*Received:* 06/09/2006
			Analyzed: CAL	*06/12/2006*	*08:10*	
Sampling/Pickup Charge	Verified					
			Analyzed: TDD	*06/12/2006*	*0915*	*QCgroup* *185829*
Reactivity with Water	NON-REACTIVE					01
			Analyzed: BRJ	*06/21/2006*	*10:28*	
Fax this report to client	FAXED					
EPA 1311			*Analyzed: TDD*	*06/12/2006*	*1410*	*QCgroup* *185877*
TCLP Extraction: Non-Volatile	AQUEOUS LIQUID					01
EPA Method 8260B			*Analyzed: ACJ*	*06/14/2006*	*1947*	
MS TCLP Volatile Analysis	Entered					14
EPA Method 8270C			*Analyzed: UM*	*06/21/2006*	*215*	

Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com NELAP-accredited #02008

ANA-LAB CORP.® THE COMPLETE SERVICE LAB

Project 318400

Report To

Terry Bain
Groendyke
PO Box 632
Enid, OK 73702-

Sample Preparation

834288 **Tank Sample** *Received:* 06/09/2006

EPA Method 8270C			*Analyzed:*	*UM*	*06/21/2006*	*215*		
MS TCLP Semi-Volatile Analysis	**Entered**						22	
SW 3010A			*Analyzed:*	*TES*	*06/13/2006*	*0830*	*QCgroup*	*185967*
Metals Digestion - TCLP 3010	**50/10 A/S**	**mL/mL**					12	
SW 3510C			*Analyzed:*	*CDC*	*06/15/2006*	*1300*	*QCgroup*	*186404*
TCLP Liquid-Liquid Extraction	**10/1 AS/BS**	**mL/mL**					13	
SW 3510C			*Analyzed:*	*CDC*	*06/15/2006*	*1600*	*QCgroup*	*186405*
TCLP Liq-Liq Extr. W/Hex Exch.	**10/1 AS/BS**	**mL/mL**					13	
SW 8081A			*Analyzed:*	*UM*	*06/16/2006*	*1327*		
GC TCLP Pesticide	**Confirm**						25	
SW 846 7.3.3			*Analyzed:*	*TLK*	*06/13/2006*	*1230*	*QCgroup*	*186019*
Reactivity Distillation	**100/10 A/B**	**mL/g**					02	
SW1311ZHE			*Analyzed:*	*TDD*	*06/12/2006*	*1410*	*QCgroup*	*185878*
TCLP Extraction: ZHE Volatiles	**<0.5% SOLID**						01	
SW7470A			*Analyzed:*	*PJD*	*06/13/2006*	*0830*	*QCgroup*	*185976*
Metals Digestion - TCLP 7470	**50/2.5 A/S/S**	**mL/mL**					12	

Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com NELAP-accredited #02008

ANA-LAB CORP.® THE COMPLETE SERVICE LAB

Project 318400

Terry Bain
Groendyke
PO Box 632
Enid, OK 73702-

Qualifiers:

E - Estimated Value
B - Analyte detected in the associated method blank
! - Lab MDL > Target
J - Analyte detected below quantitation limit
S - Standard reads lower than desired
- ND in the results column is not detected above SQL

Unless otherwise noted, testing was performed at Ana-lab's corporate laboratory that holds the following Federal and State certificates: Texas Department of Health Lead Firm Certificate 2110076, EPA National Lead Laboratory Accreditation Program #637.01, Texas Department of Agriculture Soil Import Permit S-37592, Texas Department of Health Drinking Water Laboratory Certificate TX219, Oklahoma Department of Environmental Quality Drinking Water Certification Lab ID# D9913, EPA Lab Number TX00063, USEPA Approved Perchlorate Testing Lab, Oklahoma Department of Environmental Quality Laboratory Certificate8125, Arkansas Department of Environmental Quality Certification #03-070-0, Louisiana Department of Environmental Quality Laboratory Certification(NELAP, LELAP) #02008, Louisiana Department of Health and Hospitals Drinking Water (NELAP) # LA030020, Delaware Health and Social Services (ODW) Drinking Water Approved, US Department of Energy Approved, Entidad Mexicana de Acreditacion, A.C. (EMA, in renewal as of 8/2004) Agua Ag-014-003/03 and Fuentes Fijas, Residuos y Ambiente Laroral FRA-013-005/03, State of Kansas Department of Health & Environment Waste Water and Solid/Hazardous Waste Cert. E-10365, Alabama Department of Environmental Management Drinking Water #41540. Ana-Lab is also accredited to the international ISO-17025 standard by the American Association for Laboratory Accreditation (A2LA Certificate # 0637-01).

These analytical results relate to the sample tested. This report may NOT be reproduced EXCEPT in FULL without written approval of Ana-Lab Corp. Unless otherwise specified, these test results meet the requirements of NELAC.
RL is the Reporting Limit (sample specific quantitation limit) and is at or above the Method Detection Limit (MDL). CAS is Chemical Abstract Service number.

Roy White

Roy White, MS, Quality Manager

Ethics Service Quality ACIL 2005 SEAL OF EXCELLENCE PROGRAM Environmental

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD058666421
2. Page 1 of: 1
3. Emergency Response Phone: 903 753-5741
4. Manifest Tracking Number: 001214515 JJK

5. Generator's Name and Mailing Address: Groendyke Transport Inc.
P.O. Box 7329
Longview Tx. 75607
Generator's Phone: 903-753-5741

Generator's Site Address (if different than mailing address): 820 Ryder Dr.
Longview Tx. 75603

6. Transporter 1 Company Name: Groendyke Transport Inc.
U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery
400 N. Richey
Pasadena Tx. 77506-1061
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
X	1. RQ Flammable Liq. Corrosive, NOS (Waste Water) 3, U.N. 2924 I	1	TT	7,000	G	D001	D002	
						0503119-	H	
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information

01.08-1788 ERG: 132

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers
Signature: James Rogers
Month 7 Day 6 Year 09

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: X Todd Guillory
Signature: X Todd Guillory
Month 07 Day 06 Year 09
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H135 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Luis Ch...
Signature:
Month 7 Day 7 Year 09

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD058666421
2. Page 1 of: 1
3. Emergency Response Phone: 903-753-5741
4. Manifest Tracking Number: 001214517 JJK

5. Generator's Name and Mailing Address: Groeculyke Transport Inc, P.O. Box 7329, Longview TX 75607
Generator's Site Address (if different than mailing address): 820 Ryder Dr., Longview Tx. 75603
Generator's Phone: 903-753-5741

6. Transporter 1 Company Name: Groeculyke Transport Inc.
U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery, 400 N. Richey, Pasadena Tx. 77506-1061
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
X	1. RQ Flammable Liquid, Corrosive, NOS (Waste Water) 3, U.N. 2924 I	1	TT	6,200	G	D001	D002	
						050319-		H
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information
0608-1788 ERG: 132

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: Buck Rogers
Signature: Buck Rogers
Month 01 Day 04 Year 10

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit: U
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: X Guadalupe P. Rivera
Signature: Guadalupe P. Rivera
Month 01 Day 06 Year 10
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: ANTHONY CUTA
Signature:
Month 01 Day 06 Year 10

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD058666421
2. Page 1 of 1
3. Emergency Response Phone: 903-753-5741
4. Manifest Tracking Number: 001214514 JJK

5. Generator's Name and Mailing Address: Groundy Kr Transport Inc. P.O. Box 7329 Longview TX 75607
Generator's Phone: 903-753-5741
Generator's Site Address (if different than mailing address): 820 Ryder Dr. Longview Tx. 75603

6. Transporter 1 Company Name: Groundy Kr Transport Inc.
U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery 400 N. Rishey Pasadena Tx. 77506-1061
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
X	1. RQ Flammable Liq, Corrosive, NOS (Waste water) 3, U.N. 2924. I	1	TT	7,000	G	D001 D002 D003 D19-H
	2.					
	3.					
	4.					

14. Special Handling Instructions and Additional Information

#0608-1788 ERG: 132

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers
Signature: James Rogers
Month 4 Day 10 Year 09

INT'L

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

TRANSPORTER

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: X Drew Daniels
Signature: X Drew Daniels
Month 4 Day 12 Year 09
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

DESIGNATED FACILITY

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:
18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H135 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Phil Green
Signature:
Month 4 Day 15 Year 09

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TX D058666421
2. Page 1 of: 1
3. Emergency Response Phone: 903-753-5741
4. Manifest Tracking Number: 001214513 JJK

5. Generator's Name and Mailing Address: Groundyke Transport Inc
P.O. Box 7329
Longview Tx 75607
Generator's Phone: 903-753-5741

Generator's Site Address (if different than mailing address): 820 Ryder Dr.
Longview Tx. 75603

6. Transporter 1 Company Name: Groundyke Transport Inc
U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery
400 North Richey Rd
Pasadena Tx 77506-1061
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
X	1. R.Q. Flammable Liquid, Corrosive, NOS (Waste Water) 3, UN 2924, I	1	TT	7,000	G	D001	D002	
						0503	119-H	
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information

0008-1788 ERG: 132

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers
Signature: James Rogers
Month 1 Day 13 Year 09

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: X LEO HAMPTON
Signature: Leo Hampton
Month 1 Day 13 Year 09

Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy

18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

1. H135 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a

Printed/Typed Name: Donnie Moore
Signature:
Month 1 Day 14 Year 09

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.) Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD058666421
2. Page 1 of: 1
3. Emergency Response Phone: 903-753-5741
4. Manifest Tracking Number: 001214512 JJK

5. Generator's Name and Mailing Address: Groendyke Transport Inc.
P.O. Box 7329
Longview Tx. 75607
Generator's Site Address (if different than mailing address): 820 Ryder Dr.
Longview Tx. 75603
Generator's Phone: 903-753-5741

6. Transporter 1 Company Name: Groendyke Transport Inc.
U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery
400 N. Richey
Pasadena Tx. 77506-1061
U.S. EPA ID Number: TXR000051540
Facility's Phone: 713-473-0013

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
X	1. R.Q. Flammable Liquid, Corrosive, NOS (Waste Water) 3, U.N. 2924, I	1	TT	7,000	G	D001	D002	
						0503	119-H	
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information

0608-1788 ERG: 132

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers
Signature: James Rogers
Month 10 Day 15 Year 2008

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: X GARY R. JEFFERY, JR.
Signature: Gary R. Jeffery Jr.
Month 10 Day 15 Year 08

Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:

18b. Alternate Facility (or Generator)
U.S. EPA ID Number
Facility's Phone:

18c. Signature of Alternate Facility (or Generator)
Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Enrique Ramirez
Signature:
Month 10 Day 16 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05). Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number: TXD058666421
2. Page 1 of: 1
3. Emergency Response Phone: 903-753-5741
4. Manifest Tracking Number: 001214511 JJK

5. Generator's Name and Mailing Address: Groeudyke Transport Inc
P.O. Box 7329
Longview Tx. 75607
Generator's Site Address (if different than mailing address): 820 Ryder Dr.
Longview Tx. 75603
Generator's Phone: 903-753-5741

6. Transporter 1 Company Name: Groeudyke Transport Inc.
U.S. EPA ID Number: TXD058666

7. Transporter 2 Company Name:
U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery
400 N. Richey
Pasadena Tx. 77506-1061
Facility's Phone: 713-473-0013
U.S. EPA ID Number: TXR000051540

9a. HM	9b. U.S. DOT Description (Including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes
	1. RQ Flammable Liquid, Corrosive, NOS (waste water) 3, U.N. 2924, I	1	TT	7000	G	D001 D002 D503119-H
	2.					
	3.					
	4.					

14. Special Handling Instructions and Additional Information
#0608-1788 ERG 132

15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers
Signature: James Rogers
Month 07 Day 18 Year 08

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials
Transporter 1 Printed/Typed Name: X Wayne B Smith
Signature: X
Month 07 Day 20 Year 08
Transporter 2 Printed/Typed Name:
Signature:
Month Day Year

18. Discrepancy
18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection
Manifest Reference Number:
18b. Alternate Facility (or Generator) U.S. EPA ID Number
Facility's Phone:
18c. Signature of Alternate Facility (or Generator) Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)
1. H135 2. 3. 4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a
Printed/Typed Name: Jonathan Lara
Signature: Jonathan Lara
Month 7 Day 21 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator ID Number	2. Page 1 of	3. Emergency Response Phone	4. Manifest Tracking Number
TX D058666421	1	903-753-5741	001214510 JJK

5. Generator's Name and Mailing Address: Groendyke Transport Inc., P.O. Box 7329, Longview Tx. 75607

Generator's Site Address (if different than mailing address): 820 Pyles Dr., Longview Tx. 75603

Generator's Phone: 903-753-5741

6. Transporter 1 Company Name: Groendyke Transport Inc. — U.S. EPA ID Number: TXD058666421

7. Transporter 2 Company Name — U.S. EPA ID Number:

8. Designated Facility Name and Site Address: U.S. Oil Recovery, 400 N. Richey, Pasadena Tx. 77506-1061 — U.S. EPA ID Number: TXR000051540

Facility's Phone: 713-473-0013

9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers No.	10. Containers Type	11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
	1. RQ, Flammable Liquid, Corrosive, NOS (Waste Water), 3, UN 2924, I	1	TT	7000	G	D001	D002	
						0503	119-H	
	2.							
	3.							
	4.							

14. Special Handling Instructions and Additional Information

0608-1788 ERG 132

15. **GENERATOR'S/OFFEROR'S CERTIFICATION:** I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent.
I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.

Generator's/Offeror's Printed/Typed Name: James Rogers — Signature: James Rogers — Month 6 Day 16 Year 08

16. International Shipments ☐ Import to U.S. ☐ Export from U.S. Port of entry/exit:
Transporter signature (for exports only): Date leaving U.S.:

17. Transporter Acknowledgment of Receipt of Materials

Transporter 1 Printed/Typed Name: X Michael Vaughn — Signature: X — Month 6 Day 16 Year 08

Transporter 2 Printed/Typed Name — Signature — Month Day Year

18. Discrepancy

18a. Discrepancy Indication Space ☐ Quantity ☐ Type ☐ Residue ☐ Partial Rejection ☐ Full Rejection

Manifest Reference Number:

18b. Alternate Facility (or Generator) — U.S. EPA ID Number

Facility's Phone:

18c. Signature of Alternate Facility (or Generator) — Month Day Year

19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)

1.	2.	3.	4.

20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a

Printed/Typed Name: April Cooper — Signature: [signature] — Month 6 Day 17 Year 08

GENERATOR — INT'L — TRANSPORTER — DESIGNATED FACILITY

EPA Form 8700-22 (Rev. 3-05) Previous editions are obsolete.

DESIGNATED FACILITY TO GENERATOR

Groendyke Transport, Inc., Longview, Texas
SWR# 32166
2009 Annual Waste Summary Back-up

Waste Code	Description	Manifest #	Date	Transporter	Reciever	(lbs.)	Gallons	Handling Code
0503119H	Tank Truck Drainings and Flushings	214513	1/13/09	Groendyke	US Oil Recovery	58,450	7,000	132
0503119H	Tank Truck Drainings and Flushings	214514	4/10/09	Groendyke	US Oil Recovery	58,450	7,000	132
0503119H	Tank Truck Drainings and Flushings	214515	7/16/09	Groendyke	US Oil Recovery	58,450	7,000	132
0503119H	Tank Truck Drainings and Flushings	214516	10/3/09	Groendyke	US Oil Recovery	58,450	7,000	132
					Total	**233,800**		

0502219H	Resin Waste	57038	9/17/09	Perma Fix Treatment	Perma Fix Treatment	4,400	440	H141
					Total	**4,400**		

US OIL RECOVERY LP

Generator Liquid Profile Sheet

Please Print in Ink or Type

This Area For USOR Use Only	**Profile Number** _____
Sales Rep.: D. Jennings	**Location:** ☐ USOR-1 ☐ USOR-2 **Renewal Date** ___/___/___

A. Where Is the Waste Generated?

1. Generator Name: Groendyke Transport Co.
2. Facility Address: 2723 S. Westport Drive
3. Generator City: Port Allen State: TX 4. Zip Code: 70767-1050
5. U.S. EPA ID # LAD108187279
6. Generator State ID #: 99922 7. TNRCC Waste Code: OUTS119H
☐ Class I ☐ Class II ☐ Recyclable ☐ Municipal X Other D002, D039, D043
8. Technical Contact: Terry Bain 9. Phone: 580-213-9275

B. Physical Characteristics of the Waste

1. Name or Type of Waste: Hazardous Rinse Water
2. Process Generating Waste: Describe the process and material involved in generating the waste. Attach separate sheets if necessary:
Tank Truck Cleaning
3. Special Handling Instructions:
4. Color: Brown 5. Odor X yes ☐ no Describe: Acrid
6. Physical State at 70°F: ☐ Solid X Liquid ☐ Semi-Solid ☐ Sludge ☐ Other Describe:
7. Layers: ☐ Single Phase ☐ Bi-Layered X Multi-Layered
8. Specific Gravity (Water = 1.00): Range: 8 – 9
9. pH: ☐ ≤2 ☐ 2-6 ☐ 6-8 ☐ 8-12.5 X ≥ 12.5
10. Flash Point: ☐ None ☐ < 140°F ☐ 140°F - 199°F X >200°F
11. Frequency: ☐ One Time ☐ Monthly ☐ Annually XOther: Quar. Amount: 5000

C. Transporter Information

Method of Shipment X Bulk Liquid ☐ Bulk Sludge ☐ Drum/Box ☐ Other:
Transporter Name: Groendyke
TNRCC Registration #: City of Houston Permit#:

D. Waste Composition

Example (Water, Solids, Oil Etc.)% Range	Min %	Max %	Does the waste contain the following?
Water	99	100	
See attached analytical	0	1	No or Less Than Actual
			PCB's x ☐ <50 ppm ppm
			Cyanides x ☐ <50 ppm ppm
			Sulfides x ☐ <50 ppm ppm
			Phenolics x ☐ <50 ppm ppm
Please Note: Total must equal 100%	Total		

Additional information (MSDS, TCLP, Etc.)? ☐ NO x YES Describe: Analytical

Balance pH and ship as non-haz

US OIL RECOVERY LLC
Generator Liquid Profile Sheet
Please Print in Ink or Type

E. Generator Certification

By signing this profile sheet, the generator (or his representative) certifies that unless clearly stated above or in attachments:

1. This waste does not contain regulated quantities of PCB's (polychlorinated biphenyls).
2. This waste is not hazardous by reference to local and state law or by reference to US EPA rules 40 CFR *Part 261 Subpart C (characteristic hazardous wastes) and Part 261 Subpart D (listed hazardous wastes).*
3. This sheet and its attachments obtain true and accurate descriptions of the waste material. All relevant information regarding known or suspected hazards in the possession of the generator have been disclosed.
4. The generator will promptly notify USOR of any material change in the composition of the waste which could result in the waste otherwise being characterized as hazardous pursuant to US EPA rules.

Generator Authorized Signature:	Printed Name:
Title: Date:	

F. Submittals

1. Representative one quart sample of waste material.
2. Copy of form and supplemental information submitted to the Texas Commission on Environmental Quality for waste classification purposes.
3. Copies of applicable Material Safety Data Sheets.
4. Signed laboratory analysis of waste

Generator's Certification of Representative Sample (Fill Out Only if Submitting a Sample)

In order to determine whether USOR can accept the Liquid Waste described in the Generator's Liquid Waste Profile Sheet Code referenced above, you must supply a representative sample of the waste, or sign Part E below certifying that analytical data presented to USOR were derived from testing of a representative sample. A representative sample is defined as a sample obtained using any of the applicable sampling methods specified in federal, state or local regulations. If you collect a representative sample of your waste, label and ship your sample along with this form to USOR. If you have any questions, please refer to the instructions for this form or contact USOR

A . Sampling Method (Indicate the method used)

- 1. ☐ I have obtained a representative sample of the waste material described in the Generator's Liquid Waste Profile Sheet referenced above according to the sampling methods specified in 40 CFR 261 – Appendix 1.
- 2. ☐ I have obtained a representative sample of the waste material described in the Generator's Liquid Waste Profile Sheet referenced above by an equivalent method.

B. Sampling Source:

☐ *Drum* ☐ *Lagoon* ☐ *Pit* ☐ *Pond* ☐ *Tank* ☐ *Vat* ☐ *Other (Describe)*

Witness Verification (if required): In most circumstances the customer will obtain the sample. However, in those cases in which USOR or another contractor obtains the sample, one of the customer's employees must be present to direct the particular source to be sampled, to witness the sampling and to complete this part D.

D. I was personally present during the sampling described. I directed the waste source to be sampled, and I verify the information noted above.

Witness' Name (printed): Signature:

Witness' Title: Employer: Date:

E. Representative Data Certification

By signing below the customer is certifying that the analytical data presented to USOR were derived from testing of a representative sample taken in accordance with on e of the methods listed in Part A of this form.

Printed Name: Signature:

Title: Date:

US OIL RECOVERY LLC

Generator Liquid Profile Sheet
Please Print in Ink or Type

PLEASE INDICATE. BY PLACING A CHECK IN THE APPROPRIATE BOX. ANALYSIS THAT IS **NOT** REQUIRED DUE TO PROCESS KNOWLEDGE.

X TCLP Metals	(Arsenic, Barium, Cadmium, Chromium, Lead, Mercury, Selenium and Silver)
X TCLP Semivolatiles	(o-Cresol, m-Cresol, p-Cresol, Cresol (total) 2-4 Dinitrotolune, Hexachlorobenzene, Pentachlorophenol, Pyridine, 2-4-5 Trichlorophenol and 2-4-6 Trichlorophenol)
X TCLP Herbicides/Pesticides	(Chlordane, 2-4-D Endrin, Heptachlor, Heptachlor epoxide, Lindane, Methoxychlor, Toxaphene and 2-4-5 TP/Silvex)
X TCLP Volatiles	(Benzene, Carbon Tetrachloride, Chlorobenzene, Chloroform, Methyl Ethyl Ketone 1-4 Dichlorobenzene, 1-2 Dichloroethane, 1-1 Dichloroethylene, Trichloroethylene, Tetrachloroethylene and Vinyl Chloride)
X TNRCC Appendix 1.	(TAC 30. Section 335 – Subchapter R, Table 1) or Total Petroleum Hydrocarbons
X RCI	(Reactive Cyanide, Reactive Sulfide, Corrosivity, Ignitability)

PLEASE DESCRIBE IN DETAIL THE PROCESS GENERATING THIS WASTE:

Rinse water from cleaning tank trucks

I Certify that the above information is complete and accurate to the best of my knowledge and ability to determine, that no deliberate, or willful omissions of composition or properties exists. That all known or suspect hazards have been disclosed and that the waste is not designated a Hazardous Waste as defined by the USEPA per CFR 261.3 or contains PCB's regulated by TSCA 40 CFR 761.

Signature: Terry Bain Date: 7/21/06

Print Name: TERRY BAIN

NELAP CERTIFICATE NUMBER 01955

GCAL

GULF COAST ANALYTICAL LABORATORIES, INC

ANALYTICAL RESULTS

PERFORMED BY

GULF COAST ANALYTICAL LABORATORIES, INC.

Report Date 06/08/2006

GCAL Report 206060105

Deliver To	Groendyke Transport, Inc. 2723 S. Westport Dr. Port Allen, LA 70767 338-1191
Attn	Fred Hughes

Customer General Accounts

Project Groendyke Transport, Inc.

7979 GSRI Avenue, Baton Rouge, Louisiana 70820-7402 • Phone 225.769.4900 • Fax 225.767.5717

Laboratory Endorsement

Sample analysis was performed in accordance with approved methodologies provided by the Environmental Protection Agency or other recognized agencies. The samples and their corresponding extracts will be maintained for a period of 30 days unless otherwise arranged. Following this retention period the samples will be disposed in accordance with GCAL's Standard Operating Procedures.

Common Abbreviations Utilized in this Report

ND	Indicates the result was Not Detected at the specified RDL
DO	Indicates the result was Diluted Out
MI	Indicates the result was subject to Matrix Interference
TNTC	Indicates the result was Too Numerous To Count
SUBC	Indicates the analysis was Sub-Contracted
FLD	Indicates the analysis was performed in the Field
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
RDL	Reporting Detection Limit
00:00	Reported as a time equivalent to 12:00 AM

Reporting Flags Utilized in this Report

J	Indicates an estimated value
U	Indicates the compound was analyzed for but not detected
B	(ORGANICS) Indicates the analyte was detected in the associated Method Blank
B	(INORGANICS) Indicates the result is between the RDL and MDL

Sample receipt at GCAL is documented through the attached chain of custody. In accordance with ISO Guide 25 and NELAC, this report shall be reproduced only in full and with the written permission of GCAL. The results contained within this report relate only to the samples reported. The documented results are presented within this report.

This report pertains only to the samples listed in the Report Sample Summary and should be retained as a permanent record thereof. The results contained within this report are intended for the use of the client. Any unauthorized use of the information contained in this report is prohibited.

I certify that this data package is in compliance with the terms and conditions of the contract and Statement of Work both technically and for completeness, for other than the conditions in the case narrative. Release of the data contained in this hardcopy data package and in the computer-readable data submitted has been authorized by the Quality Assurance Manager or his/her designee, as verified by the following signature.

CURTIS EKKER
DATA VALIDATION MANAGER
GCAL REPORT 206060105

VALIDATED RESULTS

Client : General Accounts **Report#:** 206060105
Project: Groendyke Transport, Inc.

SAMPLE SUMMARY

GCAL ID	Client ID	Matrix	Collected	Received
20606010501	WW WR01-04	Water	05/30/06 09:17	05/30/06 10:15

ANALYSIS DETAILS

GCAL ID: 20606010501 **Matrix:** Water
Sample ID: WW WR01-04
Collected: 05/30/06 09:17 **Received:** 05/30/06 10:15

Analyte	Result	RDL	Units	Analyzed	Method
FlashPoint	>212	50	Deg F	06/07/06 12:25	EPA 1010
Reactivity Cyanide	ND	250	mg/L	06/05/06 17:01	9012A
Reactivity Sulfide	ND	80	mg/L	06/02/06 16:00	9034
pH	>12.5	1.00	pH unit	06/01/06 11:00	4500 H+B / 9040A
Arsenic	ND	0.20	mg/L	06/03/06 11:28	SW-846 1311/6010B
Barium	ND	1.00	mg/L	06/03/06 11:28	SW-846 1311/6010B
Cadmium	ND	0.010	mg/L	06/03/06 11:28	SW-846 1311/6010B
Chromium	0.14	0.050	mg/L	06/03/06 11:28	SW-846 1311/6010B
Lead	ND	0.10	mg/L	06/03/06 11:28	SW-846 1311/6010B
Mercury	0.00655	0.00020	mg/L	06/06/06 13:21	SW-846 1311/7470A
Selenium	ND	0.10	mg/L	06/03/06 11:28	SW-846 1311/6010B
Silver	ND	0.050	mg/L	06/03/06 11:28	SW-846 1311/6010B
1,4-Dichlorobenzene	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
2,4,5-Trichlorophenol	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
2,4,6-Trichlorophenol	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
2,4-Dinitrotoluene	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C

Cresols	ND	5.00	mg/L	06/04/06 14:56	SW-846 1311/8270C
Hexachlorobenzene	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
Hexachlorobutadiene	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
Hexachloroethane	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
Nitrobenzene	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
Pentachlorophenol	ND	5.00	mg/L	06/04/06 14:56	SW-846 1311/8270C
Pyridine	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
m,p-Cresol	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
o-Cresol	ND	2.50	mg/L	06/04/06 14:56	SW-846 1311/8270C
1,1-Dichloroethene	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
1,2-Dichloroethane	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
2-Butanone	ND	25.0	mg/L	06/07/06 18:49	SW-846 1311/8260B
Benzene	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Carbon tetrachloride	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Chlorobenzene	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Chloroform	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Tetrachloroethene	114	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Trichloroethene	ND	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B
Vinyl chloride	6.44	5.00	mg/L	06/07/06 18:49	SW-846 1311/8260B

Report Sample Summary

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20606010501	WW WR01-04	Water	05/30/2006 09:17	05/30/2006 10:15

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20606010501	WW WR01-04	Water	05/30/2006 09:17	05/30/2006 10:15

SW-846 8260B, TCLP Volatiles

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1000	06/07/2006 18:49	VWM	325079

CAS#	Parameter	Result	RDL	REG LIMIT	Units
75-35-4	1,1-Dichloroethene	ND	5.00	0.700	mg/L
107-06-2	1,2-Dichloroethane	ND	5.00	0.500	mg/L
78-93-3	2-Butanone	ND	25.0	200	mg/L
71-43-2	Benzene	ND	5.00	0.500	mg/L
56-23-5	Carbon tetrachloride	ND	5.00	0.500	mg/L
108-90-7	Chlorobenzene	ND	5.00	100	mg/L
67-66-3	Chloroform	ND	5.00	6.00	mg/L
127-18-4	**Tetrachloroethene**	**114**	**5.00**	**0.700**	**mg/L**
79-01-6	Trichloroethene	ND	5.00	0.500	mg/L
75-01-4	**Vinyl chloride**	**6.44**	**5.00**	**0.200**	**mg/L**

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
460-00-4	4-Bromofluorobenzene	50000	55400	ug/L	111	78 - 130
1868-53-7	Dibromofluoromethane	50000	49400	ug/L	99	77 - 127
2037-26-5	Toluene d8	50000	51400	ug/L	103	76 - 134
17060-07-0	1,2-Dichloroethane-d4	50000	51000	ug/L	102	71 - 127

SW-846 8270C, TCLP Semi-Voa

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
06/02/2006 15:30	324792	3510C	10	06/04/2006 14:56	RRR	324978

CAS#	Parameter	Result	RDL	REG LIMIT	Units
106-46-7	1,4-Dichlorobenzene	ND	2.50	7.50	mg/L
95-95-4	2,4,5-Trichlorophenol	ND	2.50	400	mg/L
88-06-2	2,4,6-Trichlorophenol	ND	2.50	2.00	mg/L
121-14-2	2,4-Dinitrotoluene	ND	2.50	0.1300	mg/L
1319-77-3	Cresols	ND	5.00	200	mg/L
118-74-1	Hexachlorobenzene	ND	2.50	0.1300	mg/L
87-68-3	Hexachlorobutadiene	ND	2.50	0.5000	mg/L
67-72-1	Hexachloroethane	ND	2.50	3.00	mg/L
98-95-3	Nitrobenzene	ND	2.50	2.00	mg/L
87-86-5	Pentachlorophenol	ND	5.00	100	mg/L
110-86-1	Pyridine	ND	2.50	5.00	mg/L
1319-77-3MP	m,p-Cresol	ND	2.50	200	mg/L
95-48-7	o-Cresol	ND	2.50	200	mg/L

CAS#	Surrogate	Conc. Spiked	Conc. Rec	Units	% Recovery	Rec Limits
4165-60-0	Nitrobenzene-d5	250	DO	ug/L	0*	43 - 110
321-60-8	2-Fluorobiphenyl	250	DO	ug/L	0*	16 - 128
1718-51-0	Terphenyl-d14	250	DO	ug/L	0*	47 - 121
4165-62-2	Phenol-d5	500	DO	ug/L	0*	10 - 76
367-12-4	2-Fluorophenol	500	DO	ug/L	0*	24 - 96
118-79-6	2,4,6-Tribromophenol	500	DO	ug/L	0*	19 - 133

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20606010501	WW WR01-04	Water	05/30/2006 09:17	05/30/2006 10:15

SW-846 6010B, TCLP Metals

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
06/02/2006 13:00	324787	SW-846 3010A	1	06/03/2006 11:28	KSM	324830

CAS#	Parameter	Result	RDL	REG LIMIT	Units
7440-38-2	Arsenic	ND	0.20	5.00	mg/L
7440-39-3	Barium	ND	1.00	100	mg/L
7440-43-9	Cadmium	ND	0.010	1.00	mg/L
7440-47-3	**Chromium**	**0.14**	**0.050**	**5.00**	**mg/L**
7439-92-1	Lead	ND	0.10	5.00	mg/L
7782-49-2	Selenium	ND	0.10	1.00	mg/L
7440-22-4	Silver	ND	0.050	5.00	mg/L

SW-846 7470A, TCLP Mercury

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
06/06/2006 09:55	325003	SW-846 7470A	1	06/06/2006 13:21	AJW	324997

CAS#	Parameter	Result	RDL	REG LIMIT	Units
7439-97-6	**Mercury**	**0.00655**	**0.00020**	**0.20000**	**mg/L**

1010 Flashpoint

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	06/07/2006 12:25	HLO	325123

CAS#	Parameter	Result	RDL	REG LIMIT	Units
000000-01-3	FlashPoint	>212	50		Deg F

9012A Reactivity Cyanide

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
06/02/2006 10:00	324706	7.3.3.2	1	06/05/2006 17:01	AEL	324803

CAS#	Parameter	Result	RDL	REG LIMIT	Units
57-12-5R	Reactivity Cyanide	ND	250		mg/L

Reactivity Sulfide - 9034

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
06/02/2006 10:00	324707	7.3.4.2	1	06/02/2006 16:00	RLY	324805

CAS#	Parameter	Result	RDL	REG LIMIT	Units
18496-25-8R	Reactivity Sulfide	ND	80		mg/L

GCAL ID	Client ID	Matrix	Collect Date/Time	Receive Date/Time
20606010501	WW WR01-04	Water	05/30/2006 09:17	05/30/2006 10:15

4500 H+B / 9040A - pH

Prep Date	Prep Batch	Prep Method	Dilution	Analyzed	By	Analytical Batch
			1	06/01/2006 11:00	OLT	324679

CAS#	Parameter	Result	RDL	REG LIMIT	Units
pH	pH	>12.5	1.00	12.5	pH unit

GC/MS Volatiles Quality Control Summary

Analytical Batch 325079	Client ID	B3-T2-WC15_060206_N1115	377447MS	377447MSD
Prep Batch N/A	GCAL ID	20606031418	378422	378423
	Sample Type	SAMPLE	MS	MSD
	Analytical Date	06/07/2006 10:55	06/07/2006 13:30	06/07/2006 13:56
	Matrix	Solid	Solid	Solid

SW-846 8260B, TCLP Volatiles		Units Result	mg/L RDL	Spike Added	Result	% R	Control Limits % R	Result	% R	RPD	RPD Limit
56-23-5	Carbon tetrachloride	0.00	0.200	1.00	0.939	94	73 - 125	0.982	98	4	30
67-66-3	Chloroform	0.00	0.200	1.00	0.962	96	75 - 120	0.910	91	6	30
107-06-2	1,2-Dichloroethane	0.00	0.200	1.00	0.897	90	75 - 122	0.859	86	4	30
78-93-3	2-Butanone	0.00	1.00	1.00	0.810	81	51 - 157	0.767	77	5	30
127-18-4	Tetrachloroethene	0.00	0.200	1.00	1.09	109	77 - 129	1.03	103	6	30
75-01-4	Vinyl chloride	0.00	0.200	1.00	0.903	90	69 - 130	0.897	90	0.7	30
75-35-4	1,1-Dichloroethene	0.00	0.200	1.00	1.01	101	76 - 127	0.916	92	10	14
71-43-2	Benzene	0.00	0.200	1.00	0.980	98	80 - 120	0.947	95	3	11
79-01-6	Trichloroethene	0.00	0.200	1.00	0.954	95	79 - 121	0.934	93	2	14
108-90-7	Chlorobenzene	0.00	0.200	1.00	1.01	101	80 - 125	0.978	98	3	13
Surrogate											
460-00-4	4-Bromofluorobenzene			2000	2240	112	78 - 130	2200	110		
1868-53-7	Dibromofluoromethane			2000	1970	99	77 - 127	1980	99		
2037-26-5	Toluene d8			2000	2120	106	76 - 134	2120	106		
17060-07-0	1,2-Dichloroethane-d4			2000	2130	107	71 - 127	2070	104		

GC/MS Semi-Volatiles Quality Control Summary

Analytical Batch 324911	**Client ID**	MB324792	LCS324792	LCSD324792
Prep Batch 324792	**GCAL ID**	377173	377174	377175
Prep Method 3510C	**Sample Type**	Method Blank	LCS	LCSD
	Prep Date	06/02/2006 15:30	06/02/2006 15:30	06/02/2006 15:30
	Analytical Date	06/03/2006 18:45	06/03/2006 18:59	06/03/2006 19:14
	Matrix	Water	Water	Water

SW-846 8270C, TCLP Semi-Voa		**Units**	mg/L	**Spike**			**Control**				**RPD**
		Result	**RDL**	**Added**	**Result**	**% R**	**Limits % R**	**Result**	**% R**	**RPD**	**Limit**
118-74-1	Hexachlorobenzene	ND	0.0500	0.100	0.075	75	61 - 112	0.082	82	9	50
87-68-3	Hexachlorobutadiene	ND	0.0500	0.100	0.041	41	17 - 105	0.058	58	34	50
67-72-1	Hexachloroethane	ND	0.0500	0.100	0.020	20*	21 - 130	0.036	36	57*	50
95-48-7	o-Cresol	ND	0.0500	0.100	0.057	57	31 - 110	0.061	61	7	50
98-95-3	Nitrobenzene	ND	0.0500	0.100	0.069	69	53 - 113	0.076	76	10	50
95-95-4	2,4,5-Trichlorophenol	ND	0.0500	0.100	0.078	78	60 - 116	0.082	82	5	50
88-06-2	2,4,6-Trichlorophenol	ND	0.0500	0.100	0.078	78	59 - 115	0.085	85	9	50
110-86-1	Pyridine	ND	0.0500	0.100	0.022	22	2 - 130	0.020	20	10	50
1319-77-3	Cresols	ND	0.1000		0.112			0.119		6	
1319-77-3MP	m,p-Cresol	ND	0.0500	0.100	0.055	55	24 - 104	0.059	59	7	50
106-46-7	1,4-Dichlorobenzene	ND	0.0500	0.100	0.035	35	22 - 104	0.052	52	39*	30
121-14-2	2,4-Dinitrotoluene	ND	0.0500	0.100	0.085	85	37 - 138	0.090	90	6	33
87-86-5	Pentachlorophenol	ND	0.1000	0.100	0.089	89	25 - 158	0.096	96	8	32
Surrogate											
4165-60-0	Nitrobenzene-d5	38.4	77	50	40.3	81	43 - 110	42.6	85		
321-60-8	2-Fluorobiphenyl	36.1	72	50	41	82	16 - 128	44.6	89		
1718-51-0	Terphenyl-d14	35.9	72	50	36	72	47 - 121	39.4	79		
4165-62-2	Phenol-d5	28.6	29	100	31.1	31	10 - 76	31.7	32		
367-12-4	2-Fluorophenol	38.2	38	100	43.2	43	24 - 96	42.9	43		
118-79-6	2,4,6-Tribromophenol	71.9	72	100	93.2	93	19 - 133	97.3	97		

Analytical Batch 324911	**Client ID**	OX 2 P.S. DIRT (TCLP)	375070MS	375070MSD
Prep Batch 324792	**GCAL ID**	20605260102	377176	377177
Prep Method 3510C	**Sample Type**	SAMPLE	MS	MSD
	Prep Date	06/02/2006 15:30	06/02/2006 15:30	06/02/2006 15:30
	Analytical Date	06/03/2006 19:28	06/03/2006 19:43	06/03/2006 19:58
	Matrix	Solid	Solid	Solid

SW-846 8270C, TCLP Semi-Voa		**Units**	mg/L	**Spike**			**Control**				**RPD**
		Result	**RDL**	**Added**	**Result**	**% R**	**Limits % R**	**Result**	**% R**	**RPD**	**Limit**
118-74-1	Hexachlorobenzene	0.00	0.2500	0.500	0.375	75	61 - 112	0.383	77	2	50
87-68-3	Hexachlorobutadiene	0.00	0.2500	0.500	0.269	54	17 - 105	0.236	47	13	50

GC/MS Semi-Volatiles Quality Control Summary

Analytical Batch	324911	**Client ID**	OX 2 P.S. DIRT (TCLP)	375070MS	375070MSD
Prep Batch	324792	**GCAL ID**	20605260102	377176	377177
Prep Method	3510C	**Sample Type**	SAMPLE	MS	MSD
		Prep Date	06/02/2006 15:30	06/02/2006 15:30	06/02/2006 15:30
		Analytical Date	06/03/2006 19:28	06/03/2006 19:43	06/03/2006 19:58
		Matrix	Solid	Solid	Solid

SW-846 8270C, TCLP Semi-Voa		**Units**	mg/L	**Spike**	**Result**		**Control**	**Result**			**RPD**
		Result	**RDL**	**Added**		**% R**	**Limits % R**		**% R**	**RPD**	**Limit**
67-72-1	Hexachloroethane	0.00	0.2500	0.500	0.165	33	21 - 130	0.137	27	19	50
95-48-7	o-Cresol	0.00	0.2500	0.500	0.297	59	31 - 110	0.285	57	4	50
98-95-3	Nitrobenzene	0.00	0.2500	0.500	0.353	71	53 - 113	0.351	70	0.6	50
95-95-4	2,4,5-Trichlorophenol	0.00	0.2500	0.500	0.380	76	60 - 116	0.392	78	3	50
88-06-2	2,4,6-Trichlorophenol	0.00	0.2500	0.500	0.388	78	59 - 115	0.396	79	2	50
110-86-1	Pyridine	0.00	0.2500	0.500	0.109	22	2 - 75	0.107	21	2	50
1319-77-3MP	m,p-Cresol	0.00	0.2500	0.500	0.287	57	24 - 104	0.270	54	6	50
106-46-7	1,4-Dichlorobenzene	0.00	0.2500	0.500	0.245	49	22 - 104	0.212	42	14	30
121-14-2	2,4-Dinitrotoluene	0.00	0.2500	0.500	0.413	83	37 - 138	0.446	89	8	33
87-86-5	Pentachlorophenol	0.00	0.5000	0.500	0.431	86	25 - 158	0.467	93	8	32
Surrogate											
4165-60-0	Nitrobenzene-d5			250	198	79	43 - 110	200	80		
321-60-8	2-Fluorobiphenyl			250	203	81	16 - 128	204	82		
1718-51-0	Terphenyl-d14			250	181	72	47 - 121	182	73		
4165-62-2	Phenol-d5			500	161	32	10 - 76	147	29		
367-12-4	2-Fluorophenol			500	207	41	24 - 96	198	40		
118-79-6	2,4,6-Tribromophenol			500	436	87	19 - 133	457	91		

Inorganics Quality Control Summary

Analytical Batch	324830	**Client ID**	MB324787	LCS324787
Prep Batch	324787	**GCAL ID**	377151	377152
Prep Method	SW-846	**Sample Type**	Method Blank	LCS
	3010A	**Prep Date**	06/02/2006 13:00	06/02/2006 13:00
		Analytical Date	06/03/2006 10:36	06/03/2006 10:43
		Matrix	Water	Water

SW-846 6010B, TCLP Metals		**Units**	mg/L	**Spike**	**Result**		**Control**
		Result	**RDL**	**Added**		**% R**	**Limits % R**
7440-38-2	Arsenic	ND	0.20	0.50	0.51	102	80 - 120
7440-39-3	Barium	ND	1.00	0.50	0.51	103	80 - 120
7440-43-9	Cadmium	ND	0.010	0.50	0.52	103	80 - 120
7440-47-3	Chromium	ND	0.050	0.50	0.52	103	80 - 120
7439-92-1	Lead	ND	0.10	0.50	0.52	105	80 - 120
7782-49-2	Selenium	ND	0.10	0.50	0.53	105	80 - 120
7440-22-4	Silver	ND	0.050	0.50	0.47	95	80 - 120

Analytical Batch	324830	**Client ID**	RB-1L	376656MS
Prep Batch	324787	**GCAL ID**	20606010601	377154
Prep Method	SW-846	**Sample Type**	SAMPLE	MS
	3010A	**Prep Date**	06/02/2006 13:00	06/02/2006 13:00
		Analytical Date	06/03/2006 10:50	06/03/2006 11:03
		Matrix	Water	Water

SW-846 6010B, TCLP Metals		**Units**	mg/L	**Spike**	**Result**		**Control**
		Result	**RDL**	**Added**		**% R**	**Limits % R**
7440-38-2	Arsenic	0.0074	0.20	0.50	0.54	106	75 - 125
7440-39-3	Barium	0.092	1.00	0.50	0.64	110	75 - 125
7440-43-9	Cadmium	0.0	0.010	0.50	0.52	103	75 - 125
7440-47-3	Chromium	0.0011	0.050	0.50	0.52	104	75 - 125
7439-92-1	Lead	0.0	0.10	0.50	0.53	105	75 - 125
7782-49-2	Selenium	0.0	0.10	0.50	0.54	108	75 - 125
7440-22-4	Silver	0.0	0.050	0.50	0.50	100	75 - 125

Inorganics Quality Control Summary

Analytical Batch	324830	**Client ID**	RB-1L	376656DUP
Prep Batch	324787	**GCAL ID**	20606010601	377153
Prep Method	SW-846	**Sample Type**	SAMPLE	DUP
	3010A	**Prep Date**	06/02/2006 13:00	06/02/2006 13:00
		Analytical Date	06/03/2006 10:50	06/03/2006 10:56
		Matrix	Water	Water

SW-846 6010B, TCLP Metals		**Units**	mg/L			
		Result	**RDL**	**Result**	**RPD**	**RPD Limit**
7440-38-2	Arsenic	0.0074	0.20	0.0064	14	20
7440-39-3	Barium	0.092	1.00	0.11	18	20
7440-43-9	Cadmium	0.0	0.010	0.0	0	20
7440-47-3	Chromium	0.0011	0.050	0.0014	**24***	20
7439-92-1	Lead	0.0	0.10	0.0	0	20
7782-49-2	Selenium	0.0	0.10	0.0	0	20
7440-22-4	Silver	0.0	0.050	0.0	0	20

Inorganics Quality Control Summary

Analytical Batch	324997	**Client ID**	MB325003			LCS325003		
Prep Batch	325003	**GCAL ID**	377973			377974		
Prep Method	SW-846	**Sample Type**	Method Blank			LCS		
	7470A	**Prep Date**	06/06/2006 09:55			06/06/2006 09:55		
		Analytical Date	06/06/2006 13:14			06/06/2006 13:19		
		Matrix	Water			Water		
SW-846 7470A, TCLP Mercury			**Units**	mg/L	**Spike**	**Result**		**Control**
			Result	**RDL**	**Added**		**% R**	**Limits % R**
7439-97-6	Mercury		ND	0.00020	0.00500	0.00554	111	80 - 120

Analytical Batch	324997	**Client ID**	WW WR01-04			376652MS		
Prep Batch	325003	**GCAL ID**	20606010501			377976		
Prep Method	SW-846	**Sample Type**	SAMPLE			MS		
	7470A	**Prep Date**	06/06/2006 09:55			06/06/2006 09:55		
		Analytical Date	06/06/2006 13:21			06/06/2006 13:24		
		Matrix	Water			Water		
SW-846 7470A, TCLP Mercury			**Units**	mg/L	**Spike**	**Result**		**Control**
			Result	**RDL**	**Added**		**% R**	**Limits % R**
7439-97-6	Mercury		0.00655	0.00020	0.00500	0.00474	-40*	75 - 125

Analytical Batch	324997	**Client ID**	WW WR01-04		376652DUP		
Prep Batch	325003	**GCAL ID**	20606010501		377975		
Prep Method	SW-846	**Sample Type**	SAMPLE		DUP		
	7470A	**Prep Date**	06/06/2006 09:55		06/06/2006 09:55		
		Analytical Date	06/06/2006 13:21		06/06/2006 13:22		
		Matrix	Water		Water		
SW-846 7470A, TCLP Mercury			**Units**	mg/L	**Result**		**RPD**
			Result	**RDL**		**RPD**	**Limit**
7439-97-6	Mercury		0.00655	0.00020	0.00438	40*	20

General Chemistry Quality Control Summary

Analytical Batch 324803	**Client ID**	MB324706	LCS324706
Prep Batch 324706	**GCAL ID**	376890	376891
Prep Method 7.3.3.2	**Sample Type**	Method Blank	LCS
	Prep Date	06/02/2006 10:00	06/02/2006 10:00
	Analytical Date	06/05/2006 16:57	06/05/2006 17:00
	Matrix	Water	Water

9012A Reactivity Cyanide		**Units**	mg/L	**Spike**	**Result**		**Control**
		Result	**RDL**	**Added**		**% R**	**Limits % R**
57-12-5R	Reactivity Cyanide	ND	250	250	17.2	7	1 - 20

Analytical Batch 324803	**Client ID**	WW WR01-04	376652DUP
Prep Batch 324706	**GCAL ID**	20606010501	376892
Prep Method 7.3.3.2	**Sample Type**	SAMPLE	DUP
	Prep Date	06/02/2006 10:00	06/02/2006 10:00
	Analytical Date	06/05/2006 17:01	06/05/2006 17:02
	Matrix	Water	Water

9012A Reactivity Cyanide		**Units**	mg/L	**Result**		**RPD**
		Result	**RDL**		**RPD**	**Limit**
57-12-5R	Reactivity Cyanide	0.0000	250	0.0000	0	25

General Chemistry Quality Control Summary

Analytical Batch 324805	**Client ID**	MB324707			LCS324707		
Prep Batch 324707	**GCAL ID**	376893			376894		
Prep Method 7.3.4.2	**Sample Type**	Method Blank			LCS		
	Prep Date	06/02/2006 10:00			06/02/2006 10:00		
	Analytical Date	06/02/2006 16:00			06/02/2006 16:00		
	Matrix	Water			Water		
Reactivity Sulfide - 9034		**Units**	mg/L	**Spike**	**Result**		**Control**
		Result	**RDL**	**Added**		**% R**	**Limits % R**
18496-25-8R Reactivity Sulfide		ND	80	1000	718	71.8	26 - 114

Analytical Batch 324805	**Client ID**	WW WR01-04		376652DUP		
Prep Batch 324707	**GCAL ID**	20606010501		376895		
Prep Method 7.3.4.2	**Sample Type**	SAMPLE		DUP		
	Prep Date	06/02/2006 10:00		06/02/2006 10:00		
	Analytical Date	06/02/2006 16:00		06/02/2006 16:00		
	Matrix	Water		Water		
Reactivity Sulfide - 9034		**Units**	mg/L	**Result**		**RPD**
		Result	**RDL**		**RPD**	**Limit**
18496-25-8R Reactivity Sulfide		0	80	0	0	25

GCAL

GULF COAST ANALYTICAL LABORATORIES, INC
7979 GSRI Avenue, Baton Rouge, Louisiana 70820-7402
Phone 225.769.4900 • Fax 225.767.5717

CHAIN OF CUSTODY RECORD

Lab use only

Client Name	Client #	Workorder #	Due Date
General Accts	9000	206660105	6-8-06

Report to:
Client: G Pacific Transport
Address: 2723 S Westport Dr
Port Allen LA 70767
Contact: Fred Hughes
Phone: 225 261 1102
Fax: 225 338 1175

Bill to:
Client: SAME
Address:
Contact: SAME
Phone: 225 338 1191
Fax: SAME

P.O. Number: verbal
Project Name/Number: Tank Cleaning Water
Sampled By:

Analytical Requests & Method: TCLP V, SV, M; RCI

Lab use only:
Custody Seal used ☑ yes ☐ no
in tact ☑ yes ☐ no
Temperature °C 6°

Matrix[1]	Date	Time (2400)	Comp	Grab	Sample Description	Preservatives	No Containers	Remarks	Lab ID
	5/30/06	0940		X	WW WR01	N	1		1
	✓	0942		X	✓ WR02	N	1		
	✓	0945		X	✓ WR03	N	1		
	✓	0947		X	✓ WR04	N	1		

Turn Around Time: ☐ 24-48 hrs. ☐ 3 days ☐ 1 week ☐ Standard ☐ Other

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Fred Hughes	[illegible]	5-30-06	1015
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Note: Paid 575.00
Check #6591

By submitting these samples, you agree to the terms and conditions contained in our most recent schedule of services.

WHITE: CLIENT FINAL REPORT — CANARY: LABORATORY — PINK: CLIENT

GCAL-06 11/98

PRESERVATION CHECKLIST / COOLER RECEIPT

Gulf Coast Analytical Laboratories, Inc.

WO:	206060105	**Type:**	M
Desc:		**Report:**	REVIEW_RPT
Work ID:	Groendyke Transport, Inc.	**Status:**	WP
Project Seq:	43118	**Created:**	6/1/2006 9:19
Client:	9000 - General Accounts	**QA:**	
Profile:	78101 - Groendyke - Groendyke Transport, Inc.	**PO:**	

WORKORDER SAMPLES

			pH PRESERVATIVE			VOA HEADSPACE			
Container ID	**Type**	**Preservative**	A	U	N\A	A	U	N\A	**CONTAINER CONDITION**
20606010501-1	LC	NONE			X			X	OK
20606010501-2	LC	NONE			X			X	OK
20606010501-3	LC	NONE			X			X	OK
20606010501-4	LC	NONE			X			X	OK

A = ACCEPTABLE
U = UNACCEPTABLE
N\A = NOT APPLICABLE

COOLER (S) TEMPERATURE (A) U LIMIT = 4C + \ - 2C

MAXIMUM VOLATILE HEADSPACE BUBBLE 6MM

Custody Seal
used [✓] Yes [ ] No
in tact [✓] Yes [ ] No

LABEL(S) VERIFIED RBG CUSTODIAN M

GULF COAST ANALYTICAL LABORATORIES, INC
7979 GSRI Avenue, Baton Rouge, Louisiana 70820-7402
Phone 225.769.4900 • Fax 225.767.5717

Lab use only

Client Name	Client #	Workorder #	Due Date
General Accts	9000	206660105	6-8-06

Report to:
Client: G Recycling Transport
Address: 2723 S Westport Dr
Fort Allen LA 70767
Contact: Fred Hughes
Phone: 225 261 1102
Fax: 225 338 1175

Bill to:
Client: SAME
Address:
Contact: SAME
Phone: 225 338 1191
Fax: SAME

P.O. Number: verbal
Project Name/Number: TANK CLEANING Water
Sampled By:

Analytical Requests & Method: TCLP V, SV, M; RCI

Lab use only:
Custody Seal used ☑ yes ☐ no
in tact ☑ yes ☐ no
Temperature °C 6°

Matrix[1]	Date	Time (2400)	Comp	Grab	Sample Description	Preservatives	No Containers	Remarks:	Lab ID
	5/30/06	0910		X	WW WR01	N	1		1
	✓	0912		X	✓ WR02	N	1		
	✓	0915		X	✓ WR03	N	1		
	✓	0917		X	✓ WR04	N	1		

Turn Around Time: ☐ 24-48 hrs. ☐ 3 days ☐ 1 week ☐ Standard ☐ Other

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Fred Hughes	[illegible]	5-30-06	1015
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Note: paid 575.00
check #26591

By submitting these samples, you agree to the terms and conditions contained in our most recent schedule of services.

Matrix[1]: W = water, S = soil, SD = solid, L = liquid, SL = sludge, O = oil, CT = charcoal tube, A = air bag

We cannot accept verbal changes. Please fax written changes to (225) 767-5717

WHITE: CLIENT FINAL REPORT — CANARY: LABORATORY — PINK: CLIENT

GCAL-06 11/98

GCAL

GULF COAST ANALYTICAL LABORATORIES, INC.
7979 GSRI Avenue, Baton Rouge, Louisiana 70820-7419
Phone 225.769.4900 • Fax 225.767.5717

CHAIN OF CUSTODY RECORD

Lab use only:

Client Name	Client #	Workorder #	Due Date
General Acts	9000	20666 0105	6-8-06

Report to:
Client: G Rucker Transport
Address: 2725 Sherwood Dr
Port Allen LA 70767
Contact: Fred Hughes
Phone: 225 261 1102
Fax: 225 338 1175

Bill to:
Client: SAME
Address:
Contact: SAME
Phone: 225-338-1191
Fax: SAME

P.O. Number: Verbal
Project Name/Number: Tank Cleaning Water
Sampled By:

Matrix	Date	Time (Date)			Sample Description	Preservative	No. Cont. Bottles
W	5/30/06	0900	X	W	WR01	N	1
W	0910	X	✓		WR02	N	1
W	0915	X	✓		WR03	N	1
W	0917	X	✓		WR04	N	1

Analytical Requests & Method: TCLP V, SV, M; PCB

Lab use only:
Custody Seal
used ☑ yes ☐ no
intact ☑ yes ☐ no
Temperature °C 6°

Remarks:

Lab ID: 1

Turn Around Time: ☐ 24-48 hrs. ☐ 3 days ☐ 1 week ☐ Standard ☐ Other

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Fred Hughes	[signature]	5-30-06	1015
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:

Note: 94.8 575.00
Check #6591

By submitting these samples you agree to the terms and conditions contained in our most recent schedule of services

Matrix: W = water, S = soil, SD = solid, L = liquid, SL = sludge, O = oil, CT = charcoal tube, A = air bag

We cannot accept verbal changes. Please fax written changes to (225) 767-5717

WHITE - ORIGINAL REPORT - CANARY - LABORATORY PINK - CLIENT