UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 6 Laboratory
Environmental Services Branch
10625 Fallstone Road, Houston, TX 77099
Phone: (281)983-2100 Fax: (281)983-2248

Final Analytical Report

Site Name ----------West County Road 112 Groundwater

Sample Collection Date(s)-- 06/18/12 - 06/20/12

Contact---------- Vincent Malott (6SF-RA)

Report Date---------- 07/26/12

Project #---------- 12SF125

Work Order(s)---------- 1206023
1206027
1206031
1206034

Analyses included in this report:

Metals ICP CLP	Metals ICP/MS CLP

Report Narrative

ICP Metals: Batch#: B2F2701: MS1/MS2/MSD2: Calcium and sodium spike recoveries are outside acceptance limits; the corresponding results are qualified as estimated.

Batch#:B2F2703: MS1: Cadmium, calcium, and sodium spike recoveries are outside acceptance limits; the corresponding results are qualified as estimated.

MSD1: Calcium spike recovery is outside acceptance limits; the corresponding result is qualified as estimated.

MS2: Cadmium, calcium, chromium, and sodium spike recoveries are outside acceptance limits; the results are qualified as estimated.

Standard procedures for quality assurance and quality control were followed in the analysis and reporting of the sample results. The results apply only to the samples tested. This final report should only be reproduced in full.

Reporting limits are adjusted for sample size and matrix interference.

672703

Report Approvals:

Richard McMillin Region 6 Laboratory Manager	David Neleigh Region 6 Laboratory Branch Chief

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 6 Environmental Services Branch Laboratory

10625 Fallstone Road
Houston, Texas 77099

Sample Receipt and Disposal

Site Name: West County Road 112 Groundwater Project Number: 12SF125

Data Management Coordinator: Christy Warren

/ /

Data Management Coordinator Signature Date

Date Transmitted: _____/_____/_____

Please have the U.S. EPA Project Manager/Officer call the Data Management Coordinator at 3-2137 for any comments or questions.

Please sign and date this form below and return it with any comments to:

Christy Warren
Data Management Coordinator
Region 6 Laboratory
6MD-HS

_____/_____/_____

Received by and Date

Comments:

The laboratory routinely disposes of samples 90 days after all analyses have been completed. If you have a need to hold these samples in custody longer than 90 days, please sign below.

_____ _____

Signature Date

Please provide a reason for holding:

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
SMW-22	1206023-01	Liquid	6/18/12 14:02	06/19/12 09:14
SMW-22A	1206023-02	Liquid	6/18/12 15:08	06/19/12 09:14
SMW-23	1206023-03	Liquid	6/18/12 16:42	06/19/12 09:14
WMW-17A	1206023-04	Liquid	6/18/12 16:30	06/19/12 09:14
WMW-18A	1206023-05	Liquid	6/18/12 14:40	06/19/12 09:14
WMW-18A-D	1206023-06	Liquid	6/18/12 14:40	06/19/12 09:14
WMW-35A-MS/MD	1206023-07	Liquid	6/18/12 13:25	06/19/12 09:14
ER-11	1206027-01	Liquid	6/18/12 18:22	06/20/12 09:45
ER-12	1206027-02	Liquid	6/19/12 9:35	06/20/12 09:45
ER-15	1206027-03	Liquid	6/18/12 17:00	06/20/12 09:45
ER-16	1206027-04	Liquid	6/19/12 16:30	06/20/12 09:45
FB-2	1206027-05	Liquid	6/19/12 10:45	06/20/12 09:45
SMW-23A	1206027-06	Liquid	6/18/12 17:50	06/20/12 09:45
SMW-27-MS/MD	1206027-07	Liquid	6/19/12 16:05	06/20/12 09:45
SMW-36	1206027-08	Liquid	6/19/12 14:55	06/20/12 09:45
SMW-9	1206027-09	Liquid	6/19/12 9:20	06/20/12 09:45
WMW-13A	1206027-10	Liquid	6/19/12 10:20	06/20/12 09:45
WMW-14A	1206027-11	Liquid	6/19/12 9:15	06/20/12 09:45
WMW-16A	1206027-12	Liquid	6/18/12 17:45	06/20/12 09:45
WMW-28A	1206027-13	Liquid	6/19/12 15:15	06/20/12 09:45
WMW-36A	1206027-14	Liquid	6/19/12 11:46	06/20/12 09:45
WMW-37A	1206027-15	Liquid	6/19/12 10:39	06/20/12 09:45
ER-13	1206031-01	Liquid	6/20/12 9:17	06/21/12 09:15
SMW-26	1206031-02	Liquid	6/20/12 11:50	06/21/12 09:15
SMW-26A	1206031-03	Liquid	6/20/12 14:00	06/21/12 09:15
SMW-27A	1206031-04	Liquid	6/19/12 17:20	06/21/12 09:15
SMW-34	1206031-05	Liquid	6/20/12 10:25	06/21/12 09:15
SMW-35	1206031-06	Liquid	6/20/12 8:50	06/21/12 09:15
WMW-24A	1206031-07	Liquid	6/19/12 16:31	06/21/12 09:15
WMW-26A	1206031-08	Liquid	6/20/12 13:44	06/21/12 09:15
WMW-27A	1206031-09	Liquid	6/19/12 17:38	06/21/12 09:15
WMW-27A-D	1206031-10	Liquid	6/19/12 17:38	06/21/12 09:15
WMW-32A	1206031-11	Liquid	6/20/12 11:28	06/21/12 09:15
WMW-33A	1206031-12	Liquid	6/20/12 10:17	06/21/12 09:15
WMW-34A	1206031-13	Liquid	6/20/12 8:59	06/21/12 09:15

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

ANALYTICAL REPORT FOR SAMPLES

Station ID	Laboratory ID	Sample Type	Date Collected	Date Received
ER-17	1206034-01	Liquid	6/20/12 16:35	06/22/12 09:30
SMW-37	1206034-02	Liquid	6/20/12 15:15	06/22/12 09:30
SMW-38	1206034-03	Liquid	6/20/12 17:25	06/22/12 09:30
SMW-39	1206034-04	Liquid	6/20/12 17:11	06/22/12 09:30
WMW-29A	1206034-05	Liquid	6/20/12 15:57	06/22/12 09:30
WMW-31A-MS/MD	1206034-06	Liquid	6/20/12 14:54	06/22/12 09:30

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-01 **Station ID: SMW-22**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**33.6**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**163,000**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**67.5**		25.0	"	"	"
Magnesium (7439-95-4)	**35,600**		150	"	"	"
Manganese (7439-96-5)	**13.8**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**4,860**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**230,000**		500	"	"	"
Vanadium (7440-62-2)	**48.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-01 **Station ID: SMW-22**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.5**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**16.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-02 **Station ID: SMW-22A**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**37.4**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**136,000**		150	"	"	"
Chromium (7440-47-3)	**22.8**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**11,500**		25.0	"	"	"
Magnesium (7439-95-4)	**33,300**		150	"	"	"
Manganese (7439-96-5)	**7.5**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**3,940**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**161,000**		500	"	"	"
Vanadium (7440-62-2)	**114**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-02 **Station ID: SMW-22A**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**22.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**9.6**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-03 **Station ID: SMW-23**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**43.2**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**152,000**		150	"	"	"
Chromium (7440-47-3)	**15.2**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**69.3**		25.0	"	"	"
Magnesium (7439-95-4)	**27,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**12,900**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**256,000**		500	"	"	"
Vanadium (7440-62-2)	**49.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-03 **Station ID: SMW-23**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**8.3**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**11.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-04 **Station ID: WMW-17A**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**37.0**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**176,000**		150	"	"	"
Chromium (7440-47-3)	**51.9**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**31.6**		25.0	"	"	"
Magnesium (7439-95-4)	**33,400**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**11,000**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**274,000**		500	"	"	"
Vanadium (7440-62-2)	**48.4**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-04 **Station ID: WMW-17A**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**8.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**13.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-05 **Station ID: WMW-18A**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**29.5**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**176,000**		150	"	"	"
Chromium (7440-47-3)	**75.5**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**32,600**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**9,600**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**244,000**		500	"	"	"
Vanadium (7440-62-2)	**36.4**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-05 **Station ID: WMW-18A**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.0**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**19.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-06 **Station ID: WMW-18A-D**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**30.0**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**176,000**		150	"	"	"
Chromium (7440-47-3)	**76.3**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**32,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**9,590**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**247,000**		500	"	"	"
Vanadium (7440-62-2)	**36.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-06 **Station ID: WMW-18A-D**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.1**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**18.3**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206023-07 **Station ID: WMW-35A-MS/MD**

Batch: B2F2701 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**29.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**151,000**	**J**	150	"	"	"
Chromium (7440-47-3)	**20.1**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**27,600**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**7,200**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**223,000**	**J**	500	"	"	"
Vanadium (7440-62-2)	**37.8**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206023-07 **Station ID: WMW-35A-MS/MD**

Batch: B2F2702 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.5**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**15.3**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-01 **Station ID: ER-11**

Batch: B2F2703 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-01 **Station ID: ER-11**

Batch: B2F2704 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-02 **Station ID: ER-12**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-02 **Station ID: ER-12**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-03 **Station ID: ER-15**

Batch: B2F2703 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-03 **Station ID: ER-15**

Batch: B2F2704 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-04 **Station ID: ER-16**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-04 **Station ID: ER-16**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-05 **Station ID: FB-2**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-05 **Station ID: FB-2**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-06 **Station ID: SMW-23A**

Batch: B2F2703 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**43.9**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**139,000**		150	"	"	"
Chromium (7440-47-3)	**626**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**5,750**		25.0	"	"	"
Magnesium (7439-95-4)	**30,500**		150	"	"	"
Manganese (7439-96-5)	**12.2**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**8,530**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**191,000**		500	"	"	"
Vanadium (7440-62-2)	**175**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-06 **Station ID: SMW-23A**

Batch: B2F2704 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**65.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**10.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-07 **Station ID: SMW-27-MS/MD**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**56.8**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U	J	5.0	"	"	"
Calcium (7440-70-2)	**170,000**	**J**	150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**48.4**		25.0	"	"	"
Magnesium (7439-95-4)	**26,200**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**7,630**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**150,000**	**J**	500	"	"	"
Vanadium (7440-62-2)	**33.8**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-07 **Station ID: SMW-27-MS/MD**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**6.4**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**16.5**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-08 **Station ID: SMW-36**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**44.1**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**174,000**		150	"	"	"
Chromium (7440-47-3)	**19.4**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**162**		25.0	"	"	"
Magnesium (7439-95-4)	**42,600**		150	"	"	"
Manganese (7439-96-5)	**5.9**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**4,870**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**243,000**		500	"	"	"
Vanadium (7440-62-2)	**37.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-08 **Station ID: SMW-36**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**10.0**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**18.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-09 **Station ID: SMW-9**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**79.4**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**279,000**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	**45.4**		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**46,500**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	**184**		20.0	"	"	"
Potassium (7440-09-7)	**9,910**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**198,000**		500	"	"	"
Vanadium (7440-62-2)	**21.7**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-09 **Station ID: SMW-9**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**5.9**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**12.0**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-10 **Station ID: WMW-13A**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**37.0**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**112,000**		150	"	"	"
Chromium (7440-47-3)	**11.5**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**39.4**		25.0	"	"	"
Magnesium (7439-95-4)	**25,600**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**5,910**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**188,000**		500	"	"	"
Vanadium (7440-62-2)	**49.5**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-10 **Station ID: WMW-13A**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**8.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**13.0**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-11 **Station ID: WMW-14A**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**40.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**119,000**		150	"	"	"
Chromium (7440-47-3)	**44.5**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**69.6**		25.0	"	"	"
Magnesium (7439-95-4)	**25,600**		150	"	"	"
Manganese (7439-96-5)	**7.5**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**6,700**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**207,000**		500	"	"	"
Vanadium (7440-62-2)	**53.0**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-11 **Station ID: WMW-14A**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**8.0**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**13.5**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-12 **Station ID: WMW-16A**

Batch: B2F2703 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**38.8**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**157,000**		150	"	"	"
Chromium (7440-47-3)	**128**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**30,800**		150	"	"	"
Manganese (7439-96-5)	**13.4**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**9,790**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**203,000**		500	"	"	"
Vanadium (7440-62-2)	**49.3**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-12 **Station ID: WMW-16A**

Batch: B2F2704 Date Collected: 06/18/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**9.1**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**15.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-13 **Station ID: WMW-28A**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**26.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**164,000**		150	"	"	"
Chromium (7440-47-3)	**222**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**84.8**		25.0	"	"	"
Magnesium (7439-95-4)	**56,700**		150	"	"	"
Manganese (7439-96-5)	**9.6**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**5,710**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**267,000**		500	"	"	"
Vanadium (7440-62-2)	**87.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-13 **Station ID: WMW-28A**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**14.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**18.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-14 **Station ID: WMW-36A**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**45.0**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**175,000**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**28,700**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**6,690**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**202,000**		500	"	"	"
Vanadium (7440-62-2)	**32.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-14 **Station ID: WMW-36A**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**6.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**14.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206027-15 **Station ID: WMW-37A**

Batch: B2F2703 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**65.6**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**205,000**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**42.5**		25.0	"	"	"
Magnesium (7439-95-4)	**32,600**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	**51.8**		20.0	"	"	"
Potassium (7440-09-7)	**7,900**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**214,000**		500	"	"	"
Vanadium (7440-62-2)	**32.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206027-15 **Station ID: WMW-37A**

Batch: B2F2704 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**7.0**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**13.6**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-01 **Station ID: ER-13**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-01 **Station ID: ER-13**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-02 **Station ID: SMW-26**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	**112**		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**25.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**193,000**		150	"	"	"
Chromium (7440-47-3)	**2,660**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**81.0**		25.0	"	"	"
Magnesium (7439-95-4)	**51,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**5,920**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**274,000**		500	"	"	"
Vanadium (7440-62-2)	**58.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-02 **Station ID: SMW-26**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**12.9**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**22.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-03 **Station ID: SMW-26A**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**36.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**213,000**		150	"	"	"
Chromium (7440-47-3)	**3,350**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**220**		25.0	"	"	"
Magnesium (7439-95-4)	**41,100**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**8,980**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**255,000**		500	"	"	"
Vanadium (7440-62-2)	**49.0**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-03 **Station ID: SMW-26A**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**9.6**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**21.9**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-04 **Station ID: SMW-27A**

Batch: B2F2701 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**73.3**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**154,000**		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**219**		25.0	"	"	"
Magnesium (7439-95-4)	**26,200**		150	"	"	"
Manganese (7439-96-5)	**18.6**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**11,600**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**147,000**		500	"	"	"
Vanadium (7440-62-2)	**24.7**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-04 **Station ID: SMW-27A**

Batch: B2F2702 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**6.0**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**15.8**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-05 **Station ID: SMW-34**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**60.3**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**218,000**		150	"	"	"
Chromium (7440-47-3)	**196**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**989**		25.0	"	"	"
Magnesium (7439-95-4)	**57,900**		150	"	"	"
Manganese (7439-96-5)	**9.6**		5.0	"	"	"
Nickel (7440-02-2)	**25.5**		20.0	"	"	"
Potassium (7440-09-7)	**2,500**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**250,000**		500	"	"	"
Vanadium (7440-62-2)	**46.8**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-05 **Station ID: SMW-34**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**10.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**30.6**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-06 **Station ID: SMW-35**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**49.9**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**171,000**		150	"	"	"
Chromium (7440-47-3)	**361**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**52,700**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**10,000**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**195,000**		500	"	"	"
Vanadium (7440-62-2)	**51.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-06 **Station ID: SMW-35**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**9.9**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**23.6**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-07 **Station ID: WMW-24A**

Batch: B2F2701 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**30.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**160,000**		150	"	"	"
Chromium (7440-47-3)	**140**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**70.7**		25.0	"	"	"
Magnesium (7439-95-4)	**31,600**		150	"	"	"
Manganese (7439-96-5)	**9.2**		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**11,500**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**236,000**		500	"	"	"
Vanadium (7440-62-2)	**68.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-07 **Station ID: WMW-24A**

Batch: B2F2702 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**9.7**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**16.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-08 **Station ID: WMW-26A**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**27.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**175,000**		150	"	"	"
Chromium (7440-47-3)	**111**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**39,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**7,470**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**277,000**		500	"	"	"
Vanadium (7440-62-2)	**56.5**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-08 **Station ID: WMW-26A**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**10.5**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**21.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-09 **Station ID: WMW-27A**

Batch: B2F2701 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**32.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**155,000**		150	"	"	"
Chromium (7440-47-3)	**375**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**33,000**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**9,520**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**226,000**		500	"	"	"
Vanadium (7440-62-2)	**53.6**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-09 **Station ID: WMW-27A**

Batch: B2F2702 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**8.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**17.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-10 **Station ID: WMW-27A-D**

Batch: B2F2701 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**33.7**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**156,000**		150	"	"	"
Chromium (7440-47-3)	**379**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**33,300**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**9,620**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**228,000**		500	"	"	"
Vanadium (7440-62-2)	**53.2**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-10 **Station ID: WMW-27A-D**

Batch: B2F2702 Date Collected: 06/19/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**8.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**17.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-11 **Station ID: WMW-32A**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**48.1**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**208,000**		150	"	"	"
Chromium (7440-47-3)	**332**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**33.0**		25.0	"	"	"
Magnesium (7439-95-4)	**34,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**8,650**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**244,000**		500	"	"	"
Vanadium (7440-62-2)	**33.7**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-11 **Station ID: WMW-32A**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.6**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**24.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-12 **Station ID: WMW-33A**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**36.1**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**219,000**		150	"	"	"
Chromium (7440-47-3)	**160**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**52.3**		25.0	"	"	"
Magnesium (7439-95-4)	**34,500**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**8,350**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**260,000**		500	"	"	"
Vanadium (7440-62-2)	**40.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-12 **Station ID: WMW-33A**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**7.6**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**22.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206031-13 **Station ID: WMW-34A**

Batch: B2F2701 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/09/12
Barium (7440-39-3)	**41.1**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**231,000**	**J**	150	"	"	"
Chromium (7440-47-3)	**34.0**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**77.2**		25.0	"	"	"
Magnesium (7439-95-4)	**33,900**		150	"	"	"
Manganese (7439-96-5)	**6.2**		5.0	"	"	"
Nickel (7440-02-2)	**22.1**		20.0	"	"	"
Potassium (7440-09-7)	**7,490**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**278,000**	**J**	500	"	"	"
Vanadium (7440-62-2)	**34.5**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206031-13 **Station ID: WMW-34A**

Batch: B2F2702 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/12/12
Arsenic (7440-38-2)	**6.2**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**19.4**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-01 **Station ID: ER-17**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	U		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	U		150	"	"	"
Chromium (7440-47-3)	U		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**31.3**		25.0	"	"	"
Magnesium (7439-95-4)	U		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	U		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	U		500	"	"	"
Vanadium (7440-62-2)	U		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-01 **Station ID: ER-17**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	U		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	U		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-02 **Station ID: SMW-37**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**55.9**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**261,000**		150	"	"	"
Chromium (7440-47-3)	**25.1**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**35.9**		25.0	"	"	"
Magnesium (7439-95-4)	**39,300**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	**60.4**		20.0	"	"	"
Potassium (7440-09-7)	**6,270**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**252,000**		500	"	"	"
Vanadium (7440-62-2)	**37.0**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-02 **Station ID: SMW-37**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**6.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**17.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-03 **Station ID: SMW-38**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**46.3**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**232,000**		150	"	"	"
Chromium (7440-47-3)	**104**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**248**		25.0	"	"	"
Magnesium (7439-95-4)	**34,300**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**7,450**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**265,000**		500	"	"	"
Vanadium (7440-62-2)	**44.8**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-03 **Station ID: SMW-38**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**9.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**21.8**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-04 **Station ID: SMW-39**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**41.5**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**240,000**		150	"	"	"
Chromium (7440-47-3)	**313**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**29.8**		25.0	"	"	"
Magnesium (7439-95-4)	**36,100**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**7,050**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**265,000**		500	"	"	"
Vanadium (7440-62-2)	**37.0**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-04 **Station ID: SMW-39**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**6.9**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**26.0**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-05 **Station ID: WMW-29A**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**28.8**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U		5.0	"	"	"
Calcium (7440-70-2)	**185,000**		150	"	"	"
Chromium (7440-47-3)	**232**		10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	**48.2**		25.0	"	"	"
Magnesium (7439-95-4)	**45,400**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**6,940**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**347,000**		500	"	"	"
Vanadium (7440-62-2)	**56.8**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-05 **Station ID: WMW-29A**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**10.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**19.7**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP

Lab ID: 1206034-06 **Station ID: WMW-31A-MS/MD**

Batch: B2F2703 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Aluminum (7429-90-5)	U		100	1	06/27/12	07/10/12
Barium (7440-39-3)	**25.6**		10.0	"	"	"
Beryllium (7440-41-7)	U		5.0	"	"	"
Cadmium (7440-43-9)	U	J	5.0	"	"	"
Calcium (7440-70-2)	**182,000**	**J**	150	"	"	"
Chromium (7440-47-3)	**830**	**J**	10.0	"	"	"
Cobalt (7440-48-4)	U		20.0	"	"	"
Copper (7440-50-8)	U		20.0	"	"	"
Iron (7439-89-6)	U		25.0	"	"	"
Magnesium (7439-95-4)	**45,800**		150	"	"	"
Manganese (7439-96-5)	U		5.0	"	"	"
Nickel (7440-02-2)	U		20.0	"	"	"
Potassium (7440-09-7)	**5,880**		1,000	"	"	"
Silver (7440-22-4)	U		10.0	"	"	"
Sodium (7440-23-5)	**317,000**	**J**	500	"	"	"
Vanadium (7440-62-2)	**83.1**		20.0	"	"	"
Zinc (7440-66-6)	U		20.0	"	"	"

spc

Metals by CLP ILMO5.3 - ICP/MS

Lab ID: 1206034-06 **Station ID: WMW-31A-MS/MD**

Batch: B2F2704 Date Collected: 06/20/12
Sample Type: Liquid Sample Vol: 50ml Sample Qualifiers:

Targets

Analyte (CAS Number)	Result µg/l	Analyte Qualifiers	Reporting Limit	Dilution	Prepared	Analyzed
Antimony (7440-36-0)	U		2.0	4	06/27/12	07/13/12
Arsenic (7440-38-2)	**14.8**		2.0	"	"	"
Lead (7439-92-1)	U		2.0	"	"	"
Selenium (7782-49-2)	**24.2**		2.0	"	"	"
Thallium (7440-28-0)	U		2.0	"	"	"

KD

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2701 **Sample Type: Liquid**

Blank (B2F2701-BLK1)
Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit
Aluminum	U		100
Barium	U		10.0
Beryllium	U		5.0
Cadmium	U		5.0
Calcium	U		150
Chromium	U		10.0
Cobalt	U		20.0
Copper	U		20.0
Iron	U		25.0
Magnesium	U		150
Manganese	U		5.0
Nickel	U		20.0
Potassium	U		1,000
Silver	U		10.0
Sodium	U		500
Vanadium	U		20.0
Zinc	U		20.0

LCS (B2F2701-BS1)
Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Aluminum	951		100	1,000	95.1	75-125
Barium	1,760		10.0	2,000	88.2	75-125
Beryllium	45.2		5.0	50.0	90.4	75-125
Cadmium	42.4		5.0	50.0	84.7	75-125
Calcium	84,800		150	100,000	84.8	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2701 **Sample Type: Liquid**

LCS (B2F2701-BS1)

Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Chromium	368		10.0	400	92.0	75-125
Cobalt	176		20.0	200	87.9	75-125
Copper	366		20.0	400	91.6	75-125
Iron	894		25.0	1,000	89.4	75-125
Magnesium	87,100		150	100,000	87.1	75-125
Manganese	351		5.0	400	87.8	75-125
Nickel	343		20.0	400	85.7	75-125
Potassium	85,900		1,000	100,000	85.9	75-125
Silver	44.0		10.0	50.0	88.0	75-125
Sodium	85,700		500	100,000	85.7	75-125
Vanadium	371		20.0	400	92.6	75-125
Zinc	858		20.0	1,000	85.8	75-125

Matrix Spike (B2F2701-MS1)

Source: 1206023-07 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	945		100	1,000	10.1	93.5	75-125
Barium	1,730		10.0	2,000	29.7	85.0	75-125
Beryllium	43.5		5.0	50.0	0.01	87.0	75-125
Cadmium	39.5		5.0	50.0		79.1	75-125
Calcium	225,000		150	100,000	151,000	74.8 #	75-125
Chromium	370		10.0	400	20.1	87.4	75-125
Cobalt	168		20.0	200	0.9	83.6	75-125
Copper	360		20.0	400	8.2	87.8	75-125
Iron	869		25.0	1,000	7.1	86.2	75-125
Magnesium	112,000		150	100,000	27,600	84.2	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2701 **Sample Type: Liquid**

Matrix Spike (B2F2701-MS1)

Source: 1206023-07 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Manganese	340		5.0	400	0.1	85.1	75-125
Nickel	326		20.0	400	3.7	80.6	75-125
Potassium	93,100		1,000	100,000	7,200	85.9	75-125
Silver	44.8		10.0	50.0	1.1	87.6	75-125
Sodium	292,000		500	100,000	223,000	68.9 #	75-125
Vanadium	394		20.0	400	37.8	89.0	75-125
Zinc	809		20.0	1,000		80.9	75-125

Matrix Spike (B2F2701-MS2)

Source: 1206031-13 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	1,030		100	1,000	44.4	98.1	75-125
Barium	1,720		10.0	2,000	41.1	84.1	75-125
Beryllium	43.2		5.0	50.0	0.07	86.2	75-125
Cadmium	39.2		5.0	50.0		78.5	75-125
Calcium	291,000		150	100,000	231,000	60.4 #	75-125
Chromium	383		10.0	400	34.0	87.3	75-125
Cobalt	168		20.0	200	2.3	83.0	75-125
Copper	359		20.0	400	10.0	87.2	75-125
Iron	935		25.0	1,000	77.2	85.8	75-125
Magnesium	116,000		150	100,000	33,900	82.1	75-125
Manganese	343		5.0	400	6.2	84.2	75-125
Nickel	338		20.0	400	22.1	79.1	75-125
Potassium	93,600		1,000	100,000	7,490	86.1	75-125
Silver	42.8		10.0	50.0	1.3	83.0	75-125
Sodium	335,000		500	100,000	278,000	57.6 #	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2701 **Sample Type: Liquid**

Matrix Spike (B2F2701-MS2)

Source: 1206031-13 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Vanadium	389		20.0	400	34.5	88.7	75-125
Zinc	806		20.0	1,000		80.6	75-125

Matrix Spike Dup (B2F2701-MSD1)

Source: 1206023-07 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	970		100	1,000	10.1	96.0	75-125	2.58	20
Barium	1,780		10.0	2,000	29.7	87.4	75-125	2.76	20
Beryllium	44.8		5.0	50.0	0.01	89.7	75-125	2.98	20
Cadmium	40.7		5.0	50.0		81.4	75-125	2.85	20
Calcium	233,000		150	100,000	151,000	82.5	75-125	3.35	20
Chromium	383		10.0	400	20.1	90.6	75-125	3.40	20
Cobalt	173		20.0	200	0.9	86.1	75-125	2.96	20
Copper	370		20.0	400	8.2	90.5	75-125	2.94	20
Iron	894		25.0	1,000	7.1	88.6	75-125	2.76	20
Magnesium	115,000		150	100,000	27,600	87.9	75-125	3.29	20
Manganese	350		5.0	400	0.1	87.5	75-125	2.86	20
Nickel	336		20.0	400	3.7	83.0	75-125	2.80	20
Potassium	96,600		1,000	100,000	7,200	89.4	75-125	3.73	20
Silver	45.2		10.0	50.0	1.1	88.3	75-125	0.81	20
Sodium	305,000		500	100,000	223,000	81.7	75-125	4.29	20
Vanadium	406		20.0	400	37.8	92.1	75-125	3.08	20
Zinc	838		20.0	1,000		83.8	75-125	3.58	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2701 **Sample Type: Liquid**

Matrix Spike Dup (B2F2701-MSD2)

Source: 1206031-13 Prepared: 6/27/2012 Analyzed: 7/9/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	999		100	1,000	44.4	95.4	75-125	2.66	20
Barium	1,700		10.0	2,000	41.1	83.1	75-125	1.14	20
Beryllium	42.8		5.0	50.0	0.07	85.5	75-125	0.89	20
Cadmium	38.7		5.0	50.0		77.5	75-125	1.29	20
Calcium	284,000		150	100,000	231,000	53.8 #	75-125	2.30	20
Chromium	378		10.0	400	34.0	86.1	75-125	1.25	20
Cobalt	166		20.0	200	2.3	81.8	75-125	1.50	20
Copper	356		20.0	400	10.0	86.6	75-125	0.72	20
Iron	922		25.0	1,000	77.2	84.5	75-125	1.37	20
Magnesium	114,000		150	100,000	33,900	80.2	75-125	1.59	20
Manganese	339		5.0	400	6.2	83.2	75-125	1.14	20
Nickel	336		20.0	400	22.1	78.4	75-125	0.79	20
Potassium	92,200		1,000	100,000	7,490	84.7	75-125	1.46	20
Silver	42.2		10.0	50.0	1.3	81.7	75-125	1.45	20
Sodium	326,000		500	100,000	278,000	48.7 #	75-125	2.68	20
Vanadium	385		20.0	400	34.5	87.7	75-125	1.01	20
Zinc	797		20.0	1,000		79.7	75-125	1.11	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2703 **Sample Type: Liquid**

Blank (B2F2703-BLK1)
Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit
Aluminum	U		100
Barium	U		10.0
Beryllium	U		5.0
Cadmium	U		5.0
Calcium	U		150
Chromium	U		10.0
Cobalt	U		20.0
Copper	U		20.0
Iron	U		25.0
Magnesium	U		150
Manganese	U		5.0
Nickel	U		20.0
Potassium	U		1,000
Silver	U		10.0
Sodium	U		500
Vanadium	U		20.0
Zinc	U		20.0

LCS (B2F2703-BS1)
Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Aluminum	950		100	1,000	95.0	75-125
Barium	1,770		10.0	2,000	88.4	75-125
Beryllium	46.0		5.0	50.0	92.0	75-125
Cadmium	41.5		5.0	50.0	83.1	75-125
Calcium	85,200		150	100,000	85.2	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2703 **Sample Type: Liquid**

LCS (B2F2703-BS1)

Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Chromium	370		10.0	400	92.6	75-125
Cobalt	173		20.0	200	86.7	75-125
Copper	373		20.0	400	93.3	75-125
Iron	912		25.0	1,000	91.2	75-125
Magnesium	89,000		150	100,000	89.0	75-125
Manganese	357		5.0	400	89.1	75-125
Nickel	341		20.0	400	85.4	75-125
Potassium	87,300		1,000	100,000	87.3	75-125
Silver	45.1		10.0	50.0	90.2	75-125
Sodium	87,100		500	100,000	87.1	75-125
Vanadium	377		20.0	400	94.3	75-125
Zinc	849		20.0	1,000	84.9	75-125

Matrix Spike (B2F2703-MS1)

Source: 1206027-07 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	951		100	1,000	30.7	92.1	75-125
Barium	1,680		10.0	2,000	56.8	81.0	75-125
Beryllium	42.3		5.0	50.0	0.07	84.5	75-125
Cadmium	37.2		5.0	50.0		74.5 #	75-125
Calcium	230,000		150	100,000	170,000	60.3 #	75-125
Chromium	345		10.0	400	3.1	85.4	75-125
Cobalt	158		20.0	200	0.7	78.5	75-125
Copper	348		20.0	400	7.9	85.0	75-125
Iron	887		25.0	1,000	48.4	83.9	75-125
Magnesium	108,000		150	100,000	26,200	81.5	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2703 **Sample Type: Liquid**

Matrix Spike (B2F2703-MS1)

Source: 1206027-07 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Manganese	329		5.0	400	1.5	81.9	75-125
Nickel	320		20.0	400	15.0	76.3	75-125
Potassium	90,400		1,000	100,000	7,630	82.8	75-125
Silver	41.0		10.0	50.0	0.1	81.8	75-125
Sodium	217,000		500	100,000	150,000	67.7 #	75-125
Vanadium	379		20.0	400	33.8	86.4	75-125
Zinc	774		20.0	1,000		77.4	75-125

Matrix Spike (B2F2703-MS2)

Source: 1206034-06 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Aluminum	911		100	1,000	17.2	89.4	75-125
Barium	1,650		10.0	2,000	25.6	81.2	75-125
Beryllium	42.2		5.0	50.0	0.2	84.1	75-125
Cadmium	37.4		5.0	50.0		74.8 #	75-125
Calcium	249,000		150	100,000	182,000	67.4 #	75-125
Chromium	1,130		10.0	400	830	74.5 #	75-125
Cobalt	161		20.0	200	0.2	80.2	75-125
Copper	356		20.0	400	12.4	86.0	75-125
Iron	850		25.0	1,000	10.5	83.9	75-125
Magnesium	128,000		150	100,000	45,800	82.6	75-125
Manganese	329		5.0	400		82.2	75-125
Nickel	318		20.0	400	3.9	78.5	75-125
Potassium	90,700		1,000	100,000	5,880	84.8	75-125
Silver	40.9		10.0	50.0		81.8	75-125
Sodium	375,000		500	100,000	317,000	57.8 #	75-125

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2703 **Sample Type: Liquid**

Matrix Spike (B2F2703-MS2)

Source: 1206034-06 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets (Continued)

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Vanadium	426		20.0	400	83.1	85.6	75-125
Zinc	784		20.0	1,000		78.4	75-125

Matrix Spike Dup (B2F2703-MSD1)

Source: 1206027-07 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	1,030		100	1,000	30.7	99.5	75-125	7.56	20
Barium	1,770		10.0	2,000	56.8	85.4	75-125	5.14	20
Beryllium	44.6		5.0	50.0	0.07	89.1	75-125	5.28	20
Cadmium	39.2		5.0	50.0		78.4	75-125	5.10	20
Calcium	240,000		150	100,000	170,000	70.2 #	75-125	4.20	20
Chromium	365		10.0	400	3.1	90.5	75-125	5.74	20
Cobalt	166		20.0	200	0.7	82.8	75-125	5.29	20
Copper	367		20.0	400	7.9	89.7	75-125	5.19	20
Iron	948		25.0	1,000	48.4	90.0	75-125	6.64	20
Magnesium	111,000		150	100,000	26,200	85.1	75-125	3.29	20
Manganese	347		5.0	400	1.5	86.4	75-125	5.35	20
Nickel	336		20.0	400	15.0	80.3	75-125	4.90	20
Potassium	93,400		1,000	100,000	7,630	85.8	75-125	3.23	20
Silver	42.2		10.0	50.0	0.1	84.2	75-125	2.90	20
Sodium	226,000		500	100,000	150,000	76.8	75-125	4.08	20
Vanadium	399		20.0	400	33.8	91.4	75-125	5.11	20
Zinc	815		20.0	1,000		81.5	75-125	5.25	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP - Quality Control

Batch: B2F2703 **Sample Type: Liquid**

Matrix Spike Dup (B2F2703-MSD2)

Source: 1206034-06 Prepared: 6/27/2012 Analyzed: 7/10/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Aluminum	995		100	1,000	17.2	97.8	75-125	8.76	20
Barium	1,770		10.0	2,000	25.6	87.4	75-125	7.22	20
Beryllium	45.5		5.0	50.0	0.2	90.6	75-125	7.41	20
Cadmium	39.9		5.0	50.0		79.8	75-125	6.51	20
Calcium	268,000		150	100,000	182,000	86.9	75-125	7.53	20
Chromium	1,210		10.0	400	830	95.6	75-125	7.24	20
Cobalt	173		20.0	200	0.2	86.2	75-125	7.21	20
Copper	385		20.0	400	12.4	93.2	75-125	7.85	20
Iron	918		25.0	1,000	10.5	90.7	75-125	7.73	20
Magnesium	138,000		150	100,000	45,800	92.1	75-125	7.20	20
Manganese	354		5.0	400		88.6	75-125	7.42	20
Nickel	340		20.0	400	3.9	83.9	75-125	6.61	20
Potassium	97,200		1,000	100,000	5,880	91.3	75-125	6.87	20
Silver	45.0		10.0	50.0		90.1	75-125	9.59	20
Sodium	413,000		500	100,000	317,000	95.5	75-125	9.59	20
Vanadium	461		20.0	400	83.1	94.6	75-125	8.05	20
Zinc	835		20.0	1,000		83.5	75-125	6.36	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP/MS - Quality Control

Batch: B2F2702 **Sample Type: Liquid**

Blank (B2F2702-BLK1)
Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit
Antimony	U		2.0
Arsenic	U		2.0
Lead	U		2.0
Selenium	U		2.0
Thallium	U		2.0

LCS (B2F2702-BS1)
Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Antimony	200		2.0	200	99.9	85-115
Arsenic	207		2.0	200	104	85-115
Lead	210		2.0	200	105	85-115
Selenium	209		2.0	200	104	85-115
Thallium	205		2.0	200	102	85-115

Matrix Spike (B2F2702-MS1)
Source: 1206023-07 Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	210		2.0	200	0.08	105	70-130
Arsenic	228		2.0	200	7.5	111	70-130
Lead	216		2.0	200	1.2	107	70-130
Selenium	231		2.0	200	15.3	108	70-130
Thallium	211		2.0	200	0.9	105	70-130

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP/MS - Quality Control

Batch: B2F2702 **Sample Type: Liquid**

Matrix Spike (B2F2702-MS2)

Source: 1206031-13 Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	195		2.0	200	0.1	97.5	70-130
Arsenic	216		2.0	200	6.2	105	70-130
Lead	207		2.0	200	1.2	103	70-130
Selenium	224		2.0	200	19.4	102	70-130
Thallium	203		2.0	200	1.4	101	70-130

Matrix Spike Dup (B2F2702-MSD1)

Source: 1206023-07 Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	202		2.0	200	0.08	101	70-130	4.23	20
Arsenic	219		2.0	200	7.5	106	70-130	4.03	20
Lead	207		2.0	200	1.2	103	70-130	4.04	20
Selenium	222		2.0	200	15.3	103	70-130	3.94	20
Thallium	204		2.0	200	0.9	102	70-130	3.17	20

Matrix Spike Dup (B2F2702-MSD2)

Source: 1206031-13 Prepared: 6/27/2012 Analyzed: 7/12/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	202		2.0	200	0.1	101	70-130	3.45	20
Arsenic	222		2.0	200	6.2	108	70-130	2.94	20
Lead	216		2.0	200	1.2	108	70-130	4.26	20
Selenium	229		2.0	200	19.4	105	70-130	1.93	20
Thallium	214		2.0	200	1.4	106	70-130	5.31	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP/MS - Quality Control

Batch: B2F2704 **Sample Type: Liquid**

Blank (B2F2704-BLK1)
Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit
Antimony	U		2.0
Arsenic	U		2.0
Lead	U		2.0
Selenium	U		2.0
Thallium	U		2.0

LCS (B2F2704-BS1)
Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	%REC	%REC Limits
Antimony	203		2.0	200	101	85-115
Arsenic	210		2.0	200	105	85-115
Lead	202		2.0	200	101	85-115
Selenium	206		2.0	200	103	85-115
Thallium	200		2.0	200	100	85-115

Matrix Spike (B2F2704-MS1)
Source: 1206027-07 Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	210		2.0	200	0.07	105	70-130
Arsenic	233		2.0	200	6.4	113	70-130
Lead	209		2.0	200	1.0	104	70-130
Selenium	235		2.0	200	16.5	109	70-130
Thallium	208		2.0	200	0.9	104	70-130

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Metals by CLP ILMO5.3 - ICP/MS - Quality Control

Batch: B2F2704 **Sample Type: Liquid**

Matrix Spike (B2F2704-MS2)

Source: 1206034-06 Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits
Antimony	210		2.0	200	0.1	105	70-130
Arsenic	239		2.0	200	14.8	112	70-130
Lead	213		2.0	200	0.6	106	70-130
Selenium	241		2.0	200	24.2	108	70-130
Thallium	212		2.0	200	1.4	105	70-130

Matrix Spike Dup (B2F2704-MSD1)

Source: 1206027-07 Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	204		2.0	200	0.07	102	70-130	2.89	20
Arsenic	221		2.0	200	6.4	107	70-130	5.11	20
Lead	205		2.0	200	1.0	102	70-130	1.86	20
Selenium	224		2.0	200	16.5	104	70-130	4.43	20
Thallium	204		2.0	200	0.9	102	70-130	2.11	20

Matrix Spike Dup (B2F2704-MSD2)

Source: 1206034-06 Prepared: 6/27/2012 Analyzed: 7/13/2012

Targets

ANALYTE	Result µg/l	Analyte Qualifiers	Reporting Limit	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Antimony	216		2.0	200	0.1	108	70-130	2.87	20
Arsenic	244		2.0	200	14.8	115	70-130	2.09	20
Lead	221		2.0	200	0.6	110	70-130	3.70	20
Selenium	242		2.0	200	24.2	109	70-130	0.71	20
Thallium	220		2.0	200	1.4	110	70-130	3.93	20

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)
DateShipped: 06/18/2012
CarrierName: FedEx
AirbillNo: 7985 2423 3772

CHAIN OF CUSTODY RECORD

Case #:

No: 6-061812-164457-0024
Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
SMW-22	Ground Water/ Javier Manzano	Grab	TM(35)	6-445541 (HNO3 pH<2 Ice to 4C) (1)	SMW-22	06/18/2012 14:02		
SMW-22A	Ground Water/ Javier Manzano	Grab	TM(35)	6-445545 (HNO3 pH<2 Ice to 4C) (1)	SMW-22A	06/18/2012 15:08		
SMW-23	Ground Water/ Javier Manzano	Grab	TM(35)	6-445549 (HNO3 pH<2 Ice to 4C) (1)	SMW-23	06/18/2012 16:42		
WMW-17A	Ground Water/ Gary Desselle	Grab	TM(35)	6-499627 (HNO3 pH<2 Ice to 4C) (1)	WMW-17A	06/18/2012 16:30		
WMW-18A	Ground Water/ Gary Desselle	Grab	TM(35)	6-471299 (HNO3 pH<2 Ice to 4C) (1)	WMW-18A	06/18/2012 14:40		
WMW-18A-D	Ground Water/ Gary Desselle	Grab	TM(35)	6-499620 (HNO3 pH<2 Ice to 4C) (1)	WMW-18A-D	06/18/2012 14:40		
WMW-35A-MS/MD	Ground Water/ Gary Desselle	Grab	TM(35), TM(35)	6-471294 (HNO3 pH<2 Ice to 4C), 6-471295 (HNO3 pH<2 Ice to 4C) (2)	WMW-35A-MS/MD	06/18/2012 13:25		

Sample(s) to be used for Lab QC: WMW-35A-MS/MD

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/18/12	[illegible]	6/18/12	1730						
	[illegible]	6/18/12	[illegible]	6/18/12	1730						
	[illegible]	6/18/12	Isaiah Harris	6/19/12	9:14						

Sample Temp: 3°C

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 6-061912-091456-0026

DateShipped: 6/19/2012
CarrierName: FedEx
AirbillNo: 7936 7388 9141

Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
ER-11	Ground Water/ Javier Manzano	Grab	TM(35)	6-445352 (HNO3 pH<2 Ice to 4C) (1)	ER-11	06/18/2012 18:22		
ER-12	Ground Water/ Javier Manzano	Grab	TM(35)	6-445494 (HNO3 pH<2 Ice to 4C) (1)	ER-12	06/19/2012 09:35		
ER-15	Ground Water/ Gary Desselle	Grab	TM(35)	6-471151 (HNO3 pH<2 Ice to 4C) (1)	ER-15	06/18/2012 17:00		
SMW-23A	Ground Water/ Javier Manzano	Grab	TM(35)	6-445553 (HNO3 pH<2 Ice to 4C) (1)	SMW-23A	06/18/2012 17:50		
SMW-9	Ground Water/ Javier Manzano	Grab	TM(35)	6-445557 (HNO3 pH<2 Ice to 4C) (1)	SMW-9	06/19/2012 09:20		
WMW-13A	Ground Water/ Gary Desselle	Grab	TM(35)	6-499639 (HNO3 pH<2 Ice to 4C) (1)	WMW-13A	06/19/2012 10:20		
WMW-14A	Ground Water/ Gary Desselle	Grab	TM(35)	6-499635 (HNO3 pH<2 Ice to 4C) (1)	WMW-14A	06/19/2012 09:15		
WMW-16A	Ground Water/ Gary Desselle	Grab	TM(35)	6-499631 (HNO3 pH<2 Ice to 4C) (1)	WMW-16A	06/18/2012 17:45		

Special Instructions:

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/19/12	[illegible]	6/19/12	1215						
	[illegible]	6/19/12	[illegible]	6/19/12	1215						
	[illegible]	6/19/12	Christy Warren	6/20/12	9:45						

Sample Temp = 2°C

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)

DateShipped: 6/19/2012
CarrierName: FedEx
AirbillNo: 7936 7389 1781

CHAIN OF CUSTODY RECORD

No: 6-061912-140940-0028
Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
ER-16	Ground Water/ Gary Desselle	Grab	TM(35)	6-471175 (HNO3 pH<2 Ice to 4C) (1)	ER-16	06/19/2012 16:30		
FB-2	Ground Water/ Gary Desselle	Grab	TM(35)	6-489383 (HNO3 pH<2 Ice to 4C) (1)	FB-2	06/19/2012 10:45		
SMW-27-MS/MD	Ground Water/ Gary Desselle	Grab	TM(35), TM(35)	6-499644 (HNO3 pH<2 Ice to 4C), 6-499645 (HNO3 pH<2 Ice to 4C) (2)	SMW-27-MS/MD	06/19/2012 16:05		
SMW-36	Ground Water/ Gary Desselle	Grab	TM(35)	6-499643 (HNO3 pH<2 Ice to 4C) (1)	SMW-36	06/19/2012 14:55		
WMW-28A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471261 (HNO3 pH<2 Ice to 4C) (1)	WMW-28A	06/19/2012 15:15		
WMW-36A	Ground Water/ Javier Manzano	Grab	TM(35)	6-445565 (HNO3 pH<2 Ice to 4C) (1)	WMW-36A	06/19/2012 11:46		
WMW-37A	Ground Water/ Javier Manzano	Grab	TM(35)	6-445561 (HNO3 pH<2 Ice to 4C) (1)	WMW-37A	06/19/2012 10:39		

Sample(s) to be used for Lab QC: SMW-27-MS/MD

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/19/12	[illegible]	6/19/12	1700						
	[illegible]	6/19/12	[illegible]	6/19/12	1700						
	[illegible]	6/19/12	[illegible]	6/20/12	9:45						

Sample temp = 10C

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA
DateShipped: 6/20/2012
CarrierName: FedEx
AirbillNo

CHAIN OF CUSTODY RECORD
Site: Old Esco
Contact Name: Kristie Warr
Contact Phone: 832.444.7976

No: 6-061912-164937-0077
Cooler #: 1
Lab: EPAR6
Lab Phone: 281-983-2137

Lab #	Sample #	Location	Tag	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	MS/MSD
	Stockpile-2F-20120619	2F	446114	PCBs	Soil	6/19/2012	13:55	1	4 oz Jar	None	N
	12-2F-36-61	2F	446115	PCBs	Soil	6/19/2012	16:15	1	8 oz Jar	None	N
	12-2F-45-61	2F	446116	PCBs	Soil	6/20/2012	09:00	1	8 oz Jar	None	N

Special Instructions:

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
3.8x12 jars PCB Analysis	[illegible]	6-20-2012	FedEx	6-20-2012	1200hrs						
	Michael J Fertitta	6/21/12	7:00								

Cooler Temp 5° C.

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)

DateShipped: 6/20/2012
CarrierName: FedEx
AirbillNo: 7985 0443 7131

CHAIN OF CUSTODY RECORD

No: 6-062012-145841-0030
Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
ER-13	Ground Water/ Javier Manzano	Grab	TM(35)	6-446410 (HNO3 pH<2 Ice to 4C) (1)	ER-13	06/20/2012 09:17		
SMW-26	Ground Water/ Gary Desselle	Grab	TM(35)	6-499649 (HNO3 pH<2 Ice to 4C) (1)	SMW-26	06/20/2012 11:50		
SMW-26A	Ground Water/ Gary Desselle	Grab	TM(35)	6-311159 (HNO3 pH<2 Ice to 4C) (1)	SMW-26A	06/20/2012 14:00		
WMW-26A	Ground Water/ Javier Manzano	Grab	TM(35)	6-499742 (HNO3 pH<2 Ice to 4C) (1)	WMW-26A	06/20/2012 13:44		
WMW-32A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471281 (HNO3 pH<2 Ice to 4C) (1)	WMW-32A	06/20/2012 11:28		

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Special Instructions:

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/20/12	[illegible]	6/20/12	1630						
	[illegible]	6/20/12	[illegible]	6/20/12	1630						
	[illegible]	6/20/12	Christy Warren	6/21/12	9:15						

Sample temp = 10C

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)

DateShipped: 6/20/2012
CarrierName: FedEx
AirbillNo: 7985 0444 4030

CHAIN OF CUSTODY RECORD

No: 6-062012-110723-0029
Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
SMW-27A	Ground Water/ Gary Desselle	Grab	TM(35)	6-499646 (HNO3 pH<2 Ice to 4C) (1)	SMW-27A	06/19/2012 17:20		
SMW-34	Ground Water/ Gary Desselle	Grab	TM(35)	6-499647 (HCL pH<2 Ice to 4C) (1)	SMW-34	06/20/2012 10:25		
SMW-35	Ground Water/ Gary Desselle	Grab	TM(35)	6-499648 (HNO3 pH<2 Ice to 4C) (1)	SMW-35	06/20/2012 08:50		
WMW-24A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471265 (HNO3 pH<2 Ice to 4C) (1)	WMW-24A	06/19/2012 16:31		
WMW-27A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471269 (HNO3 pH<2 Ice to 4C) (1)	WMW-27A	06/19/2012 17:38		
WMW-27A-D	Ground Water/ Javier Manzano	Grab	TM(35)	6-489409 (HNO3 pH<2 Ice to 4C) (1)	WMW-27A-D	06/19/2012 17:38		
WMW-33A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471277 (HNO3 pH<2 Ice to 4C) (1)	WMW-33A	06/20/2012 10:17		
WMW-34A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471273 (HNO3 pH<2 Ice to 4C) (1)	WMW-34A	06/20/2012 08:59		

Special Instructions:

Shipment for Case Complete? N
Samples Transferred From Chain of Custody #

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/20/12	[illegible]	6/20/12	1230						
	[illegible]	6/20/12	[illegible]	6/20/12	1230						
	[illegible]	6/20/12	Christy Warren	6/21/12	9:15						

Sample Temp=3°C

Environmental Protection Agency
Region 6 Laboratory
10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

USEPA CLP Inorganics COC (LAB COPY)

CHAIN OF CUSTODY RECORD

No: 6-062012-172751-0031

DateShipped: 6/21/2012
CarrierName: FedEx
AirbillNo: 7985 0444 7154

Lab: U.S. EPA Region 6 Laboratory
Lab Contact: Christy Warren
Lab Phone: (281) 983-2137

Inorganic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Organic Sample #	For Lab Use Only
ER-17	Ground Water/ Gary Desselle	Grab	TM(35)	6-471195 (HNO3 pH<2 Ice to 4C) (1)	ER-17	06/20/2012 16:35		
SMW-37	Ground Water/ Gary Desselle	Grab	TM(35)	6-311163 (HNO3 pH<2 Ice to 4C) (1)	SMW-37	06/20/2012 15:15		
SMW-38	Ground Water/ Gary Desselle	Grab	TM(35)	6-474099 (HNO3 pH<2 Ice to 4C) (1)	SMW-38	06/20/2012 17:25		
SMW-39	Ground Water/ Javier Manzano	Grab	TM(35)	6-474103 (HNO3 pH<2 Ice to 4C) (1)	SMW-39	06/20/2012 17:11		
WMW-29A	Ground Water/ Javier Manzano	Grab	TM(35)	6-471290 (HNO3 pH<2 Ice to 4C) (1)	WMW-29A	06/20/2012 15:57		
WMW-31A-MS/MD	Ground Water/ Javier Manzano	Grab	TM(35), TM(35)	6-471285 (HNO3 pH<2 Ice to 4C), 6-471286 (HNO3 pH<2 Ice to 4C) (2)	WMW-31A-MS/MD	06/20/2012 14:54		

Sample(s) to be used for Lab QC: WMW-31A-MS/MD

Shipment for Case Complete? ~~N~~ Y JC

Samples Transferred From Chain of Custody #

Analysis Key: TM=ISM01.3/ICP-AES TAL Metals

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
	[illegible]	6/20/12	[illegible]	6/20/12	1800						
	[illegible]	6/20/12	[illegible]	6/20/12	1800						
	[illegible]	6/21/12	Isaiah Harris	6/22/12	9:30						

Sample Temp: 2°C

Environmental Protection Agency

Region 6 Laboratory

10625 Fallstone Road, Houston, TX 77099
Phone:(281)983-2100 Fax:(281)983-2248

Notes and Definitions

J	The identification of the analyte is acceptable; the reported value is an estimate.
A	This sample was extracted at a single acid pH.
HTS	Sample was prepared and/or analyzed past recommended holding time. Concentrations should be considered minimum values.
AES	Atomic Emission Spectrometer
CVAA	Cold Vapor Atomic Absorption
ECD	Electron Capture Detector
GC	Gas Chromatograph
GFAA	Graphite Furnace Atomic Absorption
ICP	Inductively Coupled Plasma
MS	Mass Spectrometer
NA	Not Applicable
NPD	Nitrogen Phosphorous Detector
NR	Not Reported
TCLP	Toxicity Characteristic Leaching Procedure
U	Undetected
#	Out of QC limits

Initial pressure in air analyses is the pressure at which the canister was received in psia (pounds *per* square inch absolute pressure).

The pH reported for Volatile liquid samples was tested using a 0-14 pH indicator strip for the purpose of verifying chemical preservation.

The statistical software used for the reporting of toxicity data is ToxCalc 5.0.32, Environmental Toxicity Data Analysis System 1994-2007 Tidepool Scientific Software.

CLIENT	PROJECT	PROJECTI	LabName	SAMPLEN	LABSAMP	MATRIX	RPTMATR	SAMPDAT
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-22A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-17A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-18A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-35A	1206023-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-11	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-12	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-15	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-16	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	FB-2	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-23A	1206027-0	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27-M	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-36	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-9	1206027-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-13A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-14A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-16A	1206027-1	Liquid	Liquid	06/18/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-28A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-36A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-37A	1206027-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-13	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-34	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-35	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-24A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-26A	1206031-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-0	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-27A	1206031-1	Liquid	Liquid	06/19/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-32A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-33A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-34A	1206031-1	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	ER-17	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-37	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-38	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	SMW-39	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-29A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012

R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012
R6 Superfu	West Coun	12SF125	U.S. EPA,	WMW-31A	1206034-0	Liquid	Liquid	06/20/2012

PREPDAT	ANADATE	BATCH	METHODC	METHODN	PREPNAM	ANALYTE	CASNUMB	SURROGA
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE

06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE

06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE

06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE

06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/09/2012	B2F2701	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/12/2012	B2F2702	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE

06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Aluminum	7429-90-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Copper	7440-50-8	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Iron	7439-89-6	FALSE

06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Magnesium	7439-95-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Manganese	7439-96-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Nickel	7440-02-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Potassium	7440-09-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Silver	7440-22-4	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Sodium	7440-23-5	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Vanadium	7440-62-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Zinc	7440-66-6	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Barium	7440-39-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Beryllium	7440-41-7	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cadmium	7440-43-9	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Calcium	7440-70-2	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Chromium	7440-47-3	FALSE
06/27/2012	07/10/2012	B2F2703	Metals ICP	CLP	EPA 200 S	Cobalt	7440-48-4	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Lead	7439-92-1	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Selenium	7782-49-2	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Thallium	7440-28-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Antimony	7440-36-0	FALSE
06/27/2012	07/13/2012	B2F2704	Metals ICP	CLP	EPA 200 S	Arsenic	7440-38-2	FALSE

TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEV
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	67.5		25.0	µg/l	FALSE	NA	1	
FALSE	35600		150	µg/l	FALSE	NA	1	
FALSE	13.8		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	4860		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	230000		500	µg/l	FALSE	NA	1	
FALSE	48.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	33.6		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	163000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	16.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.5		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	11500		25.0	µg/l	FALSE	NA	1	
FALSE	33300		150	µg/l	FALSE	NA	1	
FALSE	7.5		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	3940		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	161000		500	µg/l	FALSE	NA	1	
FALSE	114		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	37.4		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	136000		150	µg/l	FALSE	NA	1	
FALSE	22.8		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	22.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	69.3		25.0	µg/l	FALSE	NA	1	
FALSE	27800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	12900		1000	µg/l	FALSE	NA	1	

FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	256000		500	µg/l	FALSE	NA	1	
FALSE	49.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	43.2		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	152000		150	µg/l	FALSE	NA	1	
FALSE	15.2		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	11.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.3		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	31.6		25.0	µg/l	FALSE	NA	1	
FALSE	33400		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	11000		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	274000		500	µg/l	FALSE	NA	1	
FALSE	48.4		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	37.0		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	176000		150	µg/l	FALSE	NA	1	
FALSE	51.9		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	13.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	32600		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	9600		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	244000		500	µg/l	FALSE	NA	1	
FALSE	36.4		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	29.5		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	176000		150	µg/l	FALSE	NA	1	

FALSE	75.5		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	19.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	32800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	9590		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	247000		500	µg/l	FALSE	NA	1	
FALSE	36.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	30.0		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	176000		150	µg/l	FALSE	NA	1	
FALSE	76.3		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	18.3		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.1		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	27600		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	7200		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	223000		500	µg/l	FALSE	NA	1	
FALSE	37.8		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	29.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	151000		150	µg/l	FALSE	NA	1	
FALSE	20.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	15.3		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.5		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	

FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	

FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	

FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	5750		25.0	µg/l	FALSE	NA	1	
FALSE	30500		150	µg/l	FALSE	NA	1	
FALSE	12.2		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	8530		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	191000		500	µg/l	FALSE	NA	1	
FALSE	175		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	43.9		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	139000		150	µg/l	FALSE	NA	1	
FALSE	626		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	10.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	65.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	48.4		25.0	µg/l	FALSE	NA	1	
FALSE	26200		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	7630		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	150000		500	µg/l	FALSE	NA	1	
FALSE	33.8		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	56.8		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	170000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	16.5		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	6.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	162		25.0	µg/l	FALSE	NA	1	

FALSE	42600		150	µg/l	FALSE	NA	1	
FALSE	5.9		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	4870		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	243000		500	µg/l	FALSE	NA	1	
FALSE	37.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	44.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	174000		150	µg/l	FALSE	NA	1	
FALSE	19.4		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	18.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	10.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	46500		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	184		20.0	µg/l	FALSE	NA	1	
FALSE	9910		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	198000		500	µg/l	FALSE	NA	1	
FALSE	21.7		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	79.4		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	279000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	45.4		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	12.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	5.9		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	39.4		25.0	µg/l	FALSE	NA	1	
FALSE	25600		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	5910		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	188000		500	µg/l	FALSE	NA	1	
FALSE	49.5		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	

FALSE	37.0		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	112000		150	µg/l	FALSE	NA	1	
FALSE	11.5		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	13.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	69.6		25.0	µg/l	FALSE	NA	1	
FALSE	25600		150	µg/l	FALSE	NA	1	
FALSE	7.5		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	6700		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	207000		500	µg/l	FALSE	NA	1	
FALSE	53.0		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	40.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	119000		150	µg/l	FALSE	NA	1	
FALSE	44.5		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	13.5		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	30800		150	µg/l	FALSE	NA	1	
FALSE	13.4		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	9790		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	203000		500	µg/l	FALSE	NA	1	
FALSE	49.3		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	38.8		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	157000		150	µg/l	FALSE	NA	1	
FALSE	128		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	15.7		2.0	µg/l	FALSE	NA	4	

FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.1		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	84.8		25.0	µg/l	FALSE	NA	1	
FALSE	56700		150	µg/l	FALSE	NA	1	
FALSE	9.6		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	5710		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	267000		500	µg/l	FALSE	NA	1	
FALSE	87.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	26.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	164000		150	µg/l	FALSE	NA	1	
FALSE	222		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	18.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	14.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	28700		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	6690		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	202000		500	µg/l	FALSE	NA	1	
FALSE	32.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	45.0		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	175000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	14.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	6.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	42.5		25.0	µg/l	FALSE	NA	1	
FALSE	32600		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	

FALSE	51.8		20.0	µg/l	FALSE	NA	1	
FALSE	7900		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	214000		500	µg/l	FALSE	NA	1	
FALSE	32.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	65.6		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	205000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	13.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	112		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	81.0		25.0	µg/l	FALSE	NA	1	
FALSE	51800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	5920		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	274000		500	µg/l	FALSE	NA	1	
FALSE	58.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	25.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	

FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	193000		150	µg/l	FALSE	NA	1	
FALSE	2660		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	22.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	12.9		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	220		25.0	µg/l	FALSE	NA	1	
FALSE	41100		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	8980		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	255000		500	µg/l	FALSE	NA	1	
FALSE	49.0		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	36.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	213000		150	µg/l	FALSE	NA	1	
FALSE	3350		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	21.9		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	219		25.0	µg/l	FALSE	NA	1	
FALSE	26200		150	µg/l	FALSE	NA	1	
FALSE	18.6		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	11600		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	147000		500	µg/l	FALSE	NA	1	
FALSE	24.7		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	73.3		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	154000		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	15.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	

FALSE	6.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	989		25.0	µg/l	FALSE	NA	1	
FALSE	57900		150	µg/l	FALSE	NA	1	
FALSE	9.6		5.0	µg/l	FALSE	NA	1	
FALSE	25.5		20.0	µg/l	FALSE	NA	1	
FALSE	2500		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	250000		500	µg/l	FALSE	NA	1	
FALSE	46.8		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	60.3		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	218000		150	µg/l	FALSE	NA	1	
FALSE	196		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	30.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	10.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	52700		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	10000		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	195000		500	µg/l	FALSE	NA	1	
FALSE	51.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	49.9		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	171000		150	µg/l	FALSE	NA	1	
FALSE	361		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	23.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.9		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	70.7		25.0	µg/l	FALSE	NA	1	
FALSE	31600		150	µg/l	FALSE	NA	1	
FALSE	9.2		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	11500		1000	µg/l	FALSE	NA	1	

FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	236000		500	µg/l	FALSE	NA	1	
FALSE	68.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	30.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	160000		150	µg/l	FALSE	NA	1	
FALSE	140		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	16.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	39800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	7470		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	277000		500	µg/l	FALSE	NA	1	
FALSE	56.5		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	27.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	175000		150	µg/l	FALSE	NA	1	
FALSE	111		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	21.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	10.5		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	33000		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	9520		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	226000		500	µg/l	FALSE	NA	1	
FALSE	53.6		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	32.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	155000		150	µg/l	FALSE	NA	1	

FALSE	375		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	17.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	
FALSE	33300		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	9620		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	228000		500	µg/l	FALSE	NA	1	
FALSE	53.2		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	33.7		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	156000		150	µg/l	FALSE	NA	1	
FALSE	379		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	17.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	8.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	33.0		25.0	µg/l	FALSE	NA	1	
FALSE	34800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	8650		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	244000		500	µg/l	FALSE	NA	1	
FALSE	33.7		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	48.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	208000		150	µg/l	FALSE	NA	1	
FALSE	332		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	24.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	

FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	52.3		25.0	µg/l	FALSE	NA	1	
FALSE	34500		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	8350		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	260000		500	µg/l	FALSE	NA	1	
FALSE	40.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	36.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	219000		150	µg/l	FALSE	NA	1	
FALSE	160		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	22.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	7.6		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	77.2		25.0	µg/l	FALSE	NA	1	
FALSE	33900		150	µg/l	FALSE	NA	1	
FALSE	6.2		5.0	µg/l	FALSE	NA	1	
FALSE	22.1		20.0	µg/l	FALSE	NA	1	
FALSE	7490		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	278000		500	µg/l	FALSE	NA	1	
FALSE	34.5		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	41.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	231000		150	µg/l	FALSE	NA	1	
FALSE	34.0		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	19.4		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	6.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	31.3		25.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		500	µg/l	FALSE	NA	1	

FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		150	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	35.9		25.0	µg/l	FALSE	NA	1	
FALSE	39300		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	60.4		20.0	µg/l	FALSE	NA	1	
FALSE	6270		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	252000		500	µg/l	FALSE	NA	1	
FALSE	37.0		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	55.9		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	261000		150	µg/l	FALSE	NA	1	
FALSE	25.1		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	17.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	6.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	248		25.0	µg/l	FALSE	NA	1	
FALSE	34300		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	7450		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	265000		500	µg/l	FALSE	NA	1	
FALSE	44.8		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	46.3		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	232000		150	µg/l	FALSE	NA	1	
FALSE	104		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	

FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	21.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	9.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	29.8		25.0	µg/l	FALSE	NA	1	
FALSE	36100		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	7050		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	265000		500	µg/l	FALSE	NA	1	
FALSE	37.0		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	41.5		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	240000		150	µg/l	FALSE	NA	1	
FALSE	313		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	26.0		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	6.9		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	48.2		25.0	µg/l	FALSE	NA	1	
FALSE	45400		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	6940		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	347000		500	µg/l	FALSE	NA	1	
FALSE	56.8		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	28.8		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	185000		150	µg/l	FALSE	NA	1	
FALSE	232		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	19.7		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	10.8		2.0	µg/l	FALSE	NA	4	
FALSE	U		100	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		25.0	µg/l	FALSE	NA	1	

FALSE	45800		150	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	5880		1000	µg/l	FALSE	NA	1	
FALSE	U		10.0	µg/l	FALSE	NA	1	
FALSE	317000		500	µg/l	FALSE	NA	1	
FALSE	83.1		20.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	25.6		10.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	U		5.0	µg/l	FALSE	NA	1	
FALSE	182000		150	µg/l	FALSE	NA	1	
FALSE	830		10.0	µg/l	FALSE	NA	1	
FALSE	U		20.0	µg/l	FALSE	NA	1	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	24.2		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	U		2.0	µg/l	FALSE	NA	4	
FALSE	14.8		2.0	µg/l	FALSE	NA	4	

RECOVER	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUD
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					

			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					

			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			J		
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc			J		
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		

			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		

			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		

			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			J		
			spc					
			spc			U		
			spc					
			spc			U		
			spc			J, U		
			spc			J		
			spc			U		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					

			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		

			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					

			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		

			spc					
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		

			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		

			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc					
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc			U		
			spc					

			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					

			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		

			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc					
			spc					
			spc					
			spc			U		
			spc			J		
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc			J		
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		

			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			spc			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			KD			U		
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		

			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc					
			spc					
			spc			U		
			spc					
			spc			U		
			spc			U		
			spc					
			spc					
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					
			spc			U		
			spc			U		
			spc			U		

			spc					
			spc			U		
			spc			U		
			spc					
			spc			U		
			spc			J		
			spc					
			spc			U		
			spc					
			spc			U		
			spc			J, U		
			spc			J		
			spc			J		
			spc			U		
			KD			U		
			KD					
			KD			U		
			KD			U		
			KD					

sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22	14:02		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-22A	15:08		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				

	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	SMW-23	16:42		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-17A	16:30		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				

	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
	WMW-18A	14:40		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
Extra Volur	WMW-35A	13:25		L				
	ER-11	18:22		L				

	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-11	18:22		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-12	09:35		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				

	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-15	17:00		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	ER-16	16:30		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				

	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	FB-2	10:45		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
	SMW-23A	17:50		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
Extra Volur	SMW-27-M	16:05		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				

	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-36	14:55		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	SMW-9	09:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				

	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-13A	10:20		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-14A	09:15		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				

	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-16A	17:45		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-28A	15:15		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-36A	11:46		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				

	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	WMW-37A	10:39		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	ER-13	09:17		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				

	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26	11:50		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-26A	14:00		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				
	SMW-27A	17:20		L				

	SMW-27A	17:20		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-34	10:25		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	SMW-35	08:50		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				

	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-24A	16:31		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-26A	13:44		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				

	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-27A	17:38		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-32A	11:28		L				
	WMW-33A	10:17		L				

	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-33A	10:17		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	WMW-34A	08:59		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				

	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	ER-17	16:35		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-37	15:15		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				

	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-38	17:25		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	SMW-39	17:11		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
	WMW-29A	15:57		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				

Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				
Extra Volur	WMW-31A	14:54		L				

SNOTE9	SNOTE10	ANALYTEORDER	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	

		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	

		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	

		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	

		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	

		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	

		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	

		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	

		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	

		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	

		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	

		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	

		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	

		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	

		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	

		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	

		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	
		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	
		1	
		10	
		11	

		13	
		14	
		15	
		16	
		18	
		19	
		21	
		22	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		14	
		16	
		2	
		3	