TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

TestAmerica Job ID: 600-182400-1
Client Project/Site: Deer Park Water Samples

For:
Weston Solutions, Inc.
13702 Coursey Blvd.
Building 7, Suite A
Baton Rouge, Louisiana 70817

Attn: Mr. Jeff Wright

Authorized for release by:
3/25/2019 5:19:08 PM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
sachin.kudchadkar@testamericainc.com

Preliminary Data

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

90005577

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 7
QC Sample Results 8
QC Association Summary 9
Lab Chronicle 10
Certification Summary 12
Chain of Custody 13
Receipt Checklists 17

Preliminary Data

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Method	Method Description	Protocol	Laboratory
8000	Chemical Oxygen Demand (COD) Colorimetric	Hach	TAL HOU

Protocol References:

Hach = Hach Company

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-182400-1	ITC-BB-01-20190323-11	Water	03/23/19 17:55	03/25/19 06:26
600-182400-2	ITC-BB-02-20190323-11	Water	03/23/19 18:07	03/25/19 06:26
600-182400-3	ITC-BB-03-20190323-11	Water	03/23/19 18:15	03/25/19 06:26
600-182400-4	ITC-BB-04-20190323-11	Water	03/23/19 18:35	03/25/19 06:26
600-182400-5	ITC-BB-05-20190323-11	Water	03/23/19 18:25	03/25/19 06:26
600-182400-6	ITC-BB-07-20190323-11	Water	03/23/19 18:59	03/25/19 06:26
600-182400-7	ITC-BB-08-20190323-11	Water	03/23/19 19:25	03/25/19 06:26
600-182400-8	ITC-BB-09-20190323-11	Water	03/23/19 19:35	03/25/19 06:26

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Client Sample ID: ITC-BB-01-20190323-11 — Lab Sample ID: 600-182400-1

Date Collected: 03/23/19 17:55 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	35.5		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-02-20190323-11 — Lab Sample ID: 600-182400-2

Date Collected: 03/23/19 18:07 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	69.2		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-03-20190323-11 — Lab Sample ID: 600-182400-3

Date Collected: 03/23/19 18:15 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	50.9		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-04-20190323-11 — Lab Sample ID: 600-182400-4

Date Collected: 03/23/19 18:35 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	53.2		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-05-20190323-11 — Lab Sample ID: 600-182400-5

Date Collected: 03/23/19 18:25 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	63.3		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-07-20190323-11 — Lab Sample ID: 600-182400-6

Date Collected: 03/23/19 18:59 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	64.0		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-08-20190323-11 — Lab Sample ID: 600-182400-7

Date Collected: 03/23/19 19:25 — **Matrix: Water**
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	56.8		10.0	2.46	mg/L			03/25/19 12:09	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Client Sample ID: ITC-BB-09-20190323-11

Lab Sample ID: 600-182400-8

Date Collected: 03/23/19 19:35
Matrix: Water
Date Received: 03/25/19 06:26

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	54.1		10.0	2.46	mg/L			03/25/19 12:09	1

Preliminary Data

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Qualifiers

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Preliminary Data

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Method: 8000 - Chemical Oxygen Demand (COD) Colorimetric

Lab Sample ID: MB 600-261111/3
Matrix: Water
Analysis Batch: 261111

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	2.46	U	10.0	2.46	mg/L			03/25/19 12:09	1

Lab Sample ID: LCS 600-261111/4
Matrix: Water
Analysis Batch: 261111

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chemical Oxygen Demand			75.0	70.48		mg/L		94	90 - 110		

Preliminary Data

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

General Chemistry

Analysis Batch: 261111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182400-1	ITC-BB-01-20190323-11	Total/NA	Water	8000	
600-182400-2	ITC-BB-02-20190323-11	Total/NA	Water	8000	
600-182400-3	ITC-BB-03-20190323-11	Total/NA	Water	8000	
600-182400-4	ITC-BB-04-20190323-11	Total/NA	Water	8000	
600-182400-5	ITC-BB-05-20190323-11	Total/NA	Water	8000	
600-182400-6	ITC-BB-07-20190323-11	Total/NA	Water	8000	
600-182400-7	ITC-BB-08-20190323-11	Total/NA	Water	8000	
600-182400-8	ITC-BB-09-20190323-11	Total/NA	Water	8000	
MB 600-261111/3	Method Blank	Total/NA	Water	8000	
LCS 600-261111/4	Lab Control Sample	Total/NA	Water	8000	

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Client Sample ID: ITC-BB-01-20190323-11 — Lab Sample ID: 600-182400-1

Date Collected: 03/23/19 17:55 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-02-20190323-11 — Lab Sample ID: 600-182400-2

Date Collected: 03/23/19 18:07 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-03-20190323-11 — Lab Sample ID: 600-182400-3

Date Collected: 03/23/19 18:15 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-04-20190323-11 — Lab Sample ID: 600-182400-4

Date Collected: 03/23/19 18:35 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-05-20190323-11 — Lab Sample ID: 600-182400-5

Date Collected: 03/23/19 18:25 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-07-20190323-11 — Lab Sample ID: 600-182400-6

Date Collected: 03/23/19 18:59 — **Matrix: Water**
Date Received: 03/25/19 06:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Client Sample ID: ITC-BB-08-20190323-11 — Lab Sample ID: 600-182400-7

Date Collected: 03/23/19 19:25
Date Received: 03/25/19 06:26
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-09-20190323-11 — Lab Sample ID: 600-182400-8

Date Collected: 03/23/19 19:35
Date Received: 03/25/19 06:26
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Accreditation/Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182400-1

Laboratory: TestAmerica Houston

The accreditations/certifications listed below are applicable to this report.

Authority	Program	EPA Region	Identification Number	Expiration Date
Texas	NELAP	6	T104704223-18-23	10-31-19

Preliminary Data

USEPA
DateShipped: 3/25/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032419-160630-0012
Cooler #: 12
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-01-20190323-11	BB-01	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	17:55	1	500mL poly	6C H2SO4	N
	ITC-BB-01-20190323-11	BB-01	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	17:55	2	1L Amber	6C HCL	N
	ITC-BB-01-20190323-11	BB-01	EPA 8270 - SVOCs	Surface Water	3/23/2019	17:55	2	250mL Amber	6C	N
	ITC-BB-02-20190323-11	BB-02	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	18:07	1	500mL poly	6C H2SO4	N
	ITC-BB-02-20190323-11	BB-02	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	18:07	2	1L Amber	6C HCL	N
	ITC-BB-02-20190323-11	BB-02	EPA 8270 - SVOCs	Surface Water	3/23/2019	18:07	2	250mL Amber	6C	N
	ITC-BB-03-20190323-11	BB-03	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	18:15	1	500mL poly	6C H2SO4	N
	ITC-BB-03-20190323-11	BB-03	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	18:15	2	1L Amber	6C HCL	N
	ITC-BB-03-20190323-11	BB-03	EPA 8270 - SVOCs	Surface Water	3/23/2019	18:15	2	250mL Amber	6C	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	D [signature] Weston	3/25/19 0626	[signature]	3/25/19 0626	

600-182400 Chain of Custody

Draft Not Final Draft

USEPA
DateShipped: 3/25/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032419-155807-0011
Cooler #: 10
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-04-20190323-11	BB-04	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	18:35	1	500mL poly	6C H2SO4	N
	ITC-BB-04-20190323-11	BB-04	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	18:35	2	1L Amber	6C HCL	N
	ITC-BB-04-20190323-11	BB-04	EPA 8270 - SVOCs	Surface Water	3/23/2019	18:35	2	250mL Amber	6C	N
	ITC-BB-05-20190323-11	BB-05	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	18:25	1	500mL poly	6C H2SO4	N
	ITC-BB-05-20190323-11	BB-05	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	18:25	2	1L Amber	6C HCL	N
	ITC-BB-05-20190323-11	BB-05	EPA 8270 - SVOCs	Surface Water	3/23/2019	18:25	2	250mL Amber	6C	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	Western	3/25/19 0626		3/25/19 0:26	

Preliminary Data

USEPA
DateShipped: 3/25/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032419-155311-0010
Cooler #: 10
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-07-20190323-11	BB-07	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	18:59	1	500mL poly	6C H2SO4	N
	ITC-BB-07-20190323-11	BB-07	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	18:59	2	1L Amber	6C HCL	N
	ITC-BB-07-20190323-11	BB-07	EPA 8270 - SVOCs	Surface Water	3/23/2019	18:59	2	250mL Amber	6C	N
	ITC-BB-08-20190323-11	BB-08	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	19:25	1	500mL poly	6C H2SO4	N
	ITC-BB-08-20190323-11	BB-08	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	19:25	2	1L Amber	6C HCL	N
	ITC-BB-08-20190323-11	BB-08	EPA 8270 - SVOCs	Surface Water	3/23/2019	19:25	2	250mL Amber	6C	N
	ITC-BB-09-20190323-11	BB-09	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/23/2019	19:35	1	500mL poly	6C H2SO4	N
	ITC-BB-09-20190323-11	BB-09	EPA 1664 - Oil and Grease	Surface Water	3/23/2019	19:35	2	1L Amber	6C HCL	N
	ITC-BB-09-20190323-11	BB-09	EPA 8270 - SVOCs	Surface Water	3/23/2019	19:35	2	250mL Amber	6C	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	D [signature] Weston	3/25/19 0626	[signature]	3/25/19 0:26	

Draft Daily Draft

TestAmerica Houston

Loc: 600
182400

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

'19 MAR 25 6:26

Sample Receipt Checklist

Date/Time Received: _____

JOB NUMBER: _____

CLIENT: USEPA

UNPACKED BY: [illegible]

CARRIER/DRIVER: Client

Custody Seal Present: ☒ YES ☐ NO

Number of Coolers Received: 3

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
BN	Y / N	Y / N	0.4	678	+0.1	0.5
GN	Y / N	Y / N	1.8	1	1	1.9
GN	Y / N	Y / N	0.2			0.3
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

CF = correction factor

[illegible] 3/25/19

Samples received on ice? ☒ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☐ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot #_____

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☒ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	✓	

COMMENTS:

[illegible] 3/25/19

Preliminary Data

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 600-182400-1

Login Number: 182400
List Number: 1
Creator: Taylor, Jaquelyn R

List Source: TestAmerica Houston

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.5, 1.9, 0.3
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Preliminary Data

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-01-20190323-11			Water	SAMP	600-182400-1	3/23/2019 17:55	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-1	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	35.5			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-02-20190323-11			Water	SAMP	600-182400-1	3/23/2019 18:07	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-2	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	69.2			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-03-20190323-11			Water	SAMP	600-182400-1	3/23/2019 18:15	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-3	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	50.9			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-04-20190323-11			Water	SAMP	600-182400-1	3/23/2019 18:35	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-4	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	53.2			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-05-20190323-11			Water	SAMP	600-182400-1	3/23/2019 18:25	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-5	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	63.3			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-07-20190323-11			Water	SAMP	600-182400-1	3/23/2019 18:59	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-6	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	64			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-08-20190323-11			Water	SAMP	600-182400-1	3/23/2019 19:25	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-7	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	56.8			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-09-20190323-11			Water	SAMP	600-182400-1	3/23/2019 19:35	3/25/2019 6:26		3/25/2019 12:09	TestAmerica Houston	600-182400-8	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	54.1			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
LCS			Water	LCS					3/25/2019 12:09	TestAmerica Houston	LCS 600-261111/4	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	70.48			mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	SC	LCS				T	initial	Wet	1	94	2	mL	2	mL		1			
MB			Water	MB					3/25/2019 12:09	TestAmerica Houston	MB 600-261111/3	261111	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	N	2.46	U	U	mg/L	2.46	mg/L	2.46	mg/L	10	mg/L	Yes	TRG	MB				T	initial	Wet	1		2	mL	2	mL		1			

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

TestAmerica Job ID: 600-182370-1
Client Project/Site: Deer Park Water Samples

For:
Weston Solutions, Inc.
13702 Coursey Blvd.
Building 7, Suite A
Baton Rouge, Louisiana 70817

Attn: Mr. Jeff Wright

Authorized for release by:
3/25/2019 5:16:44 PM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
sachin.kudchadkar@testamericainc.com

Preliminary Data

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 17
Surrogate Summary 18
QC Sample Results 19
QC Association Summary 32
Lab Chronicle 34
Certification Summary 36
Chain of Custody 37
Receipt Checklists 39

Preliminary Data

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	SW846	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry	EPA	TAL HOU
8000	Chemical Oxygen Demand (COD) Colorimetric	Hach	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry/Aqueous Preparation	EPA	TAL HOU
3510C LVI	Liquid-Liquid Extraction (Separatory Funnel) LVI	SW846	TAL HOU
5030B	Purge and Trap	SW846	TAL HOU

Protocol References:

EPA = US Environmental Protection Agency

Hach = Hach Company

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-182370-1	ITC-BB-06-20190322-11	Water	03/22/19 15:45	03/23/19 13:27
600-182370-2	ITC-BB-06-20190322-15	Water	03/22/19 18:00	03/23/19 13:27
600-182370-3	ITC-OF3-01-20190322-11	Water	03/22/19 14:20	03/23/19 13:27
600-182370-4	TripBlank-03	Water	03/22/19 17:10	03/23/19 13:27
600-182370-5	ITC-TB-01-20190323-11	Water	03/23/19 10:30	03/23/19 13:27

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-BB-06-20190322-11

Lab Sample ID: 600-182370-1

Date Collected: 03/22/19 15:45
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/25/19 14:04	1
Benzene	0.560	U	5.00	0.560	ug/L			03/25/19 14:04	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/25/19 14:04	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/25/19 14:04	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/25/19 14:04	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/25/19 14:04	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/25/19 14:04	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/25/19 14:04	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/25/19 14:04	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/25/19 14:04	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/25/19 14:04	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/25/19 14:04	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/25/19 14:04	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/25/19 14:04	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/25/19 14:04	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/25/19 14:04	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/25/19 14:04	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/25/19 14:04	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/25/19 14:04	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/25/19 14:04	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/25/19 14:04	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/25/19 14:04	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/25/19 14:04	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/25/19 14:04	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/25/19 14:04	1
Styrene	0.560	U	5.00	0.560	ug/L			03/25/19 14:04	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/25/19 14:04	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/25/19 14:04	1
Toluene	0.550	U	5.00	0.550	ug/L			03/25/19 14:04	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/25/19 14:04	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/25/19 14:04	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/25/19 14:04	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/25/19 14:04	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/25/19 14:04	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/25/19 14:04	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/25/19 14:04	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/25/19 14:04	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/25/19 14:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/25/19 14:04	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/25/19 14:04	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/25/19 14:04	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/25/19 14:04	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/25/19 14:04	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/25/19 14:04	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/25/19 14:04	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/25/19 14:04	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/25/19 14:04	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/25/19 14:04	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/25/19 14:04	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-BB-06-20190322-11

Lab Sample ID: 600-182370-1

Date Collected: 03/22/19 15:45
Date Received: 03/23/19 13:27

Matrix: Water

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*70 - 130*		*03/25/19 14:04*	*1*
Dibromofluoromethane	*100*		*62 - 130*		*03/25/19 14:04*	*1*
4-Bromofluorobenzene	*109*		*67 - 139*		*03/25/19 14:04*	*1*
1,2-Dichloroethane-d4 (Surr)	*105*		*50 - 134*		*03/25/19 14:04*	*1*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.41	U	10.6	2.41	ug/L		03/24/19 10:20	03/25/19 09:59	1
Acenaphthylene	2.44	U	10.6	2.44	ug/L		03/24/19 10:20	03/25/19 09:59	1
Anthracene	2.65	U	10.6	2.65	ug/L		03/24/19 10:20	03/25/19 09:59	1
Benzo[a]anthracene	2.24	U	10.6	2.24	ug/L		03/24/19 10:20	03/25/19 09:59	1
Benzo[b]fluoranthene	2.66	U	10.6	2.66	ug/L		03/24/19 10:20	03/25/19 09:59	1
Benzo[k]fluoranthene	3.18	U	10.6	3.18	ug/L		03/24/19 10:20	03/25/19 09:59	1
Benzo[g,h,i]perylene	2.24	U	10.6	2.24	ug/L		03/24/19 10:20	03/25/19 09:59	1
Benzo[a]pyrene	2.62	U	10.6	2.62	ug/L		03/24/19 10:20	03/25/19 09:59	1
Bis(2-chloroethoxy)methane	3.10	U	10.6	3.10	ug/L		03/24/19 10:20	03/25/19 09:59	1
Bis(2-chloroethyl)ether	2.80	U	10.6	2.80	ug/L		03/24/19 10:20	03/25/19 09:59	1
Bis(2-ethylhexyl) phthalate	2.40	U	10.6	2.40	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Bromophenyl phenyl ether	2.66	U	10.6	2.66	ug/L		03/24/19 10:20	03/25/19 09:59	1
Butyl benzyl phthalate	2.51	U	10.6	2.51	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Chloroaniline	2.24	U	10.6	2.24	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Chloronaphthalene	2.99	U	10.6	2.99	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Chlorophenyl phenyl ether	2.33	U	10.6	2.33	ug/L		03/24/19 10:20	03/25/19 09:59	1
Carbazole	3.16	U	10.6	3.16	ug/L		03/24/19 10:20	03/25/19 09:59	1
Chrysene	2.19	U	10.6	2.19	ug/L		03/24/19 10:20	03/25/19 09:59	1
Di-n-butyl phthalate	2.22	U	10.6	2.22	ug/L		03/24/19 10:20	03/25/19 09:59	1
Dibenz(a,h)anthracene	2.64	U	10.6	2.64	ug/L		03/24/19 10:20	03/25/19 09:59	1
Dibenzofuran	2.43	U	10.6	2.43	ug/L		03/24/19 10:20	03/25/19 09:59	1
3,3'-Dichlorobenzidine	2.52	U	21.3	2.52	ug/L		03/24/19 10:20	03/25/19 09:59	1
Diethyl phthalate	2.76	U	10.6	2.76	ug/L		03/24/19 10:20	03/25/19 09:59	1
Dimethyl phthalate	2.63	U	10.6	2.63	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4-Dinitrotoluene	2.24	U	10.6	2.24	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,6-Dinitrotoluene	2.97	U	10.6	2.97	ug/L		03/24/19 10:20	03/25/19 09:59	1
Di-n-octyl phthalate	1.99	U	10.6	1.99	ug/L		03/24/19 10:20	03/25/19 09:59	1
Fluoranthene	2.60	U	10.6	2.60	ug/L		03/24/19 10:20	03/25/19 09:59	1
Fluorene	2.24	U	10.6	2.24	ug/L		03/24/19 10:20	03/25/19 09:59	1
Hexachlorobenzene	3.49	U	10.6	3.49	ug/L		03/24/19 10:20	03/25/19 09:59	1
Hexachlorocyclopentadiene	2.47	U	10.6	2.47	ug/L		03/24/19 10:20	03/25/19 09:59	1
Hexachloroethane	3.50	U	10.6	3.50	ug/L		03/24/19 10:20	03/25/19 09:59	1
Hexachlorobutadiene	2.73	U	10.6	2.73	ug/L		03/24/19 10:20	03/25/19 09:59	1
Indeno[1,2,3-cd]pyrene	3.29	U	10.6	3.29	ug/L		03/24/19 10:20	03/25/19 09:59	1
Isophorone	2.81	U	10.6	2.81	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Methylnaphthalene	2.74	U	10.6	2.74	ug/L		03/24/19 10:20	03/25/19 09:59	1
Naphthalene	2.34	U	10.6	2.34	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Nitroaniline	4.04	U	53.2	4.04	ug/L		03/24/19 10:20	03/25/19 09:59	1
3-Nitroaniline	1.97	U	53.2	1.97	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Nitroaniline	2.49	U	10.6	2.49	ug/L		03/24/19 10:20	03/25/19 09:59	1
Nitrobenzene	2.76	U	10.6	2.76	ug/L		03/24/19 10:20	03/25/19 09:59	1
N-Nitrosodiphenylamine	2.14	U	10.6	2.14	ug/L		03/24/19 10:20	03/25/19 09:59	1
N-Nitrosodi-n-propylamine	3.39	U	10.6	3.39	ug/L		03/24/19 10:20	03/25/19 09:59	1

Preliminary Data

Client Sample ID: ITC-BB-06-20190322-11 — Lab Sample ID: 600-182370-1

Date Collected: 03/22/19 15:45 — **Matrix: Water**
Date Received: 03/23/19 13:27

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	2.38	U	10.6	2.38	ug/L		03/24/19 10:20	03/25/19 09:59	1
Pyrene	3.19	U	10.6	3.19	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Chloro-3-methylphenol	2.10	U	10.6	2.10	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Chlorophenol	2.33	U	10.6	2.33	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Methylphenol	1.51	U	10.6	1.51	ug/L		03/24/19 10:20	03/25/19 09:59	1
3 & 4 Methylphenol	1.44	U	21.3	1.44	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4-Dichlorophenol	2.30	U	10.6	2.30	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4-Dimethylphenol	2.06	U	10.6	2.06	ug/L		03/24/19 10:20	03/25/19 09:59	1
4,6-Dinitro-2-methylphenol	3.57	U	53.2	3.57	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4-Dinitrophenol	5.81	U	53.2	5.81	ug/L		03/24/19 10:20	03/25/19 09:59	1
2-Nitrophenol	2.23	U	10.6	2.23	ug/L		03/24/19 10:20	03/25/19 09:59	1
4-Nitrophenol	2.98	U	53.2	2.98	ug/L		03/24/19 10:20	03/25/19 09:59	1
Pentachlorophenol	3.35	U	53.2	3.35	ug/L		03/24/19 10:20	03/25/19 09:59	1
Phenol	1.33	U	10.6	1.33	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4,5-Trichlorophenol	4.47	U	10.6	4.47	ug/L		03/24/19 10:20	03/25/19 09:59	1
2,4,6-Trichlorophenol	3.53	U	10.6	3.53	ug/L		03/24/19 10:20	03/25/19 09:59	1
bis (2-Chloroisopropyl) ether	3.11	U	10.6	3.11	ug/L		03/24/19 10:20	03/25/19 09:59	1
1,1'-Biphenyl	2.85	U	10.6	2.85	ug/L		03/24/19 10:20	03/25/19 09:59	1
Acetophenone	2.57	U	10.6	2.57	ug/L		03/24/19 10:20	03/25/19 09:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*43*		*24 - 150*	*03/24/19 10:20*	*03/25/19 09:59*	*1*
2-Fluorophenol	*29*		*10 - 130*	*03/24/19 10:20*	*03/25/19 09:59*	*1*
2-Fluorobiphenyl	*44*		*38 - 133*	*03/24/19 10:20*	*03/25/19 09:59*	*1*
2,4,6-Tribromophenol	*36*		*19 - 150*	*03/24/19 10:20*	*03/25/19 09:59*	*1*
Terphenyl-d14	*29*	*X*	*35 - 150*	*03/24/19 10:20*	*03/25/19 09:59*	*1*
Phenol-d5 (Surr)	*21*		*10 - 130*	*03/24/19 10:20*	*03/25/19 09:59*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**1.1**	**J**	3.2	1.1	mg/L		03/25/19 12:15	03/25/19 12:19	1
Chemical Oxygen Demand	**43.0**		10.0	2.46	mg/L			03/25/19 12:09	1

Client Sample ID: ITC-BB-06-20190322-15 — Lab Sample ID: 600-182370-2

Date Collected: 03/22/19 18:00 — **Matrix: Water**
Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/23/19 16:09	1
Benzene	0.560	U	5.00	0.560	ug/L			03/23/19 16:09	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/23/19 16:09	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/23/19 16:09	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/23/19 16:09	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/23/19 16:09	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/23/19 16:09	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/23/19 16:09	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/23/19 16:09	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/23/19 16:09	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/23/19 16:09	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-BB-06-20190322-15

Lab Sample ID: 600-182370-2

Date Collected: 03/22/19 18:00
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.820	U	10.0	0.820	ug/L			03/23/19 16:09	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/23/19 16:09	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/23/19 16:09	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/23/19 16:09	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/23/19 16:09	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/23/19 16:09	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/23/19 16:09	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/23/19 16:09	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/23/19 16:09	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/23/19 16:09	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/23/19 16:09	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/23/19 16:09	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/23/19 16:09	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/23/19 16:09	1
Styrene	0.560	U	5.00	0.560	ug/L			03/23/19 16:09	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/23/19 16:09	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/23/19 16:09	1
Toluene	0.550	U	5.00	0.550	ug/L			03/23/19 16:09	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/23/19 16:09	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/23/19 16:09	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/23/19 16:09	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/23/19 16:09	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/23/19 16:09	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/23/19 16:09	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/23/19 16:09	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/23/19 16:09	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/23/19 16:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/23/19 16:09	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/23/19 16:09	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/23/19 16:09	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/23/19 16:09	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/23/19 16:09	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/23/19 16:09	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/23/19 16:09	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/23/19 16:09	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/23/19 16:09	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/23/19 16:09	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/23/19 16:09	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*70 - 130*		*03/23/19 16:09*	*1*
Dibromofluoromethane	*97*		*62 - 130*		*03/23/19 16:09*	*1*
4-Bromofluorobenzene	*110*		*67 - 139*		*03/23/19 16:09*	*1*
1,2-Dichloroethane-d4 (Surr)	*103*		*50 - 134*		*03/23/19 16:09*	*1*

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-OF3-01-20190322-11

Lab Sample ID: 600-182370-3

Date Collected: 03/22/19 14:20
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	**4810**		200	45.4	ug/L			03/23/19 18:32	20
Chlorobromomethane	16.2	U	100	16.2	ug/L			03/23/19 18:32	20
Bromoform	15.4	U	100	15.4	ug/L			03/23/19 18:32	20
Bromomethane	43.0	U	200	43.0	ug/L			03/23/19 18:32	20
2-Butanone (MEK)	31.4	U	200	31.4	ug/L			03/23/19 18:32	20
Carbon disulfide	34.0	U	200	34.0	ug/L			03/23/19 18:32	20
Carbon tetrachloride	18.4	U	100	18.4	ug/L			03/23/19 18:32	20
Dibromochloromethane	18.4	U	100	18.4	ug/L			03/23/19 18:32	20
Chlorobenzene	16.4	U	100	16.4	ug/L			03/23/19 18:32	20
Chloroethane	34.6	U	200	34.6	ug/L			03/23/19 18:32	20
Chloroform	16.4	U	200	16.4	ug/L			03/23/19 18:32	20
Chloromethane	17.0	U	200	17.0	ug/L			03/23/19 18:32	20
1,1-Dichloroethane	10.0	U	100	10.0	ug/L			03/23/19 18:32	20
1,2-Dichloroethane	20.2	U	100	20.2	ug/L			03/23/19 18:32	20
1,1-Dichloroethene	15.2	U	100	15.2	ug/L			03/23/19 18:32	20
cis-1,2-Dichloroethene	11.2	U	100	11.2	ug/L			03/23/19 18:32	20
trans-1,2-Dichloroethene	17.6	U	100	17.6	ug/L			03/23/19 18:32	20
1,2-Dichloropropane	28.2	U	100	28.2	ug/L			03/23/19 18:32	20
cis-1,3-Dichloropropene	19.4	U	100	19.4	ug/L			03/23/19 18:32	20
trans-1,3-Dichloropropene	11.8	U	100	11.8	ug/L			03/23/19 18:32	20
Ethylbenzene	**1220**		100	25.8	ug/L			03/23/19 18:32	20
2-Hexanone	28.4	U	200	28.4	ug/L			03/23/19 18:32	20
Methylene Chloride	28.6	U	200	28.6	ug/L			03/23/19 18:32	20
4-Methyl-2-pentanone (MIBK)	22.2	U	200	22.2	ug/L			03/23/19 18:32	20
Styrene	**1940**		100	11.2	ug/L			03/23/19 18:32	20
1,1,2,2-Tetrachloroethane	16.0	U	100	16.0	ug/L			03/23/19 18:32	20
Tetrachloroethene	24.8	U	100	24.8	ug/L			03/23/19 18:32	20
1,1,1-Trichloroethane	19.6	U	100	19.6	ug/L			03/23/19 18:32	20
1,1,2-Trichloroethane	10.6	U	100	10.6	ug/L			03/23/19 18:32	20
Trichloroethene	31.6	U	100	31.6	ug/L			03/23/19 18:32	20
Vinyl acetate	12.0	U	200	12.0	ug/L			03/23/19 18:32	20
Vinyl chloride	17.0	U	100	17.0	ug/L			03/23/19 18:32	20
Bromodichloromethane	15.2	U	100	15.2	ug/L			03/23/19 18:32	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20.8	U	100	20.8	ug/L			03/23/19 18:32	20
1,2,4-Trichlorobenzene	8.20	U	100	8.20	ug/L			03/23/19 18:32	20
1,2-Dibromo-3-Chloropropane	29.6	U	100	29.6	ug/L			03/23/19 18:32	20
1,2-Dichlorobenzene	10.6	U	100	10.6	ug/L			03/23/19 18:32	20
1,3-Dichlorobenzene	4.20	U	100	4.20	ug/L			03/23/19 18:32	20
1,4-Dichlorobenzene	18.2	U	100	18.2	ug/L			03/23/19 18:32	20
Dichlorodifluoromethane	15.2	U	100	15.2	ug/L			03/23/19 18:32	20
1,2-Dibromoethane	17.0	U	100	17.0	ug/L			03/23/19 18:32	20
Isopropylbenzene	**75.8**	**J**	100	12.4	ug/L			03/23/19 18:32	20
Methyl tert-butyl ether	**346**		100	8.80	ug/L			03/23/19 18:32	20
Cyclohexane	**727**		100	54.6	ug/L			03/23/19 18:32	20

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*89*		*70 - 130*		*03/23/19 18:32*	*20*
Dibromofluoromethane	*104*		*62 - 130*		*03/23/19 18:32*	*20*
4-Bromofluorobenzene	*111*		*67 - 139*		*03/23/19 18:32*	*20*
1,2-Dichloroethane-d4 (Surr)	*116*		*50 - 134*		*03/23/19 18:32*	*20*

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	**9420**		1000	110	ug/L			03/25/19 14:28	200
o-Xylene	**1620**		1000	186	ug/L			03/25/19 14:28	200
m-Xylene & p-Xylene	**3680**		1000	252	ug/L			03/25/19 14:28	200
Xylenes, Total	**5300**		1000	396	ug/L			03/25/19 14:28	200

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*70 - 130*		*03/25/19 14:28*	*200*
Dibromofluoromethane	*100*		*62 - 130*		*03/25/19 14:28*	*200*
4-Bromofluorobenzene	*112*		*67 - 139*		*03/25/19 14:28*	*200*
1,2-Dichloroethane-d4 (Surr)	*103*		*50 - 134*		*03/25/19 14:28*	*200*

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	**102000**		5000	560	ug/L			03/25/19 14:53	1000

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*70 - 130*		*03/25/19 14:53*	*1000*
Dibromofluoromethane	*101*		*62 - 130*		*03/25/19 14:53*	*1000*
4-Bromofluorobenzene	*113*		*67 - 139*		*03/25/19 14:53*	*1000*
1,2-Dichloroethane-d4 (Surr)	*106*		*50 - 134*		*03/25/19 14:53*	*1000*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1970	U	8700	1970	ug/L		03/24/19 10:20	03/25/19 10:23	50
Acenaphthylene	1990	U	8700	1990	ug/L		03/24/19 10:20	03/25/19 10:23	50
Anthracene	2170	U	8700	2170	ug/L		03/24/19 10:20	03/25/19 10:23	50
Benzo[a]anthracene	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
Benzo[b]fluoranthene	2170	U	8700	2170	ug/L		03/24/19 10:20	03/25/19 10:23	50
Benzo[k]fluoranthene	2600	U	8700	2600	ug/L		03/24/19 10:20	03/25/19 10:23	50
Benzo[g,h,i]perylene	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
Benzo[a]pyrene	2140	U	8700	2140	ug/L		03/24/19 10:20	03/25/19 10:23	50
Bis(2-chloroethoxy)methane	2530	U	8700	2530	ug/L		03/24/19 10:20	03/25/19 10:23	50
Bis(2-chloroethyl)ether	2290	U	8700	2290	ug/L		03/24/19 10:20	03/25/19 10:23	50
Bis(2-ethylhexyl) phthalate	1970	U	8700	1970	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Bromophenyl phenyl ether	2170	U	8700	2170	ug/L		03/24/19 10:20	03/25/19 10:23	50
Butyl benzyl phthalate	2050	U	8700	2050	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Chloroaniline	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Chloronaphthalene	2440	U	8700	2440	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Chlorophenyl phenyl ether	1900	U	8700	1900	ug/L		03/24/19 10:20	03/25/19 10:23	50
Carbazole	2580	U	8700	2580	ug/L		03/24/19 10:20	03/25/19 10:23	50
Chrysene	1790	U	8700	1790	ug/L		03/24/19 10:20	03/25/19 10:23	50
Di-n-butyl phthalate	1820	U	8700	1820	ug/L		03/24/19 10:20	03/25/19 10:23	50
Dibenz(a,h)anthracene	2160	U	8700	2160	ug/L		03/24/19 10:20	03/25/19 10:23	50
Dibenzofuran	1980	U	8700	1980	ug/L		03/24/19 10:20	03/25/19 10:23	50
3,3'-Dichlorobenzidine	2060	U	17400	2060	ug/L		03/24/19 10:20	03/25/19 10:23	50
Diethyl phthalate	2250	U	8700	2250	ug/L		03/24/19 10:20	03/25/19 10:23	50
Dimethyl phthalate	2150	U	8700	2150	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4-Dinitrotoluene	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,6-Dinitrotoluene	2430	U	8700	2430	ug/L		03/24/19 10:20	03/25/19 10:23	50
Di-n-octyl phthalate	1630	U	8700	1630	ug/L		03/24/19 10:20	03/25/19 10:23	50
Fluoranthene	2120	U	8700	2120	ug/L		03/24/19 10:20	03/25/19 10:23	50
Fluorene	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
Hexachlorobenzene	2850	U	8700	2850	ug/L		03/24/19 10:20	03/25/19 10:23	50
Hexachlorocyclopentadiene	2020	U	8700	2020	ug/L		03/24/19 10:20	03/25/19 10:23	50

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-OF3-01-20190322-11

Lab Sample ID: 600-182370-3

Date Collected: 03/22/19 14:20
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachloroethane	2860	U	8700	2860	ug/L		03/24/19 10:20	03/25/19 10:23	50
Hexachlorobutadiene	2230	U	8700	2230	ug/L		03/24/19 10:20	03/25/19 10:23	50
Indeno[1,2,3-cd]pyrene	2690	U	8700	2690	ug/L		03/24/19 10:20	03/25/19 10:23	50
Isophorone	2300	U	8700	2300	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Methylnaphthalene	**12500**		8700	2240	ug/L		03/24/19 10:20	03/25/19 10:23	50
Naphthalene	**24300**		8700	1910	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Nitroaniline	3300	U	43500	3300	ug/L		03/24/19 10:20	03/25/19 10:23	50
3-Nitroaniline	1610	U	43500	1610	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Nitroaniline	2030	U	8700	2030	ug/L		03/24/19 10:20	03/25/19 10:23	50
Nitrobenzene	2250	U	8700	2250	ug/L		03/24/19 10:20	03/25/19 10:23	50
N-Nitrosodiphenylamine	1750	U	8700	1750	ug/L		03/24/19 10:20	03/25/19 10:23	50
N-Nitrosodi-n-propylamine	2770	U	8700	2770	ug/L		03/24/19 10:20	03/25/19 10:23	50
Phenanthrene	1950	U	8700	1950	ug/L		03/24/19 10:20	03/25/19 10:23	50
Pyrene	2610	U	8700	2610	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Chloro-3-methylphenol	1710	U	8700	1710	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Chlorophenol	1900	U	8700	1900	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Methylphenol	1230	U	8700	1230	ug/L		03/24/19 10:20	03/25/19 10:23	50
3 & 4 Methylphenol	1170	U	17400	1170	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4-Dichlorophenol	1880	U	8700	1880	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4-Dimethylphenol	1690	U	8700	1690	ug/L		03/24/19 10:20	03/25/19 10:23	50
4,6-Dinitro-2-methylphenol	2920	U	43500	2920	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4-Dinitrophenol	4750	U	43500	4750	ug/L		03/24/19 10:20	03/25/19 10:23	50
2-Nitrophenol	1830	U	8700	1830	ug/L		03/24/19 10:20	03/25/19 10:23	50
4-Nitrophenol	2430	U	43500	2430	ug/L		03/24/19 10:20	03/25/19 10:23	50
Pentachlorophenol	2740	U	43500	2740	ug/L		03/24/19 10:20	03/25/19 10:23	50
Phenol	1090	U	8700	1090	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4,5-Trichlorophenol	3650	U	8700	3650	ug/L		03/24/19 10:20	03/25/19 10:23	50
2,4,6-Trichlorophenol	2890	U	8700	2890	ug/L		03/24/19 10:20	03/25/19 10:23	50
bis (2-Chloroisopropyl) ether	2540	U	8700	2540	ug/L		03/24/19 10:20	03/25/19 10:23	50
1,1'-Biphenyl	2330	U	8700	2330	ug/L		03/24/19 10:20	03/25/19 10:23	50
Acetophenone	**5680**	**J**	8700	2100	ug/L		03/24/19 10:20	03/25/19 10:23	50

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*0*	*X*	*24 - 150*	*03/24/19 10:20*	*03/25/19 10:23*	*50*
2-Fluorophenol	*0*	*X*	*10 - 130*	*03/24/19 10:20*	*03/25/19 10:23*	*50*
2-Fluorobiphenyl	*0*	*X*	*38 - 133*	*03/24/19 10:20*	*03/25/19 10:23*	*50*
2,4,6-Tribromophenol	*0*	*X*	*19 - 150*	*03/24/19 10:20*	*03/25/19 10:23*	*50*
Terphenyl-d14	*0*	*X*	*35 - 150*	*03/24/19 10:20*	*03/25/19 10:23*	*50*
Phenol-d5 (Surr)	*0*	*X*	*10 - 130*	*03/24/19 10:20*	*03/25/19 10:23*	*50*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	**5220**		400	98.6	mg/L			03/25/19 12:09	40

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: TripBlank-03

Date Collected: 03/22/19 17:10
Date Received: 03/23/19 13:27

Lab Sample ID: 600-182370-4

Matrix: Water

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/23/19 14:57	1
Benzene	0.560	U	5.00	0.560	ug/L			03/23/19 14:57	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/23/19 14:57	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/23/19 14:57	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/23/19 14:57	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/23/19 14:57	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/23/19 14:57	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/23/19 14:57	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/23/19 14:57	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/23/19 14:57	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/23/19 14:57	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/23/19 14:57	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/23/19 14:57	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/23/19 14:57	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/23/19 14:57	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/23/19 14:57	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/23/19 14:57	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/23/19 14:57	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/23/19 14:57	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/23/19 14:57	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/23/19 14:57	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/23/19 14:57	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/23/19 14:57	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/23/19 14:57	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/23/19 14:57	1
Styrene	0.560	U	5.00	0.560	ug/L			03/23/19 14:57	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/23/19 14:57	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/23/19 14:57	1
Toluene	0.550	U	5.00	0.550	ug/L			03/23/19 14:57	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/23/19 14:57	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/23/19 14:57	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/23/19 14:57	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/23/19 14:57	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/23/19 14:57	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/23/19 14:57	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/23/19 14:57	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/23/19 14:57	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/23/19 14:57	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/23/19 14:57	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/23/19 14:57	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/23/19 14:57	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/23/19 14:57	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/23/19 14:57	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/23/19 14:57	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/23/19 14:57	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/23/19 14:57	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/23/19 14:57	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/23/19 14:57	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/23/19 14:57	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: TripBlank-03

Lab Sample ID: 600-182370-4
Date Collected: 03/22/19 17:10
Matrix: Water
Date Received: 03/23/19 13:27

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*70 - 130*		*03/23/19 14:57*	*1*
Dibromofluoromethane	*100*		*62 - 130*		*03/23/19 14:57*	*1*
4-Bromofluorobenzene	*108*		*67 - 139*		*03/23/19 14:57*	*1*
1,2-Dichloroethane-d4 (Surr)	*103*		*50 - 134*		*03/23/19 14:57*	*1*

Client Sample ID: ITC-TB-01-20190323-11

Lab Sample ID: 600-182370-5
Date Collected: 03/23/19 10:30
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	**239**		10.0	2.27	ug/L			03/23/19 15:21	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/23/19 15:21	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/23/19 15:21	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/23/19 15:21	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/23/19 15:21	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/23/19 15:21	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/23/19 15:21	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/23/19 15:21	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/23/19 15:21	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/23/19 15:21	1
Chloroform	**1.50**	**J**	10.0	0.820	ug/L			03/23/19 15:21	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/23/19 15:21	1
1,1-Dichloroethane	**2.31**	**J**	5.00	0.500	ug/L			03/23/19 15:21	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/23/19 15:21	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/23/19 15:21	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/23/19 15:21	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/23/19 15:21	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/23/19 15:21	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/23/19 15:21	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/23/19 15:21	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/23/19 15:21	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/23/19 15:21	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/23/19 15:21	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/23/19 15:21	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/23/19 15:21	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/23/19 15:21	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/23/19 15:21	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/23/19 15:21	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/23/19 15:21	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/23/19 15:21	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/23/19 15:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/23/19 15:21	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/23/19 15:21	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/23/19 15:21	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/23/19 15:21	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/23/19 15:21	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/23/19 15:21	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/23/19 15:21	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/23/19 15:21	1

Preliminary Data

Client Sample ID: ITC-TB-01-20190323-11

Lab Sample ID: 600-182370-5

Date Collected: 03/23/19 10:30

Matrix: Water

Date Received: 03/23/19 13:27

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	**11.3**		5.00	0.620	ug/L			03/23/19 15:21	1
Methyl tert-butyl ether	**20.7**		5.00	0.440	ug/L			03/23/19 15:21	1
Cyclohexane	**49.3**		5.00	2.73	ug/L			03/23/19 15:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*88*		*70 - 130*		*03/23/19 15:21*	*1*
Dibromofluoromethane	*107*		*62 - 130*		*03/23/19 15:21*	*1*
4-Bromofluorobenzene	*112*		*67 - 139*		*03/23/19 15:21*	*1*
1,2-Dichloroethane-d4 (Surr)	*117*		*50 - 134*		*03/23/19 15:21*	*1*

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	**392**		125	32.3	ug/L			03/25/19 15:18	25
Styrene	**340**		125	14.0	ug/L			03/25/19 15:18	25
Toluene	**1990**		125	13.8	ug/L			03/25/19 15:18	25
o-Xylene	**1000**		125	23.3	ug/L			03/25/19 15:18	25
m-Xylene & p-Xylene	**2200**		125	31.5	ug/L			03/25/19 15:18	25
Xylenes, Total	**3200**		125	49.5	ug/L			03/25/19 15:18	25

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*89*		*70 - 130*		*03/25/19 15:18*	*25*
Dibromofluoromethane	*98*		*62 - 130*		*03/25/19 15:18*	*25*
4-Bromofluorobenzene	*108*		*67 - 139*		*03/25/19 15:18*	*25*
1,2-Dichloroethane-d4 (Surr)	*104*		*50 - 134*		*03/25/19 15:18*	*25*

Method: 8260B - Volatile Organic Compounds (GC/MS) - DL2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	**10600**		500	56.0	ug/L			03/25/19 16:31	100

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*90*		*70 - 130*		*03/25/19 16:31*	*100*
Dibromofluoromethane	*98*		*62 - 130*		*03/25/19 16:31*	*100*
4-Bromofluorobenzene	*107*		*67 - 139*		*03/25/19 16:31*	*100*
1,2-Dichloroethane-d4 (Surr)	*106*		*50 - 134*		*03/25/19 16:31*	*100*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.52	U	11.1	2.52	ug/L		03/24/19 10:20	03/25/19 10:46	1
Acenaphthylene	2.54	U	11.1	2.54	ug/L		03/24/19 10:20	03/25/19 10:46	1
Anthracene	2.77	U	11.1	2.77	ug/L		03/24/19 10:20	03/25/19 10:46	1
Benzo[a]anthracene	2.34	U	11.1	2.34	ug/L		03/24/19 10:20	03/25/19 10:46	1
Benzo[b]fluoranthene	2.78	U	11.1	2.78	ug/L		03/24/19 10:20	03/25/19 10:46	1
Benzo[k]fluoranthene	3.32	U	11.1	3.32	ug/L		03/24/19 10:20	03/25/19 10:46	1
Benzo[g,h,i]perylene	2.34	U	11.1	2.34	ug/L		03/24/19 10:20	03/25/19 10:46	1
Benzo[a]pyrene	2.73	U	11.1	2.73	ug/L		03/24/19 10:20	03/25/19 10:46	1
Bis(2-chloroethoxy)methane	3.23	U	11.1	3.23	ug/L		03/24/19 10:20	03/25/19 10:46	1
Bis(2-chloroethyl)ether	2.92	U	11.1	2.92	ug/L		03/24/19 10:20	03/25/19 10:46	1
Bis(2-ethylhexyl) phthalate	2.51	U	11.1	2.51	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Bromophenyl phenyl ether	2.78	U	11.1	2.78	ug/L		03/24/19 10:20	03/25/19 10:46	1
Butyl benzyl phthalate	2.62	U	11.1	2.62	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Chloroaniline	2.34	U	11.1	2.34	ug/L		03/24/19 10:20	03/25/19 10:46	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-TB-01-20190323-11

Lab Sample ID: 600-182370-5

Date Collected: 03/23/19 10:30
Matrix: Water
Date Received: 03/23/19 13:27

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Chloronaphthalene	3.12	U	11.1	3.12	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Chlorophenyl phenyl ether	2.43	U	11.1	2.43	ug/L		03/24/19 10:20	03/25/19 10:46	1
Carbazole	3.30	U	11.1	3.30	ug/L		03/24/19 10:20	03/25/19 10:46	1
Chrysene	2.29	U	11.1	2.29	ug/L		03/24/19 10:20	03/25/19 10:46	1
Di-n-butyl phthalate	2.32	U	11.1	2.32	ug/L		03/24/19 10:20	03/25/19 10:46	1
Dibenz(a,h)anthracene	2.76	U	11.1	2.76	ug/L		03/24/19 10:20	03/25/19 10:46	1
Dibenzofuran	2.53	U	11.1	2.53	ug/L		03/24/19 10:20	03/25/19 10:46	1
3,3'-Dichlorobenzidine	2.63	U	22.2	2.63	ug/L		03/24/19 10:20	03/25/19 10:46	1
Diethyl phthalate	2.88	U	11.1	2.88	ug/L		03/24/19 10:20	03/25/19 10:46	1
Dimethyl phthalate	2.74	U	11.1	2.74	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4-Dinitrotoluene	2.34	U	11.1	2.34	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,6-Dinitrotoluene	3.10	U	11.1	3.10	ug/L		03/24/19 10:20	03/25/19 10:46	1
Di-n-octyl phthalate	2.08	U	11.1	2.08	ug/L		03/24/19 10:20	03/25/19 10:46	1
Fluoranthene	2.71	U	11.1	2.71	ug/L		03/24/19 10:20	03/25/19 10:46	1
Fluorene	2.34	U	11.1	2.34	ug/L		03/24/19 10:20	03/25/19 10:46	1
Hexachlorobenzene	3.64	U	11.1	3.64	ug/L		03/24/19 10:20	03/25/19 10:46	1
Hexachlorocyclopentadiene	2.58	U	11.1	2.58	ug/L		03/24/19 10:20	03/25/19 10:46	1
Hexachloroethane	3.66	U	11.1	3.66	ug/L		03/24/19 10:20	03/25/19 10:46	1
Hexachlorobutadiene	2.86	U	11.1	2.86	ug/L		03/24/19 10:20	03/25/19 10:46	1
Indeno[1,2,3-cd]pyrene	3.43	U	11.1	3.43	ug/L		03/24/19 10:20	03/25/19 10:46	1
Isophorone	**18.9**		11.1	2.93	ug/L		03/24/19 10:20	03/25/19 10:46	1
2-Methylnaphthalene	**43.6**		11.1	2.87	ug/L		03/24/19 10:20	03/25/19 10:46	1
Naphthalene	**57.9**		11.1	2.44	ug/L		03/24/19 10:20	03/25/19 10:46	1
2-Nitroaniline	4.22	U	55.6	4.22	ug/L		03/24/19 10:20	03/25/19 10:46	1
3-Nitroaniline	2.06	U	55.6	2.06	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Nitroaniline	2.60	U	11.1	2.60	ug/L		03/24/19 10:20	03/25/19 10:46	1
Nitrobenzene	2.88	U	11.1	2.88	ug/L		03/24/19 10:20	03/25/19 10:46	1
N-Nitrosodiphenylamine	2.23	U	11.1	2.23	ug/L		03/24/19 10:20	03/25/19 10:46	1
N-Nitrosodi-n-propylamine	3.54	U	11.1	3.54	ug/L		03/24/19 10:20	03/25/19 10:46	1
Phenanthrene	2.49	U	11.1	2.49	ug/L		03/24/19 10:20	03/25/19 10:46	1
Pyrene	3.33	U	11.1	3.33	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Chloro-3-methylphenol	2.19	U	11.1	2.19	ug/L		03/24/19 10:20	03/25/19 10:46	1
2-Chlorophenol	2.43	U	11.1	2.43	ug/L		03/24/19 10:20	03/25/19 10:46	1
2-Methylphenol	1.58	U	11.1	1.58	ug/L		03/24/19 10:20	03/25/19 10:46	1
3 & 4 Methylphenol	1.50	U	22.2	1.50	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4-Dichlorophenol	2.40	U	11.1	2.40	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4-Dimethylphenol	2.16	U	11.1	2.16	ug/L		03/24/19 10:20	03/25/19 10:46	1
4,6-Dinitro-2-methylphenol	3.73	U	55.6	3.73	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4-Dinitrophenol	6.07	U	55.6	6.07	ug/L		03/24/19 10:20	03/25/19 10:46	1
2-Nitrophenol	2.33	U	11.1	2.33	ug/L		03/24/19 10:20	03/25/19 10:46	1
4-Nitrophenol	3.11	U	55.6	3.11	ug/L		03/24/19 10:20	03/25/19 10:46	1
Pentachlorophenol	3.50	U	55.6	3.50	ug/L		03/24/19 10:20	03/25/19 10:46	1
Phenol	1.39	U	11.1	1.39	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4,5-Trichlorophenol	4.67	U	11.1	4.67	ug/L		03/24/19 10:20	03/25/19 10:46	1
2,4,6-Trichlorophenol	3.69	U	11.1	3.69	ug/L		03/24/19 10:20	03/25/19 10:46	1
bis (2-Chloroisopropyl) ether	3.24	U	11.1	3.24	ug/L		03/24/19 10:20	03/25/19 10:46	1
1,1'-Biphenyl	2.98	U	11.1	2.98	ug/L		03/24/19 10:20	03/25/19 10:46	1
Acetophenone	2.69	U	11.1	2.69	ug/L		03/24/19 10:20	03/25/19 10:46	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-TB-01-20190323-11

Lab Sample ID: 600-182370-5

Date Collected: 03/23/19 10:30
Matrix: Water
Date Received: 03/23/19 13:27

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*66*		*24 - 150*	*03/24/19 10:20*	*03/25/19 10:46*	*1*
2-Fluorophenol	*43*		*10 - 130*	*03/24/19 10:20*	*03/25/19 10:46*	*1*
2-Fluorobiphenyl	*52*		*38 - 133*	*03/24/19 10:20*	*03/25/19 10:46*	*1*
2,4,6-Tribromophenol	*55*		*19 - 150*	*03/24/19 10:20*	*03/25/19 10:46*	*1*
Terphenyl-d14	*20*	*X*	*35 - 150*	*03/24/19 10:20*	*03/25/19 10:46*	*1*
Phenol-d5 (Surr)	*54*		*10 - 130*	*03/24/19 10:20*	*03/25/19 10:46*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**12.0**		3.1	1.0	mg/L		03/25/19 12:15	03/25/19 12:19	1
Chemical Oxygen Demand	**206**		20.0	4.93	mg/L			03/25/19 12:09	2

Preliminary Data

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Preliminary Data

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DBFM	BFB	DCA
Lab Sample ID	Client Sample ID	(70-130)	(62-130)	(67-139)	(50-134)
600-182370-1	ITC-BB-06-20190322-11	91	100	109	105
600-182370-2	ITC-BB-06-20190322-15	92	97	110	103
600-182370-3	ITC-OF3-01-20190322-11	89	104	111	116
600-182370-3 - DL	ITC-OF3-01-20190322-11	92	100	112	103
600-182370-3 - DL2	ITC-OF3-01-20190322-11	92	101	113	106
600-182370-4	TripBlank-03	92	100	108	103
600-182370-5	ITC-TB-01-20190323-11	88	107	112	117
600-182370-5 - DL	ITC-TB-01-20190323-11	89	98	108	104
600-182370-5 - DL2	ITC-TB-01-20190323-11	90	98	107	106
LCS 600-261037/4	Lab Control Sample	92	102	107	105
LCS 600-261080/4	Lab Control Sample	90	111	101	122
LCSD 600-261037/5	Lab Control Sample Dup	90	101	110	102
LCSD 600-261080/5	Lab Control Sample Dup	85	106	94	118
MB 600-261037/7	Method Blank	90	100	115	105
MB 600-261080/10	Method Blank	92	101	108	106

Surrogate Legend

TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane
BFB = 4-Bromofluorobenzene
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		NBZ	2FP	FBP	TBP	TPHL	PHL
Lab Sample ID	Client Sample ID	(24-150)	(10-130)	(38-133)	(19-150)	(35-150)	(10-130)
600-182370-1	ITC-BB-06-20190322-11	43	29	44	36	29 X	21
600-182370-3	ITC-OF3-01-20190322-11	0 X	0 X	0 X	0 X	0 X	0 X
600-182370-5	ITC-TB-01-20190323-11	66	43	52	55	20 X	54
LCS 600-261051/2-A	Lab Control Sample	46	36	47	43	58	26
LCSD 600-261051/3-A	Lab Control Sample Dup	46	40	52	49	62	30
MB 600-261051/1-A	Method Blank	40	35	45	39	66	24

Surrogate Legend

NBZ = Nitrobenzene-d5
2FP = 2-Fluorophenol
FBP = 2-Fluorobiphenyl
TBP = 2,4,6-Tribromophenol
TPHL = Terphenyl-d14
PHL = Phenol-d5 (Surr)

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-261037/7
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/23/19 14:09	1
Benzene	0.560	U	5.00	0.560	ug/L			03/23/19 14:09	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/23/19 14:09	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/23/19 14:09	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/23/19 14:09	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/23/19 14:09	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/23/19 14:09	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/23/19 14:09	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/23/19 14:09	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/23/19 14:09	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/23/19 14:09	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/23/19 14:09	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/23/19 14:09	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/23/19 14:09	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/23/19 14:09	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/23/19 14:09	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/23/19 14:09	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/23/19 14:09	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/23/19 14:09	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/23/19 14:09	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/23/19 14:09	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/23/19 14:09	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/23/19 14:09	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/23/19 14:09	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/23/19 14:09	1
Styrene	0.560	U	5.00	0.560	ug/L			03/23/19 14:09	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/23/19 14:09	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/23/19 14:09	1
Toluene	0.550	U	5.00	0.550	ug/L			03/23/19 14:09	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/23/19 14:09	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/23/19 14:09	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/23/19 14:09	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/23/19 14:09	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/23/19 14:09	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/23/19 14:09	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/23/19 14:09	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/23/19 14:09	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/23/19 14:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/23/19 14:09	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/23/19 14:09	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/23/19 14:09	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/23/19 14:09	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/23/19 14:09	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/23/19 14:09	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/23/19 14:09	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/23/19 14:09	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/23/19 14:09	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/23/19 14:09	1

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 600-261037/7
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/23/19 14:09	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*90*		*70 - 130*		*03/23/19 14:09*	*1*
Dibromofluoromethane	*100*		*62 - 130*		*03/23/19 14:09*	*1*
4-Bromofluorobenzene	*115*		*67 - 139*		*03/23/19 14:09*	*1*
1,2-Dichloroethane-d4 (Surr)	*105*		*50 - 134*		*03/23/19 14:09*	*1*

Lab Sample ID: LCS 600-261037/4
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	100	110.0		ug/L		110	21 - 148
Benzene	50.0	49.15		ug/L		98	70 - 131
Chlorobromomethane	50.0	53.32		ug/L		107	70 - 130
Bromoform	50.0	50.73		ug/L		101	67 - 134
Bromomethane	50.0	45.62		ug/L		91	45 - 150
2-Butanone (MEK)	100	115.6		ug/L		116	34 - 140
Carbon disulfide	50.0	43.32		ug/L		87	60 - 146
Carbon tetrachloride	50.0	51.56		ug/L		103	68 - 140
Dibromochloromethane	50.0	56.42		ug/L		113	70 - 130
Chlorobenzene	50.0	51.89		ug/L		104	70 - 130
Chloroethane	50.0	39.08		ug/L		78	65 - 138
Chloroform	50.0	55.91		ug/L		112	70 - 131
Chloromethane	50.0	47.39		ug/L		95	15 - 150
1,1-Dichloroethane	50.0	52.25		ug/L		105	70 - 137
1,2-Dichloroethane	50.0	61.79		ug/L		124	62 - 144
1,1-Dichloroethene	50.0	50.67		ug/L		101	67 - 134
cis-1,2-Dichloroethene	50.0	49.16		ug/L		98	70 - 130
trans-1,2-Dichloroethene	50.0	45.19		ug/L		90	70 - 130
1,2-Dichloropropane	50.0	51.98		ug/L		104	70 - 133
cis-1,3-Dichloropropene	50.0	49.17		ug/L		98	66 - 130
trans-1,3-Dichloropropene	50.0	54.00		ug/L		108	70 - 138
Ethylbenzene	50.0	54.35		ug/L		109	70 - 130
2-Hexanone	100	114.9		ug/L		115	46 - 139
Methylene Chloride	50.0	45.57		ug/L		91	67 - 130
4-Methyl-2-pentanone (MIBK)	100	106.6		ug/L		107	39 - 150
Styrene	50.0	64.77		ug/L		130	70 - 130
1,1,2,2-Tetrachloroethane	50.0	52.38		ug/L		105	62 - 130
Tetrachloroethene	50.0	46.40		ug/L		93	57 - 130
Toluene	50.0	51.95		ug/L		104	70 - 130
1,1,1-Trichloroethane	50.0	52.38		ug/L		105	67 - 139
1,1,2-Trichloroethane	50.0	51.53		ug/L		103	70 - 130
Trichloroethene	50.0	51.41		ug/L		103	70 - 130
Vinyl acetate	100	145.4		ug/L		145	22 - 150
Vinyl chloride	50.0	52.95		ug/L		106	55 - 150
o-Xylene	50.0	52.12		ug/L		104	69 - 130

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 600-261037/4
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
m-Xylene & p-Xylene	50.0	51.08		ug/L		102	70 - 130
Xylenes, Total	100	103.2		ug/L		103	70 - 130
Bromodichloromethane	50.0	56.53		ug/L		113	70 - 130
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	45.78		ug/L		92	39 - 150
1,2,4-Trichlorobenzene	50.0	47.29		ug/L		95	33 - 144
1,2-Dibromo-3-Chloropropane	50.0	49.64		ug/L		99	39 - 150
1,2-Dichlorobenzene	50.0	51.25		ug/L		102	69 - 130
1,3-Dichlorobenzene	50.0	52.55		ug/L		105	70 - 130
1,4-Dichlorobenzene	50.0	53.04		ug/L		106	70 - 130
Dichlorodifluoromethane	50.0	33.58		ug/L		67	10 - 150
1,2-Dibromoethane	50.0	57.68		ug/L		115	70 - 130
Isopropylbenzene	50.0	53.91		ug/L		108	70 - 130
Methyl tert-butyl ether	50.0	56.23		ug/L		112	63 - 134
Cyclohexane	50.0	48.29		ug/L		97	10 - 150

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*92*		*70 - 130*
Dibromofluoromethane	*102*		*62 - 130*
4-Bromofluorobenzene	*107*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*105*		*50 - 134*

Lab Sample ID: LCSD 600-261037/5
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	100	97.67		ug/L		98	21 - 148	12	20
Benzene	50.0	47.91		ug/L		96	70 - 131	3	20
Chlorobromomethane	50.0	51.71		ug/L		103	70 - 130	3	20
Bromoform	50.0	48.10		ug/L		96	67 - 134	5	20
Bromomethane	50.0	47.77		ug/L		96	45 - 150	5	20
2-Butanone (MEK)	100	107.6		ug/L		108	34 - 140	7	20
Carbon disulfide	50.0	41.20		ug/L		82	60 - 146	5	20
Carbon tetrachloride	50.0	49.38		ug/L		99	68 - 140	4	20
Dibromochloromethane	50.0	53.19		ug/L		106	70 - 130	6	20
Chlorobenzene	50.0	49.30		ug/L		99	70 - 130	5	20
Chloroethane	50.0	41.87		ug/L		84	65 - 138	7	20
Chloroform	50.0	53.65		ug/L		107	70 - 131	4	20
Chloromethane	50.0	48.80		ug/L		98	15 - 150	3	20
1,1-Dichloroethane	50.0	50.72		ug/L		101	70 - 137	3	20
1,2-Dichloroethane	50.0	58.27		ug/L		117	62 - 144	6	20
1,1-Dichloroethene	50.0	47.51		ug/L		95	67 - 134	6	20
cis-1,2-Dichloroethene	50.0	46.62		ug/L		93	70 - 130	5	20
trans-1,2-Dichloroethene	50.0	43.30		ug/L		87	70 - 130	4	20
1,2-Dichloropropane	50.0	51.00		ug/L		102	70 - 133	2	20
cis-1,3-Dichloropropene	50.0	45.59		ug/L		91	66 - 130	8	20
trans-1,3-Dichloropropene	50.0	49.70		ug/L		99	70 - 138	8	20

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261037/5
Matrix: Water
Analysis Batch: 261037

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethylbenzene	50.0	53.50		ug/L		107	70 - 130	2	20
2-Hexanone	100	109.3		ug/L		109	46 - 139	5	20
Methylene Chloride	50.0	43.67		ug/L		87	67 - 130	4	20
4-Methyl-2-pentanone (MIBK)	100	102.5		ug/L		102	39 - 150	4	20
Styrene	50.0	62.84		ug/L		126	70 - 130	3	20
1,1,2,2-Tetrachloroethane	50.0	50.58		ug/L		101	62 - 130	3	20
Tetrachloroethene	50.0	42.21		ug/L		84	57 - 130	9	20
Toluene	50.0	48.81		ug/L		98	70 - 130	6	20
1,1,1-Trichloroethane	50.0	49.66		ug/L		99	67 - 139	5	20
1,1,2-Trichloroethane	50.0	48.85		ug/L		98	70 - 130	5	20
Trichloroethene	50.0	48.70		ug/L		97	70 - 130	5	20
Vinyl acetate	100	138.0		ug/L		138	22 - 150	5	20
Vinyl chloride	50.0	52.59		ug/L		105	55 - 150	1	20
o-Xylene	50.0	49.13		ug/L		98	69 - 130	6	20
m-Xylene & p-Xylene	50.0	48.78		ug/L		98	70 - 130	5	20
Xylenes, Total	100	97.91		ug/L		98	70 - 130	5	20
Bromodichloromethane	50.0	53.65		ug/L		107	70 - 130	5	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	44.42		ug/L		89	39 - 150	3	20
1,2,4-Trichlorobenzene	50.0	46.76		ug/L		94	33 - 144	1	20
1,2-Dibromo-3-Chloropropane	50.0	47.92		ug/L		96	39 - 150	4	20
1,2-Dichlorobenzene	50.0	50.09		ug/L		100	69 - 130	2	20
1,3-Dichlorobenzene	50.0	51.93		ug/L		104	70 - 130	1	20
1,4-Dichlorobenzene	50.0	54.02		ug/L		108	70 - 130	2	20
Dichlorodifluoromethane	50.0	33.24		ug/L		66	10 - 150	1	20
1,2-Dibromoethane	50.0	54.61		ug/L		109	70 - 130	5	20
Isopropylbenzene	50.0	52.58		ug/L		105	70 - 130	2	20
Methyl tert-butyl ether	50.0	54.12		ug/L		108	63 - 134	4	20
Cyclohexane	50.0	46.27		ug/L		93	10 - 150	4	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*90*		*70 - 130*
Dibromofluoromethane	*101*		*62 - 130*
4-Bromofluorobenzene	*110*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*102*		*50 - 134*

Lab Sample ID: MB 600-261080/10
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/25/19 13:39	1
Benzene	0.560	U	5.00	0.560	ug/L			03/25/19 13:39	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/25/19 13:39	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/25/19 13:39	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/25/19 13:39	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/25/19 13:39	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/25/19 13:39	1

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 600-261080/10
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/25/19 13:39	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/25/19 13:39	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/25/19 13:39	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/25/19 13:39	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/25/19 13:39	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/25/19 13:39	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/25/19 13:39	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/25/19 13:39	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/25/19 13:39	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/25/19 13:39	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/25/19 13:39	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/25/19 13:39	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/25/19 13:39	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/25/19 13:39	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/25/19 13:39	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/25/19 13:39	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/25/19 13:39	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/25/19 13:39	1
Styrene	0.560	U	5.00	0.560	ug/L			03/25/19 13:39	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/25/19 13:39	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/25/19 13:39	1
Toluene	0.550	U	5.00	0.550	ug/L			03/25/19 13:39	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/25/19 13:39	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/25/19 13:39	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/25/19 13:39	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/25/19 13:39	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/25/19 13:39	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/25/19 13:39	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/25/19 13:39	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/25/19 13:39	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/25/19 13:39	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/25/19 13:39	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/25/19 13:39	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/25/19 13:39	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/25/19 13:39	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/25/19 13:39	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/25/19 13:39	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/25/19 13:39	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/25/19 13:39	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/25/19 13:39	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/25/19 13:39	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/25/19 13:39	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*70 - 130*		*03/25/19 13:39*	*1*
Dibromofluoromethane	*101*		*62 - 130*		*03/25/19 13:39*	*1*
4-Bromofluorobenzene	*108*		*67 - 139*		*03/25/19 13:39*	*1*
1,2-Dichloroethane-d4 (Surr)	*106*		*50 - 134*		*03/25/19 13:39*	*1*

Preliminary Data

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Lab Sample ID: LCS 600-261080/4
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	100	96.90		ug/L		97	21 - 148
Benzene	50.0	45.68		ug/L		91	70 - 131
Chlorobromomethane	50.0	49.97		ug/L		100	70 - 130
Bromoform	50.0	47.21		ug/L		94	67 - 134
Bromomethane	50.0	46.90		ug/L		94	45 - 150
2-Butanone (MEK)	100	102.3		ug/L		102	34 - 140
Carbon disulfide	50.0	41.40		ug/L		83	60 - 146
Carbon tetrachloride	50.0	45.38		ug/L		91	68 - 140
Dibromochloromethane	50.0	53.60		ug/L		107	70 - 130
Chlorobenzene	50.0	47.47		ug/L		95	70 - 130
Chloroethane	50.0	38.49		ug/L		77	65 - 138
Chloroform	50.0	52.45		ug/L		105	70 - 131
Chloromethane	50.0	49.00		ug/L		98	15 - 150
1,1-Dichloroethane	50.0	48.34		ug/L		97	70 - 137
1,2-Dichloroethane	50.0	56.03		ug/L		112	62 - 144
1,1-Dichloroethene	50.0	43.16		ug/L		86	67 - 134
cis-1,2-Dichloroethene	50.0	46.42		ug/L		93	70 - 130
trans-1,2-Dichloroethene	50.0	42.87		ug/L		86	70 - 130
1,2-Dichloropropane	50.0	48.13		ug/L		96	70 - 133
cis-1,3-Dichloropropene	50.0	45.25		ug/L		91	66 - 130
trans-1,3-Dichloropropene	50.0	49.48		ug/L		99	70 - 138
Ethylbenzene	50.0	50.61		ug/L		101	70 - 130
2-Hexanone	100	104.7		ug/L		105	46 - 139
Methylene Chloride	50.0	42.36		ug/L		85	67 - 130
4-Methyl-2-pentanone (MIBK)	100	96.37		ug/L		96	39 - 150
Styrene	50.0	60.27		ug/L		121	70 - 130
1,1,2,2-Tetrachloroethane	50.0	45.89		ug/L		92	62 - 130
Tetrachloroethene	50.0	39.85		ug/L		80	57 - 130
Toluene	50.0	49.68		ug/L		99	70 - 130
1,1,1-Trichloroethane	50.0	46.84		ug/L		94	67 - 139
1,1,2-Trichloroethane	50.0	46.59		ug/L		93	70 - 130
Trichloroethene	50.0	45.95		ug/L		92	70 - 130
Vinyl acetate	100	131.8		ug/L		132	22 - 150
Vinyl chloride	50.0	48.04		ug/L		96	55 - 150
o-Xylene	50.0	46.66		ug/L		93	69 - 130
m-Xylene & p-Xylene	50.0	46.10		ug/L		92	70 - 130
Xylenes, Total	100	92.76		ug/L		93	70 - 130
Bromodichloromethane	50.0	52.09		ug/L		104	70 - 130
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	43.01		ug/L		86	39 - 150
1,2,4-Trichlorobenzene	50.0	43.63		ug/L		87	33 - 144
1,2-Dibromo-3-Chloropropane	50.0	43.67		ug/L		87	39 - 150
1,2-Dichlorobenzene	50.0	47.44		ug/L		95	69 - 130
1,3-Dichlorobenzene	50.0	48.57		ug/L		97	70 - 130
1,4-Dichlorobenzene	50.0	50.23		ug/L		100	70 - 130
Dichlorodifluoromethane	50.0	26.74		ug/L		53	10 - 150
1,2-Dibromoethane	50.0	51.47		ug/L		103	70 - 130
Isopropylbenzene	50.0	45.29		ug/L		91	70 - 130
Methyl tert-butyl ether	50.0	50.83		ug/L		102	63 - 134
Cyclohexane	50.0	35.68		ug/L		71	10 - 150

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 600-261080/4
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*90*		*70 - 130*
Dibromofluoromethane	*111*		*62 - 130*
4-Bromofluorobenzene	*101*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*122*		*50 - 134*

Lab Sample ID: LCSD 600-261080/5
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	100	98.21		ug/L		98	21 - 148	1	20
Benzene	50.0	43.06		ug/L		86	70 - 131	6	20
Chlorobromomethane	50.0	49.32		ug/L		99	70 - 130	1	20
Bromoform	50.0	45.17		ug/L		90	67 - 134	4	20
Bromomethane	50.0	43.25		ug/L		86	45 - 150	8	20
2-Butanone (MEK)	100	103.8		ug/L		104	34 - 140	1	20
Carbon disulfide	50.0	37.51		ug/L		75	60 - 146	10	20
Carbon tetrachloride	50.0	42.38		ug/L		85	68 - 140	7	20
Dibromochloromethane	50.0	50.22		ug/L		100	70 - 130	7	20
Chlorobenzene	50.0	44.87		ug/L		90	70 - 130	6	20
Chloroethane	50.0	35.85		ug/L		72	65 - 138	7	20
Chloroform	50.0	50.26		ug/L		101	70 - 131	4	20
Chloromethane	50.0	44.85		ug/L		90	15 - 150	9	20
1,1-Dichloroethane	50.0	46.06		ug/L		92	70 - 137	5	20
1,2-Dichloroethane	50.0	54.03		ug/L		108	62 - 144	4	20
1,1-Dichloroethene	50.0	39.48		ug/L		79	67 - 134	9	20
cis-1,2-Dichloroethene	50.0	43.57		ug/L		87	70 - 130	6	20
trans-1,2-Dichloroethene	50.0	39.57		ug/L		79	70 - 130	8	20
1,2-Dichloropropane	50.0	46.97		ug/L		94	70 - 133	2	20
cis-1,3-Dichloropropene	50.0	43.17		ug/L		86	66 - 130	5	20
trans-1,3-Dichloropropene	50.0	47.06		ug/L		94	70 - 138	5	20
Ethylbenzene	50.0	47.40		ug/L		95	70 - 130	7	20
2-Hexanone	100	102.3		ug/L		102	46 - 139	2	20
Methylene Chloride	50.0	39.68		ug/L		79	67 - 130	7	20
4-Methyl-2-pentanone (MIBK)	100	95.48		ug/L		95	39 - 150	1	20
Styrene	50.0	56.82		ug/L		114	70 - 130	6	20
1,1,2,2-Tetrachloroethane	50.0	45.49		ug/L		91	62 - 130	1	20
Tetrachloroethene	50.0	37.24		ug/L		74	57 - 130	7	20
Toluene	50.0	47.67		ug/L		95	70 - 130	4	20
1,1,1-Trichloroethane	50.0	42.98		ug/L		86	67 - 139	9	20
1,1,2-Trichloroethane	50.0	45.13		ug/L		90	70 - 130	3	20
Trichloroethene	50.0	43.16		ug/L		86	70 - 130	6	20
Vinyl acetate	100	126.0		ug/L		126	22 - 150	4	20
Vinyl chloride	50.0	43.19		ug/L		86	55 - 150	11	20
o-Xylene	50.0	44.25		ug/L		88	69 - 130	5	20
m-Xylene & p-Xylene	50.0	43.27		ug/L		87	70 - 130	6	20
Xylenes, Total	100	87.52		ug/L		88	70 - 130	6	20
Bromodichloromethane	50.0	50.16		ug/L		100	70 - 130	4	20

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261080/5
Matrix: Water
Analysis Batch: 261080

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	39.97		ug/L		80	39 - 150	7	20
1,2,4-Trichlorobenzene	50.0	41.17		ug/L		82	33 - 144	6	20
1,2-Dibromo-3-Chloropropane	50.0	45.13		ug/L		90	39 - 150	3	20
1,2-Dichlorobenzene	50.0	44.94		ug/L		90	69 - 130	5	20
1,3-Dichlorobenzene	50.0	46.26		ug/L		93	70 - 130	5	20
1,4-Dichlorobenzene	50.0	46.79		ug/L		94	70 - 130	7	20
Dichlorodifluoromethane	50.0	25.18		ug/L		50	10 - 150	6	20
1,2-Dibromoethane	50.0	49.94		ug/L		100	70 - 130	3	20
Isopropylbenzene	50.0	43.20		ug/L		86	70 - 130	5	20
Methyl tert-butyl ether	50.0	48.81		ug/L		98	63 - 134	4	20
Cyclohexane	50.0	33.76		ug/L		68	10 - 150	6	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*85*		*70 - 130*
Dibromofluoromethane	*106*		*62 - 130*
4-Bromofluorobenzene	*94*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*118*		*50 - 134*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Lab Sample ID: MB 600-261051/1-A
Matrix: Water
Analysis Batch: 261060

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261051

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.27	U	10.0	2.27	ug/L		03/24/19 10:20	03/25/19 08:25	1
Acenaphthylene	2.29	U	10.0	2.29	ug/L		03/24/19 10:20	03/25/19 08:25	1
Anthracene	2.49	U	10.0	2.49	ug/L		03/24/19 10:20	03/25/19 08:25	1
Benzo[a]anthracene	2.11	U	10.0	2.11	ug/L		03/24/19 10:20	03/25/19 08:25	1
Benzo[b]fluoranthene	2.50	U	10.0	2.50	ug/L		03/24/19 10:20	03/25/19 08:25	1
Benzo[k]fluoranthene	2.99	U	10.0	2.99	ug/L		03/24/19 10:20	03/25/19 08:25	1
Benzo[g,h,i]perylene	2.11	U	10.0	2.11	ug/L		03/24/19 10:20	03/25/19 08:25	1
Benzo[a]pyrene	2.46	U	10.0	2.46	ug/L		03/24/19 10:20	03/25/19 08:25	1
Bis(2-chloroethoxy)methane	2.91	U	10.0	2.91	ug/L		03/24/19 10:20	03/25/19 08:25	1
Bis(2-chloroethyl)ether	2.63	U	10.0	2.63	ug/L		03/24/19 10:20	03/25/19 08:25	1
Bis(2-ethylhexyl) phthalate	2.26	U	10.0	2.26	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Bromophenyl phenyl ether	2.50	U	10.0	2.50	ug/L		03/24/19 10:20	03/25/19 08:25	1
Butyl benzyl phthalate	2.36	U	10.0	2.36	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Chloroaniline	2.11	U	10.0	2.11	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Chloronaphthalene	2.81	U	10.0	2.81	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Chlorophenyl phenyl ether	2.19	U	10.0	2.19	ug/L		03/24/19 10:20	03/25/19 08:25	1
Carbazole	2.97	U	10.0	2.97	ug/L		03/24/19 10:20	03/25/19 08:25	1
Chrysene	2.06	U	10.0	2.06	ug/L		03/24/19 10:20	03/25/19 08:25	1
Di-n-butyl phthalate	2.09	U	10.0	2.09	ug/L		03/24/19 10:20	03/25/19 08:25	1
Dibenz(a,h)anthracene	2.48	U	10.0	2.48	ug/L		03/24/19 10:20	03/25/19 08:25	1
Dibenzofuran	2.28	U	10.0	2.28	ug/L		03/24/19 10:20	03/25/19 08:25	1
3,3'-Dichlorobenzidine	2.37	U	20.0	2.37	ug/L		03/24/19 10:20	03/25/19 08:25	1

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: MB 600-261051/1-A
Matrix: Water
Analysis Batch: 261060

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261051

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diethyl phthalate	2.59	U	10.0	2.59	ug/L		03/24/19 10:20	03/25/19 08:25	1
Dimethyl phthalate	2.47	U	10.0	2.47	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4-Dinitrotoluene	2.11	U	10.0	2.11	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,6-Dinitrotoluene	2.79	U	10.0	2.79	ug/L		03/24/19 10:20	03/25/19 08:25	1
Di-n-octyl phthalate	1.87	U	10.0	1.87	ug/L		03/24/19 10:20	03/25/19 08:25	1
Fluoranthene	2.44	U	10.0	2.44	ug/L		03/24/19 10:20	03/25/19 08:25	1
Fluorene	2.11	U	10.0	2.11	ug/L		03/24/19 10:20	03/25/19 08:25	1
Hexachlorobenzene	3.28	U	10.0	3.28	ug/L		03/24/19 10:20	03/25/19 08:25	1
Hexachlorocyclopentadiene	2.32	U	10.0	2.32	ug/L		03/24/19 10:20	03/25/19 08:25	1
Hexachloroethane	3.29	U	10.0	3.29	ug/L		03/24/19 10:20	03/25/19 08:25	1
Hexachlorobutadiene	2.57	U	10.0	2.57	ug/L		03/24/19 10:20	03/25/19 08:25	1
Indeno[1,2,3-cd]pyrene	3.09	U	10.0	3.09	ug/L		03/24/19 10:20	03/25/19 08:25	1
Isophorone	2.64	U	10.0	2.64	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Methylnaphthalene	2.58	U	10.0	2.58	ug/L		03/24/19 10:20	03/25/19 08:25	1
Naphthalene	2.20	U	10.0	2.20	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Nitroaniline	3.80	U	50.0	3.80	ug/L		03/24/19 10:20	03/25/19 08:25	1
3-Nitroaniline	1.85	U	50.0	1.85	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Nitroaniline	2.34	U	10.0	2.34	ug/L		03/24/19 10:20	03/25/19 08:25	1
Nitrobenzene	2.59	U	10.0	2.59	ug/L		03/24/19 10:20	03/25/19 08:25	1
N-Nitrosodiphenylamine	2.01	U	10.0	2.01	ug/L		03/24/19 10:20	03/25/19 08:25	1
N-Nitrosodi-n-propylamine	3.19	U	10.0	3.19	ug/L		03/24/19 10:20	03/25/19 08:25	1
Phenanthrene	2.24	U	10.0	2.24	ug/L		03/24/19 10:20	03/25/19 08:25	1
Pyrene	3.00	U	10.0	3.00	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Chloro-3-methylphenol	1.97	U	10.0	1.97	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Chlorophenol	2.19	U	10.0	2.19	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Methylphenol	1.42	U	10.0	1.42	ug/L		03/24/19 10:20	03/25/19 08:25	1
3 & 4 Methylphenol	1.35	U	20.0	1.35	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4-Dichlorophenol	2.16	U	10.0	2.16	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4-Dimethylphenol	1.94	U	10.0	1.94	ug/L		03/24/19 10:20	03/25/19 08:25	1
4,6-Dinitro-2-methylphenol	3.36	U	50.0	3.36	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4-Dinitrophenol	5.46	U	50.0	5.46	ug/L		03/24/19 10:20	03/25/19 08:25	1
2-Nitrophenol	2.10	U	10.0	2.10	ug/L		03/24/19 10:20	03/25/19 08:25	1
4-Nitrophenol	2.80	U	50.0	2.80	ug/L		03/24/19 10:20	03/25/19 08:25	1
Pentachlorophenol	3.15	U	50.0	3.15	ug/L		03/24/19 10:20	03/25/19 08:25	1
Phenol	1.25	U	10.0	1.25	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4,5-Trichlorophenol	4.20	U	10.0	4.20	ug/L		03/24/19 10:20	03/25/19 08:25	1
2,4,6-Trichlorophenol	3.32	U	10.0	3.32	ug/L		03/24/19 10:20	03/25/19 08:25	1
bis (2-Chloroisopropyl) ether	2.92	U	10.0	2.92	ug/L		03/24/19 10:20	03/25/19 08:25	1
1,1'-Biphenyl	2.68	U	10.0	2.68	ug/L		03/24/19 10:20	03/25/19 08:25	1
Acetophenone	2.42	U	10.0	2.42	ug/L		03/24/19 10:20	03/25/19 08:25	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*40*		*24 - 150*	*03/24/19 10:20*	*03/25/19 08:25*	*1*
2-Fluorophenol	*35*		*10 - 130*	*03/24/19 10:20*	*03/25/19 08:25*	*1*
2-Fluorobiphenyl	*45*		*38 - 133*	*03/24/19 10:20*	*03/25/19 08:25*	*1*
2,4,6-Tribromophenol	*39*		*19 - 150*	*03/24/19 10:20*	*03/25/19 08:25*	*1*

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: MB 600-261051/1-A
Matrix: Water
Analysis Batch: 261060

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261051

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	66		35 - 150	03/24/19 10:20	03/25/19 08:25	1
Phenol-d5 (Surr)	24		10 - 130	03/24/19 10:20	03/25/19 08:25	1

Lab Sample ID: LCS 600-261051/2-A
Matrix: Water
Analysis Batch: 261060

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261051

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthene	40.0	20.56		ug/L		51	42 - 130
Acenaphthylene	40.0	18.77		ug/L		47	41 - 130
Anthracene	40.0	23.71		ug/L		59	48 - 130
Benzo[a]anthracene	40.0	26.10		ug/L		65	47 - 130
Benzo[b]fluoranthene	40.0	27.16		ug/L		68	47 - 130
Benzo[k]fluoranthene	40.0	31.75		ug/L		79	44 - 131
Benzo[g,h,i]perylene	40.0	23.93		ug/L		60	42 - 138
Benzo[a]pyrene	40.0	25.91		ug/L		65	52 - 130
Bis(2-chloroethoxy)methane	40.0	19.80		ug/L		49	42 - 130
Bis(2-chloroethyl)ether	40.0	17.52		ug/L		44	35 - 130
Bis(2-ethylhexyl) phthalate	40.0	25.30		ug/L		63	34 - 139
4-Bromophenyl phenyl ether	40.0	22.06		ug/L		55	44 - 130
Butyl benzyl phthalate	40.0	24.30		ug/L		61	22 - 150
4-Chloroaniline	40.0	22.65		ug/L		57	19 - 130
2-Chloronaphthalene	40.0	18.42		ug/L		46	39 - 130
4-Chlorophenyl phenyl ether	40.0	21.60		ug/L		54	37 - 130
Carbazole	40.0	22.51		ug/L		56	49 - 130
Chrysene	40.0	26.16		ug/L		65	46 - 130
Di-n-butyl phthalate	40.0	22.31		ug/L		56	50 - 130
Dibenz(a,h)anthracene	40.0	23.75		ug/L		59	46 - 132
Dibenzofuran	40.0	21.39		ug/L		53	42 - 130
3,3'-Dichlorobenzidine	40.0	24.78		ug/L		62	10 - 150
Diethyl phthalate	40.0	21.07		ug/L		53	42 - 130
Dimethyl phthalate	40.0	20.08		ug/L		50	43 - 130
2,4-Dinitrotoluene	40.0	22.79		ug/L		57	48 - 130
2,6-Dinitrotoluene	40.0	21.56		ug/L		54	43 - 130
Di-n-octyl phthalate	40.0	25.10		ug/L		63	40 - 132
Fluoranthene	40.0	24.19		ug/L		60	52 - 130
Fluorene	40.0	21.92		ug/L		55	39 - 130
Hexachlorobenzene	40.0	20.65		ug/L		52	45 - 130
Hexachlorocyclopentadiene	40.0	13.25		ug/L		33	14 - 130
Hexachloroethane	40.0	19.13		ug/L		48	37 - 130
Hexachlorobutadiene	40.0	22.59		ug/L		56	35 - 130
Indeno[1,2,3-cd]pyrene	40.0	21.48		ug/L		54	38 - 132
Isophorone	40.0	19.98		ug/L		50	39 - 130
2-Methylnaphthalene	40.0	25.50		ug/L		64	40 - 130
Naphthalene	40.0	21.70		ug/L		54	41 - 130
2-Nitroaniline	40.0	16.28	J	ug/L		41	39 - 130
3-Nitroaniline	40.0	15.71	J	ug/L		39	33 - 130

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCS 600-261051/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261060 — **Prep Batch: 261051**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4-Nitroaniline	40.0	22.00		ug/L		55	37 - 130
Nitrobenzene	40.0	18.10		ug/L		45	44 - 130
N-Nitrosodiphenylamine	40.0	21.74		ug/L		54	30 - 134
N-Nitrosodi-n-propylamine	40.0	16.85		ug/L		42	37 - 130
Phenanthrene	40.0	22.17		ug/L		55	47 - 130
Pyrene	40.0	23.54		ug/L		59	41 - 130
4-Chloro-3-methylphenol	40.0	23.04		ug/L		58	43 - 130
2-Chlorophenol	40.0	20.62		ug/L		52	36 - 130
2-Methylphenol	40.0	18.22		ug/L		46	37 - 130
3 & 4 Methylphenol	40.0	17.39	J	ug/L		43	39 - 130
2,4-Dichlorophenol	40.0	23.37		ug/L		58	41 - 130
2,4-Dimethylphenol	40.0	21.60		ug/L		54	32 - 130
4,6-Dinitro-2-methylphenol	80.0	49.94	J	ug/L		62	49 - 130
2,4-Dinitrophenol	80.0	39.49	J	ug/L		49	34 - 130
2-Nitrophenol	40.0	23.39		ug/L		58	43 - 130
4-Nitrophenol	80.0	27.88	J	ug/L		35	10 - 133
Pentachlorophenol	80.0	44.33	J	ug/L		55	34 - 130
Phenol	40.0	11.26		ug/L		28	21 - 130
2,4,5-Trichlorophenol	40.0	20.02		ug/L		50	39 - 130
2,4,6-Trichlorophenol	40.0	19.22		ug/L		48	36 - 130
bis (2-Chloroisopropyl) ether	40.0	11.67		ug/L		29	29 - 130
1,1'-Biphenyl	40.0	20.93		ug/L		52	37 - 130
Acetophenone	40.0	21.19		ug/L		53	39 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Nitrobenzene-d5	*46*		*24 - 150*
2-Fluorophenol	*36*		*10 - 130*
2-Fluorobiphenyl	*47*		*38 - 133*
2,4,6-Tribromophenol	*43*		*19 - 150*
Terphenyl-d14	*58*		*35 - 150*
Phenol-d5 (Surr)	*26*		*10 - 130*

Lab Sample ID: LCSD 600-261051/3-A — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261060 — **Prep Batch: 261051**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acenaphthene	40.0	24.23		ug/L		61	42 - 130	16	20
Acenaphthylene	40.0	22.17		ug/L		55	41 - 130	17	20
Anthracene	40.0	26.57		ug/L		66	48 - 130	11	20
Benzo[a]anthracene	40.0	30.47		ug/L		76	47 - 130	15	20
Benzo[b]fluoranthene	40.0	29.25		ug/L		73	47 - 130	7	20
Benzo[k]fluoranthene	40.0	29.05		ug/L		73	44 - 131	9	20
Benzo[g,h,i]perylene	40.0	27.27		ug/L		68	42 - 138	13	20
Benzo[a]pyrene	40.0	29.91		ug/L		75	52 - 130	14	20
Bis(2-chloroethoxy)methane	40.0	22.35		ug/L		56	42 - 130	12	20
Bis(2-chloroethyl)ether	40.0	20.90		ug/L		52	35 - 130	18	20

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261051/3-A
Matrix: Water
Analysis Batch: 261060

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 261051

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bis(2-ethylhexyl) phthalate	40.0	28.73		ug/L		72	34 - 139	13	20
4-Bromophenyl phenyl ether	40.0	24.76		ug/L		62	44 - 130	12	20
Butyl benzyl phthalate	40.0	27.57		ug/L		69	22 - 150	13	20
4-Chloroaniline	40.0	20.93		ug/L		52	19 - 130	8	20
2-Chloronaphthalene	40.0	21.78		ug/L		54	39 - 130	17	20
4-Chlorophenyl phenyl ether	40.0	25.73		ug/L		64	37 - 130	17	20
Carbazole	40.0	23.86		ug/L		60	49 - 130	6	20
Chrysene	40.0	29.62		ug/L		74	46 - 130	12	20
Di-n-butyl phthalate	40.0	24.73		ug/L		62	50 - 130	10	20
Dibenz(a,h)anthracene	40.0	27.76		ug/L		69	46 - 132	16	20
Dibenzofuran	40.0	25.44		ug/L		64	42 - 130	17	20
3,3'-Dichlorobenzidine	40.0	27.83		ug/L		70	10 - 150	12	40
Diethyl phthalate	40.0	24.84		ug/L		62	42 - 130	16	20
Dimethyl phthalate	40.0	23.65		ug/L		59	43 - 130	16	20
2,4-Dinitrotoluene	40.0	26.78		ug/L		67	48 - 130	16	20
2,6-Dinitrotoluene	40.0	25.00		ug/L		63	43 - 130	15	20
Di-n-octyl phthalate	40.0	28.80		ug/L		72	40 - 132	14	20
Fluoranthene	40.0	27.13		ug/L		68	52 - 130	11	20
Fluorene	40.0	25.92		ug/L		65	39 - 130	17	20
Hexachlorobenzene	40.0	23.52		ug/L		59	45 - 130	13	20
Hexachlorocyclopentadiene	40.0	15.61		ug/L		39	14 - 130	16	20
Hexachloroethane	40.0	22.43		ug/L		56	37 - 130	16	20
Hexachlorobutadiene	40.0	25.47		ug/L		64	35 - 130	12	20
Indeno[1,2,3-cd]pyrene	40.0	24.89		ug/L		62	38 - 132	15	20
Isophorone	40.0	22.30		ug/L		56	39 - 130	11	20
2-Methylnaphthalene	40.0	28.04		ug/L		70	40 - 130	10	20
Naphthalene	40.0	25.05		ug/L		63	41 - 130	14	20
2-Nitroaniline	40.0	19.61	J	ug/L		49	39 - 130	19	20
3-Nitroaniline	40.0	19.05	J	ug/L		48	33 - 130	19	20
4-Nitroaniline	40.0	24.14		ug/L		60	37 - 130	9	20
Nitrobenzene	40.0	20.64		ug/L		52	44 - 130	13	20
N-Nitrosodiphenylamine	40.0	24.60		ug/L		61	30 - 134	12	20
N-Nitrosodi-n-propylamine	40.0	19.70		ug/L		49	37 - 130	16	20
Phenanthrene	40.0	25.13		ug/L		63	47 - 130	13	20
Pyrene	40.0	27.42		ug/L		69	41 - 130	15	40
4-Chloro-3-methylphenol	40.0	25.93		ug/L		65	43 - 130	12	20
2-Chlorophenol	40.0	24.37		ug/L		61	36 - 130	17	20
2-Methylphenol	40.0	21.20		ug/L		53	37 - 130	15	20
3 & 4 Methylphenol	40.0	20.50		ug/L		51	39 - 130	16	20
2,4-Dichlorophenol	40.0	26.41		ug/L		66	41 - 130	12	20
2,4-Dimethylphenol	40.0	23.90		ug/L		60	32 - 130	10	20
4,6-Dinitro-2-methylphenol	80.0	57.28		ug/L		72	49 - 130	14	20
2,4-Dinitrophenol	80.0	46.17	J	ug/L		58	34 - 130	16	20
2-Nitrophenol	40.0	26.40		ug/L		66	43 - 130	12	20
4-Nitrophenol	80.0	32.45	J	ug/L		41	10 - 133	15	20
Pentachlorophenol	80.0	49.55	J	ug/L		62	34 - 130	11	20
Phenol	40.0	13.54		ug/L		34	21 - 130	18	20

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261051/3-A — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261060 — **Prep Batch: 261051**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
2,4,5-Trichlorophenol	40.0	23.90		ug/L		60	39 - 130	18	20
2,4,6-Trichlorophenol	40.0	23.06		ug/L		58	36 - 130	18	20
bis (2-Chloroisopropyl) ether	40.0	13.93		ug/L		35	29 - 130	18	20
1,1'-Biphenyl	40.0	24.80		ug/L		62	37 - 130	17	20
Acetophenone	40.0	23.80		ug/L		59	39 - 130	12	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Nitrobenzene-d5	*46*		*24 - 150*
2-Fluorophenol	*40*		*10 - 130*
2-Fluorobiphenyl	*52*		*38 - 133*
2,4,6-Tribromophenol	*49*		*19 - 150*
Terphenyl-d14	*62*		*35 - 150*
Phenol-d5 (Surr)	*30*		*10 - 130*

Method: 1664A - HEM and SGT-HEM by Extraction and Gravimetry

Lab Sample ID: MB 600-261113/1-A — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261114 — **Prep Batch: 261113**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	1.0	U	3.0	1.0	mg/L		03/25/19 12:15	03/25/19 12:19	1

Lab Sample ID: LCS 600-261113/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261114 — **Prep Batch: 261113**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Oil & Grease (HEM)	40.0	36.40		mg/L		91	78 - 114

Method: 8000 - Chemical Oxygen Demand (COD) Colorimetric

Lab Sample ID: MB 600-261111/3 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261111

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	2.46	U	10.0	2.46	mg/L			03/25/19 12:09	1

Lab Sample ID: LCS 600-261111/4 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261111

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chemical Oxygen Demand	75.0	70.48		mg/L		94	90 - 110

Preliminary Data

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

GC/MS VOA

Analysis Batch: 261037

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-2	ITC-BB-06-20190322-15	Total/NA	Water	8260B	
600-182370-3	ITC-OF3-01-20190322-11	Total/NA	Water	8260B	
600-182370-4	TripBlank-03	Total/NA	Water	8260B	
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	8260B	
MB 600-261037/7	Method Blank	Total/NA	Water	8260B	
LCS 600-261037/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 600-261037/5	Lab Control Sample Dup	Total/NA	Water	8260B	

Analysis Batch: 261080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	8260B	
600-182370-3 - DL	ITC-OF3-01-20190322-11	Total/NA	Water	8260B	
600-182370-3 - DL2	ITC-OF3-01-20190322-11	Total/NA	Water	8260B	
600-182370-5 - DL	ITC-TB-01-20190323-11	Total/NA	Water	8260B	
600-182370-5 - DL2	ITC-TB-01-20190323-11	Total/NA	Water	8260B	
MB 600-261080/10	Method Blank	Total/NA	Water	8260B	
LCS 600-261080/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 600-261080/5	Lab Control Sample Dup	Total/NA	Water	8260B	

GC/MS Semi VOA

Prep Batch: 261051

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	3510C LVI	
600-182370-3	ITC-OF3-01-20190322-11	Total/NA	Water	3510C LVI	
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	3510C LVI	
MB 600-261051/1-A	Method Blank	Total/NA	Water	3510C LVI	
LCS 600-261051/2-A	Lab Control Sample	Total/NA	Water	3510C LVI	
LCSD 600-261051/3-A	Lab Control Sample Dup	Total/NA	Water	3510C LVI	

Analysis Batch: 261060

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	8270C	261051
600-182370-3	ITC-OF3-01-20190322-11	Total/NA	Water	8270C	261051
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	8270C	261051
MB 600-261051/1-A	Method Blank	Total/NA	Water	8270C	261051
LCS 600-261051/2-A	Lab Control Sample	Total/NA	Water	8270C	261051
LCSD 600-261051/3-A	Lab Control Sample Dup	Total/NA	Water	8270C	261051

General Chemistry

Analysis Batch: 261111

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	8000	
600-182370-3	ITC-OF3-01-20190322-11	Total/NA	Water	8000	
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	8000	
MB 600-261111/3	Method Blank	Total/NA	Water	8000	
LCS 600-261111/4	Lab Control Sample	Total/NA	Water	8000	

Preliminary Data

General Chemistry (Continued)

Prep Batch: 261113

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	1664A	
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	1664A	
MB 600-261113/1-A	Method Blank	Total/NA	Water	1664A	
LCS 600-261113/2-A	Lab Control Sample	Total/NA	Water	1664A	

Analysis Batch: 261114

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182370-1	ITC-BB-06-20190322-11	Total/NA	Water	1664A	261113
600-182370-5	ITC-TB-01-20190323-11	Total/NA	Water	1664A	261113
MB 600-261113/1-A	Method Blank	Total/NA	Water	1664A	261113
LCS 600-261113/2-A	Lab Control Sample	Total/NA	Water	1664A	261113

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-BB-06-20190322-11 — Lab Sample ID: 600-182370-1

Date Collected: 03/22/19 15:45 — **Matrix: Water**
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	261080	03/25/19 14:04	DT1	TAL HOU
Total/NA	Prep	3510C LVI			235 mL	1 mL	261051	03/24/19 10:20	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261060	03/25/19 09:59	TTD	TAL HOU
Total/NA	Prep	1664A			950 mL	1000 mL	261113	03/25/19 12:15	EAT	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	261114	03/25/19 12:19	EAT	TAL HOU
Total/NA	Analysis	8000		1	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: ITC-BB-06-20190322-15 — Lab Sample ID: 600-182370-2

Date Collected: 03/22/19 18:00 — **Matrix: Water**
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	261037	03/23/19 16:09	PXS	TAL HOU

Client Sample ID: ITC-OF3-01-20190322-11 — Lab Sample ID: 600-182370-3

Date Collected: 03/22/19 14:20 — **Matrix: Water**
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	5 mL	5 mL	261037	03/23/19 18:32	PXS	TAL HOU
Total/NA	Analysis	8260B	DL	200	5 mL	5 mL	261080	03/25/19 14:28	DT1	TAL HOU
Total/NA	Analysis	8260B	DL2	1000	5 mL	5 mL	261080	03/25/19 14:53	DT1	TAL HOU
Total/NA	Prep	3510C LVI			230 mL	16 mL	261051	03/24/19 10:20	ARS	TAL HOU
Total/NA	Analysis	8270C		50			261060	03/25/19 10:23	TTD	TAL HOU
Total/NA	Analysis	8000		40	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Client Sample ID: TripBlank-03 — Lab Sample ID: 600-182370-4

Date Collected: 03/22/19 17:10 — **Matrix: Water**
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	261037	03/23/19 14:57	PXS	TAL HOU

Client Sample ID: ITC-TB-01-20190323-11 — Lab Sample ID: 600-182370-5

Date Collected: 03/23/19 10:30 — **Matrix: Water**
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	261037	03/23/19 15:21	PXS	TAL HOU
Total/NA	Analysis	8260B	DL	25	5 mL	5 mL	261080	03/25/19 15:18	DT1	TAL HOU
Total/NA	Analysis	8260B	DL2	100	5 mL	5 mL	261080	03/25/19 16:31	DT1	TAL HOU

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Client Sample ID: ITC-TB-01-20190323-11

Lab Sample ID: 600-182370-5

Date Collected: 03/23/19 10:30
Matrix: Water
Date Received: 03/23/19 13:27

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C LVI			225 mL	1 mL	261051	03/24/19 10:20	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261060	03/25/19 10:46	TTD	TAL HOU
Total/NA	Prep	1664A			960 mL	1000 mL	261113	03/25/19 12:15	EAT	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	261114	03/25/19 12:19	EAT	TAL HOU
Total/NA	Analysis	8000		2	2 mL	2 mL	261111	03/25/19 12:09	DTN	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Accreditation/Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182370-1

Laboratory: TestAmerica Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Texas	NELAP	6	T104704223-18-23	10-31-19

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Water	Cyclohexane
8270C	3510C LVI	Water	1,1'-Biphenyl
8270C	3510C LVI	Water	3 & 4 Methylphenol

Preliminary Data

USEPA
DateShipped: 3/23/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032219-172312-0005
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-06-20190322-11	BB-06	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/22/2019	15:45	1	500mL poly	6C H2SO4	N
	ITC-BB-06-20190322-11	BB-06	EPA 1664 - Oil and Grease	Surface Water	3/22/2019	15:45	2	1L Amber	6C HCL	N
	ITC-BB-06-20190322-11	BB-06	EPA 8270 - SVOCs	Surface Water	3/22/2019	15:45	2	250mL Amber	6C	N
	ITC-BB-06-20190322-11	BB-06	EPA 8260 - VOCs	Surface Water	3/22/2019	15:45	3	40mL VOA	6C HCl	N
	ITC-BB-06-20190322-15	FieldQC	EPA 8260 - VOCs	Surface Water	3/22/2019	18:00	3	40mL VOA	6C HCl	N
	ITC-OF3-01-20190322-11	OF3-01	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/22/2019	14:20	1	500mL poly	6C H2SO4	N
	ITC-OF3-01-20190322-11	OF3-01	EPA 1664 - Oil and Grease	Surface Water	3/22/2019	14:20	2	1L Amber	6C HCL	N
	ITC-OF3-01-20190322-11	OF3-01	EPA 8270 - SVOCs	Surface Water	3/22/2019	14:20	2	250mL Amber	6C	N
	ITC-OF3-01-20190322-11	OF3-01	EPA 8260 - VOCs	Surface Water	3/22/2019	14:20	3	40mL VOA	6C HCl	N
	TripBlank-03	FieldQC	EPA 8260 - VOCs	Surface Water	3/22/2019	17:10	2	40 mL VOA	6C HCl	N
	ITC-TB-01-20190323-11		8260/8270/1664/410	Surface Water	3/23/19	1030	8			

Special Instructions: Fastest Available TAT
1-Day TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upo
Samples/ analysis	D PCM Weston	3/23/19 1327	SCrafton	3-23-19 1327	3.1°C

600-182370 Chain of Custody

Preliminary Data

TestAmerica Houston

Loc: 600

Sample Receipt 182370

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

ime Received: '19 MAR 23 13:27

JOB NUMBER: _____ CLIENT: Weston

UNPACKED BY: _____ CARRIER/DRIVER: Client

Custody Seal Present: ☐ YES ☐ NO Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
GW	Y / N	Y / N	3.0	678	+.1	3.1
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☐ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☐ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot # 1589416 1

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☐ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?		

COMMENTS:

Preliminary Data

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 600-182370-1

Login Number: 182370
List Number: 1
Creator: Crafton, Tommie S

List Source: TestAmerica Houston

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Preliminary Data

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL Units	MDL on Limit	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved Type	Test Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	N	2.41	U	U	ug/L	2.41 ug/L	2.41 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	N	2.44	U	U	ug/L	2.44 ug/L	2.44 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	N	2.65	U	U	ug/L	2.65 ug/L	2.65 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	N	2.66	U	U	ug/L	2.66 ug/L	2.66 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	N	3.18	U	U	ug/L	3.18 ug/L	3.18 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	N	2.62	U	U	ug/L	2.62 ug/L	2.62 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	3.1	U	U	ug/L	3.1 ug/L	3.1 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2.8	U	U	ug/L	2.8 ug/L	2.8 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	2.4	U	U	ug/L	2.4 ug/L	2.4 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	N	2.66	U	U	ug/L	2.66 ug/L	2.66 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	N	2.51	U	U	ug/L	2.51 ug/L	2.51 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	4-Chloroaniline	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	2-Chloronaphthalene	N	2.99	U	U	ug/L	2.99 ug/L	2.99 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	4-Chlorophenyl phenyl ether	N	2.33	U	U	ug/L	2.33 ug/L	2.33 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	Carbazole	N	3.16	U	U	ug/L	3.16 ug/L	3.16 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	Chrysene	N	2.19	U	U	ug/L	2.19 ug/L	2.19 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	Di-n-butyl phthalate	N	2.22	U	U	ug/L	2.22 ug/L	2.22 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Dibenz(a,h)anthracene	N	2.64	U	U	ug/L	2.64 ug/L	2.64 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Dibenzofuran	N	2.43	U	U	ug/L	2.43 ug/L	2.43 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	N	2.52	U	U	ug/L	2.52 ug/L	2.52 ug/L	21.3 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Diethyl phthalate	N	2.76	U	U	ug/L	2.76 ug/L	2.76 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Dimethyl phthalate	N	2.63	U	U	ug/L	2.63 ug/L	2.63 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	N	2.97	U	U	ug/L	2.97 ug/L	2.97 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	N	1.99	U	U	ug/L	1.99 ug/L	1.99 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	N	2.6	U	U	ug/L	2.6 ug/L	2.6 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	N	3.49	U	U	ug/L	3.49 ug/L	3.49 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	N	2.47	U	U	ug/L	2.47 ug/L	2.47 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	N	3.5	U	U	ug/L	3.5 ug/L	3.5 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	N	2.73	U	U	ug/L	2.73 ug/L	2.73 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	N	3.29	U	U	ug/L	3.29 ug/L	3.29 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	N	2.81	U	U	ug/L	2.81 ug/L	2.81 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	N	2.74	U	U	ug/L	2.74 ug/L	2.74 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	N	2.34	U	U	ug/L	2.34 ug/L	2.34 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	N	4.04	U	U	ug/L	4.04 ug/L	4.04 ug/L	53.2 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	N	1.97	U	U	ug/L	1.97 ug/L	1.97 ug/L	53.2 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	N	2.49	U	U	ug/L	2.49 ug/L	2.49 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	N	2.76	U	U	ug/L	2.76 ug/L	2.76 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	N	2.14	U	U	ug/L	2.14 ug/L	2.14 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	N	3.39	U	U	ug/L	3.39 ug/L	3.39 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	N	2.38	U	U	ug/L	2.38 ug/L	2.38 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	N	3.19	U	U	ug/L	3.19 ug/L	3.19 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	N	2.1	U	U	ug/L	2.1 ug/L	2.1 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	N	2.33	U	U	ug/L	2.33 ug/L	2.33 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	N	1.51	U	U	ug/L	1.51 ug/L	1.51 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	N	1.44	U	U	ug/L	1.44 ug/L	1.44 ug/L	21.3 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	N	2.3	U	U	ug/L	2.3 ug/L	2.3 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	N	2.06	U	U	ug/L	2.06 ug/L	2.06 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	N	3.57	U	U	ug/L	3.57 ug/L	3.57 ug/L	53.2 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	N	5.81	U	U	ug/L	5.81 ug/L	5.81 ug/L	53.2 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	2-Nitrophenol	N	2.23	U	U	ug/L	2.23 ug/L	2.23 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL	1 mL			0			
ITC-BB-06-20190322-11			Water	SAMP	600-182370-1	3/22/2019 15:45	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 9:59	TestAmerica Houston	600-182370-1	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	4-Nitroph

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL Units	MDL on Limit	Quantitation Limit Units	Quantitation Limit	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-25-2	N	15.4	U	U	ug/L	15.4	ug/L	15.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		74-83-9	N	43	U	U	ug/L	43	ug/L	43	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		78-93-3	N	31.4	U	U	ug/L	31.4	ug/L	31.4	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-15-0	N	34	U	U	ug/L	34	ug/L	34	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		56-23-5	N	18.4	U	U	ug/L	18.4	ug/L	18.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		124-48-1	N	18.4	U	U	ug/L	18.4	ug/L	18.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		108-90-7	N	16.4	U	U	ug/L	16.4	ug/L	16.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-00-3	N	34.6	U	U	ug/L	34.6	ug/L	34.6	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		67-66-3	N	16.4	U	U	ug/L	16.4	ug/L	16.4	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		74-87-3	N	17	U	U	ug/L	17	ug/L	17	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-34-3	N	10	U	U	ug/L	10	ug/L	10	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		107-06-2	N	20.2	U	U	ug/L	20.2	ug/L	20.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-35-4	N	15.2	U	U	ug/L	15.2	ug/L	15.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		156-59-2	N	11.2	U	U	ug/L	11.2	ug/L	11.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		156-60-5	N	17.6	U	U	ug/L	17.6	ug/L	17.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		78-87-5	N	28.2	U	U	ug/L	28.2	ug/L	28.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		10061-01-5	N	19.4	U	U	ug/L	19.4	ug/L	19.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		10061-02-6	N	11.8	U	U	ug/L	11.8	ug/L	11.8	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		100-41-4	Y	1220			ug/L	25.8	ug/L	25.8	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		591-78-6	N	28.4	U	U	ug/L	28.4	ug/L	28.4	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-09-2	N	28.6	U	U	ug/L	28.6	ug/L	28.6	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		108-10-1	N	22.2	U	U	ug/L	22.2	ug/L	22.2	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		100-42-5	Y	1940			ug/L	11.2	ug/L	11.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		79-34-5	N	16	U	U	ug/L	16	ug/L	16	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		127-18-4	N	24.8	U	U	ug/L	24.8	ug/L	24.8	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		71-55-6	N	19.6	U	U	ug/L	19.6	ug/L	19.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		79-00-5	N	10.6	U	U	ug/L	10.6	ug/L	10.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		79-01-6	N	31.6	U	U	ug/L	31.6	ug/L	31.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		108-05-4	N	12	U	U	ug/L	12	ug/L	12	ug/L	200	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-01-4	N	17	U	U	ug/L	17	ug/L	17	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		2037-26-5	Y	890			ug/L	20 ug/L	100	ug/L	100	ug/L	Yes	SUR	SAMP				T	initial	Wet	20	89	5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		1868-53-7	Y	1040			ug/L	20.6 ug/L	100	ug/L	100	ug/L	Yes	SUR	SAMP				T	initial	Wet	20	104	5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		460-00-4	Y	1110			ug/L	20 ug/L	100	ug/L	100	ug/L	Yes	SUR	SAMP				T	initial	Wet	20	111	5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		17060-07-0	N	1160			ug/L	20 ug/L	100	ug/L	100	ug/L	Yes	SUR	SAMP				T	initial	Wet	20	116	5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-27-4	N	15.2	U	U	ug/L	15.2	ug/L	15.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		76-13-1	N	20.8	U	U	ug/L	20.8	ug/L	20.8	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		120-82-1	N	8.2	U	U	ug/L	8.2	ug/L	8.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		96-12-8	N	29.6	U	U	ug/L	29.6	ug/L	29.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		95-50-1	N	10.6	U	U	ug/L	10.6	ug/L	10.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		541-73-1	N	4.2	U	U	ug/L	4.2	ug/L	4.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		106-46-7	N	18.2	U	U	ug/L	18.2	ug/L	18.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-71-8	N	15.2	U	U	ug/L	15.2	ug/L	15.2	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		106-93-4	N	17	U	U	ug/L	17	ug/L	17	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8	Y	75.8 J	J		ug/L	12.4	ug/L	12.4	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4	Y	346			ug/L	8.8	ug/L	8.8	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27		3/23/2019 18:32	TestAmerica Houston	600-182370-3	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7	Y	727			ug/L	54.6 ug/L	54.6	ug/L	100	ug/L	Yes	TRG	SAMP				T	initial	Wet	20		5	mL	5	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	N	1970	U	U	ug/L	1970	ug/L	1970	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	N	1990	U	U	ug/L	1990	ug/L	1990	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	N	2170	U	U	ug/L	2170	ug/L	2170	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	N	1830	U	U	ug/L	1830	ug/L	1830	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	N	2170	U	U	ug/L	2170	ug/L	2170	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	N	2600	U	U	ug/L	2600	ug/L	2600	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	N	1830	U	U	ug/L	1830	ug/L	1830	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	N	2140	U	U	ug/L	2140	ug/L	2140	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	N	2530	U	U	ug/L	2530	ug/L	2530	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	N	2290	U	U	ug/L	2290	ug/L	2290	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Y	1970	U	U	ug/L	1970	ug/L	1970	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	N	2170	U	U	ug/L	2170	ug/L	2170	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	N	2050	U	U	ug/L	2050	ug/L	2050	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	N	1830	U	U	ug/L	1830	ug/L	1830	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	N	2440	U	U	ug/L	2440	ug/L	2440	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	N	1900	U	U	ug/L	1900	ug/L	1900	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50		230	mL	16	mL		0			
ITC-OF3-01-20190322-11			Water	SAMP	600-182370-1	3/22/2019 14:20	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:23	TestAmerica Houston	600-182370-3	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	N	2580	U	U	ug/L	2580	ug/L	2580	ug/L	8700	ug/L	Yes	TRG	SAMP				T	initial	Wet	50	

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analytical Method	Extraction Method	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL Units	MDL on Limit	Quantitation Limit Units	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved Type	Test Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
TripBlank-03			Water	SAMP	600-182370-1	3/22/2019 17:10	3/23/2019 13:27		3/23/2019 14:57	TestAmerica Houston	600-182370-4	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8	N	0.62 U	U		ug/L	0.62 ug/L	0.62 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
TripBlank-03			Water	SAMP	600-182370-1	3/22/2019 17:10	3/23/2019 13:27		3/23/2019 14:57	TestAmerica Houston	600-182370-4	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4	N	0.44 U	U		ug/L	0.44 ug/L	0.44 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
TripBlank-03			Water	SAMP	600-182370-1	3/22/2019 17:10	3/23/2019 13:27		3/23/2019 14:57	TestAmerica Houston	600-182370-4	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7	N	2.73 U	U		ug/L	2.73 ug/L	2.73 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		67-64-1	Y	239			ug/L	2.27 ug/L	2.27 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		74-97-5	N	0.81 U	U		ug/L	0.81 ug/L	0.81 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-25-2	N	0.77 U	U		ug/L	0.77 ug/L	0.77 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		74-83-9	N	2.15 U	U		ug/L	2.15 ug/L	2.15 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		78-93-3	N	1.57 U	U		ug/L	1.57 ug/L	1.57 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-15-0	N	1.7 U	U		ug/L	1.7 ug/L	1.7 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		56-23-5	N	0.92 U	U		ug/L	0.92 ug/L	0.92 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		124-48-1	Dibromochloromethane	N	0.92 U	U		ug/L	0.92 ug/L	0.92 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		108-90-7	Chlorobenzene	N	0.82 U	U		ug/L	0.82 ug/L	0.82 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-00-3	Chloroethane	N	1.73 U	U		ug/L	1.73 ug/L	1.73 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		67-66-3	Chloroform	Y	1.5 J	J		ug/L	0.82 ug/L	0.82 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		74-87-3	Chloromethane	N	0.85 U	U		ug/L	0.85 ug/L	0.85 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-34-3	1,1-Dichloroethane	Y	2.31 J	J		ug/L	0.5 ug/L	0.5 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		107-06-2	1,2-Dichloroethane	N	1.01 U	U		ug/L	1.01 ug/L	1.01 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-35-4	1,1-Dichloroethene	N	0.76 U	U		ug/L	0.76 ug/L	0.76 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		156-59-2	cis-1,2-Dichloroethene	N	0.56 U	U		ug/L	0.56 ug/L	0.56 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		156-60-5	trans-1,2-Dichloroethene	N	0.88 U	U		ug/L	0.88 ug/L	0.88 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		78-87-5	1,2-Dichloropropane	N	1.41 U	U		ug/L	1.41 ug/L	1.41 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		10061-01-5	cis-1,3-Dichloropropene	N	0.97 U	U		ug/L	0.97 ug/L	0.97 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		10061-02-6	trans-1,3-Dichloropropene	N	0.59 U	U		ug/L	0.59 ug/L	0.59 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		591-78-6	2-Hexanone	N	1.42 U	U		ug/L	1.42 ug/L	1.42 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-09-2	Methylene Chloride	N	1.43 U	U		ug/L	1.43 ug/L	1.43 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		108-10-1	4-Methyl-2-pentanone (MIBK)	N	1.11 U	U		ug/L	1.11 ug/L	1.11 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		79-34-5	1,1,2,2-Tetrachloroethane	N	0.8 U	U		ug/L	0.8 ug/L	0.8 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		127-18-4	Tetrachloroethene	N	1.24 U	U		ug/L	1.24 ug/L	1.24 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		71-55-6	1,1,1-Trichloroethane	N	0.98 U	U		ug/L	0.98 ug/L	0.98 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		79-00-5	1,1,2-Trichloroethane	N	0.53 U	U		ug/L	0.53 ug/L	0.53 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		79-01-6	Trichloroethene	N	1.58 U	U		ug/L	1.58 ug/L	1.58 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		108-05-4	Vinyl acetate	N	0.6 U	U		ug/L	0.6 ug/L	0.6 ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-01-4	Vinyl chloride	N	0.85 U	U		ug/L	0.85 ug/L	0.85 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		2037-26-5	Toluene-d8 (Surr)	Y	43.8			ug/L	1 ug/L	5 ug/L		5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	88		5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		1868-53-7	Dibromofluoromethane	Y	53.4			ug/L	1.03 ug/L	5 ug/L		5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	107		5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		460-00-4	4-Bromofluorobenzene	Y	56.1			ug/L	1 ug/L	5 ug/L		5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	112		5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		17060-07-0	1,2-Dichloroethane-d4 (Surr)	Y	58.3			ug/L	1 ug/L	5 ug/L		5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	117		5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-27-4	Bromodichloromethane	N	0.76 U	U		ug/L	0.76 ug/L	0.76 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	N	1.04 U	U		ug/L	1.04 ug/L	1.04 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		120-82-1	1,2,4-Trichlorobenzene	N	0.41 U	U		ug/L	0.41 ug/L	0.41 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		96-12-8	1,2-Dibromo-3-Chloropropane	N	1.48 U	U		ug/L	1.48 ug/L	1.48 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		95-50-1	1,2-Dichlorobenzene	N	0.53 U	U		ug/L	0.53 ug/L	0.53 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		541-73-1	1,3-Dichlorobenzene	N	0.21 U	U		ug/L	0.21 ug/L	0.21 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		106-46-7	1,4-Dichlorobenzene	N	0.91 U	U		ug/L	0.91 ug/L	0.91 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		75-71-8	Dichlorodifluoromethane	N	0.76 U	U		ug/L	0.76 ug/L	0.76 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		106-93-4	1,2-Dibromoethane	N	0.85 U	U		ug/L	0.85 ug/L	0.85 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8	Isopropylbenzene	Y	11.3			ug/L	0.62 ug/L	0.62 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4	Methyl tert-butyl ether	Y	20.7			ug/L	0.44 ug/L	0.44 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27		3/23/2019 15:21	TestAmerica Houston	600-182370-5	261037 8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7	Cyclohexane	Y	49.3			ug/L	2.73 ug/L	2.73 ug/L		5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			5 mL		0			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	N	2.52 U	U		ug/L	2.52 ug/L	2.52 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	N	2.54 U	U		ug/L	2.54 ug/L	2.54 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	N	2.77 U	U		ug/L	2.77 ug/L	2.77 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	N	2.34 U	U		ug/L	2.34 ug/L	2.34 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	N	2.78 U	U		ug/L	2.78 ug/L	2.78 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	N	3.32 U	U		ug/L	3.32 ug/L	3.32 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	N	2.34 U	U		ug/L	2.34 ug/L	2.34 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	N	2.73 U	U		ug/L	2.73 ug/L	2.73 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	3.23 U	U		ug/L	3.23 ug/L	3.23 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2.92 U	U		ug/L	2.92 ug/L	2.92 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	2.51 U	U		ug/L	2.51 ug/L	2.51 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	N	2.78 U	U		ug/L	2.78 ug/L	2.78 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	N	2.62 U	U		ug/L	2.62 ug/L	2.62 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	4-Chloroaniline	N	2.34 U	U		ug/L	2.34 ug/L	2.34 ug/L		11.1 ug/L	Yes	TRG	SAMP				T	initial	Wet	1			225 mL		1 mL			
ITC-TB-01-20190323-11			Water	SAMP	600-182370-1	3/23/2019 10:30	3/23/2019 13:27	3/24/2019 10:20	3/25/2019 10:46	TestAmerica Houston	600-182370-5	261060 8270C

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved Type	Test Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		96-12-8			ug/L	1.48	ug/L	1.48	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	99	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		95-50-1			ug/L	0.53	ug/L	0.53	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	102	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		541-73-1			ug/L	0.21	ug/L	0.21	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	105	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		106-46-7			ug/L	0.91	ug/L	0.91	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	106	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		75-71-8			ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	67	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		106-93-4			ug/L	0.85	ug/L	0.85	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	115	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8			ug/L	0.62	ug/L	0.62	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	108	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4			ug/L	0.44	ug/L	0.44	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	112	5	mL	5	mL		1			
LCS			Water	LCS					3/23/2019 12:57	TestAmerica Houston	LCS 600-261037/4	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7			ug/L	2.73	ug/L	2.73	ug/L	5	ug/L	Yes	SC	LCS				T	initial	Wet	1	97	5	mL	5	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Y	20.56			ug/L	2.27	ug/L	2.27	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	51	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Y	18.77			ug/L	2.29	ug/L	2.29	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	47	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Y	23.71			ug/L	2.49	ug/L	2.49	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	59	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Y	26.1			ug/L	2.11	ug/L	2.11	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	65	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Y	27.16			ug/L	2.5	ug/L	2.5	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	68	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Y	31.75			ug/L	2.99	ug/L	2.99	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	79	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Y	23.93			ug/L	2.11	ug/L	2.11	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	60	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Y	25.91			ug/L	2.46	ug/L	2.46	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	65	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Y	19.8			ug/L	2.91	ug/L	2.91	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	49	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Y	17.52			ug/L	2.63	ug/L	2.63	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	44	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Y	25.3			ug/L	2.26	ug/L	2.26	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	63	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	Y	22.06			ug/L	2.5	ug/L	2.5	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Y	24.3			ug/L	2.36	ug/L	2.36	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	61	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	Y	22.65			ug/L	2.11	ug/L	2.11	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	57	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	Y	18.42			ug/L	2.81	ug/L	2.81	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	46	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	Y	21.6			ug/L	2.19	ug/L	2.19	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	Y	22.51			ug/L	2.97	ug/L	2.97	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	56	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	Y	26.16			ug/L	2.06	ug/L	2.06	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	65	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	Y	22.31			ug/L	2.09	ug/L	2.09	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	56	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Y	23.75			ug/L	2.48	ug/L	2.48	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	59	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Y	21.39			ug/L	2.28	ug/L	2.28	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	53	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	Y	24.78			ug/L	2.37	ug/L	2.37	ug/L	20	ug/L	Yes	SC	LCS				T	initial	Wet	1	62	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Y	21.07			ug/L	2.59	ug/L	2.59	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	53	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Y	20.08			ug/L	2.47	ug/L	2.47	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	50	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	Y	22.79			ug/L	2.11	ug/L	2.11	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	57	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	Y	21.56			ug/L	2.79	ug/L	2.79	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Y	25.1			ug/L	1.87	ug/L	1.87	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	63	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Y	24.19			ug/L	2.44	ug/L	2.44	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	60	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Y	21.92			ug/L	2.11	ug/L	2.11	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Y	20.65			ug/L	3.28	ug/L	3.28	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	52	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Y	13.25			ug/L	2.32	ug/L	2.32	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	33	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Y	19.13			ug/L	3.29	ug/L	3.29	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	48	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Y	22.59			ug/L	2.57	ug/L	2.57	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	56	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Y	21.48			ug/L	3.09	ug/L	3.09	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Y	19.98			ug/L	2.64	ug/L	2.64	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	50	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	Y	25.5			ug/L	2.58	ug/L	2.58	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	64	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Y	21.7			ug/L	2.2	ug/L	2.2	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	Y	16.28 J	J		ug/L	3.8	ug/L	3.8	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	41	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	Y	15.71 J	J		ug/L	1.85	ug/L	1.85	ug/L	50	ug/L	Yes	SC	LCS				T	initial	Wet	1	39	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	Y	22			ug/L	2.34	ug/L	2.34	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Y	18.1			ug/L	2.59	ug/L	2.59	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	45	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	Y	21.74			ug/L	2.01	ug/L	2.01	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	Y	16.85			ug/L	3.19	ug/L	3.19	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	42	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Y	22.17			ug/L	2.24	ug/L	2.24	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Y	23.54			ug/L	3	ug/L	3	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	59	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	Y	23.04			ug/L	1.97	ug/L	1.97	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	58	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	Y	20.62			ug/L	2.19	ug/L	2.19	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	52	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	Y	18.22			ug/L	1.42	ug/L	1.42	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	46	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	Y	17.39 J	J		ug/L	1.35	ug/L	1.35	ug/L	20	ug/L	Yes	SC	LCS				T	initial	Wet	1	43	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	Y	23.37			ug/L	2.16	ug/L	2.16	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	58	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	Y	21.6			ug/L	1.94	ug/L	1.94	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	54	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	Y	49.94 J	J		ug/L	3.36	ug/L	3.36	ug/L	50	ug/L	Yes	SC	LCS				T	initial	Wet	1	62	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	Y	39.49 J	J		ug/L	5.46	ug/L	5.46	ug/L	50	ug/L	Yes	SC	LCS				T	initial	Wet	1	49	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	Y	23.39			ug/L	2.1	ug/L	2.1	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	58	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	Y	27.88 J	J		ug/L	2.8	ug/L	2.8	ug/L	50	ug/L	Yes	SC	LCS				T	initial	Wet	1	35	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	Y	44.33 J	J		ug/L	3.15	ug/L	3.15	ug/L	50	ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95-2	Y	11.26			ug/L	1.25	ug/L	1.25	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	28	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-95-4	Y	20.02			ug/L	4.2	ug/L	4.2	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	50	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-06-2	Y	19.22			ug/L	3.32	ug/L	3.32	ug/L	10	ug/L	Yes	SC	LCS				T	initial	Wet	1	48	250	mL	1	mL		1			
LCS			Water	LCS				3/24/2019 10:20	3/25/2019 8:48	TestAmerica Houston	LCS 600-261051/2-A	261060	8270C Semivolatile Compounds by G

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL Units	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		541-73-1	1,3-Dichlorobenzene	Y	51.93			0.21 ug/L	0.21 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	104	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		106-46-7	1,4-Dichlorobenzene	Y	54.02			0.91 ug/L	0.91 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	108	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		75-71-8	Dichlorodifluoromethane	Y	33.24			0.76 ug/L	0.76 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	66	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		106-93-4	1,2-Dibromoethane	Y	54.61			0.85 ug/L	0.85 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	109	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		98-82-8	Isopropylbenzene	Y	52.58			0.62 ug/L	0.62 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	105	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		1634-04-4	Methyl tert-butyl ether	Y	54.12			0.44 ug/L	0.44 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	108	5 mL	5 mL	1					
LCSD			Water	LCSD					3/23/2019 13:21	TestAmerica Houston	LCSD 600-261037/5	261037 8260B Volatile Organic Compounds (GC/MS)					8260B		110-82-7	Cyclohexane	Y	46.27			2.73 ug/L	2.73 ug/L	5 ug/L	Yes	SC	LCSD				T	initial	Wet	1	93	5 mL	5 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	83-32-9	Acenaphthene	Y	24.23			2.27 ug/L	2.27 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	61	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	208-96-8	Acenaphthylene	Y	22.17			2.29 ug/L	2.29 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	55	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	120-12-7	Anthracene	Y	26.57			2.49 ug/L	2.49 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	66	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	56-55-3	Benzo[a]anthracene	Y	30.47			2.11 ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	76	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	Y	29.25			2.5 ug/L	2.5 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	73	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	Y	29.05			2.99 ug/L	2.99 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	73	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	Y	27.27			2.11 ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	68	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	50-32-8	Benzo[a]pyrene	Y	29.91			2.46 ug/L	2.46 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	75	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	Y	22.35			2.91 ug/L	2.91 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	56	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	Y	20.9			2.63 ug/L	2.63 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	52	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	Y	28.73			2.26 ug/L	2.26 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	72	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	Y	24.76			2.5 ug/L	2.5 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	62	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	Y	27.57			2.36 ug/L	2.36 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	69	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	106-47-8	4-Chloroaniline	Y	20.93			2.11 ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	52	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	91-58-7	2-Chloronaphthalene	Y	21.78			2.81 ug/L	2.81 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	54	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	7005-72-3	4-Chlorophenyl phenyl ether	Y	25.73			2.19 ug/L	2.19 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	64	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	86-74-8	Carbazole	Y	23.86			2.97 ug/L	2.97 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	60	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	218-01-9	Chrysene	Y	29.62			2.06 ug/L	2.06 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	74	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	84-74-2	Di-n-butyl phthalate	Y	24.73			2.09 ug/L	2.09 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	62	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	53-70-3	Dibenz(a,h)anthracene	Y	27.76			2.48 ug/L	2.48 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	69	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	132-64-9	Dibenzofuran	Y	25.44			2.28 ug/L	2.28 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	64	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	Y	27.83			2.37 ug/L	2.37 ug/L	20 ug/L	Yes	SC	LCSD				T	initial	Wet	1	70	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	84-66-2	Diethyl phthalate	Y	24.84			2.59 ug/L	2.59 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	62	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	131-11-3	Dimethyl phthalate	Y	23.65			2.47 ug/L	2.47 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	59	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	Y	26.78			2.11 ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	67	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	Y	25			2.79 ug/L	2.79 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	63	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	Y	28.8			1.87 ug/L	1.87 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	72	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	206-44-0	Fluoranthene	Y	27.13			2.44 ug/L	2.44 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	68	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	86-73-7	Fluorene	Y	25.92			2.11 ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	65	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	118-74-1	Hexachlorobenzene	Y	23.52			3.28 ug/L	3.28 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	59	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	Y	15.61			2.32 ug/L	2.32 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	39	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	67-72-1	Hexachloroethane	Y	22.43			3.29 ug/L	3.29 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	56	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	87-68-3	Hexachlorobutadiene	Y	25.47			2.57 ug/L	2.57 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	64	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	Y	24.89			3.09 ug/L	3.09 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	62	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	78-59-1	Isophorone	Y	22.3			2.64 ug/L	2.64 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	56	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	91-57-6	2-Methylnaphthalene	Y	28.04			2.58 ug/L	2.58 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	70	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	91-20-3	Naphthalene	Y	25.05			2.2 ug/L	2.2 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	63	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	88-74-4	2-Nitroaniline	Y	19.61 J	J		3.8 ug/L	3.8 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	49	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	99-09-2	3-Nitroaniline	Y	19.05 J	J		1.85 ug/L	1.85 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	48	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	100-01-6	4-Nitroaniline	Y	24.14			2.34 ug/L	2.34 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	60	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	98-95-3	Nitrobenzene	Y	20.64			2.59 ug/L	2.59 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	52	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	Y	24.6			2.01 ug/L	2.01 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	61	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	Y	19.7			3.19 ug/L	3.19 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	49	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	85-01-8	Phenanthrene	Y	25.13			2.24 ug/L	2.24 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	63	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	129-00-0	Pyrene	Y	27.42			3 ug/L	3 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	69	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	Y	25.93			1.97 ug/L	1.97 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	65	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	95-57-8	2-Chlorophenol	Y	24.37			2.19 ug/L	2.19 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	61	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	95-48-7	2-Methylphenol	Y	21.2			1.42 ug/L	1.42 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	53	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	Y	20.5			1.35 ug/L	1.35 ug/L	20 ug/L	Yes	SC	LCSD				T	initial	Wet	1	51	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	Y	26.41			2.16 ug/L	2.16 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	66	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	Y	23.9			1.94 ug/L	1.94 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	60	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	Y	57.28			3.36 ug/L	3.36 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	72	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	Y	46.17 J	J		5.46 ug/L	5.46 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	58	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	88-75-5	2-Nitrophenol	Y	26.4			2.1 ug/L	2.1 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	66	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	100-02-7	4-Nitrophenol	Y	32.45 J	J		2.8 ug/L	2.8 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	41	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	87-86-5	Pentachlorophenol	Y	49.55 J	J		3.15 ug/L	3.15 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	62	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	108-95-2	Phenol	Y	13.54			1.25 ug/L	1.25 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	34	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/2019 10:20	3/25/2019 9:12	TestAmerica Houston	LCSD 600-261051/3-A	261060 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)					8270C	3510C LVI	95-95-4	2,4,5-Trichlorophenol	Y	23.9			4.2 ug/L	4.2 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	60	250 mL	1 mL	1					
LCSD			Water	LCSD				3/24/

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved Type	Test Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
MB			Water	MB					3/23/2019 14:09	TestAmerica Houston	MB 600-261037/7	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8	N	0.62	U	U	ug/L	0.62 ug/L	0.62 ug/L	5 ug/L	Yes	TRG	MB				T	initial	Wet	1		5 mL	5 mL		1			
MB			Water	MB					3/23/2019 14:09	TestAmerica Houston	MB 600-261037/7	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4	N	0.44	U	U	ug/L	0.44 ug/L	0.44 ug/L	5 ug/L	Yes	TRG	MB				T	initial	Wet	1		5 mL	5 mL		1			
MB			Water	MB					3/23/2019 14:09	TestAmerica Houston	MB 600-261037/7	261037	8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7	N	2.73	U	U	ug/L	2.73 ug/L	2.73 ug/L	5 ug/L	Yes	TRG	MB				T	initial	Wet	1		5 mL	5 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	N	2.27	U	U	ug/L	2.27 ug/L	2.27 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	N	2.29	U	U	ug/L	2.29 ug/L	2.29 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	N	2.49	U	U	ug/L	2.49 ug/L	2.49 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	N	2.11	U	U	ug/L	2.11 ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	N	2.5	U	U	ug/L	2.5 ug/L	2.5 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	N	2.99	U	U	ug/L	2.99 ug/L	2.99 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	N	2.11	U	U	ug/L	2.11 ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	N	2.46	U	U	ug/L	2.46 ug/L	2.46 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	N	2.91	U	U	ug/L	2.91 ug/L	2.91 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	N	2.63	U	U	ug/L	2.63 ug/L	2.63 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	N	2.26	U	U	ug/L	2.26 ug/L	2.26 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	N	2.5	U	U	ug/L	2.5 ug/L	2.5 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	N	2.36	U	U	ug/L	2.36 ug/L	2.36 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	N	2.11	U	U	ug/L	2.11 ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	N	2.81	U	U	ug/L	2.81 ug/L	2.81 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	N	2.19	U	U	ug/L	2.19 ug/L	2.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	N	2.97	U	U	ug/L	2.97 ug/L	2.97 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	N	2.06	U	U	ug/L	2.06 ug/L	2.06 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	N	2.09	U	U	ug/L	2.09 ug/L	2.09 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	N	2.48	U	U	ug/L	2.48 ug/L	2.48 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	N	2.28	U	U	ug/L	2.28 ug/L	2.28 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	N	2.37	U	U	ug/L	2.37 ug/L	2.37 ug/L	20 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	N	2.59	U	U	ug/L	2.59 ug/L	2.59 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	N	2.47	U	U	ug/L	2.47 ug/L	2.47 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	N	2.11	U	U	ug/L	2.11 ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	N	2.79	U	U	ug/L	2.79 ug/L	2.79 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	N	1.87	U	U	ug/L	1.87 ug/L	1.87 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	N	2.44	U	U	ug/L	2.44 ug/L	2.44 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	N	2.11	U	U	ug/L	2.11 ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	N	3.28	U	U	ug/L	3.28 ug/L	3.28 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	N	2.32	U	U	ug/L	2.32 ug/L	2.32 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	N	3.29	U	U	ug/L	3.29 ug/L	3.29 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	N	2.57	U	U	ug/L	2.57 ug/L	2.57 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	N	3.09	U	U	ug/L	3.09 ug/L	3.09 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	N	2.64	U	U	ug/L	2.64 ug/L	2.64 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	N	2.58	U	U	ug/L	2.58 ug/L	2.58 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	N	2.2	U	U	ug/L	2.2 ug/L	2.2 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	N	3.8	U	U	ug/L	3.8 ug/L	3.8 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	N	1.85	U	U	ug/L	1.85 ug/L	1.85 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	N	2.34	U	U	ug/L	2.34 ug/L	2.34 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	N	2.59	U	U	ug/L	2.59 ug/L	2.59 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N	2.01	U	U	ug/L	2.01 ug/L	2.01 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N	3.19	U	U	ug/L	3.19 ug/L	3.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	N	2.24	U	U	ug/L	2.24 ug/L	2.24 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	N	3	U	U	ug/L	3 ug/L	3 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	N	1.97	U	U	ug/L	1.97 ug/L	1.97 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	N	2.19	U	U	ug/L	2.19 ug/L	2.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	N	1.42	U	U	ug/L	1.42 ug/L	1.42 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	N	1.35	U	U	ug/L	1.35 ug/L	1.35 ug/L	20 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	N	2.16	U	U	ug/L	2.16 ug/L	2.16 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	N	1.94	U	U	ug/L	1.94 ug/L	1.94 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	N	3.36	U	U	ug/L	3.36 ug/L	3.36 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	N	5.46	U	U	ug/L	5.46 ug/L	5.46 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	N	2.1	U	U	ug/L	2.1 ug/L	2.1 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	N	2.8	U	U	ug/L	2.8 ug/L	2.8 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	N	3.15	U	U	ug/L	3.15 ug/L	3.15 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95-2	N	1.25	U	U	ug/L	1.25 ug/L	1.25 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-95-4	N	4.2	U	U	ug/L	4.2 ug/L	4.2 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-06-2	N	3.32	U	U	ug/L	3.32 ug/L	3.32 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-60-0	Y	16.09			ug/L	2 ug/L	10 ug/L	10 ug/L	Yes	SUR	MB				T	initial	Wet	1	40	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	367-12-4	Y	13.99			ug/L	2 ug/L	10 ug/L	10 ug/L	Yes	SUR	MB				T	initial	Wet	1	35	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	321-60-8	Y	17.89			ug/L	2 ug/L	10 ug/L	10 ug/L	Yes	SUR	MB				T	initial	Wet	1	45	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-79-6	Y	15.59			ug/L	2 ug/L	10 ug/L	10 ug/L	Yes	SUR	MB				T	initial	Wet	1	39	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	1718-51-0	Y	26.48			ug/L	2 ug/L	10 ug/L	10 ug/L	Yes	SUR	MB				T	initial	Wet	1	66	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-60-1	N	2.92	U	U	ug/L	2.92 ug/L	2.92 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-62-2	Y	9.79			ug/L	ug/L	ug/L	ug/L	Yes	SUR	MB				T	initial	Wet	1	24	250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20	3/25/2019 8:25	TestAmerica Houston	MB 600-261051/1-A	261060	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	92-52-4	N	2.68	U	U	ug/L	2.68 ug/L	2.68 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL	1 mL		1			
MB			Water	MB				3/24/2019 10:20

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

TestAmerica Job ID: 600-182321-1
Client Project/Site: Deer Park Water Samples

For:
Weston Solutions, Inc.
13702 Coursey Blvd.
Building 7, Suite A
Baton Rouge, Louisiana 70817

Attn: Mr. Jeff Wright

Authorized for release by:
3/25/2019 5:14:01 PM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
sachin.kudchadkar@testamericainc.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Case Narrative 3
Method Summary 4
Sample Summary 5
Client Sample Results 6
Definitions/Glossary 11
Surrogate Summary 12
QC Sample Results 13
QC Association Summary 19
Lab Chronicle 20
Certification Summary 21
Chain of Custody 22
Receipt Checklists 26

Job ID: 600-182321-1

Laboratory: TestAmerica Houston

Narrative

Job Narrative
600-182321-1

Comments
No additional comments.

Receipt
The samples were received on 3/22/2019 7:17 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.5º C.

GC/MS Semi VOA
Method(s) 8270C: The method blank for preparation batch 600-261030 and analytical batch 600-261046 contained 4-Nitrophenol above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed.

Method(s) 8270C: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for batch preparation batch 600-261030 and analytical batch 600-261046 recovered outside control limits for the following analytes:
2,2-oxybis(1-chloropropane), 2-Nitroaniline, Bis(2-chloroethyl)ether and Isophorone

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep
No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Method	Method Description	Protocol	Laboratory
8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	SW846	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry	EPA	TAL HOU
8000	Chemical Oxygen Demand (COD) Colorimetric	Hach	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry/Aqueous Preparation	EPA	TAL HOU
3510C LVI	Liquid-Liquid Extraction (Separatory Funnel) LVI	SW846	TAL HOU

Protocol References:

EPA = US Environmental Protection Agency

Hach = Hach Company

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-182321-1	ITC-BB-03-20190321-11	Water	03/21/19 12:35	03/22/19 07:17
600-182321-2	ITC-BB-04-20190321-11	Water	03/21/19 12:20	03/22/19 07:17
600-182321-3	ITC-BB-05-20190321-11	Water	03/21/19 12:00	03/22/19 07:17

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Client Sample ID: ITC-BB-03-20190321-11

Lab Sample ID: 600-182321-1

Date Collected: 03/21/19 12:35

Matrix: Water

Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.27	U	10.0	2.27	ug/L		03/23/19 08:39	03/23/19 21:00	1
Acenaphthylene	2.29	U	10.0	2.29	ug/L		03/23/19 08:39	03/23/19 21:00	1
Anthracene	2.49	U	10.0	2.49	ug/L		03/23/19 08:39	03/23/19 21:00	1
Benzo[a]anthracene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:00	1
Benzo[b]fluoranthene	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 21:00	1
Benzo[k]fluoranthene	2.99	U	10.0	2.99	ug/L		03/23/19 08:39	03/23/19 21:00	1
Benzo[g,h,i]perylene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:00	1
Benzo[a]pyrene	2.46	U	10.0	2.46	ug/L		03/23/19 08:39	03/23/19 21:00	1
Bis(2-chloroethoxy)methane	2.91	U	10.0	2.91	ug/L		03/23/19 08:39	03/23/19 21:00	1
Bis(2-chloroethyl)ether	2.63	U *	10.0	2.63	ug/L		03/23/19 08:39	03/23/19 21:00	1
Bis(2-ethylhexyl) phthalate	2.26	U	10.0	2.26	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Bromophenyl phenyl ether	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 21:00	1
Butyl benzyl phthalate	2.36	U	10.0	2.36	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Chloroaniline	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Chloronaphthalene	2.81	U	10.0	2.81	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Chlorophenyl phenyl ether	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 21:00	1
Carbazole	2.97	U	10.0	2.97	ug/L		03/23/19 08:39	03/23/19 21:00	1
Chrysene	2.06	U	10.0	2.06	ug/L		03/23/19 08:39	03/23/19 21:00	1
Di-n-butyl phthalate	2.09	U	10.0	2.09	ug/L		03/23/19 08:39	03/23/19 21:00	1
Dibenz(a,h)anthracene	2.48	U	10.0	2.48	ug/L		03/23/19 08:39	03/23/19 21:00	1
Dibenzofuran	2.28	U	10.0	2.28	ug/L		03/23/19 08:39	03/23/19 21:00	1
3,3'-Dichlorobenzidine	2.37	U	20.0	2.37	ug/L		03/23/19 08:39	03/23/19 21:00	1
Diethyl phthalate	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 21:00	1
Dimethyl phthalate	2.47	U	10.0	2.47	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,4-Dinitrotoluene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,6-Dinitrotoluene	2.79	U	10.0	2.79	ug/L		03/23/19 08:39	03/23/19 21:00	1
Di-n-octyl phthalate	1.87	U	10.0	1.87	ug/L		03/23/19 08:39	03/23/19 21:00	1
Fluoranthene	2.44	U	10.0	2.44	ug/L		03/23/19 08:39	03/23/19 21:00	1
Fluorene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:00	1
Hexachlorobenzene	3.28	U	10.0	3.28	ug/L		03/23/19 08:39	03/23/19 21:00	1
Hexachlorocyclopentadiene	2.32	U	10.0	2.32	ug/L		03/23/19 08:39	03/23/19 21:00	1
Hexachloroethane	3.29	U	10.0	3.29	ug/L		03/23/19 08:39	03/23/19 21:00	1
Hexachlorobutadiene	2.57	U	10.0	2.57	ug/L		03/23/19 08:39	03/23/19 21:00	1
Indeno[1,2,3-cd]pyrene	3.09	U	10.0	3.09	ug/L		03/23/19 08:39	03/23/19 21:00	1
Isophorone	2.64	U *	10.0	2.64	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Methylnaphthalene	2.58	U	10.0	2.58	ug/L		03/23/19 08:39	03/23/19 21:00	1
Naphthalene	2.20	U	10.0	2.20	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Nitroaniline	3.80	U *	50.0	3.80	ug/L		03/23/19 08:39	03/23/19 21:00	1
3-Nitroaniline	1.85	U	50.0	1.85	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Nitroaniline	2.34	U	10.0	2.34	ug/L		03/23/19 08:39	03/23/19 21:00	1
Nitrobenzene	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 21:00	1
N-Nitrosodiphenylamine	2.01	U	10.0	2.01	ug/L		03/23/19 08:39	03/23/19 21:00	1
N-Nitrosodi-n-propylamine	3.19	U	10.0	3.19	ug/L		03/23/19 08:39	03/23/19 21:00	1
Phenanthrene	2.24	U	10.0	2.24	ug/L		03/23/19 08:39	03/23/19 21:00	1
Pyrene	3.00	U	10.0	3.00	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Chloro-3-methylphenol	1.97	U	10.0	1.97	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Chlorophenol	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Methylphenol	1.42	U	10.0	1.42	ug/L		03/23/19 08:39	03/23/19 21:00	1
3 & 4 Methylphenol	1.35	U	20.0	1.35	ug/L		03/23/19 08:39	03/23/19 21:00	1

Client Sample ID: ITC-BB-03-20190321-11 — Lab Sample ID: 600-182321-1

Date Collected: 03/21/19 12:35 — **Matrix: Water**
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dichlorophenol	2.16	U	10.0	2.16	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,4-Dimethylphenol	1.94	U	10.0	1.94	ug/L		03/23/19 08:39	03/23/19 21:00	1
4,6-Dinitro-2-methylphenol	3.36	U	50.0	3.36	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,4-Dinitrophenol	5.46	U	50.0	5.46	ug/L		03/23/19 08:39	03/23/19 21:00	1
2-Nitrophenol	2.10	U	10.0	2.10	ug/L		03/23/19 08:39	03/23/19 21:00	1
4-Nitrophenol	2.80	U	50.0	2.80	ug/L		03/23/19 08:39	03/23/19 21:00	1
Pentachlorophenol	3.15	U	50.0	3.15	ug/L		03/23/19 08:39	03/23/19 21:00	1
Phenol	1.25	U	10.0	1.25	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,4,5-Trichlorophenol	4.20	U	10.0	4.20	ug/L		03/23/19 08:39	03/23/19 21:00	1
2,4,6-Trichlorophenol	3.32	U	10.0	3.32	ug/L		03/23/19 08:39	03/23/19 21:00	1
bis (2-Chloroisopropyl) ether	2.92	U *	10.0	2.92	ug/L		03/23/19 08:39	03/23/19 21:00	1
1,1'-Biphenyl	2.68	U	10.0	2.68	ug/L		03/23/19 08:39	03/23/19 21:00	1
Acetophenone	2.42	U	10.0	2.42	ug/L		03/23/19 08:39	03/23/19 21:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*51*		*24 - 150*	*03/23/19 08:39*	*03/23/19 21:00*	*1*
2-Fluorophenol	*35*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:00*	*1*
2-Fluorobiphenyl	*52*		*38 - 133*	*03/23/19 08:39*	*03/23/19 21:00*	*1*
2,4,6-Tribromophenol	*51*		*19 - 150*	*03/23/19 08:39*	*03/23/19 21:00*	*1*
Terphenyl-d14	*63*		*35 - 150*	*03/23/19 08:39*	*03/23/19 21:00*	*1*
Phenol-d5 (Surr)	*31*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:00*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**13.5**		3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1
Chemical Oxygen Demand	**81.9**		10.0	2.46	mg/L			03/22/19 18:58	1

Client Sample ID: ITC-BB-04-20190321-11 — Lab Sample ID: 600-182321-2

Date Collected: 03/21/19 12:20 — **Matrix: Water**
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.32	U	10.2	2.32	ug/L		03/23/19 08:39	03/23/19 21:23	1
Acenaphthylene	2.34	U	10.2	2.34	ug/L		03/23/19 08:39	03/23/19 21:23	1
Anthracene	2.54	U	10.2	2.54	ug/L		03/23/19 08:39	03/23/19 21:23	1
Benzo[a]anthracene	2.15	U	10.2	2.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
Benzo[b]fluoranthene	2.55	U	10.2	2.55	ug/L		03/23/19 08:39	03/23/19 21:23	1
Benzo[k]fluoranthene	3.05	U	10.2	3.05	ug/L		03/23/19 08:39	03/23/19 21:23	1
Benzo[g,h,i]perylene	2.15	U	10.2	2.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
Benzo[a]pyrene	2.51	U	10.2	2.51	ug/L		03/23/19 08:39	03/23/19 21:23	1
Bis(2-chloroethoxy)methane	2.97	U	10.2	2.97	ug/L		03/23/19 08:39	03/23/19 21:23	1
Bis(2-chloroethyl)ether	2.68	U *	10.2	2.68	ug/L		03/23/19 08:39	03/23/19 21:23	1
Bis(2-ethylhexyl) phthalate	2.31	U	10.2	2.31	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Bromophenyl phenyl ether	2.55	U	10.2	2.55	ug/L		03/23/19 08:39	03/23/19 21:23	1
Butyl benzyl phthalate	2.41	U	10.2	2.41	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Chloroaniline	2.15	U	10.2	2.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Chloronaphthalene	2.87	U	10.2	2.87	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Chlorophenyl phenyl ether	2.23	U	10.2	2.23	ug/L		03/23/19 08:39	03/23/19 21:23	1
Carbazole	3.03	U	10.2	3.03	ug/L		03/23/19 08:39	03/23/19 21:23	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Client Sample ID: ITC-BB-04-20190321-11

Lab Sample ID: 600-182321-2

Date Collected: 03/21/19 12:20
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chrysene	2.10	U	10.2	2.10	ug/L		03/23/19 08:39	03/23/19 21:23	1
Di-n-butyl phthalate	2.13	U	10.2	2.13	ug/L		03/23/19 08:39	03/23/19 21:23	1
Dibenz(a,h)anthracene	2.53	U	10.2	2.53	ug/L		03/23/19 08:39	03/23/19 21:23	1
Dibenzofuran	2.33	U	10.2	2.33	ug/L		03/23/19 08:39	03/23/19 21:23	1
3,3'-Dichlorobenzidine	2.42	U	20.4	2.42	ug/L		03/23/19 08:39	03/23/19 21:23	1
Diethyl phthalate	2.64	U	10.2	2.64	ug/L		03/23/19 08:39	03/23/19 21:23	1
Dimethyl phthalate	2.52	U	10.2	2.52	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4-Dinitrotoluene	2.15	U	10.2	2.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,6-Dinitrotoluene	2.85	U	10.2	2.85	ug/L		03/23/19 08:39	03/23/19 21:23	1
Di-n-octyl phthalate	1.91	U	10.2	1.91	ug/L		03/23/19 08:39	03/23/19 21:23	1
Fluoranthene	2.49	U	10.2	2.49	ug/L		03/23/19 08:39	03/23/19 21:23	1
Fluorene	2.15	U	10.2	2.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
Hexachlorobenzene	3.35	U	10.2	3.35	ug/L		03/23/19 08:39	03/23/19 21:23	1
Hexachlorocyclopentadiene	2.37	U	10.2	2.37	ug/L		03/23/19 08:39	03/23/19 21:23	1
Hexachloroethane	3.36	U	10.2	3.36	ug/L		03/23/19 08:39	03/23/19 21:23	1
Hexachlorobutadiene	2.62	U	10.2	2.62	ug/L		03/23/19 08:39	03/23/19 21:23	1
Indeno[1,2,3-cd]pyrene	3.15	U	10.2	3.15	ug/L		03/23/19 08:39	03/23/19 21:23	1
Isophorone	2.69	U *	10.2	2.69	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Methylnaphthalene	2.63	U	10.2	2.63	ug/L		03/23/19 08:39	03/23/19 21:23	1
Naphthalene	2.24	U	10.2	2.24	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Nitroaniline	3.88	U *	51.0	3.88	ug/L		03/23/19 08:39	03/23/19 21:23	1
3-Nitroaniline	1.89	U	51.0	1.89	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Nitroaniline	2.39	U	10.2	2.39	ug/L		03/23/19 08:39	03/23/19 21:23	1
Nitrobenzene	2.64	U	10.2	2.64	ug/L		03/23/19 08:39	03/23/19 21:23	1
N-Nitrosodiphenylamine	2.05	U	10.2	2.05	ug/L		03/23/19 08:39	03/23/19 21:23	1
N-Nitrosodi-n-propylamine	3.26	U	10.2	3.26	ug/L		03/23/19 08:39	03/23/19 21:23	1
Phenanthrene	2.29	U	10.2	2.29	ug/L		03/23/19 08:39	03/23/19 21:23	1
Pyrene	3.06	U	10.2	3.06	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Chloro-3-methylphenol	2.01	U	10.2	2.01	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Chlorophenol	2.23	U	10.2	2.23	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Methylphenol	1.45	U	10.2	1.45	ug/L		03/23/19 08:39	03/23/19 21:23	1
3 & 4 Methylphenol	1.38	U	20.4	1.38	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4-Dichlorophenol	2.20	U	10.2	2.20	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4-Dimethylphenol	1.98	U	10.2	1.98	ug/L		03/23/19 08:39	03/23/19 21:23	1
4,6-Dinitro-2-methylphenol	3.43	U	51.0	3.43	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4-Dinitrophenol	5.57	U	51.0	5.57	ug/L		03/23/19 08:39	03/23/19 21:23	1
2-Nitrophenol	2.14	U	10.2	2.14	ug/L		03/23/19 08:39	03/23/19 21:23	1
4-Nitrophenol	2.86	U	51.0	2.86	ug/L		03/23/19 08:39	03/23/19 21:23	1
Pentachlorophenol	3.21	U	51.0	3.21	ug/L		03/23/19 08:39	03/23/19 21:23	1
Phenol	1.28	U	10.2	1.28	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4,5-Trichlorophenol	4.29	U	10.2	4.29	ug/L		03/23/19 08:39	03/23/19 21:23	1
2,4,6-Trichlorophenol	3.39	U	10.2	3.39	ug/L		03/23/19 08:39	03/23/19 21:23	1
bis (2-Chloroisopropyl) ether	2.98	U *	10.2	2.98	ug/L		03/23/19 08:39	03/23/19 21:23	1
1,1'-Biphenyl	2.73	U	10.2	2.73	ug/L		03/23/19 08:39	03/23/19 21:23	1
Acetophenone	2.47	U	10.2	2.47	ug/L		03/23/19 08:39	03/23/19 21:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*60*		*24 - 150*	*03/23/19 08:39*	*03/23/19 21:23*	*1*
2-Fluorophenol	*42*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:23*	*1*
2-Fluorobiphenyl	*57*		*38 - 133*	*03/23/19 08:39*	*03/23/19 21:23*	*1*

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Client Sample ID: ITC-BB-04-20190321-11

Lab Sample ID: 600-182321-2
Date Collected: 03/21/19 12:20
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol	*55*		*19 - 150*	*03/23/19 08:39*	*03/23/19 21:23*	*1*
Terphenyl-d14	*65*		*35 - 150*	*03/23/19 08:39*	*03/23/19 21:23*	*1*
Phenol-d5 (Surr)	*34*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:23*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**11.0**		3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1
Chemical Oxygen Demand	**45.3**		10.0	2.46	mg/L			03/22/19 18:58	1

Client Sample ID: ITC-BB-05-20190321-11

Lab Sample ID: 600-182321-3
Date Collected: 03/21/19 12:00
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.27	U	10.0	2.27	ug/L		03/23/19 08:39	03/23/19 21:47	1
Acenaphthylene	2.29	U	10.0	2.29	ug/L		03/23/19 08:39	03/23/19 21:47	1
Anthracene	2.49	U	10.0	2.49	ug/L		03/23/19 08:39	03/23/19 21:47	1
Benzo[a]anthracene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:47	1
Benzo[b]fluoranthene	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 21:47	1
Benzo[k]fluoranthene	2.99	U	10.0	2.99	ug/L		03/23/19 08:39	03/23/19 21:47	1
Benzo[g,h,i]perylene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:47	1
Benzo[a]pyrene	2.46	U	10.0	2.46	ug/L		03/23/19 08:39	03/23/19 21:47	1
Bis(2-chloroethoxy)methane	2.91	U	10.0	2.91	ug/L		03/23/19 08:39	03/23/19 21:47	1
Bis(2-chloroethyl)ether	2.63	U *	10.0	2.63	ug/L		03/23/19 08:39	03/23/19 21:47	1
Bis(2-ethylhexyl) phthalate	2.26	U	10.0	2.26	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Bromophenyl phenyl ether	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 21:47	1
Butyl benzyl phthalate	2.36	U	10.0	2.36	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Chloroaniline	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Chloronaphthalene	2.81	U	10.0	2.81	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Chlorophenyl phenyl ether	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 21:47	1
Carbazole	2.97	U	10.0	2.97	ug/L		03/23/19 08:39	03/23/19 21:47	1
Chrysene	2.06	U	10.0	2.06	ug/L		03/23/19 08:39	03/23/19 21:47	1
Di-n-butyl phthalate	2.09	U	10.0	2.09	ug/L		03/23/19 08:39	03/23/19 21:47	1
Dibenz(a,h)anthracene	2.48	U	10.0	2.48	ug/L		03/23/19 08:39	03/23/19 21:47	1
Dibenzofuran	2.28	U	10.0	2.28	ug/L		03/23/19 08:39	03/23/19 21:47	1
3,3'-Dichlorobenzidine	2.37	U	20.0	2.37	ug/L		03/23/19 08:39	03/23/19 21:47	1
Diethyl phthalate	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 21:47	1
Dimethyl phthalate	2.47	U	10.0	2.47	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4-Dinitrotoluene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,6-Dinitrotoluene	2.79	U	10.0	2.79	ug/L		03/23/19 08:39	03/23/19 21:47	1
Di-n-octyl phthalate	1.87	U	10.0	1.87	ug/L		03/23/19 08:39	03/23/19 21:47	1
Fluoranthene	2.44	U	10.0	2.44	ug/L		03/23/19 08:39	03/23/19 21:47	1
Fluorene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 21:47	1
Hexachlorobenzene	3.28	U	10.0	3.28	ug/L		03/23/19 08:39	03/23/19 21:47	1
Hexachlorocyclopentadiene	2.32	U	10.0	2.32	ug/L		03/23/19 08:39	03/23/19 21:47	1
Hexachloroethane	3.29	U	10.0	3.29	ug/L		03/23/19 08:39	03/23/19 21:47	1
Hexachlorobutadiene	2.57	U	10.0	2.57	ug/L		03/23/19 08:39	03/23/19 21:47	1
Indeno[1,2,3-cd]pyrene	3.09	U	10.0	3.09	ug/L		03/23/19 08:39	03/23/19 21:47	1

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Client Sample ID: ITC-BB-05-20190321-11

Lab Sample ID: 600-182321-3

Date Collected: 03/21/19 12:00
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isophorone	2.64	U *	10.0	2.64	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Methylnaphthalene	2.58	U	10.0	2.58	ug/L		03/23/19 08:39	03/23/19 21:47	1
Naphthalene	2.20	U	10.0	2.20	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Nitroaniline	3.80	U *	50.0	3.80	ug/L		03/23/19 08:39	03/23/19 21:47	1
3-Nitroaniline	1.85	U	50.0	1.85	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Nitroaniline	2.34	U	10.0	2.34	ug/L		03/23/19 08:39	03/23/19 21:47	1
Nitrobenzene	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 21:47	1
N-Nitrosodiphenylamine	2.01	U	10.0	2.01	ug/L		03/23/19 08:39	03/23/19 21:47	1
N-Nitrosodi-n-propylamine	3.19	U	10.0	3.19	ug/L		03/23/19 08:39	03/23/19 21:47	1
Phenanthrene	2.24	U	10.0	2.24	ug/L		03/23/19 08:39	03/23/19 21:47	1
Pyrene	3.00	U	10.0	3.00	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Chloro-3-methylphenol	1.97	U	10.0	1.97	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Chlorophenol	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Methylphenol	1.42	U	10.0	1.42	ug/L		03/23/19 08:39	03/23/19 21:47	1
3 & 4 Methylphenol	1.35	U	20.0	1.35	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4-Dichlorophenol	2.16	U	10.0	2.16	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4-Dimethylphenol	1.94	U	10.0	1.94	ug/L		03/23/19 08:39	03/23/19 21:47	1
4,6-Dinitro-2-methylphenol	3.36	U	50.0	3.36	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4-Dinitrophenol	5.46	U	50.0	5.46	ug/L		03/23/19 08:39	03/23/19 21:47	1
2-Nitrophenol	2.10	U	10.0	2.10	ug/L		03/23/19 08:39	03/23/19 21:47	1
4-Nitrophenol	2.80	U	50.0	2.80	ug/L		03/23/19 08:39	03/23/19 21:47	1
Pentachlorophenol	3.15	U	50.0	3.15	ug/L		03/23/19 08:39	03/23/19 21:47	1
Phenol	1.25	U	10.0	1.25	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4,5-Trichlorophenol	4.20	U	10.0	4.20	ug/L		03/23/19 08:39	03/23/19 21:47	1
2,4,6-Trichlorophenol	3.32	U	10.0	3.32	ug/L		03/23/19 08:39	03/23/19 21:47	1
bis (2-Chloroisopropyl) ether	2.92	U *	10.0	2.92	ug/L		03/23/19 08:39	03/23/19 21:47	1
1,1'-Biphenyl	2.68	U	10.0	2.68	ug/L		03/23/19 08:39	03/23/19 21:47	1
Acetophenone	2.42	U	10.0	2.42	ug/L		03/23/19 08:39	03/23/19 21:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*57*		*24 - 150*	*03/23/19 08:39*	*03/23/19 21:47*	*1*
2-Fluorophenol	*39*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:47*	*1*
2-Fluorobiphenyl	*53*		*38 - 133*	*03/23/19 08:39*	*03/23/19 21:47*	*1*
2,4,6-Tribromophenol	*54*		*19 - 150*	*03/23/19 08:39*	*03/23/19 21:47*	*1*
Terphenyl-d14	*66*		*35 - 150*	*03/23/19 08:39*	*03/23/19 21:47*	*1*
Phenol-d5 (Surr)	*34*		*10 - 130*	*03/23/19 08:39*	*03/23/19 21:47*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**1.0**	**J**	3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1
Chemical Oxygen Demand	**74.7**		10.0	2.46	mg/L			03/22/19 18:58	1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
*	RPD of the LCS and LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		NBZ	2FP	FBP	TBP	TPHL	PHL
Lab Sample ID	Client Sample ID	(24-150)	(10-130)	(38-133)	(19-150)	(35-150)	(10-130)
600-182321-1	ITC-BB-03-20190321-11	51	35	52	51	63	31
600-182321-2	ITC-BB-04-20190321-11	60	42	57	55	65	34
600-182321-3	ITC-BB-05-20190321-11	57	39	53	54	66	34
LCS 600-261030/2-A	Lab Control Sample	58	46	59	61	70	38
LCSD 600-261030/3-A	Lab Control Sample Dup	67	46	59	63	72	41
MB 600-261030/1-A	Method Blank	57	52	59	58	79	41

Surrogate Legend

NBZ = Nitrobenzene-d5
2FP = 2-Fluorophenol
FBP = 2-Fluorobiphenyl
TBP = 2,4,6-Tribromophenol
TPHL = Terphenyl-d14
PHL = Phenol-d5 (Surr)

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Lab Sample ID: MB 600-261030/1-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261030

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.27	U	10.0	2.27	ug/L		03/23/19 08:39	03/23/19 18:41	1
Acenaphthylene	2.29	U	10.0	2.29	ug/L		03/23/19 08:39	03/23/19 18:41	1
Anthracene	2.49	U	10.0	2.49	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[a]anthracene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[b]fluoranthene	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[k]fluoranthene	2.99	U	10.0	2.99	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[g,h,i]perylene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[a]pyrene	2.46	U	10.0	2.46	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-chloroethoxy)methane	2.91	U	10.0	2.91	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-chloroethyl)ether	2.63	U	10.0	2.63	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-ethylhexyl) phthalate	2.26	U	10.0	2.26	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Bromophenyl phenyl ether	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 18:41	1
Butyl benzyl phthalate	2.36	U	10.0	2.36	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chloroaniline	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Chloronaphthalene	2.81	U	10.0	2.81	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chlorophenyl phenyl ether	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
Carbazole	2.97	U	10.0	2.97	ug/L		03/23/19 08:39	03/23/19 18:41	1
Chrysene	2.06	U	10.0	2.06	ug/L		03/23/19 08:39	03/23/19 18:41	1
Di-n-butyl phthalate	2.09	U	10.0	2.09	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dibenz(a,h)anthracene	2.48	U	10.0	2.48	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dibenzofuran	2.28	U	10.0	2.28	ug/L		03/23/19 08:39	03/23/19 18:41	1
3,3'-Dichlorobenzidine	2.37	U	20.0	2.37	ug/L		03/23/19 08:39	03/23/19 18:41	1
Diethyl phthalate	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dimethyl phthalate	2.47	U	10.0	2.47	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dinitrotoluene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,6-Dinitrotoluene	2.79	U	10.0	2.79	ug/L		03/23/19 08:39	03/23/19 18:41	1
Di-n-octyl phthalate	1.87	U	10.0	1.87	ug/L		03/23/19 08:39	03/23/19 18:41	1
Fluoranthene	2.44	U	10.0	2.44	ug/L		03/23/19 08:39	03/23/19 18:41	1
Fluorene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorobenzene	3.28	U	10.0	3.28	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorocyclopentadiene	2.32	U	10.0	2.32	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachloroethane	3.29	U	10.0	3.29	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorobutadiene	2.57	U	10.0	2.57	ug/L		03/23/19 08:39	03/23/19 18:41	1
Indeno[1,2,3-cd]pyrene	3.09	U	10.0	3.09	ug/L		03/23/19 08:39	03/23/19 18:41	1
Isophorone	2.64	U	10.0	2.64	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Methylnaphthalene	2.58	U	10.0	2.58	ug/L		03/23/19 08:39	03/23/19 18:41	1
Naphthalene	2.20	U	10.0	2.20	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Nitroaniline	3.80	U	50.0	3.80	ug/L		03/23/19 08:39	03/23/19 18:41	1
3-Nitroaniline	1.85	U	50.0	1.85	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Nitroaniline	2.34	U	10.0	2.34	ug/L		03/23/19 08:39	03/23/19 18:41	1
Nitrobenzene	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 18:41	1
N-Nitrosodiphenylamine	2.01	U	10.0	2.01	ug/L		03/23/19 08:39	03/23/19 18:41	1
N-Nitrosodi-n-propylamine	3.19	U	10.0	3.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
Phenanthrene	2.24	U	10.0	2.24	ug/L		03/23/19 08:39	03/23/19 18:41	1
Pyrene	3.00	U	10.0	3.00	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chloro-3-methylphenol	1.97	U	10.0	1.97	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Chlorophenol	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Methylphenol	1.42	U	10.0	1.42	ug/L		03/23/19 08:39	03/23/19 18:41	1

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: MB 600-261030/1-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261030

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
3 & 4 Methylphenol	1.35	U	20.0	1.35	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dichlorophenol	2.16	U	10.0	2.16	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dimethylphenol	1.94	U	10.0	1.94	ug/L		03/23/19 08:39	03/23/19 18:41	1
4,6-Dinitro-2-methylphenol	3.36	U	50.0	3.36	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dinitrophenol	5.46	U	50.0	5.46	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Nitrophenol	2.10	U	10.0	2.10	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Nitrophenol	4.771	J	50.0	2.80	ug/L		03/23/19 08:39	03/23/19 18:41	1
Pentachlorophenol	3.15	U	50.0	3.15	ug/L		03/23/19 08:39	03/23/19 18:41	1
Phenol	1.25	U	10.0	1.25	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4,5-Trichlorophenol	4.20	U	10.0	4.20	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4,6-Trichlorophenol	3.32	U	10.0	3.32	ug/L		03/23/19 08:39	03/23/19 18:41	1
bis (2-Chloroisopropyl) ether	2.92	U	10.0	2.92	ug/L		03/23/19 08:39	03/23/19 18:41	1
1,1'-Biphenyl	2.68	U	10.0	2.68	ug/L		03/23/19 08:39	03/23/19 18:41	1
Acetophenone	2.42	U	10.0	2.42	ug/L		03/23/19 08:39	03/23/19 18:41	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*57*		*24 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2-Fluorophenol	*52*		*10 - 130*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2-Fluorobiphenyl	*59*		*38 - 133*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2,4,6-Tribromophenol	*58*		*19 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
Terphenyl-d14	*79*		*35 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
Phenol-d5 (Surr)	*41*		*10 - 130*	*03/23/19 08:39*	*03/23/19 18:41*	*1*

Lab Sample ID: LCS 600-261030/2-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261030

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthene	40.0	23.26		ug/L		58	42 - 130
Acenaphthylene	40.0	22.07		ug/L		55	41 - 130
Anthracene	40.0	27.51		ug/L		69	48 - 130
Benzo[a]anthracene	40.0	29.60		ug/L		74	47 - 130
Benzo[b]fluoranthene	40.0	25.43		ug/L		64	47 - 130
Benzo[k]fluoranthene	40.0	28.02		ug/L		70	44 - 131
Benzo[g,h,i]perylene	40.0	33.30		ug/L		83	42 - 138
Benzo[a]pyrene	40.0	29.23		ug/L		73	52 - 130
Bis(2-chloroethoxy)methane	40.0	22.92		ug/L		57	42 - 130
Bis(2-chloroethyl)ether	40.0	22.53		ug/L		56	35 - 130
Bis(2-ethylhexyl) phthalate	40.0	28.19		ug/L		70	34 - 139
4-Bromophenyl phenyl ether	40.0	26.65		ug/L		67	44 - 130
Butyl benzyl phthalate	40.0	26.61		ug/L		67	22 - 150
4-Chloroaniline	40.0	21.54		ug/L		54	19 - 130
2-Chloronaphthalene	40.0	22.09		ug/L		55	39 - 130
4-Chlorophenyl phenyl ether	40.0	24.30		ug/L		61	37 - 130
Carbazole	40.0	28.59		ug/L		71	49 - 130
Chrysene	40.0	29.99		ug/L		75	46 - 130
Di-n-butyl phthalate	40.0	28.38		ug/L		71	50 - 130

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCS 600-261030/2-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261030

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dibenz(a,h)anthracene	40.0	32.20		ug/L		81	46 - 132
Dibenzofuran	40.0	23.14		ug/L		58	42 - 130
3,3'-Dichlorobenzidine	40.0	33.88		ug/L		85	10 - 150
Diethyl phthalate	40.0	23.01		ug/L		58	42 - 130
Dimethyl phthalate	40.0	22.27		ug/L		56	43 - 130
2,4-Dinitrotoluene	40.0	22.84		ug/L		57	48 - 130
2,6-Dinitrotoluene	40.0	23.03		ug/L		58	43 - 130
Di-n-octyl phthalate	40.0	28.66		ug/L		72	40 - 132
Fluoranthene	40.0	28.71		ug/L		72	52 - 130
Fluorene	40.0	23.20		ug/L		58	39 - 130
Hexachlorobenzene	40.0	27.29		ug/L		68	45 - 130
Hexachlorocyclopentadiene	40.0	20.08		ug/L		50	14 - 130
Hexachloroethane	40.0	21.89		ug/L		55	37 - 130
Hexachlorobutadiene	40.0	25.16		ug/L		63	35 - 130
Indeno[1,2,3-cd]pyrene	40.0	34.22		ug/L		86	38 - 132
Isophorone	40.0	22.92		ug/L		57	39 - 130
2-Methylnaphthalene	40.0	24.67		ug/L		62	40 - 130
Naphthalene	40.0	25.37		ug/L		63	41 - 130
2-Nitroaniline	40.0	18.48	J	ug/L		46	39 - 130
3-Nitroaniline	40.0	19.93	J	ug/L		50	33 - 130
4-Nitroaniline	40.0	25.57		ug/L		64	37 - 130
Nitrobenzene	40.0	22.95		ug/L		57	44 - 130
N-Nitrosodiphenylamine	40.0	26.98		ug/L		67	30 - 134
N-Nitrosodi-n-propylamine	40.0	23.18		ug/L		58	37 - 130
Phenanthrene	40.0	25.77		ug/L		64	47 - 130
Pyrene	40.0	27.71		ug/L		69	41 - 130
4-Chloro-3-methylphenol	40.0	22.92		ug/L		57	43 - 130
2-Chlorophenol	40.0	24.23		ug/L		61	36 - 130
2-Methylphenol	40.0	24.82		ug/L		62	37 - 130
3 & 4 Methylphenol	40.0	22.90		ug/L		57	39 - 130
2,4-Dichlorophenol	40.0	24.81		ug/L		62	41 - 130
2,4-Dimethylphenol	40.0	22.98		ug/L		57	32 - 130
4,6-Dinitro-2-methylphenol	80.0	57.89		ug/L		72	49 - 130
2,4-Dinitrophenol	80.0	45.12	J	ug/L		56	34 - 130
2-Nitrophenol	40.0	24.59		ug/L		61	43 - 130
4-Nitrophenol	80.0	28.95	J	ug/L		36	10 - 133
Pentachlorophenol	80.0	54.60		ug/L		68	34 - 130
Phenol	40.0	16.62		ug/L		42	21 - 130
2,4,5-Trichlorophenol	40.0	21.67		ug/L		54	39 - 130
2,4,6-Trichlorophenol	40.0	23.58		ug/L		59	36 - 130
bis (2-Chloroisopropyl) ether	40.0	12.51		ug/L		31	29 - 130
1,1'-Biphenyl	40.0	23.27		ug/L		58	37 - 130
Acetophenone	40.0	24.69		ug/L		62	39 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Nitrobenzene-d5	*58*		*24 - 150*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCS 600-261030/2-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261030

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2-Fluorophenol	*46*		*10 - 130*
2-Fluorobiphenyl	*59*		*38 - 133*
2,4,6-Tribromophenol	*61*		*19 - 150*
Terphenyl-d14	*70*		*35 - 150*
Phenol-d5 (Surr)	*38*		*10 - 130*

Lab Sample ID: LCSD 600-261030/3-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 261030

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acenaphthene	40.0	25.15		ug/L		63	42 - 130	8	20
Acenaphthylene	40.0	23.81		ug/L		60	41 - 130	8	20
Anthracene	40.0	30.04		ug/L		75	48 - 130	9	20
Benzo[a]anthracene	40.0	31.18		ug/L		78	47 - 130	5	20
Benzo[b]fluoranthene	40.0	27.00		ug/L		68	47 - 130	6	20
Benzo[k]fluoranthene	40.0	32.29		ug/L		81	44 - 131	14	20
Benzo[g,h,i]perylene	40.0	33.32		ug/L		83	42 - 138	0	20
Benzo[a]pyrene	40.0	30.82		ug/L		77	52 - 130	5	20
Bis(2-chloroethoxy)methane	40.0	27.09		ug/L		68	42 - 130	17	20
Bis(2-chloroethyl)ether	40.0	27.78	*	ug/L		69	35 - 130	21	20
Bis(2-ethylhexyl) phthalate	40.0	30.09		ug/L		75	34 - 139	7	20
4-Bromophenyl phenyl ether	40.0	28.02		ug/L		70	44 - 130	5	20
Butyl benzyl phthalate	40.0	29.52		ug/L		74	22 - 150	10	20
4-Chloroaniline	40.0	23.86		ug/L		60	19 - 130	10	20
2-Chloronaphthalene	40.0	23.84		ug/L		60	39 - 130	8	20
4-Chlorophenyl phenyl ether	40.0	25.98		ug/L		65	37 - 130	7	20
Carbazole	40.0	28.30		ug/L		71	49 - 130	1	20
Chrysene	40.0	31.43		ug/L		79	46 - 130	5	20
Di-n-butyl phthalate	40.0	31.88		ug/L		80	50 - 130	12	20
Dibenz(a,h)anthracene	40.0	32.69		ug/L		82	46 - 132	1	20
Dibenzofuran	40.0	24.75		ug/L		62	42 - 130	7	20
3,3'-Dichlorobenzidine	40.0	30.76		ug/L		77	10 - 150	10	40
Diethyl phthalate	40.0	25.96		ug/L		65	42 - 130	12	20
Dimethyl phthalate	40.0	25.43		ug/L		64	43 - 130	13	20
2,4-Dinitrotoluene	40.0	26.18		ug/L		65	48 - 130	14	20
2,6-Dinitrotoluene	40.0	24.72		ug/L		62	43 - 130	7	20
Di-n-octyl phthalate	40.0	30.18		ug/L		75	40 - 132	5	20
Fluoranthene	40.0	30.90		ug/L		77	52 - 130	7	20
Fluorene	40.0	25.38		ug/L		63	39 - 130	9	20
Hexachlorobenzene	40.0	28.58		ug/L		71	45 - 130	5	20
Hexachlorocyclopentadiene	40.0	21.24		ug/L		53	14 - 130	6	20
Hexachloroethane	40.0	26.50		ug/L		66	37 - 130	19	20
Hexachlorobutadiene	40.0	26.68		ug/L		67	35 - 130	6	20
Indeno[1,2,3-cd]pyrene	40.0	31.09		ug/L		78	38 - 132	10	20
Isophorone	40.0	28.24	*	ug/L		71	39 - 130	21	20
2-Methylnaphthalene	40.0	27.16		ug/L		68	40 - 130	10	20

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261030/3-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 261030

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Naphthalene	40.0	28.28		ug/L		71	41 - 130	11	20
2-Nitroaniline	40.0	24.02	J *	ug/L		60	39 - 130	26	20
3-Nitroaniline	40.0	22.48	J	ug/L		56	33 - 130	12	20
4-Nitroaniline	40.0	27.00		ug/L		68	37 - 130	5	20
Nitrobenzene	40.0	26.71		ug/L		67	44 - 130	15	20
N-Nitrosodiphenylamine	40.0	28.80		ug/L		72	30 - 134	7	20
N-Nitrosodi-n-propylamine	40.0	28.34		ug/L		71	37 - 130	20	20
Phenanthrene	40.0	27.85		ug/L		70	47 - 130	8	20
Pyrene	40.0	29.58		ug/L		74	41 - 130	7	40
4-Chloro-3-methylphenol	40.0	26.58		ug/L		66	43 - 130	15	20
2-Chlorophenol	40.0	27.48		ug/L		69	36 - 130	13	20
2-Methylphenol	40.0	27.96		ug/L		70	37 - 130	12	20
3 & 4 Methylphenol	40.0	25.91		ug/L		65	39 - 130	12	20
2,4-Dichlorophenol	40.0	27.09		ug/L		68	41 - 130	9	20
2,4-Dimethylphenol	40.0	26.77		ug/L		67	32 - 130	15	20
4,6-Dinitro-2-methylphenol	80.0	59.41		ug/L		74	49 - 130	3	20
2,4-Dinitrophenol	80.0	47.08	J	ug/L		59	34 - 130	4	20
2-Nitrophenol	40.0	27.03		ug/L		68	43 - 130	9	20
4-Nitrophenol	80.0	32.98	J	ug/L		41	10 - 133	13	20
Pentachlorophenol	80.0	57.62		ug/L		72	34 - 130	5	20
Phenol	40.0	18.63		ug/L		47	21 - 130	11	20
2,4,5-Trichlorophenol	40.0	25.50		ug/L		64	39 - 130	16	20
2,4,6-Trichlorophenol	40.0	25.31		ug/L		63	36 - 130	7	20
bis (2-Chloroisopropyl) ether	40.0	16.38	*	ug/L		41	29 - 130	27	20
1,1'-Biphenyl	40.0	25.06		ug/L		63	37 - 130	7	20
Acetophenone	40.0	27.29		ug/L		68	39 - 130	10	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Nitrobenzene-d5	*67*		*24 - 150*
2-Fluorophenol	*46*		*10 - 130*
2-Fluorobiphenyl	*59*		*38 - 133*
2,4,6-Tribromophenol	*63*		*19 - 150*
Terphenyl-d14	*72*		*35 - 150*
Phenol-d5 (Surr)	*41*		*10 - 130*

Method: 1664A - HEM and SGT-HEM by Extraction and Gravimetry

Lab Sample ID: MB 600-260994/1-A
Matrix: Water
Analysis Batch: 260995

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 260994

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	1.0	U	3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1

Method: 1664A - HEM and SGT-HEM by Extraction and Gravimetry (Continued)

Lab Sample ID: LCS 600-260994/2-B — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 260995 — **Prep Batch: 260994**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Oil & Grease (HEM)	40.0	35.70		mg/L		89	78 - 114

Method: 8000 - Chemical Oxygen Demand (COD) Colorimetric

Lab Sample ID: MB 600-261023/3 — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261023

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	2.46	U	10.0	2.46	mg/L			03/22/19 18:58	1

Lab Sample ID: LCS 600-261023/4 — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261023

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chemical Oxygen Demand	75.0	71.14		mg/L		95	90 - 110

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

GC/MS Semi VOA

Prep Batch: 261030

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182321-1	ITC-BB-03-20190321-11	Total/NA	Water	3510C LVI	
600-182321-2	ITC-BB-04-20190321-11	Total/NA	Water	3510C LVI	
600-182321-3	ITC-BB-05-20190321-11	Total/NA	Water	3510C LVI	
MB 600-261030/1-A	Method Blank	Total/NA	Water	3510C LVI	
LCS 600-261030/2-A	Lab Control Sample	Total/NA	Water	3510C LVI	
LCSD 600-261030/3-A	Lab Control Sample Dup	Total/NA	Water	3510C LVI	

Analysis Batch: 261046

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182321-1	ITC-BB-03-20190321-11	Total/NA	Water	8270C	261030
600-182321-2	ITC-BB-04-20190321-11	Total/NA	Water	8270C	261030
600-182321-3	ITC-BB-05-20190321-11	Total/NA	Water	8270C	261030
MB 600-261030/1-A	Method Blank	Total/NA	Water	8270C	261030
LCS 600-261030/2-A	Lab Control Sample	Total/NA	Water	8270C	261030
LCSD 600-261030/3-A	Lab Control Sample Dup	Total/NA	Water	8270C	261030

General Chemistry

Prep Batch: 260994

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182321-1	ITC-BB-03-20190321-11	Total/NA	Water	1664A	
600-182321-2	ITC-BB-04-20190321-11	Total/NA	Water	1664A	
600-182321-3	ITC-BB-05-20190321-11	Total/NA	Water	1664A	
MB 600-260994/1-A	Method Blank	Total/NA	Water	1664A	
LCS 600-260994/2-B	Lab Control Sample	Total/NA	Water	1664A	

Analysis Batch: 260995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182321-1	ITC-BB-03-20190321-11	Total/NA	Water	1664A	260994
600-182321-2	ITC-BB-04-20190321-11	Total/NA	Water	1664A	260994
600-182321-3	ITC-BB-05-20190321-11	Total/NA	Water	1664A	260994
MB 600-260994/1-A	Method Blank	Total/NA	Water	1664A	260994
LCS 600-260994/2-B	Lab Control Sample	Total/NA	Water	1664A	260994

Analysis Batch: 261023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182321-1	ITC-BB-03-20190321-11	Total/NA	Water	8000	
600-182321-2	ITC-BB-04-20190321-11	Total/NA	Water	8000	
600-182321-3	ITC-BB-05-20190321-11	Total/NA	Water	8000	
MB 600-261023/3	Method Blank	Total/NA	Water	8000	
LCS 600-261023/4	Lab Control Sample	Total/NA	Water	8000	

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Client Sample ID: ITC-BB-03-20190321-11 — Lab Sample ID: 600-182321-1

Date Collected: 03/21/19 12:35 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C LVI			250 mL	1 mL	261030	03/23/19 08:39	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261046	03/23/19 21:00	TTD	TAL HOU
Total/NA	Prep	1664A			1000 mL	1000 mL	260994	03/22/19 13:24	FNC	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	260995	03/22/19 13:25	FNC	TAL HOU
Total/NA	Analysis	8000		1	2 mL	2 mL	261023	03/22/19 18:58	DTN	TAL HOU

Client Sample ID: ITC-BB-04-20190321-11 — Lab Sample ID: 600-182321-2

Date Collected: 03/21/19 12:20 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C LVI			245 mL	1 mL	261030	03/23/19 08:39	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261046	03/23/19 21:23	TTD	TAL HOU
Total/NA	Prep	1664A			1000 mL	1000 mL	260994	03/22/19 13:24	FNC	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	260995	03/22/19 13:25	FNC	TAL HOU
Total/NA	Analysis	8000		1	2 mL	2 mL	261023	03/22/19 18:58	DTN	TAL HOU

Client Sample ID: ITC-BB-05-20190321-11 — Lab Sample ID: 600-182321-3

Date Collected: 03/21/19 12:00 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C LVI			250 mL	1 mL	261030	03/23/19 08:39	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261046	03/23/19 21:47	TTD	TAL HOU
Total/NA	Prep	1664A			1000 mL	1000 mL	260994	03/22/19 13:24	FNC	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	260995	03/22/19 13:25	FNC	TAL HOU
Total/NA	Analysis	8000		1	2 mL	2 mL	261023	03/22/19 18:58	DTN	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Accreditation/Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182321-1

Laboratory: TestAmerica Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Texas	NELAP	6	T104704223-18-23	10-31-19

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270C	3510C LVI	Water	1,1'-Biphenyl
8270C	3510C LVI	Water	3 & 4 Methylphenol

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-164109-0004
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
✓	ITC-BB-03-20190321-11	BB-03	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:35	1	500mL poly	6C H2SO4	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:35	2	1L Amber	6C HCL	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:35	2	250mL Amber	6C	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:20	1	500mL poly	6C H2SO4	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:20	2	1L Amber	6C HCL	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:20	2	250mL Amber	6C	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:00	1	500mL poly	6C H2SO4	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:00	2	1L Amber	6C HCL	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:00	2	250mL Amber	6C	N

Special Instructions: Fastest Available TAT	SAMPLES TRANSFERRED FROM
	CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples/Analysis	D [signature] WESTON	3/22/19 0718	[signature]	3-22-19/0717	

600-182321 Chain of Custody

TestAmerica Houston

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Receipt Checklist

Loc: 600
182321

Date/Time Received: '19 MAR 22 7:1

JOB NUMBER: _____ CLIENT: Weston

UNPACKED BY: J.S. CARRIER/DRIVER: Client

Custody Seal Present: ☐ YES ☑ NO Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
BW	Y / (N)	Y / (N)	0.4	IR678	+0.1	0.5
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

J.S. 3-22-19

CF = correction factor

Samples received on ice? ☑ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☑ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot #_____

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☑ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☑	

COMMENTS:

J.S. 3-22-19

HS-SA-WI-013 Rev. 3; 07/01/2014

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-164109-0004
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
✓	ITC-BB-03-20190321-11	BB-03	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:35	1	500mL poly	6C H2SO4	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:35	2	1L Amber	6C HCL	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:35	2	250mL Amber	6C	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:20	1	500mL poly	6C H2SO4	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:20	2	1L Amber	6C HCL	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:20	2	250mL Amber	6C	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	12:00	1	500mL poly	6C H2SO4	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	12:00	2	1L Amber	6C HCL	N
✓	ITC-BB-05-20190321-11	BB-05	EPA 8270 - SVOCs	Surface Water	3/21/2019	12:00	2	250mL Amber	6C	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples/Analysis	D [signature] WESTON	3/22/19 ~~0716~~ 0717	[signature]	3-22-19/0717	

600-182321 Chain of Custody

TestAmerica Houston

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sample Receipt Checklist

Loc: 600
182321

Date/Time Received: '19 MAR 22 7:1

JOB NUMBER: ___ ___

CLIENT: Weston

UNPACKED BY: J.S.

CARRIER/DRIVER: Client

Custody Seal Present: ☐ YES ☑ NO

Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
BW	Y / (N)	Y / (N)	0.4	IR678	+0.1	0.5
	~~Y / N~~	~~Y / N~~				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N	J.S. 3-22-19			
	~~Y / N~~	Y / N				
	Y / N	Y / N				
	~~Y / N~~	~~Y / N~~				
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☑ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☑ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot #_____

VOA headspace acceptable (5-6mm): ☐ YES ☐ NO ☑ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☑	

COMMENTS:

J.S. 3-22-19

HS-SA-WI-013 Rev. 3; 07/01/2014

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 600-182321-1

Login Number: 182321
List Number: 1
Creator: Snow, Tiffany B

List Source: TestAmerica Houston

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/22/2019 13:24	3/22/2019 13:25	TestAmerica Houston	600-182321-1	260995	1664A_Calc HEM and SGT-HEM by Extraction and Gravimetry	1664A	1664A	STL00181	Oil & Grease (HEM)	Y	13.5			mg/L	1	mg/L	1 mg/L	3 mg/L	Yes	TRG	SAMP				T	initial	Wet	1		1000	mL	1000	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17		3/22/2019 18:58	TestAmerica Houston	600-182321-1	261023	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	81.9			mg/L	2.46	mg/L	2.46 mg/L	10 mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2	mL	2	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Acenaphthene	N	2.27 U	U		ug/L	2.27	ug/L	2.27 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	N	2.29 U	U		ug/L	2.29	ug/L	2.29 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	N	2.49 U	U		ug/L	2.49	ug/L	2.49 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	N	2.5 U	U		ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	N	2.99 U	U		ug/L	2.99	ug/L	2.99 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	N	2.46 U	U		ug/L	2.46	ug/L	2.46 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	2.91 U	U		ug/L	2.91	ug/L	2.91 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2.63 U *	U *		ug/L	2.63	ug/L	2.63 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	2.26 U	U		ug/L	2.26	ug/L	2.26 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	N	2.5 U	U		ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	N	2.36 U	U		ug/L	2.36	ug/L	2.36 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	4-Chloroaniline	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	2-Chloronaphthalene	N	2.81 U	U		ug/L	2.81	ug/L	2.81 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	4-Chlorophenyl phenyl ether	N	2.19 U	U		ug/L	2.19	ug/L	2.19 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	Carbazole	N	2.97 U	U		ug/L	2.97	ug/L	2.97 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	Chrysene	N	2.06 U	U		ug/L	2.06	ug/L	2.06 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	Di-n-butyl phthalate	N	2.09 U	U		ug/L	2.09	ug/L	2.09 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Dibenz(a,h)anthracene	N	2.48 U	U		ug/L	2.48	ug/L	2.48 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Dibenzofuran	N	2.28 U	U		ug/L	2.28	ug/L	2.28 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	N	2.37 U	U		ug/L	2.37	ug/L	2.37 ug/L	20 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Diethyl phthalate	N	2.59 U	U		ug/L	2.59	ug/L	2.59 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Dimethyl phthalate	N	2.47 U	U		ug/L	2.47	ug/L	2.47 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	N	2.79 U	U		ug/L	2.79	ug/L	2.79 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	N	1.87 U	U		ug/L	1.87	ug/L	1.87 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	N	2.44 U	U		ug/L	2.44	ug/L	2.44 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	N	3.28 U	U		ug/L	3.28	ug/L	3.28 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	N	2.32 U	U		ug/L	2.32	ug/L	2.32 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	N	3.29 U	U		ug/L	3.29	ug/L	3.29 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	N	2.57 U	U		ug/L	2.57	ug/L	2.57 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	N	3.09 U	U		ug/L	3.09	ug/L	3.09 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	N	2.64 U *	U *		ug/L	2.64	ug/L	2.64 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	N	2.58 U	U		ug/L	2.58	ug/L	2.58 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	N	2.2 U	U		ug/L	2.2	ug/L	2.2 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	N	3.8 U *	U *		ug/L	3.8	ug/L	3.8 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	N	1.85 U	U		ug/L	1.85	ug/L	1.85 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	N	2.34 U	U		ug/L	2.34	ug/L	2.34 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	N	2.59 U	U		ug/L	2.59	ug/L	2.59 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	N	2.01 U	U		ug/L	2.01	ug/L	2.01 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	N	3.19 U	U		ug/L	3.19	ug/L	3.19 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	N	2.24 U	U		ug/L	2.24	ug/L	2.24 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	N	3 U	U		ug/L	3	ug/L	3 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	N	1.97 U	U		ug/L	1.97	ug/L	1.97 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	N	2.19 U	U		ug/L	2.19	ug/L	2.19 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	N	1.42 U	U		ug/L	1.42	ug/L	1.42 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	N	1.35 U	U		ug/L	1.35	ug/L	1.35 ug/L	20 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	N	2.16 U	U		ug/L	2.16	ug/L	2.16 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	N	1.94 U	U		ug/L	1.94	ug/L	1.94 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	N	3.36 U	U		ug/L	3.36	ug/L	3.36 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250	mL	1	mL		0			
ITC-BB-03-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:35	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:00	TestAmerica Houston	600-182321-1	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	N	5.46 U	U		ug/

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Units	MDL	Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	N	2.79 U	U		ug/L	2.79	ug/L		10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	N	1.87 U	U		ug/L	1.87	ug/L	1.87 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	N	2.44 U	U		ug/L	2.44	ug/L	2.44 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	N	3.28 U	U		ug/L	3.28	ug/L	3.28 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	N	2.32 U	U		ug/L	2.32	ug/L	2.32 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	N	3.29 U	U		ug/L	3.29	ug/L	3.29 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	N	2.57 U	U		ug/L	2.57	ug/L	2.57 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	N	3.09 U	U		ug/L	3.09	ug/L	3.09 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	N	2.64 U *	U *		ug/L	2.64	ug/L	2.64 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	N	2.58 U	U		ug/L	2.58	ug/L	2.58 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	N	2.2 U	U		ug/L	2.2	ug/L	2.2 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	N	3.8 U *	U *		ug/L	3.8	ug/L	3.8 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	N	1.85 U	U		ug/L	1.85	ug/L	1.85 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	N	2.34 U	U		ug/L	2.34	ug/L	2.34 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	N	2.59 U	U		ug/L	2.59	ug/L	2.59 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	N	2.01 U	U		ug/L	2.01	ug/L	2.01 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	N	3.19 U	U		ug/L	3.19	ug/L	3.19 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	N	2.24 U	U		ug/L	2.24	ug/L	2.24 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	N	3 U	U		ug/L	3	ug/L	3 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	N	1.97 U	U		ug/L	1.97	ug/L	1.97 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	N	2.19 U	U		ug/L	2.19	ug/L	2.19 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	N	1.42 U	U		ug/L	1.42	ug/L	1.42 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	N	1.35 U	U		ug/L	1.35	ug/L	1.35 ug/L	20 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	N	2.16 U	U		ug/L	2.16	ug/L	2.16 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	N	1.94 U	U		ug/L	1.94	ug/L	1.94 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	N	3.36 U	U		ug/L	3.36	ug/L	3.36 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	N	5.46 U	U		ug/L	5.46	ug/L	5.46 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	2-Nitrophenol	N	2.1 U	U		ug/L	2.1	ug/L	2.1 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	4-Nitrophenol	N	2.8 U	U		ug/L	2.8	ug/L	2.8 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	Pentachlorophenol	N	3.15 U	U		ug/L	3.15	ug/L	3.15 ug/L	50 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95-2	Phenol	N	1.25 U	U		ug/L	1.25	ug/L	1.25 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-95-4	2,4,5-Trichlorophenol	N	4.2 U	U		ug/L	4.2	ug/L	4.2 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-06-2	2,4,6-Trichlorophenol	N	3.32 U	U		ug/L	3.32	ug/L	3.32 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-60-0	Nitrobenzene-d5	Y	22.8			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	57	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	367-12-4	2-Fluorophenol	Y	15.6			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	39	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	321-60-8	2-Fluorobiphenyl	Y	21.2			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	53	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-79-6	2,4,6-Tribromophenol	Y	21.6			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	54	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	1718-51-0	Terphenyl-d14	Y	26.3			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	66	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-60-1	bis (2-Chloroisopropyl) ether	N	2.92 U *	U *		ug/L	2.92	ug/L	2.92 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-62-2	Phenol-d5 (Surr)	Y	13.6			ug/L		ug/L	ug/L	10 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	34	250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	92-52-4	1,1'-Biphenyl	N	2.68 U	U		ug/L	2.68	ug/L	2.68 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
ITC-BB-05-20190321-11			Water	SAMP	600-182321-1	3/21/2019 12:00	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 21:47	TestAmerica Houston	600-182321-3	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-86-2	Acetophenone	N	2.42 U	U		ug/L	2.42	ug/L	2.42 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		250 mL		1 mL					
LCS			Water	LCS			3/22/2019 13:24	3/22/2019 13:25	TestAmerica Houston	LCS 600-260994/2-B	260995	1664A_Calc HEM and SGT-HEM by Extraction and Gravimetry	1664A	1664A	STL00181	Oil & Grease (HEM)	Y	35.7			mg/L	1	mg/L	1 mg/L	3 mg/L	Yes	SC	LCS				T	initial	Wet	1	89	1000 mL		1000 mL		1				
LCS			Water	LCS				3/22/2019 18:58	TestAmerica Houston	LCS 600-261023/4	261023	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	Y	71.14			mg/L	2.46	mg/L	2.46 mg/L	10 mg/L	Yes	SC	LCS				T	initial	Wet	1	95	2 mL		2 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Acenaphthene	Y	23.26			ug/L	2.27	ug/L	2.27 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	58	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	Y	22.07			ug/L	2.29	ug/L	2.29 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	55	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	Y	27.51			ug/L	2.49	ug/L	2.49 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	69	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	Y	29.6			ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	74	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	Y	25.43			ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	64	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	Y	28.02			ug/L	2.99	ug/L	2.99 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	70	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	Y	33.3			ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	83	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	Y	29.23			ug/L	2.46	ug/L	2.46 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	73	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	Y	22.92			ug/L	2.91	ug/L	2.91 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	57	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	Y	22.53			ug/L	2.63	ug/L	2.63 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	56	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	Y	28.19			ug/L	2.26	ug/L	2.26 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	70	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	Y	26.65			ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	SC	LCS				T	initial	Wet	1	67	250 mL		1 mL		1				
LCS			Water	LCS			3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7

Samp No	CLP Sample No	Lab Location ID	Matrix ID	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	4-Nitrophenol	Y	32.98	J	J	ug/L	2.8	ug/L		50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	41	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	Pentachlorophenol	Y	57.62			ug/L	3.15	ug/L	3.15 ug/L	50 ug/L	Yes	SC	LCSD				T	initial	Wet	1	72	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95-2	Phenol	Y	18.63			ug/L	1.25	ug/L	1.25 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	47	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-95-4	2,4,5-Trichlorophenol	Y	25.5			ug/L	4.2	ug/L	4.2 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	64	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-06-2	2,4,6-Trichlorophenol	Y	25.31			ug/L	3.32	ug/L	3.32 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	63	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-60-0	Nitrobenzene-d5	Y	26.82			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	LCSD				T	initial	Wet	1	67	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	367-12-4	2-Fluorophenol	Y	18.27			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	LCSD				T	initial	Wet	1	46	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	321-60-8	2-Fluorobiphenyl	Y	23.63			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	LCSD				T	initial	Wet	1	59	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-79-6	2,4,6-Tribromophenol	Y	25.32			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	LCSD				T	initial	Wet	1	63	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	1718-51-0	Terphenyl-d14	Y	28.98			ug/L	2	ug/L	10 ug/L	10 ug/L	Yes	SUR	LCSD				T	initial	Wet	1	72	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-60-1	bis (2-Chloroisopropyl) ether	Y	16.38 *		*	ug/L	2.92	ug/L	2.92 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	41	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-62-2	Phenol-d5 (Surr)	Y	16.36			ug/L		ug/L		ug/L	Yes	SUR	LCSD				T	initial	Wet	1	41	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	92-52-4	1,1'-Biphenyl	Y	25.06			ug/L	2.68	ug/L	2.68 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	63	250 mL		1 mL		1				
LCSD			Water	LCSD				3/23/2019 8:39	3/23/2019 19:28	TestAmerica Houston	LCSD 600-261030/3-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-86-2	Acetophenone	Y	27.29			ug/L	2.42	ug/L	2.42 ug/L	10 ug/L	Yes	SC	LCSD				T	initial	Wet	1	68	250 mL		1 mL		1				
MB			Water	MB				3/22/2019 13:24	3/22/2019 13:25	TestAmerica Houston	MB 600-260994/1-A	260995	1664A_Calc HEM and SGT-HEM by Extraction and Gravimetry	1664A	1664A	STL00181	Oil & Grease (HEM)	N	1 U	U		mg/L	1	mg/L	1 mg/L	3 mg/L	Yes	TRG	MB				T	initial	Wet	1		1000 mL		1000 mL		1				
MB			Water	MB					3/22/2019 18:58	TestAmerica Houston	MB 600-261023/3	261023	HACH8000_NP Chemical Oxygen Demand (COD) Colorimetric	8000		STL00070	Chemical Oxygen Demand	N	2.46 U	U		mg/L	2.46	mg/L	2.46 mg/L	10 mg/L	Yes	TRG	MB				T	initial	Wet	1		2 mL		2 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Acenaphthene	N	2.27 U	U		ug/L	2.27	ug/L	2.27 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	N	2.29 U	U		ug/L	2.29	ug/L	2.29 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	N	2.49 U	U		ug/L	2.49	ug/L	2.49 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	N	2.5 U	U		ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	N	2.99 U	U		ug/L	2.99	ug/L	2.99 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	N	2.46 U	U		ug/L	2.46	ug/L	2.46 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	2.91 U	U		ug/L	2.91	ug/L	2.91 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2.63 U	U		ug/L	2.63	ug/L	2.63 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	2.26 U	U		ug/L	2.26	ug/L	2.26 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	N	2.5 U	U		ug/L	2.5	ug/L	2.5 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	N	2.36 U	U		ug/L	2.36	ug/L	2.36 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	4-Chloroaniline	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	2-Chloronaphthalene	N	2.81 U	U		ug/L	2.81	ug/L	2.81 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	4-Chlorophenyl phenyl ether	N	2.19 U	U		ug/L	2.19	ug/L	2.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	Carbazole	N	2.97 U	U		ug/L	2.97	ug/L	2.97 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	Chrysene	N	2.06 U	U		ug/L	2.06	ug/L	2.06 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	Di-n-butyl phthalate	N	2.09 U	U		ug/L	2.09	ug/L	2.09 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Dibenz(a,h)anthracene	N	2.48 U	U		ug/L	2.48	ug/L	2.48 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Dibenzofuran	N	2.28 U	U		ug/L	2.28	ug/L	2.28 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	N	2.37 U	U		ug/L	2.37	ug/L	2.37 ug/L	20 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Diethyl phthalate	N	2.59 U	U		ug/L	2.59	ug/L	2.59 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Dimethyl phthalate	N	2.47 U	U		ug/L	2.47	ug/L	2.47 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	N	2.79 U	U		ug/L	2.79	ug/L	2.79 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	N	1.87 U	U		ug/L	1.87	ug/L	1.87 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	N	2.44 U	U		ug/L	2.44	ug/L	2.44 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	N	2.11 U	U		ug/L	2.11	ug/L	2.11 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	N	3.28 U	U		ug/L	3.28	ug/L	3.28 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	N	2.32 U	U		ug/L	2.32	ug/L	2.32 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	N	3.29 U	U		ug/L	3.29	ug/L	3.29 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	N	2.57 U	U		ug/L	2.57	ug/L	2.57 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	N	3.09 U	U		ug/L	3.09	ug/L	3.09 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	N	2.64 U	U		ug/L	2.64	ug/L	2.64 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	N	2.58 U	U		ug/L	2.58	ug/L	2.58 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	N	2.2 U	U		ug/L	2.2	ug/L	2.2 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	N	3.8 U	U		ug/L	3.8	ug/L	3.8 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	N	1.85 U	U		ug/L	1.85	ug/L	1.85 ug/L	50 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	N	2.34 U	U		ug/L	2.34	ug/L	2.34 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	N	2.59 U	U		ug/L	2.59	ug/L	2.59 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	N	2.01 U	U		ug/L	2.01	ug/L	2.01 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	N	3.19 U	U		ug/L	3.19	ug/L	3.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	N	2.24 U	U		ug/L	2.24	ug/L	2.24 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	N	3 U	U		ug/L	3	ug/L	3 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	N	1.97 U	U		ug/L	1.97	ug/L	1.97 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	N	2.19 U	U		ug/L	2.19	ug/L	2.19 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	N	1.42 U	U		ug/L	1.42	ug/L	1.42 ug/L	10 ug/L	Yes	TRG	MB				T	initial	Wet	1		250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	N	1.35 U	U		ug/L	1.35	ug/L	1.35 ug/L	20 ug/L	Yes	TRG	MB				T	initial	Wet	1

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

TestAmerica Job ID: 600-182324-1
Client Project/Site: Deer Park Water Samples

For:
Weston Solutions, Inc.
13702 Coursey Blvd.
Building 7, Suite A
Baton Rouge, Louisiana 70817

Attn: Mr. Jeff Wright

Authorized for release by:
3/25/2019 2:23:55 PM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
sachin.kudchadkar@testamericainc.com

Preliminary Data

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 16
Surrogate Summary 17
QC Sample Results 18
QC Association Summary 28
Lab Chronicle 29
Certification Summary 31
Chain of Custody 32
Receipt Checklists 38

Preliminary Data

Method Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	SW846	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry	EPA	TAL HOU
8000	Chemical Oxygen Demand (COD) Colorimetric	Hach	TAL HOU
1664A	HEM and SGT-HEM by Extraction and Gravimetry/Aqueous Preparation	EPA	TAL HOU
3510C LVI	Liquid-Liquid Extraction (Separatory Funnel) LVI	SW846	TAL HOU
5030B	Purge and Trap	SW846	TAL HOU

Protocol References:

EPA = US Environmental Protection Agency

Hach = Hach Company

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Sample Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
600-182324-1	ITC-BB-01-20190321-11	Water	03/21/19 13:40	03/22/19 07:17
600-182324-2	ITC-BB-02-20190321-11	Water	03/21/19 13:15	03/22/19 07:17
600-182324-3	ITC-BB-03-20190321-11	Water	03/21/19 12:35	03/22/19 07:17
600-182324-4	ITC-BB-04-20190321-11	Water	03/21/19 12:20	03/22/19 07:17
600-182324-5	ITC-BB-05-20190321-11	Water	03/21/19 12:00	03/22/19 07:17
600-182324-6	ITC-TB-02-20190321-11	Water	03/21/19 11:10	03/22/19 07:17

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-01-20190321-11

Lab Sample ID: 600-182324-1

Date Collected: 03/21/19 13:40
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 14:07	1
Benzene	0.560	U	5.00	0.560	ug/L			03/22/19 14:07	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 14:07	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 14:07	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 14:07	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 14:07	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 14:07	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 14:07	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 14:07	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 14:07	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 14:07	1
Chloroform	**0.839**	**J**	10.0	0.820	ug/L			03/22/19 14:07	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 14:07	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 14:07	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 14:07	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 14:07	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 14:07	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 14:07	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 14:07	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 14:07	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 14:07	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 14:07	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 14:07	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 14:07	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 14:07	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 14:07	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 14:07	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 14:07	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 14:07	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 14:07	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 14:07	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 14:07	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 14:07	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 14:07	1
o-Xylene	**4.16**	**J**	5.00	0.930	ug/L			03/22/19 14:07	1
m-Xylene & p-Xylene	**3.83**	**J**	5.00	1.26	ug/L			03/22/19 14:07	1
Xylenes, Total	**7.99**		5.00	1.98	ug/L			03/22/19 14:07	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:07	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 14:07	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 14:07	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 14:07	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 14:07	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 14:07	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 14:07	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:07	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 14:07	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 14:07	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 14:07	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/22/19 14:07	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-01-20190321-11

Lab Sample ID: 600-182324-1

Date Collected: 03/21/19 13:40
Date Received: 03/22/19 07:17

Matrix: Water

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*03/22/19 14:07*	*1*
Dibromofluoromethane	*102*		*62 - 130*		*03/22/19 14:07*	*1*
4-Bromofluorobenzene	*112*		*67 - 139*		*03/22/19 14:07*	*1*
1,2-Dichloroethane-d4 (Surr)	*107*		*50 - 134*		*03/22/19 14:07*	*1*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.41	U	10.6	2.41	ug/L		03/23/19 08:39	03/23/19 22:10	1
Acenaphthylene	2.44	U	10.6	2.44	ug/L		03/23/19 08:39	03/23/19 22:10	1
Anthracene	2.65	U	10.6	2.65	ug/L		03/23/19 08:39	03/23/19 22:10	1
Benzo[a]anthracene	2.24	U	10.6	2.24	ug/L		03/23/19 08:39	03/23/19 22:10	1
Benzo[b]fluoranthene	2.66	U	10.6	2.66	ug/L		03/23/19 08:39	03/23/19 22:10	1
Benzo[k]fluoranthene	3.18	U	10.6	3.18	ug/L		03/23/19 08:39	03/23/19 22:10	1
Benzo[g,h,i]perylene	2.24	U	10.6	2.24	ug/L		03/23/19 08:39	03/23/19 22:10	1
Benzo[a]pyrene	2.62	U	10.6	2.62	ug/L		03/23/19 08:39	03/23/19 22:10	1
Bis(2-chloroethoxy)methane	3.10	U	10.6	3.10	ug/L		03/23/19 08:39	03/23/19 22:10	1
Bis(2-chloroethyl)ether	2.80	U *	10.6	2.80	ug/L		03/23/19 08:39	03/23/19 22:10	1
Bis(2-ethylhexyl) phthalate	2.40	U	10.6	2.40	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Bromophenyl phenyl ether	2.66	U	10.6	2.66	ug/L		03/23/19 08:39	03/23/19 22:10	1
Butyl benzyl phthalate	2.51	U	10.6	2.51	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Chloroaniline	2.24	U	10.6	2.24	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Chloronaphthalene	2.99	U	10.6	2.99	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Chlorophenyl phenyl ether	2.33	U	10.6	2.33	ug/L		03/23/19 08:39	03/23/19 22:10	1
Carbazole	3.16	U	10.6	3.16	ug/L		03/23/19 08:39	03/23/19 22:10	1
Chrysene	2.19	U	10.6	2.19	ug/L		03/23/19 08:39	03/23/19 22:10	1
Di-n-butyl phthalate	2.22	U	10.6	2.22	ug/L		03/23/19 08:39	03/23/19 22:10	1
Dibenz(a,h)anthracene	2.64	U	10.6	2.64	ug/L		03/23/19 08:39	03/23/19 22:10	1
Dibenzofuran	2.43	U	10.6	2.43	ug/L		03/23/19 08:39	03/23/19 22:10	1
3,3'-Dichlorobenzidine	2.52	U	21.3	2.52	ug/L		03/23/19 08:39	03/23/19 22:10	1
Diethyl phthalate	2.76	U	10.6	2.76	ug/L		03/23/19 08:39	03/23/19 22:10	1
Dimethyl phthalate	2.63	U	10.6	2.63	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4-Dinitrotoluene	2.24	U	10.6	2.24	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,6-Dinitrotoluene	2.97	U	10.6	2.97	ug/L		03/23/19 08:39	03/23/19 22:10	1
Di-n-octyl phthalate	1.99	U	10.6	1.99	ug/L		03/23/19 08:39	03/23/19 22:10	1
Fluoranthene	2.60	U	10.6	2.60	ug/L		03/23/19 08:39	03/23/19 22:10	1
Fluorene	2.24	U	10.6	2.24	ug/L		03/23/19 08:39	03/23/19 22:10	1
Hexachlorobenzene	3.49	U	10.6	3.49	ug/L		03/23/19 08:39	03/23/19 22:10	1
Hexachlorocyclopentadiene	2.47	U	10.6	2.47	ug/L		03/23/19 08:39	03/23/19 22:10	1
Hexachloroethane	3.50	U	10.6	3.50	ug/L		03/23/19 08:39	03/23/19 22:10	1
Hexachlorobutadiene	2.73	U	10.6	2.73	ug/L		03/23/19 08:39	03/23/19 22:10	1
Indeno[1,2,3-cd]pyrene	3.29	U	10.6	3.29	ug/L		03/23/19 08:39	03/23/19 22:10	1
Isophorone	2.81	U *	10.6	2.81	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Methylnaphthalene	2.74	U	10.6	2.74	ug/L		03/23/19 08:39	03/23/19 22:10	1
Naphthalene	2.34	U	10.6	2.34	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Nitroaniline	4.04	U *	53.2	4.04	ug/L		03/23/19 08:39	03/23/19 22:10	1
3-Nitroaniline	1.97	U	53.2	1.97	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Nitroaniline	2.49	U	10.6	2.49	ug/L		03/23/19 08:39	03/23/19 22:10	1
Nitrobenzene	2.76	U	10.6	2.76	ug/L		03/23/19 08:39	03/23/19 22:10	1
N-Nitrosodiphenylamine	2.14	U	10.6	2.14	ug/L		03/23/19 08:39	03/23/19 22:10	1
N-Nitrosodi-n-propylamine	3.39	U	10.6	3.39	ug/L		03/23/19 08:39	03/23/19 22:10	1

Preliminary Data

Client Sample ID: ITC-BB-01-20190321-11 — Lab Sample ID: 600-182324-1

Date Collected: 03/21/19 13:40 — **Matrix: Water**
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	2.38	U	10.6	2.38	ug/L		03/23/19 08:39	03/23/19 22:10	1
Pyrene	3.19	U	10.6	3.19	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Chloro-3-methylphenol	2.10	U	10.6	2.10	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Chlorophenol	2.33	U	10.6	2.33	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Methylphenol	1.51	U	10.6	1.51	ug/L		03/23/19 08:39	03/23/19 22:10	1
3 & 4 Methylphenol	1.44	U	21.3	1.44	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4-Dichlorophenol	2.30	U	10.6	2.30	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4-Dimethylphenol	2.06	U	10.6	2.06	ug/L		03/23/19 08:39	03/23/19 22:10	1
4,6-Dinitro-2-methylphenol	3.57	U	53.2	3.57	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4-Dinitrophenol	5.81	U	53.2	5.81	ug/L		03/23/19 08:39	03/23/19 22:10	1
2-Nitrophenol	2.23	U	10.6	2.23	ug/L		03/23/19 08:39	03/23/19 22:10	1
4-Nitrophenol	2.98	U	53.2	2.98	ug/L		03/23/19 08:39	03/23/19 22:10	1
Pentachlorophenol	3.35	U	53.2	3.35	ug/L		03/23/19 08:39	03/23/19 22:10	1
Phenol	1.33	U	10.6	1.33	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4,5-Trichlorophenol	4.47	U	10.6	4.47	ug/L		03/23/19 08:39	03/23/19 22:10	1
2,4,6-Trichlorophenol	3.53	U	10.6	3.53	ug/L		03/23/19 08:39	03/23/19 22:10	1
bis (2-Chloroisopropyl) ether	3.11	U *	10.6	3.11	ug/L		03/23/19 08:39	03/23/19 22:10	1
1,1'-Biphenyl	2.85	U	10.6	2.85	ug/L		03/23/19 08:39	03/23/19 22:10	1
Acetophenone	2.57	U	10.6	2.57	ug/L		03/23/19 08:39	03/23/19 22:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*58*		*24 - 150*	*03/23/19 08:39*	*03/23/19 22:10*	*1*
2-Fluorophenol	*43*		*10 - 130*	*03/23/19 08:39*	*03/23/19 22:10*	*1*
2-Fluorobiphenyl	*56*		*38 - 133*	*03/23/19 08:39*	*03/23/19 22:10*	*1*
2,4,6-Tribromophenol	*56*		*19 - 150*	*03/23/19 08:39*	*03/23/19 22:10*	*1*
Terphenyl-d14	*67*		*35 - 150*	*03/23/19 08:39*	*03/23/19 22:10*	*1*
Phenol-d5 (Surr)	*37*		*10 - 130*	*03/23/19 08:39*	*03/23/19 22:10*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**2.1**	**J**	3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1
Chemical Oxygen Demand	**43.7**		10.0	2.46	mg/L			03/22/19 18:58	1

Client Sample ID: ITC-BB-02-20190321-11 — Lab Sample ID: 600-182324-2

Date Collected: 03/21/19 13:15 — **Matrix: Water**
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	45.4	U	200	45.4	ug/L			03/22/19 15:43	20
Benzene	**598**		100	11.2	ug/L			03/22/19 15:43	20
Chlorobromomethane	16.2	U	100	16.2	ug/L			03/22/19 15:43	20
Bromoform	15.4	U	100	15.4	ug/L			03/22/19 15:43	20
Bromomethane	43.0	U	200	43.0	ug/L			03/22/19 15:43	20
2-Butanone (MEK)	31.4	U	200	31.4	ug/L			03/22/19 15:43	20
Carbon disulfide	34.0	U	200	34.0	ug/L			03/22/19 15:43	20
Carbon tetrachloride	18.4	U	100	18.4	ug/L			03/22/19 15:43	20
Dibromochloromethane	18.4	U	100	18.4	ug/L			03/22/19 15:43	20
Chlorobenzene	16.4	U	100	16.4	ug/L			03/22/19 15:43	20
Chloroethane	34.6	U	200	34.6	ug/L			03/22/19 15:43	20

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-02-20190321-11

Lab Sample ID: 600-182324-2

Date Collected: 03/21/19 13:15
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	16.4	U	200	16.4	ug/L			03/22/19 15:43	20
Chloromethane	17.0	U	200	17.0	ug/L			03/22/19 15:43	20
1,1-Dichloroethane	10.0	U	100	10.0	ug/L			03/22/19 15:43	20
1,2-Dichloroethane	20.2	U	100	20.2	ug/L			03/22/19 15:43	20
1,1-Dichloroethene	15.2	U	100	15.2	ug/L			03/22/19 15:43	20
cis-1,2-Dichloroethene	11.2	U	100	11.2	ug/L			03/22/19 15:43	20
trans-1,2-Dichloroethene	17.6	U	100	17.6	ug/L			03/22/19 15:43	20
1,2-Dichloropropane	28.2	U	100	28.2	ug/L			03/22/19 15:43	20
cis-1,3-Dichloropropene	19.4	U	100	19.4	ug/L			03/22/19 15:43	20
trans-1,3-Dichloropropene	11.8	U	100	11.8	ug/L			03/22/19 15:43	20
Ethylbenzene	**327**		100	25.8	ug/L			03/22/19 15:43	20
2-Hexanone	28.4	U	200	28.4	ug/L			03/22/19 15:43	20
Methylene Chloride	28.6	U	200	28.6	ug/L			03/22/19 15:43	20
4-Methyl-2-pentanone (MIBK)	22.2	U	200	22.2	ug/L			03/22/19 15:43	20
Styrene	**38.5**	**J**	100	11.2	ug/L			03/22/19 15:43	20
1,1,2,2-Tetrachloroethane	16.0	U	100	16.0	ug/L			03/22/19 15:43	20
Tetrachloroethene	24.8	U	100	24.8	ug/L			03/22/19 15:43	20
Toluene	**333**		100	11.0	ug/L			03/22/19 15:43	20
1,1,1-Trichloroethane	19.6	U	100	19.6	ug/L			03/22/19 15:43	20
1,1,2-Trichloroethane	10.6	U	100	10.6	ug/L			03/22/19 15:43	20
Trichloroethene	31.6	U	100	31.6	ug/L			03/22/19 15:43	20
Vinyl acetate	12.0	U	200	12.0	ug/L			03/22/19 15:43	20
Vinyl chloride	17.0	U	100	17.0	ug/L			03/22/19 15:43	20
o-Xylene	**1190**		100	18.6	ug/L			03/22/19 15:43	20
m-Xylene & p-Xylene	**2500**		100	25.2	ug/L			03/22/19 15:43	20
Xylenes, Total	**3690**		100	39.6	ug/L			03/22/19 15:43	20
Bromodichloromethane	15.2	U	100	15.2	ug/L			03/22/19 15:43	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20.8	U	100	20.8	ug/L			03/22/19 15:43	20
1,2,4-Trichlorobenzene	8.20	U	100	8.20	ug/L			03/22/19 15:43	20
1,2-Dibromo-3-Chloropropane	29.6	U	100	29.6	ug/L			03/22/19 15:43	20
1,2-Dichlorobenzene	10.6	U	100	10.6	ug/L			03/22/19 15:43	20
1,3-Dichlorobenzene	4.20	U	100	4.20	ug/L			03/22/19 15:43	20
1,4-Dichlorobenzene	18.2	U	100	18.2	ug/L			03/22/19 15:43	20
Dichlorodifluoromethane	15.2	U	100	15.2	ug/L			03/22/19 15:43	20
1,2-Dibromoethane	17.0	U	100	17.0	ug/L			03/22/19 15:43	20
Isopropylbenzene	12.4	U	100	12.4	ug/L			03/22/19 15:43	20
Methyl tert-butyl ether	8.80	U	100	8.80	ug/L			03/22/19 15:43	20
Cyclohexane	54.6	U	100	54.6	ug/L			03/22/19 15:43	20

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*96*		*70 - 130*		*03/22/19 15:43*	*20*
Dibromofluoromethane	*101*		*62 - 130*		*03/22/19 15:43*	*20*
4-Bromofluorobenzene	*113*		*67 - 139*		*03/22/19 15:43*	*20*
1,2-Dichloroethane-d4 (Surr)	*107*		*50 - 134*		*03/22/19 15:43*	*20*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	1930	U	8510	1930	ug/L		03/23/19 08:39	03/23/19 22:33	50
Acenaphthylene	1950	U	8510	1950	ug/L		03/23/19 08:39	03/23/19 22:33	50
Anthracene	2120	U	8510	2120	ug/L		03/23/19 08:39	03/23/19 22:33	50

Preliminary Data

Client Sample ID: ITC-BB-02-20190321-11

Lab Sample ID: 600-182324-2

Date Collected: 03/21/19 13:15

Matrix: Water

Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[a]anthracene	1800	U	8510	1800	ug/L		03/23/19 08:39	03/23/19 22:33	50
Benzo[b]fluoranthene	2130	U	8510	2130	ug/L		03/23/19 08:39	03/23/19 22:33	50
Benzo[k]fluoranthene	2540	U	8510	2540	ug/L		03/23/19 08:39	03/23/19 22:33	50
Benzo[g,h,i]perylene	1800	U	8510	1800	ug/L		03/23/19 08:39	03/23/19 22:33	50
Benzo[a]pyrene	2090	U	8510	2090	ug/L		03/23/19 08:39	03/23/19 22:33	50
Bis(2-chloroethoxy)methane	2480	U	8510	2480	ug/L		03/23/19 08:39	03/23/19 22:33	50
Bis(2-chloroethyl)ether	2240	U *	8510	2240	ug/L		03/23/19 08:39	03/23/19 22:33	50
Bis(2-ethylhexyl) phthalate	1920	U	8510	1920	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Bromophenyl phenyl ether	2130	U	8510	2130	ug/L		03/23/19 08:39	03/23/19 22:33	50
Butyl benzyl phthalate	2010	U	8510	2010	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Chloroaniline	1800	U	8510	1800	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Chloronaphthalene	2390	U	8510	2390	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Chlorophenyl phenyl ether	1860	U	8510	1860	ug/L		03/23/19 08:39	03/23/19 22:33	50
Carbazole	2530	U	8510	2530	ug/L		03/23/19 08:39	03/23/19 22:33	50
Chrysene	1750	U	8510	1750	ug/L		03/23/19 08:39	03/23/19 22:33	50
Di-n-butyl phthalate	1780	U	8510	1780	ug/L		03/23/19 08:39	03/23/19 22:33	50
Dibenz(a,h)anthracene	2110	U	8510	2110	ug/L		03/23/19 08:39	03/23/19 22:33	50
Dibenzofuran	1940	U	8510	1940	ug/L		03/23/19 08:39	03/23/19 22:33	50
3,3'-Dichlorobenzidine	2020	U	17000	2020	ug/L		03/23/19 08:39	03/23/19 22:33	50
Diethyl phthalate	2200	U	8510	2200	ug/L		03/23/19 08:39	03/23/19 22:33	50
Dimethyl phthalate	2100	U	8510	2100	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,4-Dinitrotoluene	1800	U	8510	1800	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,6-Dinitrotoluene	2370	U	8510	2370	ug/L		03/23/19 08:39	03/23/19 22:33	50
Di-n-octyl phthalate	1590	U	8510	1590	ug/L		03/23/19 08:39	03/23/19 22:33	50
Fluoranthene	2080	U	8510	2080	ug/L		03/23/19 08:39	03/23/19 22:33	50
Fluorene	1800	U	8510	1800	ug/L		03/23/19 08:39	03/23/19 22:33	50
Hexachlorobenzene	2790	U	8510	2790	ug/L		03/23/19 08:39	03/23/19 22:33	50
Hexachlorocyclopentadiene	1970	U	8510	1970	ug/L		03/23/19 08:39	03/23/19 22:33	50
Hexachloroethane	2800	U	8510	2800	ug/L		03/23/19 08:39	03/23/19 22:33	50
Hexachlorobutadiene	2190	U	8510	2190	ug/L		03/23/19 08:39	03/23/19 22:33	50
Indeno[1,2,3-cd]pyrene	2630	U	8510	2630	ug/L		03/23/19 08:39	03/23/19 22:33	50
Isophorone	2250	U *	8510	2250	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Methylnaphthalene	2200	U	8510	2200	ug/L		03/23/19 08:39	03/23/19 22:33	50
Naphthalene	**3570**	**J**	8510	1870	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Nitroaniline	3230	U *	42600	3230	ug/L		03/23/19 08:39	03/23/19 22:33	50
3-Nitroaniline	1570	U	42600	1570	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Nitroaniline	1990	U	8510	1990	ug/L		03/23/19 08:39	03/23/19 22:33	50
Nitrobenzene	2200	U	8510	2200	ug/L		03/23/19 08:39	03/23/19 22:33	50
N-Nitrosodiphenylamine	1710	U	8510	1710	ug/L		03/23/19 08:39	03/23/19 22:33	50
N-Nitrosodi-n-propylamine	2710	U	8510	2710	ug/L		03/23/19 08:39	03/23/19 22:33	50
Phenanthrene	1910	U	8510	1910	ug/L		03/23/19 08:39	03/23/19 22:33	50
Pyrene	2550	U	8510	2550	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Chloro-3-methylphenol	1680	U	8510	1680	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Chlorophenol	1860	U	8510	1860	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Methylphenol	1210	U	8510	1210	ug/L		03/23/19 08:39	03/23/19 22:33	50
3 & 4 Methylphenol	1150	U	17000	1150	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,4-Dichlorophenol	1840	U	8510	1840	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,4-Dimethylphenol	1650	U	8510	1650	ug/L		03/23/19 08:39	03/23/19 22:33	50
4,6-Dinitro-2-methylphenol	2860	U	42600	2860	ug/L		03/23/19 08:39	03/23/19 22:33	50

Preliminary Data

Client Sample ID: ITC-BB-02-20190321-11

Lab Sample ID: 600-182324-2

Date Collected: 03/21/19 13:15
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dinitrophenol	4650	U	42600	4650	ug/L		03/23/19 08:39	03/23/19 22:33	50
2-Nitrophenol	1790	U	8510	1790	ug/L		03/23/19 08:39	03/23/19 22:33	50
4-Nitrophenol	2380	U	42600	2380	ug/L		03/23/19 08:39	03/23/19 22:33	50
Pentachlorophenol	2680	U	42600	2680	ug/L		03/23/19 08:39	03/23/19 22:33	50
Phenol	1060	U	8510	1060	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,4,5-Trichlorophenol	3570	U	8510	3570	ug/L		03/23/19 08:39	03/23/19 22:33	50
2,4,6-Trichlorophenol	2830	U	8510	2830	ug/L		03/23/19 08:39	03/23/19 22:33	50
bis (2-Chloroisopropyl) ether	2490	U *	8510	2490	ug/L		03/23/19 08:39	03/23/19 22:33	50
1,1'-Biphenyl	2280	U	8510	2280	ug/L		03/23/19 08:39	03/23/19 22:33	50
Acetophenone	2060	U	8510	2060	ug/L		03/23/19 08:39	03/23/19 22:33	50

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*0*	*X*	*24 - 150*	*03/23/19 08:39*	*03/23/19 22:33*	*50*
2-Fluorophenol	*0*	*X*	*10 - 130*	*03/23/19 08:39*	*03/23/19 22:33*	*50*
2-Fluorobiphenyl	*0*	*X*	*38 - 133*	*03/23/19 08:39*	*03/23/19 22:33*	*50*
2,4,6-Tribromophenol	*0*	*X*	*19 - 150*	*03/23/19 08:39*	*03/23/19 22:33*	*50*
Terphenyl-d14	*0*	*X*	*35 - 150*	*03/23/19 08:39*	*03/23/19 22:33*	*50*
Phenol-d5 (Surr)	*0*	*X*	*10 - 130*	*03/23/19 08:39*	*03/23/19 22:33*	*50*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	**2130**		3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1

Client Sample ID: ITC-BB-03-20190321-11

Lab Sample ID: 600-182324-3

Date Collected: 03/21/19 12:35
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 14:31	1
Benzene	0.560	U	5.00	0.560	ug/L			03/22/19 14:31	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 14:31	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 14:31	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 14:31	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 14:31	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 14:31	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 14:31	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 14:31	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 14:31	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 14:31	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/22/19 14:31	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 14:31	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 14:31	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 14:31	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 14:31	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 14:31	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 14:31	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 14:31	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 14:31	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 14:31	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-03-20190321-11

Lab Sample ID: 600-182324-3
Date Collected: 03/21/19 12:35
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 14:31	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 14:31	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 14:31	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 14:31	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 14:31	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 14:31	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 14:31	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 14:31	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 14:31	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 14:31	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 14:31	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 14:31	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 14:31	1
o-Xylene	**17.1**		5.00	0.930	ug/L			03/22/19 14:31	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/22/19 14:31	1
Xylenes, Total	**17.1**		5.00	1.98	ug/L			03/22/19 14:31	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:31	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 14:31	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 14:31	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 14:31	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 14:31	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 14:31	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 14:31	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:31	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 14:31	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 14:31	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 14:31	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/22/19 14:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*70 - 130*		*03/22/19 14:31*	*1*
Dibromofluoromethane	*95*		*62 - 130*		*03/22/19 14:31*	*1*
4-Bromofluorobenzene	*106*		*67 - 139*		*03/22/19 14:31*	*1*
1,2-Dichloroethane-d4 (Surr)	*102*		*50 - 134*		*03/22/19 14:31*	*1*

Client Sample ID: ITC-BB-04-20190321-11

Lab Sample ID: 600-182324-4
Date Collected: 03/21/19 12:20
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 14:55	1
Benzene	0.560	U	5.00	0.560	ug/L			03/22/19 14:55	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 14:55	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 14:55	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 14:55	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 14:55	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 14:55	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 14:55	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 14:55	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-04-20190321-11

Lab Sample ID: 600-182324-4

Date Collected: 03/21/19 12:20
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 14:55	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 14:55	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/22/19 14:55	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 14:55	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 14:55	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 14:55	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 14:55	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 14:55	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 14:55	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 14:55	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 14:55	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 14:55	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 14:55	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 14:55	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 14:55	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 14:55	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 14:55	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 14:55	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 14:55	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 14:55	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 14:55	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 14:55	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 14:55	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 14:55	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 14:55	1
o-Xylene	**30.3**		5.00	0.930	ug/L			03/22/19 14:55	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/22/19 14:55	1
Xylenes, Total	**30.3**		5.00	1.98	ug/L			03/22/19 14:55	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:55	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 14:55	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 14:55	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 14:55	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 14:55	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 14:55	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 14:55	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 14:55	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 14:55	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 14:55	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 14:55	1
Cyclohexane	**2.93**	**J**	5.00	2.73	ug/L			03/22/19 14:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*89*		*70 - 130*		*03/22/19 14:55*	*1*
Dibromofluoromethane	*102*		*62 - 130*		*03/22/19 14:55*	*1*
4-Bromofluorobenzene	*105*		*67 - 139*		*03/22/19 14:55*	*1*
1,2-Dichloroethane-d4 (Surr)	*106*		*50 - 134*		*03/22/19 14:55*	*1*

preliminary data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-05-20190321-11

Lab Sample ID: 600-182324-5

Date Collected: 03/21/19 12:00
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 15:19	1
Benzene	**9.72**		5.00	0.560	ug/L			03/22/19 15:19	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 15:19	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 15:19	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 15:19	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 15:19	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 15:19	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 15:19	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 15:19	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 15:19	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 15:19	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/22/19 15:19	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 15:19	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 15:19	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 15:19	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 15:19	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 15:19	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 15:19	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 15:19	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 15:19	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 15:19	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 15:19	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 15:19	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 15:19	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 15:19	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 15:19	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 15:19	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 15:19	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 15:19	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 15:19	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 15:19	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 15:19	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 15:19	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 15:19	1
o-Xylene	**32.8**		5.00	0.930	ug/L			03/22/19 15:19	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/22/19 15:19	1
Xylenes, Total	**32.8**		5.00	1.98	ug/L			03/22/19 15:19	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 15:19	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 15:19	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 15:19	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 15:19	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 15:19	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 15:19	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 15:19	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 15:19	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 15:19	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 15:19	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 15:19	1
Cyclohexane	**3.18**	**J**	5.00	2.73	ug/L			03/22/19 15:19	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-05-20190321-11

Lab Sample ID: 600-182324-5

Date Collected: 03/21/19 12:00
Matrix: Water
Date Received: 03/22/19 07:17

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*94*		*70 - 130*		*03/22/19 15:19*	*1*
Dibromofluoromethane	*103*		*62 - 130*		*03/22/19 15:19*	*1*
4-Bromofluorobenzene	*113*		*67 - 139*		*03/22/19 15:19*	*1*
1,2-Dichloroethane-d4 (Surr)	*108*		*50 - 134*		*03/22/19 15:19*	*1*

Client Sample ID: ITC-TB-02-20190321-11

Lab Sample ID: 600-182324-6

Date Collected: 03/21/19 11:10
Matrix: Water
Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 13:43	1
Benzene	0.560	U	5.00	0.560	ug/L			03/22/19 13:43	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 13:43	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 13:43	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 13:43	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 13:43	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 13:43	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 13:43	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 13:43	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 13:43	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 13:43	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/22/19 13:43	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 13:43	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 13:43	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 13:43	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 13:43	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 13:43	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 13:43	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 13:43	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 13:43	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 13:43	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 13:43	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 13:43	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 13:43	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 13:43	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 13:43	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 13:43	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 13:43	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 13:43	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 13:43	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 13:43	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 13:43	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 13:43	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 13:43	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/22/19 13:43	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/22/19 13:43	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/22/19 13:43	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 13:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 13:43	1

Preliminary Data

Client Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-TB-02-20190321-11

Lab Sample ID: 600-182324-6

Date Collected: 03/21/19 11:10

Matrix: Water

Date Received: 03/22/19 07:17

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 13:43	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 13:43	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 13:43	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 13:43	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 13:43	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 13:43	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 13:43	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 13:43	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 13:43	1
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/22/19 13:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*70 - 130*		*03/22/19 13:43*	*1*
Dibromofluoromethane	*96*		*62 - 130*		*03/22/19 13:43*	*1*
4-Bromofluorobenzene	*109*		*67 - 139*		*03/22/19 13:43*	*1*
1,2-Dichloroethane-d4 (Surr)	*104*		*50 - 134*		*03/22/19 13:43*	*1*

Preliminary Data

Definitions/Glossary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
*	RPD of the LCS and LCSD exceeds the control limits
X	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Preliminary Data

Surrogate Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DBFM	BFB	DCA
Lab Sample ID	Client Sample ID	(70-130)	(62-130)	(67-139)	(50-134)
600-182324-1	ITC-BB-01-20190321-11	93	102	112	107
600-182324-2	ITC-BB-02-20190321-11	96	101	113	107
600-182324-3	ITC-BB-03-20190321-11	91	95	106	102
600-182324-4	ITC-BB-04-20190321-11	89	102	105	106
600-182324-5	ITC-BB-05-20190321-11	94	103	113	108
600-182324-6	ITC-TB-02-20190321-11	91	96	109	104
LCS 600-260958/4	Lab Control Sample	87	106	99	117
LCSD 600-260958/5	Lab Control Sample Dup	86	107	96	119
MB 600-260958/8	Method Blank	93	99	105	102

Surrogate Legend

TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane
BFB = 4-Bromofluorobenzene
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		NBZ	2FP	FBP	TBP	TPHL	PHL
Lab Sample ID	Client Sample ID	(24-150)	(10-130)	(38-133)	(19-150)	(35-150)	(10-130)
600-182324-1	ITC-BB-01-20190321-11	58	43	56	56	67	37
600-182324-2	ITC-BB-02-20190321-11	0 X	0 X	0 X	0 X	0 X	0 X
LCS 600-261030/2-A	Lab Control Sample	58	46	59	61	70	38
LCSD 600-261030/3-A	Lab Control Sample Dup	67	46	59	63	72	41
MB 600-261030/1-A	Method Blank	57	52	59	58	79	41

Surrogate Legend

NBZ = Nitrobenzene-d5
2FP = 2-Fluorophenol
FBP = 2-Fluorobiphenyl
TBP = 2,4,6-Tribromophenol
TPHL = Terphenyl-d14
PHL = Phenol-d5 (Surr)

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-260958/8
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	2.27	U	10.0	2.27	ug/L			03/22/19 13:19	1
Benzene	0.560	U	5.00	0.560	ug/L			03/22/19 13:19	1
Chlorobromomethane	0.810	U	5.00	0.810	ug/L			03/22/19 13:19	1
Bromoform	0.770	U	5.00	0.770	ug/L			03/22/19 13:19	1
Bromomethane	2.15	U	10.0	2.15	ug/L			03/22/19 13:19	1
2-Butanone (MEK)	1.57	U	10.0	1.57	ug/L			03/22/19 13:19	1
Carbon disulfide	1.70	U	10.0	1.70	ug/L			03/22/19 13:19	1
Carbon tetrachloride	0.920	U	5.00	0.920	ug/L			03/22/19 13:19	1
Dibromochloromethane	0.920	U	5.00	0.920	ug/L			03/22/19 13:19	1
Chlorobenzene	0.820	U	5.00	0.820	ug/L			03/22/19 13:19	1
Chloroethane	1.73	U	10.0	1.73	ug/L			03/22/19 13:19	1
Chloroform	0.820	U	10.0	0.820	ug/L			03/22/19 13:19	1
Chloromethane	0.850	U	10.0	0.850	ug/L			03/22/19 13:19	1
1,1-Dichloroethane	0.500	U	5.00	0.500	ug/L			03/22/19 13:19	1
1,2-Dichloroethane	1.01	U	5.00	1.01	ug/L			03/22/19 13:19	1
1,1-Dichloroethene	0.760	U	5.00	0.760	ug/L			03/22/19 13:19	1
cis-1,2-Dichloroethene	0.560	U	5.00	0.560	ug/L			03/22/19 13:19	1
trans-1,2-Dichloroethene	0.880	U	5.00	0.880	ug/L			03/22/19 13:19	1
1,2-Dichloropropane	1.41	U	5.00	1.41	ug/L			03/22/19 13:19	1
cis-1,3-Dichloropropene	0.970	U	5.00	0.970	ug/L			03/22/19 13:19	1
trans-1,3-Dichloropropene	0.590	U	5.00	0.590	ug/L			03/22/19 13:19	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			03/22/19 13:19	1
2-Hexanone	1.42	U	10.0	1.42	ug/L			03/22/19 13:19	1
Methylene Chloride	1.43	U	10.0	1.43	ug/L			03/22/19 13:19	1
4-Methyl-2-pentanone (MIBK)	1.11	U	10.0	1.11	ug/L			03/22/19 13:19	1
Styrene	0.560	U	5.00	0.560	ug/L			03/22/19 13:19	1
1,1,2,2-Tetrachloroethane	0.800	U	5.00	0.800	ug/L			03/22/19 13:19	1
Tetrachloroethene	1.24	U	5.00	1.24	ug/L			03/22/19 13:19	1
Toluene	0.550	U	5.00	0.550	ug/L			03/22/19 13:19	1
1,1,1-Trichloroethane	0.980	U	5.00	0.980	ug/L			03/22/19 13:19	1
1,1,2-Trichloroethane	0.530	U	5.00	0.530	ug/L			03/22/19 13:19	1
Trichloroethene	1.58	U	5.00	1.58	ug/L			03/22/19 13:19	1
Vinyl acetate	0.600	U	10.0	0.600	ug/L			03/22/19 13:19	1
Vinyl chloride	0.850	U	5.00	0.850	ug/L			03/22/19 13:19	1
o-Xylene	0.930	U	5.00	0.930	ug/L			03/22/19 13:19	1
m-Xylene & p-Xylene	1.26	U	5.00	1.26	ug/L			03/22/19 13:19	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			03/22/19 13:19	1
Bromodichloromethane	0.760	U	5.00	0.760	ug/L			03/22/19 13:19	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.04	U	5.00	1.04	ug/L			03/22/19 13:19	1
1,2,4-Trichlorobenzene	0.410	U	5.00	0.410	ug/L			03/22/19 13:19	1
1,2-Dibromo-3-Chloropropane	1.48	U	5.00	1.48	ug/L			03/22/19 13:19	1
1,2-Dichlorobenzene	0.530	U	5.00	0.530	ug/L			03/22/19 13:19	1
1,3-Dichlorobenzene	0.210	U	5.00	0.210	ug/L			03/22/19 13:19	1
1,4-Dichlorobenzene	0.910	U	5.00	0.910	ug/L			03/22/19 13:19	1
Dichlorodifluoromethane	0.760	U	5.00	0.760	ug/L			03/22/19 13:19	1
1,2-Dibromoethane	0.850	U	5.00	0.850	ug/L			03/22/19 13:19	1
Isopropylbenzene	0.620	U	5.00	0.620	ug/L			03/22/19 13:19	1
Methyl tert-butyl ether	0.440	U	5.00	0.440	ug/L			03/22/19 13:19	1

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 600-260958/8
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyclohexane	2.73	U	5.00	2.73	ug/L			03/22/19 13:19	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*70 - 130*		*03/22/19 13:19*	*1*
Dibromofluoromethane	*99*		*62 - 130*		*03/22/19 13:19*	*1*
4-Bromofluorobenzene	*105*		*67 - 139*		*03/22/19 13:19*	*1*
1,2-Dichloroethane-d4 (Surr)	*102*		*50 - 134*		*03/22/19 13:19*	*1*

Lab Sample ID: LCS 600-260958/4
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acetone	100	90.75		ug/L		91	21 - 148
Benzene	50.0	43.33		ug/L		87	70 - 131
Chlorobromomethane	50.0	49.02		ug/L		98	70 - 130
Bromoform	50.0	44.86		ug/L		90	67 - 134
Bromomethane	50.0	48.12		ug/L		96	45 - 150
2-Butanone (MEK)	100	102.4		ug/L		102	34 - 140
Carbon disulfide	50.0	45.71		ug/L		91	60 - 146
Carbon tetrachloride	50.0	42.56		ug/L		85	68 - 140
Dibromochloromethane	50.0	50.26		ug/L		101	70 - 130
Chlorobenzene	50.0	46.44		ug/L		93	70 - 130
Chloroethane	50.0	40.79		ug/L		82	65 - 138
Chloroform	50.0	49.32		ug/L		99	70 - 131
Chloromethane	50.0	49.61		ug/L		99	15 - 150
1,1-Dichloroethane	50.0	46.92		ug/L		94	70 - 137
1,2-Dichloroethane	50.0	54.25		ug/L		108	62 - 144
1,1-Dichloroethene	50.0	46.13		ug/L		92	67 - 134
cis-1,2-Dichloroethene	50.0	43.67		ug/L		87	70 - 130
trans-1,2-Dichloroethene	50.0	40.95		ug/L		82	70 - 130
1,2-Dichloropropane	50.0	47.06		ug/L		94	70 - 133
cis-1,3-Dichloropropene	50.0	43.67		ug/L		87	66 - 130
trans-1,3-Dichloropropene	50.0	47.44		ug/L		95	70 - 138
Ethylbenzene	50.0	47.02		ug/L		94	70 - 130
2-Hexanone	100	103.2		ug/L		103	46 - 139
Methylene Chloride	50.0	42.25		ug/L		85	67 - 130
4-Methyl-2-pentanone (MIBK)	100	94.66		ug/L		95	39 - 150
Styrene	50.0	58.21		ug/L		116	70 - 130
1,1,2,2-Tetrachloroethane	50.0	46.51		ug/L		93	62 - 130
Tetrachloroethene	50.0	38.44		ug/L		77	57 - 130
Toluene	50.0	47.99		ug/L		96	70 - 130
1,1,1-Trichloroethane	50.0	44.04		ug/L		88	67 - 139
1,1,2-Trichloroethane	50.0	45.91		ug/L		92	70 - 130
Trichloroethene	50.0	44.54		ug/L		89	70 - 130
Vinyl acetate	100	132.2		ug/L		132	22 - 150
Vinyl chloride	50.0	51.67		ug/L		103	55 - 150
o-Xylene	50.0	46.12		ug/L		92	69 - 130

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 600-260958/4
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
m-Xylene & p-Xylene	50.0	44.14		ug/L		88	70 - 130
Xylenes, Total	100	90.26		ug/L		90	70 - 130
Bromodichloromethane	50.0	48.80		ug/L		98	70 - 130
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	42.78		ug/L		86	39 - 150
1,2,4-Trichlorobenzene	50.0	42.43		ug/L		85	33 - 144
1,2-Dibromo-3-Chloropropane	50.0	42.83		ug/L		86	39 - 150
1,2-Dichlorobenzene	50.0	44.58		ug/L		89	69 - 130
1,3-Dichlorobenzene	50.0	47.03		ug/L		94	70 - 130
1,4-Dichlorobenzene	50.0	48.41		ug/L		97	70 - 130
Dichlorodifluoromethane	50.0	35.38		ug/L		71	10 - 150
1,2-Dibromoethane	50.0	51.64		ug/L		103	70 - 130
Isopropylbenzene	50.0	41.99		ug/L		84	70 - 130
Methyl tert-butyl ether	50.0	51.04		ug/L		102	63 - 134
Cyclohexane	50.0	35.13		ug/L		70	10 - 150

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*87*		*70 - 130*
Dibromofluoromethane	*106*		*62 - 130*
4-Bromofluorobenzene	*99*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*117*		*50 - 134*

Lab Sample ID: LCSD 600-260958/5
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acetone	100	98.69		ug/L		99	21 - 148	8	20
Benzene	50.0	43.33		ug/L		87	70 - 131	0	20
Chlorobromomethane	50.0	50.03		ug/L		100	70 - 130	2	20
Bromoform	50.0	46.26		ug/L		93	67 - 134	3	20
Bromomethane	50.0	44.34		ug/L		89	45 - 150	8	20
2-Butanone (MEK)	100	111.7		ug/L		112	34 - 140	9	20
Carbon disulfide	50.0	42.35		ug/L		85	60 - 146	8	20
Carbon tetrachloride	50.0	39.79		ug/L		80	68 - 140	7	20
Dibromochloromethane	50.0	50.75		ug/L		102	70 - 130	1	20
Chlorobenzene	50.0	45.59		ug/L		91	70 - 130	2	20
Chloroethane	50.0	38.14		ug/L		76	65 - 138	7	20
Chloroform	50.0	49.04		ug/L		98	70 - 131	1	20
Chloromethane	50.0	45.88		ug/L		92	15 - 150	8	20
1,1-Dichloroethane	50.0	46.27		ug/L		93	70 - 137	1	20
1,2-Dichloroethane	50.0	54.96		ug/L		110	62 - 144	1	20
1,1-Dichloroethene	50.0	41.83		ug/L		84	67 - 134	10	20
cis-1,2-Dichloroethene	50.0	43.95		ug/L		88	70 - 130	1	20
trans-1,2-Dichloroethene	50.0	40.22		ug/L		80	70 - 130	2	20
1,2-Dichloropropane	50.0	47.14		ug/L		94	70 - 133	0	20
cis-1,3-Dichloropropene	50.0	44.07		ug/L		88	66 - 130	1	20
trans-1,3-Dichloropropene	50.0	48.02		ug/L		96	70 - 138	1	20

Preliminary Data

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 600-260958/5
Matrix: Water
Analysis Batch: 260958

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethylbenzene	50.0	45.68		ug/L		91	70 - 130	3	20
2-Hexanone	100	111.1		ug/L		111	46 - 139	7	20
Methylene Chloride	50.0	42.41		ug/L		85	67 - 130	0	20
4-Methyl-2-pentanone (MIBK)	100	100.6		ug/L		101	39 - 150	6	20
Styrene	50.0	57.00		ug/L		114	70 - 130	2	20
1,1,2,2-Tetrachloroethane	50.0	47.72		ug/L		95	62 - 130	3	20
Tetrachloroethene	50.0	36.95		ug/L		74	57 - 130	4	20
Toluene	50.0	48.13		ug/L		96	70 - 130	0	20
1,1,1-Trichloroethane	50.0	41.19		ug/L		82	67 - 139	7	20
1,1,2-Trichloroethane	50.0	46.98		ug/L		94	70 - 130	2	20
Trichloroethene	50.0	43.23		ug/L		86	70 - 130	3	20
Vinyl acetate	100	135.2		ug/L		135	22 - 150	2	20
Vinyl chloride	50.0	47.43		ug/L		95	55 - 150	9	20
o-Xylene	50.0	44.38		ug/L		89	69 - 130	4	20
m-Xylene & p-Xylene	50.0	42.66		ug/L		85	70 - 130	3	20
Xylenes, Total	100	87.04		ug/L		87	70 - 130	4	20
Bromodichloromethane	50.0	49.77		ug/L		100	70 - 130	2	20
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	38.01		ug/L		76	39 - 150	12	20
1,2,4-Trichlorobenzene	50.0	45.47		ug/L		91	33 - 144	7	20
1,2-Dibromo-3-Chloropropane	50.0	48.71		ug/L		97	39 - 150	13	20
1,2-Dichlorobenzene	50.0	45.60		ug/L		91	69 - 130	2	20
1,3-Dichlorobenzene	50.0	45.00		ug/L		90	70 - 130	4	20
1,4-Dichlorobenzene	50.0	46.24		ug/L		92	70 - 130	5	20
Dichlorodifluoromethane	50.0	30.00		ug/L		60	10 - 150	16	20
1,2-Dibromoethane	50.0	52.14		ug/L		104	70 - 130	1	20
Isopropylbenzene	50.0	41.01		ug/L		82	70 - 130	2	20
Methyl tert-butyl ether	50.0	51.98		ug/L		104	63 - 134	2	20
Cyclohexane	50.0	32.89		ug/L		66	10 - 150	7	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*86*		*70 - 130*
Dibromofluoromethane	*107*		*62 - 130*
4-Bromofluorobenzene	*96*		*67 - 139*
1,2-Dichloroethane-d4 (Surr)	*119*		*50 - 134*

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)

Lab Sample ID: MB 600-261030/1-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261030

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	2.27	U	10.0	2.27	ug/L		03/23/19 08:39	03/23/19 18:41	1
Acenaphthylene	2.29	U	10.0	2.29	ug/L		03/23/19 08:39	03/23/19 18:41	1
Anthracene	2.49	U	10.0	2.49	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[a]anthracene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[b]fluoranthene	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 18:41	1

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: MB 600-261030/1-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 261030

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	2.99	U	10.0	2.99	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[g,h,i]perylene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Benzo[a]pyrene	2.46	U	10.0	2.46	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-chloroethoxy)methane	2.91	U	10.0	2.91	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-chloroethyl)ether	2.63	U	10.0	2.63	ug/L		03/23/19 08:39	03/23/19 18:41	1
Bis(2-ethylhexyl) phthalate	2.26	U	10.0	2.26	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Bromophenyl phenyl ether	2.50	U	10.0	2.50	ug/L		03/23/19 08:39	03/23/19 18:41	1
Butyl benzyl phthalate	2.36	U	10.0	2.36	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chloroaniline	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Chloronaphthalene	2.81	U	10.0	2.81	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chlorophenyl phenyl ether	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
Carbazole	2.97	U	10.0	2.97	ug/L		03/23/19 08:39	03/23/19 18:41	1
Chrysene	2.06	U	10.0	2.06	ug/L		03/23/19 08:39	03/23/19 18:41	1
Di-n-butyl phthalate	2.09	U	10.0	2.09	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dibenz(a,h)anthracene	2.48	U	10.0	2.48	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dibenzofuran	2.28	U	10.0	2.28	ug/L		03/23/19 08:39	03/23/19 18:41	1
3,3'-Dichlorobenzidine	2.37	U	20.0	2.37	ug/L		03/23/19 08:39	03/23/19 18:41	1
Diethyl phthalate	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 18:41	1
Dimethyl phthalate	2.47	U	10.0	2.47	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dinitrotoluene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,6-Dinitrotoluene	2.79	U	10.0	2.79	ug/L		03/23/19 08:39	03/23/19 18:41	1
Di-n-octyl phthalate	1.87	U	10.0	1.87	ug/L		03/23/19 08:39	03/23/19 18:41	1
Fluoranthene	2.44	U	10.0	2.44	ug/L		03/23/19 08:39	03/23/19 18:41	1
Fluorene	2.11	U	10.0	2.11	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorobenzene	3.28	U	10.0	3.28	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorocyclopentadiene	2.32	U	10.0	2.32	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachloroethane	3.29	U	10.0	3.29	ug/L		03/23/19 08:39	03/23/19 18:41	1
Hexachlorobutadiene	2.57	U	10.0	2.57	ug/L		03/23/19 08:39	03/23/19 18:41	1
Indeno[1,2,3-cd]pyrene	3.09	U	10.0	3.09	ug/L		03/23/19 08:39	03/23/19 18:41	1
Isophorone	2.64	U	10.0	2.64	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Methylnaphthalene	2.58	U	10.0	2.58	ug/L		03/23/19 08:39	03/23/19 18:41	1
Naphthalene	2.20	U	10.0	2.20	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Nitroaniline	3.80	U	50.0	3.80	ug/L		03/23/19 08:39	03/23/19 18:41	1
3-Nitroaniline	1.85	U	50.0	1.85	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Nitroaniline	2.34	U	10.0	2.34	ug/L		03/23/19 08:39	03/23/19 18:41	1
Nitrobenzene	2.59	U	10.0	2.59	ug/L		03/23/19 08:39	03/23/19 18:41	1
N-Nitrosodiphenylamine	2.01	U	10.0	2.01	ug/L		03/23/19 08:39	03/23/19 18:41	1
N-Nitrosodi-n-propylamine	3.19	U	10.0	3.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
Phenanthrene	2.24	U	10.0	2.24	ug/L		03/23/19 08:39	03/23/19 18:41	1
Pyrene	3.00	U	10.0	3.00	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Chloro-3-methylphenol	1.97	U	10.0	1.97	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Chlorophenol	2.19	U	10.0	2.19	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Methylphenol	1.42	U	10.0	1.42	ug/L		03/23/19 08:39	03/23/19 18:41	1
3 & 4 Methylphenol	1.35	U	20.0	1.35	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dichlorophenol	2.16	U	10.0	2.16	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4-Dimethylphenol	1.94	U	10.0	1.94	ug/L		03/23/19 08:39	03/23/19 18:41	1
4,6-Dinitro-2-methylphenol	3.36	U	50.0	3.36	ug/L		03/23/19 08:39	03/23/19 18:41	1

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: MB 600-261030/1-A — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261046 — **Prep Batch: 261030**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dinitrophenol	5.46	U	50.0	5.46	ug/L		03/23/19 08:39	03/23/19 18:41	1
2-Nitrophenol	2.10	U	10.0	2.10	ug/L		03/23/19 08:39	03/23/19 18:41	1
4-Nitrophenol	4.771	J	50.0	2.80	ug/L		03/23/19 08:39	03/23/19 18:41	1
Pentachlorophenol	3.15	U	50.0	3.15	ug/L		03/23/19 08:39	03/23/19 18:41	1
Phenol	1.25	U	10.0	1.25	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4,5-Trichlorophenol	4.20	U	10.0	4.20	ug/L		03/23/19 08:39	03/23/19 18:41	1
2,4,6-Trichlorophenol	3.32	U	10.0	3.32	ug/L		03/23/19 08:39	03/23/19 18:41	1
bis (2-Chloroisopropyl) ether	2.92	U	10.0	2.92	ug/L		03/23/19 08:39	03/23/19 18:41	1
1,1'-Biphenyl	2.68	U	10.0	2.68	ug/L		03/23/19 08:39	03/23/19 18:41	1
Acetophenone	2.42	U	10.0	2.42	ug/L		03/23/19 08:39	03/23/19 18:41	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Nitrobenzene-d5	*57*		*24 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2-Fluorophenol	*52*		*10 - 130*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2-Fluorobiphenyl	*59*		*38 - 133*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
2,4,6-Tribromophenol	*58*		*19 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
Terphenyl-d14	*79*		*35 - 150*	*03/23/19 08:39*	*03/23/19 18:41*	*1*
Phenol-d5 (Surr)	*41*		*10 - 130*	*03/23/19 08:39*	*03/23/19 18:41*	*1*

Lab Sample ID: LCS 600-261030/2-A — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261046 — **Prep Batch: 261030**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Acenaphthene	40.0	23.26		ug/L		58	42 - 130
Acenaphthylene	40.0	22.07		ug/L		55	41 - 130
Anthracene	40.0	27.51		ug/L		69	48 - 130
Benzo[a]anthracene	40.0	29.60		ug/L		74	47 - 130
Benzo[b]fluoranthene	40.0	25.43		ug/L		64	47 - 130
Benzo[k]fluoranthene	40.0	28.02		ug/L		70	44 - 131
Benzo[g,h,i]perylene	40.0	33.30		ug/L		83	42 - 138
Benzo[a]pyrene	40.0	29.23		ug/L		73	52 - 130
Bis(2-chloroethoxy)methane	40.0	22.92		ug/L		57	42 - 130
Bis(2-chloroethyl)ether	40.0	22.53		ug/L		56	35 - 130
Bis(2-ethylhexyl) phthalate	40.0	28.19		ug/L		70	34 - 139
4-Bromophenyl phenyl ether	40.0	26.65		ug/L		67	44 - 130
Butyl benzyl phthalate	40.0	26.61		ug/L		67	22 - 150
4-Chloroaniline	40.0	21.54		ug/L		54	19 - 130
2-Chloronaphthalene	40.0	22.09		ug/L		55	39 - 130
4-Chlorophenyl phenyl ether	40.0	24.30		ug/L		61	37 - 130
Carbazole	40.0	28.59		ug/L		71	49 - 130
Chrysene	40.0	29.99		ug/L		75	46 - 130
Di-n-butyl phthalate	40.0	28.38		ug/L		71	50 - 130
Dibenz(a,h)anthracene	40.0	32.20		ug/L		81	46 - 132
Dibenzofuran	40.0	23.14		ug/L		58	42 - 130
3,3'-Dichlorobenzidine	40.0	33.88		ug/L		85	10 - 150
Diethyl phthalate	40.0	23.01		ug/L		58	42 - 130

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCS 600-261030/2-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261030

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dimethyl phthalate	40.0	22.27		ug/L		56	43 - 130
2,4-Dinitrotoluene	40.0	22.84		ug/L		57	48 - 130
2,6-Dinitrotoluene	40.0	23.03		ug/L		58	43 - 130
Di-n-octyl phthalate	40.0	28.66		ug/L		72	40 - 132
Fluoranthene	40.0	28.71		ug/L		72	52 - 130
Fluorene	40.0	23.20		ug/L		58	39 - 130
Hexachlorobenzene	40.0	27.29		ug/L		68	45 - 130
Hexachlorocyclopentadiene	40.0	20.08		ug/L		50	14 - 130
Hexachloroethane	40.0	21.89		ug/L		55	37 - 130
Hexachlorobutadiene	40.0	25.16		ug/L		63	35 - 130
Indeno[1,2,3-cd]pyrene	40.0	34.22		ug/L		86	38 - 132
Isophorone	40.0	22.92		ug/L		57	39 - 130
2-Methylnaphthalene	40.0	24.67		ug/L		62	40 - 130
Naphthalene	40.0	25.37		ug/L		63	41 - 130
2-Nitroaniline	40.0	18.48	J	ug/L		46	39 - 130
3-Nitroaniline	40.0	19.93	J	ug/L		50	33 - 130
4-Nitroaniline	40.0	25.57		ug/L		64	37 - 130
Nitrobenzene	40.0	22.95		ug/L		57	44 - 130
N-Nitrosodiphenylamine	40.0	26.98		ug/L		67	30 - 134
N-Nitrosodi-n-propylamine	40.0	23.18		ug/L		58	37 - 130
Phenanthrene	40.0	25.77		ug/L		64	47 - 130
Pyrene	40.0	27.71		ug/L		69	41 - 130
4-Chloro-3-methylphenol	40.0	22.92		ug/L		57	43 - 130
2-Chlorophenol	40.0	24.23		ug/L		61	36 - 130
2-Methylphenol	40.0	24.82		ug/L		62	37 - 130
3 & 4 Methylphenol	40.0	22.90		ug/L		57	39 - 130
2,4-Dichlorophenol	40.0	24.81		ug/L		62	41 - 130
2,4-Dimethylphenol	40.0	22.98		ug/L		57	32 - 130
4,6-Dinitro-2-methylphenol	80.0	57.89		ug/L		72	49 - 130
2,4-Dinitrophenol	80.0	45.12	J	ug/L		56	34 - 130
2-Nitrophenol	40.0	24.59		ug/L		61	43 - 130
4-Nitrophenol	80.0	28.95	J	ug/L		36	10 - 133
Pentachlorophenol	80.0	54.60		ug/L		68	34 - 130
Phenol	40.0	16.62		ug/L		42	21 - 130
2,4,5-Trichlorophenol	40.0	21.67		ug/L		54	39 - 130
2,4,6-Trichlorophenol	40.0	23.58		ug/L		59	36 - 130
bis (2-Chloroisopropyl) ether	40.0	12.51		ug/L		31	29 - 130
1,1'-Biphenyl	40.0	23.27		ug/L		58	37 - 130
Acetophenone	40.0	24.69		ug/L		62	39 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Nitrobenzene-d5	*58*		*24 - 150*
2-Fluorophenol	*46*		*10 - 130*
2-Fluorobiphenyl	*59*		*38 - 133*
2,4,6-Tribromophenol	*61*		*19 - 150*
Terphenyl-d14	*70*		*35 - 150*

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCS 600-261030/2-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 261030

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Phenol-d5 (Surr)	38		10 - 130

Lab Sample ID: LCSD 600-261030/3-A
Matrix: Water
Analysis Batch: 261046

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 261030

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Acenaphthene			40.0	25.15		ug/L		63	42 - 130	8	20
Acenaphthylene			40.0	23.81		ug/L		60	41 - 130	8	20
Anthracene			40.0	30.04		ug/L		75	48 - 130	9	20
Benzo[a]anthracene			40.0	31.18		ug/L		78	47 - 130	5	20
Benzo[b]fluoranthene			40.0	27.00		ug/L		68	47 - 130	6	20
Benzo[k]fluoranthene			40.0	32.29		ug/L		81	44 - 131	14	20
Benzo[g,h,i]perylene			40.0	33.32		ug/L		83	42 - 138	0	20
Benzo[a]pyrene			40.0	30.82		ug/L		77	52 - 130	5	20
Bis(2-chloroethoxy)methane			40.0	27.09		ug/L		68	42 - 130	17	20
Bis(2-chloroethyl)ether			40.0	27.78	*	ug/L		69	35 - 130	21	20
Bis(2-ethylhexyl) phthalate			40.0	30.09		ug/L		75	34 - 139	7	20
4-Bromophenyl phenyl ether			40.0	28.02		ug/L		70	44 - 130	5	20
Butyl benzyl phthalate			40.0	29.52		ug/L		74	22 - 150	10	20
4-Chloroaniline			40.0	23.86		ug/L		60	19 - 130	10	20
2-Chloronaphthalene			40.0	23.84		ug/L		60	39 - 130	8	20
4-Chlorophenyl phenyl ether			40.0	25.98		ug/L		65	37 - 130	7	20
Carbazole			40.0	28.30		ug/L		71	49 - 130	1	20
Chrysene			40.0	31.43		ug/L		79	46 - 130	5	20
Di-n-butyl phthalate			40.0	31.88		ug/L		80	50 - 130	12	20
Dibenz(a,h)anthracene			40.0	32.69		ug/L		82	46 - 132	1	20
Dibenzofuran			40.0	24.75		ug/L		62	42 - 130	7	20
3,3'-Dichlorobenzidine			40.0	30.76		ug/L		77	10 - 150	10	40
Diethyl phthalate			40.0	25.96		ug/L		65	42 - 130	12	20
Dimethyl phthalate			40.0	25.43		ug/L		64	43 - 130	13	20
2,4-Dinitrotoluene			40.0	26.18		ug/L		65	48 - 130	14	20
2,6-Dinitrotoluene			40.0	24.72		ug/L		62	43 - 130	7	20
Di-n-octyl phthalate			40.0	30.18		ug/L		75	40 - 132	5	20
Fluoranthene			40.0	30.90		ug/L		77	52 - 130	7	20
Fluorene			40.0	25.38		ug/L		63	39 - 130	9	20
Hexachlorobenzene			40.0	28.58		ug/L		71	45 - 130	5	20
Hexachlorocyclopentadiene			40.0	21.24		ug/L		53	14 - 130	6	20
Hexachloroethane			40.0	26.50		ug/L		66	37 - 130	19	20
Hexachlorobutadiene			40.0	26.68		ug/L		67	35 - 130	6	20
Indeno[1,2,3-cd]pyrene			40.0	31.09		ug/L		78	38 - 132	10	20
Isophorone			40.0	28.24	*	ug/L		71	39 - 130	21	20
2-Methylnaphthalene			40.0	27.16		ug/L		68	40 - 130	10	20
Naphthalene			40.0	28.28		ug/L		71	41 - 130	11	20
2-Nitroaniline			40.0	24.02	J *	ug/L		60	39 - 130	26	20
3-Nitroaniline			40.0	22.48	J	ug/L		56	33 - 130	12	20
4-Nitroaniline			40.0	27.00		ug/L		68	37 - 130	5	20

Preliminary Data

Method: 8270C - Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS) (Continued)

Lab Sample ID: LCSD 600-261030/3-A — **Client Sample ID: Lab Control Sample Dup**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 261046 — **Prep Batch: 261030**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrobenzene	40.0	26.71		ug/L		67	44 - 130	15	20
N-Nitrosodiphenylamine	40.0	28.80		ug/L		72	30 - 134	7	20
N-Nitrosodi-n-propylamine	40.0	28.34		ug/L		71	37 - 130	20	20
Phenanthrene	40.0	27.85		ug/L		70	47 - 130	8	20
Pyrene	40.0	29.58		ug/L		74	41 - 130	7	40
4-Chloro-3-methylphenol	40.0	26.58		ug/L		66	43 - 130	15	20
2-Chlorophenol	40.0	27.48		ug/L		69	36 - 130	13	20
2-Methylphenol	40.0	27.96		ug/L		70	37 - 130	12	20
3 & 4 Methylphenol	40.0	25.91		ug/L		65	39 - 130	12	20
2,4-Dichlorophenol	40.0	27.09		ug/L		68	41 - 130	9	20
2,4-Dimethylphenol	40.0	26.77		ug/L		67	32 - 130	15	20
4,6-Dinitro-2-methylphenol	80.0	59.41		ug/L		74	49 - 130	3	20
2,4-Dinitrophenol	80.0	47.08	J	ug/L		59	34 - 130	4	20
2-Nitrophenol	40.0	27.03		ug/L		68	43 - 130	9	20
4-Nitrophenol	80.0	32.98	J	ug/L		41	10 - 133	13	20
Pentachlorophenol	80.0	57.62		ug/L		72	34 - 130	5	20
Phenol	40.0	18.63		ug/L		47	21 - 130	11	20
2,4,5-Trichlorophenol	40.0	25.50		ug/L		64	39 - 130	16	20
2,4,6-Trichlorophenol	40.0	25.31		ug/L		63	36 - 130	7	20
bis (2-Chloroisopropyl) ether	40.0	16.38	*	ug/L		41	29 - 130	27	20
1,1'-Biphenyl	40.0	25.06		ug/L		63	37 - 130	7	20
Acetophenone	40.0	27.29		ug/L		68	39 - 130	10	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Nitrobenzene-d5	*67*		*24 - 150*
2-Fluorophenol	*46*		*10 - 130*
2-Fluorobiphenyl	*59*		*38 - 133*
2,4,6-Tribromophenol	*63*		*19 - 150*
Terphenyl-d14	*72*		*35 - 150*
Phenol-d5 (Surr)	*41*		*10 - 130*

Method: 1664A - HEM and SGT-HEM by Extraction and Gravimetry

Lab Sample ID: MB 600-260994/1-A — **Client Sample ID: Method Blank**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 260995 — **Prep Batch: 260994**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil & Grease (HEM)	1.0	U	3.0	1.0	mg/L		03/22/19 13:24	03/22/19 13:25	1

Lab Sample ID: LCS 600-260994/2-B — **Client Sample ID: Lab Control Sample**
Matrix: Water — **Prep Type: Total/NA**
Analysis Batch: 260995 — **Prep Batch: 260994**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Oil & Grease (HEM)	40.0	35.70		mg/L		89	78 - 114

Preliminary Data

QC Sample Results

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Method: 8000 - Chemical Oxygen Demand (COD) Colorimetric

Lab Sample ID: MB 600-261023/3
Matrix: Water
Analysis Batch: 261023

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chemical Oxygen Demand	2.46	U	10.0	2.46	mg/L			03/22/19 18:58	1

Lab Sample ID: LCS 600-261023/4
Matrix: Water
Analysis Batch: 261023

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chemical Oxygen Demand	75.0	71.14		mg/L		95	90 - 110

Preliminary Data

QC Association Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

GC/MS VOA

Analysis Batch: 260958

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	8260B	
600-182324-2	ITC-BB-02-20190321-11	Total/NA	Water	8260B	
600-182324-3	ITC-BB-03-20190321-11	Total/NA	Water	8260B	
600-182324-4	ITC-BB-04-20190321-11	Total/NA	Water	8260B	
600-182324-5	ITC-BB-05-20190321-11	Total/NA	Water	8260B	
600-182324-6	ITC-TB-02-20190321-11	Total/NA	Water	8260B	
MB 600-260958/8	Method Blank	Total/NA	Water	8260B	
LCS 600-260958/4	Lab Control Sample	Total/NA	Water	8260B	
LCSD 600-260958/5	Lab Control Sample Dup	Total/NA	Water	8260B	

GC/MS Semi VOA

Prep Batch: 261030

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	3510C LVI	
600-182324-2	ITC-BB-02-20190321-11	Total/NA	Water	3510C LVI	
MB 600-261030/1-A	Method Blank	Total/NA	Water	3510C LVI	
LCS 600-261030/2-A	Lab Control Sample	Total/NA	Water	3510C LVI	
LCSD 600-261030/3-A	Lab Control Sample Dup	Total/NA	Water	3510C LVI	

Analysis Batch: 261046

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	8270C	261030
600-182324-2	ITC-BB-02-20190321-11	Total/NA	Water	8270C	261030
MB 600-261030/1-A	Method Blank	Total/NA	Water	8270C	261030
LCS 600-261030/2-A	Lab Control Sample	Total/NA	Water	8270C	261030
LCSD 600-261030/3-A	Lab Control Sample Dup	Total/NA	Water	8270C	261030

General Chemistry

Prep Batch: 260994

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	1664A	
600-182324-2	ITC-BB-02-20190321-11	Total/NA	Water	1664A	
MB 600-260994/1-A	Method Blank	Total/NA	Water	1664A	
LCS 600-260994/2-B	Lab Control Sample	Total/NA	Water	1664A	

Analysis Batch: 260995

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	1664A	260994
600-182324-2	ITC-BB-02-20190321-11	Total/NA	Water	1664A	260994
MB 600-260994/1-A	Method Blank	Total/NA	Water	1664A	260994
LCS 600-260994/2-B	Lab Control Sample	Total/NA	Water	1664A	260994

Analysis Batch: 261023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-182324-1	ITC-BB-01-20190321-11	Total/NA	Water	8000	
MB 600-261023/3	Method Blank	Total/NA	Water	8000	
LCS 600-261023/4	Lab Control Sample	Total/NA	Water	8000	

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-BB-01-20190321-11 — Lab Sample ID: 600-182324-1

Date Collected: 03/21/19 13:40 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	260958	03/22/19 14:07	DT1	TAL HOU
Total/NA	Prep	3510C LVI			235 mL	1 mL	261030	03/23/19 08:39	ARS	TAL HOU
Total/NA	Analysis	8270C		1			261046	03/23/19 22:10	TTD	TAL HOU
Total/NA	Prep	1664A			1000 mL	1000 mL	260994	03/22/19 13:24	FNC	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	260995	03/22/19 13:25	FNC	TAL HOU
Total/NA	Analysis	8000		1	2 mL	2 mL	261023	03/22/19 18:58	DTN	TAL HOU

Client Sample ID: ITC-BB-02-20190321-11 — Lab Sample ID: 600-182324-2

Date Collected: 03/21/19 13:15 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		20	5 mL	5 mL	260958	03/22/19 15:43	DT1	TAL HOU
Total/NA	Prep	3510C LVI			235 mL	16 mL	261030	03/23/19 08:39	ARS	TAL HOU
Total/NA	Analysis	8270C		50			261046	03/23/19 22:33	TTD	TAL HOU
Total/NA	Prep	1664A			1000 mL	1000 mL	260994	03/22/19 13:24	FNC	TAL HOU
Total/NA	Analysis	1664A		1	1000 mL	1000 mL	260995	03/22/19 13:25	FNC	TAL HOU

Client Sample ID: ITC-BB-03-20190321-11 — Lab Sample ID: 600-182324-3

Date Collected: 03/21/19 12:35 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	260958	03/22/19 14:31	DT1	TAL HOU

Client Sample ID: ITC-BB-04-20190321-11 — Lab Sample ID: 600-182324-4

Date Collected: 03/21/19 12:20 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	260958	03/22/19 14:55	DT1	TAL HOU

Client Sample ID: ITC-BB-05-20190321-11 — Lab Sample ID: 600-182324-5

Date Collected: 03/21/19 12:00 — **Matrix: Water**
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	260958	03/22/19 15:19	DT1	TAL HOU

Preliminary Data

Lab Chronicle

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Client Sample ID: ITC-TB-02-20190321-11

Lab Sample ID: 600-182324-6

Date Collected: 03/21/19 11:10
Matrix: Water
Date Received: 03/22/19 07:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260B		1	5 mL	5 mL	260958	03/22/19 13:43	DT1	TAL HOU

Laboratory References:

TAL HOU = TestAmerica Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Preliminary Data

Accreditation/Certification Summary

Client: Weston Solutions, Inc.
Project/Site: Deer Park Water Samples

TestAmerica Job ID: 600-182324-1

Laboratory: TestAmerica Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
Texas	NELAP	6	T104704223-18-23	10-31-19

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Water	Cyclohexane
8270C	3510C LVI	Water	1,1'-Biphenyl
8270C	3510C LVI	Water	3 & 4 Methylphenol

Preliminary Data

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-083656-0002
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
✓	ITC-BB-01-20190321-11	BB-01	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	13:40	1	500mL poly	6C H2SO4	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	13:40	2	1L Amber	6C HCL	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 8270 - SVOCs	Surface Water	3/21/2019	13:40	2	250mL Amber	6C	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 8260 - VOCs	Surface Water	3/21/2019	13:40	3	40mL VOA	6C HCl	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	13:15	1	500mL poly	6C H2SO4	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	13:15	2	1L Amber	6C HCL	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 8270 - SVOCs	Surface Water	3/21/2019	13:15	2	250mL Amber	6C	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 8260 - VOCs	Surface Water	3/21/2019	13:15	3	40mL VOA	6C HCl	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 8260 - VOCs	Surface Water	3/21/2019	12:35	3	40mL VOA	6C HCl	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 8260 - VOCs	Surface Water	3/21/2019	12:20	3	40mL VOA	6C HCl	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	Weston	3/22/19 0718		3-22-19/0717	

600-182324 Chain of Custody

Preliminary Data

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-083656-0002
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-05-20190321-11	BB-05	EPA 8260 - VOCs	Surface Water	3/21/2019	12:00	3	40mL VOA	6C HCl	N
	ITC-TB-02-20190321-11	FieldQC	EPA 8260 - VOCs	Surface Water	~~3/20/2019~~ 3/21/2019	11:10	3	40mL VOA	6C HCl	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	D [illegible] Weston	3/22/19 0718	[illegible]	3-22-19/0717	

Preliminary Data

TestAmerica Houston

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sa Loc: 600 ipt Checklist
182324

Date/Time Received: '19 MAR 22 7:17

JOB NUMBER: ____ CLIENT: Weston

UNPACKED BY: J.S. CARRIER/DRIVER: Client

Custody Seal Present: ☐ YES ☑ NO Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
BW	Y / (N)	(Y) / N	3.0	IR678	+0.1	3.1
	~~Y / N~~	~~Y / N~~				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	~~Y / N~~	J.S. 3-22-19			
	~~Y / N~~	Y / N				
	Y / N	Y / N				
	~~Y / N~~	~~Y / N~~				
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☑ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☑ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot # ____

VOA headspace acceptable (5-6mm): ☑ YES ☐ NO ☐ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☑	

COMMENTS:

J.S. 3-22-19

Preliminary Data

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-083656-0002
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
✓	ITC-BB-01-20190321-11	BB-01	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	13:40	1	500mL poly	6C H2SO4	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	13:40	2	1L Amber	6C HCL	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 8270 - SVOCs	Surface Water	3/21/2019	13:40	2	250mL Amber	6C	N
✓	ITC-BB-01-20190321-11	BB-01	EPA 8260 - VOCs	Surface Water	3/21/2019	13:40	3	40mL VOA	6C HCl	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 410.4 - Chemical Oxygen Demand	Surface Water	3/21/2019	13:15	1	500mL poly	6C H2SO4	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 1664 - Oil and Grease	Surface Water	3/21/2019	13:15	2	1L Amber	6C HCL	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 8270 - SVOCs	Surface Water	3/21/2019	13:15	2	250mL Amber	6C	N
✓	ITC-BB-02-20190321-11	BB-02	EPA 8260 - VOCs	Surface Water	3/21/2019	13:15	3	40mL VOA	6C HCl	N
✓	ITC-BB-03-20190321-11	BB-03	EPA 8260 - VOCs	Surface Water	3/21/2019	12:35	3	40mL VOA	6C HCl	N
✓	ITC-BB-04-20190321-11	BB-04	EPA 8260 - VOCs	Surface Water	3/21/2019	12:20	3	40mL VOA	6C HCl	N

Special Instructions: Fastest Available TAT	SAMPLES TRANSFERRED FROM CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	Weston	3/22/19 ~~0718~~ 0717		3-22-19/0717	

600-182324 Chain of Custody

Preliminary Data

USEPA
DateShipped: 3/21/2019
CarrierName: START
AirbillNo: NA

CHAIN OF CUSTODY RECORD
ITC Tank Fire
Contact Name: Jeff Wright
Contact Phone: 225-278-8406

No: 6-032119-083656-0002
Cooler #: 1
Lab: TestAmerica - Houston
Lab Phone: 713-690-4444

Lab #	Sample #	Location	Analyses	Matrix	Collected	Sample Time	Numb Cont	Container	Preservative	Lab QC
	ITC-BB-05-20190321-11	BB-05	EPA 8260 - VOCs	Surface Water	3/21/2019	12:00	3	40mL VOA	6C HCl	N
	ITC-TB-02-20190321-11	FieldQC	EPA 8260 - VOCs	Surface Water	~~3/20/2019~~ 3/21/2019	11:10	3	40mL VOA	6C HCl	N

Special Instructions: Fastest Available TAT

SAMPLES TRANSFERRED FROM
CHAIN OF CUSTODY #

Items/Reason	Relinquished by (Signature and Organization)	Date/Time	Received by (Signature and Organization)	Date/Time	Sample Condition Upon Receipt
Samples Analysis	Weston	3/22/19 ~~0717~~ 0717		3-22-19/0717	

Preliminary Data

TestAmerica Houston

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

Sa Loc: 600 ipt Checklist
182324

Date/Time Received: '19 MAR 22 7:17

JOB NUMBER: _____ CLIENT: Weston

UNPACKED BY: J.L. CARRIER/DRIVER: Client

Custody Seal Present: ☐ YES ☑ NO Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Them CF	Corrected Temp (°C)
BW	Y / N	Y / N	3.0	IR67B	+0.1	3.1
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				

J.L. 3-22-19

CF = correction factor

Samples received on ice? ☑ YES ☐ NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☑ NO ☐ YES

Base samples are>pH 12: ☐ YES ☐ NO Acid preserved are<pH 2: ☐ YES ☐ NO

pH paper Lot # _____

VOA headspace acceptable (5-6mm): ☑ YES ☐ NO ☐ NA

	YES	NO
Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	✓	

COMMENTS:

J.L. 3-22-19

Preliminary Data

Login Sample Receipt Checklist

Client: Weston Solutions, Inc.

Job Number: 600-182324-1

Login Number: 182324
List Number: 1
Creator: Snow, Tiffany B

List Source: TestAmerica Houston

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Preliminary Data

Samp No	CLP Sample No	Lab Location ID	Matrix	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume Unit	Final Volume	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		67-64-1	Acetone	N	2.27 U	U		ug/L	2.27	ug/L	2.27 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		71-43-2	Benzene	N	0.56 U	U		ug/L	0.56	ug/L	0.56 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		74-97-5	Chlorobromomethane	N	0.81 U	U		ug/L	0.81	ug/L	0.81 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-25-2	Bromoform	N	0.77 U	U		ug/L	0.77	ug/L	0.77 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		74-83-9	Bromomethane	N	2.15 U	U		ug/L	2.15	ug/L	2.15 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		78-93-3	2-Butanone (MEK)	N	1.57 U	U		ug/L	1.57	ug/L	1.57 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-15-0	Carbon disulfide	N	1.7 U	U		ug/L	1.7	ug/L	1.7 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		56-23-5	Carbon tetrachloride	N	0.92 U	U		ug/L	0.92	ug/L	0.92 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		124-48-1	Dibromochloromethane	N	0.92 U	U		ug/L	0.92	ug/L	0.92 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		108-90-7	Chlorobenzene	N	0.82 U	U		ug/L	0.82	ug/L	0.82 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-00-3	Chloroethane	N	1.73 U	U		ug/L	1.73	ug/L	1.73 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		67-66-3	Chloroform	Y	0.839 J	J		ug/L	0.82	ug/L	0.82 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		74-87-3	Chloromethane	N	0.85 U	U		ug/L	0.85	ug/L	0.85 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-34-3	1,1-Dichloroethane	N	0.5 U	U		ug/L	0.5	ug/L	0.5 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		107-06-2	1,2-Dichloroethane	N	1.01 U	U		ug/L	1.01	ug/L	1.01 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-35-4	1,1-Dichloroethene	N	0.76 U	U		ug/L	0.76	ug/L	0.76 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		156-59-2	cis-1,2-Dichloroethene	N	0.56 U	U		ug/L	0.56	ug/L	0.56 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		156-60-5	trans-1,2-Dichloroethene	N	0.88 U	U		ug/L	0.88	ug/L	0.88 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		78-87-5	1,2-Dichloropropane	N	1.41 U	U		ug/L	1.41	ug/L	1.41 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		10061-01-5	cis-1,3-Dichloropropene	N	0.97 U	U		ug/L	0.97	ug/L	0.97 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		10061-02-6	trans-1,3-Dichloropropene	N	0.59 U	U		ug/L	0.59	ug/L	0.59 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		100-41-4	Ethylbenzene	N	1.29 U	U		ug/L	1.29	ug/L	1.29 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		591-78-6	2-Hexanone	N	1.42 U	U		ug/L	1.42	ug/L	1.42 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-09-2	Methylene Chloride	N	1.43 U	U		ug/L	1.43	ug/L	1.43 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		108-10-1	4-Methyl-2-pentanone (MIBK)	N	1.11 U	U		ug/L	1.11	ug/L	1.11 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		100-42-5	Styrene	N	0.56 U	U		ug/L	0.56	ug/L	0.56 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		79-34-5	1,1,2,2-Tetrachloroethane	N	0.8 U	U		ug/L	0.8	ug/L	0.8 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		127-18-4	Tetrachloroethene	N	1.24 U	U		ug/L	1.24	ug/L	1.24 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		108-88-3	Toluene	N	0.55 U	U		ug/L	0.55	ug/L	0.55 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		71-55-6	1,1,1-Trichloroethane	N	0.98 U	U		ug/L	0.98	ug/L	0.98 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		79-00-5	1,1,2-Trichloroethane	N	0.53 U	U		ug/L	0.53	ug/L	0.53 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		79-01-6	Trichloroethene	N	1.58 U	U		ug/L	1.58	ug/L	1.58 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		108-05-4	Vinyl acetate	N	0.6 U	U		ug/L	0.6	ug/L	0.6 ug/L	10 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-01-4	Vinyl chloride	N	0.85 U	U		ug/L	0.85	ug/L	0.85 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		95-47-6	o-Xylene	Y	4.16 J	J		ug/L	0.93	ug/L	0.93 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		179601-23-1	m-Xylene & p-Xylene	Y	3.83 J	J		ug/L	1.26	ug/L	1.26 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		1330-20-7	Xylenes, Total	Y	7.99			ug/L	1.98	ug/L	1.98 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		2037-26-5	Toluene-d8 (Surr)	Y	46.3			ug/L	1	ug/L	5 ug/L	5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	93	5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		1868-53-7	Dibromofluoromethane	Y	50.8			ug/L	1.03	ug/L	5 ug/L	5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	102	5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		460-00-4	4-Bromofluorobenzene	Y	56.2			ug/L	1	ug/L	5 ug/L	5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	112	5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		17060-07-0	1,2-Dichloroethane-d4 (Surr)	Y	53.3			ug/L	1	ug/L	5 ug/L	5 ug/L	Yes	SUR	SAMP				T	initial	Wet	1	107	5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-27-4	Bromodichloromethane	N	0.76 U	U		ug/L	0.76	ug/L	0.76 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	N	1.04 U	U		ug/L	1.04	ug/L	1.04 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		120-82-1	1,2,4-Trichlorobenzene	N	0.41 U	U		ug/L	0.41	ug/L	0.41 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		96-12-8	1,2-Dibromo-3-Chloropropane	N	1.48 U	U		ug/L	1.48	ug/L	1.48 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		95-50-1	1,2-Dichlorobenzene	N	0.53 U	U		ug/L	0.53	ug/L	0.53 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		541-73-1	1,3-Dichlorobenzene	N	0.21 U	U		ug/L	0.21	ug/L	0.21 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		106-46-7	1,4-Dichlorobenzene	N	0.91 U	U		ug/L	0.91	ug/L	0.91 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		75-71-8	Dichlorodifluoromethane	N	0.76 U	U		ug/L	0.76	ug/L	0.76 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		106-93-4	1,2-Dibromoethane	N	0.85 U	U		ug/L	0.85	ug/L	0.85 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		98-82-8	Isopropylbenzene	N	0.62 U	U		ug/L	0.62	ug/L	0.62 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		1634-04-4	Methyl tert-butyl ether	N	0.44 U	U		ug/L	0.44	ug/L	0.44 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 14:07	TestAmerica Houston	600-182324-1		8260B		110-82-7	Cyclohexane	N	2.73 U	U		ug/L	2.73	ug/L	2.73 ug/L	5 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5 mL		5 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/22/2019 13:24	3/22/2019 13:25	TestAmerica Houston	600-182324-1	260995 1664A	Calc HEM and SGT-HEM by Extraction and Gravimetry	1664A	1664A	STL00181	Oil & Grease (HEM)	Y	2.1 J			mg/L	1	mg/L	1 mg/L	3 mg/L	Yes	TRG	SAMP				T	initial	Wet	1		1000 mL		1000 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17		3/22/2019 18:58	TestAmerica Houston	600-182324-1	261023 HACH8000_NP	Chemical Oxygen Demand (COD) Colorimetric		8000	STL00070	Chemical Oxygen Demand	Y	43.7			mg/L	2.46	mg/L	2.46 mg/L	10 mg/L	Yes	TRG	SAMP				T	initial	Wet	1		2 mL		2 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Acenaphthene	N	2.41 U	U		ug/L	2.41	ug/L	2.41 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	N	2.44 U	U		ug/L	2.44	ug/L	2.44 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	N	2.65 U	U		ug/L	2.65	ug/L	2.65 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	N	2.24 U	U		ug/L	2.24	ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	N	2.66 U	U		ug/L	2.66	ug/L	2.66 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	N	3.18 U	U		ug/L	3.18	ug/L	3.18 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	N	2.24 U	U		ug/L	2.24	ug/L	2.24 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	N	2.62 U	U		ug/L	2.62	ug/L	2.62 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	3.1 U	U		ug/L	3.1	ug/L	3.1 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2.8 U *	U *		ug/L	2.8	ug/L	2.8 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	2.4 U	U		ug/L	2.4	ug/L	2.4 ug/L	10.6 ug/L	Yes	TRG	SAMP				T	initial	Wet	1		235 mL		1 mL		0				
ITC-BB-01-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:40	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:10	TestAmerica Houston	600-182324-1	261046 8270C	Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Brom

Samp No	CLP Sample No	Lab Location ID	Matrix	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Samp No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Unit	Final Volume	Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	83-32-9	Acenaphthene	N	1930	U	U	ug/L	1930	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	208-96-8	Acenaphthylene	N	1950	U	U	ug/L	1950	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-12-7	Anthracene	N	2120	U	U	ug/L	2120	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	56-55-3	Benzo[a]anthracene	N	1800	U	U	ug/L	1800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	205-99-2	Benzo[b]fluoranthene	N	2130	U	U	ug/L	2130	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	207-08-9	Benzo[k]fluoranthene	N	2540	U	U	ug/L	2540	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	191-24-2	Benzo[g,h,i]perylene	N	1800	U	U	ug/L	1800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	50-32-8	Benzo[a]pyrene	N	2090	U	U	ug/L	2090	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-91-1	Bis(2-chloroethoxy)methane	N	2480	U	U	ug/L	2480	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	111-44-4	Bis(2-chloroethyl)ether	N	2240	U *	U *	ug/L	2240	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-81-7	Bis(2-ethylhexyl) phthalate	N	1920	U	U	ug/L	1920	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	101-55-3	4-Bromophenyl phenyl ether	N	2130	U	U	ug/L	2130	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-68-7	Butyl benzyl phthalate	N	2010	U	U	ug/L	2010	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	106-47-8	4-Chloroaniline	N	1800	U	U	ug/L	1800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-58-7	2-Chloronaphthalene	N	2390	U	U	ug/L	2390	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	7005-72-3	4-Chlorophenyl phenyl ether	N	1860	U	U	ug/L	1860	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-74-8	Carbazole	N	2530	U	U	ug/L	2530	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	218-01-9	Chrysene	N	1750	U	U	ug/L	1750	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-74-2	Di-n-butyl phthalate	N	1780	U	U	ug/L	1780	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Dibenz[a,h]anthracene	N	2110	U	U	ug/L	2110	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Dibenzofuran	N	1940	U	U	ug/L	1940	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	N	2020	U	U	ug/L	2020	ug/L			17000	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Diethyl phthalate	N	2200	U	U	ug/L	2200	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Dimethyl phthalate	N	2100	U	U	ug/L	2100	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	N	1800	U	U	ug/L	1800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	N	2370	U	U	ug/L	2370	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	N	1590	U	U	ug/L	1590	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	N	2080	U	U	ug/L	2080	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	N	1800	U	U	ug/L	1800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	N	2790	U	U	ug/L	2790	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	N	1970	U	U	ug/L	1970	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	N	2800	U	U	ug/L	2800	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	N	2190	U	U	ug/L	2190	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	N	2630	U	U	ug/L	2630	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	N	2250 U *	U *	ug/L	2250	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	N	2200	U	U	ug/L	2200	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	Y	3570 J	J	U	ug/L	1870	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	N	3230 U *	U *	ug/L	3230	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	N	1570 U	U	ug/L	1570	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	N	1990 U	U	ug/L	1990	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	N	2200 U	U	ug/L	2200	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	N	1710 U	U	ug/L	1710	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	N	2710 U	U	ug/L	2710	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	N	1910 U	U	ug/L	1910	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	N	2550 U	U	ug/L	2550	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	N	1680 U	U	ug/L	1680	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	N	1860 U	U	ug/L	1860	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	N	1210 U	U	ug/L	1210	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	N	1150 U	U	ug/L	1150	ug/L			17000	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	N	1840 U	U	ug/L	1840	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	N	1650 U	U	ug/L	1650	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	N	2860 U	U	ug/L	2860	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	N	4650 U	U	ug/L	4650	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	2-Nitrophenol	N	1790 U	U	ug/L	1790	ug/L			8510	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	4-Nitrophenol	N	2380 U	U	ug/L	2380	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	Pentachlorophenol	N	2680 U	U	ug/L	2680	ug/L			42600	ug/L	Yes	TRG	SAMP			T	initial	Wet	50		235	mL	16	mL	0				
ITC-BB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 13:15	3/22/2019 7:17	3/23/2019 8:39	3/23/2019 22:33	TestAmerica Houston	600-182324-2		261046 8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95

Samp No	CLP Sample No	Lab Location ID	Matrix Code	Sample Type Lab Cnc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Batch Lab Samp No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Amount Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	UserName
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-25-2	Bromoform	N	0.77	U	U	ug/L	0.77	ug/L	0.77	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		74-83-9	Bromomethane	N	2.15	U	U	ug/L	2.15	ug/L	2.15	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		78-93-3	2-Butanone (MEK)	N	1.57	U	U	ug/L	1.57	ug/L	1.57	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-15-0	Carbon disulfide	N	1.7	U	U	ug/L	1.7	ug/L	1.7	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		56-23-5	Carbon tetrachloride	N	0.92	U	U	ug/L	0.92	ug/L	0.92	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		124-48-1	Dibromochloromethane	N	0.92	U	U	ug/L	0.92	ug/L	0.92	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		108-90-7	Chlorobenzene	N	0.82	U	U	ug/L	0.82	ug/L	0.82	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-00-3	Chloroethane	N	1.73	U	U	ug/L	1.73	ug/L	1.73	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		67-66-3	Chloroform	N	0.82	U	U	ug/L	0.82	ug/L	0.82	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		74-87-3	Chloromethane	N	0.85	U	U	ug/L	0.85	ug/L	0.85	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-34-3	1,1-Dichloroethane	N	0.5	U	U	ug/L	0.5	ug/L	0.5	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		107-06-2	1,2-Dichloroethane	N	1.01	U	U	ug/L	1.01	ug/L	1.01	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-35-4	1,1-Dichloroethene	N	0.76	U	U	ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		156-59-2	cis-1,2-Dichloroethene	N	0.56	U	U	ug/L	0.56	ug/L	0.56	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		156-60-5	trans-1,2-Dichloroethene	N	0.88	U	U	ug/L	0.88	ug/L	0.88	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		78-87-5	1,2-Dichloropropane	N	1.41	U	U	ug/L	1.41	ug/L	1.41	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		10061-01-5	cis-1,3-Dichloropropene	N	0.97	U	U	ug/L	0.97	ug/L	0.97	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		10061-02-6	trans-1,3-Dichloropropene	N	0.59	U	U	ug/L	0.59	ug/L	0.59	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		100-41-4	Ethylbenzene	N	1.29	U	U	ug/L	1.29	ug/L	1.29	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		591-78-6	2-Hexanone	N	1.42	U	U	ug/L	1.42	ug/L	1.42	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-09-2	Methylene Chloride	N	1.43	U	U	ug/L	1.43	ug/L	1.43	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		108-10-1	4-Methyl-2-pentanone (MIBK)	N	1.11	U	U	ug/L	1.11	ug/L	1.11	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		100-42-5	Styrene	N	0.56	U	U	ug/L	0.56	ug/L	0.56	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		79-34-5	1,1,2,2-Tetrachloroethane	N	0.8	U	U	ug/L	0.8	ug/L	0.8	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		127-18-4	Tetrachloroethene	N	1.24	U	U	ug/L	1.24	ug/L	1.24	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		108-88-3	Toluene	N	0.55	U	U	ug/L	0.55	ug/L	0.55	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		71-55-6	1,1,1-Trichloroethane	N	0.98	U	U	ug/L	0.98	ug/L	0.98	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		79-00-5	1,1,2-Trichloroethane	N	0.53	U	U	ug/L	0.53	ug/L	0.53	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		79-01-6	Trichloroethene	N	1.58	U	U	ug/L	1.58	ug/L	1.58	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		108-05-4	Vinyl acetate	N	0.6	U	U	ug/L	0.6	ug/L	0.6	ug/L	10	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-01-4	Vinyl chloride	N	0.85	U	U	ug/L	0.85	ug/L	0.85	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		95-47-6	o-Xylene	Y	32.8			ug/L	0.93	ug/L	0.93	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		179601-23-1	m-Xylene & p-Xylene	N	1.26	U	U	ug/L	1.26	ug/L	1.26	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		1330-20-7	Xylenes, Total	Y	32.8			ug/L	1.98	ug/L	1.98	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		2037-26-5	Toluene-d8 (Surr)	Y	47.1			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	94	5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		1868-53-7	Dibromofluoromethane	Y	51.3			ug/L	1.03	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	103	5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		460-00-4	4-Bromofluorobenzene	Y	56.7			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	113	5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		17060-07-0	1,2-Dichloroethane-d4 (Surr)	Y	53.8			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	108	5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-27-4	Bromodichloromethane	N	0.76	U	U	ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	N	1.04	U	U	ug/L	1.04	ug/L	1.04	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		120-82-1	1,2,4-Trichlorobenzene	N	0.41	U	U	ug/L	0.41	ug/L	0.41	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		96-12-8	1,2-Dibromo-3-Chloropropane	N	1.48	U	U	ug/L	1.48	ug/L	1.48	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		95-50-1	1,2-Dichlorobenzene	N	0.53	U	U	ug/L	0.53	ug/L	0.53	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		541-73-1	1,3-Dichlorobenzene	N	0.21	U	U	ug/L	0.21	ug/L	0.21	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		106-46-7	1,4-Dichlorobenzene	N	0.91	U	U	ug/L	0.91	ug/L	0.91	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-71-8	Dichlorodifluoromethane	N	0.76	U	U	ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		106-93-4	1,2-Dibromoethane	N	0.85	U	U	ug/L	0.85	ug/L	0.85	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		98-82-8	Isopropylbenzene	N	0.62	U	U	ug/L	0.62	ug/L	0.62	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		1634-04-4	Methyl tert-butyl ether	N	0.44	U	U	ug/L	0.44	ug/L	0.44	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-BB-05-20190321-11			Water	SAMP	600-182324-1	3/21/2019 12:00	3/22/2019 7:17	3/22/2019 15:19	TestAmerica Houston	600-182324-5	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		110-82-7	Cyclohexane	N	2.73	U	U	ug/L	2.73	ug/L	2.73	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		67-64-1	Acetone	Y	45.6			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	91	5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		1868-53-7	Dibromofluoromethane	Y	48.1			ug/L	1.03	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	96	5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		460-00-4	4-Bromofluorobenzene	Y	54.6			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	109	5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		17060-07-0	1,2-Dichloroethane-d4 (Surr)	Y	52			ug/L	1	ug/L	5	ug/L	5	ug/L	Yes	SUR	SAMP				T	initial	Wet	1	104	5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-27-4	Bromodichloromethane	N	0.76	U	U	ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	N	1.04	U	U	ug/L	1.04	ug/L	1.04	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		120-82-1	1,2,4-Trichlorobenzene	N	0.41	U	U	ug/L	0.41	ug/L	0.41	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		96-12-8	1,2-Dibromo-3-Chloropropane	N	1.48	U	U	ug/L	1.48	ug/L	1.48	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		95-50-1	1,2-Dichlorobenzene	N	0.53	U	U	ug/L	0.53	ug/L	0.53	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		541-73-1	1,3-Dichlorobenzene	N	0.21	U	U	ug/L	0.21	ug/L	0.21	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		106-46-7	1,4-Dichlorobenzene	N	0.91	U	U	ug/L	0.91	ug/L	0.91	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		75-71-8	Dichlorodifluoromethane	N	0.76	U	U	ug/L	0.76	ug/L	0.76	ug/L	5	ug/L	Yes	TRG	SAMP				T	initial	Wet	1		5	mL	5	mL	0				
ITC-TB-02-20190321-11			Water	SAMP	600-182324-1	3/21/2019 11:10	3/22/2019 7:17	3/22/2019 13:43	TestAmerica Houston	600-182324-6	260958 8260B Volatile Organic Compounds (GC/MS)	8260B		106-93-4	1,2-Dibromoethane	N	0.85	U	U	ug/L	0.85	ug/L	0.85	ug/L	5	ug/L	Yes	TRG	SAMP				T

Samp No	CLP Sample No	Lab Location ID	Matrix	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Sample No	Lab Batch No	Analysis	Analytical Method	Extraction Method	Cas no	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	QA UserName
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	53-70-3	Dibenz(a,h)anthracene	Y	32.2			ug/L	2.48	ug/L					2.48	ug/L	Yes	SC	LCS			T	initial	Wet	1	81	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	132-64-9	Dibenzofuran	Y	23.14			ug/L	2.28	ug/L					2.28	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-94-1	3,3'-Dichlorobenzidine	Y	33.88			ug/L	2.37	ug/L					2.37	ug/L	Yes	SC	LCS			T	initial	Wet	1	85	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	84-66-2	Diethyl phthalate	Y	23.01			ug/L	2.59	ug/L					2.59	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	131-11-3	Dimethyl phthalate	Y	22.27			ug/L	2.47	ug/L					2.47	ug/L	Yes	SC	LCS			T	initial	Wet	1	56	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	121-14-2	2,4-Dinitrotoluene	Y	22.84			ug/L	2.11	ug/L					2.11	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	606-20-2	2,6-Dinitrotoluene	Y	23.03			ug/L	2.79	ug/L					2.79	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	117-84-0	Di-n-octyl phthalate	Y	28.66			ug/L	1.87	ug/L					1.87	ug/L	Yes	SC	LCS			T	initial	Wet	1	72	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	206-44-0	Fluoranthene	Y	28.71			ug/L	2.44	ug/L					2.44	ug/L	Yes	SC	LCS			T	initial	Wet	1	72	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-73-7	Fluorene	Y	23.2			ug/L	2.11	ug/L					2.11	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-74-1	Hexachlorobenzene	Y	27.29			ug/L	3.28	ug/L					3.28	ug/L	Yes	SC	LCS			T	initial	Wet	1	68	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	77-47-4	Hexachlorocyclopentadiene	Y	20.08			ug/L	2.32	ug/L					2.32	ug/L	Yes	SC	LCS			T	initial	Wet	1	50	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	67-72-1	Hexachloroethane	Y	21.89			ug/L	3.29	ug/L					3.29	ug/L	Yes	SC	LCS			T	initial	Wet	1	55	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-68-3	Hexachlorobutadiene	Y	25.16			ug/L	2.57	ug/L					2.57	ug/L	Yes	SC	LCS			T	initial	Wet	1	63	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	193-39-5	Indeno[1,2,3-cd]pyrene	Y	34.22			ug/L	3.09	ug/L					3.09	ug/L	Yes	SC	LCS			T	initial	Wet	1	86	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	78-59-1	Isophorone	Y	22.92			ug/L	2.64	ug/L					2.64	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-57-6	2-Methylnaphthalene	Y	24.67			ug/L	2.58	ug/L					2.58	ug/L	Yes	SC	LCS			T	initial	Wet	1	62	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	91-20-3	Naphthalene	Y	25.37			ug/L	2.2	ug/L					2.2	ug/L	Yes	SC	LCS			T	initial	Wet	1	63	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-74-4	2-Nitroaniline	Y	18.48 J	J		ug/L	3.8	ug/L					3.8	ug/L	Yes	SC	LCS			T	initial	Wet	1	46	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	99-09-2	3-Nitroaniline	Y	19.93 J	J		ug/L	1.85	ug/L					1.85	ug/L	Yes	SC	LCS			T	initial	Wet	1	50	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-01-6	4-Nitroaniline	Y	25.57			ug/L	2.34	ug/L					2.34	ug/L	Yes	SC	LCS			T	initial	Wet	1	64	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-95-3	Nitrobenzene	Y	22.95			ug/L	2.59	ug/L					2.59	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	86-30-6	N-Nitrosodiphenylamine	Y	26.98			ug/L	2.01	ug/L					2.01	ug/L	Yes	SC	LCS			T	initial	Wet	1	67	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	621-64-7	N-Nitrosodi-n-propylamine	Y	23.18			ug/L	3.19	ug/L					3.19	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	85-01-8	Phenanthrene	Y	25.77			ug/L	2.24	ug/L					2.24	ug/L	Yes	SC	LCS			T	initial	Wet	1	64	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	129-00-0	Pyrene	Y	27.71			ug/L	3	ug/L					3	ug/L	Yes	SC	LCS			T	initial	Wet	1	69	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	59-50-7	4-Chloro-3-methylphenol	Y	22.92			ug/L	1.97	ug/L					1.97	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-57-8	2-Chlorophenol	Y	24.23			ug/L	2.19	ug/L					2.19	ug/L	Yes	SC	LCS			T	initial	Wet	1	61	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-48-7	2-Methylphenol	Y	24.82			ug/L	1.42	ug/L					1.42	ug/L	Yes	SC	LCS			T	initial	Wet	1	62	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	15831-10-4	3 & 4 Methylphenol	Y	22.9			ug/L	1.35	ug/L					1.35	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	120-83-2	2,4-Dichlorophenol	Y	24.81			ug/L	2.16	ug/L					2.16	ug/L	Yes	SC	LCS			T	initial	Wet	1	62	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	105-67-9	2,4-Dimethylphenol	Y	22.98			ug/L	1.94	ug/L					1.94	ug/L	Yes	SC	LCS			T	initial	Wet	1	57	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	534-52-1	4,6-Dinitro-2-methylphenol	Y	57.07			ug/L	3.36	ug/L					3.36	ug/L	Yes	SC	LCS			T	initial	Wet	1	72	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	51-28-5	2,4-Dinitrophenol	Y	45.12 J	J		ug/L	5.46	ug/L					5.46	ug/L	Yes	SC	LCS			T	initial	Wet	1	56	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-75-5	2-Nitrophenol	Y	24.59			ug/L	2.1	ug/L					2.1	ug/L	Yes	SC	LCS			T	initial	Wet	1	61	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	100-02-7	4-Nitrophenol	Y	28.95 J	J		ug/L	2.8	ug/L					2.8	ug/L	Yes	SC	LCS			T	initial	Wet	1	36	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	87-86-5	Pentachlorophenol	Y	54.6			ug/L	3.15	ug/L					3.15	ug/L	Yes	SC	LCS			T	initial	Wet	1	68	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-95-2	Phenol	Y	16.62			ug/L	1.25	ug/L					1.25	ug/L	Yes	SC	LCS			T	initial	Wet	1	42	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	95-95-4	2,4,5-Trichlorophenol	Y	21.67			ug/L	4.2	ug/L					4.2	ug/L	Yes	SC	LCS			T	initial	Wet	1	54	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	88-06-2	2,4,6-Trichlorophenol	Y	23.58			ug/L	3.32	ug/L					3.32	ug/L	Yes	SC	LCS			T	initial	Wet	1	59	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-60-0	Nitrobenzene-d5	Y	23.22			ug/L	2	ug/L					10	ug/L	Yes	SUR	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	367-12-4	2-Fluorophenol	Y	18.41			ug/L	2	ug/L					10	ug/L	Yes	SUR	LCS			T	initial	Wet	1	46	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	321-60-8	2-Fluorobiphenyl	Y	23.43			ug/L	2	ug/L					10	ug/L	Yes	SUR	LCS			T	initial	Wet	1	59	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	118-79-6	2,4,6-Tribromophenol	Y	24.23			ug/L	2	ug/L					10	ug/L	Yes	SUR	LCS			T	initial	Wet	1	61	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	1718-51-0	Terphenyl-d14	Y	27.86			ug/L	2	ug/L					10	ug/L	Yes	SUR	LCS			T	initial	Wet	1	70	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	108-60-1	bis (2-Chloroisopropyl) ether	Y	12.51			ug/L	2.92	ug/L					2.92	ug/L	Yes	SC	LCS			T	initial	Wet	1	31	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	4165-62-2	Phenol-d5 (Surr)	Y	15.14			ug/L		ug/L						ug/L	Yes	SUR	LCS			T	initial	Wet	1	38	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	92-52-4	1,1'-Biphenyl	Y	23.27			ug/L	2.68	ug/L					2.68	ug/L	Yes	SC	LCS			T	initial	Wet	1	58	250	mL	1	mL					
LCS			Water	LCS				3/23/2019 8:39	3/23/2019 19:04	TestAmerica Houston	LCS 600-261030/2-A	261046	8270C Semivolatile Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)	8270C	3510C LVI	98-86-2	Acetophenone	Y	24.69			ug/L	2.42	ug/L					2.42	ug/L	Yes	SC	LCS			T	initial	Wet	1	62	250	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		67-64-1	Acetone	Y	98.69			ug/L	2.27	ug/L					2.27	ug/L	Yes	SC	LCSD			T	initial	Wet	1	99	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		71-43-2	Benzene	Y	43.33			ug/L	0.56	ug/L					0.56	ug/L	Yes	SC	LCSD			T	initial	Wet	1	87	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		74-97-5	Chlorobromomethane	Y	50.03			ug/L	0.81	ug/L					0.81	ug/L	Yes	SC	LCSD			T	initial	Wet	1	100	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		75-25-2	Bromoform	Y	46.26			ug/L	0.77	ug/L					0.77	ug/L	Yes	SC	LCSD			T	initial	Wet	1	93	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		74-83-9	Bromomethane	Y	44.34			ug/L	2.15	ug/L					2.15	ug/L	Yes	SC	LCSD			T	initial	Wet	1	89	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		78-93-3	2-Butanone (MEK)	Y	111.7			ug/L	1.57	ug/L					1.57	ug/L	Yes	SC	LCSD			T	initial	Wet	1	112	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		75-15-0	Carbon disulfide	Y	42.35			ug/L	1.7	ug/L					1.7	ug/L	Yes	SC	LCSD			T	initial	Wet	1	85	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		56-23-5	Carbon tetrachloride	Y	39.79			ug/L	0.92	ug/L					0.92	ug/L	Yes	SC	LCSD			T	initial	Wet	1	80	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		124-48-1	Dibromochloromethane	Y	50.75			ug/L	0.92	ug/L					0.92	ug/L	Yes	SC	LCSD			T	initial	Wet	1	102	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		108-90-7	Chlorobenzene	Y	45.59			ug/L	0.82	ug/L					0.82	ug/L	Yes	SC	LCSD			T	initial	Wet	1	91	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		75-00-3	Chloroethane	Y	38.14			ug/L	1.73	ug/L					1.73	ug/L	Yes	SC	LCSD			T	initial	Wet	1	76	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		67-66-3	Chloroform	Y	49.04			ug/L	0.82	ug/L					0.82	ug/L	Yes	SC	LCSD			T	initial	Wet	1	98	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		74-87-3	Chloromethane	Y	45.88			ug/L	0.85	ug/L					0.85	ug/L	Yes	SC	LCSD			T	initial	Wet	1	92	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		75-34-3	1,1-Dichloroethane	Y	46.27			ug/L	0.5	ug/L					0.5	ug/L	Yes	SC	LCSD			T	initial	Wet	1	93	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		107-06-2	1,2-Dichloroethane	Y	54.96			ug/L	1.01	ug/L					1.01	ug/L	Yes	SC	LCSD			T	initial	Wet	1	110	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		75-35-4	1,1-Dichloroethene	Y	41.83			ug/L	0.76	ug/L					0.76	ug/L	Yes	SC	LCSD			T	initial	Wet	1	84	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		156-59-2	cis-1,2-Dichloroethene	Y	43.95			ug/L	0.56	ug/L					0.56	ug/L	Yes	SC	LCSD			T	initial	Wet	1	88	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		156-60-5	trans-1,2-Dichloroethene	Y	40.22			ug/L	0.88	ug/L					0.88	ug/L	Yes	SC	LCSD			T	initial	Wet	1	80	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B	8260B Volatile Organic Compounds (GC/MS)	8260B		78-87-5	1,2-Dichloropropane	Y	47.14			ug/L	1.41	ug/L					1.41	ug/L	Yes	SC	LCSD			T	initial	Wet	1	94	5	mL	1	mL					
LCSD			Water	LCSD				3/22/2019 12:08	TestAmerica Houston	LCSD 600-260958/5	260958	8260B

Samp No	CLP Sample No	Lab Location ID	Matrix	Sample Type Code	Lab Coc No	Date Collected	Date Received	Date Extracted	Date Analyzed	Lab Name	Lab Batch No	Analytical Method	Extraction Method	Analysis	Analyte	Detected	Result	Result Qualifier	Lab Result Qualifier	Result Units	MDL	MDL Units	Quantitation Limit	Quantitation Limit Units	Reporting Limit	Reporting Limit Units	Reportable Result	Result Type Code	QC Type	Percent Solids	Percent Lipids	Percent Moisture	Total Or Dissolved	Test Type	Basis	Dilution Factor	Percent Recovery	SubSample Amount	SubSample Unit	Final Volume	Final Volume Unit	Comments	QAFlag	QA Date	QA Comment	UserName
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Carbon tetrachloride	N	0.92 U	U		ug/L	0.92 ug/L		0.92 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Dibromochloromethane	N	0.92 U	U		ug/L	0.92 ug/L		0.92 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Chlorobenzene	N	0.82 U	U		ug/L	0.82 ug/L		0.82 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Chloroethane	N	1.73 U	U		ug/L	1.73 ug/L		1.73 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Chloroform	N	0.82 U	U		ug/L	0.82 ug/L		0.82 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Chloromethane	N	0.85 U	U		ug/L	0.85 ug/L		0.85 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1-Dichloroethane	N	0.5 U	U		ug/L	0.5 ug/L		0.5 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dichloroethane	N	1.01 U	U		ug/L	1.01 ug/L		1.01 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1-Dichloroethene	N	0.76 U	U		ug/L	0.76 ug/L		0.76 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	cis-1,2-Dichloroethene	N	0.56 U	U		ug/L	0.56 ug/L		0.56 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	trans-1,2-Dichloroethene	N	0.88 U	U		ug/L	0.88 ug/L		0.88 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dichloropropane	N	1.41 U	U		ug/L	1.41 ug/L		1.41 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	cis-1,3-Dichloropropene	N	0.97 U	U		ug/L	0.97 ug/L		0.97 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	trans-1,3-Dichloropropene	N	0.59 U	U		ug/L	0.59 ug/L		0.59 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Ethylbenzene	N	1.29 U	U		ug/L	1.29 ug/L		1.29 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	2-Hexanone	N	1.42 U	U		ug/L	1.42 ug/L		1.42 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Methylene Chloride	N	1.43 U	U		ug/L	1.43 ug/L		1.43 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	4-Methyl-2-pentanone (MIBK)	N	1.11 U	U		ug/L	1.11 ug/L		1.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Styrene	N	0.56 U	U		ug/L	0.56 ug/L		0.56 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1,2,2-Tetrachloroethane	N	0.8 U	U		ug/L	0.8 ug/L		0.8 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Tetrachloroethene	N	1.24 U	U		ug/L	1.24 ug/L		1.24 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Toluene	N	0.55 U	U		ug/L	0.55 ug/L		0.55 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1,1-Trichloroethane	N	0.98 U	U		ug/L	0.98 ug/L		0.98 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1,2-Trichloroethane	N	0.53 U	U		ug/L	0.53 ug/L		0.53 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Trichloroethene	N	1.58 U	U		ug/L	1.58 ug/L		1.58 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Vinyl acetate	N	0.6 U	U		ug/L	0.6 ug/L		0.6 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Vinyl chloride	N	0.85 U	U		ug/L	0.85 ug/L		0.85 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	o-Xylene	N	0.93 U	U		ug/L	0.93 ug/L		0.93 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	m-Xylene & p-Xylene	N	1.26 U	U		ug/L	1.26 ug/L		1.26 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Xylenes, Total	N	1.98 U	U		ug/L	1.98 ug/L		1.98 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Toluene-d8 (Surr)	Y	46.68			ug/L	1 ug/L		5 ug/L		5 ug/L	Yes	SUR	MB				T	initial	Wet	1	93			5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Dibromofluoromethane	Y	49.54			ug/L	1.03 ug/L		5 ug/L		5 ug/L	Yes	SUR	MB				T	initial	Wet	1	99			5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	4-Bromofluorobenzene	Y	52.63			ug/L	1 ug/L		5 ug/L		5 ug/L	Yes	SUR	MB				T	initial	Wet	1	105			5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dichloroethane-d4 (Surr)	Y	50.98			ug/L	1 ug/L		5 ug/L		5 ug/L	Yes	SUR	MB				T	initial	Wet	1	102			5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Bromodichloromethane	N	0.76 U	U		ug/L	0.76 ug/L		0.76 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,1,2-Trichloro-1,2,2-trifluoroethane	N	1.04 U	U		ug/L	1.04 ug/L		1.04 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2,4-Trichlorobenzene	N	0.41 U	U		ug/L	0.41 ug/L		0.41 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dibromo-3-Chloropropane	N	1.48 U	U		ug/L	1.48 ug/L		1.48 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dichlorobenzene	N	0.53 U	U		ug/L	0.53 ug/L		0.53 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,3-Dichlorobenzene	N	0.21 U	U		ug/L	0.21 ug/L		0.21 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,4-Dichlorobenzene	N	0.91 U	U		ug/L	0.91 ug/L		0.91 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Dichlorodifluoromethane	N	0.76 U	U		ug/L	0.76 ug/L		0.76 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	1,2-Dibromoethane	N	0.85 U	U		ug/L	0.85 ug/L		0.85 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Isopropylbenzene	N	0.62 U	U		ug/L	0.62 ug/L		0.62 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Methyl tert-butyl ether	N	0.44 U	U		ug/L	0.44 ug/L		0.44 ug/L		5 ug/L	Yes	TRG	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB					3/22/2019 13:19	TestAmerica Houston	MB 600-260958/8	8260B		260958 8260B Volatile Organic Compounds (GC/MS)	Cyclohexane	N	2.73 U	U		ug/L	2.73 ug/L		2.73 ug/L		5 ug/L	Yes	8260B	MB				T	initial	Wet	1				5 mL		1				
MB			Water	MB				3/22/2019 13:25	3/22/2019 13:25	TestAmerica Houston	MB 600-260994/1-A	260995	1664A	1664A STL00181	Oil & Grease (HEM)	N	1 U	U		mg/L	1 mg/L		1 mg/L		3 mg/L	Yes	TRG	MB				T	initial	Wet	1				1000 mL		1000 mL		1				
MB			Water	MB					3/22/2019 18:58	TestAmerica Houston	MB 600-261023/3	261023	8000	STL00070	Chemical Oxygen Demand	N	2.46 U	U		mg/L	2.46 mg/L		2.46 mg/L		10 mg/L	Yes	TRG	MB				T	initial	Wet	1				2 mL		2 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 83-32-9	Acenaphthene	N	2.27 U	U		ug/L	2.27 ug/L		2.27 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 208-96-8	Acenaphthylene	N	2.29 U	U		ug/L	2.29 ug/L		2.29 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 120-12-7	Anthracene	N	2.49 U	U		ug/L	2.49 ug/L		2.49 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 56-55-3	Benzo[a]anthracene	N	2.11 U	U		ug/L	2.11 ug/L		2.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 205-99-2	Benzo[b]fluoranthene	N	2.5 U	U		ug/L	2.5 ug/L		2.5 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 207-08-9	Benzo[k]fluoranthene	N	2.99 U	U		ug/L	2.99 ug/L		2.99 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 191-24-2	Benzo[g,h,i]perylene	N	2.11 U	U		ug/L	2.11 ug/L		2.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 50-32-8	Benzo[a]pyrene	N	2.46 U	U		ug/L	2.46 ug/L		2.46 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 111-91-1	Bis(2-chloroethoxy)methane	N	2.91 U	U		ug/L	2.91 ug/L		2.91 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 111-44-4	Bis(2-chloroethyl)ether	N	2.63 U	U		ug/L	2.63 ug/L		2.63 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 117-81-7	Bis(2-ethylhexyl) phthalate	N	2.26 U	U		ug/L	2.26 ug/L		2.26 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 101-55-3	4-Bromophenyl phenyl ether	N	2.5 U	U		ug/L	2.5 ug/L		2.5 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 85-68-7	Butyl benzyl phthalate	N	2.36 U	U		ug/L	2.36 ug/L		2.36 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 106-47-8	4-Chloroaniline	N	2.11 U	U		ug/L	2.11 ug/L		2.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 91-58-7	2-Chloronaphthalene	N	2.81 U	U		ug/L	2.81 ug/L		2.81 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 7005-72-3	4-Chlorophenyl phenyl ether	N	2.19 U	U		ug/L	2.19 ug/L		2.19 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 86-74-8	Carbazole	N	2.97 U	U		ug/L	2.97 ug/L		2.97 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 218-01-9	Chrysene	N	2.06 U	U		ug/L	2.06 ug/L		2.06 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 84-74-2	Di-n-butyl phthalate	N	2.09 U	U		ug/L	2.09 ug/L		2.09 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 53-70-3	Dibenz(a,h)anthracene	N	2.48 U	U		ug/L	2.48 ug/L		2.48 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 132-64-9	Dibenzofuran	N	2.28 U	U		ug/L	2.28 ug/L		2.28 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 91-94-1	3,3'-Dichlorobenzidine	N	2.37 U	U		ug/L	2.37 ug/L		2.37 ug/L		20 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 84-66-2	Diethyl phthalate	N	2.59 U	U		ug/L	2.59 ug/L		2.59 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 131-11-3	Dimethyl phthalate	N	2.47 U	U		ug/L	2.47 ug/L		2.47 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 121-14-2	2,4-Dinitrotoluene	N	2.11 U	U		ug/L	2.11 ug/L		2.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 606-20-2	2,6-Dinitrotoluene	N	2.79 U	U		ug/L	2.79 ug/L		2.79 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 117-84-0	Di-n-octyl phthalate	N	1.87 U	U		ug/L	1.87 ug/L		1.87 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 206-44-0	Fluoranthene	N	2.44 U	U		ug/L	2.44 ug/L		2.44 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 86-73-7	Fluorene	N	2.11 U	U		ug/L	2.11 ug/L		2.11 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 118-74-1	Hexachlorobenzene	N	3.28 U	U		ug/L	3.28 ug/L		3.28 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 77-47-4	Hexachlorocyclopentadiene	N	2.32 U	U		ug/L	2.32 ug/L		2.32 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 67-72-1	Hexachloroethane	N	3.29 U	U		ug/L	3.29 ug/L		3.29 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL		1 mL		1				
MB			Water	MB				3/23/2019 8:39	3/23/2019 18:41	TestAmerica Houston	MB 600-261030/1-A	261046	8270C	3510C LVI 87-68-3	Hexachlorobutadiene	N	2.57 U	U		ug/L	2.57 ug/L		2.57 ug/L		10 ug/L	Yes	TRG	MB				T	initial	Wet	1				250 mL	