CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethene	75-35-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		10
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon disulfide	75-15-0	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		11
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		12
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Acetone	67-64-1	FALSE	FALSE	U		10	µg/L	FALSE	NA	1					ng																		13
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylene chloride	75-09-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		14
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl acetate	79-20-9	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		15
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		16
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		17
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl tert-butyl ether	1634-04-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		18
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethane	75-34-3	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		19
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Butanone	78-93-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		20
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroform	67-66-3	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		21
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane	107-06-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		22
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		23
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Cyclohexane	110-82-7	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		24
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon tetrachloride	56-23-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		25
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		26
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		27
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		28
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		29
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		30
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		31
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		32
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		33
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		34
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		35
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		36
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		37
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		38
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		39
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		4
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		40
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		41
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		42
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	U		4	µg/L	FALSE	NA	1					ng																		43
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		44
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		45
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		46
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		47
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		48
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		49
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		5
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		50
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		51
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1					ng																		52
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	44.8		2	µg/L	FALSE	NA	1	50	89.7	117	86	ng																		53
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	45.2		2	µg/L	FALSE	NA	1	50	90.3	113	85	ng																		54
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	43.6		2	µg/L	FALSE	NA	1	50	87.3	115	73	ng																		55
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		6
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		7
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	pH	C-006	FALSE	FALSE	2		1	µg/L	FALSE	NA	1					ng																		701
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		8
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 08:00:00	03/28/2019 10:23:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	U		2	µg/L	FALSE	NA	1					ng																		9
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		10
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		11
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	29.6			µg/L	FALSE	NA	1	48.8	60.6	100	33	DSH																		12
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		13
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		14
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		15
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		16
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		17
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		18
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachloroethane	67-72-1	FALSE	FALSE	U		4.9	µg/L	FALSE	NA	1					DSH																		19
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorophenol	367-12-4	TRUE	FALSE	44.4			µg/L	FALSE	NA	1	73.2	60.7	109	42	DSH																		2
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-11	1903019-01	Liquid	Liquid	03/27/2019 09:42:00	03/28/2019 09:01:00	03/28/2019 15:07:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene-d5	4165-60-0	TRUE	FALSE	33.3			µg/L	FALSE	NA	1	48.8	68.3	126	42	DSH																		21
R6 Superfund Division	IT

R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	U	4	µg/L	FALSE	NA	1					ng	43
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	44
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	45
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	46
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	47
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	48
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	49
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	5
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	50
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	51
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	52
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	45.5	2	µg/L	FALSE	NA	1	50	91.1	117	86	ng	53
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	45	2	µg/L	FALSE	NA	1	50	90	113	85	ng	54
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	43.9	2	µg/L	FALSE	NA	1	50	87.8	115	73	ng	55
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	6
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	7
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	pH	C-006	FALSE	FALSE	2	1	pH	FALSE	NA	1					ng	701
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	8
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-01E-20190327-15	1903019-02	Liquid	Liquid	03/27/2019 12:50:00	03/28/2019 08:00:00	03/28/2019 10:02:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	9
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethene	75-35-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	10
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon disulfide	75-15-0	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	11
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	12
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Acetone	67-64-1	FALSE	FALSE	U	10	µg/L	FALSE	NA	1					ng	13
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylene chloride	75-09-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	14
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl acetate	79-20-9	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	15
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	16
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	17
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl tert-butyl ether	1634-04-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	18
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethane	75-34-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	19
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Butanone	78-93-3	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	20
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroform	67-66-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	21
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane	107-06-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	22
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	23
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Cyclohexane	110-82-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	24
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon tetrachloride	56-23-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	25
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	26
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	27
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	28
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	29
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	30
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	31
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	32
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	33
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	34
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	35
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	36
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	37
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	38
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	39
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	4
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	40
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	41
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	42
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	U	4	µg/L	FALSE	NA	1					ng	43
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	44
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	45
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	46
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	47
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	48
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	49
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	5
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	50
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	51
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	52
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	47.1	2	µg/L	FALSE	NA	1	50	94.2	117	86	ng	53
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	46.5	2	µg/L	FALSE	NA	1	50	93.1	113	85	ng	54
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	44.8	2	µg/L	FALSE	NA	1	50	89.7	115	73	ng	55
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	6
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	U	5	µg/L	FALSE	NA	1					ng	7
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	pH	C-006	FALSE	FALSE	2	1	pH	FALSE	NA	1					ng	701
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	8
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 08:00:00	03/28/2019 10:44:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1					ng	9
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-03E-20190327-11	1903019-03	Liquid	Liquid	03/27/2019 10:27:00	03/28/2019 09:01:00	03/28/2019 15:30:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid

R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	26
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	27
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	28
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	29
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	30
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	31
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	32
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	33
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	34
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	35
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	36
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	2.1	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	37
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	38
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	39
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	4
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	40
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	41
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	42
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	U	4 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	43
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	44
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	45
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	46
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	47
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	48
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	49
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	5
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	50
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	51
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	52
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	44.8	2 µg/L	FALSE	NA	1	50	89.6	117	86 ng		Extra Volume For Lab QC.	53
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	45.1	2 µg/L	FALSE	NA	1	50	90.1	113	85 ng		Extra Volume For Lab QC.	54
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	43.9	2 µg/L	FALSE	NA	1	50	87.8	115	73 ng		Extra Volume For Lab QC.	55
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	6
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	U	5 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	7
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	pH	C-006	FALSE	FALSE	2	1 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	701
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	8
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 08:00:00	03/28/2019 11:22:00	89C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	U	2 µg/L	FALSE	NA	1				ng		Extra Volume For Lab QC.	9
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	10
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	11
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	29.1	µg/L	FALSE	NA	1	46.9	61.9	100	33 DSH		Extra Volume For Lab QC.	12
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	13
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	14
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	15
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	16
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	17
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	18
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachloroethane	67-72-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	19
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorophenol	367-12-4	TRUE	FALSE	44.8	µg/L	FALSE	NA	1	70.4	63.6	109	42 DSH		Extra Volume For Lab QC.	2
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene-d5	4165-60-0	TRUE	FALSE	32.1	µg/L	FALSE	NA	1	46.9	68.4	126	42 DSH		Extra Volume For Lab QC.	21
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene	98-95-3	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	22
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Isophorone	78-59-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	23
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitrophenol	88-75-5	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	24
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	25
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	26
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	28
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	29
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzaldehyde	100-52-7	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	3
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Naphthalene	91-20-3	FALSE	TRUE	1.9	µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	30
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloroaniline	106-47-8	FALSE	FALSE	U	14.1 µg/L	FALSE	NA	1				DSH	RL	Extra Volume For Lab QC.	31
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobutadiene	87-68-3	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	32
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Caprolactam	105-60-2	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	33
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	34
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylnaphthalene	91-57-6	FALSE	FALSE	U	1.9 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	35
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1-Methylnaphthalene	90-12-0	FALSE	FALSE	U	1.9 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	36
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	38
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	U	4.7 µg/L	FALSE	NA	1				DSH		Extra Volume For Lab QC.	39
R6 Superfund Division	ITC Tank Fire	19SF060	U.S. EPA, Region 6	ITC-BB-10E-20190327-11	1903019-04	Liquid	Liquid	03/27/2019 14:21:00	03/28/2019 09:01:00	03/28/2019 13:57:00	89C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol-d5	13127-88-3	TRUE	FALSE	41.6	µg/L	FALSE	NA	1	70.4	59.1	110	46 DSH		Ext

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				10
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				11
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	38.2			µg/L	FALSE	NA	1			50	76.3	100	33		DSH				12
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				13
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				14
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				15
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				16
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				17
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				18
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachloroethane	67-72-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				19
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorophenol	367-12-4	TRUE	FALSE	57.5			µg/L	FALSE	NA	1			75	76.7	109	42		DSH				2
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene-d5	4165-60-0	TRUE	FALSE	41.2			µg/L	FALSE	NA	1			50	82.4	126	42		DSH				21
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene	98-95-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				22
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Isophorone	78-59-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				23
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitrophenol	88-75-5	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				24
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				25
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				26
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				28
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				29
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzaldehyde	100-52-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				3
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Naphthalene	91-20-3	FALSE	TRUE	U		2	µg/L	FALSE	NA	1									DSH				30
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloroaniline	106-47-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				31
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobutadiene	87-68-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				32
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Caprolactam	105-60-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				33
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				34
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylnaphthalene	91-57-6	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				35
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1-Methylnaphthalene	90-12-0	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				36
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				38
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				39
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol-d5	13127-88-3	TRUE	FALSE	53.5			µg/L	FALSE	NA	1			75	71.3	110	46		DSH				4
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				40
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorobiphenyl	321-60-8	TRUE	FALSE	45.8			µg/L	FALSE	NA	1			50	91.6	104	50		DSH				41
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chloronaphthalene	91-58-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				42
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,1'-Biphenyl	92-52-4	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				43
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitroaniline	88-74-4	FALSE	FALSE	U		8	µg/L	FALSE	NA	1									DSH				44
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dimethyl phthalate	131-11-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				45
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthylene	208-96-8	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				46
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				47
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3-Nitroaniline	99-09-2	FALSE	FALSE	U		8	µg/L	FALSE	NA	1									DSH				48
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthene	83-32-9	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				49
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol	108-95-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				5
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	U		20	µg/L	FALSE	NA	1									DSH				50
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitrophenol	100-02-7	FALSE	FALSE	U		13	µg/L	FALSE	NA	1									DSH				51
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenzofuran	132-64-9	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				52
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				53
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluorene	86-73-7	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				54
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Diethyl phthalate	84-66-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				55
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				56
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitroaniline	100-01-6	FALSE	FALSE	U		8	µg/L	FALSE	NA	1									DSH				57
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	U		20	µg/L	FALSE	NA	1									DSH				58
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				6
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodiphenylamine/Diphenylamine	86-30-6/122-39-4	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				60
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	71.4			µg/L	FALSE	NA	1			75	95.3	142	59		DSH				61
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				62
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobenzene	118-74-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				63
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Atrazine	1912-24-9	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				64
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pentachlorophenol	87-86-5	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				65
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenanthrene	85-01-8	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				66
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Anthracene	120-12-7	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				67
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Carbazole	86-74-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				68
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Di-n-butyl phthalate	84-74-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				69
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	60.6			µg/L	FALSE	NA	1			75	80.8	103	47		DSH				7
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluoranthene	206-44-0	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				70
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pyrene	129-00-0	FALSE	FALSE	U		2	µg/L	FALSE	NA	1									DSH				72
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Terphenyl-d14	1718-51-0	TRUE	FALSE	68.9			µg/L	FALSE	NA	1			50	138	125	61		DSH				73
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Butyl benzyl phthalate	85-68-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				74
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) anthracene	56-55-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				75
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				76
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Chrysene	218-01-9	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				77
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-ethylhexyl)phthalate	117-81-7	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				78
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Di-n-octyl phthalate	117-84-0	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				79
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol	95-57-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				8
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (b) fluoranthene	205-99-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				81
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (k) fluoranthene	207-08-9	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				82
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) pyrene	50-32-8	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				83
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Indeno (1,2,3-cd) pyrene	193-39-5	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				84
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenz (a,h) anthracene	53-70-3	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				85
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (g,h,i) perylene	191-24-2	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				86
U.S. EPA, Region 6	B9C2801-BLK1	Blank	Liquid	3/28/2019 9:01	3/28/2019 13:11	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U		5	µg/L	FALSE	NA	1									DSH				9
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	17.8		5	µg/L	FALSE	NA	1			25	71.3	100	35		DSH				10
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	22.9		5	µg/L	FALSE	NA	1			25	91.6	125	63		DSH				11
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	35.6			µg/L	FALSE	NA	1			50	71.3	100	33		DSH				12
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	18.9		5	µg/L	FALSE	NA	1			25	75.8	100	46		DSH				13
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	22.4		5	µg/L	FALSE	NA	1			25	89.6	124	66		DSH				14
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	23.3		5	µg/L	FALSE	NA	1			25	93	122	63		DSH				15
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	24.3		5	µg/L	FALSE	NA	1			25	97.1	119	74		DSH				16
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	22.4		5	µg/L	FALSE	NA	1			25	89.8	125	66		DSH				17
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	23.7		5	µg/L	FALSE	NA	1			25	94.7

U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	28.9	5	µg/L	FALSE	NA	1		25	116	116	78	DSH	40
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorobiphenyl	321-60-8	TRUE	FALSE	50.8		µg/L	FALSE	NA	1		50	102	104	50	DSH	41
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chloronaphthalene	91-58-7	FALSE	FALSE	27.8	5	µg/L	FALSE	NA	1		25	111	110	70	DSH	42
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,1'-Biphenyl	92-52-4	FALSE	FALSE	28	5	µg/L	FALSE	NA	1		25	112	118	63	DSH	43
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitroaniline	88-74-4	FALSE	FALSE	28.1	8	µg/L	FALSE	NA	1		25	113	125	74	DSH	44
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dimethyl phthalate	131-11-3	FALSE	FALSE	28.3	5	µg/L	FALSE	NA	1		25	113	111	79	DSH	45
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthylene	208-96-8	FALSE	FALSE	27.9	2	µg/L	FALSE	NA	1		25	111	115	73	DSH	46
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	28.7	5	µg/L	FALSE	NA	1		25	115	122	77	DSH	47
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3-Nitroaniline	99-09-2	FALSE	FALSE	29.2	8	µg/L	FALSE	NA	1		25	117	139	61	DSH	48
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthene	83-32-9	FALSE	FALSE	28	2	µg/L	FALSE	NA	1		25	112	112	63	DSH	49
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol	108-95-2	FALSE	FALSE	22	5	µg/L	FALSE	NA	1		25	88	116	60	DSH	5
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	22.4	20	µg/L	FALSE	NA	1		25	89.5	151	40	DSH	50
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitrophenol	100-02-7	FALSE	FALSE	26.4	13	µg/L	FALSE	NA	1		25	106	137	49	DSH	51
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenzofuran	132-64-9	FALSE	FALSE	28	5	µg/L	FALSE	NA	1		25	112	112	74	DSH	52
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	28.2	5	µg/L	FALSE	NA	1		25	113	120	59	DSH	53
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluorene	86-73-7	FALSE	FALSE	28.2	2	µg/L	FALSE	NA	1		25	113	114	74	DSH	54
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Diethyl phthalate	84-66-2	FALSE	FALSE	28.2	5	µg/L	FALSE	NA	1		25	113	115	79	DSH	55
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	27.9	5	µg/L	FALSE	NA	1		25	111	115	71	DSH	56
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitroaniline	100-01-6	FALSE	FALSE	29.4	8	µg/L	FALSE	NA	1		25	118	149	61	DSH	57
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	23.1	20	µg/L	FALSE	NA	1		25	92.6	148	46	DSH	58
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	23.6	5	µg/L	FALSE	NA	1		25	94.6	112	74	DSH	6
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodiphenylamine/Diphenylamine	86-30-6/122-39-4	FALSE	FALSE	26.4	5	µg/L	FALSE	NA	1		25	106	117	76	DSH	60
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	74.6		µg/L	FALSE	NA	1		75	99.5	142	59	DSH	61
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	26.7	5	µg/L	FALSE	NA	1		25	107	114	77	DSH	62
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobenzene	118-74-1	FALSE	FALSE	27	5	µg/L	FALSE	NA	1		25	108	114	76	DSH	63
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Atrazine	1912-24-9	FALSE	FALSE	27.7	5	µg/L	FALSE	NA	1		25	111	125	78	DSH	64
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pentachlorophenol	87-86-5	FALSE	FALSE	22.4	5	µg/L	FALSE	NA	1		25	89.4	133	46	DSH	65
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenanthrene	85-01-8	FALSE	FALSE	26.6	2	µg/L	FALSE	NA	1		25	107	115	76	DSH	66
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Anthracene	120-12-7	FALSE	FALSE	26.8	2	µg/L	FALSE	NA	1		25	107	117	77	DSH	67
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Carbazole	86-74-8	FALSE	FALSE	25	5	µg/L	FALSE	NA	1		25	100	128	73	DSH	68
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Di-n-butyl phthalate	84-74-2	FALSE	FALSE	27	5	µg/L	FALSE	NA	1		25	108	126	82	DSH	69
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	67.2		µg/L	FALSE	NA	1		75	89.7	103	47	DSH	7
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluoranthene	206-44-0	FALSE	FALSE	26.1	2	µg/L	FALSE	NA	1		25	104	122	75	DSH	70
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pyrene	129-00-0	FALSE	FALSE	32.6	2	µg/L	FALSE	NA	1		25	130	131	59	DSH	72
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Terphenyl-d14	1718-51-0	TRUE	FALSE	64.6		µg/L	FALSE	NA	1		50	129	125	61	DSH	73
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Butyl benzyl phthalate	85-68-7	FALSE	FALSE	30.8	5	µg/L	FALSE	NA	1		25	123	127	86	DSH	74
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) anthracene	56-55-3	FALSE	FALSE	28.6	5	µg/L	FALSE	NA	1		25	114	117	83	DSH	75
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3,3´-Dichlorobenzidine	91-94-1	FALSE	FALSE	25.4	5	µg/L	FALSE	NA	1		25	102	146	38	DSH	76
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Chrysene	218-01-9	FALSE	FALSE	28.7	5	µg/L	FALSE	NA	1		25	115	115	80	DSH	77
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-ethylhexyl)phthalate	117-81-7	FALSE	FALSE	29.1	5	µg/L	FALSE	NA	1		25	117	135	83	DSH	78
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Di-n-octyl phthalate	117-84-0	FALSE	FALSE	27.1	5	µg/L	FALSE	NA	1		25	108	138	72	DSH	79
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol	95-57-8	FALSE	FALSE	23.5	5	µg/L	FALSE	NA	1		25	93.8	116	64	DSH	8
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (b) fluoranthene	205-99-2	FALSE	FALSE	26.6	5	µg/L	FALSE	NA	1		25	106	127	73	DSH	81
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (k) fluoranthene	207-08-9	FALSE	FALSE	24.6	5	µg/L	FALSE	NA	1		25	98.3	128	73	DSH	82
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) pyrene	50-32-8	FALSE	FALSE	24.5	5	µg/L	FALSE	NA	1		25	98	127	75	DSH	83
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Indeno (1,2,3-cd) pyrene	193-39-5	FALSE	FALSE	23.4	5	µg/L	FALSE	NA	1		25	93.5	147	66	DSH	84
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenz (a,h) anthracene	53-70-3	FALSE	FALSE	23.4	5	µg/L	FALSE	NA	1		25	93.7	144	68	DSH	85
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (g,h,i) perylene	191-24-2	FALSE	FALSE	23.4	5	µg/L	FALSE	NA	1		25	93.5	148	63	DSH	86
U.S. EPA, Region 6	B9C2801-BS1	LCS	Liquid	3/28/2019 9:01	3/28/2019 13:34	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	17.3	5	µg/L	FALSE	NA	1		25	69.3	100	32	DSH	9
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	16	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	68.5	100	34	DSH	10
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	15.9	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	67.8	119	67	DSH	11
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	32.1		µg/L	FALSE	NA	1 1903019-04		46.8	68.6	100	33	DSH	12
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	16.7	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	71.5	100	48	DSH	13
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	15.2	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	65.1	131	60	DSH	14
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	16.1	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	68.6	138	51	DSH	15
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	17.4	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	74.3	134	63	DSH	16
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	15.1	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	64.7	136	57	DSH	17
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	16.2	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	69.4	116	50	DSH	18
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachloroethane	67-72-1	FALSE	FALSE	16	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	68.2	100	24	DSH	19
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorophenol	367-12-4	TRUE	FALSE	44.4		µg/L	FALSE	NA	1 1903019-04		70.2	63.2	109	42	DSH	2
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene-d5	4165-60-0	TRUE	FALSE	34.7		µg/L	FALSE	NA	1 1903019-04		46.8	74.2	126	42	DSH	21
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene	98-95-3	FALSE	FALSE	21.8	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	92.9	126	68	DSH	22
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Isophorone	78-59-1	FALSE	FALSE	16.5	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	70.5	125	67	DSH	23
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitrophenol	88-75-5	FALSE	FALSE	19.4	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	83	137	62	DSH	24
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	13	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	55.4	136	48	DSH	25
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	16.9	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	72.1	126	66	DSH	26
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	16.9	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	72.4	125	69	DSH	28
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	20.7	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	88.3	106	38	DSH	29
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzaldehyde	100-52-7	FALSE	FALSE	22.5	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	95.9	136	53	DSH	3
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Naphthalene	91-20-3	FALSE	TRUE	20.4	1.9	µg/L	FALSE	NA	1 1903019-04	U	23.4	87.2	115	65	DSH	30
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloroaniline	106-47-8	FALSE	FALSE	6.9	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	29.4	122	54	DSH	31
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobutadiene	87-68-3	FALSE	FALSE	20.1	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	86	112	29	DSH	32
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Caprolactam	105-60-2	FALSE	FALSE	12.5	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	53.5	124	56	DSH	33
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	16.7	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	71.4	137	44	DSH	34
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylnaphthalene	91-57-6	FALSE	FALSE	21.7	1.9	µg/L	FALSE	NA	1 1903019-04	U	23.4	92.6	117	64	DSH	35
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1-Methylnaphthalene	90-12-0	FALSE	FALSE	22	1.9	µg/L	FALSE	NA	1 1903019-04	U	23.4	94.1	130	70	DSH	36
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	24.1	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	103	122	32	DSH	38
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	20.6	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	87.9	128	65	DSH	39
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol-d5	13127-88-3	TRUE	FALSE	40.8		µg/L	FALSE	NA	1 1903019-04		70.2	58.1	110	46	DSH	4
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	21.4	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	91.5	127	68	DSH	40
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorobiphenyl	321-60-8	TRUE	FALSE	45.9		µg/L	FALSE	NA	1 1903019-04		46.8	98	104	50	DSH	41
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chloronaphthalene	91-58-7	FALSE	FALSE	24.9	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	106	122	62	DSH	42
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,1'-Biphenyl	92-52-4	FALSE	FALSE	25.1	4.7	µg/L	FALSE	NA	1 1903019-04	U	23.4	107	129	60	DSH	43
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitroaniline	88-74-4	FALSE	FALSE	8.4

U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol-d4	93951-73-6	TRUE	FALSE	47.1	µg/L	FALSE	NA	1 1903019-04			70.2	67.1		103	47	DSH		7
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluoranthene	206-44-0	FALSE	FALSE	21.9	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.4	93.5		123	74	DSH		70
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pyrene	129-00-0	FALSE	FALSE	28.1	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.4	120		133	54	DSH		72
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Terphenyl-d14	1718-51-0	TRUE	FALSE	54.6	µg/L	FALSE	NA	1 1903019-04			46.8	117		125	61	DSH		73
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Butyl benzyl phthalate	85-68-7	FALSE	FALSE	26.9	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	115		132	77	DSH		74
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) anthracene	56-55-3	FALSE	FALSE	23.4	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	100		125	76	DSH		75
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3,3´-Dichlorobenzidine	91-94-1	FALSE	FALSE	2.2	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	9.45		139	40	DSH		76
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Chrysene	218-01-9	FALSE	FALSE	23.5	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	100		125	76	DSH		77
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-ethylhexyl)phthalate	117-81-7	FALSE	FALSE	24.8	4.7 µg/L	FALSE	NA	1 1903019-04		0.3	23.4	105		138	79	DSH		78
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Di-n-octyl phthalate	117-84-0	FALSE	FALSE	22.7	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	96.9		134	64	DSH		79
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chlorophenol	95-57-8	FALSE	FALSE	16.5	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	70.4		114	46	DSH		8
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (b) fluoranthene	205-99-2	FALSE	FALSE	22.7	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	97.1		130	70	DSH		81
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (k) fluoranthene	207-08-9	FALSE	FALSE	21.1	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	90		136	68	DSH		82
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (a) pyrene	50-32-8	FALSE	FALSE	20.7	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	88.2		125	75	DSH		83
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Indeno (1,2,3-cd) pyrene	193-39-5	FALSE	FALSE	18.6	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	79.3		143	65	DSH		84
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenz (a,h) anthracene	53-70-3	FALSE	FALSE	18.8	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	80.4		145	61	DSH		85
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzo (g,h,i) perylene	191-24-2	FALSE	FALSE	18.2	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	77.9		142	67	DSH		86
U.S. EPA, Region 6	B9C2801-MS1	Matrix Spike	Liquid	3/28/2019 9:01	3/28/2019 14:21	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	15.8	4.7 µg/L	FALSE	NA	1 1903019-04	U		23.4	67.3		100	36	DSH		9
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	19.8	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	83.3	21.1	100	34	32	DSH	10
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzyl alcohol	100-51-6	FALSE	FALSE	18.1	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	76	13.1	119	67	30	DSH	11
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene-d4	2199-69-1	TRUE	FALSE	38.7	µg/L	FALSE	NA	1 1903019-04			47.6	81.4		100	33	DSH		12
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	20.4	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	85.9	19.9	100	48	30	DSH	13
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylphenol	95-48-7	FALSE	FALSE	17.7	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	74.4	15	131	60	30	DSH	14
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloro-1-methylethyl)ether	108-60-1	FALSE	FALSE	19.6	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	82.4	19.9	138	51	30	DSH	15
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acetophenone	98-86-2	FALSE	FALSE	20.1	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	84.5	14.5	134	63	30	DSH	16
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3 &/or 4-Methylphenol	108-39-4/106-44-5	FALSE	FALSE	17.4	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	73	13.6	136	57	30	DSH	17
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodi-n-propylamine	621-64-7	FALSE	FALSE	19.2	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	80.8	16.8	116	50	29	DSH	18
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachloroethane	67-72-1	FALSE	FALSE	20.1	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	84.7	23.1	100	24	30	DSH	19
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorophenol	367-12-4	TRUE	FALSE	51	µg/L	FALSE	NA	1 1903019-04			71.4	71.5		109	42	DSH		2
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene-d5	4165-60-0	TRUE	FALSE	38.4	µg/L	FALSE	NA	1 1903019-04			47.6	80.7		126	42	DSH		21
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Nitrobenzene	98-95-3	FALSE	FALSE	25.5	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	107	16.1	126	68	30	DSH	22
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Isophorone	78-59-1	FALSE	FALSE	19.2	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	80.7	15.2	125	67	30	DSH	23
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitrophenol	88-75-5	FALSE	FALSE	22.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	93.6	13.7	137	62	30	DSH	24
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	15.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	64.2	16.3	136	48	30	DSH	25
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethoxy)methane	111-91-1	FALSE	FALSE	19.9	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	83.5	16.3	126	66	30	DSH	26
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	20.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	85.2	17.8	125	69	30	DSH	28
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	22.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	93.7	7.54	106	38	26	DSH	29
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Benzaldehyde	100-52-7	FALSE	FALSE	24.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	102	7.75	136	53	30	DSH	3
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Naphthalene	91-20-3	FALSE	TRUE	22.3	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	93.8	8.95	115	65	30	DSH	30
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloroaniline	106-47-8	FALSE	FALSE	8.4	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	35.2	19.5	122	54	30	DSH	31
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobutadiene	87-68-3	FALSE	FALSE	21.7	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	91.3	7.64	112	29	30	DSH	32
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Caprolactam	105-60-2	FALSE	FALSE	14.9	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	62.4	17	124	56	30	DSH	33
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	19.4	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	81.5	14.7	137	44	30	DSH	34
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Methylnaphthalene	91-57-6	FALSE	FALSE	22.8	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	96	5.18	117	64	30	DSH	35
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1-Methylnaphthalene	90-12-0	FALSE	FALSE	23	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	96.6	4.21	130	70	30	DSH	36
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	25.7	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	108	6.32	122	32	30	DSH	38
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	24.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	102	16.6	128	65	30	DSH	39
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol-d5	13127-88-3	TRUE	FALSE	47.2	µg/L	FALSE	NA	1 1903019-04			71.4	66.1		110	46	DSH		4
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	24.8	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	104	14.8	127	68	30	DSH	40
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Fluorobiphenyl	321-60-8	TRUE	FALSE	48.1	µg/L	FALSE	NA	1 1903019-04			47.6	101		104	50	DSH		41
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Chloronaphthalene	91-58-7	FALSE	FALSE	25.9	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	109	3.95	122	62	30	DSH	42
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	1,1'-Biphenyl	92-52-4	FALSE	FALSE	26.5	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	111	5.18	129	60	30	DSH	43
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2-Nitroaniline	88-74-4	FALSE	FALSE	12.1	7.6 µg/L	FALSE	NA	1 1903019-04	U		23.8	51	36.7	126	65	30	DSH	44
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dimethyl phthalate	131-11-3	FALSE	FALSE	23.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	98	18.2	122	71	30	DSH	45
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthylene	208-96-8	FALSE	FALSE	25.4	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	107	4.21	121	70	30	DSH	46
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	25.1	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	106	11.2	128	68	30	DSH	47
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	3-Nitroaniline	99-09-2	FALSE	FALSE	4.8	7.6 µg/L	FALSE	NA	1 1903019-04	U		23.8	20.1	23.1	136	57	30	DSH	48
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Acenaphthene	83-32-9	FALSE	FALSE	25.7	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	108	4.16	131	41	33	DSH	49
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenol	108-95-2	FALSE	FALSE	17.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	72.7	13.7	114	41	32	DSH	5
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	21.5	19 µg/L	FALSE	NA	1 1903019-04	U		23.8	90.3	12	152	42	30	DSH	50
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitrophenol	100-02-7	FALSE	FALSE	21.9	12.4 µg/L	FALSE	NA	1 1903019-04	U		23.8	92.2	15.5	152	39	34	DSH	51
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Dibenzofuran	132-64-9	FALSE	FALSE	25.6	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	108	2.67	123	67	30	DSH	52
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	24.6	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	103	9.49	123	57	16	DSH	53
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Fluorene	86-73-7	FALSE	FALSE	25.5	1.9 µg/L	FALSE	NA	1 1903019-04	U		23.8	107	3.04	129	65	30	DSH	54
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Diethyl phthalate	84-66-2	FALSE	FALSE	24.9	4.8 µg/L	FALSE	NA	1 1903019-04		0.3	23.8	103	11.6	124	72	30	DSH	55
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Chlorophenyl phenyl ether	7005-72-3	FALSE	FALSE	25.4	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	107	3.17	130	63	30	DSH	56
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Nitroaniline	100-01-6	FALSE	FALSE	5.1	7.6 µg/L	FALSE	NA	1 1903019-04	U		23.8	21.4	16.7	137	64	30	DSH	57
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	21.2	19 µg/L	FALSE	NA	1 1903019-04	U		23.8	89.3	7.77	146	46	30	DSH	58
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Bis(2-chloroethyl)ether	111-44-4	FALSE	FALSE	19	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	79.9	13	125	62	30	DSH	6
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	N-Nitrosodiphenylamine/Diphenylamine	86-30-6/122-39-4	FALSE	FALSE	24.3	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	102	5.56	125	66	30	DSH	60
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	2,4,6-Tribromophenol	118-79-6	TRUE	FALSE	68	µg/L	FALSE	NA	1 1903019-04			71.4	95.3		142	59	DSH		61
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	4-Bromophenyl phenyl ether	101-55-3	FALSE	FALSE	23.9	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	100	2.21	123	64	30	DSH	62
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Hexachlorobenzene	118-74-1	FALSE	FALSE	23.2	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	97.5	4.11	121	67	30	DSH	63
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Atrazine	1912-24-9	FALSE	FALSE	20.9	4.8 µg/L	FALSE	NA	1 1903019-04		0.6	23.8	85.3	19.4	127	74	30	DSH	64
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Pentachlorophenol	87-86-5	FALSE	FALSE	22.5	4.8 µg/L	FALSE	NA	1 1903019-04	U		23.8	94.8	4.87	146	55	21	DSH	65
U.S. EPA, Region 6	B9C2801-MSD1	Matrix Spike Dup	Liquid	3/28/2019 9:01	3/28/2019 14:44	B9C2801	ABN 8270 Routine List	EPA 8270	ABN AOS Acid pH	Phenanthrene	85-01-8	FALSE	FALSE	23.9	1.9 µg/L	FALSE	NA	1 1903019-04	U

U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	23
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Cyclohexane	110-82-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	24
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon tetrachloride	56-23-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	25
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	26
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	27
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	28
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	29
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	30
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	31
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	32
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	33
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	34
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	35
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	36
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	37
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	38
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	39
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	4
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	40
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	41
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	42
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	U	4	µg/L	FALSE	NA	1						ng	43
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	44
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	45
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	46
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	47
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	48
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	49
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	5
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	50
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	51
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	52
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	46	2	µg/L	FALSE	NA	1		50	91.9	117	86	ng	53
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	46.4	2	µg/L	FALSE	NA	1		50	92.7	113	85	ng	54
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	45.3	2	µg/L	FALSE	NA	1		50	90.6	115	73	ng	55
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	6
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	U	5	µg/L	FALSE	NA	1						ng	7
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	8
U.S. EPA, Region 6	B9C2803-BLK1	Blank	Liquid	3/28/2019 7:00	3/28/2019 9:41	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	U	2	µg/L	FALSE	NA	1						ng	9
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethene	75-35-4	FALSE	FALSE	49.9	2	µg/L	FALSE	NA	1		50	99.9	127	76	ng	10
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon disulfide	75-15-0	FALSE	FALSE	47.5	2	µg/L	FALSE	NA	1		50	95	122	74	ng	11
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	FALSE	FALSE	50	2	µg/L	FALSE	NA	1		50	100	126	79	ng	12
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Acetone	67-64-1	FALSE	FALSE	31.7	10	µg/L	FALSE	NA	1		50	63.4	140	44	ng	13
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylene chloride	75-09-2	FALSE	FALSE	47.9	2	µg/L	FALSE	NA	1		50	95.8	122	79	ng	14
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl acetate	79-20-9	FALSE	FALSE	40.5	2	µg/L	FALSE	NA	1		50	81.1	118	78	ng	15
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	46.6	2	µg/L	FALSE	NA	1		50	93.2	123	78	ng	16
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	44.6	2	µg/L	FALSE	NA	1		50	89.3	120	80	ng	17
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl tert-butyl ether	1634-04-4	FALSE	FALSE	42.7	2	µg/L	FALSE	NA	1		50	85.4	124	78	ng	18
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethane	75-34-3	FALSE	FALSE	49	2	µg/L	FALSE	NA	1		50	98	122	80	ng	19
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Butanone	78-93-3	FALSE	FALSE	37	5	µg/L	FALSE	NA	1		50	74	127	71	ng	20
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroform	67-66-3	FALSE	FALSE	44.8	2	µg/L	FALSE	NA	1		50	89.5	121	81	ng	21
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane	107-06-2	FALSE	FALSE	44	2	µg/L	FALSE	NA	1		50	88	121	80	ng	22
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	45.4	2	µg/L	FALSE	NA	1		50	90.7	120	80	ng	23
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Cyclohexane	110-82-7	FALSE	FALSE	45.6	2	µg/L	FALSE	NA	1		50	91.2	120	77	ng	24
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon tetrachloride	56-23-5	FALSE	FALSE	44.6	2	µg/L	FALSE	NA	1		50	89.2	121	78	ng	25
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	44.3	2	µg/L	FALSE	NA	1		50	88.5	119	81	ng	26
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	46.1	2	µg/L	FALSE	NA	1		50	92.1	120	80	ng	27
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	44.9	2	µg/L	FALSE	NA	1		50	89.8	122	79	ng	28
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	48.2	2	µg/L	FALSE	NA	1		50	96.5	121	81	ng	29
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	45.3	2	µg/L	FALSE	NA	1		50	90.5	121	80	ng	30
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	46.9	2	µg/L	FALSE	NA	1		50	93.7	119	79	ng	31
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	48.2	2	µg/L	FALSE	NA	1		50	96.5	119	78	ng	32
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	45.9	2	µg/L	FALSE	NA	1		50	91.7	120	80	ng	33
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	45.6	2	µg/L	FALSE	NA	1		50	91.1	118	80	ng	34
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	43.9	2	µg/L	FALSE	NA	1		50	87.7	119	79	ng	35
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	44.6	5	µg/L	FALSE	NA	1		50	89.3	121	77	ng	36
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	44.5	2	µg/L	FALSE	NA	1		50	88.9	118	81	ng	37
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	42.3	2	µg/L	FALSE	NA	1		50	84.6	120	80	ng	38
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	42.3	5	µg/L	FALSE	NA	1		50	84.6	122	77	ng	39
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	59.1	5	µg/L	FALSE	NA	1		50	118	132	69	ng	4
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	44.1	2	µg/L	FALSE	NA	1		50	88.2	118	81	ng	40
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	43.3	2	µg/L	FALSE	NA	1		50	86.6	118	81	ng	41
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	43.8	2	µg/L	FALSE	NA	1		50	87.5	118	80	ng	42
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	89.2	4	µg/L	FALSE	NA	1		100	89.2	117	81	ng	43
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	45	2	µg/L	FALSE	NA	1		50	89.9	118	81	ng	44
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	45.5	2	µg/L	FALSE	NA	1		50	91.1	118	79	ng	45
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	45.7	2	µg/L	FALSE	NA	1		50	91.4	124	74	ng	46
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	43.2	2	µg/L	FALSE	NA	1		50	86.4	119	79	ng	47
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	43.6	2	µg/L	FALSE	NA	1		50	87.3	118	81	ng	48
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	43	2	µg/L	FALSE	NA	1		50	86.1	117	80	ng	49
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	54.1	5	µg/L	FALSE	NA	1		50	108	130	73	ng	5
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	43.2	2	µg/L	FALSE	NA	1		50	86.3	119	79	ng	50
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	36.1	5	µg/L	FALSE	NA	1		50	72.1	123	77	ng	51
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	40.6	5	µg/L	FALSE	NA	1		50	81.2	128	78	ng	52
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	44.6	2	µg/L	FALSE	NA	1		50	89.1	117	86	ng	53
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	45.7	2	µg/L	FALSE	NA	1		50	91.4	113	85	ng	54
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	44.9	2	µg/L	FALSE	NA	1		50	89.8	115	73	ng	55
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	51.2	2	µg/L	FALSE	NA	1		50	102	130	76	ng	6
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	76.6	5	µg/L	FALSE	NA	1		50	153	129	75	ng	7
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	69.2	2	µg/L	FALSE	NA	1		50	138	121	75	ng	8
U.S. EPA, Region 6	B9C2803-BS1	LCS	Liquid	3/28/2019 7:00	3/28/2019 8:54	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	50.2	2	µg/L	FALSE	NA	1		50	100	130	79	ng	9
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethene	75-35-4	FALSE	FALSE	50.7	2	µg/L	FALSE	NA	1 1903019-04	U	50	101	134	72	ng	10
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon disulfide	75-15-0	FALSE	FALSE	47.3	2	µg/L	FALSE	NA	1 1903019-04	U	50	94.6	128	74	ng	11
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	FALSE	FALSE	50	2	µg/L	FALSE	NA	1 1903019-04	U	50	100	130	72	ng	12
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike

U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	51.5	2 µg/L	FALSE	NA	1 1903019-04	U		50	103		125	77	ng		29
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	46.2	2 µg/L	FALSE	NA	1 1903019-04		0.2	50	91.9		115	80	ng		30
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	47.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	94.9		119	79	ng		31
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	48.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	96.4		118	77	ng		32
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	46.1	2 µg/L	FALSE	NA	1 1903019-04	U		50	92.2		122	79	ng		33
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	46.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	92.5		123	78	ng		34
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	43.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.3		127	76	ng		35
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	47	5 µg/L	FALSE	NA	1 1903019-04	U		50	94		126	84	ng		36
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	49.4	2 µg/L	FALSE	NA	1 1903019-04		2.1	50	94.5		122	81	ng		37
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	42.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	84.9		115	80	ng		38
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	43.4	5 µg/L	FALSE	NA	1 1903019-04	U		50	86.7		149	49	ng		39
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	59.6	5 µg/L	FALSE	NA	1 1903019-04	U		50	119		127	64	ng		4
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	44.3	2 µg/L	FALSE	NA	1 1903019-04	U		50	88.6		116	80	ng		40
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	43.3	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.7		121	82	ng		41
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	44.8	2 µg/L	FALSE	NA	1 1903019-04		0.5	50	88.6		123	78	ng		42
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	93.9	4 µg/L	FALSE	NA	1 1903019-04		1.9	100	92		123	79	ng		43
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	46.5	2 µg/L	FALSE	NA	1 1903019-04		0.8	50	91.3		124	80	ng		44
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	45.5	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.1		121	82	ng		45
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	45.3	2 µg/L	FALSE	NA	1 1903019-04	U		50	90.7		117	80	ng		46
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	43.6	2 µg/L	FALSE	NA	1 1903019-04	U		50	87.3		127	77	ng		47
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	43.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.3		114	80	ng		48
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	42.8	2 µg/L	FALSE	NA	1 1903019-04	U		50	85.6		116	79	ng		49
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	55.5	5 µg/L	FALSE	NA	1 1903019-04	U		50	111		125	68	ng		5
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	42.5	2 µg/L	FALSE	NA	1 1903019-04	U		50	84.9		118	77	ng		50
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	35.6	5 µg/L	FALSE	NA	1 1903019-04	U		50	71.1		116	76	ng		51
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	39.5	5 µg/L	FALSE	NA	1 1903019-04	U		50	79		118	70	ng		52
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	47.4	2 µg/L	FALSE	NA	1 1903019-04			50	94.8		117	86	ng		53
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	47.8	2 µg/L	FALSE	NA	1 1903019-04			50	95.6		113	85	ng		54
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	46.8	2 µg/L	FALSE	NA	1 1903019-04			50	93.5		115	73	ng		55
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Vinyl chloride	75-01-4	FALSE	FALSE	51.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	103		123	75	ng		6
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromomethane	74-83-9	FALSE	FALSE	73.6	5 µg/L	FALSE	NA	1 1903019-04	U		50	147		142	46	ng		7
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroethane	75-00-3	FALSE	FALSE	67.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	134		145	60	ng		8
U.S. EPA, Region 6	B9C2803-MS1	Matrix Spike	Liquid	3/28/2019 7:00	3/28/2019 12:06	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichlorofluoromethane	75-69-4	FALSE	FALSE	50.8	2 µg/L	FALSE	NA	1 1903019-04	U		50	102		132	73	ng		9
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethene	75-35-4	FALSE	FALSE	50.8	2 µg/L	FALSE	NA	1 1903019-04	U		50	102	0.315	134	72	21 ng		10
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon disulfide	75-15-0	FALSE	FALSE	47.9	2 µg/L	FALSE	NA	1 1903019-04	U		50	95.8	1.26	128	74	16 ng		11
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	FALSE	FALSE	50.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	101	0.697	130	72	19 ng		12
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Acetone	67-64-1	FALSE	FALSE	31.5	10 µg/L	FALSE	NA	1 1903019-04		2.5	50	58	0.254	142	35	17 ng		13
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylene chloride	75-09-2	FALSE	FALSE	48.5	2 µg/L	FALSE	NA	1 1903019-04	U		50	96.9	0.891	127	74	13 ng		14
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl acetate	79-20-9	FALSE	FALSE	43.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.7	4.94	134	64	13 ng		15
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	47.1	2 µg/L	FALSE	NA	1 1903019-04	U		50	94.3	0.767	130	74	14 ng		16
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	45.8	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.5	0.175	127	75	15 ng		17
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methyl tert-butyl ether	1634-04-4	FALSE	FALSE	43.3	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.7	0.438	130	72	12 ng		18
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1-Dichloroethane	75-34-3	FALSE	FALSE	49.9	2 µg/L	FALSE	NA	1 1903019-04	U		50	99.8	0.906	133	70	14 ng		19
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Butanone	78-93-3	FALSE	FALSE	38.3	5 µg/L	FALSE	NA	1 1903019-04	U		50	76.7	2.27	139	51	21 ng		20
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloroform	67-66-3	FALSE	FALSE	46	2 µg/L	FALSE	NA	1 1903019-04		0.7	50	90.5	2.47	125	75	13 ng		21
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane	107-06-2	FALSE	FALSE	44.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	89.3	1.53	126	73	13 ng		22
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	45.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.4	0.263	117	79	13 ng		23
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Cyclohexane	110-82-7	FALSE	FALSE	46.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	92.8	0.43	129	72	13 ng		24
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Carbon tetrachloride	56-23-5	FALSE	FALSE	44.9	2 µg/L	FALSE	NA	1 1903019-04	U		50	89.7	0.402	123	74	14 ng		25
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Benzene	71-43-2	FALSE	FALSE	44.8	2 µg/L	FALSE	NA	1 1903019-04		0.6	50	88.4	2.32	122	79	16 ng		26
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Trichloroethene	79-01-6	FALSE	FALSE	46	2 µg/L	FALSE	NA	1 1903019-04	U		50	92.1	1.31	126	79	14 ng		27
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Methylcyclohexane	108-87-2	FALSE	FALSE	45.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	90.5	3.3	123	76	20 ng		28
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloropropane	78-87-5	FALSE	FALSE	48.1	2 µg/L	FALSE	NA	1 1903019-04	U		50	96.2	6.73	125	77	14 ng		29
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromodichloromethane	75-27-4	FALSE	FALSE	45.3	2 µg/L	FALSE	NA	1 1903019-04		0.2	50	90.2	1.86	115	80	14 ng		30
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	46.8	2 µg/L	FALSE	NA	1 1903019-04	U		50	93.6	1.4	119	79	14 ng		31
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	48.1	2 µg/L	FALSE	NA	1 1903019-04	U		50	96.2	0.187	118	77	15 ng		32
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	46.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	92.3	0.152	122	79	14 ng		33
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dibromochloromethane	124-48-1	FALSE	FALSE	45.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.4	1.22	123	78	14 ng		34
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Bromoform	75-25-2	FALSE	FALSE	43.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.5	0.162	127	76	14 ng		35
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Methyl-2-pentanone	108-10-1	FALSE	FALSE	47.5	5 µg/L	FALSE	NA	1 1903019-04	U		50	95.1	1.12	126	84	15 ng		36
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene	108-88-3	FALSE	FALSE	46.5	2 µg/L	FALSE	NA	1 1903019-04		2.1	50	88.9	5.92	122	81	13 ng		37
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Tetrachloroethene	127-18-4	FALSE	FALSE	42.4	2 µg/L	FALSE	NA	1 1903019-04	U		50	84.7	0.189	115	80	12 ng		38
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	2-Hexanone	591-78-6	FALSE	FALSE	43.7	5 µg/L	FALSE	NA	1 1903019-04	U		50	87.4	0.781	149	49	21 ng		39
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	59.6	5 µg/L	FALSE	NA	1 1903019-04	U		50	119	0.134	127	64	21 ng		4
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromoethane	106-93-4	FALSE	FALSE	44.6	2 µg/L	FALSE	NA	1 1903019-04	U		50	89.1	0.585	116	80	14 ng		40
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chlorobenzene	108-90-7	FALSE	FALSE	43.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	87.4	0.873	121	82	10 ng		41
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Ethylbenzene	100-41-4	FALSE	FALSE	44.4	2 µg/L	FALSE	NA	1 1903019-04		0.5	50	88	0.762	123	78	15 ng		42
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	meta-/para-Xylene	na	FALSE	FALSE	91.7	4 µg/L	FALSE	NA	1 1903019-04		1.9	100	89.7	2.45	123	79	19 ng		43
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	ortho-Xylene	95-47-6	FALSE	FALSE	46.2	2 µg/L	FALSE	NA	1 1903019-04		0.8	50	90.8	0.604	124	80	18 ng		44
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Styrene	100-42-5	FALSE	FALSE	45.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.4	0.329	121	82	12 ng		45
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Isopropylbenzene	98-82-8	FALSE	FALSE	45.7	2 µg/L	FALSE	NA	1 1903019-04	U		50	91.4	0.769	117	80	11 ng		46
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	44.1	2 µg/L	FALSE	NA	1 1903019-04	U		50	88.1	1	127	77	14 ng		47
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	43.6	2 µg/L	FALSE	NA	1 1903019-04	U		50	87.1	0.876	114	80	13 ng		48
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	43.3	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.5	1.12	116	79	11 ng		49
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Chloromethane	74-87-3	FALSE	FALSE	55.7	5 µg/L	FALSE	NA	1 1903019-04	U		50	111	0.396	125	68	15 ng		5
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	43.2	2 µg/L	FALSE	NA	1 1903019-04	U		50	86.4	1.66	118	77	12 ng		50
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dibromo-3-chloropropane	96-12-8	FALSE	FALSE	38	5 µg/L	FALSE	NA	1 1903019-04	U		50	76	6.55	116	76	16 ng		51
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	40.6	5 µg/L	FALSE	NA	1 1903019-04	U		50	81.2	2.67	118	70	21 ng		52
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	1,2-Dichloroethane-d4	10706-07-0	TRUE	FALSE	45.5	2 µg/L	FALSE	NA	1 1903019-04			50	91		117	86	ng		53
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	Toluene-d8	2037-26-5	TRUE	FALSE	46.8	2 µg/L	FALSE	NA	1 1903019-04			50	93.6		113	85	ng		54
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA 8260 Routine List	EPA 8260	VOA	4-Bromofluorobenzene	460-00-4	TRUE	FALSE	45.6	2 µg/L	FALSE	NA	1 1903019-04			50	91.2		115	73	ng		55
U.S. EPA, Region 6	B9C2803-MSD1	Matrix Spike Dup	Liquid	3/28/2019 7:00	3/28/2019 12:29	B9C2803	VOA

QUALIFIER	DESCRIPTION
RL	The reporting limit for this analyte was raised because absence or presence at the routine or lower value could not be verified.