REDACTED VERSION

August 12, 1993

U.S. Environmental Protection Agency

Houston Branch Management System

Report for Sample Number 3TFADW4001

Source: MILES ROAD LANDFILL

Site Description: STA #13 (b) (6) WELL

Date/Time Received: 7/13/93 10:00

Date/Time Collected: 7/12/93 10:55

Sample Type: DW

Date Completed: 8/12/93

Comments:

Parameter	Description	Section	Status	Report Date
ABN	ACID/BASE NEUTRALS	ORGANIC	COMPLETE	8/12/93
CN	CYANIDE	INORGANIC	COMPLETE	8/12/93
HSL	HAZARDOUS SUBSTANCE LIST	METALS	COMPLETE	8/12/93
PCB	POLYCHLORINATED BIPHENYLS	ORGANIC	COMPLETE	8/12/93
PES	PESTICIDES	ORGANIC	COMPLETE	8/12/93
VOA	VOLATILE ORGANIC ANALYSIS	ORGANIC	COMPLETE	8/12/93

90044964

 Attachment: 1

ORGANIC ANALYSIS DATA

6E-HL Sample NO: 3TFADW40-01 Date Reported: 06-Aug-93

Analyst: M. HUMPHREY Sample Type: WATER

SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L units: ug/L

Compound Name	Results*	Det Limits	Compound Name	Results*	Det Limits
Acenaphthene	ND	2	2,4-Dinitrophenol	ND	30
Acenaphthylene	ND	2	2,4-Dinitrotoluene	ND	6
Anthracene	ND	2	2,6-Dinitrotoluene	ND	6
Benzidine	ND	20	4,6-Dinitro-2-Methylphenol	ND	20
Benzoic Acid	ND	10	Di-n-Butylphthalate	ND	2
Benzo(a)Anthracene	ND	8	Di-n-Octyl Phthalate	ND	4
Benzo(a)Pyrene	ND	8	Fluoranthene	ND	2
Benzo(b)Fluoranthene	ND	8	Fluorene	ND	2
Benzo(g,h,i)Perylene	ND	8	Hexachlorobenzene	ND	2
Benzo(k)Fluoranthene	ND	8	Hexachlorobutadiene	ND	5
Benzyl Alcohol	ND	4	Hexachlorocyclopentadiene	ND	10
bis(2-Chloroethoxy)Methane	ND	2	Hexachloroethane	ND	3
bis(2-Chloroethyl) Ether	ND	2	Indeno(1,2,3-cd) Pyrene	ND	8
bis(2-chloroisopropyl)Ether	ND	2	Isophorone	ND	4
bis-(2-Ethylhexyl)Phthalate	ND	4	2-Methylnaphthalene	ND	2
4-Bromophenylphenyl Ether	ND	8	2-Methylphenol	ND	6
Butylbenzylphthalate	ND	4	4-Methylphenol	ND	6
Carbazole	ND	10	Naphthalene	ND	2
4-Chloroaniline	ND	4	2-Nitroaniline	ND	8
2-Chloronaphthalene	ND	2	3-Nitroaniline	ND	8
2-Chlorophenol	ND	4	4-Nitroaniline	ND	8
4-Chlorophenylphenyl Ether	ND	8	Nitrobenzene	ND	2
4-Chloro-3-Methylphenol	ND	8	2-Nitrophenol	ND	10
Chrysene	ND	8	4-Nitrophenol	ND	13
Dibenzofuran	ND	2	N-Nitrosodiphenylamine	ND	4
Dibenzo(a,h)Anthracene	ND	8	N-Nitroso-Di-n-Propylamine	ND	6
1,2-Dichlorobenzene	ND	3	Pentachlorophenol	ND	15
1,3-Dichlorobenzene	ND	3	Phenanthrene	ND	2
1,4-Dichlorobenzene	ND	3	Phenol	ND	4
3,3'-Dichlorobenzidine	ND	10	Pyrene	ND	2
2,4-Dichlorophenol	ND	6	1,2,4-Trichlorobenzene	ND	3
Diethylphthalate	ND	2	2,4,5-Trichlorophenol	ND	6
2,4-Dimethylphenol	ND	6	2,4,6-Trichlorophenol	ND	6
DimethylPhthalate	ND	2			

(*) ND = Not detected above the listed detection limit. (*) ND = Not detected above the listed detection limit.

Analyst Notes: _____

Attachment: 1

ORGANIC ANALYSIS DATA

6E-HL Sample NO:3TFADW40-01

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Matrix: WATER

TENTATIVELY IDENTIFIED SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

RT (min)	CAS #	COMPOUND NAME (*)	Estimated Concentration (**)
		No ABN TIC's detected in this sample.	

(*) ANALYSTS NOTE: The compounds listed are tentatively identified by the best match with the NIH/EPA/Wiley mass spectral data base or by manual interpretation. Standards were not available for confirmation or quantitation.

(**) Estimated concentration is based on a Response Factor of 1.0 to the nearest internal standard.

0 0 1 2 6 2

 Attachment: 1

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-01 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

VOLATILE COMPOUNDS BY METHOD 624 units: ug/L

CAS#	Compound Name	Results*	Det Limits
67-64-1	acetone	ND	5
107-02-8	acrolein	ND	100
107-13-1	acrylonitrile	ND	100
71-43-2	benzene	ND	2
75-27-4	bromodichloromethane	ND	2
75-25-2	bromoform	ND	2
74-83-9	bromomethane	ND	5
78-93-3	2-butanone	ND	5
75-15-0	carbon disulfide	ND	5
56-23-5	carbon tetrachloride	ND	2
108-90-7	chlorobenzene	ND	2
75-00-3	chloroethane	ND	5
67-66-3	chloroform	ND	2
74-87-3	chloromethane	ND	5
124-48-1	dibromochloromethane	ND	2
75-34-3	1,1-dichloroethane	ND	2
107-06-2	1,2-dichloroethane	ND	2
75-35-4	1,1-dichloroethene	ND	2
156-59-2	cis-1,2-dichloroethene	ND	2
156-60-5	trans-1,2-dichloroethene	ND	2
78-87-5	1,2-dichloropropane	ND	2
10061-01-5	cis-1,3-dichloropropene	ND	2
10061-02-6	trans-1,3-dichloropropene	ND	2
100-41-4	ethylbenzene	ND	5
519-78-6	2-hexanone	ND	5
75-09-2	methylene chloride	ND	5
108-10-1	4-methyl-2-pentanone	ND	5
100-42-5	styrene	ND	5
79-34-5	1,1,2,2-tetrachloroethane	ND	2
127-18-4	tetrachloroethene	ND	2
108-88-3	toluene	ND	5
71-55-6	1,1,1-trichloroethane	ND	2
79-00-5	1,1,2-trichloroethane	ND	2
79-01-6	trichloroethene	ND	2
75-01-4	vinyl chloride	ND	5
108-38-3	m- and/or (CAS# 106-42-3)p-xylene	ND	5
95-47-6	o-xylene	ND	5

(*) ND = Not detected above the listed detection limit.

0 0 1 2 6 3

 Attachment: 1

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-01 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

TENTATIVELY IDENTIFIED VOLATILE COMPOUNDS BY METHOD 624

(min) RT	CAS#	COMPOUND NAME *	ug/L EST. CONC.
		No VOA TIC's detected in this sample.	

* ANALYSTS NOTE - THE COMPOUNDS LISTED ARE TENTATIVELY IDENTIFIED BY THE BEST MATCH WITH THE NIH/EPA/WILEY MASS SPECTRAL DATA BASE OR BY MANUAL INTERPRETATION. STANDARDS WERE NOT AVAILABLE FOR CONFIRMATION OR QUANTITATION.

**Estimated concentration is based on a RF of 1.0 to internal standard

Attachment 1

PESTICIDE/PCB ANALYSIS

GES-HL SAMPLE NO.: 3TFAD040-01 DATE REPORTED: 8 / 6/1993

SAMPLE TYPE: WATER MILES ROAD LANDFILL

ANALYST: LARRY STRECK

CAS#		UG/L (PPB)
319-84-6	alpha-BHC	ND DL=< 0.05
319-85-7	beta-BHC	ND DL=< 0.05
319-86-8	delta-BHC	ND DL=< 0.05
58-89-9	gamma-BHC (Lindane)	ND DL=< 0.05
76-44-8	Heptachlor	ND DL=< 0.05
309-00-2	Aldrin	ND DL=< 0.05
1024-57-3	Heptachlor epoxide	ND DL=< 0.05
959-98-8	Endosulfan I	ND DL=< 0.05
60-57-1	Dieldrin	ND DL=< 0.10
72-55-9	4,4'-DDE	ND DL=< 0.10
72-20-8	Endrin	ND DL=< 0.10
33213-65-9	Endosulfan II	ND DL=< 0.10
72-54-8	4,4'-DDD	ND DL=< 0.10
7421-93-4	Endrin aldehyde	ND DL=< 0.10
53494-70-5	Endrin ketone	ND DL=< 0.10
1031-07-8	Endosulfan sulfate	ND DL=< 0.10
50-29-3	4,4'-DDT	ND DL=< 0.10
72-43-5	Methoxychlor	ND DL=< 0.50
5103-71-9	alpha-Chlordane	ND DL=< 0.05
5103-74-2	gamma-Chlordane	ND DL=< 0.05
8001-35-2	Toxaphene	ND DL=< 5.00
12674-11-2	Aroclor-1016	ND DL=< 1.00
11104-28-2	Aroclor-1221	ND DL=< 2.00
11141-16-5	Aroclor-1232	ND DL=< 1.00
53469-21-9	Aroclor-1242	ND DL=< 1.00
12672-29-6	Aroclor-1248	ND DL=< 1.00
11097-69-1	Aroclor-1254	ND DL=< 1.00
11096-82-5	Aroclor-1260	ND DL=< 1.00

ND DL = NOT DETECTED, DETECTION LIMIT

US EPA HOUSTON BRANCH

SAMPLE #:	3TFADW40-01	DATE	
SOURCE:	MILES ROAD LANDFILL	RECEIVED:	13-Jul-93
TYPE:	AQUEOUS	DATE	
ANALYSTS:	RC, LC, JL	REPORTED:	12-Aug-93

PARAMETER	CONCENTRATION	DETECTION LIMIT <=	UNITS
ALUMINUM	ND	100	UG/L
ANTIMONY	ND	60	UG/L
ARSENIC	ND	5.8	UG/L
BARIUM	34	10	UG/L
BERYLLIUM	ND	5	UG/L
CADMIUM	ND	5	UG/L
CALCIUM	68100	150	UG/L
CHROMIUM	ND	10	UG/L
COBALT	ND	20	UG/L
COPPER	24	20	UG/L
IRON	43	25	UG/L
LEAD	ND	3.3	UG/L
MAGNESIUM	16300	150	UG/L
MANGANESE	21	5	UG/L
MERCURY	ND	0.2	UG/L
NICKEL	ND	20	UG/L
POTASSIUM	1390	1000	UG/L
SELENIUM	ND	5.8	UG/L
SILVER	ND	10	UG/L
SODIUM	152000	500	UG/L
THALLIUM	ND	10	UG/L
VANADIUM	ND	30	UG/L
ZINC	191	20	UG/L
CYANIDE	ND	0.02	MG/L

ND: LESS THAN DETECTION LIMIT

00126 6

August 12, 1993

U.S. Environmental Protection Agency

Houston Branch Management System

Report for Sample Number 3TFADW4002

Source: MILES ROAD LANDFILL

Site Description: STA #14 (b) (6) WELL

Date/Time Received: 7/13/93 10:00

Date/Time Collected: 7/12/93 10:55

Sample Type: DW

Date Completed: 8/12/93

Comments:

Parameter	Description	Section	Status	Report Date
ABN	ACID/BASE NEUTRALS	ORGANIC	COMPLETE	8/12/93
CN	CYANIDE	INORGANIC	COMPLETE	8/12/93
HSL	HAZARDOUS SUBSTANCE LIST	METALS	COMPLETE	8/12/93
PCB	POLYCHLORINATED BIPHENYLS	ORGANIC	COMPLETE	8/12/93
PES	PESTICIDES	ORGANIC	COMPLETE	8/12/93
VOA	VOLATILE ORGANIC ANALYSIS	ORGANIC	COMPLETE	8/12/93

0 0 1 2 6 7

 Attachment: 2

ORGANIC ANALYSIS DATA

6E-HL Sample NO: 3TFADW40-02 Date Reported: 06-Aug-93

Analyst: M. HUMPHREY Sample Type: WATER

SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L units: ug/L

Compound Name	Results*	Det Limits	Compound Name	Results*	Det Limits
Acenaphthene	ND	2	2,4-Dinitrophenol	ND	30
Acenaphthylene	ND	2	2,4-Dinitrotoluene	ND	6
Anthracene	ND	2	2,6-Dinitrotoluene	ND	6
Benzidine	ND	20	4,6-Dinitro-2-Methylphenol	ND	20
Benzoic Acid	ND	10	Di-n-Butylphthalate	ND	2
Benzo(a)Anthracene	ND	8	Di-n-Octyl Phthalate	ND	4
Benzo(a)Pyrene	ND	8	Fluoranthene	ND	2
Benzo(b)Fluoranthene	ND	8	Fluorene	ND	2
Benzo(g,h,i)Perylene	ND	8	Hexachlorobenzene	ND	2
Benzo(k)Fluoranthene	ND	8	Hexachlorobutadiene	ND	5
Benzyl Alcohol	ND	4	Hexachlorocyclopentadiene	ND	10
bis(2-Chloroethoxy)Methane	ND	2	Hexachloroethane	ND	3
bis(2-Chloroethyl) Ether	ND	2	Indeno(1,2,3-cd) Pyrene	ND	8
bis(2-chloroisopropyl)Ether	ND	2	Isophorone	ND	4
bis-(2-Ethylhexyl)Phthalate	44.0	4	2-Methylnaphthalene	ND	2
4-Bromophenylphenyl Ether	ND	8	2-Methylphenol	ND	6
Butylbenzylphthalate	ND	4	4-Methylphenol	ND	6
Carbazole	ND	10	Naphthalene	ND	2
4-Chloroaniline	ND	4	2-Nitroaniline	ND	8
2-Chloronaphthalene	ND	2	3-Nitroaniline	ND	8
2-Chlorophenol	ND	4	4-Nitroaniline	ND	8
4-Chlorophenylphenyl Ether	ND	8	Nitrobenzene	ND	2
4-Chloro-3-Methylphenol	ND	8	2-Nitrophenol	ND	10
Chrysene	ND	8	4-Nitrophenol	ND	13
Dibenzofuran	ND	2	N-Nitrosodiphenylamine	ND	4
Dibenzo(a,h)Anthracene	ND	8	N-Nitroso-Di-n-Propylamine	ND	6
1,2-Dichlorobenzene	ND	3	Pentachlorophenol	ND	15
1,3-Dichlorobenzene	ND	3	Phenanthrene	ND	2
1,4-Dichlorobenzene	ND	3	Phenol	ND	4
3,3'-Dichlorobenzidine	ND	10	Pyrene	ND	2
2,4-Dichlorophenol	ND	6	1,2,4-Trichlorobenzene	ND	3
Diethylphthalate	ND	2	2,4,5-Trichlorophenol	ND	6
2,4-Dimethylphenol	ND	6	2,4,6-Trichlorophenol	ND	6
DimethylPhthalate	ND	2			

(*) ND = Not detected above the listed detection limit. (*) ND = Not detected above the listed detection limit.

Analyst Notes: _____

Attachment: 2

ORGANIC ANALYSIS DATA

6E-HL Sample NO:3TFAD\W40-02

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Matrix: WATER

TENTATIVELY IDENTIFIED SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

RT (min)	CAS #	COMPOUND NAME (*)	Estimated Concentration (**)
		No ABN TIC's detected in this sample.	

(*) ANALYSTS NOTE: The compounds listed are tentatively identified by the best match with the NIH/EPA/Wiley mass spectral data base or by manual interpretation. Standards were not available for confirmation or quantitation.

(**) Estimated concentration is based on a Response Factor of 1.0 to the nearest internal standard.

 Attachment: 2

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-02 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

VOLATILE COMPOUNDS BY METHOD 624 units: ug/L

CAS#	Compound Name	Results*	Det Limits
67-64-1	acetone	ND	5
107-02-8	acrolein	ND	100
107-13-1	acrylonitrile	ND	100
71-43-2	benzene	ND	2
75-27-4	bromodichloromethane	ND	2
75-25-2	bromoform	ND	2
74-83-9	bromomethane	ND	5
78-93-3	2-butanone	ND	5
75-15-0	carbon disulfide	ND	5
56-23-5	carbon tetrachloride	ND	2
108-90-7	chlorobenzene	ND	2
75-00-3	chloroethane	ND	5
67-66-3	chloroform	ND	2
74-87-3	chloromethane	ND	5
124-48-1	dibromochloromethane	ND	2
75-34-3	1,1-dichloroethane	ND	2
107-06-2	1,2-dichloroethane	ND	2
75-35-4	1,1-dichloroethene	ND	2
156-59-2	cis-1,2-dichloroethene	ND	2
156-60-5	trans-1,2-dichloroethene	ND	2
78-87-5	1,2-dichloropropane	ND	2
10061-01-5	cis-1,3-dichloropropene	ND	2
10061-02-6	trans-1,3-dichloropropene	ND	2
100-41-4	ethylbenzene	ND	5
519-78-6	2-hexanone	ND	5
75-09-2	methylene chloride	ND	5
108-10-1	4-methyl-2-pentanone	ND	5
100-42-5	styrene	ND	5
79-34-5	1,1,2,2-tetrachloroethane	ND	2
127-18-4	tetrachloroethene	ND	2
108-88-3	toluene	ND	5
71-55-6	1,1,1-trichloroethane	ND	2
79-00-5	1,1,2-trichloroethane	ND	2
79-01-6	trichloroethene	ND	2
75-01-4	vinyl chloride	ND	5
108-38-3	m- and/or (CAS# 106-42-3)p-xylene	ND	5
95-47-6	o-xylene	ND	5

(*) ND = Not detected above the listed detection limit.

 Attachment: 2

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-02 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

TENTATIVELY IDENTIFIED VOLATILE COMPOUNDS BY METHOD 624

(min) RT	CAS#	COMPOUND NAME *	ug/L EST. CONC.
		No VOA TIC's detected in this sample.	

* ANALYSTS NOTE - THE COMPOUNDS LISTED ARE TENTATIVELY IDENTIFIED BY THE BEST MATCH WITH THE NIH/EPA/WILEY MASS SPECTRAL DATA BASE OR BY MANUAL INTERPRETATION. STANDARDS WERE NOT AVAILABLE FOR CONFIRMATION OR QUANTITATION.

**Estimated concentration is based on a RF of 1.0 to internal standard

PESTICIDE/PCB ANALYSIS

GES-HL SAMPLE NO.: 3TFADW40-02 DATE REPORTED: 8 / 6/1993

SAMPLE TYPE: WATER MILES ROAD LANDFILL

ANALYST: LARRY STRECK

CAS#		UG/L (PPB)
319-84-6	alpha-BHC	ND DL=< 0.05
319-85-7	beta-BHC	ND DL=< 0.05
319-86-8	delta-BHC	ND DL=< 0.05
58-89-9	gamma-BHC (Lindane)	ND DL=< 0.05
76-44-8	Heptachlor	ND DL=< 0.05
309-00-2	Aldrin	ND DL=< 0.05
1024-57-3	Heptachlor epoxide	ND DL=< 0.05
959-98-8	Endosulfan I	ND DL=< 0.05
60-57-1	Dieldrin	ND DL=< 0.10
72-55-9	4,4'-DDE	ND DL=< 0.10
72-20-8	Endrin	ND DL=< 0.10
33213-65-9	Endosulfan II	ND DL=< 0.10
72-54-8	4,4'-DDD	ND DL=< 0.10
7421-93-4	Endrin aldehyde	ND DL=< 0.10
53494-70-5	Endrin ketone	ND DL=< 0.10
1031-07-8	Endosulfan sulfate	ND DL=< 0.10
50-29-3	4,4'-DDT	ND DL=< 0.10
72-43-5	Methoxychlor	ND DL=< 0.50
5103-71-9	alpha-Chlordane	ND DL=< 0.05
5103-74-2	gamma-Chlordane	ND DL=< 0.05
8001-35-2	Toxaphene	ND DL=< 5.00
12674-11-2	Aroclor-1016	ND DL=< 1.00
11104-28-2	Aroclor-1221	ND DL=< 2.00
11141-16-5	Aroclor-1232	ND DL=< 1.00
53469-21-9	Aroclor-1242	ND DL=< 1.00
12672-29-6	Aroclor-1248	ND DL=< 1.00
11097-69-1	Aroclor-1254	ND DL=< 1.00
11096-82-5	Aroclor-1260	ND DL=< 1.00

ND DL = NOT DETECTED, DETECTION LIMIT

0 0 1 2 7 2

US EPA HOUSTON BRANCH

SAMPLE #: 3TFADW40-02
SOURCE: MILES ROAD LANDFILL
TYPE: AQUEOUS
ANALYSTS: RC, LC, JL

DATE RECEIVED: 13-Jul-93
DATE REPORTED: 12-Aug-93

PARAMETER	CONCENTRATION	DETECTION LIMIT <=	UNITS
ALUMINUM	ND	100	UG/L
ANTIMONY	ND	60	UG/L
ARSENIC	ND	5.8	UG/L
BARIUM	37	10	UG/L
BERYLLIUM	ND	5	UG/L
CADMIUM	ND	5	UG/L
CALCIUM	70200	150	UG/L
CHROMIUM	ND	10	UG/L
COBALT	ND	20	UG/L
COPPER	29	20	UG/L
IRON	42	25	UG/L
LEAD	ND	3.3	UG/L
MAGNESIUM	16900	150	UG/L
MANGANESE	21	5	UG/L
MERCURY	ND	0.2	UG/L
NICKEL	ND	20	UG/L
POTASSIUM	ND	1000	UG/L
SELENIUM	ND	5.8	UG/L
SILVER	ND	10	UG/L
SODIUM	158000	500	UG/L
THALLIUM	ND	10	UG/L
VANADIUM	ND	30	UG/L
ZINC	199	20	UG/L
CYANIDE	ND	0.02	MG/L

ND: LESS THAN DETECTION LIMIT

0 0 1 2 7 3

August 12, 1993

U.S. Environmental Protection Agency

Houston Branch Management System

Report for Sample Number 3TFADW4003

Source: MILES ROAD LANDFILL

Site Description: STA #15, TRIP BLANK

Date/Time Received: 7/13/93 10:00

Date/Time Collected: 7/12/93 12:00

Sample Type: DW

Date Completed: 8/12/93

Comments:

Parameter	Description	Section	Status	Report Date
ABN	ACID/BASE NEUTRALS	ORGANIC	COMPLETE	8/12/93
CN	CYANIDE	INORGANIC	COMPLETE	8/12/93
HSL	HAZARDOUS SUBSTANCE LIST	METALS	COMPLETE	8/12/93
PCB	POLYCHLORINATED BIPHENYLS	ORGANIC	COMPLETE	8/12/93
PES	PESTICIDES	ORGANIC	COMPLETE	8/12/93
VOA	VOLATILE ORGANIC ANALYSIS	ORGANIC	COMPLETE	8/12/93

00127

Attachment: 3

ORGANIC ANALYSIS DATA

6E-HL Sample NO: 3TFADW40-03

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Sample Type: WATER

SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

Compound Name	Results*	Det Limits
Acenaphthene	ND	2
Acenaphthylene	ND	2
Anthracene	ND	2
Benzidine	ND	20
Benzoic Acid	ND	10
Benzo(a)Anthracene	ND	8
Benzo(a)Pyrene	ND	8
Benzo(b)Fluoranthene	ND	8
Benzo(g,h,i)Perylene	ND	8
Benzo(k)Fluoranthene	ND	8
Benzyl Alcohol	ND	4
bis(2-Chloroethoxy)Methane	ND	2
bis(2-Chloroethyl) Ether	ND	2
bis(2-chloroisopropyl)Ether	ND	2
bis-(2-Ethylhexyl)Phthalate	ND	4
4-Bromophenylphenyl Ether	ND	8
Butylbenzylphthalate	ND	4
Carbazole	ND	10
4-Chloroaniline	ND	4
2-Chloronaphthalene	ND	2
2-Chlorophenol	ND	4
4-Chlorophenylphenyl Ether	ND	8
4-Chloro-3-Methylphenol	ND	8
Chrysene	ND	8
Dibenzofuran	ND	2
Dibenzo(a,h)Anthracene	ND	8
1,2-Dichlorobenzene	ND	3
1,3-Dichlorobenzene	ND	3
1,4-Dichlorobenzene	ND	3
3,3'-Dichlorobenzidine	ND	10
2,4-Dichlorophenol	ND	6
Diethylphthalate	ND	2
2,4-Dimethylphenol	ND	6
DimethylPhthalate	ND	2

units: ug/L

Compound Name	Results*	Det Limits
2,4-Dinitrophenol	ND	30
2,4-Dinitrotoluene	ND	6
2,6-Dinitrotoluene	ND	6
4,6-Dinitro-2-Methylphenol	ND	20
Di-n-Butylphthalate	ND	2
Di-n-Octyl Phthalate	ND	4
Fluoranthene	ND	2
Fluorene	ND	2
Hexachlorobenzene	ND	2
Hexachlorobutadiene	ND	5
Hexachlorocyclopentadiene	ND	10
Hexachloroethane	ND	3
Indeno(1,2,3-cd) Pyrene	ND	8
Isophorone	ND	4
2-Methylnaphthalene	ND	2
2-Methylphenol	ND	6
4-Methylphenol	ND	6
Naphthalene	ND	2
2-Nitroaniline	ND	8
3-Nitroaniline	ND	8
4-Nitroaniline	ND	8
Nitrobenzene	ND	2
2-Nitrophenol	ND	10
4-Nitrophenol	ND	13
N-Nitrosodiphenylamine	ND	4
N-Nitroso-Di-n-Propylamine	ND	6
Pentachlorophenol	ND	15
Phenanthrene	ND	2
Phenol	ND	4
Pyrene	ND	2
1,2,4-Trichlorobenzene	ND	3
2,4,5-Trichlorophenol	ND	6
2,4,6-Trichlorophenol	ND	6

(*) ND = Not detected above the listed detection limit.

(*) ND = Not detected above the listed detection limit.

Analyst Notes: _____

Attachment: 3

ORGANIC ANALYSIS DATA

6E-HL Sample NO:3TFADW40-03

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Matrix: WATER

TENTATIVELY IDENTIFIED SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

RT (min)	CAS #	COMPOUND NAME (*)	Estimated Concentration (**)
		No ABN TIC's detected in this sample.	

(*) ANALYSTS NOTE: The compounds listed are tentatively identified by the best match with the NIH/EPA/Wiley mass spectral data base or by manual interpretation. Standards were not available for confirmation or quantitation.

(**) Estimated concentration is based on a Response Factor of 1.0 to the nearest internal standard.

 Attachment: 3

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-03 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

VOLATILE COMPOUNDS BY METHOD 624 units: ug/L

CAS#	Compound Name	Results*	Det Limits
67-64-1	acetone	ND	5
107-02-8	acrolein	ND	100
107-13-1	acrylonitrile	ND	100
71-43-2	benzene	ND	2
75-27-4	bromodichloromethane	ND	2
75-25-2	bromoform	ND	2
74-83-9	bromomethane	ND	5
78-93-3	2-butanone	ND	5
75-15-0	carbon disulfide	ND	5
56-23-5	carbon tetrachloride	ND	2
108-90-7	chlorobenzene	ND	2
75-00-3	chloroethane	ND	5
67-66-3	chloroform	ND	2
74-87-3	chloromethane	ND	5
124-48-1	dibromochloromethane	ND	2
75-34-3	1,1-dichloroethane	ND	2
107-06-2	1,2-dichloroethane	ND	2
75-35-4	1,1-dichloroethene	ND	2
156-59-2	cis-1,2-dichloroethene	ND	2
156-60-5	trans-1,2-dichloroethene	ND	2
78-87-5	1,2-dichloropropane	ND	2
10061-01-5	cis-1,3-dichloropropene	ND	2
10061-02-6	trans-1,3-dichloropropene	ND	2
100-41-4	ethylbenzene	ND	5
519-78-6	2-hexanone	ND	5
75-09-2	methylene chloride	ND	5
108-10-1	4-methyl-2-pentanone	ND	5
100-42-5	styrene	ND	5
79-34-5	1,1,2,2-tetrachloroethane	ND	2
127-18-4	tetrachloroethene	ND	2
108-88-3	toluene	ND	5
71-55-6	1,1,1-trichloroethane	ND	2
79-00-5	1,1,2-trichloroethane	ND	2
79-01-6	trichloroethene	ND	2
75-01-4	vinyl chloride	ND	5
108-38-3	m- and/or (CAS# 106-42-3)p-xylene	ND	5
95-47-6	o-xylene	ND	5

(*) ND = Not detected above the listed detection limit.

00127

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-03 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

TENTATIVELY IDENTIFIED VOLATILE COMPOUNDS BY METHOD 624

(min) RT	CAS#	COMPOUND NAME *	ug/L EST. CONC.
		No VOA TIC's detected in this sample.	

* ANALYSTS NOTE - THE COMPOUNDS LISTED ARE TENTATIVELY IDENTIFIED BY THE BEST MATCH WITH THE NIH/EPA/WILEY MASS SPECTRAL DATA BASE OR BY MANUAL INTERPRETATION. STANDARDS WERE NOT AVAILABLE FOR CONFIRMATION OR QUANTITATION.

**Estimated concentration is based on a RF of 1.0 to internal standard

Attachment 3

PESTICIDE/PCB ANALYSIS

6ES-HL SAMPLE NO.: 3TFADW40-03 DATE REPORTED: 8 / 6/1993

SAMPLE TYPE: WATER MILES ROAD LANDFILL

ANALYST: LARRY STRECK

CAS#		UG/L (PPB)
319-84-6	alpha-BHC	ND DL=< 0.05
319-85-7	beta-BHC	ND DL=< 0.05
319-86-8	delta-BHC	ND DL=< 0.05
58-89-9	gamma-BHC (Lindane)	ND DL=< 0.05
76-44-8	Heptachlor	ND DL=< 0.05
309-00-2	Aldrin	ND DL=< 0.05
1024-57-3	Heptachlor epoxide	ND DL=< 0.05
959-98-8	Endosulfan I	ND DL=< 0.05
60-57-1	Dieldrin	ND DL=< 0.10
72-55-9	4,4'-DDE	ND DL=< 0.10
72-20-8	Endrin	ND DL=< 0.10
33213-65-9	Endosulfan II	ND DL=< 0.10
72-54-8	4,4'-DDD	ND DL=< 0.10
7421-93-4	Endrin aldehyde	ND DL=< 0.10
53494-70-5	Endrin ketone	ND DL=< 0.10
1031-07-8	Endosulfan sulfate	ND DL=< 0.10
50-29-3	4,4'-DDT	ND DL=< 0.10
72-43-5	Methoxychlor	ND DL=< 0.50
5103-71-9	alpha-Chlordane	ND DL=< 0.05
5103-74-2	gamma-Chlordane	ND DL=< 0.05
8001-35-2	Toxaphene	ND DL=< 5.00
12674-11-2	Aroclor-1016	ND DL=< 1.00
11104-28-2	Aroclor-1221	ND DL=< 2.00
11141-16-5	Aroclor-1232	ND DL=< 1.00
53469-21-9	Aroclor-1242	ND DL=< 1.00
12672-29-6	Aroclor-1248	ND DL=< 1.00
11097-69-1	Aroclor-1254	ND DL=< 1.00
11096-82-5	Aroclor-1260	ND DL=< 1.00

ND DL = NOT DETECTED, DETECTION LIMIT

US EPA HOUSTON BRANCH

SAMPLE #:	3TFADW40-03	DATE RECEIVED:	13-Jul-93
SOURCE:	MILES ROAD LANDFILL		
TYPE:	AQUEOUS	DATE REPORTED:	12-Aug-93
ANALYSTS:	RC, LC, JL		

PARAMETER	CONCENTRATION	DETECTION LIMIT <=	UNITS
ALUMINUM	ND	100	UG/L
ANTIMONY	ND	60	UG/L
ARSENIC	ND	5.8	UG/L
BARIUM	ND	10	UG/L
BERYLLIUM	ND	5	UG/L
CADMIUM	ND	5	UG/L
CALCIUM	ND	150	UG/L
CHROMIUM	ND	10	UG/L
COBALT	ND	20	UG/L
COPPER	ND	20	UG/L
IRON	ND	25	UG/L
LEAD	ND	3.3	UG/L
MAGNESIUM	ND	150	UG/L
MANGANESE	ND	5	UG/L
MERCURY	ND	0.2	UG/L
NICKEL	ND	20	UG/L
POTASSIUM	ND	1000	UG/L
SELENIUM	ND	5.8	UG/L
SILVER	ND	10	UG/L
SODIUM	ND	500	UG/L
THALLIUM	ND	10	UG/L
VANADIUM	ND	30	UG/L
ZINC	ND	20	UG/L
CYANIDE	ND	0.02	MG/L

ND: LESS THAN DETECTION LIMIT

August 12, 1993

U.S. Environmental Protection Agency

Houston Branch Management System

Report for Sample Number 3TFADW4004

Source: MILES ROAD LANDFILL

Site Description: STA #1[redacted] WELL (b) (6)

Date/Time Received: 7/13/93 10:00

Date/Time Collected: 7/12/93 16:30

Sample Type: DW

Date Completed: 8/12/93

Comments:

Parameter	Description	Section	Status	Report Date
ABN	ACID/BASE NEUTRALS	ORGANIC	COMPLETE	8/12/93
CN	CYANIDE	INORGANIC	COMPLETE	8/12/93
HSL	HAZARDOUS SUBSTANCE LIST	METALS	COMPLETE	8/12/93
PCB	POLYCHLORINATED BIPHENYLS	ORGANIC	COMPLETE	8/12/93
PES	PESTICIDES	ORGANIC	COMPLETE	8/12/93
VOA	VOLATILE ORGANIC ANALYSIS	ORGANIC	COMPLETE	8/12/93

001281

Attachment: 4

ORGANIC ANALYSIS DATA

6E-HL Sample NO: 3TFADW40-04

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Sample Type: WATER

SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

units: ug/L

Compound Name	Results*	Det Limits	Compound Name	Results*	Det Limits
Acenaphthene	ND	2	2,4-Dinitrophenol	ND	30
Acenaphthylene	ND	2	2,4-Dinitrotoluene	ND	6
Anthracene	ND	2	2,6-Dinitrotoluene	ND	6
Benzidine	ND	20	4,6-Dinitro-2-Methylphenol	ND	20
Benzoic Acid	ND	10	Di-n-Butylphthalate	ND	2
Benzo(a)Anthracene	ND	8	Di-n-Octyl Phthalate	ND	4
Benzo(a)Pyrene	ND	8	Fluoranthene	ND	2
Benzo(b)Fluoranthene	ND	8	Fluorene	ND	2
Benzo(g,h,i)Perylene	ND	8	Hexachlorobenzene	ND	2
Benzo(k)Fluoranthene	ND	8	Hexachlorobutadiene	ND	5
Benzyl Alcohol	ND	4	Hexachlorocyclopentadiene	ND	10
bis(2-Chloroethoxy)Methane	ND	2	Hexachloroethane	ND	3
bis(2-Chloroethyl) Ether	ND	2	Indeno(1,2,3-cd) Pyrene	ND	8
bis(2-chloroisopropyl)Ether	ND	2	Isophorone	ND	4
bis-(2-Ethylhexyl)Phthalate	ND	4	2-Methylnaphthalene	ND	2
4-Bromophenylphenyl Ether	ND	8	2-Methylphenol	ND	6
Butylbenzylphthalate	ND	4	4-Methylphenol	ND	6
Carbazole	ND	10	Naphthalene	ND	2
4-Chloroaniline	ND	4	2-Nitroaniline	ND	8
2-Chloronaphthalene	ND	2	3-Nitroaniline	ND	8
2-Chlorophenol	ND	4	4-Nitroaniline	ND	8
4-Chlorophenylphenyl Ether	ND	8	Nitrobenzene	ND	2
4-Chloro-3-Methylphenol	ND	8	2-Nitrophenol	ND	10
Chrysene	ND	8	4-Nitrophenol	ND	13
Dibenzofuran	ND	2	N-Nitrosodiphenylamine	ND	4
Dibenzo(a,h)Anthracene	ND	8	N-Nitroso-Di-n-Propylamine	ND	6
1,2-Dichlorobenzene	ND	3	Pentachlorophenol	ND	15
1,3-Dichlorobenzene	ND	3	Phenanthrene	ND	2
1,4-Dichlorobenzene	ND	3	Phenol	ND	4
3,3'-Dichlorobenzidine	ND	10	Pyrene	ND	2
2,4-Dichlorophenol	ND	6	1,2,4-Trichlorobenzene	ND	3
Diethylphthalate	ND	2	2,4,5-Trichlorophenol	ND	6
2,4-Dimethylphenol	ND	6	2,4,6-Trichlorophenol	ND	6
DimethylPhthalate	ND	2			

(*) ND = Not detected above the listed detection limit.

(*) ND = Not detected above the listed detection limit.

Analyst Notes: _____

0 0 1 2 8 2

Attachment: 4

ORGANIC ANALYSIS DATA

6E-HL Sample NO:3TFAD440-04

Date Reported: 06-Aug-93

Analyst: M. HUMPHREY

Matrix: WATER

TENTATIVELY IDENTIFIED SEMI-VOLATILE COMPOUNDS BY METHOD 625

units: ug/L

RT (min)	CAS #	COMPOUND NAME (*)	Estimated Concentration (**)
12.6		UNKNOWN	8

(*) ANALYSTS NOTE: The compounds listed are tentatively identified by the best match with the NIH/EPA/Wiley mass spectral data base or by manual interpretation. Standards were not available for confirmation or quantitation.

(**) Estimated concentration is based on a Response Factor of 1.0 to the nearest internal standard.

0 0 1 2 8 3

 Attachment: 4

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-04 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

VOLATILE COMPOUNDS BY METHOD 624 units: ug/L

CAS#	Compound Name	Results*	Det Limits
67-64-1	acetone	ND	5
107-02-8	acrolein	ND	100
107-13-1	acrylonitrile	ND	100
71-43-2	benzene	ND	2
75-27-4	bromodichloromethane	ND	2
75-25-2	bromoform	ND	2
74-83-9	bromomethane	ND	5
78-93-3	2-butanone	ND	5
75-15-0	carbon disulfide	ND	5
56-23-5	carbon tetrachloride	ND	2
108-90-7	chlorobenzene	ND	2
75-00-3	chloroethane	ND	5
67-66-3	chloroform	ND	2
74-87-3	chloromethane	ND	5
124-48-1	dibromochloromethane	ND	2
75-34-3	1,1-dichloroethane	ND	2
107-06-2	1,2-dichloroethane	ND	2
75-35-4	1,1-dichloroethene	ND	2
156-59-2	cis-1,2-dichloroethene	ND	2
156-60-5	trans-1,2-dichloroethene	ND	2
78-87-5	1,2-dichloropropane	ND	2
10061-01-5	cis-1,3-dichloropropene	ND	2
10061-02-6	trans-1,3-dichloropropene	ND	2
100-41-4	ethylbenzene	ND	5
519-78-6	2-hexanone	ND	5
75-09-2	methylene chloride	ND	5
108-10-1	4-methyl-2-pentanone	ND	5
100-42-5	styrene	ND	5
79-34-5	1,1,2,2-tetrachloroethane	ND	2
127-18-4	tetrachloroethene	ND	2
108-88-3	toluene	ND	5
71-55-6	1,1,1-trichloroethane	ND	2
79-00-5	1,1,2-trichloroethane	ND	2
79-01-6	trichloroethene	ND	2
75-01-4	vinyl chloride	ND	5
108-38-3	m- and/or (CAS# 106-42-3)p-xylene	ND	5
95-47-6	o-xylene	ND	5

(*) ND = Not detected above the listed detection limit.

ORGANIC ANALYSIS DATA

6E-HL SAMPLE NO: 3TFADW40-04 DATE REPORTED: 10-Aug-93

ANALYST: F. Edward O'Neill SAMPLE TYPE: water

TENTATIVELY IDENTIFIED VOLATILE COMPOUNDS BY METHOD 624

(min) RT	CAS#	COMPOUND NAME *	ug/L EST. CONC.
		No VOA TIC's detected in this sample.	

* ANALYSTS NOTE - THE COMPOUNDS LISTED ARE TENTATIVELY IDENTIFIED BY THE BEST MATCH WITH THE NIH/EPA/WILEY MASS SPECTRAL DATA BASE OR BY MANUAL INTERPRETATION. STANDARDS WERE NOT AVAILABLE FOR CONFIRMATION OR QUANTITATION.

**Estimated concentration is based on a RF of 1.0 to internal standard

Attachment 4

PESTICIDE/PCB ANALYSIS

6ES-HL SAMPLE NO.: 3TFADW40-04 DATE REPORTED: 8 / 6/1993

SAMPLE TYPE: WATER MILES ROAD LANDFILL

ANALYST: LARRY STRECK

CAS#		UG/L (PPB)
319-84-6	alpha-BHC	ND DL=< 0.05
319-85-7	beta-BHC	ND DL=< 0.05
319-86-8	delta-BHC	ND DL=< 0.05
58-89-9	gamma-BHC (Lindane)	ND DL=< 0.05
76-44-8	Heptachlor	ND DL=< 0.05
309-00-2	Aldrin	ND DL=< 0.05
1024-57-3	Heptachlor epoxide	ND DL=< 0.05
959-98-8	Endosulfan I	ND DL=< 0.05
60-57-1	Dieldrin	ND DL=< 0.05
72-55-9	4,4'-DDE	ND DL=< 0.10
72-20-8	Endrin	ND DL=< 0.10
33213-65-9	Endosulfan II	ND DL=< 0.10
72-54-8	4,4'-DDD	ND DL=< 0.10
7421-93-4	Endrin aldehyde	ND DL=< 0.10
53494-70-5	Endrin ketone	ND DL=< 0.10
1031-07-8	Endosulfan sulfate	ND DL=< 0.10
50-29-3	4,4'-DDT	ND DL=< 0.10
72-43-5	Methoxychlor	ND DL=< 0.50
5103-71-9	alpha-Chlordane	ND DL=< 0.05
5103-74-2	gamma-Chlordane	ND DL=< 0.05
8001-35-2	Toxaphene	ND DL=< 5.00
12674-11-2	Aroclor-1016	ND DL=< 1.00
11104-28-2	Aroclor-1221	ND DL=< 2.00
11141-16-5	Aroclor-1232	ND DL=< 1.00
53469-21-9	Aroclor-1242	ND DL=< 1.00
12672-29-6	Aroclor-1248	ND DL=< 1.00
11097-69-1	Aroclor-1254	ND DL=< 1.00
11096-82-5	Aroclor-1260	ND DL=< 1.00

ND DL = NOT DETECTED, DETECTION LIMIT

0 0 1 2 8 6

US EPA HOUSTON BRANCH

SAMPLE #:	3TFADW40-04	DATE RECEIVED:	13-Jul-93
SOURCE:	MILES ROAD LANDFILL		
TYPE:	AQUEOUS	DATE REPORTED:	12-Aug-93
ANALYSTS:	RC, LC, JL		

PARAMETER	CONCENTRATION	DETECTION LIMIT <=	UNITS
ALUMINUM	132	100	UG/L
ANTIMONY	ND	60	UG/L
ARSENIC	ND	5.8	UG/L
BARIUM	134	10	UG/L
BERYLLIUM	ND	5	UG/L
CADMIUM	ND	5	UG/L
CALCIUM	49600	150	UG/L
CHROMIUM	ND	10	UG/L
COBALT	ND	20	UG/L
COPPER	ND	20	UG/L
IRON	89	25	UG/L
LEAD	ND	3.3	UG/L
MAGNESIUM	5190	150	UG/L
MANGANESE	ND	5	UG/L
MERCURY	ND	0.2	UG/L
NICKEL	ND	20	UG/L
POTASSIUM	ND	1000	UG/L
SELENIUM	ND	5.8	UG/L
SILVER	ND	10	UG/L
SODIUM	65500	500	UG/L
THALLIUM	ND	10	UG/L
VANADIUM	ND	30	UG/L
ZINC	ND	20	UG/L
CYANIDE	ND	0.02	MG/L

ND: LESS THAN DETECTION LIMIT

001287