90095039

CWTP
CL-4400
ACTIVATED CARBON
CALGON
CALGON CARBON CORPORATION
P.O. BOX 717, PITTSBURGH, PA. 15230-0717.
412-787-6700

EXIT

CORROSIVE
8


405
522 22 500

CL-1446
Cooling Water
Treatment
Chemfreat, Inc.
FIRST AID INFORMATION:
CORROSIVE
8
Potassium hydroxide solution
UN 1814

CYTEC
Agent d'extraction CYANEX 923
(Mixture of tertiary octyl and hexyl phosphine oxides
(Mélange d'oxydes de phosphine d'hexyle et d'octyle
DANGER! CAUSES SKIN BURNS
MAY CAUSE EYE IRRITATION
FIRST AID:
ATTENTION:
DANGER! CAUSE DES BRULURES A LA PEAU
PEUT IRRITER LES YEUX
PREMIERS SOIN:
ATTENTION:
CYTEC CANADA INC. • NIAGARA FALLS, ONTARIO L2E 6T2


YTEC
CYANEX 923 Extractant.
UN 1760
8
CORROSIVE LIQUIDS, N.O.S.
LIQUIDES CORROSIFS, N.S.A.
Net Wt.
170.10 kg
375.00 lb.
Aver. Gross Wt.
180.53 kg
398.00 lb.
Drum No.

CORROSIVE
REACTIVITY


Kolene Corporation
12890 Westwood Ave.
Detroit, Michigan 48223
313-273-9220
800-5244182
CORROSIVE
8
Dot ERG #
EMERGENCY PHONE NO.: 313-273-9220
REFER TO MATERIAL SAFETY DATA SHEET FOR ADDITIONAL INFORMATION


THIS MEMORANDUM
FROM
SHIPPER
STREET
ORIGIN
STATE
ZIP
DATE
KIND OF PACKAGES, DESCRIPTION OF ARTICLES
SPECIAL MARKS AND EXCEPTIONS
RATE
Label & See Bulg


FOR: DRUM RECYCLING
OR RECONDITIONING
IN THE U.S.A. CALL
1-800- DRUM - CYCLE
- (1-800-378-6292)
WWTF
CL-4400
Cooling Water Treatment

ASTRO
5503-300K

EXIT
HEALTH
REACTIVITY
PROTECTIVE EQUIPMENT

EXIT
HEALTH
FLAMMABILITY
REACTIVITY
PROTECTIVE EQUIPMENT

Reomol TBP
Tributyl Phosphate
For industrial use only
FMC
FMC
FMC
FMC
FMC
FMC
FMC
FMC
FMC
FMC
Storage and Handling
Net Weight 450 lb (204 kg)
FMC Corporation
Process Additives Division
1735 Market Street
Philadelphia, Pennsylvania 19103

BRAZIL
SUY
430 NET

EXIT