CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 13:45:00	8K90684	8015 Glycols	EPA 8015D	8015D	Ethylene Glycol	107-27-1	FALSE	FALSE	ND	0.2	2.0	mg/L	FALSE	NA	1					CS																	2
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 13:45:00	8K90684	8015 Glycols	EPA 8015D	8015D	Tetraethylene Glycol	112-60-7	TRUE	FALSE	21.4			mg/L	FALSE	NA	1	20.0	107	130	70	CS																	5
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	2
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Butadiene	106-99-0	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	4
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloromethane	74-87-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	5
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Vinyl chloride	75-01-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	6
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromomethane	74-83-9	FALSE	FALSE	ND	0.002	0.005	mg/L	FALSE	NA	1					BDS																	7
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroethane	75-00-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	8
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichlorofluoromethane	75-69-4	FALSE	FALSE	ND	0.0002	0.005	mg/L	FALSE	NA	1					BDS																	10
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethene	75-35-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	15
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Methylene chloride	75-09-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	22
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	23
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethane	75-34-3	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS																	24
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	28
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	2,2-Dichloropropane	594-20-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	33
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromochloromethane	74-97-5	FALSE	FALSE	ND	0.011	0.010	mg/L	FALSE	NA	1					BDS																	34
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroform	67-66-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	37
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	38
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloropropene	563-58-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	39
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloroethane	107-06-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	40
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Benzene	71-43-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	42
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Carbon tetrachloride	56-23-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	45
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloropropane	78-87-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS																	47
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichloroethene	79-01-6	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	48
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromomethane	74-95-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	49
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromodichloromethane	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	50
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	55
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	56
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene	108-88-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	57
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	58
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichloropropane	142-28-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	59
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromochloromethane	124-48-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	62
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromoethane (EDB)	106-93-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	63
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Tetrachloroethene	127-18-4	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	64
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Chlorobenzene	108-90-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	65
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1,2-Tetrachloroethane	630-20-6	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS																	66
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Ethyl benzene	100-41-4	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	67
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	m,p-Xylene	1330-20-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	68
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromoform	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	69
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Styrene	100-42-5	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	70
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	o-Xylene	1330-20-7	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	72
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS																	74
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichloropropane	96-18-4	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS																	75
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Isopropylbenzene	98-82-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	77
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromobenzene	08-86-1	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	78
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Chlorotoluene	106-43-4	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS																	79
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Propylbenzene	103-65-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	80
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	2-Chlorotoluene	95-49-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	81
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3,5-Trimethylbenzene	108-67-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	82
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	tert-Butylbenzene	98-06-6	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS																	84
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trimethylbenzene	95-63-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS																	85
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	86
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	sec-Butylbenzene	135-98-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS																	87
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	88
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	p-Isopropyltoluene	99-87-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	90
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	91
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Butylbenzene	104-51-8	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	93
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS																	94
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1					BDS																	95
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS																	96
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS																	97
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1					BDS																	98
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0494			mg/L	FALSE	NA	1	0.0500	99	118	82	BDS																	104
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0517			mg/L	FALSE	NA	1	0.0500	103	110	88	BDS																	105
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 12:00:00	11/28/2019 12:00:00	8K90686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0482			mg/L	FALSE	NA	1	0.0500	96	115	86	BDS																	106
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 11:47:00	8K90682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosodimethylamine	62-75-9	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALS

Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 10:25:00	11/28/2019 10:25:00	89K0685	TOC	SM 5310C-2011	Wet Chem Prep	Total Organic Carbon		FALSE	FALSE	28.1	0.24	1.00	mg/L	FALSE	NA	1						ZAC	0
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	C6-C12 Hydrocarbons		FALSE	FALSE	ND	0.86	4.65	mg/L	FALSE	NA	1						CS	1
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	>C12-C28 Hydrocarbons		FALSE	FALSE	ND	0.74	4.65	mg/L	FALSE	NA	1						CS	4
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	>C28-C35 Hydrocarbons		FALSE	FALSE	ND	0.72	4.65	mg/L	FALSE	NA	1						CS	7
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	Tot C6-C35 Hydrocarbons		FALSE	FALSE	ND	1.42	4.65	mg/L	FALSE	NA	1						CS	8
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	1-Chlorooctadecane		TRUE	FALSE	3.83			mg/L	FALSE	NA	1	4.65	83	130	70	CS	9
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127Y001	9K28007-01	Water	Water	11/27/2019 23:00:00	11/28/2019 09:00:00	11/28/2019 12:49:00	89K0683	Tx1005 TPH	TCEQ Tx1005	Tx1005	1-Chlorooctane		TRUE	FALSE	4.10			mg/L	FALSE	NA	1	4.65	88	130	70	CS	10
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	2
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Butadiene	106-99-0	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	4
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloromethane	74-87-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	5
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Vinyl chloride	75-01-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	6
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromomethane	74-83-9	FALSE	FALSE	ND	0.002	0.005	mg/L	FALSE	NA	1						BDS	7
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroethane	75-00-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	8
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichlorofluoromethane	75-69-4	FALSE	FALSE	ND	0.0002	0.005	mg/L	FALSE	NA	1						BDS	10
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethene	75-35-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	15
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Methylene chloride	75-09-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	22
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	23
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethane	75-34-3	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1						BDS	24
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	28
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2,2-Dichloropropane	594-20-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	33
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromochloromethane	74-97-5	FALSE	FALSE	ND	0.011	0.010	mg/L	FALSE	NA	1						BDS	34
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroform	67-66-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	37
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	38
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloropropene	563-58-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	39
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloroethane	107-06-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	40
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Benzene	71-43-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	42
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Carbon tetrachloride	56-23-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	45
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloropropane	78-87-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1						BDS	47
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichloroethene	79-01-6	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	48
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromomethane	74-95-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	49
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromodichloromethane	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	50
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	55
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	56
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene	108-88-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	57
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	58
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichloropropane	142-28-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	59
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromochloromethane	124-48-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	62
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromoethane (EDB)	106-93-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	63
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Tetrachloroethene	127-18-4	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	64
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chlorobenzene	108-90-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	65
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1,2-Tetrachloroethane	630-20-6	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1						BDS	66
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Ethyl benzene	100-41-4	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	67
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	m,p-Xylene	1330-20-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	68
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromoform	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	69
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Styrene	100-42-5	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	70
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	o-Xylene	1330-20-7	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	72
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1						BDS	74
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichloropropane	96-18-4	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1						BDS	75
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Isopropylbenzene	98-82-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	77
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromobenzene	08-86-1	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	78
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Chlorotoluene	106-43-4	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1						BDS	79
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Propylbenzene	103-65-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	80
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2-Chlorotoluene	95-49-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	81
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3,5-Trimethylbenzene	108-67-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	82
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	tert-Butylbenzene	98-06-6	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1						BDS	84
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trimethylbenzene	95-63-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1						BDS	85
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	86
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	sec-Butylbenzene	135-98-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1						BDS	87
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	88
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	p-Isopropyltoluene	99-87-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	90
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1						BDS	91
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Butylbenzene	104-51-8	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	93
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1						BDS	94
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1						BDS	95
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1						BDS	96
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1						BDS	97
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1						BDS	98
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0500			mg/L	FALSE	NA	1	0.0500	100	118	82	BDS	104
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0506			mg/L	FALSE	NA	1	0.0500	101	110	88	BDS	105
Center Technical Environmental Health	CTEH	112312	Earth Analytical Sciences, Inc.	PNTX1127B001	9K28007-02	Water	Water	11/27/2019 00:00:00	11/28/2019 12:19:00	11/28/2019 12:19:00	89K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0492			mg/L	FALSE	NA	1	0.0500	98	115	86	BDS	106

LabName	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosodimethylamine	62-75-9	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				4
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Picoline	109-06-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				5
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Methyl methanesulfonate	66-27-3	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				8
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Ethyl methanesulfonate	62-50-0	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				10
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Aniline	62-53-3	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				11
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenol	108-95-2	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				12
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Chlorophenol	95-57-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				14
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroethyl)ether	111-44-4	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				15
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				16
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				17
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzyl alcohol	100-51-6	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				18
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				22
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Methylphenol	95-48-7	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				23
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroisopropyl)ether	108-60-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				25
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acetophenone	98-86-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				26
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Methylphenol	106-44-5	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				30
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitroso-di-n-propylamine	621-64-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				32
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachloroethane	67-72-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				33
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Nitrobenzene	98-95-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				35
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosopiperidine	100-75-4	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				36
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Isophorone	78-59-1	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				37
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Nitrophenol	88-75-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				38
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				39
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroethoxy)methane	111-91-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				41
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				43
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzoic acid	65-85-0	FALSE	FALSE	ND	0.0005	0.020	mg/L	FALSE	NA	1									CS				44
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				45
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Naphthalene	91-20-3	FALSE	FALSE	ND	0.002	0.005	mg/L	FALSE	NA	1									CS				46
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				47
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloroaniline	106-47-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				48
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dichlorophenol	87-65-0	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				49
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachloropropene	1888-81-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				50
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitroso-di-n-butylamine	924-16-3	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				52
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	a,a-Dimethylphenethylamine	122-09-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				53
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				54
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Methylnaphthalene	91-57-6	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				57
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4,5-Tetrachlorobenzene	95-94-3	FALSE	FALSE	ND	0.002	0.005	mg/L	FALSE	NA	1									CS				61
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				62
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				63
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				64
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Chloronaphthalene	90-13-1	FALSE	FALSE	ND	0.002	0.005	mg/L	FALSE	NA	1									CS				65
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Chloronaphthalene	91-58-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				66
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Nitroaniline	88-74-4	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				67
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dimethylphthalate	131-11-3	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				69
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthylene	208-96-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				71
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				72
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3-Nitroaniline	99-09-2	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				73
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthene	83-32-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				74
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	ND	0.0008	0.010	mg/L	FALSE	NA	1									CS				75
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenzofuran	132-64-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				76
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitrophenol	100-02-7	FALSE	FALSE	ND	0.0006	0.010	mg/L	FALSE	NA	1									CS				77
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorobenzene	608-93-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				78
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				79
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Naphthylamine	134-32-7	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				80
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Naphthylamine	91-59-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				81
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,3,4,6-Tetrachlorophenol	58-90-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				82
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diethylphthalate	84-66-2	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				83
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluorene	86-73-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				84
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chlorophenyl-phenyl ether	7005-72-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				85
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitroaniline	100-01-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				88
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	ND	0.0006	0.010	mg/L	FALSE	NA	1									CS				89
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosodiphenylamine	86-30-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				90
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylamine	122-39-4	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				91
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylhydrazine(as Azobenzene)	103-33-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				93
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Bromophenyl-phenyl ether	101-55-3	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				97
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenacetin	62-44-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				98
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobenzene	118-74-1	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				100
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Aminobiphenyl	92-67-1	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				102
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorophenol	87-86-5	FALSE	FALSE	ND	0.0006	0.010	mg/L	FALSE	NA	1									CS				103
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pronamide	23950-58-5	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				104
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachloronitrobenzene	82-68-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				105
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenanthrene	85-01-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				106
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Anthracene	120-12-7	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1									CS				107
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Di-n-butylphthalate	87-74-2	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				111
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluoranthene	206-44-0	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				112
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzidine	92-87-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				117
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pyrene	129-00-0	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				118
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	p-Dimethylaminoazobenzene	60-11-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				119
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chlorobenzilate	510-15-6	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1									CS				120
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dimethylbenzidine	119-93-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				121
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzylbutylphthalate	85-68-7	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1									CS				122
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(a)anthracene	56-55-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				124
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1									CS				125
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chrysene	218-01-9	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1									CS				126
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Ethylhexyl)phthalate	117-81-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1									CS				128
Earth Analytical Sciences, Inc.	B9K0682-BLK1	Blank	Water	11/28/2019 09:00:00	11/28/2019 09:40:00	B9K0682	8270 SVOA Std List	EP

Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.025	0.001	0.005	mg/L	FALSE	NA	1	0.0500	50	120	50	CS	22
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Methylphenol	95-48-7	FALSE	FALSE	0.023	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	47	120	27	CS	23
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroisopropyl)ether	108-60-1	FALSE	FALSE	0.032	0.001	0.005	mg/L	FALSE	NA	1	0.0500	64	107	30	CS	25
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acetophenone	98-86-2	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1	0.0500	73	120	50	CS	26
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Methylphenol	106-44-5	FALSE	FALSE	0.042	0.0007	0.005	mg/L	FALSE	NA	1	0.100	42	120	50	CS	30
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitroso-di-n-propylamine	621-64-7	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1	0.0500	72	120	50	CS	32
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachloroethane	67-72-1	FALSE	FALSE	0.023	0.001	0.005	mg/L	FALSE	NA	1	0.0500	46	120	35	CS	33
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Nitrobenzene	98-95-3	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1	0.0500	72	120	50	CS	35
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosopiperidine	100-75-4	FALSE	FALSE	0.038	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	75	120	35	CS	36
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Isophorone	78-59-1	FALSE	FALSE	0.040	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	80	120	50	CS	37
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Nitrophenol	88-75-5	FALSE	FALSE	0.036	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	72	120	50	CS	38
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dimethylphenol	105-67-9	FALSE	FALSE	0.031	0.001	0.005	mg/L	FALSE	NA	1	0.0500	62	120	30	CS	39
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroethoxy)methane	111-91-1	FALSE	FALSE	0.020	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	41	120	50	CS	41
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.034	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	68	120	50	CS	43
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzoic acid	65-85-0	FALSE	FALSE	0.009	0.0005	0.020	mg/L	FALSE	NA	1	0.0500	18	75	1	CS	44
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.030	0.001	0.005	mg/L	FALSE	NA	1	0.0500	60	120	50	CS	45
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Naphthalene	91-20-3	FALSE	FALSE	0.033	0.002	0.005	mg/L	FALSE	NA	1	0.0500	66	120	50	CS	46
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.028	0.001	0.005	mg/L	FALSE	NA	1	0.0500	57	120	40	CS	47
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloroaniline	106-47-8	FALSE	FALSE	0.036	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	72	120	25	CS	48
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dichlorophenol	87-65-0	FALSE	FALSE	0.036	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	72	120	50	CS	49
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachloropropene	1888-81-7	FALSE	FALSE	0.022	0.001	0.005	mg/L	FALSE	NA	1	0.0500	45	120	25	CS	50
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitroso-di-n-butylamine	924-16-3	FALSE	FALSE	0.039	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	79	120	35	CS	52
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	a,a-Dimethylphenethylamine	122-09-8	FALSE	FALSE	0.005	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	10	75	1	CS	53
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.032	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	65	120	30	CS	54
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1	0.0500	72	120	50	CS	57
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4,5-Tetrachlorobenzene	95-94-3	FALSE	FALSE	0.033	0.002	0.005	mg/L	FALSE	NA	1	0.0500	67	120	35	CS	61
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.013	0.001	0.005	mg/L	FALSE	NA	1	0.0500	26	98	10	CS	62
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.037	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	74	120	40	CS	63
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.037	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	75	120	40	CS	64
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Chloronaphthalene	90-13-1	FALSE	FALSE	0.038	0.002	0.005	mg/L	FALSE	NA	1	0.0500	75	120	50	CS	65
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1	0.0500	73	120	50	CS	66
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Nitroaniline	88-74-4	FALSE	FALSE	0.040	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	81	120	50	CS	67
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dimethylphthalate	131-11-3	FALSE	FALSE	0.037	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	73	120	25	CS	69
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthylene	208-96-8	FALSE	FALSE	0.019	0.001	0.005	mg/L	FALSE	NA	1	0.0500	39	145	20	CS	71
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.041	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	83	120	50	CS	72
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3-Nitroaniline	99-09-2	FALSE	FALSE	0.035	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	71	120	25	CS	73
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthene	83-32-9	FALSE	FALSE	0.037	0.001	0.005	mg/L	FALSE	NA	1	0.0500	74	120	50	CS	74
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.031	0.0008	0.010	mg/L	FALSE	NA	1	0.0500	63	90	10	CS	75
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenzofuran	132-64-9	FALSE	FALSE	0.039	0.001	0.005	mg/L	FALSE	NA	1	0.0500	77	120	20	CS	76
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitrophenol	100-02-7	FALSE	FALSE	0.011	0.0006	0.010	mg/L	FALSE	NA	1	0.0500	22	75	1	CS	77
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorobenzene	608-93-5	FALSE	FALSE	0.038	0.001	0.005	mg/L	FALSE	NA	1	0.0500	76	120	50	CS	78
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.041	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	82	120	50	CS	79
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Naphthylamine	134-32-7	FALSE	FALSE	0.034	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	68	67	15	CS	80
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Naphthylamine	91-59-8	FALSE	FALSE	0.037	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	73	74	5	CS	81
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,3,4,6-Tetrachlorophenol	58-90-2	FALSE	FALSE	0.037	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	75	120	40	CS	82
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diethylphthalate	84-66-2	FALSE	FALSE	0.041	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	82	120	30	CS	83
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluorene	86-73-7	FALSE	FALSE	0.037	0.001	0.005	mg/L	FALSE	NA	1	0.0500	75	120	50	CS	84
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chlorophenyl-phenyl ether	7005-72-3	FALSE	FALSE	0.037	0.001	0.005	mg/L	FALSE	NA	1	0.0500	74	120	50	CS	85
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitroaniline	100-01-6	FALSE	FALSE	0.039	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	78	98	33	CS	88
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.037	0.0006	0.010	mg/L	FALSE	NA	1	0.0500	74	120	40	CS	89
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosodiphenylamine	86-30-6	FALSE	FALSE	0.039	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	79	120	25	CS	90
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylamine	122-39-4	FALSE	FALSE	0.039	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	79	120	25	CS	91
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylhydrazine(as Azobenzene)	103-33-3	FALSE	FALSE	0.017	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	33	79	2	CS	93
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Bromophenyl-phenyl ether	101-55-3	FALSE	FALSE	0.038	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	76	120	50	CS	97
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenacetin	62-44-2	FALSE	FALSE	0.038	0.001	0.005	mg/L	FALSE	NA	1	0.0500	75	120	50	CS	98
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobenzene	118-74-1	FALSE	FALSE	0.038	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	75	120	50	CS	100
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Aminobiphenyl	92-67-1	FALSE	FALSE	0.031	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	61	120	50	CS	102
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorophenol	87-86-5	FALSE	FALSE	0.032	0.0006	0.010	mg/L	FALSE	NA	1	0.0500	65	103	9	CS	103
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pronamide	23950-58-5	FALSE	FALSE	0.040	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	80	120	25	CS	104
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachloronitrobenzene	82-68-8	FALSE	FALSE	0.039	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	79	120	50	CS	105
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenanthrene	85-01-8	FALSE	FALSE	0.037	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	73	120	50	CS	106
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Anthracene	120-12-7	FALSE	FALSE	0.038	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	75	120	50	CS	107
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Di-n-butylphthalate	87-74-2	FALSE	FALSE	0.041	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	82	120	25	CS	111
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluoranthene	206-44-0	FALSE	FALSE	0.038	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	76	120	50	CS	112
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzidine	92-87-5	FALSE	FALSE	0.009	0.001	0.005	mg/L	FALSE	NA	1	0.0500	18	75	50	CS	117
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pyrene	129-00-0	FALSE	FALSE	0.036	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	72	120	52	CS	118
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	p-Dimethylaminoazobenzene	60-11-7	FALSE	FALSE	0.040	0.001	0.005	mg/L	FALSE	NA	1	0.0500	79	120	50	CS	119
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chlorobenzilate	510-15-6	FALSE	FALSE	0.044	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	87	120	30	CS	120
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dimethylbenzidine	119-93-7	FALSE	FALSE	0.028	0.001	0.005	mg/L	FALSE	NA	1	0.0500	56	75	1	CS	121
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzylbutylphthalate	85-68-7	FALSE	FALSE	0.041	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	83	120	50	CS	122
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.041	0.001	0.005	mg/L	FALSE	NA	1	0.0500	82	120	50	CS	124
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.038	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	76	75	1	CS	125
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chrysene	218-01-9	FALSE	FALSE	0.037	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	74	120	50	CS	126
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Ethylhexyl)phthalate	117-81-7	FALSE	FALSE	0.043	0.001	0.005	mg/L	FALSE	NA	1	0.0500	85	120	50	CS	128
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Di-n-octylphthalate	117-84-0	FALSE	FALSE	0.042	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	84	120	50	CS	129
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.033	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	65	120	25	CS	130
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	7,12-Dimethylbenz(a)anthracene	57-97-6	FALSE	FALSE	0.040	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	81	120	20	CS	131
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.033	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	66	120	25	CS	133
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.027	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	55	120	25	CS	134
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3-Methylcholanthrene	56-49-5	FALSE	FALSE	0.032	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	65	120	20	CS	135
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenz(a,j)acridine	224-42-0	FALSE	FALSE	0.007	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	13	120	50	CS	137
Earth Analytical Sciences, Inc.	B9K0682-BS1	LCS	Water	11/28/2019 09:00:00	11/28/2019 10:12:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.030	0.0005	0.005	mg/L	FALSE	NA	1	0.0500	61

Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Chloroethoxy)methane	111-91-1	FALSE	FALSE	0.018	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	37	10	120	50	25	CS	41
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dichlorophenol	120-83-2	FALSE	FALSE	0.030	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	61	11	120	50	25	CS	43
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzoic acid	65-85-0	FALSE	FALSE	0.009	0.0005	0.020	mg/L	FALSE	NA	1		0.0500	18	4	75	1	25	CS	44
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.027	0.001	0.005	mg/L	FALSE	NA	1		0.0500	54	11	120	50	25	CS	45
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Naphthalene	91-20-3	FALSE	FALSE	0.030	0.002	0.005	mg/L	FALSE	NA	1		0.0500	60	10	120	50	25	CS	46
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.025	0.001	0.005	mg/L	FALSE	NA	1		0.0500	51	11	120	40	25	CS	47
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloroaniline	106-47-8	FALSE	FALSE	0.033	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	66	9	120	25	25	CS	48
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dichlorophenol	87-65-0	FALSE	FALSE	0.033	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	66	9	120	50	25	CS	49
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachloropropene	1888-81-7	FALSE	FALSE	0.021	0.001	0.005	mg/L	FALSE	NA	1		0.0500	42	7	120	25	25	CS	50
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitroso-di-n-butylamine	924-16-3	FALSE	FALSE	0.036	0.0009	0.005	mg/L	FALSE	NA	1		0.0500	73	8	120	35	25	CS	52
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	a,a-Dimethylphenethylamine	122-09-8	FALSE	FALSE	0.005	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	10	3	75	1	25	CS	53
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chloro-3-methylphenol	59-50-7	FALSE	FALSE	0.030	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	59	9	120	30	25	CS	54
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Methylnaphthalene	91-57-6	FALSE	FALSE	0.033	0.001	0.005	mg/L	FALSE	NA	1		0.0500	65	10	120	50	25	CS	57
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1,2,4,5-Tetrachlorobenzene	95-94-3	FALSE	FALSE	0.030	0.002	0.005	mg/L	FALSE	NA	1		0.0500	61	9	120	35	25	CS	61
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorocyclopentadiene	77-47-4	FALSE	FALSE	0.012	0.001	0.005	mg/L	FALSE	NA	1		0.0500	25	4	98	10	25	CS	62
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,6-Trichlorophenol	88-06-2	FALSE	FALSE	0.034	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	69	8	120	40	25	CS	63
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,5-Trichlorophenol	95-95-4	FALSE	FALSE	0.035	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	70	7	120	40	25	CS	64
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Chloronaphthalene	90-13-1	FALSE	FALSE	0.034	0.002	0.005	mg/L	FALSE	NA	1		0.0500	68	10	120	50	25	CS	65
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Chloronaphthalene	91-58-7	FALSE	FALSE	0.033	0.001	0.005	mg/L	FALSE	NA	1		0.0500	67	9	120	50	25	CS	66
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Nitroaniline	88-74-4	FALSE	FALSE	0.037	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	75	7	120	50	25	CS	67
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dimethylphthalate	131-11-3	FALSE	FALSE	0.034	0.0009	0.005	mg/L	FALSE	NA	1		0.0500	68	7	120	25	25	CS	69
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthylene	208-96-8	FALSE	FALSE	0.017	0.001	0.005	mg/L	FALSE	NA	1		0.0500	34	12	145	20	25	CS	71
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,6-Dinitrotoluene	606-20-2	FALSE	FALSE	0.037	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	74	11	120	50	25	CS	72
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3-Nitroaniline	99-09-2	FALSE	FALSE	0.032	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	64	10	120	25	25	CS	73
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Acenaphthene	83-32-9	FALSE	FALSE	0.033	0.001	0.005	mg/L	FALSE	NA	1		0.0500	67	10	120	50	25	CS	74
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrophenol	51-28-5	FALSE	FALSE	0.030	0.0008	0.010	mg/L	FALSE	NA	1		0.0500	60	4	90	10	25	CS	75
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenzofuran	132-64-9	FALSE	FALSE	0.035	0.001	0.005	mg/L	FALSE	NA	1		0.0500	70	10	120	20	25	CS	76
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitrophenol	100-02-7	FALSE	FALSE	0.011	0.0006	0.010	mg/L	FALSE	NA	1		0.0500	21	4	75	1	25	CS	77
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorobenzene	608-93-5	FALSE	FALSE	0.034	0.001	0.005	mg/L	FALSE	NA	1		0.0500	68	10	120	50	25	CS	78
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4-Dinitrotoluene	121-14-2	FALSE	FALSE	0.037	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	75	9	120	50	25	CS	79
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	1-Naphthylamine	134-32-7	FALSE	FALSE	0.030	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	61	12	67	15	25	CS	80
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Naphthylamine	91-59-8	FALSE	FALSE	0.033	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	66	11	74	5	25	CS	81
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,3,4,6-Tetrachlorophenol	58-90-2	FALSE	FALSE	0.034	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	68	10	120	40	25	CS	82
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diethylphthalate	84-66-2	FALSE	FALSE	0.037	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	73	11	120	30	25	CS	83
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluorene	86-73-7	FALSE	FALSE	0.034	0.001	0.005	mg/L	FALSE	NA	1		0.0500	69	9	120	50	25	CS	84
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Chlorophenyl-phenyl ether	7005-72-3	FALSE	FALSE	0.034	0.001	0.005	mg/L	FALSE	NA	1		0.0500	68	9	120	50	25	CS	85
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Nitroaniline	100-01-6	FALSE	FALSE	0.035	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	71	11	98	33	25	CS	88
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4,6-Dinitro-2-methylphenol	534-52-1	FALSE	FALSE	0.034	0.0006	0.010	mg/L	FALSE	NA	1		0.0500	68	9	120	40	25	CS	89
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	N-Nitrosodiphenylamine	86-30-6	FALSE	FALSE	0.036	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	71	10	120	25	25	CS	90
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylamine	122-39-4	FALSE	FALSE	0.036	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	71	10	120	25	25	CS	91
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Diphenylhydrazine(as Azobenzene)	103-33-3	FALSE	FALSE	0.015	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	30	10	79	2	25	CS	93
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Bromophenyl-phenyl ether	101-55-3	FALSE	FALSE	0.035	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	70	7	120	50	25	CS	97
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenacetin	62-44-2	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1		0.0500	72	5	120	50	25	CS	98
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Hexachlorobenzene	118-74-1	FALSE	FALSE	0.035	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	70	7	120	50	25	CS	100
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	4-Aminobiphenyl	92-67-1	FALSE	FALSE	0.029	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	58	7	120	50	25	CS	102
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachlorophenol	87-86-5	FALSE	FALSE	0.030	0.0006	0.010	mg/L	FALSE	NA	1		0.0500	61	6	103	9	25	CS	103
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pronamide	23950-58-5	FALSE	FALSE	0.038	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	75	6	120	25	25	CS	104
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pentachloronitrobenzene	82-68-8	FALSE	FALSE	0.037	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	74	6	120	50	25	CS	105
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenanthrene	85-01-8	FALSE	FALSE	0.034	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	67	8	120	50	25	CS	106
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Anthracene	120-12-7	FALSE	FALSE	0.035	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	70	7	120	50	25	CS	107
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Di-n-butylphthalate	87-74-2	FALSE	FALSE	0.039	0.0009	0.005	mg/L	FALSE	NA	1		0.0500	77	6	120	25	25	CS	111
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Fluoranthene	206-44-0	FALSE	FALSE	0.035	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	70	8	120	50	25	CS	112
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzidine	92-87-5	FALSE	FALSE	0.009	0.001	0.005	mg/L	FALSE	NA	1		0.0500	17	7	75	50	25	CS	117
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Pyrene	129-00-0	FALSE	FALSE	0.034	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	67	6	120	52	25	CS	118
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	p-Dimethylaminoazobenzene	60-11-7	FALSE	FALSE	0.036	0.001	0.005	mg/L	FALSE	NA	1		0.0500	72	9	120	50	25	CS	119
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chlorobenzilate	510-15-6	FALSE	FALSE	0.039	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	78	11	120	30	25	CS	120
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dimethylbenzidine	119-93-7	FALSE	FALSE	0.026	0.001	0.005	mg/L	FALSE	NA	1		0.0500	52	8	75	1	25	CS	121
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzylbutylphthalate	85-68-7	FALSE	FALSE	0.038	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	76	8	120	50	25	CS	122
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(a)anthracene	56-55-3	FALSE	FALSE	0.038	0.001	0.005	mg/L	FALSE	NA	1		0.0500	75	8	120	50	25	CS	124
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3,3'-Dichlorobenzidine	91-94-1	FALSE	FALSE	0.035	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	70	8	75	1	25	CS	125
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Chrysene	218-01-9	FALSE	FALSE	0.034	0.0009	0.005	mg/L	FALSE	NA	1		0.0500	67	9	120	50	25	CS	126
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	bis(2-Ethylhexyl)phthalate	117-81-7	FALSE	FALSE	0.039	0.001	0.005	mg/L	FALSE	NA	1		0.0500	77	10	120	50	25	CS	128
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Di-n-octylphthalate	117-84-0	FALSE	FALSE	0.038	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	77	8	120	50	25	CS	129
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(b)fluoranthene	205-99-2	FALSE	FALSE	0.029	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	59	10	120	25	25	CS	130
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	7,12-Dimethylbenz(a)anthracene	57-97-6	FALSE	FALSE	0.037	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	75	8	120	20	25	CS	131
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(k)fluoranthene	207-08-9	FALSE	FALSE	0.032	0.0008	0.005	mg/L	FALSE	NA	1		0.0500	63	5	120	25	25	CS	133
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(a)pyrene	50-32-8	FALSE	FALSE	0.026	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	52	6	120	25	25	CS	134
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	3-Methylcholanthrene	56-49-5	FALSE	FALSE	0.030	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	60	7	120	20	25	CS	135
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenz(a,j)acridine	224-42-0	FALSE	FALSE	0.006	0.0007	0.005	mg/L	FALSE	NA	1		0.0500	12	13	120	50	25	CS	137
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Indeno(1,2,3-cd)pyrene	193-39-5	FALSE	FALSE	0.028	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	56	8	120	25	25	CS	138
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Dibenz(a,h)anthracene	53-70-3	FALSE	FALSE	0.031	0.0006	0.005	mg/L	FALSE	NA	1		0.0500	62	8	120	25	25	CS	139
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Benzo(g,h,i)perylene	110-86-1	FALSE	FALSE	0.036	0.0005	0.005	mg/L	FALSE	NA	1		0.0500	73	9	120	20	25	CS	140
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Fluorophenol		TRUE	FALSE	0.0231			mg/L	FALSE	NA	1		0.100	23		100	21		CS	141
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Phenol-d6		TRUE	FALSE	0.0168			mg/L	FALSE	NA	1		0.100	17		94	10		CS	142
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2,4,6-Tribromophenol		TRUE	FALSE	0.0652			mg/L	FALSE	NA	1		0.100	65		123	10		CS	143
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	Nitrobenzene-d5		TRUE	FALSE	0.0614			mg/L	FALSE	NA	1		0.100	61		114	35		CS	144
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28/2019 09:00:00	11/28/2019 10:44:00	B9K0682	8270 SVOA Std List	EPA 8270D	3510C/625	2-Fluorobiphenyl		TRUE	FALSE	0.0598			mg/L	FALSE	NA	1		0.100	60		116	43		CS	145
Earth Analytical Sciences, Inc.	B9K0682-BSD1	LCS Dup	Water	11/28

Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethene	75-35-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		15
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Methylene chloride	75-09-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		22
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		23
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethane	75-34-3	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS		24
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		28
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2,2-Dichloropropane	594-20-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		33
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromochloromethane	74-97-5	FALSE	FALSE	ND	0.011	0.010	mg/L	FALSE	NA	1					BDS		34
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroform	67-66-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		37
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		38
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloropropene	563-58-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		39
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloroethane	107-06-2	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		40
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Benzene	71-43-2	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		42
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Carbon tetrachloride	56-23-5	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		45
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloropropane	78-87-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS		47
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichloroethene	79-01-6	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		48
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromomethane	74-95-3	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		49
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromodichloromethane	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		50
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		55
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		56
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene	108-88-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		57
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		58
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichloropropane	142-28-9	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		59
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromochloromethane	124-48-1	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		62
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromoethane (EDB)	106-93-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		63
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Tetrachloroethene	127-18-4	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		64
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chlorobenzene	108-90-7	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		65
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1,2-Tetrachloroethane	630-20-6	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS		66
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Ethyl benzene	100-41-4	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		67
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	m,p-Xylene	1330-20-7	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		68
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromoform	75-27-4	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		69
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Styrene	100-42-5	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		70
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	o-Xylene	1330-20-7	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		72
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS		74
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichloropropane	96-18-4	FALSE	FALSE	ND	0.0009	0.005	mg/L	FALSE	NA	1					BDS		75
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Isopropylbenzene	98-82-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		77
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromobenzene	08-86-1	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		78
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Chlorotoluene	106-43-4	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS		79
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Propylbenzene	103-65-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		80
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2-Chlorotoluene	95-49-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		81
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3,5-Trimethylbenzene	108-67-8	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		82
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	tert-Butylbenzene	98-06-6	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS		84
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trimethylbenzene	95-63-6	FALSE	FALSE	ND	0.0008	0.005	mg/L	FALSE	NA	1					BDS		85
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		86
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	sec-Butylbenzene	135-98-8	FALSE	FALSE	ND	0.0005	0.005	mg/L	FALSE	NA	1					BDS		87
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		88
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	p-Isopropyltoluene	99-87-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		90
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		91
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Butylbenzene	104-51-8	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		93
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	FALSE	FALSE	ND	0.001	0.005	mg/L	FALSE	NA	1					BDS		94
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1					BDS		95
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	ND	0.0007	0.005	mg/L	FALSE	NA	1					BDS		96
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	ND	0.0006	0.005	mg/L	FALSE	NA	1					BDS		97
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	ND	0.0003	0.005	mg/L	FALSE	NA	1					BDS		98
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0499			mg/L	FALSE	NA	1	0.0500	100	118	82	BDS		104
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0504			mg/L	FALSE	NA	1	0.0500	101	110	88	BDS		105
Earth Analytical Sciences, Inc.	B9K0686-BLK1	Blank	Water	11/28/2019 10:23:00	11/28/2019 10:23:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0489			mg/L	FALSE	NA	1	0.0500	98	115	86	BDS		106
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	0.014	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	29	130	70	BDS	OQ1	2
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Butadiene	106-99-0	FALSE	FALSE	0.040	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	80	130	70	BDS		4
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloromethane	74-87-3	FALSE	FALSE	0.044	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	89	130	70	BDS		5
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Vinyl chloride	75-01-4	FALSE	FALSE	0.035	0.001	0.005	mg/L	FALSE	NA	1	0.0500	69	130	70	BDS	OQ1	6
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromomethane	74-83-9	FALSE	FALSE	0.048	0.002	0.005	mg/L	FALSE	NA	1	0.0500	96	130	70	BDS		7
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroethane	75-00-3	FALSE	FALSE	0.048	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	97	130	70	BDS		8
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichlorofluoromethane	75-69-4	FALSE	FALSE	0.023	0.0002	0.005	mg/L	FALSE	NA	1	0.0500	46	130	70	BDS	OQ1	10
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethene	75-35-4	FALSE	FALSE	0.034	0.001	0.005	mg/L	FALSE	NA	1	0.0500	68	130	70	BDS	OQ1	15
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Methylene chloride	75-09-2	FALSE	FALSE	0.043	0.001	0.005	mg/L	FALSE	NA	1	0.0500	87	130	70	BDS		22
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	0.039	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	77	130	70	BDS		23
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethane	75-34-3	FALSE	FALSE	0.047	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	94	130	70	BDS		24
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	0.045	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	90	130	70	BDS		28
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2,2-Dichloropropane	594-20-7	FALSE	FALSE	0.022	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	43	130	70	BDS	OQ1	33
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromochloromethane	74-97-5	FALSE	FALSE	0.050	0.011	0.010	mg/L	FALSE	NA	1	0.0500	100	130	70	BDS		34
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroform	67-66-3	FALSE	FALSE	0.044	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	88	130	70	BDS		37
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	0.038	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	76	130	70	BDS		38
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloropropene	563-58-6	FALSE	FALSE	0.031	0.0008	0.005	mg/L	FALSE	NA	1	0.0500	61	130	70	BDS	OQ1	39
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloroethane	107-06-2	FALSE	FALSE	0.045	0.001	0.005	mg/L	FALSE	NA	1	0.0500	89	130	70	BDS		40
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Benzene	71-43-2	FALSE	FALSE	0.040	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	81	130	70	BDS		42
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Carbon tetrachloride	56-23-5	FALSE	FALSE	0.032	0.0006	0.005	mg/L	FALSE	NA	1	0.0500	64	130	70	BDS	OQ1	45
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloropropane	78-87-5	FALSE	FALSE	0.044	0.0009	0.005	mg/L	FALSE	NA	1	0.0500	88	130	70	BDS		47
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichloroethene	79-01-6	FALSE	FALSE	0.036	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	73	130	70	BDS		48
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromomethane	74-95-3	FALSE	FALSE	0.049	0.001	0.005	mg/L	FALSE	NA	1	0.0500	98	130	70	BDS		49
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromodichloromethane	75-27-4	FALSE	FALSE	0.046	0.001	0.005	mg/L	FALSE	NA	1	0.0500	92	130	70	BDS		50
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	0.041	0.001	0.005	mg/L	FALSE	NA	1	0.0500	82	130	70	BDS		55
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	0.045	0.001	0.005	mg/L	FALSE	NA	1	0.0500	90	130	70	BDS		56
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene	108-88-3	FALSE	FALSE	0.037	0.0007	0.005	mg/L	FALSE	NA	1	0.0500	73	130	70	BDS		57
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	0.050	0.001	0.005	mg/L	FALSE	NA	1	0.0500	100	130	70	BDS		58
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichloropropane	142-28-9	FALSE	FALSE	0.047	0.001	0.005	mg/L	FALSE	NA	1	0.0500	95	130	70	BDS		59
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromochloromethane	124-48-1	FALSE	FALSE	0.053	0.001	0.005	mg/L	FALSE	NA	1	0.0500	107	130	70	BDS		62
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624

Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	0.039	0.0007	0.005	mg/L	FALSE	NA	1			0.0500	77	130	70	BDS		96
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	0.032	0.0006	0.005	mg/L	FALSE	NA	1			0.0500	64	130	70	BDS	OQ1	97
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.022	0.0003	0.005	mg/L	FALSE	NA	1			0.0500	43	130	70	BDS	OQ1	98
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0500			mg/L	FALSE	NA	1			0.0500	100	118	82	BDS		104
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0507			mg/L	FALSE	NA	1			0.0500	101	110	88	BDS		105
Earth Analytical Sciences, Inc.	B9K0686-BS1	LCS	Water	11/28/2019 10:42:00	11/28/2019 10:42:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0499			mg/L	FALSE	NA	1			0.0500	100	115	86	BDS		106
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	0.015	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	30	130	70	BDS		2
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Butadiene	106-99-0	FALSE	FALSE	0.040	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	80	130	70	BDS		4
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloromethane	74-87-3	FALSE	FALSE	0.046	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	93	130	70	BDS		5
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Vinyl chloride	75-01-4	FALSE	FALSE	0.033	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	66	130	70	BDS		6
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromomethane	74-83-9	FALSE	FALSE	0.048	0.002	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	96	130	70	BDS		7
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroethane	75-00-3	FALSE	FALSE	0.050	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	101	130	70	BDS		8
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichlorofluoromethane	75-69-4	FALSE	FALSE	0.023	0.0002	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	45	130	70	BDS	OQ2	10
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethene	75-35-4	FALSE	FALSE	0.028	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	57	130	70	BDS	OQ2	15
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Methylene chloride	75-09-2	FALSE	FALSE	0.042	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	83	130	70	BDS		22
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,2-Dichloroethene	156-60-5	FALSE	FALSE	0.031	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	63	130	70	BDS	OQ2	23
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloroethane	75-34-3	FALSE	FALSE	0.042	0.0009	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	84	130	70	BDS		24
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,2-Dichloroethene	156-59-2	FALSE	FALSE	0.040	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	80	130	70	BDS		28
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2,2-Dichloropropane	594-20-7	FALSE	FALSE	0.018	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	35	130	70	BDS	OQ2	33
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromochloromethane	74-97-5	FALSE	FALSE	0.050	0.011	0.010	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	100	130	70	BDS	OQ2	34
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroform	67-66-3	FALSE	FALSE	0.039	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	79	130	70	BDS		37
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1-Trichloroethane	71-55-6	FALSE	FALSE	0.030	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	60	130	70	BDS	OQ2	38
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1-Dichloropropene	563-58-6	FALSE	FALSE	0.021	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	43	130	70	BDS	OQ2	39
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloroethane	107-06-2	FALSE	FALSE	0.041	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	82	130	70	BDS		40
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Benzene	71-43-2	FALSE	FALSE	0.033	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	66	130	70	BDS	OQ2	42
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Carbon tetrachloride	56-23-5	FALSE	FALSE	0.023	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	47	130	70	BDS	OQ2	45
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichloropropane	78-87-5	FALSE	FALSE	0.040	0.0009	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	79	130	70	BDS		47
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Trichloroethene	79-01-6	FALSE	FALSE	0.027	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	53	130	70	BDS	OQ2	48
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromomethane	74-95-3	FALSE	FALSE	0.046	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	92	130	70	BDS		49
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromodichloromethane	75-27-4	FALSE	FALSE	0.040	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	80	130	70	BDS		50
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	cis-1,3-Dichloropropene	10061-01-5	FALSE	FALSE	0.035	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	70	130	70	BDS		55
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	trans-1,3-Dichloropropene	10061-02-6	FALSE	FALSE	0.038	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	75	130	70	BDS		56
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene	108-88-3	FALSE	FALSE	0.027	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	53	130	70	BDS	OQ2	57
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2-Trichloroethane	79-00-5	FALSE	FALSE	0.046	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	93	130	70	BDS		58
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichloropropane	142-28-9	FALSE	FALSE	0.043	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	85	130	70	BDS		59
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromochloromethane	124-48-1	FALSE	FALSE	0.046	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	93	130	70	BDS		62
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromoethane (EDB)	106-93-4	FALSE	FALSE	0.046	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	92	130	70	BDS		63
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Tetrachloroethene	127-18-4	FALSE	FALSE	0.022	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	45	130	70	BDS	OQ2	64
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chlorobenzene	108-90-7	FALSE	FALSE	0.026	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	53	130	70	BDS	OQ2	65
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,1,2-Tetrachloroethane	630-20-6	FALSE	FALSE	0.034	0.0009	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	68	130	70	BDS	OQ2	66
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Ethyl benzene	100-41-4	FALSE	FALSE	0.019	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	39	130	70	BDS	OQ2	67
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	m,p-Xylene	1330-20-7	FALSE	FALSE	0.040	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.100	40	130	70	BDS	OQ2	68
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromoform	75-27-4	FALSE	FALSE	0.047	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	94	130	70	BDS		69
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Styrene	100-42-5	FALSE	FALSE	0.025	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	50	130	70	BDS	OQ2	70
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	o-Xylene	1330-20-7	FALSE	FALSE	0.024	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	48	130	70	BDS	OQ2	72
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,1,2,2-Tetrachloroethane	79-34-5	FALSE	FALSE	0.043	0.0009	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	86	130	70	BDS		74
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichloropropane	96-18-4	FALSE	FALSE	0.044	0.0009	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	89	130	70	BDS		75
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Isopropylbenzene	98-82-8	FALSE	FALSE	0.017	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	35	130	70	BDS	OQ2	77
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromobenzene	08-86-1	FALSE	FALSE	0.025	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	49	130	70	BDS	OQ2	78
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Chlorotoluene	106-43-4	FALSE	FALSE	0.017	0.0005	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	34	130	70	BDS	OQ2	79
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Propylbenzene	103-65-1	FALSE	FALSE	0.015	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	30	130	70	BDS	OQ2	80
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2-Chlorotoluene	95-49-8	FALSE	FALSE	0.018	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	35	130	70	BDS	OQ2	81
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3,5-Trimethylbenzene	108-67-8	FALSE	FALSE	0.016	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	32	130	70	BDS	OQ2	82
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	tert-Butylbenzene	98-06-6	FALSE	FALSE	0.016	0.0005	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	32	130	70	BDS	OQ2	84
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trimethylbenzene	95-63-6	FALSE	FALSE	0.016	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	32	130	70	BDS	OQ2	85
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.019	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	38	130	70	BDS	OQ2	86
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	sec-Butylbenzene	135-98-8	FALSE	FALSE	0.014	0.0005	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	28	130	70	BDS	OQ2	87
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.019	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	38	130	70	BDS	OQ2	88
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	p-Isopropyltoluene	99-87-6	FALSE	FALSE	0.015	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	30	130	70	BDS	OQ2	90
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.022	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	43	130	70	BDS	OQ2	91
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Butylbenzene	104-51-8	FALSE	FALSE	0.013	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	26	130	70	BDS	OQ2	93
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	FALSE	FALSE	0.038	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	76	130	70	BDS		94
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.019	0.0003	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	38	130	70	BDS	OQ2	95
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	0.027	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	54	130	70	BDS	OQ2	96
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	0.019	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	38	130	70	BDS	OQ2	97
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.014	0.0003	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	29	130	70	BDS	OQ2	98
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0496			mg/L	FALSE	NA	1	9K28007-01		0.0500	99	118	82	BDS		104
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0516			mg/L	FALSE	NA	1	9K28007-01		0.0500	103	110	88	BDS		105
Earth Analytical Sciences, Inc.	B9K0686-MS1	Matrix Spike	Water	11/28/2019 12:57:00	11/28/2019 12:57:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0488			mg/L	FALSE	NA	1	9K28007-01		0.0500	98	115	86	BDS		106
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dichlorodifluoromethane	75-71-8	FALSE	FALSE	0.017	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	35	15	130	70	20	BDS	OQ2	2
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Butadiene	106-99-0	FALSE	FALSE	0.040	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	80	0	130	70	20	BDS		4
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloromethane	74-87-3	FALSE	FALSE	0.051	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	103	10	130	70	20	BDS		5
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Vinyl chloride	75-01-4	FALSE	FALSE	0.041	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	82	21	130	70	20	BDS	OQ3	6
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Bromomethane	74-83-9	FALSE	FALSE	0.053	0.002	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	106	10	130	70	20	BDS		7
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Chloroethane	75-00-3	FALSE	FALSE	0.058	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	115	14	130	70	20	BDS		8
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2

Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Propylbenzene	103-65-1	FALSE	FALSE	0.025	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	50	50	130	70	20	BDS	OQ2, OQ3	80
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	2-Chlorotoluene	95-49-8	FALSE	FALSE	0.032	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	64	59	130	70	20	BDS	OQ2, OQ3	81
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3,5-Trimethylbenzene	108-67-8	FALSE	FALSE	0.028	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	55	54	130	70	20	BDS	OQ2, OQ3	82
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	tert-Butylbenzene	98-06-6	FALSE	FALSE	0.026	0.0005	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	52	49	130	70	20	BDS	OQ2, OQ3	84
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trimethylbenzene	95-63-6	FALSE	FALSE	0.028	0.0008	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	56	55	130	70	20	BDS	OQ2, OQ3	85
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,3-Dichlorobenzene	541-73-1	FALSE	FALSE	0.034	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	67	55	130	70	20	BDS	OQ2, OQ3	86
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	sec-Butylbenzene	135-98-8	FALSE	FALSE	0.022	0.0005	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	44	44	130	70	20	BDS	OQ2, OQ3	87
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,4-Dichlorobenzene	106-46-7	FALSE	FALSE	0.034	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	69	56	130	70	20	BDS	OQ2, OQ3	88
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	p-Isopropyltoluene	99-87-6	FALSE	FALSE	0.023	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	47	45	130	70	20	BDS	OQ2, OQ3	90
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dichlorobenzene	95-50-1	FALSE	FALSE	0.036	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	73	51	130	70	20	BDS	OQ2, OQ3	91
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	n-Butylbenzene	104-51-8	FALSE	FALSE	0.020	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	40	43	130	70	20	BDS	OQ2, OQ3	93
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	FALSE	FALSE	0.042	0.001	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	83	9	130	70	20	BDS		94
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,4-Trichlorobenzene	120-82-1	FALSE	FALSE	0.031	0.0003	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	61	47	130	70	20	BDS	OQ2, OQ3	95
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Naphthalene	91-20-3	FALSE	FALSE	0.041	0.0007	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	81	41	130	70	20	BDS	OQ2, OQ3	96
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	1,2,3-Trichlorobenzene	87-61-6	FALSE	FALSE	0.034	0.0006	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	68	56	130	70	20	BDS	OQ2, OQ3	97
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Hexachlorobutadiene	87-68-3	FALSE	FALSE	0.019	0.0003	0.005	mg/L	FALSE	NA	1	9K28007-01	ND	0.0500	39	30	130	70	20	BDS	OQ2, OQ3	98
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Dibromofluoromethane		TRUE	FALSE	0.0499			mg/L	FALSE	NA	1	9K28007-01		0.0500	100		118	82		BDS		104
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	Toluene-d8		TRUE	FALSE	0.0502			mg/L	FALSE	NA	1	9K28007-01		0.0500	100		110	88		BDS		105
Earth Analytical Sciences, Inc.	B9K0686-MSD1	Matrix Spike Dup	Water	11/28/2019 12:38:00	11/28/2019 12:38:00	B9K0686	8260 Full List	EPA 8260C	EPA 5030C/624	4-Bromofluorobenzene		TRUE	FALSE	0.0482			mg/L	FALSE	NA	1	9K28007-01		0.0500	96		115	86		BDS		106

QUALIFIER	DESCRIPTION
OQ1	The Laboratory Control Sample (LCS) had one or more analytes outside of the QC acceptance limits.
OQ2	The Matrix Spike Recovery (MS/MSD) limits for one or more analytes in this sample were outside of the method default acceptance criteria due to required dilutions and/or matrix interferences.
OQ3	The Relative Percent Difference (RPD) for one or more analytes is outside of acceptance criteria established for this analysis method.