LAFAYETTE LABORATORY
500 AMBASSADOR CAFFERY PKWY.
SCOTT, LOUISIANA 70583-8544
PHONE (318) 237-4775
FAX (318) 237-8005

SPL WORKORDER NO: **2030-2011050275**

Mail To: **Kitty Baudoin**
Accutest
500 Ambassador Caffery Pkwy.
Scott, LA 70583

Client: **Weston Solutions Inc**
Project No:
Project: Weston Solutions
SPL WO No: L0001156-01I

Approved By:

Brian Laspard
Data Reviewer

Note: ***This report may not be reproduced, except in full, without the written permission from SPL.***

9637256

LAFAYETTE LABORATORY
500 AMBASSADOR CAFFERY PKWY.
SCOTT, LOUISIANA 70583-1790
PHONE (337) 237-4775
FAX (337) 237-8005

Certificate of Analysis

Number: 2030-2011050275-001A

Kristie Warr
Weston Solutions
5599 San Felipe
Suite 700
Houston Tx 77056

June 01, 2011

Sample ID:	SRM-OW-SL01-110531	Sampled By:	Weston	
Project Name :	Oil Spill	Sample Of:	Liquid	
Project Number :		Sample Date:	05/31/2011	08:51
Project Location:	Southwest Rice Mill	Sample Condition:		
Sample Point:		PO / Ref. No:		

ANALYTICAL DATA

Test	Method	Result	Unit	Detection Limit	Lab Tech.	Date Analyzed
Heat of Combustion	ASTM-D-240	17,889	Gross BTU / lb		DR	06/01/11
Heat of Combustion	ASTM-D-240	NR	Net BTU/lb		DR	06/01/11
Heat of Combustion	ASTM-D-240	NR	Gross BTU/Gal		DR	06/01/11
Heat of Combustion	ASTM-D-240	NR	Net BTU/Gal		DR	06/01/11

Comments:

Accutest Lab #L0001156-01I

Patti L. Petro

Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP or GPA guidelines for quality assurance, unless otherwise stated.

R0110S0275

SPL, Inc.
500 Ambassador Caffery Parkway

Scott, LA 70583-8544
(337) 237-4775

CHAIN-OF-CUSTODY RECORD

Company	WESTON SOLUTIONS, INC.
Project Manager	Thibeaux, Cristina
Project Name	WESTON SOLUTIONS
QCLevel	L2-RUSH
Requested State	Louisiana

Subcontractor: **PATTI PETRO**
SPL- HYDROCARBON
500 AMBASSADOR CAFFERY PARKWAY

SCOTT, LOUISIANA 70583

TEL: (337) 237-4775
FAX: (337) 237-7838

Acct #:

31-May-11

					Requested Tests						
Sample ID	**Client Sample**	**Matrix**	**Collection Date**	**Due Date**	**ASTM D240-76**						
L0001156-01I	SRM-OW-SL01-110531	Liquid	05/31/11 8:51	06/01/11	1						

RUSH

Comments: BTU - RUSH

	Date/Time		Date/Time
Relinquished by:		**Received by:**	5/31/11
Relinquished by:		**Received by:**	

ACCUTEST® LABORATORIES

CHAIN OF CUSTODY

Accutest Gulf Coast/SPL Environmental
500 Ambassador Caffery Pkwy, Scott, LA 70583
TEL.337-237-4775 FAX: 337-237-7838
www.accutest.com

PAGE ___ OF ___

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # L0001156

Client / Reporting Information

Company Name	WESTON SOLUTIONS
Street Address	5599 SAN FELIPE, STE 700
City / State / Zip	HOUSTON TX 77056
Project Contact / E-mail	KRISTIE WARR K.WARR@WESTONSOLUTIONS.COM
Phone # / Fax #	713/985-6636
Sampler(s) Name(s) / Phone #	JEFF WRIGHT 225/278-8406

Project Information

Project Name:	SOUTHWEST RICE MILL OIL SPILL
Street	
City / State	
Project #	
Client Purchase Order #	
Project Manager	

Billing Information (if different from Report to)

Company Name	
Street Address	
City / State / Zip	
Attention:	

Requested Analyses

Accutest Sample #	Field ID / Point of Collection	Date	Time	Sampled By	Matrix	# of bottles	HCl	NaOH	ZA/NaOH	HNO3	H2SO4	NONE	DI Water	MEOH	TSP	NaHSO4	ENCORE	OTHER	SVOCs (8270)	Organophos (8141)	Organochlorine Pest. (8081)	PCBs (8082)	Chlorinated Herbs (8151)	Reactive Sulfide/Cyanide (9034) (9014)	Total Cyanide (9010/9014)	Total Metals (6010)	BTU/Corr./Ignit/Reactivity	VOCs (8260)		LAB USE ONLY
	SRM-OW-SL01-110531	5/31/11	0851	J.Wright	OL/WW	2													X										2	
						2														X									2	
						2															X								2	RL-122 (3)
						2																X							2	(3) (7)
						2																	X						2	3 (7)
						1																		X					1	
						1																			X				1	CS ON COC
						1																				X			1	
						1																					X		1	(4.5 T/S)
	SRM-OW-SL01-110531	5/31/11	0851	J.Wright	OL/WW	6																						X	6	client dis

RUSH

Matrix Codes

DW - Drinking Water
GW - Ground Water
WW - Water
SW - Surface Water
SO - Soil
SL- Sludge
SED-Sediment
OI - Oil
LIQ - Other Liquid
AIR - Air
SOL - Other Solid
WP - Wipe
FB-Field Blank
EB-Equipment Blank
RB- Rinse Blank
TB-Trip Blank

Turnaround Time (Business days)

- [ ] Standard
- [ ] 5 Day *RUSH*
- [ ] 4 Day *RUSH*
- [ ] 3 Day *RUSH*
- [ ] 2 Day *RUSH*
- [x] 1 Day *EMERGENCY*

Emergency & Rush T/A data available VIA Lablink

Approved By (Accutest PM): / Date:

Data Deliverable Information

- [ ] Commercial "A" (Level 1)
- [ ] Commercial "B" (Level 2)
- [ ] FULT1 (Level 3+4)
- [ ] REDT1 (Level 3+4)
- [ ] Commercial "C"
- [ ] TRRP
- [ ] EDD Format
- [ ] Other _____

Commercial "A" = Results Only
Commercial "B" = Results + QC Summary
Commercial "C" = Results + QC & Surrogate Summary

Comments / Special Instructions

(*) PLEASE SCAN COPY OF COC + EMAIL TO KRISTIE WARR @ K.WARR@WESTONSOLUTIONS.COM

Sample Custody must be documented below each time samples change possession, including courier delivery.

Relinquished by Sampler:	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:
1 [signature]	5/31/11 1316	1 [signature]	2		2
3		3	4		4
5		5			

Custody Seal # [illegible] ☑ Intact ☐ Not Intact — Preserved where applicable ☑ — On Ice ☑ — Cooler Temp. 4.5 T/S