PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS	Client Name: C4 Environmental Services, LLC
5915 Star Lane, Houston, TX 77057	Street Address: 9000 Liberty Rd
Ph. 713-680-9425 Fax: 713-680-9564	City, State, Zip: Houston, TX 77028
Website: precisionlabs.org	

INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

TOTAL METAL	TEST METHOD	PREPARATION METHOD	REPORTING LIMIT, PPM	TEST RESULTS, PPM
Arsenic	EPA-6010B	EPA-3040/3050	0.50	BRL
Barium	EPA-6010B	EPA-3040/3050	0.10	5.08
Cadmium	EPA-6010B	EPA-3040/3050	0.10	BRL
Chromium	EPA-6010B	EPA-3040/3050	0.15	1.06
Lead	EPA-6010B	EPA-3040/3050	0.39	1.85
Mercury	EPA-6010B	EPA-3040/3050	0.17	BRL
Selenium	EPA-6010B	EPA-3040-3050	0.63	BRL
Silver	EPA-6010B	EPA-3040/3050	0.13	0.13

PARAMETER	TEST METHOD	REPORTING LIMIT	TEST RESULTS
Ph	S.W. 9040	0.01	9.58
Ignitability (Flash Point), PMCC	EPA-1010	-10°F	110
Reactive Cyanides, PPM	S.W. 9010	0.01	BRL
Reactive Sulfides, PPM	S.W. 9030	1.0	BRL

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

9857217

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS 5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org		Client Name: C4 Environmental Services, LLC Street Address: 9000 Liberty Rd City, State, Zip: Houston, TX 77028	
INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

Volatile Organic Compounds	Test Method	Reporting Limit, PPM	Results PPM
Acetone	S.W. 8260/5030	0.01	BRL
Acetonitrile	S.W. 8260/5030	0.01	BRL
Benzene	S.W. 8260/5030	0.01	3.36
Bromobenzene	S.W. 8260/5030	0.01	BRL
Bromodichloromethane	S.W. 8260/5030	0.01	BRL
Bromoform	S.W. 8260/5030	0.01	BRL
Bromomethane	S.W. 8260/5030	0.01	BRL
2-Butanone	S.W. 8260/5030	0.01	BRL
n-Butylbenzene	S.W. 8260/5030	0.01	BRL
sec-Butylbenzene	S.W. 8260/5030	0.01	BRL
tert-Butylbenzene	S.W. 8260/5030	0.01	BRL
Butyl acetate	S.W. 8260/5030	0.01	BRL
Butyl alcohol	S.W. 8260/5030	0.01	BRL
n-Butanol	S.W. 8260/5030	0.01	BRL
Carbon tetrachloride	S.W. 8260/5030	0.01	BRL
Chlorobenzene	S.W. 8260/5030	0.01	BRL
Chloroethane	S.W. 8260/5030	0.01	BRL
2-Chloroethylvinyl ether	S.W. 8260/5030	0.01	BRL
Chloroform	S.W. 8260/5030	0.01	BRL
Chloromethane	S.W. 8260/5030	0.01	BRL
2-Chlorotoluene	S.W. 8260/5030	0.01	BRL
4-Chlorotoluene	S.W. 8260/5030	0.01	BRL
1-Dibromo-3-chlorpropane	S.W. 8260/5030	0.01	BRL
Dibromochloromethane	S.W. 8260/5030	0.01	BRL
Dichlorobromomethane	S.W. 8260/5030	0.01	BRL
1,2-Dibromoethane	S.W. 8260/5030	0.01	BRL
Dibromomethane	S.W. 8260/5030	0.01	BRL
1,2-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
1,3-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
1,4-Dichlorobenzene	S.W. 8260/5030	0.01	BRL
Dichlorodifluoromethane	S.W. 8260/5030	0.01	BRL
1,1-Dichloroethane	S.W. 8260/5030	0.01	BRL
1,2-Dichloroethane	S.W. 8260/5030	0.01	BRL
1,1-Dichloroethene	S.W. 8260/5030	0.01	BRL
cis-1, 2-Dichloroethene	S.W. 8260/5030	0.01	BRL
trans-1,2-Dichloroethene	S.W. 8260/5030	0.01	BRL
1,2-Dichloropropane	S.W. 8260/5030	0.01	BRL
1,3-Dichloropropane	S.W. 8260/5030	0.01	BRL
2,2-Dichloropropane	S.W. 8260/5030	0.01	BRL
1,1-Dichloropropene	S.W. 8260/5030	0.01	BRL
cis-1,3-Dichloropropene	S.W. 8260/5030	0.01	BRL
trans-1,3-dichloropropene	S.W. 8260/5030	0.01	BRL
Diisopropyl ether	S.W. 8260/5030	0.01	BRL
Ethanol	S.W. 8260/5030	0.01	BRL
Ethyl alcohol	S.W. 8260/5030	0.01	BRL

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS	Client Name: C4 Environmental Services, LLC
5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Street Address: 9000 Liberty Rd City, State, Zip: Houston, TX 77028

INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

Volatile Organic Compounds	Test Method	Reporting Limit, PPM	Results PPM
Ethyl acetate	S.W. 8260/5030	0.01	BRL
Ethyl benzene	S.W. 8260/5030	0.01	70.87
Ethyl ether	S.W. 8260/5030	0.01	BRL
Ethyl mercaptan	S.W. 8260/5030	0.01	BRL
Heptane and heptanes	S.W. 8260/5030	0.01	BRL
Hexachloro-1,3-butadiene	S.W. 8260/5030	0.01	BRL
2-Hexanone	S.W. 8260/5030	0.01	BRL
Hexane and hexanes	S.W. 8260/5030	0.01	BRL
Isobutyl acetate	S.W. 8260/5030	0.01	BRL
Isobutyl alcohol	S.W. 8260/5030	0.01	BRL
Isopropyl acetate	S.W. 8260/5030	0.01	BRL
Isopropyl alcohol	S.W. 8260/5030	0.01	BRL
Isopropyl benzene	S.W. 8260/5030	0.01	BRL
p-Isopropyltoluene	S.W. 8260/5030	0.01	BRL
Methanol	S.W. 8260/5030	0.01	BRL
Methyl acetate	S.W. 8260/5030	0.01	BRL
Methyl alcohol	S.W. 8260/5030	0.01	BRL
Methyl Ethyl Ketone	S.W. 8260/5030	0.01	3176.21
Methylene chloride	S.W. 8260/5030	0.01	BRL
4-Methyl-2-pentanone	S.W. 8260/5030	0.01	BRL
Methyl-tert-butyl ether	S.W. 8260/5030	0.01	15.03
Methyl Isobutyl Ketone	S.W. 8260/5030	0.01	BRL
Nitrobenzene	S.W. 8260/5030	0.01	BRL
Propyl acetate	S.W. 8260/5030	0.01	BRL
Propyl alcohol	S.W. 8260/5030	0.01	BRL
n-Propyl-benzene	S.W. 8260/5030	0.01	BRL
Styrene	S.W. 8260/5030	0.01	10.04
1,1,1,2-Tetrachloroethane	S.W. 8260/5030	0.01	BRL
1,1,2,2-Tetrachloroethane	S.W. 8260/5030	0.01	BRL
Tetrachloroethene	S.W. 8260/5030	0.01	BRL
Toluene	S.W. 8260/5030	0.01	342.74
1,2,3-Trichlorobenzene	S.W. 8260/5030	0.01	BRL
1,2,4-Trichlorobenzene	S.W. 8260/5030	0.01	BRL
1,1,1-Trichloroethane	S.W. 8260/5030	0.01	BRL
1,1,2-Trichloroethane	S.W. 8260/5030	0.01	BRL
Trichloroethene	S.W. 8260/5030	0.01	BRL
Trichlorofluoromethane	S.W. 8260/5030	0.01	BRL
1,2,3-Trichloropropane	S.W. 8260/5030	0.01	BRL
1,2,3-Trimethylbenzene	S.W. 8260/5030	0.01	BRL
1,2,4-Trimethylbenzene	S.W. 8260/5030	0.01	BRL
1,3,5-Trimethylbenzene	S.W. 8260/5030	0.01	BRL
Vinyl acetate	S.W. 8260/5030	0.01	BRL
Vinyl chloride	S.W. 8260/5030	0.01	BRL
Vinyl ethyl ether	S.W. 8260/5030	0.01	BRL
Vinyl methyl ether	S.W. 8260/5030	0.01	BRL
Xylenes	S.W. 8260/5030	0.01	160.60

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS	Client Name: C4 Environmental Services, LLC
5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Street Address: 9000 Liberty Rd City, State, Zip: Houston, TX 77028

INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

Total Semi-Volatiles	Test Method	Reporting Limit, PPM	Results PPM
Acenaphthene	EPA-8270	0.10	BRL
Acenaphthylene	EPA-8270	0.10	BRL
Acrolein	EPA-8270	0.10	BRL
Acrylonitrile	EPA-8270	0.10	BRL
Allyl Alcohol	EPA-8270	0.10	BRL
Aldrin	EPA-8270	0.10	BRL
Anthracene	EPA-8270	0.10	BRL
Benzo(k)fluoranthene	EPA-8270	0.10	BRL
Benzo(b)fluoranthene	EPA-8270	0.10	BRL
Benzo(a)anthracene	EPA-8270	0.10	BRL
Benzoic acid	EPA-8270	0.10	BRL
Benzo(g,h,i) perylene	EPA-8270	0.10	BRL
Benzyl alcohol	EPA-8270	0.10	BRL
Benzo(a)pyrene	EPA-8270	0.10	BRL
4-Bromophenyl phenyl ether	EPA-8270	0.10	BRL
Benzyl butyl phthalate	EPA-8270	0.10	BRL
Carbon disulfide	EPA-8270	0.10	BRL
4-Chloro-3-methylphenol	EPA-8270	0.10	BRL
4-Chloroaniline	EPA-8270	0.10	BRL
ß-BHC	EPA-8270	0.10	BRL
d-BHC	EPA-8270	0.10	BRL
Bis(2-chloroethoxy)methane	EPA-8270	0.10	BRL
Bis(2-chloroethy)ether	EPA-8270	0.10	BRL
Bis(2-Chloroisopropyl)ether	EPA-8270	0.10	BRL
Bis(2-ethylhexyl)phthalate	EPA-8270	0.10	BRL
2-Chloronaphthalene	EPA-8270	0.10	BRL
2-Chlorophenol	EPA-8270	0.10	BRL
4-Chlorophenyl phenyl ether	EPA-8270	0.10	BRL
M-Cresol	EPA-8270	0.10	BRL
O-Cresol	EPA-8270	0.10	BRL
P-Cresol	EPA-8270	0.10	BRL
Chrysene	EPA-8270	0.10	BRL

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS	Client Name: C4 Environmental Services, LLC
5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Street Address: 9000 Liberty Rd City, State, Zip: Houston, TX 77028

INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

Total Semi-Volatiles	Test Method	Reporting Limit, PPM	Results PPM
4,4'-DDD	EPA-8270	0.10	BRL
4,4'-DDE	EPA-8270	0.10	BRL
4,4'-DDT	EPA-8270	0.10	BRL
Dibenzo(a,h)anthracene	EPA-8270	0.10	BRL
Dibenzofuran	EPA-8270	0.10	BRL
1,2-Dichlorobenzene	EPA-8270	0.10	BRL
1,3-Dichlorobenzene	EPA-8270	0.10	BRL
1,4-Dichlorobenzene	EPA-8270	0.10	BRL
3,3-Dichlorobenzidine	EPA-8270	0.10	BRL
24-Dichlorophenol	EPA-8270	0.10	BRL
Dieldrine	EPA-8270	0.10	BRL
Diethylamine	EPA-8270	0.10	BRL
Diethyl phthalate	EPA-8270	0.10	BRL
2,4-Dimethylphenol	EPA-8270	0.10	BRL
Dimethyl phthalate	EPA-8270	0.10	BRL
Di-n-butylphthalate	EPA-8270	0.10	BRL
4,6-Dinitro-2-methylphenol	EPA-8270	0.10	BRL
2,4-Dinitrophenol	EPA-8270	0.10	BRL
2,4-Dinitrotoluene	EPA-8270	0.10	BRL
2,6-Dinitritoluene	EPA-8270	0.10	BRL
Di-n-octylphthalate	EPA-8270	0.10	BRL
1,2-Diphenylhydrazine	EPA-8270	0.10	BRL
bis(2-Ethylhexyl)phthalate	EPA-8270	0.10	BRL
Emdosulfan sulfate	EPA-8270	0.10	BRL
Endrin aldehyde	EPA-8270	0.10	BRL
Ethyl Amine	EPA-8270	0.10	BRL
Fluoranthene	EPA-8270	0.10	BRL
Fluorene	EPA-8270	0.10	BRL
Hexachloro-1,3-butadiene	EPA-8270	0.10	BRL
Heptachlor	EPA-8270	0.10	BRL
Heptachlor epoxide	EPA-8270	0.10	BRL
Hexachlorobenzene	EPA-8270	0.10	BRL
Hexachlorocyclopentadiene	EPA-8270	0.10	BRL

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).

PRECISION PETROLEUM LABS, INC.

CERTIFICATE OF ANALYSIS

LABORATORY ADDRESS	Client Name: C4 Environmental Services, LLC
5915 Star Lane, Houston, TX 77057 Ph. 713-680-9425 Fax: 713-680-9564 Website: precisionlabs.org	Street Address: 9000 Liberty Rd City, State, Zip: Houston, TX 77028:

INVOICE No.	49465	DATE RECEIVED	07-26-2011
LAB REFERENCE No.	2011-07-560	DATE/TIME COLLECTED	07-22-2011 @1:08 pm
AUTHORIZED BY	Gary Braukman	MATRIX TYPE	Sludge
PRODUCT ID	Trailer # 213 From CES 4940 Griggs, Houston,TX		

Total Semi-Volatiles	Test Method	Reporting Limit, PPM	Results PPM
Hexachloroethane	EPA-8270	0.10	BRL
Hexachlorobutadiene	EPA-8270	0.10	BRL
Indeno(1,2,3-cd)pyrene	EPA-8270	0.10	BRL
Isophorone	EPA-8270	0.10	BRL
Isopropyl amine	EPA-8270	0.10	BRL
Methylamine	EPA-8270	0.10	BRL
2-Methylnaphthalene	EPA-8270	0.10	BRL
2-Methylphenol (o-cresol)	EPA-8270	0.10	BRL
3 & 4-Methylphenol	EPA-8270	0.10	BRL
Naphthalene	EPA-8270	0.10	5.33
2-Nitroaniline	EPA-8270	0.10	BRL
3-Nitroaniline	EPA-8270	0.10	BRL
4-Nitroaniline	EPA-8270	0.10	BRL
Nitrobenzene	EPA-8270	0.10	BRL
N-Nitroso-di-n-propylamine	EPA-8270	0.10	BRL
N-Nitrosodiphenylamie	EPA-8270	0.10	BRL
PCB-1260	EPA-8270	0.10	BRL
Phentanthrene	EPA-8270	0.10	BRL
Phenol	EPA-8270	0.10	BRL
Pyrene	EPA-8270	0.10	BRL
1,2,4-Trichlorobenzene	EPA-8270	0.10	BRL
4-Chloro-3-methyphenol	EPA-8270	0.10	BRL
2-Chlorophenol	EPA-8270	0.10	BRL
2,4-Chlorophenol	EPA-8270	0.10	BRL
2,4-Dimethylphenol	EPA-8270	0.10	BRL
2,4-Dinitrophenol	EPA-8270	0.10	BRL
2-Methyl-4,6-dinitrophenol	EPA-8270	0.10	BRL
2-Nitrophenol	EPA-8270	0.10	BRL
4-Nitrophenol	EPA-8270	0.10	BRL
Pentachlorophenol	EPA-8270	0.10	BRL
Trimethylamine	EPA-8270	0.10	BRL
2,4,5-Trichlorophenol	EPA-8270	0.10	BRL
2,4,6-Trichlorophenol	EPA-8270	0.10	BRL

Daniel Zabihi **Date: 07-28-2011**
QA Manager

PRIMARY ACCREDITATION TCEQ, #T104704203-TX
ARIZONA LICENSE # AZ0630

QUALIFIERS & ABBREVIATIONS: BRL - Below Reporting Limit; SCL - Test performed by an approved subcontract laboratory; B - Analyte was detected in the associated method blank; Matrix spike/matrix spike duplicate (M), Laboratory control sample (L), Calibration criteria (C), and Surrogate (S) recoveries were outside acceptance limits. Test deviation applied to Method 8260 (VOCS).

COMMENTS: There were no quality assurance anomalies associated with these tests.

PRECISION PETROLEUM LABS, INC.'S RESPONSIBILITY FOR THE ABOVE ANALYSIS, OPINIONS OR INTERPRETATIONS IS LIMITED TO THE INVOICE AMOUNT. RESULTS ARE REPORTED ON AN "AS IS" BASIS, UNLESS OTHERWISE NOTED. THE TEST RESULTS RELATE ONLY TO THE SUBMITTED SAMPLE IDENTIFIED ON THIS REPORT. TEST RESULTS MEET ALL REQUIREMENTS OF NELAC FOR TESTS LISTED ON THE LABORATORY'S CURRENT FIELDS OF ACCREDITATION (EPA 1010, 6010, 8082, 8260, and 9075).