CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.17	45.4	ng/L	FALSE	NA	1					DK																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.635	9.08	ng/L	FALSE	NA	1					DK																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.09	9.08	ng/L	FALSE	NA	1					DK																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	17.3	0.726	9.08	ng/L	FALSE	NA	1					DK																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	31.5	1.09	9.08	ng/L	FALSE	NA	1					DK																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	164	2	9.08	ng/L	FALSE	NA	1					DK																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	52.5	4.17	45.4	ng/L	FALSE	NA	1					DK																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.36	9.08	ng/L	FALSE	NA	1					DK																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.18	9.08	ng/L	FALSE	NA	1					DK																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	902	1.45	9.08	ng/L	FALSE	NA	1					DK																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.27	9.08	ng/L	FALSE	NA	1					DK																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.45	9.08	ng/L	FALSE	NA	1					DK																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	13.9	2.45	9.08	ng/L	FALSE	NA	1					DK																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.27	9.08	ng/L	FALSE	NA	1					DK																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.72	9.08	ng/L	FALSE	NA	1					DK																	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.998	9.08	ng/L	FALSE	NA	1					DK																	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	64.5	1.82	9.08	ng/L	FALSE	NA	1					DK																	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2	9.08	ng/L	FALSE	NA	1					DK																	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	28.3	0.908	9.08	ng/L	FALSE	NA	1					DK																	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	11.3	1.54	9.08	ng/L	FALSE	NA	1					DK																	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.998	9.08	ng/L	FALSE	NA	1					DK																	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	101			ng/L	FALSE	NA	1	130.4	77.5	130	70	DK																	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	98.6			ng/L	FALSE	NA	1	130.4	75.6	130	70	DK																	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	90.5			ng/L	FALSE	NA	1	126.2	71.7	130	70	DK																	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	138			ng/L	FALSE	NA	1	123.8	111	130	70	DK																	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	89.7			ng/L	FALSE	NA	1	121.9	73.6	130	70	DK																	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	109			ng/L	FALSE	NA	1	130.4	83.6	130	70	DK																	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	111			ng/L	FALSE	NA	1	130.4	85	130	70	DK																	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	105			ng/L	FALSE	NA	1	124.8	84.1	130	70	DK																	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	113			ng/L	FALSE	NA	1	130.4	86.6	130	70	DK																	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	101			ng/L	FALSE	NA	1	130.4	77.7	130	70	DK																	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.27	9.08	ng/L	FALSE	NA	1					DK																	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	108			ng/L	FALSE	NA	1	130.4	82.8	130	70	DK																	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	119			ng/L	FALSE	NA	1	130.4	91.4	130	70	DK																	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	122			ng/L	FALSE	NA	1	130.4	93.3	130	70	DK																	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	118			ng/L	FALSE	NA	1	130.4	90.2	130	70	DK																	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	112			ng/L	FALSE	NA	1	123.4	90.7	130	70	DK																	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	121			ng/L	FALSE	NA	1	121.2	99.6	130	70	DK																	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	19.4			ng/L	FALSE	NA	1	130.4	14.9	130	70	DK																	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	87.6			ng/L	FALSE	NA	1	130.4	67.2	130	70	DK																	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	141			ng/L	FALSE	NA	1	130.4	108	130	70	DK																	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.09	9.08	ng/L	FALSE	NA	1					DK																	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-02-20190415-11	1904023-01	Water	Water	04/15/2019 16:20:00	04/18/2019 10:55:00	04/20/2019 02:04:06	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.09	9.08	ng/L	FALSE	NA	1					DK																	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.76	40.9	ng/L	FALSE	NA	1					DK																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.572	8.17	ng/L	FALSE	NA	1					DK																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	0.98	8.17	ng/L	FALSE	NA	1					DK																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	16.2	0.654	8.17	ng/L	FALSE	NA	1					DK																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	28.4	0.98	8.17	ng/L	FALSE	NA	1					DK																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	107	1.8	8.17	ng/L	FALSE	NA	1					DK																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.76	40.9	ng/L	FALSE	NA	1					DK																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.23	8.17	ng/L	FALSE	NA	1					DK																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.06	8.17	ng/L	FALSE	NA	1					DK																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	684	1.31	8.17	ng/L	FALSE	NA	1					DK																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.04	8.17	ng/L	FALSE	NA	1					DK																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.31	8.17	ng/L	FALSE	NA	1					DK																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	8.75	2.21	8.17	ng/L	FALSE	NA	1					DK																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.14	8.17	ng/L	FALSE	NA	1					DK																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.55	8.17	ng/L	FALSE	NA	1					DK																	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.899	8.17	ng/L	FALSE	NA	1					DK																	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	50.5	1.63	8.17	ng/L	FALSE	NA	1					DK																	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.8	8.17	ng/L	FALSE	NA	1					DK																	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	19.3	0.817	8.17	ng/L	FALSE	NA	1					DK																	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.6	1.39	8.17	ng/L	FALSE	NA	1					DK																	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.899	8.17	ng/L	FALSE	NA	1					DK																	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	70.2			ng/L	FALSE	NA	1	101.4	69.2	130	70	DK																	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	73			ng/L	FALSE	NA	1	101.4	72	130	70	DK																	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	63.5			ng/L	FALSE	NA	1	98.19	64.7	130	70	DK																	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	101			ng/L	FALSE	NA	1	96.27	105	130	70	DK																	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	65.2			ng/L	FALSE	NA	1	94.85	68.8	130	70	DK																	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	76.4			ng/L	FALSE	NA	1	101.4	75.3	130	70	DK																	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	77.7			ng/L	FALSE	NA	1	101.4	76.6	130	70	DK																	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	77.4			ng/L	FALSE	NA	1	97.08	79.8	130	70	DK																	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	82.6			ng/L	FALSE	NA	1	101.4	81.5	130	70	DK																	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	68.8			ng/L	FALSE	NA	1	101.4	67.8	130	70	DK																	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.14	8.17	ng/L	FALSE	NA	1					DK																	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	78.2			ng/L	FALSE	NA	1	101.4	77	130	70	DK																	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	90			ng/L	FALSE	NA	1	101.4	88.7	130	70	DK																	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	92.9			ng/L	FALSE	NA	1	101.4	91.5	130	70	DK																	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	84.5			ng/L	FALSE	NA	1	101.4	83.3	130	70	DK																	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	82.7			ng/L	FALSE	NA	1	95.96	86.2	130	70	DK																	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	91.6			ng/L	FALSE	NA	1	94.24	97.2	130	70	DK																	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	0.399			ng/L	FALSE	NA	1	101.4	0.393	130	70	DK																	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	48.6			ng/L	FALSE	NA	1	101.4	47.9	130	70	DK																	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	106			ng/L	FALSE	NA	1	101.4	104	130	70	DK																	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	0.98	8.17	ng/L	FALSE	NA	1					DK																	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190416-11	1904023-02	Water	Water	04/16/2019 09:45:00	04/18/2019 10:55:00	04/20/2019 02:26:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	0.98	8.17	ng/L	FALSE	NA	1					DK																	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.22	45.9	ng/L	FALSE	NA	1					DK																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.643	9.18	ng/L	FALSE	NA	1					DK																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.1	9.18	ng/L	FALSE	NA	1					DK																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	17.6	0.735	9.18	ng/L	FALSE	NA	1					DK																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	31.8	1.1	9.18	ng/L	FALSE	NA	1					DK																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	122	2.02	9.18	ng/L	FALSE	NA	1					DK																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.22	45.9	ng/L	FALSE	NA	1					DK																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.38	9.18	ng/L	FALSE	NA	1					DK																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.19	9.18	ng/L	FALSE	NA	1					DK																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	677	1.47	9.18	ng/L	FALSE	NA	1					DK																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.3	9.18	ng/L	FALSE	NA	1					DK																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.47	9.18	ng/L	FALSE	NA	1					DK																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	10.4	2.48	9.18	ng/L	FALSE	NA	1					DK																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.29	9.18	ng/L	FALSE	NA	1					DK																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.74	9.18	ng/L	FALSE	NA	1					DK																	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.01	9.18	ng/L	FALSE	NA	1					DK																	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	54	1.84	9.18	ng/L	FALSE	NA	1					DK																	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.02	9.18	ng/L	FALSE	NA	1					DK																	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	18.4	0.918	9.18	ng/L	FALSE	NA	1					DK																	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.7	1.56	9.18	ng/L	FALSE	NA	1					DK																	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	14.5	1.01	9.18	ng/L	FALSE	NA	1					DK																	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	102			ng/L	FALSE	NA	1	133.8	76	130	70	DK																	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	101			ng/L	FALSE	NA	1	133.8	75.4	130	70	DK																	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	87.6			ng/L	FALSE	NA	1	129.6	67.6	130	70	DK																	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	118			ng/L	FALSE	NA	1	127	92.6	130	70	DK																	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	87.2			ng/L	FALSE	NA	1	125.1	69.7	130	70	DK																	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	106			ng/L	FALSE	NA	1	133.8	79.2	130	70	DK																	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	114			ng/L	FALSE	NA	1	133.8	84.9	130	70	DK																	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	110			ng/L	FALSE	NA	1	128.1	85.8	130	70	DK																	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	109			ng/L	FALSE	NA	1	133.8	81.5	130	70	DK																	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	107			ng/L	FALSE	NA	1	133.8	80	130	70	DK																	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.29	9.18	ng/L	FALSE	NA	1					DK																	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	112			ng/L	FALSE	NA	1	133.8	83.5	130	70	DK																	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	125			ng/L	FALSE	NA	1	133.8	93.6	130	70	DK																	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	127			ng/L	FALSE	NA	1	133.8	95	130	70	DK																	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	117			ng/L	FALSE	NA	1	133.8	87.6	130	70	DK																	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	110			ng/L	FALSE	NA	1	126.6	87.3	130	70	DK																	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	125			ng/L	FALSE	NA	1	124.3	101	130	70	DK																	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	43.1			ng/L	FALSE	NA	1	133.8	32.2	130	70	DK																	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	103			ng/L	FALSE	NA	1	133.8	77	130	70	DK																	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	146			ng/L	FALSE	NA	1	133.8	109	130	70	DK																	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.1	9.18	ng/L	FALSE	NA	1					DK																	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190416-11	1904023-03	Water	Water	04/16/2019 10:15:00	04/18/2019 10:55:00	04/20/2019 03:58:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.1	9.18	ng/L	FALSE	NA	1					DK																	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.94	42.8	ng/L	FALSE	NA	1					DK																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.599	8.56	ng/L	FALSE	NA	1					DK																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.03	8.56	ng/L	FALSE	NA	1					DK																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	16.3	0.685	8.56	ng/L	FALSE	NA	1					DK																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	30.9	1.03	8.56	ng/L	FALSE	NA	1					DK																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	130	1.88	8.56	ng/L	FALSE	NA	1					DK																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.94	42.8	ng/L	FALSE	NA	1					DK																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.28	8.56	ng/L	FALSE	NA	1					DK																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.11	8.56	ng/L	FALSE	NA	1					DK																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	714	1.37	8.56	ng/L	FALSE	NA	1					DK																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.14	8.56	ng/L	FALSE	NA	1					DK																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.37	8.56	ng/L	FALSE	NA	1					DK																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	10.3	2.31	8.56	ng/L	FALSE	NA	1					DK																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.2	8.56	ng/L	FALSE	NA	1					DK																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.63	8.56	ng/L	FALSE	NA	1					DK																	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.942	8.56	ng/L	FALSE	NA	1					DK																	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	53.6	1.71	8.56	ng/L	FALSE	NA	1					DK																	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.88	8.56	ng/L	FALSE	NA	1					DK																	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	21.4	0.856	8.56	ng/L	FALSE	NA	1					DK																	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	9.99	1.46	8.56	ng/L	FALSE	NA	1					DK																	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.942	8.56	ng/L	FALSE	NA	1					DK																	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	83.3			ng/L	FALSE	NA	1	113.9	73.2	130	70	DK																	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	75.8			ng/L	FALSE	NA	1	113.9	66.6	130	70	DK																	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	69.8			ng/L	FALSE	NA	1	110.3	63.3	130	70	DK																	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	107			ng/L	FALSE	NA	1	108.1	98.8	130	70	DK																	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	71.2			ng/L	FALSE	NA	1	106.5	66.9	130	70	DK																	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	85.7			ng/L	FALSE	NA	1	113.9	75.2	130	70	DK																	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	91.6			ng/L	FALSE	NA	1	113.9	80.4	130	70	DK																	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	87.5			ng/L	FALSE	NA	1	109	80.2	130	70	DK																	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	86.5			ng/L	FALSE	NA	1	113.9	75.9	130	70	DK																	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	85.2			ng/L	FALSE	NA	1	113.9	74.8	130	70	DK																	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.2	8.56	ng/L	FALSE	NA	1					DK																	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	87.8			ng/L	FALSE	NA	1	113.9	77	130	70	DK																	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	103			ng/L	FALSE	NA	1	113.9	90.6	130	70	DK																	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	102			ng/L	FALSE	NA	1	113.9	89.3	130	70	DK																	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	94.5			ng/L	FALSE	NA	1	113.9	83	130	70	DK																	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	90.1			ng/L	FALSE	NA	1	107.8	83.6	130	70	DK																	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	104			ng/L	FALSE	NA	1	105.8	98.3	130	70	DK																	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	4.33			ng/L	FALSE	NA	1	113.9	3.8	130	70	DK																	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	71.7			ng/L	FALSE	NA	1	113.9	62.9	130	70	DK																	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	121			ng/L	FALSE	NA	1	113.9	107	130	70	DK																	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.03	8.56	ng/L	FALSE	NA	1					DK																	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190416-11	1904023-04	Water	Water	04/16/2019 10:31:00	04/18/2019 10:55:00	04/20/2019 04:21:01	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.03	8.56	ng/L	FALSE	NA	1					DK																	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.78	41.1	ng/L	FALSE	NA	1					DK																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.575	8.21	ng/L	FALSE	NA	1					DK																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	0.986	8.21	ng/L	FALSE	NA	1					DK																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	14.9	0.657	8.21	ng/L	FALSE	NA	1					DK																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	31.9	0.986	8.21	ng/L	FALSE	NA	1					DK																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	111	1.81	8.21	ng/L	FALSE	NA	1					DK																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	41.2	3.78	41.1	ng/L	FALSE	NA	1					DK																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.23	8.21	ng/L	FALSE	NA	1					DK																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.07	8.21	ng/L	FALSE	NA	1					DK																	22

9959536

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		673	1.31	8.21	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.05	8.21	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.31	8.21	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		8.96	2.22	8.21	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.15	8.21	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.56	8.21	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.904	8.21	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		56.8	1.64	8.21	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.81	8.21	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		22	0.821	8.21	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.24	1.4	8.21	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.904	8.21	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		75			ng/L	FALSE	NA	1	102.9	72.9	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		70.8			ng/L	FALSE	NA	1	102.9	68.8	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		69.1			ng/L	FALSE	NA	1	99.58	69.4	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		100			ng/L	FALSE	NA	1	97.62	103	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		66.5			ng/L	FALSE	NA	1	96.18	69.2	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		82.5			ng/L	FALSE	NA	1	102.9	80.2	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		86.4			ng/L	FALSE	NA	1	102.9	84	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		81.3			ng/L	FALSE	NA	1	98.45	82.6	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		84.5			ng/L	FALSE	NA	1	102.9	82.1	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		74.6			ng/L	FALSE	NA	1	102.9	72.5	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.15	8.21	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		82.3			ng/L	FALSE	NA	1	102.9	80	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		97.4			ng/L	FALSE	NA	1	102.9	94.7	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		98.5			ng/L	FALSE	NA	1	102.9	95.7	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		91.1			ng/L	FALSE	NA	1	102.9	88.6	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		85.5			ng/L	FALSE	NA	1	97.32	87.9	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		102			ng/L	FALSE	NA	1	95.57	107	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		0.62			ng/L	FALSE	NA	1	102.9	0.603	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		53.7			ng/L	FALSE	NA	1	102.9	52.2	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		116			ng/L	FALSE	NA	1	102.9	112	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		0.986	8.21	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-11	1904023-05	Water	Water	04/16/2019 10:53:00	04/18/2019 10:55:00	04/20/2019 04:43:58	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		0.986	8.21	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.46	48.5	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.679	9.7	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.16	9.7	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U		0.776	9.7	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U		1.16	9.7	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U		2.13	9.7	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.46	48.5	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.46	9.7	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.26	9.7	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.55	9.7	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.43	9.7	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.55	9.7	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.62	9.7	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.36	9.7	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.84	9.7	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.07	9.7	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U		1.94	9.7	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.13	9.7	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U		0.97	9.7	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U		1.65	9.7	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		1.07	9.7	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		135			ng/L	FALSE	NA	1	150.4	90	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		129			ng/L	FALSE	NA	1	150.4	85.7	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		121			ng/L	FALSE	NA	1	145.6	83	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		115			ng/L	FALSE	NA	1	142.8	80.7	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		120			ng/L	FALSE	NA	1	140.7	85.1	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		131			ng/L	FALSE	NA	1	150.4	87.1	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		134			ng/L	FALSE	NA	1	150.4	88.9	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		135			ng/L	FALSE	NA	1	144	93.7	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		129			ng/L	FALSE	NA	1	150.4	85.9	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		134			ng/L	FALSE	NA	1	150.4	88.9	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.36	9.7	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		134			ng/L	FALSE	NA	1	150.4	89	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		141			ng/L	FALSE	NA	1	150.4	93.8	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		149			ng/L	FALSE	NA	1	150.4	99.3	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		134			ng/L	FALSE	NA	1	150.4	89.1	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		122			ng/L	FALSE	NA	1	142.3	85.8	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		140			ng/L	FALSE	NA	1	139.8	100	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		126			ng/L	FALSE	NA	1	150.4	83.7	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		134			ng/L	FALSE	NA	1	150.4	89.4	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		147			ng/L	FALSE	NA	1	150.4	97.4	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.16	9.7	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190416-15	1904023-06	Water	Water	04/16/2019 13:20:00	04/18/2019 10:55:00	04/20/2019 05:06:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.16	9.7	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.09	44.4	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.622	8.89	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.07	8.89	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		14.1	0.711	8.89	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		28.6	1.07	8.89	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		114	1.96	8.89	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.09	44.4	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.33	8.89	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.16	8.89	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		704	1.42	8.89	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.22	8.89	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.42	8.89	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.4	8.89	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.24	8.89	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.69	8.89	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.978	8.89	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		57.7	1.78	8.89	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.96	8.89	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		23.8	0.889	8.89	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.61	1.51	8.89	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.978	8.89	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		96.5			ng/L	FALSE	NA	1	124.5	77.5	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		93.6			ng/L	FALSE	NA	1	124.5	75.2	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		80.8			ng/L	FALSE	NA	1	120.5	67.1	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		113			ng/L	FALSE	NA	1	118.1	95.5	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		81.6			ng/L	FALSE	NA	1	116.4	70.1	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		99.7			ng/L	FALSE	NA	1	124.5	80.1	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		105			ng/L	FALSE	NA	1	124.5	84.2	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		103			ng/L	FALSE	NA	1	119.1	86.8	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		102			ng/L	FALSE	NA	1	124.5	82.3	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		97			ng/L	FALSE	NA	1	124.5	77.9	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.24	8.89	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		100			ng/L	FALSE	NA	1	124.5	80.7	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		116			ng/L	FALSE	NA	1	124.5	93.5	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		122			ng/L	FALSE	NA	1	124.5	97.6	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		109			ng/L	FALSE	NA	1	124.5	87.2	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		106			ng/L	FALSE	NA	1	117.7	89.9	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		118			ng/L	FALSE	NA	1	115.6	102	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		18.8			ng/L	FALSE	NA	1	124.5	15.1	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		90.3			ng/L	FALSE	NA	1	124.5	72.5	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		138			ng/L	FALSE	NA	1	124.5	111	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.07	8.89	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-11	1904023-07	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:29:36	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.07	8.89	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.96	43	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.602	8.61	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.03	8.61	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		14.2	0.689	8.61	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		26.1	1.03	8.61	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		111	1.89	8.61	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		3.96	43	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.29	8.61	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.12	8.61	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		682	1.38	8.61	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.15	8.61	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.38	8.61	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.32	8.61	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.2	8.61	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.64	8.61	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.947	8.61	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		58.8	1.72	8.61	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.89	8.61	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		23.4	0.861	8.61	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		8.68	1.46	8.61	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.947	8.61	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		86.9			ng/L	FALSE	NA	1	115.4	75.3	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		86.5			ng/L	FALSE	NA	1	115.4	74.9	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		73.4			ng/L	FALSE	NA	1	111.7	65.7	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		111			ng/L	FALSE	NA	1	109.5	102	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		77.1			ng/L	FALSE	NA	1	107.9	71.4	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		91.7			ng/L	FALSE	NA	1	115.4	79.4	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		95.2			ng/L	FALSE	NA	1	115.4	82.5	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		95.3			ng/L	FALSE	NA	1	110.5	86.2	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		93.6			ng/L	FALSE	NA	1	115.4	81.1	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		87.5			ng/L	FALSE	NA	1	115.4	75.8	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.2	8.61	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		92.7			ng/L	FALSE	NA	1	115.4	80.4	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		111			ng/L	FALSE	NA	1	115.4	96.5	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		118			ng/L	FALSE	NA	1	115.4	103	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		105			ng/L	FALSE	NA	1	115.4	91	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		98.6			ng/L	FALSE	NA	1	109.2	90.3	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		115			ng/L	FALSE	NA	1	107.2	107	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		2.77			ng/L	FALSE	NA	1	115.4	2.4	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		73.2			ng/L	FALSE	NA	1	115.4	63.4	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		127			ng/L	FALSE	NA	1	115.4	110	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.03	8.61	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190416-12	1904023-08	Water	Water	04/16/2019 12:58:00	04/18/2019 10:55:00	04/20/2019 05:52:25	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.03	8.61	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.93	42.7	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.598	8.55	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.03	8.55	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		14.1	0.684	8.55	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		28	1.03	8.55	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		99.1	1.88	8.55	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		44.1	3.93	42.7	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.28	8.55	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.11	8.55	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		671	1.37	8.55	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.14	8.55	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.37	8.55	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.31	8.55	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.2	8.55	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.62	8.55	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.94	8.55	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		53.5	1.71	8.55	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.88	8.55	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		24.2	0.855	8.55	ng/L	FALSE	NA	1					DK	4

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.74	1.45	8.55	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.94	8.55	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		84.1			ng/L	FALSE	NA	1	113.5	74.1	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		83.1			ng/L	FALSE	NA	1	113.5	73.3	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		71.2			ng/L	FALSE	NA	1	109.8	64.8	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		106			ng/L	FALSE	NA	1	107.7	98.3	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		75.4			ng/L	FALSE	NA	1	106.1	71.1	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		89.4			ng/L	FALSE	NA	1	113.5	78.8	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		93.1			ng/L	FALSE	NA	1	113.5	82	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		90.5			ng/L	FALSE	NA	1	108.6	83.3	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		91.1			ng/L	FALSE	NA	1	113.5	80.3	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		85.7			ng/L	FALSE	NA	1	113.5	75.6	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.2	8.55	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		90.6			ng/L	FALSE	NA	1	113.5	79.8	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		108			ng/L	FALSE	NA	1	113.5	95	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		106			ng/L	FALSE	NA	1	113.5	93.3	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		97.4			ng/L	FALSE	NA	1	113.5	85.9	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		93.2			ng/L	FALSE	NA	1	107.3	86.8	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		105			ng/L	FALSE	NA	1	105.4	99.6	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		3.7			ng/L	FALSE	NA	1	113.5	3.26	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		73.7			ng/L	FALSE	NA	1	113.5	64.9	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		121			ng/L	FALSE	NA	1	113.5	106	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.03	8.55	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190416-11	1904023-09	Water	Water	04/16/2019 12:30:00	04/18/2019 10:55:00	04/20/2019 06:15:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.03	8.55	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.95	42.9	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.601	8.59	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.03	8.59	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		15	0.687	8.59	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		29.2	1.03	8.59	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		113	1.89	8.59	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		3.95	42.9	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.29	8.59	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.12	8.59	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		676	1.37	8.59	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.15	8.59	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.37	8.59	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.32	8.59	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.2	8.59	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.63	8.59	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.945	8.59	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		55.1	1.72	8.59	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.89	8.59	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		22.4	0.859	8.59	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.65	1.46	8.59	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.945	8.59	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		83.7			ng/L	FALSE	NA	1	114.9	72.8	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		84.4			ng/L	FALSE	NA	1	114.9	73.5	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		72.8			ng/L	FALSE	NA	1	111.2	65.4	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		108			ng/L	FALSE	NA	1	109	98.8	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		73.8			ng/L	FALSE	NA	1	107.4	68.7	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		91			ng/L	FALSE	NA	1	114.9	79.2	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		95.3			ng/L	FALSE	NA	1	114.9	82.9	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		95.2			ng/L	FALSE	NA	1	109.9	86.6	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		94.4			ng/L	FALSE	NA	1	114.9	82.2	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		86.7			ng/L	FALSE	NA	1	114.9	75.5	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.2	8.59	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		93.5			ng/L	FALSE	NA	1	114.9	81.4	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		106			ng/L	FALSE	NA	1	114.9	92.6	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		111			ng/L	FALSE	NA	1	114.9	96.2	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		101			ng/L	FALSE	NA	1	114.9	87.5	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		93.8			ng/L	FALSE	NA	1	108.7	86.3	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		112			ng/L	FALSE	NA	1	106.7	105	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		3.42			ng/L	FALSE	NA	1	114.9	2.98	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		79.5			ng/L	FALSE	NA	1	114.9	69.2	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		125			ng/L	FALSE	NA	1	114.9	108	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.03	8.59	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190416-11	1904023-10	Water	Water	04/16/2019 11:13:00	04/18/2019 10:55:00	04/20/2019 06:38:03	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.03	8.59	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.85	41.9	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.587	8.38	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.01	8.38	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		19.7	0.67	8.38	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		31.2	1.01	8.38	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		97.7	1.84	8.38	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		3.85	41.9	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.26	8.38	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.09	8.38	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		632	1.34	8.38	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.09	8.38	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.34	8.38	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.26	8.38	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.17	8.38	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.59	8.38	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.922	8.38	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		51.5	1.68	8.38	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.84	8.38	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		16.8	0.838	8.38	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.6	1.42	8.38	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.922	8.38	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		78.6			ng/L	FALSE	NA	1	108.1	72.7	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		79.9			ng/L	FALSE	NA	1	108.1	73.9	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		70.5			ng/L	FALSE	NA	1	104.7	67.3	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		103			ng/L	FALSE	NA	1	102.6	101	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		72.9			ng/L	FALSE	NA	1	101.1	72.1	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		86.6			ng/L	FALSE	NA	1	108.1	80	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		89.1			ng/L	FALSE	NA	1	108.1	82.4	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		91.9			ng/L	FALSE	NA	1	103.5	88.8	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		92.2			ng/L	FALSE	NA	1	108.1	85.2	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		79.8			ng/L	FALSE	NA	1	108.1	73.8	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.17	8.38	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		86.3			ng/L	FALSE	NA	1	108.1	79.8	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		104			ng/L	FALSE	NA	1	108.1	96	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		103			ng/L	FALSE	NA	1	108.1	95.3	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		95.9			ng/L	FALSE	NA	1	108.1	88.6	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		92.6			ng/L	FALSE	NA	1	102.3	90.5	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		105			ng/L	FALSE	NA	1	100.5	104	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		0.87			ng/L	FALSE	NA	1	108.1	0.805	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		64.4			ng/L	FALSE	NA	1	108.1	59.6	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		124			ng/L	FALSE	NA	1	108.1	114	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.01	8.38	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190416-11	1904023-11	Water	Water	04/16/2019 09:17:00	04/18/2019 10:55:00	04/20/2019 07:00:52	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.01	8.38	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.92	42.6	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.596	8.52	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.02	8.52	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		18	0.682	8.52	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		30.5	1.02	8.52	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		111	1.87	8.52	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		3.92	42.6	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.28	8.52	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.11	8.52	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		676	1.36	8.52	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.13	8.52	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.36	8.52	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		8.98	2.3	8.52	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.19	8.52	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.62	8.52	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.937	8.52	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		52.3	1.7	8.52	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.87	8.52	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		21	0.852	8.52	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.7	1.45	8.52	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.937	8.52	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		85.8			ng/L	FALSE	NA	1	112.7	76.2	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		83.1			ng/L	FALSE	NA	1	112.7	73.8	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		72.4			ng/L	FALSE	NA	1	109.1	66.3	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		108			ng/L	FALSE	NA	1	106.9	101	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		76.7			ng/L	FALSE	NA	1	105.3	72.8	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		89.2			ng/L	FALSE	NA	1	112.7	79.2	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		93.4			ng/L	FALSE	NA	1	112.7	82.9	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		92.4			ng/L	FALSE	NA	1	107.8	85.7	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		91.2			ng/L	FALSE	NA	1	112.7	80.9	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		86.2			ng/L	FALSE	NA	1	112.7	76.5	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.19	8.52	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		91.2			ng/L	FALSE	NA	1	112.7	80.9	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		106			ng/L	FALSE	NA	1	112.7	94.1	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		105			ng/L	FALSE	NA	1	112.7	93.5	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		98.6			ng/L	FALSE	NA	1	112.7	87.5	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		94.4			ng/L	FALSE	NA	1	106.6	88.6	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		107			ng/L	FALSE	NA	1	104.7	102	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		2.66			ng/L	FALSE	NA	1	112.7	2.36	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		70.7			ng/L	FALSE	NA	1	112.7	62.8	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		124			ng/L	FALSE	NA	1	112.7	110	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.02	8.52	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190417-11	1904024-01	Water	Water	04/17/2019 09:14:00	04/18/2019 10:55:00	04/20/2019 07:23:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.02	8.52	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.97	43.1	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.604	8.63	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.04	8.63	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		17.1	0.69	8.63	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		31.6	1.04	8.63	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		118	1.9	8.63	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		3.97	43.1	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.29	8.63	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.12	8.63	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		703	1.38	8.63	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.16	8.63	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.38	8.63	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		9.22	2.33	8.63	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.21	8.63	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.64	8.63	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.949	8.63	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		57.8	1.73	8.63	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.9	8.63	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		20.5	0.863	8.63	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.4	1.47	8.63	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.949	8.63	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		90.1			ng/L	FALSE	NA	1	116.1	77.6	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		87.4			ng/L	FALSE	NA	1	116.1	75.3	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		76.9			ng/L	FALSE	NA	1	112.4	68.4	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		115			ng/L	FALSE	NA	1	110.2	104	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		77.2			ng/L	FALSE	NA	1	108.6	71.1	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		93.2			ng/L	FALSE	NA	1	116.1	80.3	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		94.7			ng/L	FALSE	NA	1	116.1	81.5	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		97.8			ng/L	FALSE	NA	1	111.1	88	130	70	DK	67

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		95.1			ng/L	FALSE	NA	1	116.1	81.9	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		90			ng/L	FALSE	NA	1	116.1	77.5	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.21	8.63	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		96			ng/L	FALSE	NA	1	116.1	82.7	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		110			ng/L	FALSE	NA	1	116.1	94.5	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		115			ng/L	FALSE	NA	1	116.1	99.4	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		102			ng/L	FALSE	NA	1	116.1	87.7	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		98.9			ng/L	FALSE	NA	1	109.9	90	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		113			ng/L	FALSE	NA	1	107.9	104	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		4.66			ng/L	FALSE	NA	1	116.1	4.01	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		78.4			ng/L	FALSE	NA	1	116.1	67.6	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		131			ng/L	FALSE	NA	1	116.1	113	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.04	8.63	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190417-11	1904024-02	Water	Water	04/17/2019 09:26:00	04/18/2019 10:55:00	04/20/2019 07:46:30	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.04	8.63	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		3.83	41.6	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.582	8.32	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		0.998	8.32	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		17	0.665	8.32	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		29.6	0.998	8.32	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		116	1.83	8.32	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		43.4	3.83	41.6	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.25	8.32	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.08	8.32	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		686	1.33	8.32	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.08	8.32	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.33	8.32	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		8.52	2.25	8.32	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.16	8.32	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.58	8.32	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		0.915	8.32	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		59.2	1.66	8.32	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		1.83	8.32	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		23.3	0.832	8.32	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.3	1.41	8.32	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		0.915	8.32	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		79.6			ng/L	FALSE	NA	1	106.1	75.1	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		78			ng/L	FALSE	NA	1	106.1	73.5	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		68.3			ng/L	FALSE	NA	1	102.7	66.5	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		105			ng/L	FALSE	NA	1	100.7	104	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		72.7			ng/L	FALSE	NA	1	99.21	73.3	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		85.9			ng/L	FALSE	NA	1	106.1	80.9	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		85.5			ng/L	FALSE	NA	1	106.1	80.6	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		89.5			ng/L	FALSE	NA	1	101.5	88.1	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		86.6			ng/L	FALSE	NA	1	106.1	81.6	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		77.8			ng/L	FALSE	NA	1	106.1	73.3	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.16	8.32	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		84			ng/L	FALSE	NA	1	106.1	79.2	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		104			ng/L	FALSE	NA	1	106.1	98.4	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		105			ng/L	FALSE	NA	1	106.1	99	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		96.6			ng/L	FALSE	NA	1	106.1	91.1	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		91.9			ng/L	FALSE	NA	1	100.4	91.5	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		101			ng/L	FALSE	NA	1	98.57	102	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		1.22			ng/L	FALSE	NA	1	106.1	1.15	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		60.1			ng/L	FALSE	NA	1	106.1	56.6	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		115			ng/L	FALSE	NA	1	106.1	109	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		0.998	8.32	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190417-11	1904024-03	Water	Water	04/17/2019 09:46:00	04/18/2019 10:55:00	04/20/2019 09:17:46	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		0.998	8.32	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.33	47.1	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.66	9.42	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.13	9.42	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		15.7	0.754	9.42	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		29.3	1.13	9.42	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		119	2.07	9.42	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.33	47.1	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.41	9.42	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.22	9.42	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		741	1.51	9.42	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.36	9.42	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.51	9.42	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		10.8	2.54	9.42	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.32	9.42	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.79	9.42	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.04	9.42	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		61.1	1.88	9.42	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.07	9.42	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		26	0.942	9.42	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.8	1.6	9.42	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		1.04	9.42	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		115			ng/L	FALSE	NA	1	141.5	80.9	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		112			ng/L	FALSE	NA	1	141.5	79.1	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		95.8			ng/L	FALSE	NA	1	137	69.9	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		132			ng/L	FALSE	NA	1	134.3	98.2	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		97.6			ng/L	FALSE	NA	1	132.3	73.7	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		116			ng/L	FALSE	NA	1	141.5	81.9	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		119			ng/L	FALSE	NA	1	141.5	84.4	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		120			ng/L	FALSE	NA	1	135.5	88.7	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		117			ng/L	FALSE	NA	1	141.5	82.9	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		115			ng/L	FALSE	NA	1	141.5	81.5	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.32	9.42	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		119			ng/L	FALSE	NA	1	141.5	84.4	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		136			ng/L	FALSE	NA	1	141.5	96.1	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		142			ng/L	FALSE	NA	1	141.5	101	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		128			ng/L	FALSE	NA	1	141.5	90.2	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		122			ng/L	FALSE	NA	1	133.9	91.4	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		138			ng/L	FALSE	NA	1	131.5	105	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		57.7			ng/L	FALSE	NA	1	141.5	40.7	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		114			ng/L	FALSE	NA	1	141.5	80.4	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		158			ng/L	FALSE	NA	1	141.5	112	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.13	9.42	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-11	1904024-04	Water	Water	04/17/2019 09:56:00	04/18/2019 10:55:00	04/20/2019 09:40:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.13	9.42	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.33	47	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.659	9.41	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.13	9.41	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U		0.753	9.41	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U		1.13	9.41	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U		2.07	9.41	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.33	47	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.41	9.41	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.22	9.41	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.51	9.41	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.35	9.41	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.51	9.41	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.54	9.41	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.32	9.41	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.79	9.41	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.03	9.41	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U		1.88	9.41	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.07	9.41	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U		0.941	9.41	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U		1.6	9.41	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		1.03	9.41	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		124			ng/L	FALSE	NA	1	141	87.6	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		124			ng/L	FALSE	NA	1	141	87.9	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		112			ng/L	FALSE	NA	1	136.5	81.9	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		104			ng/L	FALSE	NA	1	133.9	77.8	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		107			ng/L	FALSE	NA	1	131.9	81.4	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		122			ng/L	FALSE	NA	1	141	86.2	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		127			ng/L	FALSE	NA	1	141	90	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		127			ng/L	FALSE	NA	1	135	94.4	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		124			ng/L	FALSE	NA	1	141	87.6	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		124			ng/L	FALSE	NA	1	141	88.3	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.32	9.41	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		126			ng/L	FALSE	NA	1	141	89.2	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		137			ng/L	FALSE	NA	1	141	96.9	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		138			ng/L	FALSE	NA	1	141	97.5	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		128			ng/L	FALSE	NA	1	141	90.5	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		123			ng/L	FALSE	NA	1	133.4	92.5	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		131			ng/L	FALSE	NA	1	131	100	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		106			ng/L	FALSE	NA	1	141	75	130	70	DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		124			ng/L	FALSE	NA	1	141	87.6	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		142			ng/L	FALSE	NA	1	141	101	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.13	9.41	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190417-15	1904024-05	Water	Water	04/17/2019 10:05:00	04/18/2019 10:55:00	04/20/2019 10:03:24	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.13	9.41	ng/L	FALSE	NA	1					DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.19	45.5	ng/L	FALSE	NA	1					DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.638	9.11	ng/L	FALSE	NA	1					DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.09	9.11	ng/L	FALSE	NA	1					DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		14.2	0.729	9.11	ng/L	FALSE	NA	1					DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		30.9	1.09	9.11	ng/L	FALSE	NA	1					DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		105	2	9.11	ng/L	FALSE	NA	1					DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		46.5	4.19	45.5	ng/L	FALSE	NA	1					DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.37	9.11	ng/L	FALSE	NA	1					DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.18	9.11	ng/L	FALSE	NA	1					DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		741	1.46	9.11	ng/L	FALSE	NA	1					DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.28	9.11	ng/L	FALSE	NA	1					DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.46	9.11	ng/L	FALSE	NA	1					DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.46	9.11	ng/L	FALSE	NA	1					DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.28	9.11	ng/L	FALSE	NA	1					DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.73	9.11	ng/L	FALSE	NA	1					DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1	9.11	ng/L	FALSE	NA	1					DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		61.6	1.82	9.11	ng/L	FALSE	NA	1					DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2	9.11	ng/L	FALSE	NA	1					DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		24.6	0.911	9.11	ng/L	FALSE	NA	1					DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.65	1.55	9.11	ng/L	FALSE	NA	1					DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		1	9.11	ng/L	FALSE	NA	1					DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		111			ng/L	FALSE	NA	1	131.5	84.2	130	70	DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		102			ng/L	FALSE	NA	1	131.5	77.7	130	70	DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		91			ng/L	FALSE	NA	1	127.3	71.5	130	70	DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		127			ng/L	FALSE	NA	1	124.8	101	130	70	DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		91			ng/L	FALSE	NA	1	122.9	74	130	70	DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		108			ng/L	FALSE	NA	1	131.5	81.9	130	70	DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		113			ng/L	FALSE	NA	1	131.5	86.1	130	70	DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		113			ng/L	FALSE	NA	1	125.8	89.6	130	70	DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		113			ng/L	FALSE	NA	1	131.5	85.9	130	70	DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		107			ng/L	FALSE	NA	1	131.5	81.2	130	70	DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.28	9.11	ng/L	FALSE	NA	1					DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		109			ng/L	FALSE	NA	1	131.5	82.8	130	70	DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		127			ng/L	FALSE	NA	1	131.5	96.7	130	70	DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		130			ng/L	FALSE	NA	1	131.5	98.9	130	70	DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		121			ng/L	FALSE	NA	1	131.5	91.9	130	70	DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		116			ng/L	FALSE	NA	1	124.4	93.6	130	70	DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		130			ng/L	FALSE	NA	1	122.2	106	130	70	DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		22			ng/L	FALSE	NA	1	131.5	16.7	130	70	DK	76

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		96.5			ng/L	FALSE	NA	1	131.5	73.4	130	70	DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		146			ng/L	FALSE	NA	1	131.5	111	130	70	DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.09	9.11	ng/L	FALSE	NA	1					DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-07-20190417-11	1904024-06	Water	Water	04/17/2019 10:49:00	04/18/2019 10:55:00	04/20/2019 10:26:13	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.09	9.11	ng/L	FALSE	NA	1					DK	9

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1									DK				1
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1									DK				10
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				11
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1									DK				12
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				13
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1									DK				14
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1									DK				2
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1									DK				21
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1									DK				22
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1									DK				23
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1									DK				24
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1									DK				25
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1									DK				26
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1									DK				27
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1									DK				28
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1									DK				29
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1									DK				3
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1									DK				30
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1									DK				4
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1									DK				5
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1									DK				6
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.7		130	70		DK				60
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.2		130	70		DK				61
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	137			ng/L	FALSE	NA	1			154.9	88.2		130	70		DK				62
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	133			ng/L	FALSE	NA	1			151.8	87.5		130	70		DK				63
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	129			ng/L	FALSE	NA	1			149.6	86.3		130	70		DK				64
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.5		130	70		DK				65
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93		130	70		DK				66
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	146			ng/L	FALSE	NA	1			153.1	95.5		130	70		DK				67
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.5		130	70		DK				68
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92.2		130	70		DK				69
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1									DK				7
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.3		130	70		DK				70
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.6		130	70		DK				71
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.1		130	70		DK				72
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90		130	70		DK				73
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	136			ng/L	FALSE	NA	1			151.4	89.7		130	70		DK				74
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	142			ng/L	FALSE	NA	1			148.6	95.4		130	70		DK				75
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93.2		130	70		DK				76
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.2		130	70		DK				77
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.4		130	70		DK				78
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				8
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK1	Blank	Water	4/18/2019 10:55	4/19/2019 23:47	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				9
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1									DK				1
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1									DK				10
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				11
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1									DK				12
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				13
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1									DK				14
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1									DK				2
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1									DK				21
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1									DK				22
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1									DK				23
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1									DK				24
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1									DK				25
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1									DK				26
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1									DK				27
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1									DK				28
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1									DK				29
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1									DK				3
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1									DK				30
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1									DK				4
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1									DK				5
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1									DK				6
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92.1		130	70		DK				60
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.7		130	70		DK				61
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	140			ng/L	FALSE	NA	1			154.9	90.4		130	70		DK				62
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	134			ng/L	FALSE	NA	1			151.8	88		130	70		DK				63
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	130			ng/L	FALSE	NA	1			149.6	86.7		130	70		DK				64
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.6		130	70		DK				65
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.5		130	70		DK				66
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	142			ng/L	FALSE	NA	1			153.1	92.7		130	70		DK				67
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.9		130	70		DK				68
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92		130	70		DK				69
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1									DK				7
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	89.8		130	70		DK				70
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92.1		130	70		DK				71
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.4		130	70		DK				72
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.8		130	70		DK				73
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	140			ng/L	FALSE	NA	1			151.4	92.2		130	70		DK				74
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143			ng/L	FALSE	NA	1			148.6	96		130	70		DK				75
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.8		130	70		DK				76
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.4		130	70		DK				77
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.5		130	70		DK				78
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				8
US EPA Region 5 Chicago Regional Laboratory	B19D032-BLK2	Blank	Water	4/18/2019 10:55	4/20/2019 0:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1									DK				9
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	702	4.6	50	ng/L	FALSE	NA	1			800	87.8		130	70		DK				1
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	147	0.7	10	ng/L	FALSE	NA	1			160	91.8		130	70		DK				10
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	144	1.2	10	ng/L	FALSE	NA	1			160	89.8		130	70		DK				11
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	146	0.8	10	ng/L	FALSE	NA	1			160	91.5		130	70		DK				12
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	147	1.2	10	ng/L	FALSE	NA	1			160	92.1		130	70		DK				13
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	142	2.2	10	ng/L	FALSE	NA	1			160	88.5		130	70		DK				14
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	703	4.6	50	ng/L	FALSE	NA	1			800	87.9		130	70		DK				2
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	143	1.5	10	ng/L	FALSE	NA	1			160	89.4		130	70		DK				21
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	146	1.3	10	ng/L	FALSE	NA	1			160	91.4		130	70		DK				22
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	120	1.6	10	ng/L	FALSE	NA	1			160	75.1		130	70		DK				23
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	140	2.5	10	ng/L	FALSE	NA	1			160	87.7		130	70		DK				24
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	146	1.6	10	ng/L	FALSE	NA	1			160	90.9		130	70		DK				25
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	142	2.7	10	ng/L	FALSE	NA	1			160	88.6		130	70		DK				26
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	143	1.4	10	ng/L	FALSE	NA	1			160	89.6		130	70		DK				27
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	145	1.9	10	ng/L	FALSE	NA	1			160	90.5		130	70		DK				28
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	140	1.1	10	ng/L	FALSE	NA	1			160	87.6		130	70		DK				29
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	148	2	10	ng/L	FALSE	NA	1			160	92.3		130	70		DK				3
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	144	2.2	10	ng/L	FALSE	NA	1			160	89.7		130	70		DK				30
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	139	1	10	ng/L	FALSE	NA	1			160	87.2		130	70		DK				4
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	141	1.7	10	ng/L	FALSE	NA	1			160	88		130	70		DK				5
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	141	1.1	10	ng/L	FALSE	NA	1			160	88.4		130	70		DK				6
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.6		130	70		DK				60
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.3		130	70		DK				61
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	144			ng/L	FALSE	NA	1			154.9	93.3		130	70		DK				62
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	141			ng/L	FALSE	NA	1			151.8	92.9		130	70		DK				63
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	137			ng/L	FALSE	NA	1			149.6	91.7		130	70		DK				64
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.6		130	70		DK				65
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.5		130	70		DK				66
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	140			ng/L	FALSE	NA	1			153.1	91.4		130	70		DK				67
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	142			ng/L	FALSE	NA	1			160	88.9		130	70		DK				68
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.8		130	70		DK				69
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	143	1.4	10	ng/L	FALSE	NA	1			160	89.3		130	70		DK				7
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.8		130	70		DK				70
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.7		130	70		DK				71
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.4		130	70		DK				72
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.9		130	70		DK				73

US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		138			ng/L	FALSE	NA	1				151.4	91.4		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		144			ng/L	FALSE	NA	1				148.6	96.5		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		152			ng/L	FALSE	NA	1				160	94.8		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		148			ng/L	FALSE	NA	1				160	92.7		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		149			ng/L	FALSE	NA	1				160	93		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		143	1.2	10	ng/L	FALSE	NA	1				160	89.3		130	70		DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-BS1	LCS	Water	4/18/2019 10:55	4/20/2019 1:18	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		140	1.2	10	ng/L	FALSE	NA	1				160	87.2		130	70		DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		711	4.6	50	ng/L	FALSE	NA	1				800	88.8	1.2	130	70	30	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE		153	0.7	10	ng/L	FALSE	NA	1				160	95.4	3.93	130	70	30	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE		155	1.2	10	ng/L	FALSE	NA	1				160	97.1	7.83	130	70	30	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		155	0.8	10	ng/L	FALSE	NA	1				160	96.7	5.55	130	70	30	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		145	1.2	10	ng/L	FALSE	NA	1				160	90.9	1.28	130	70	30	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		136	2.2	10	ng/L	FALSE	NA	1				160	84.7	4.44	130	70	30	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		725	4.6	50	ng/L	FALSE	NA	1				800	90.6	3.13	130	70	30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		148	1.5	10	ng/L	FALSE	NA	1				160	92.8	3.7	130	70	30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		152	1.3	10	ng/L	FALSE	NA	1				160	95.3	4.14	130	70	30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		125	1.6	10	ng/L	FALSE	NA	1				160	78.4	4.32	130	70	30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		143	2.5	10	ng/L	FALSE	NA	1				160	89.4	1.88	130	70	30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		151	1.6	10	ng/L	FALSE	NA	1				160	94.1	3.42	130	70	30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		156	2.7	10	ng/L	FALSE	NA	1				160	97.4	9.48	130	70	30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		151	1.4	10	ng/L	FALSE	NA	1				160	94.4	5.23	130	70	30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE		149	1.9	10	ng/L	FALSE	NA	1				160	92.9	2.66	130	70	30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE		153	1.1	10	ng/L	FALSE	NA	1				160	95.9	9.02	130	70	30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		146	2	10	ng/L	FALSE	NA	1				160	91.3	1.07	130	70	30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE		151	2.2	10	ng/L	FALSE	NA	1				160	94.6	5.28	130	70	30	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		147	1	10	ng/L	FALSE	NA	1				160	92.1	5.53	130	70	30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		148	1.7	10	ng/L	FALSE	NA	1				160	92.4	4.94	130	70	30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		142	1.1	10	ng/L	FALSE	NA	1				160	88.9	0.524	130	70	30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		149			ng/L	FALSE	NA	1				160	93.4		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		145			ng/L	FALSE	NA	1				160	90.9		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		146			ng/L	FALSE	NA	1				154.9	94.4		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		142			ng/L	FALSE	NA	1				151.8	93.8		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		134			ng/L	FALSE	NA	1				149.6	89.7		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		143			ng/L	FALSE	NA	1				160	89.6		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		149			ng/L	FALSE	NA	1				160	92.9		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		142			ng/L	FALSE	NA	1				153.1	92.7		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		142			ng/L	FALSE	NA	1				160	88.6		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		147			ng/L	FALSE	NA	1				160	92.1		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE		148	1.4	10	ng/L	FALSE	NA	1				160	92.7	3.74	130	70	30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		144			ng/L	FALSE	NA	1				160	89.7		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		141			ng/L	FALSE	NA	1				160	88.4		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		147			ng/L	FALSE	NA	1				160	91.7		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		144			ng/L	FALSE	NA	1				160	90.2		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		139			ng/L	FALSE	NA	1				151.4	91.6		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		142			ng/L	FALSE	NA	1				148.6	95.6		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		153			ng/L	FALSE	NA	1				160	95.8		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		148			ng/L	FALSE	NA	1				160	92.4		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		144			ng/L	FALSE	NA	1				160	90.1		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		144	1.2	10	ng/L	FALSE	NA	1				160	89.9	0.642	130	70	30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-BSD1	LCS Dup	Water	4/18/2019 10:55	4/20/2019 1:41	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		145	1.2	10	ng/L	FALSE	NA	1				160	90.6	3.77	130	70	30	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		14.7	4.28	46.6	ng/L	FALSE	NA	1	1904023-02		19.9			30.3			30	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.652	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.12	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		17.4	0.745	9.31	ng/L	FALSE	NA	1	1904023-02		16.2			6.87			30	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		31	1.12	9.31	ng/L	FALSE	NA	1	1904023-02		28.4			8.67			30	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		115	2.05	9.31	ng/L	FALSE	NA	1	1904023-02		107			7.67			30	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		41.1	4.28	46.6	ng/L	FALSE	NA	1	1904023-02		38.9			5.53			30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		1.91	1.4	9.31	ng/L	FALSE	NA	1	1904023-02		1.49			24.5			30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		6.01	1.21	9.31	ng/L	FALSE	NA	1	1904023-02		6.14			2.18			30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		697	1.49	9.31	ng/L	FALSE	NA	1	1904023-02		684			1.93			30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		3.06	2.33	9.31	ng/L	FALSE	NA	1	1904023-02		3			1.84			30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		2.51	1.49	9.31	ng/L	FALSE	NA	1	1904023-02		1.7			38.6			30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		9.01	2.51	9.31	ng/L	FALSE	NA	1	1904023-02		8.75			2.89			30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		1.47	1.3	9.31	ng/L	FALSE	NA	1	1904023-02		1.35			7.99			30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.77	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.02	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		51.2	1.86	9.31	ng/L	FALSE	NA	1	1904023-02		50.5			1.35			30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.05	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		19	0.931	9.31	ng/L	FALSE	NA	1	1904023-02		19.3			1.63			30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.5	1.58	9.31	ng/L	FALSE	NA	1	1904023-02		10.6			0.425			30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		2.62	1.02	9.31	ng/L	FALSE	NA	1	1904023-02		2.13			20.5			30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		110			ng/L	FALSE	NA	1	1904023-02			138	79.6		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		106			ng/L	FALSE	NA	1	1904023-02			138	76.7		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		93.7			ng/L	FALSE	NA	1	1904023-02			133.6	70.2		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		124			ng/L	FALSE	NA	1	1904023-02			131	95		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		94.5			ng/L	FALSE	NA	1	1904023-02			129	73.2		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		113			ng/L	FALSE	NA	1	1904023-02			138	81.6		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		115			ng/L	FALSE	NA	1	1904023-02			138	83.3		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		115			ng/L	FALSE	NA	1	1904023-02			132.1	87.2		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		115			ng/L	FALSE	NA	1	1904023-02			138	83.6		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		115			ng/L	FALSE	NA	1	1904023-02			138	83.3		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE		1.39	1.3	9.31	ng/L	FALSE	NA	1	1904023-02		1.36			1.92			30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		116			ng/L	FALSE	NA	1	1904023-02			138	84		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		130			ng/L	FALSE	NA	1	1904023-02			138	93.9		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		135			ng/L	FALSE	NA	1	1904023-02			138	97.5		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		120			ng/L	FALSE	NA	1	1904023-02			138	87		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		118			ng/L	FALSE	NA	1	1904023-02			130.5	90.7		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		134			ng/L	FALSE	NA	1	1904023-02			128.2	104		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		43.7			ng/L	FALSE	NA	1	1904023-02			138	31.6		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		103			ng/L	FALSE	NA	1	1904023-02			138	75		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		151			ng/L	FALSE	NA	1	1904023-02			138	109		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		1.53	1.12	9.31	ng/L	FALSE	NA	1	1904023-02		1.24			20.9			30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP1	Duplicate	Water	4/18/2019 10:55	4/20/2019 2:49	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		1.6	1.12	9.31	ng/L	FALSE	NA	1	1904023-02	U							30	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		18.2	4.35	47.3	ng/L	FALSE	NA	1	1904024-02		24.5			29.7			30	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.663	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.14	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		16.8	0.757	9.47	ng/L	FALSE	NA	1	1904024-02		17.1			1.66			30	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		30.4	1.14	9.47	ng/L	FALSE	NA	1	1904024-02		31.6			3.61			30	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		114	2.08	9.47	ng/L	FALSE	NA	1	1904024-02		118			3.48			30	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		41.6	4.35	47.3	ng/L	FALSE	NA	1	1904024-02		42.4			1.85			30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		1.79	1.42	9.47	ng/L	FALSE	NA	1	1904024-02		2.16			18.9			30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		5.73	1.23	9.47	ng/L	FALSE	NA	1	1904024-02		5.63			1.71			30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		706	1.51	9.47	ng/L	FALSE	NA	1	1904024-02		703			0.521			30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		3.05	2.37	9.47	ng/L	FALSE	NA	1	1904024-02		2.49			20.1			30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		2.16	1.51	9.47	ng/L	FALSE	NA	1	1904024-02		2.12			1.81			30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		7.63	2.56	9.47	ng/L	FALSE	NA	1	1904024-02		9.22			18.9			30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		1.57	1.33	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.8	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.04	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		57.2	1.89	9.47	ng/L	FALSE	NA	1	1904024-02		57.8			1.04			30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.08	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		22.2	0.947	9.47	ng/L	FALSE	NA	1	1904024-02		20.5			8.02			30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		10.4	1.61	9.47	ng/L	FALSE	NA	1	1904024-02		10.4			0.0513			30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		2.22	1.04	9.47	ng/L	FALSE	NA	1	1904024-02		2.5			11.7			30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		122			ng/L	FALSE	NA	1	1904024-02			142.9	85.5		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		109			ng/L	FALSE	NA	1	1904024-02			142.9	76.4		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		97.1			ng/L	FALSE	NA	1	1904024-02			138.3	70.2		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		127			ng/L	FALSE	NA	1	1904024-02			135.6	94		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		99.3			ng/L	FALSE	NA	1	1904024-02			133.6	74.3		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		116			ng/L	FALSE	NA	1	1904024-02			142.9	81.4		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		123			ng/L	FALSE	NA	1	1904024-02			142.9	85.7		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		124			ng/L	FALSE	NA	1	1904024-02			136.8	91		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		118			ng/L	FALSE	NA	1	1904024-02			142.9	82.4		130	70		DK	68

US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		117			ng/L	FALSE	NA	1	1904024-02			142.9	82		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE		1.56	1.33	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		117			ng/L	FALSE	NA	1	1904024-02			142.9	81.9		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		135			ng/L	FALSE	NA	1	1904024-02			142.9	94.1		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		141			ng/L	FALSE	NA	1	1904024-02			142.9	98.4		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		129			ng/L	FALSE	NA	1	1904024-02			142.9	90		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		116			ng/L	FALSE	NA	1	1904024-02			135.2	85.5		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		139			ng/L	FALSE	NA	1	1904024-02			132.8	104		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		61.5			ng/L	FALSE	NA	1	1904024-02			142.9	43		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		113			ng/L	FALSE	NA	1	1904024-02			142.9	78.8		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		161			ng/L	FALSE	NA	1	1904024-02			142.9	113		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		1.33	1.14	9.47	ng/L	FALSE	NA	1	1904024-02		1.5			12.4			30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-DUP2	Duplicate	Water	4/18/2019 10:55	4/20/2019 8:09	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		1.28	1.14	9.47	ng/L	FALSE	NA	1	1904024-02	U							30	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		59.4	4.6	50	ng/L	FALSE	NA	1				50	119		150	50		DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE		9.54	0.7	10	ng/L	FALSE	NA	1				10	95.4		150	50		DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE		9.01	1.2	10	ng/L	FALSE	NA	1				10	90.1		150	50		DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		11.7	0.8	10	ng/L	FALSE	NA	1				10	117		150	50		DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		9.85	1.2	10	ng/L	FALSE	NA	1				10	98.5		150	50		DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		10.9	2.2	10	ng/L	FALSE	NA	1				10	109		150	50		DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		51.2	4.6	50	ng/L	FALSE	NA	1				50	102		150	50		DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		8.54	1.5	10	ng/L	FALSE	NA	1				10	85.4		150	50		DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		8.77	1.3	10	ng/L	FALSE	NA	1				10	87.7		150	50		DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.6	10	ng/L	FALSE	NA	1				10			150	50		DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		9.16	2.5	10	ng/L	FALSE	NA	1				10	91.6		150	50		DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		10.2	1.6	10	ng/L	FALSE	NA	1				10	102		150	50		DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		8.47	2.7	10	ng/L	FALSE	NA	1				10	84.7		150	50		DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		10.1	1.4	10	ng/L	FALSE	NA	1				10	101		150	50		DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE		10	1.9	10	ng/L	FALSE	NA	1				10	100		150	50		DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE		8.71	1.1	10	ng/L	FALSE	NA	1				10	87.1		150	50		DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		10.4	2	10	ng/L	FALSE	NA	1				10	104		150	50		DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE		9.82	2.2	10	ng/L	FALSE	NA	1				10	98.2		150	50		DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		9.94	1	10	ng/L	FALSE	NA	1				10	99.4		150	50		DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		9.95	1.7	10	ng/L	FALSE	NA	1				10	99.5		150	50		DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		9.33	1.1	10	ng/L	FALSE	NA	1				10	93.3		150	50		DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		150			ng/L	FALSE	NA	1				160	93.7		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		144			ng/L	FALSE	NA	1				160	90		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		138			ng/L	FALSE	NA	1				154.9	89.1		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		132			ng/L	FALSE	NA	1				151.8	86.9		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		129			ng/L	FALSE	NA	1				149.6	85.9		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		142			ng/L	FALSE	NA	1				160	88.5		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		147			ng/L	FALSE	NA	1				160	92.1		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		139			ng/L	FALSE	NA	1				153.1	90.6		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		135			ng/L	FALSE	NA	1				160	84.6		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		145			ng/L	FALSE	NA	1				160	90.7		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE		10	1.4	10	ng/L	FALSE	NA	1				10	100		150	50		DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		145			ng/L	FALSE	NA	1				160	90.4		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		142			ng/L	FALSE	NA	1				160	88.5		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		149			ng/L	FALSE	NA	1				160	92.9		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		143			ng/L	FALSE	NA	1				160	89.6		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		136			ng/L	FALSE	NA	1				151.4	90		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		135			ng/L	FALSE	NA	1				148.6	91.2		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		148			ng/L	FALSE	NA	1				160	92.5		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		143			ng/L	FALSE	NA	1				160	89.4		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		146			ng/L	FALSE	NA	1				160	91.4		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		9.4	1.2	10	ng/L	FALSE	NA	1				10	94		150	50		DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL1	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		9.37	1.2	10	ng/L	FALSE	NA	1				10	93.7		150	50		DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		64.7	4.6	50	ng/L	FALSE	NA	1				50	129		150	50		DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE		9.8	0.7	10	ng/L	FALSE	NA	1				10	98		150	50		DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE		10.1	1.2	10	ng/L	FALSE	NA	1				10	101		150	50		DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		11.7	0.8	10	ng/L	FALSE	NA	1				10	117		150	50		DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		11.2	1.2	10	ng/L	FALSE	NA	1				10	112		150	50		DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		9.67	2.2	10	ng/L	FALSE	NA	1				10	96.7		150	50		DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		52.9	4.6	50	ng/L	FALSE	NA	1				50	106		150	50		DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		8.94	1.5	10	ng/L	FALSE	NA	1				10	89.4		150	50		DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		10.3	1.3	10	ng/L	FALSE	NA	1				10	103		150	50		DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.6	10	ng/L	FALSE	NA	1				10			150	50		DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		10.3	2.5	10	ng/L	FALSE	NA	1				10	103		150	50		DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		10.7	1.6	10	ng/L	FALSE	NA	1				10	107		150	50		DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		9.56	2.7	10	ng/L	FALSE	NA	1				10	95.6		150	50		DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		10.2	1.4	10	ng/L	FALSE	NA	1				10	102		150	50		DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE		10.7	1.9	10	ng/L	FALSE	NA	1				10	107		150	50		DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE		9.68	1.1	10	ng/L	FALSE	NA	1				10	96.8		150	50		DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		9.86	2	10	ng/L	FALSE	NA	1				10	98.6		150	50		DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE		10.3	2.2	10	ng/L	FALSE	NA	1				10	103		150	50		DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		9.92	1	10	ng/L	FALSE	NA	1				10	99.2		150	50		DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		11.4	1.7	10	ng/L	FALSE	NA	1				10	114		150	50		DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		10.3	1.1	10	ng/L	FALSE	NA	1				10	103		150	50		DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		157			ng/L	FALSE	NA	1				160	98.3		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		152			ng/L	FALSE	NA	1				160	95.3		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		142			ng/L	FALSE	NA	1				154.9	91.7		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE		141			ng/L	FALSE	NA	1				151.8	92.7		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE		136			ng/L	FALSE	NA	1				149.6	90.7		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE		149			ng/L	FALSE	NA	1				160	93.4		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE		158			ng/L	FALSE	NA	1				160	98.6		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE		147			ng/L	FALSE	NA	1				153.1	95.8		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE		148			ng/L	FALSE	NA	1				160	92.8		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE		154			ng/L	FALSE	NA	1				160	96.5		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE		10.3	1.4	10	ng/L	FALSE	NA	1				10	103		150	50		DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE		153			ng/L	FALSE	NA	1				160	95.6		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE		148			ng/L	FALSE	NA	1				160	92.4		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE		151			ng/L	FALSE	NA	1				160	94.6		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE		151			ng/L	FALSE	NA	1				160	94.5		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE		145			ng/L	FALSE	NA	1				151.4	95.8		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE		146			ng/L	FALSE	NA	1				148.6	98.3		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE		156			ng/L	FALSE	NA	1				160	97.3		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE		152			ng/L	FALSE	NA	1				160	95.2		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE		150			ng/L	FALSE	NA	1				160	93.8		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE		9.57	1.2	10	ng/L	FALSE	NA	1				10	95.7		150	50		DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MRL2	MRL Check	Water	4/18/2019 10:55	4/20/2019 0:55	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE		9.76	1.2	10	ng/L	FALSE	NA	1				10	97.6		150	50		DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE		561	3.78	41.1	ng/L	FALSE	NA	1	1904023-02		19.9	514.5	105		130	70		DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE		19.3	0.575	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9	18.7		130	70		DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		0.986	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9			130	70		DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE		118	0.657	8.22	ng/L	FALSE	NA	1	1904023-02		16.2	102.9	99.4		130	70		DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE		119	0.986	8.22	ng/L	FALSE	NA	1	1904023-02		28.4	102.9	87.8		130	70		DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE		190	1.81	8.22	ng/L	FALSE	NA	1	1904023-02		107	102.9	80.7		130	70		DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE		510	3.78	41.1	ng/L	FALSE	NA	1	1904023-02		38.9	514.5	91.5		130	70		DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE		78.8	1.23	8.22	ng/L	FALSE	NA	1	1904023-02		1.49	102.9	75.1		130	70		DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE		97	1.07	8.22	ng/L	FALSE	NA	1	1904023-02		6.14	102.9	88.3		130	70		DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE		736	1.31	8.22	ng/L	FALSE	NA	1	1904023-02		684	102.9	50.8		130	70		DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE		86.8	2.05	8.22	ng/L	FALSE	NA	1	1904023-02		3	102.9	81.4		130	70		DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE		79.5	1.31	8.22	ng/L	FALSE	NA	1	1904023-02		1.7	102.9	75.6		130	70		DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE		82	2.22	8.22	ng/L	FALSE	NA	1	1904023-02		8.75	102.9	71.2		130	70		DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE		74	1.15	8.22	ng/L	FALSE	NA	1	1904023-02		1.35	102.9	70.6		130	70		DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE		71.6	1.56	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9	69.6		130	70		DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE		69.4	0.904	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9	67.5		130	70		DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE		143	1.64	8.22	ng/L	FALSE	NA	1	1904023-02		50.5	102.9	90.4		130	70		DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE		50.3	1.81	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9	48.9		130	70		DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE		104	0.822	8.22	ng/L	FALSE	NA	1	1904023-02		19.3	102.9	82.2		130	70		DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE		92	1.4	8.22	ng/L	FALSE	NA	1	1904023-02		10.6	102.9	79.1		130	70		DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE		83.3	0.904	8.22	ng/L	FALSE	NA	1	1904023-02		2.13	102.9	78.9		130	70		DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE		72.4			ng/L	FALSE	NA	1	1904023-02			102.9	70.4		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE		71.9			ng/L	FALSE	NA	1	1904023-02			102.9	69.9		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE		72.8			ng/L	FALSE	NA	1	1904023-02			99.6	73.1		130	70		DK	62

US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	104			ng/L	FALSE	NA	1	1904023-02			97.65	107		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	72.1			ng/L	FALSE	NA	1	1904023-02			96.21	75		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	81.2			ng/L	FALSE	NA	1	1904023-02			102.9	78.9		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	81.1			ng/L	FALSE	NA	1	1904023-02			102.9	78.8		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	83.5			ng/L	FALSE	NA	1	1904023-02			98.47	84.8		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	83.9			ng/L	FALSE	NA	1	1904023-02			102.9	81.5		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	72.4			ng/L	FALSE	NA	1	1904023-02			102.9	70.4		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	80.1	1.15	8.22	ng/L	FALSE	NA	1	1904023-02		1.36	102.9	76.5		130	70		DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	78.4			ng/L	FALSE	NA	1	1904023-02			102.9	76.2		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	94.2			ng/L	FALSE	NA	1	1904023-02			102.9	91.6		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	97.9			ng/L	FALSE	NA	1	1904023-02			102.9	95.2		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	90.1			ng/L	FALSE	NA	1	1904023-02			102.9	87.6		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	85.8			ng/L	FALSE	NA	1	1904023-02			97.34	88.2		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	96.5			ng/L	FALSE	NA	1	1904023-02			95.59	101		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	0.642			ng/L	FALSE	NA	1	1904023-02			102.9	0.624		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	56.4			ng/L	FALSE	NA	1	1904023-02			102.9	54.8		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	113			ng/L	FALSE	NA	1	1904023-02			102.9	110		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	69.6	0.986	8.22	ng/L	FALSE	NA	1	1904023-02		1.24	102.9	66.4		130	70		DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS1	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 3:12	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	54.2	0.986	8.22	ng/L	FALSE	NA	1	1904023-02	U		102.9	52.7		130	70		DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	669	4.1	44.6	ng/L	FALSE	NA	1	1904024-02		24.5	627.4	103		130	70		DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	68.5	0.624	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	54.6		130	70		DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	23.5	1.07	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	18.8		130	70		DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	143	0.714	8.92	ng/L	FALSE	NA	1	1904024-02		17.1	125.5	100		130	70		DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	141	1.07	8.92	ng/L	FALSE	NA	1	1904024-02		31.6	125.5	87.2		130	70		DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	229	1.96	8.92	ng/L	FALSE	NA	1	1904024-02		118	125.5	88.3		130	70		DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	616	4.1	44.6	ng/L	FALSE	NA	1	1904024-02		42.4	627.4	91.4		130	70		DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	96.4	1.34	8.92	ng/L	FALSE	NA	1	1904024-02		2.16	125.5	75.1		130	70		DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	123	1.16	8.92	ng/L	FALSE	NA	1	1904024-02		5.63	125.5	93.7		130	70		DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	771	1.43	8.92	ng/L	FALSE	NA	1	1904024-02		703	125.5	54.4		130	70		DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	112	2.23	8.92	ng/L	FALSE	NA	1	1904024-02		2.49	125.5	87.6		130	70		DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	100	1.43	8.92	ng/L	FALSE	NA	1	1904024-02		2.12	125.5	78.3		130	70		DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	103	2.41	8.92	ng/L	FALSE	NA	1	1904024-02		9.22	125.5	74.5		130	70		DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	104	1.25	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	82.6		130	70		DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	93.7	1.69	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	74.7		130	70		DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	99.3	0.981	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	79.1		130	70		DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	169	1.78	8.92	ng/L	FALSE	NA	1	1904024-02		57.8	125.5	88.8		130	70		DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	93.9	1.96	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	74.9		130	70		DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	131	0.892	8.92	ng/L	FALSE	NA	1	1904024-02		20.5	125.5	87.9		130	70		DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	110	1.52	8.92	ng/L	FALSE	NA	1	1904024-02		10.4	125.5	79.2		130	70		DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	99	0.981	8.92	ng/L	FALSE	NA	1	1904024-02		2.5	125.5	76.9		130	70		DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	99.9			ng/L	FALSE	NA	1	1904024-02			125.5	79.6		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	95			ng/L	FALSE	NA	1	1904024-02			125.5	75.7		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	89.2			ng/L	FALSE	NA	1	1904024-02			121.5	73.4		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	120			ng/L	FALSE	NA	1	1904024-02			119.1	101		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	90.4			ng/L	FALSE	NA	1	1904024-02			117.3	77.1		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	100			ng/L	FALSE	NA	1	1904024-02			125.5	80		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	104			ng/L	FALSE	NA	1	1904024-02			125.5	82.6		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	106			ng/L	FALSE	NA	1	1904024-02			120.1	88.4		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	101			ng/L	FALSE	NA	1	1904024-02			125.5	80.8		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	99.9			ng/L	FALSE	NA	1	1904024-02			125.5	79.7		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	104	1.25	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	82.9		130	70		DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	101			ng/L	FALSE	NA	1	1904024-02			125.5	80.7		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	118			ng/L	FALSE	NA	1	1904024-02			125.5	94		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	122			ng/L	FALSE	NA	1	1904024-02			125.5	97.4		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	110			ng/L	FALSE	NA	1	1904024-02			125.5	87.6		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	106			ng/L	FALSE	NA	1	1904024-02			118.7	89.3		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	124			ng/L	FALSE	NA	1	1904024-02			116.6	106		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	20.3			ng/L	FALSE	NA	1	1904024-02			125.5	16.2		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	90.9			ng/L	FALSE	NA	1	1904024-02			125.5	72.4		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	135			ng/L	FALSE	NA	1	1904024-02			125.5	107		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	97.6	1.07	8.92	ng/L	FALSE	NA	1	1904024-02		1.5	125.5	76.6		130	70		DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MS2	Matrix Spike	Water	4/18/2019 10:55	4/20/2019 8:32	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	90.5	1.07	8.92	ng/L	FALSE	NA	1	1904024-02	U		125.5	72.1		130	70		DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	718	4.27	46.4	ng/L	FALSE	NA	1	1904023-02		19.9	683.9	102	24.5	130	70	30	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	85.9	0.649	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	62.8	127	130	70	30	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	52.2	1.11	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	38.2		130	70	30	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	149	0.742	9.27	ng/L	FALSE	NA	1	1904023-02		16.2	136.8	96.8	22.6	130	70	30	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	150	1.11	9.27	ng/L	FALSE	NA	1	1904023-02		28.4	136.8	89	23.4	130	70	30	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	225	2.04	9.27	ng/L	FALSE	NA	1	1904023-02		107	136.8	86.9	17.3	130	70	30	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	680	4.27	46.4	ng/L	FALSE	NA	1	1904023-02		38.9	683.9	93.8	28.7	130	70	30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	107	1.39	9.27	ng/L	FALSE	NA	1	1904023-02		1.49	136.8	77.3	30.6	130	70	30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	130	1.21	9.27	ng/L	FALSE	NA	1	1904023-02		6.14	136.8	90.6	29.1	130	70	30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	757	1.48	9.27	ng/L	FALSE	NA	1	1904023-02		684	136.8	53.7	2.84	130	70	30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	118	2.32	9.27	ng/L	FALSE	NA	1	1904023-02		3	136.8	84.1	30.5	130	70	30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	114	1.48	9.27	ng/L	FALSE	NA	1	1904023-02		1.7	136.8	82.1	35.6	130	70	30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	111	2.5	9.27	ng/L	FALSE	NA	1	1904023-02		8.75	136.8	74.8	30.1	130	70	30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	113	1.3	9.27	ng/L	FALSE	NA	1	1904023-02		1.35	136.8	81.4	41.4	130	70	30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	104	1.76	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	76.4	37.3	130	70	30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	106	1.02	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	77.3	41.5	130	70	30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	180	1.85	9.27	ng/L	FALSE	NA	1	1904023-02		50.5	136.8	94.9	22.7	130	70	30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	108	2.04	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	79.3	73.2	130	70	30	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	135	0.927	9.27	ng/L	FALSE	NA	1	1904023-02		19.3	136.8	84.9	26.3	130	70	30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	118	1.58	9.27	ng/L	FALSE	NA	1	1904023-02		10.6	136.8	78.3	24.5	130	70	30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	107	1.02	9.27	ng/L	FALSE	NA	1	1904023-02		2.13	136.8	76.8	25.1	130	70	30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	104			ng/L	FALSE	NA	1	1904023-02			136.8	75.7		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	103			ng/L	FALSE	NA	1	1904023-02			136.8	75.4		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	98.1			ng/L	FALSE	NA	1	1904023-02			132.4	74.1		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	127			ng/L	FALSE	NA	1	1904023-02			129.8	97.6		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	97			ng/L	FALSE	NA	1	1904023-02			127.9	75.8		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	108			ng/L	FALSE	NA	1	1904023-02			136.8	78.8		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	117			ng/L	FALSE	NA	1	1904023-02			136.8	85.3		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	110			ng/L	FALSE	NA	1	1904023-02			130.9	83.9		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	109			ng/L	FALSE	NA	1	1904023-02			136.8	79.5		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	107			ng/L	FALSE	NA	1	1904023-02			136.8	78.5		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	110	1.3	9.27	ng/L	FALSE	NA	1	1904023-02		1.36	136.8	79.6	31.7	130	70	30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	111			ng/L	FALSE	NA	1	1904023-02			136.8	81.1		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	129			ng/L	FALSE	NA	1	1904023-02			136.8	94.1		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	130			ng/L	FALSE	NA	1	1904023-02			136.8	95		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	118			ng/L	FALSE	NA	1	1904023-02			136.8	86		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	113			ng/L	FALSE	NA	1	1904023-02			129.4	87.2		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	127			ng/L	FALSE	NA	1	1904023-02			127.1	99.8		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	51.4			ng/L	FALSE	NA	1	1904023-02			136.8	37.6		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	103			ng/L	FALSE	NA	1	1904023-02			136.8	75		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	145			ng/L	FALSE	NA	1	1904023-02			136.8	106		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	106	1.11	9.27	ng/L	FALSE	NA	1	1904023-02		1.24	136.8	77	41.9	130	70	30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD1	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 3:35	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	100	1.11	9.27	ng/L	FALSE	NA	1	1904023-02	U		136.8	73.3	59.6	130	70	30	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	615	3.94	42.8	ng/L	FALSE	NA	1	1904024-02		24.5	569.7	104	8.41	130	70	30	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	41.6	0.599	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	36.5	48.8	130	70	30	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	3.35	1.03	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	2.94	150	130	70	30	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	129	0.685	8.56	ng/L	FALSE	NA	1	1904024-02		17.1	113.9	98.3	10.2	130	70	30	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	128	1.03	8.56	ng/L	FALSE	NA	1	1904024-02		31.6	113.9	84.8	9.57	130	70	30	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	211	1.88	8.56	ng/L	FALSE	NA	1	1904024-02		118	113.9	81.1	8.38	130	70	30	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	577	3.94	42.8	ng/L	FALSE	NA	1	1904024-02		42.4	569.7	93.8	6.6	130	70	30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	89.8	1.28	8.56	ng/L	FALSE	NA	1	1904024-02		2.16	113.9	76.9	7.12	130	70	30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	111	1.11	8.56	ng/L	FALSE	NA	1	1904024-02		5.63	113.9	92.6	10.3	130	70	30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	750	1.37	8.56	ng/L	FALSE	NA	1	1904024-02		703	113.9	41.3	2.78	130	70	30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	102	2.14	8.56	ng/L	FALSE	NA	1	1904024-02		2.49	113.9	87.4	9.62	130	70	30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	92.7	1.37	8.56	ng/L	FALSE	NA	1	1904024-02		2.12	113.9	79.5	7.93	130	70	30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	91	2.31	8.56	ng/L	FALSE	NA	1	1904024-02		9.22	113.9	71.8	12.1	130	70	30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	89.4	1.2	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	78.4	14.8	130	70	30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	87.2	1.63	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	76.5	7.22	130	70	30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	85.5	0.942	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	75.1	14.9	130	70	30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	164	1.71	8.56	ng/L	FALSE	NA	1	1904024-02		57.8	113.9	93.5	2.98	130	70	30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	78.2	1.88	8.56	ng/L	FALSE	NA	1	1904024-02	U		113.9	68.6	18.2	130	70	30	DK	30

US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	117	0.856	8.56	ng/L	FALSE	NA	1	1904024-02	20.5	113.9	84.9	11	130	70	30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	101	1.46	8.56	ng/L	FALSE	NA	1	1904024-02	10.4	113.9	79.5	8.41	130	70	30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	90.5	0.942	8.56	ng/L	FALSE	NA	1	1904024-02	2.5	113.9	77.2	8.95	130	70	30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	88.4			ng/L	FALSE	NA	1	1904024-02		113.9	77.5		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	84.5			ng/L	FALSE	NA	1	1904024-02		113.9	74.2		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	79.4			ng/L	FALSE	NA	1	1904024-02		110.3	72		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	114			ng/L	FALSE	NA	1	1904024-02		108.1	105		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	82			ng/L	FALSE	NA	1	1904024-02		106.5	77		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	90.8			ng/L	FALSE	NA	1	1904024-02		113.9	79.7		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	96.4			ng/L	FALSE	NA	1	1904024-02		113.9	84.6		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	98.8			ng/L	FALSE	NA	1	1904024-02		109	90.6		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	93.6			ng/L	FALSE	NA	1	1904024-02		113.9	82.1		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	86.8			ng/L	FALSE	NA	1	1904024-02		113.9	76.2		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	93.1	1.2	8.56	ng/L	FALSE	NA	1	1904024-02	U	113.9	81.7	11.1	130	70	30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	93			ng/L	FALSE	NA	1	1904024-02		113.9	81.7		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	106			ng/L	FALSE	NA	1	1904024-02		113.9	92.9		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	108			ng/L	FALSE	NA	1	1904024-02		113.9	95.1		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	101			ng/L	FALSE	NA	1	1904024-02		113.9	88.6		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	97			ng/L	FALSE	NA	1	1904024-02		107.8	90		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	114			ng/L	FALSE	NA	1	1904024-02		105.9	108		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	3.76			ng/L	FALSE	NA	1	1904024-02		113.9	3.3		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	75.1			ng/L	FALSE	NA	1	1904024-02		113.9	65.9		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	124			ng/L	FALSE	NA	1	1904024-02		113.9	109		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	88.2	1.03	8.56	ng/L	FALSE	NA	1	1904024-02	1.5	113.9	76.1	10.1	130	70	30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19D032-MSD2	Matrix Spike Dup	Water	4/18/2019 10:55	4/20/2019 8:54	B19D032	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	73.9	1.03	8.56	ng/L	FALSE	NA	1	1904024-02	U	113.9	64.8	20.2	130	70	30	DK	9

QUALIFIER	DESCRIPTION