| CLIENT | PROJECT | PROJECTNUM | LabName | SAMPLENAME | LABSAMPID | MATRIX | RPTMATRIX | SAMPDATE | PREPDATE | ANADATE | BATCH | METHODCODE | METHODNAME | PREPNAME | ANALYTE | CASNUMBER | SURROGATE | TIC | ResultQL | DL | RL | UNITS | RPTOMDL | BASIS | DILUTION | SPIKELEVEL | RECOVERY | UPPERCL | LOWERCL | ANALYST | PSOLIDS | LNOTE | ANOTE | LATITUDE | LONGITUDE | sComment | SNOTE1 | SNOTE2 | SNOTE3 | SNOTE4 | SNOTE5 | SNOTE6 | SNOTE7 | SNOTE8 | SNOTE9 | SNOTE10 | ANALYTEORDER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 3.93 | 42.7 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.598 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.02 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 20.9 | 0.683 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 23.5 | 1.02 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 89 | 1.88 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 3.93 | 42.7 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.28 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.11 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 585 | 1.37 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.13 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.37 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.3 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.2 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 0.939 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.949 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 42.7 | 1.73 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.9 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 14.5 | 0.862 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 9.8 | 1.47 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-01 | Water | Water | 04/19/2019 09:03:00 | 04/22/2019 13:54:00 | 04/22/2019 23:45:31 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.949 | 8.54 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 84.9 | | ng/L | FALSE | NA | 1 | 116.2 | 73.1 | 130 | 70 LZ | | | | | | | | | | | | | | | | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 85.4 | | ng/L | FALSE | NA | 1 | 116.2 | 73.5 | 130 | 70 LZ | | | | | | | | | | | | | | | | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 78.1 | | ng/L | FALSE | NA | 1 | 112.4 | 69.4 | 130 | 70 LZ | | | | | | | | | | | | | | | | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 102 | | ng/L | FALSE | NA | 1 | 110.2 | 92.7 | 130 | 70 LZ | | | | | | | | | | | | | | | | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 82.2 | | ng/L | FALSE | NA | 1 | 108.6 | 75.7 | 130 | 70 LZ | | | | | | | | | | | | | | | | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 91.8 | | ng/L | FALSE | NA | 1 | 116.2 | 79.1 | 130 | 70 LZ | | | | | | | | | | | | | | | | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 91.4 | | ng/L | FALSE | NA | 1 | 116.2 | 78.7 | 130 | 70 LZ | | | | | | | | | | | | | | | | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 85.2 | | ng/L | FALSE | NA | 1 | 111.2 | 76.7 | 130 | 70 LZ | | | | | | | | | | | | | | | | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 95.5 | | ng/L | FALSE | NA | 1 | 116.2 | 82.2 | 130 | 70 LZ | | | | | | | | | | | | | | | | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 83.5 | | ng/L | FALSE | NA | 1 | 116.2 | 71.9 | 130 | 70 LZ | | | | | | | | | | | | | | | | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.21 | 8.63 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 93.3 | | ng/L | FALSE | NA | 1 | 116.2 | 80.4 | 130 | 70 LZ | | | | | | | | | | | | | | | | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 111 | | ng/L | FALSE | NA | 1 | 116.2 | 95.3 | 130 | 70 LZ | | | | | | | | | | | | | | | | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 108 | | ng/L | FALSE | NA | 1 | 116.2 | 93.2 | 130 | 70 LZ | | | | | | | | | | | | | | | | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 100 | | ng/L | FALSE | NA | 1 | 116.2 | 86.4 | 130 | 70 LZ | | | | | | | | | | | | | | | | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 93.3 | | ng/L | FALSE | NA | 1 | 109.9 | 84.9 | 130 | 70 LZ | | | | | | | | | | | | | | | | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 105 | | ng/L | FALSE | NA | 1 | 107.9 | 97.4 | 130 | 70 LZ | | | | | | | | | | | | | | | | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 13.3 | | ng/L | FALSE | NA | 1 | 116.2 | 11.4 | 130 | 70 LZ | | | | | | | | | | | | | | | | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDoA | | TRUE | FALSE | 68.7 | | ng/L | FALSE | NA | 1 | 116.2 | 59.1 | 130 | 70 LZ | | | | | | | | | | | | | | | | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFBA | | TRUE | FALSE | 126 | | ng/L | FALSE | NA | 1 | 116.2 | 109 | 130 | 70 LZ | | | | | | | | | | | | | | | | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1.04 | 8.63 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-02 | Water | Water | 04/19/2019 09:15:00 | 04/22/2019 13:54:00 | 04/23/2019 00:08:19 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.04 | 8.63 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 3.9 | 42.4 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.594 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.02 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 17 | 0.678 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 24.7 | 1.02 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 95.8 | 1.87 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 3.9 | 42.4 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.27 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.1 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 643 | 1.36 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.12 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.36 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.29 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.19 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | | | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-01-20190419-11 | 1904029-03 | Water | Water | 04/19/2019 09:25:00 | 04/22/2019 13:54:00 | 04/23/2019 00:31:07 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.61 | 8.48 | ng/L | FALSE | NA | 1 | | | | LZ | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | SBS | 1.34 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.09 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.34 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.26 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.17 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.59 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.919 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 45.4 | 1.67 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.84 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 18.6 | 0.835 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | U | 1.42 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.919 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | DS-N-EtFOSAA | | TRUE | FALSE | 75.1 | | ng/L | FALSE | NA | 1 | 107.4 | 70 | 130 | 70 LZ | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 75.3 | | ng/L | FALSE | NA | 1 | 107.4 | 70.1 | 130 | 70 LZ | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 66.1 | | ng/L | FALSE | NA | 1 | 103.9 | 63.6 | 130 | 70 LZ | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 94.6 | | ng/L | FALSE | NA | 1 | 101.9 | 92.9 | 130 | 70 LZ | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 71.7 | | ng/L | FALSE | NA | 1 | 100.4 | 71.4 | 130 | 70 LZ | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 83.7 | | ng/L | FALSE | NA | 1 | 107.4 | 77.9 | 130 | 70 LZ | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 81.4 | | ng/L | FALSE | NA | 1 | 107.4 | 75.9 | 130 | 70 LZ | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 77.7 | | ng/L | FALSE | NA | 1 | 102.7 | 75.6 | 130 | 70 LZ | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 82.9 | | ng/L | FALSE | NA | 1 | 107.4 | 77.2 | 130 | 70 LZ | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 76 | | ng/L | FALSE | NA | 1 | 107.4 | 70.8 | 130 | 70 LZ | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.17 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 87 | | ng/L | FALSE | NA | 1 | 107.4 | 81.1 | 130 | 70 LZ | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 101 | | ng/L | FALSE | NA | 1 | 107.4 | 94 | 130 | 70 LZ | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 100 | | ng/L | FALSE | NA | 1 | 107.4 | 93.3 | 130 | 70 LZ | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 93.1 | | ng/L | FALSE | NA | 1 | 107.4 | 86.7 | 130 | 70 LZ | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 81.9 | | ng/L | FALSE | NA | 1 | 101.6 | 80.6 | 130 | 70 LZ | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 98 | | ng/L | FALSE | NA | 1 | 99.73 | 98.3 | 130 | 70 LZ | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 2.26 | | ng/L | FALSE | NA | 1 | 107.4 | 2.1 | 130 | 70 LZ | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDoA | | TRUE | FALSE | 61.8 | | ng/L | FALSE | NA | 1 | 107.4 | 57.6 | 130 | 70 LZ | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PBA | | TRUE | FALSE | 117 | | ng/L | FALSE | NA | 1 | 107.4 | 109 | 130 | 70 LZ | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190419-11 | 1904029-05 | Water | Water | 04/19/2019 10:47:00 | 04/22/2019 13:54:00 | 04/23/2019 02:25:12 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1 | 8.35 | ng/L | FALSE | NA | 1 | | | | LZ | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 3.94 | 42.8 | ng/L | FALSE | NA | 1 | | | | LZ | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.6 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.03 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | U | 2.31 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | U | 1.2 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 48.7 | 1.89 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 3.94 | 42.8 | ng/L | FALSE | NA | 1 | | | | LZ | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.29 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.11 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 323 | 1.37 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.14 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.37 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.31 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.2 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.62 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.886 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 47 | 1.71 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.88 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 18.8 | 0.855 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | U | 1.45 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.941 | 8.57 | ng/L | FALSE | NA | 1 | | | | LZ | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | DS-N-EtFOSAA | | TRUE | FALSE | 85.7 | | ng/L | FALSE | NA | 1 | 114.2 | 75 | 130 | 70 LZ | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 89.9 | | ng/L | FALSE | NA | 1 | 114.2 | 78.7 | 130 | 70 LZ | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 75 | | ng/L | FALSE | NA | 1 | 110.5 | 67.8 | 130 | 70 LZ | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 91.6 | | ng/L | FALSE | NA | 1 | 108.4 | 84.5 | 130 | 70 LZ | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 84.6 | | ng/L | FALSE | NA | 1 | 106.8 | 79.3 | 130 | 70 LZ | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 89.1 | | ng/L | FALSE | NA | 1 | 114.2 | 78 | 130 | 70 LZ | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 86.6 | | ng/L | FALSE | NA | 1 | 114.2 | 75.9 | 130 | 70 LZ | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190419-11 | 1904029-06 | Water | Water | 04/19/2019 10:24:00 | 04/22/2019 13:54:00 | 04/23/2019 02:48:01 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 92 | | ng/L | FALSE | NA | 1 | 109.3 | 84.2 | 130 | 70 LZ | 67 |
| Region 6, US EPA | R06 

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 9.35 | 1.44 | 8.47 | ng/L | FALSE | NA | 1 | | | LZ | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.931 | 8.47 | ng/L | FALSE | NA | 1 | | | LZ | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | DS-N-EtFOSAA | | TRUE | FALSE | 85.8 | | ng/L | FALSE | NA | 1 | 110.9 | 77.3 | 130 | 70 LZ | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 84.3 | | ng/L | FALSE | NA | 1 | 110.9 | 76 | 130 | 70 LZ | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 72 | | ng/L | FALSE | NA | 1 | 107.4 | 67.1 | 130 | 70 LZ | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 90.7 | | ng/L | FALSE | NA | 1 | 105.3 | 86.2 | 130 | 70 LZ | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 81.6 | | ng/L | FALSE | NA | 1 | 103.7 | 78.6 | 130 | 70 LZ | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 88.4 | | ng/L | FALSE | NA | 1 | 110.9 | 79.7 | 130 | 70 LZ | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 88.3 | | ng/L | FALSE | NA | 1 | 110.9 | 79.6 | 130 | 70 LZ | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 90.5 | | ng/L | FALSE | NA | 1 | 106.1 | 85.3 | 130 | 70 LZ | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 89.7 | | ng/L | FALSE | NA | 1 | 110.9 | 80.9 | 130 | 70 LZ | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 82.8 | | ng/L | FALSE | NA | 1 | 110.9 | 74.7 | 130 | 70 LZ | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.19 | 8.47 | ng/L | FALSE | NA | 1 | | | LZ | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 88.6 | | ng/L | FALSE | NA | 1 | 110.9 | 79.9 | 130 | 70 LZ | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 108 | | ng/L | FALSE | NA | 1 | 110.9 | 97.7 | 130 | 70 LZ | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 105 | | ng/L | FALSE | NA | 1 | 110.9 | 94.9 | 130 | 70 LZ | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 95.9 | | ng/L | FALSE | NA | 1 | 110.9 | 86.4 | 130 | 70 LZ | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 87.4 | | ng/L | FALSE | NA | 1 | 104.9 | 83.3 | 130 | 70 LZ | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 106 | | ng/L | FALSE | NA | 1 | 103 | 103 | 130 | 70 LZ | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 20.5 | | ng/L | FALSE | NA | 1 | 110.9 | 18.5 | 130 | 70 LZ | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PDoA | | TRUE | FALSE | 69.2 | | ng/L | FALSE | NA | 1 | 110.9 | 62.4 | 130 | 70 LZ | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PBA | | TRUE | FALSE | 122 | | ng/L | FALSE | NA | 1 | 110.9 | 110 | 130 | 70 LZ | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1.02 | 8.47 | ng/L | FALSE | NA | 1 | | | LZ | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-11 | 1904029-09 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 03:56:28 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.02 | 8.47 | ng/L | FALSE | NA | 1 | | | LZ | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 3.81 | 41.4 | ng/L | FALSE | NA | 1 | | | LZ | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.579 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 0.993 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 23.2 | 0.662 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 16 | 0.993 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 50.8 | 1.82 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 3.81 | 41.4 | ng/L | FALSE | NA | 1 | | | LZ | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.24 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPnS) | 2706-91-4 | FALSE | FALSE | U | 1.08 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 325 | 1.32 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.07 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.32 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.23 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.16 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.57 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.91 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | U | 1.65 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.82 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 10.1 | 0.827 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 9.42 | 1.41 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.91 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | DS-N-EtFOSAA | | TRUE | FALSE | 80.2 | | ng/L | FALSE | NA | 1 | 104.7 | 76.6 | 130 | 70 LZ | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 76 | | ng/L | FALSE | NA | 1 | 104.7 | 72.6 | 130 | 70 LZ | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 69.2 | | ng/L | FALSE | NA | 1 | 101.4 | 68.3 | 130 | 70 LZ | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 86.1 | | ng/L | FALSE | NA | 1 | 99.37 | 86.6 | 130 | 70 LZ | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 74.6 | | ng/L | FALSE | NA | 1 | 97.91 | 76.2 | 130 | 70 LZ | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 79.9 | | ng/L | FALSE | NA | 1 | 104.7 | 76.3 | 130 | 70 LZ | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 82.1 | | ng/L | FALSE | NA | 1 | 104.7 | 78.4 | 130 | 70 LZ | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 79 | | ng/L | FALSE | NA | 1 | 100.2 | 78.9 | 130 | 70 LZ | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 83.3 | | ng/L | FALSE | NA | 1 | 104.7 | 79.6 | 130 | 70 LZ | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 74.1 | | ng/L | FALSE | NA | 1 | 104.7 | 70.7 | 130 | 70 LZ | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.16 | 8.27 | ng/L | FALSE | NA | 1 | | | LZ | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 81.9 | | ng/L | FALSE | NA | 1 | 104.7 | 78.2 | 130 | 70 LZ | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 103 | | ng/L | FALSE | NA | 1 | 104.7 | 98 | 130 | 70 LZ | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 100 | | ng/L | FALSE | NA | 1 | 104.7 | 95.9 | 130 | 70 LZ | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 90.8 | | ng/L | FALSE | NA | 1 | 104.7 | 86.7 | 130 | 70 LZ | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 85.2 | | ng/L | FALSE | NA | 1 | 99.06 | 86 | 130 | 70 LZ | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 102 | | ng/L | FALSE | NA | 1 | 97.28 | 105 | 130 | 70 LZ | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 | 04/22/2019 13:54:00 | 04/23/2019 04:19:16 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 12.6 | | ng/L | FALSE | NA | 1 | 104.7 | 12.1 | 130 | 70 LZ | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-BB-12-20190419-12 | 1904029-10 | Water | Water | 04/20/2019 08:39:00 

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 110 | | ng/L | FALSE | NA | 1 | 133.5 | 82.3 | 130 | 70 | LZ | | | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 105 | | ng/L | FALSE | NA | 1 | 133.5 | 78.8 | 130 | 70 | LZ | | | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.28 | 9.17 ng/L | FALSE | NA | 1 | | | | | LZ | | | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 113 | | ng/L | FALSE | NA | 1 | 133.5 | 84.7 | 130 | 70 | LZ | | | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 128 | | ng/L | FALSE | NA | 1 | 133.5 | 96.1 | 130 | 70 | LZ | | | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 126 | | ng/L | FALSE | NA | 1 | 133.5 | 94.2 | 130 | 70 | LZ | | | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 120 | | ng/L | FALSE | NA | 1 | 133.5 | 89.7 | 130 | 70 | LZ | | | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 112 | | ng/L | FALSE | NA | 1 | 126.2 | 89 | 130 | 70 | LZ | | | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 131 | | ng/L | FALSE | NA | 1 | 124 | 106 | 130 | 70 | LZ | | | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 33.5 | | ng/L | FALSE | NA | 1 | 133.5 | 25.1 | 130 | 70 | LZ | | | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDoA | | TRUE | FALSE | 99.2 | | ng/L | FALSE | NA | 1 | 133.5 | 74.3 | 130 | 70 | LZ | | | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFBA | | TRUE | FALSE | 147 | | ng/L | FALSE | NA | 1 | 133.5 | 110 | 130 | 70 | LZ | | | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1.1 | 9.17 ng/L | FALSE | NA | 1 | | | | | LZ | | | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-02-20190420-11 | 1904029-13 | Water | Water | 04/20/2019 09:47:00 | 04/22/2019 13:54:00 | 04/23/2019 05:27:52 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.1 | 9.17 ng/L | FALSE | NA | 1 | | | | | LZ | | | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 4.2 | 45.7 ng/L | FALSE | NA | 1 | | | | | LZ | | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.639 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | U | 0.731 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 23.8 | 1.1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 85.5 | 2.01 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 4.2 | 45.7 ng/L | FALSE | NA | 1 | | | | | LZ | | | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.37 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.19 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 605 | 1.46 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.28 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonate (PFOS) | 754-91-6 | FALSE | FALSE | U | 1.46 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.47 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.28 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.74 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 48.8 | 1.83 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 2.01 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 15.4 | 0.913 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 9.64 | 1.55 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 110 | | ng/L | FALSE | NA | 1 | 132.3 | 83.5 | 130 | 70 | LZ | | | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 102 | | ng/L | FALSE | NA | 1 | 132.3 | 77 | 130 | 70 | LZ | | | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonate(13C2)-8:2 FTS | | TRUE | FALSE | 88.4 | | ng/L | FALSE | NA | 1 | 128 | 69 | 130 | 70 | LZ | | | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonate(13C2)-6:2 FTS | | TRUE | FALSE | 120 | | ng/L | FALSE | NA | 1 | 125.5 | 95.8 | 130 | 70 | LZ | | | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonate(13C2)-4:2 FTS | | TRUE | FALSE | 96.9 | | ng/L | FALSE | NA | 1 | 123.7 | 78.4 | 130 | 70 | LZ | | | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 107 | | ng/L | FALSE | NA | 1 | 132.3 | 81.1 | 130 | 70 | LZ | | | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 110 | | ng/L | FALSE | NA | 1 | 132.3 | 83.1 | 130 | 70 | LZ | | | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 107 | | ng/L | FALSE | NA | 1 | 126.6 | 84.4 | 130 | 70 | LZ | | | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 105 | | ng/L | FALSE | NA | 1 | 132.3 | 79.5 | 130 | 70 | LZ | | | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 104 | | ng/L | FALSE | NA | 1 | 132.3 | 78.3 | 130 | 70 | LZ | | | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.28 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 106 | | ng/L | FALSE | NA | 1 | 132.3 | 80.3 | 130 | 70 | LZ | | | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 126 | | ng/L | FALSE | NA | 1 | 132.3 | 95.2 | 130 | 70 | LZ | | | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 126 | | ng/L | FALSE | NA | 1 | 132.3 | 95 | 130 | 70 | LZ | | | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 116 | | ng/L | FALSE | NA | 1 | 132.3 | 87.7 | 130 | 70 | LZ | | | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 108 | | ng/L | FALSE | NA | 1 | 125.1 | 86.6 | 130 | 70 | LZ | | | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 125 | | ng/L | FALSE | NA | 1 | 122.9 | 101 | 130 | 70 | LZ | | | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 34.4 | | ng/L | FALSE | NA | 1 | 132.3 | 26 | 130 | 70 | LZ | | | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDoA | | TRUE | FALSE | 99.7 | | ng/L | FALSE | NA | 1 | 132.3 | 75.4 | 130 | 70 | LZ | | | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFBA | | TRUE | FALSE | 147 | | ng/L | FALSE | NA | 1 | 132.3 | 111 | 130 | 70 | LZ | | | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1.1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-03-20190420-11 | 1904029-14 | Water | Water | 04/20/2019 09:59:00 | 04/22/2019 13:54:00 | 04/23/2019 05:50:41 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.1 | 9.13 ng/L | FALSE | NA | 1 | | | | | LZ | | | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 4.07 | 44.3 ng/L | FALSE | NA | 1 | | | | | LZ | | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.62 | 8.85 ng/L | FALSE | NA | 1 | | | | | LZ | | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.06 | 8.85 ng/L | FALSE | NA | 1 | | | | | LZ | | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 18.9 | 0.708 | 8.85 ng/L | FALSE | NA | 1 | | | | | LZ | | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 23.3 | 1.06 | 8.85 ng/L | FALSE | NA | 1 | | | | | LZ | | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904029-15 | Water | Water | 04/20/2019 10:13:00 | 04/22/2019 13:54:00 | 04/23/2019 06:13:30 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 92.1 | 1.95 | 8.85 ng/L | FALSE | NA | 1 | | | | | LZ | | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-05-20190420-11 | 1904

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190420-11 | 1904029-17 | Water | Water | 04/20/2019 11:11:00 | 04/22/2019 13:54:00 | 04/23/2019 06:59:08 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 86.9 | | ng/L | FALSE | NA | 1 | 119 | 73 | 130 | 70 LZ | | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190420-11 | 1904029-17 | Water | Water | 04/20/2019 11:11:00 | 04/22/2019 13:54:00 | 04/23/2019 06:59:08 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 141 | | ng/L | FALSE | NA | 1 | 119 | 119 | 130 | 70 LZ | | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190420-11 | 1904029-17 | Water | Water | 04/20/2019 11:11:00 | 04/22/2019 13:54:00 | 04/23/2019 06:59:08 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 2058-94-8 | FALSE | FALSE | U | 1.05 | 8.72 ng/L | FALSE | NA | 1 | | | | LZ | | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-07-20190420-11 | 1904029-17 | Water | Water | 04/20/2019 11:11:00 | 04/22/2019 13:54:00 | 04/23/2019 06:59:08 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.05 | 8.72 ng/L | FALSE | NA | 1 | | | | LZ | | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 3.78 | 41.1 ng/L | FALSE | NA | 1 | | | | LZ | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.575 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 0.986 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 12.9 | 0.657 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 18.4 | 0.986 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 63.7 | 1.81 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 3.78 | 41.1 ng/L | FALSE | NA | 1 | | | | LZ | | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.23 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.07 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 513 | 1.31 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.05 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.31 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.22 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.15 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.56 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.904 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 41 | 1.64 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 3 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.81 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 30 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 15 | 0.821 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 4 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | U | 1.4 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 5 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 0.904 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 6 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 79.1 | | ng/L | FALSE | NA | 1 | 102.8 | 76.9 | 130 | 70 LZ | | 60 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 80.9 | | ng/L | FALSE | NA | 1 | 102.8 | 78.7 | 130 | 70 LZ | | 61 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS | | TRUE | FALSE | 72.5 | | ng/L | FALSE | NA | 1 | 99.55 | 72.8 | 130 | 70 LZ | | 62 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS | | TRUE | FALSE | 97.2 | | ng/L | FALSE | NA | 1 | 97.59 | 99.6 | 130 | 70 LZ | | 63 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS | | TRUE | FALSE | 77.8 | | ng/L | FALSE | NA | 1 | 96.15 | 80.9 | 130 | 70 LZ | | 64 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 84.5 | | ng/L | FALSE | NA | 1 | 102.8 | 82.1 | 130 | 70 LZ | | 65 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 85.5 | | ng/L | FALSE | NA | 1 | 102.8 | 83.2 | 130 | 70 LZ | | 66 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 83.1 | | ng/L | FALSE | NA | 1 | 98.42 | 84.5 | 130 | 70 LZ | | 67 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 86.4 | | ng/L | FALSE | NA | 1 | 102.8 | 84 | 130 | 70 LZ | | 68 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 74.1 | | ng/L | FALSE | NA | 1 | 102.8 | 72 | 130 | 70 LZ | | 69 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.15 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 7 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDA | | TRUE | FALSE | 83.2 | | ng/L | FALSE | NA | 1 | 102.8 | 80.9 | 130 | 70 LZ | | 70 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 105 | | ng/L | FALSE | NA | 1 | 102.8 | 102 | 130 | 70 LZ | | 71 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFHxA | | TRUE | FALSE | 104 | | ng/L | FALSE | NA | 1 | 102.8 | 101 | 130 | 70 LZ | | 72 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 93.2 | | ng/L | FALSE | NA | 1 | 102.8 | 90.6 | 130 | 70 LZ | | 73 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 84.4 | | ng/L | FALSE | NA | 1 | 97.29 | 86.7 | 130 | 70 LZ | | 74 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 102 | | ng/L | FALSE | NA | 1 | 95.54 | 106 | 130 | 70 LZ | | 75 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTeA | | TRUE | FALSE | 1.39 | | ng/L | FALSE | NA | 1 | 102.8 | 1.35 | 130 | 70 LZ | | 76 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFDoA | | TRUE | FALSE | 52.4 | | ng/L | FALSE | NA | 1 | 102.8 | 50.9 | 130 | 70 LZ | | 77 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFBA | | TRUE | FALSE | 123 | | ng/L | FALSE | NA | 1 | 102.8 | 120 | 130 | 70 LZ | | 78 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 2058-94-8 | FALSE | FALSE | U | 0.986 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 8 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-09-20190420-11 | 1904029-18 | Water | Water | 04/20/2019 10:55:00 | 04/22/2019 13:54:00 | 04/23/2019 07:22:06 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 0.986 | 8.21 ng/L | FALSE | NA | 1 | | | | LZ | | 9 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 4.23 | 46 ng/L | FALSE | NA | 1 | | | | LZ | | 1 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.64 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 10 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.1 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 11 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 15.6 | 0.736 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 12 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 19.8 | 1.1 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 13 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 77 | 2.03 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 14 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 4.23 | 46 ng/L | FALSE | NA | 1 | | | | LZ | | 2 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.38 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 21 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.2 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 22 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 534 | 1.47 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 23 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.3 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 24 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.47 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 25 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 1.49 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 26 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.29 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 27 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.75 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 28 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA Region 5 Chicago Regional Laboratory | ITC-88-11-20190420-11 | 1904029-19 | Water | Water | 04/20/2019 10:29:00 | 04/22/2019 13:54:00 | 04/23/2019 07:44:54 | B190041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 1.01 | 9.21 ng/L | FALSE | NA | 1 | | | | LZ | | 29 |
| Region 6, US EPA | R06 Deer Park PFAS | [none] | US EPA

| LABNAME | LABSAMPID | QCTYPE | MATRIX | PREPDATE | ANADATE | BATCH | METHODCODE | METHODNAME | PREPNAME | ANALYTE | CASNUMBER | SURROGATE | TIC | RESULT | DL | RL | UNITS | RPToMDL | BASIS | DILUTION | SOURCEID | SOURCERES | SPIKELEVEL | RECOVERY | RPD | UPPERCL | LOWERCL | RPDCL | ANALYST | PSOLIDS | LNOTE | ANOTE | ANALYTEORDER |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 4.6 | 50 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | U | 0.8 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | U | 2.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 4.6 | 50 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.5 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.3 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | U | 1.6 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.5 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.6 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.4 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.9 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 1.1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | U | 2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 2.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | U | 1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | U | 1.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 1.1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 153 | | | ng/L | FALSE | NA | 1 | | | 160 | 95.9 | 130 | 70 | LZ | | | | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 154 | | | ng/L | FALSE | NA | 1 | | | 160 | 96.1 | 130 | 70 | LZ | | | | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 137 | | | ng/L | FALSE | NA | 1 | | | 154.9 | 88.3 | 130 | 70 | LZ | | | | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 138 | | | ng/L | FALSE | NA | 1 | | | 151.8 | 90.6 | 130 | 70 | LZ | | | | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 133 | | | ng/L | FALSE | NA | 1 | | | 149.6 | 88.8 | 130 | 70 | LZ | | | | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 151 | | | ng/L | FALSE | NA | 1 | | | 160 | 94.6 | 130 | 70 | LZ | | | | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 155 | | | ng/L | FALSE | NA | 1 | | | 160 | 96.7 | 130 | 70 | LZ | | | | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 138 | | | ng/L | FALSE | NA | 1 | | | 153.1 | 90.4 | 130 | 70 | LZ | | | | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 148 | | | ng/L | FALSE | NA | 1 | | | 160 | 92.7 | 130 | 70 | LZ | | | | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 152 | | | ng/L | FALSE | NA | 1 | | | 160 | 94.8 | 130 | 70 | LZ | | | | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.4 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 153 | | | ng/L | FALSE | NA | 1 | | | 160 | 95.7 | 130 | 70 | LZ | | | | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 154 | | | ng/L | FALSE | NA | 1 | | | 160 | 96.3 | 130 | 70 | LZ | | | | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 151 | | | ng/L | FALSE | NA | 1 | | | 160 | 94.2 | 130 | 70 | LZ | | | | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 150 | | | ng/L | FALSE | NA | 1 | | | 160 | 94 | 130 | 70 | LZ | | | | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 141 | | | ng/L | FALSE | NA | 1 | | | 151.4 | 92.9 | 130 | 70 | LZ | | | | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 143 | | | ng/L | FALSE | NA | 1 | | | 148.6 | 96.3 | 130 | 70 | LZ | | | | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 143 | | | ng/L | FALSE | NA | 1 | | | 160 | 89.1 | 130 | 70 | LZ | | | | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 148 | | | ng/L | FALSE | NA | 1 | | | 160 | 92.6 | 130 | 70 | LZ | | | | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 164 | | | ng/L | FALSE | NA | 1 | | | 160 | 103 | 130 | 70 | LZ | | | | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK1 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:28 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | U | 4.6 | 50 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | U | 0.8 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | U | 1.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | U | 2.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | U | 4.6 | 50 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | U | 1.5 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | U | 1.3 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | U | 1.6 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | U | 2.5 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.6 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | U | 2.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.4 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.9 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 1.1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | U | 2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 2.2 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | U | 1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | U | 1.7 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | U | 1.1 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 158 | | | ng/L | FALSE | NA | 1 | | | 160 | 98.5 | 130 | 70 | LZ | | | | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 150 | | | ng/L | FALSE | NA | 1 | | | 160 | 93.8 | 130 | 70 | LZ | | | | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 132 | | | ng/L | FALSE | NA | 1 | | | 154.9 | 85.3 | 130 | 70 | LZ | | | | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 135 | | | ng/L | FALSE | NA | 1 | | | 151.8 | 88.7 | 130 | 70 | LZ | | | | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 135 | | | ng/L | FALSE | NA | 1 | | | 149.6 | 90.5 | 130 | 70 | LZ | | | | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 150 | | | ng/L | FALSE | NA | 1 | | | 160 | 93.5 | 130 | 70 | LZ | | | | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 149 | | | ng/L | FALSE | NA | 1 | | | 160 | 92.9 | 130 | 70 | LZ | | | | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 142 | | | ng/L | FALSE | NA | 1 | | | 153.1 | 92.6 | 130 | 70 | LZ | | | | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 148 | | | ng/L | FALSE | NA | 1 | | | 160 | 92.5 | 130 | 70 | LZ | | | | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 152 | | | ng/L | FALSE | NA | 1 | | | 160 | 95.3 | 130 | 70 | LZ | | | | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | U | 1.4 | 10 | ng/L | FALSE | NA | 1 | | | | | | | | LZ | | | | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 155 | | | ng/L | FALSE | NA | 1 | | | 160 | 97.1 | 130 | 70 | LZ | | | | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 153 | | | ng/L | FALSE | NA | 1 | | | 160 | 95.7 | 130 | 70 | LZ | | | | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 153 | | | ng/L | FALSE | NA | 1 | | | 160 | 95.7 | 130 | 70 | LZ | | | | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BLK2 | Blank | Water | 4/22/2019 13:54 | 4/22/2019 21:51 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 141 | | ng/L | FALSE | NA | 1 | | 151.4 | 93.1 | | 130 | 70 | LZ | | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 145 | | ng/L | FALSE | NA | 1 | | 148.6 | 97.7 | | 130 | 70 | LZ | | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 147 | | ng/L | FALSE | NA | 1 | | 160 | 91.7 | | 130 | 70 | LZ | | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 148 | | ng/L | FALSE | NA | 1 | | 160 | 92.8 | | 130 | 70 | LZ | | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 165 | | ng/L | FALSE | NA | 1 | | 160 | 103 | | 130 | 70 | LZ | | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 142 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 88.6 | | 130 | 70 | LZ | | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BS1 | LCS | Water | 4/22/2019 13:54 | 4/22/2019 22:59 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 143 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 89.1 | | 130 | 70 | LZ | | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 797 | 4.6 | 50 ng/L | FALSE | NA | 1 | | 800 | 99.7 | 1.14 | 130 | 70 | 30 LZ | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | 147 | 0.7 | 10 ng/L | FALSE | NA | 1 | | 160 | 91.6 | 1.79 | 130 | 70 | 30 LZ | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | 142 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 89 | 0.271 | 130 | 70 | 30 LZ | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 148 | 0.8 | 10 ng/L | FALSE | NA | 1 | | 160 | 92.3 | 1.07 | 130 | 70 | 30 LZ | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 144 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 89.7 | 4.91 | 130 | 70 | 30 LZ | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 160 | 2.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 100 | 9.91 | 130 | 70 | 30 LZ | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 757 | 4.6 | 50 ng/L | FALSE | NA | 1 | | 800 | 94.7 | 1.28 | 130 | 70 | 30 LZ | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 150 | 1.5 | 10 ng/L | FALSE | NA | 1 | | 160 | 93.7 | 4.03 | 130 | 70 | 30 LZ | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 146 | 1.3 | 10 ng/L | FALSE | NA | 1 | | 160 | 91.1 | 0.148 | 130 | 70 | 30 LZ | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 150 | 1.6 | 10 ng/L | FALSE | NA | 1 | | 160 | 93.6 | 4.53 | 130 | 70 | 30 LZ | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 144 | 2.5 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.1 | 2.36 | 130 | 70 | 30 LZ | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | 145 | 1.6 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.6 | 2.12 | 130 | 70 | 30 LZ | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | 150 | 2.7 | 10 ng/L | FALSE | NA | 1 | | 160 | 93.6 | 4.57 | 130 | 70 | 30 LZ | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | 145 | 1.4 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.9 | 0.321 | 130 | 70 | 30 LZ | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | 147 | 1.9 | 10 ng/L | FALSE | NA | 1 | | 160 | 92 | 1.01 | 130 | 70 | 30 LZ | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | 152 | 1.1 | 10 ng/L | FALSE | NA | 1 | | 160 | 94.8 | 2.67 | 130 | 70 | 30 LZ | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 152 | 2 | 10 ng/L | FALSE | NA | 1 | | 160 | 95.1 | 1.8 | 130 | 70 | 30 LZ | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | 144 | 2.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.1 | 1.69 | 130 | 70 | 30 LZ | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 147 | 1 | 10 ng/L | FALSE | NA | 1 | | 160 | 91.7 | 1.8 | 130 | 70 | 30 LZ | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 146 | 1.7 | 10 ng/L | FALSE | NA | 1 | | 160 | 91.1 | 1.16 | 130 | 70 | 30 LZ | | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | 145 | 1.1 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.8 | 2.23 | 130 | 70 | 30 LZ | | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 159 | | ng/L | FALSE | NA | 1 | | 160 | 99.4 | | 130 | 70 | LZ | | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 157 | | ng/L | FALSE | NA | 1 | | 160 | 98 | | 130 | 70 | LZ | | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 147 | | ng/L | FALSE | NA | 1 | | 154.9 | 95 | | 130 | 70 | LZ | | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 145 | | ng/L | FALSE | NA | 1 | | 151.8 | 95.4 | | 130 | 70 | LZ | | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 145 | | ng/L | FALSE | NA | 1 | | 149.6 | 96.8 | | 130 | 70 | LZ | | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 154 | | ng/L | FALSE | NA | 1 | | 160 | 96.2 | | 130 | 70 | LZ | | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 148 | | ng/L | FALSE | NA | 1 | | 160 | 92.6 | | 130 | 70 | LZ | | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 140 | | ng/L | FALSE | NA | 1 | | 153.1 | 91.7 | | 130 | 70 | LZ | | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | 160 | 94.1 | | 130 | 70 | LZ | | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 150 | | ng/L | FALSE | NA | 1 | | 160 | 93.6 | | 130 | 70 | LZ | | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 151 | 1.4 | 10 ng/L | FALSE | NA | 1 | | 160 | 94.5 | 3.27 | 130 | 70 | 30 LZ | | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 158 | | ng/L | FALSE | NA | 1 | | 160 | 98.7 | | 130 | 70 | LZ | | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 164 | | ng/L | FALSE | NA | 1 | | 160 | 102 | | 130 | 70 | LZ | | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | 160 | 94.5 | | 130 | 70 | LZ | | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 156 | | ng/L | FALSE | NA | 1 | | 160 | 97.4 | | 130 | 70 | LZ | | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 140 | | ng/L | FALSE | NA | 1 | | 151.4 | 92.5 | | 130 | 70 | LZ | | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 142 | | ng/L | FALSE | NA | 1 | | 148.6 | 95.3 | | 130 | 70 | LZ | | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | 160 | 94.7 | | 130 | 70 | LZ | | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | 160 | 94.3 | | 130 | 70 | LZ | | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 168 | | ng/L | FALSE | NA | 1 | | 160 | 105 | | 130 | 70 | LZ | | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 145 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 90.9 | 2.53 | 130 | 70 | 30 LZ | | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-BSD1 | LCS Dup | Water | 4/22/2019 13:54 | 4/22/2019 23:22 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 142 | 1.2 | 10 ng/L | FALSE | NA | 1 | | 160 | 88.8 | 0.339 | 130 | 70 | 30 LZ | | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 18.2 | 3.89 | 42.3 ng/L | FALSE | NA | 1 | 1904029-04 | 21.9 | | 18.1 | | | 30 LZ | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | U | 0.592 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | U | 1.01 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 15 | 0.676 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 15.1 | | 0.935 | | | 30 LZ | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 23.4 | 1.01 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 22.5 | | 3.97 | | | 30 LZ | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 87.6 | 1.86 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 96 | | 9.18 | | | 30 LZ | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 41.3 | 3.89 | 42.3 ng/L | FALSE | NA | 1 | 1904029-04 | 37.6 | | 9.35 | | | 30 LZ | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 2.05 | 1.27 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 1.92 | | 6.9 | | | 30 LZ | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 3.76 | 1.1 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 3.84 | | 2.25 | | | 30 LZ | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 599 | 1.35 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 633 | | 5.46 | | | 30 LZ | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 2.52 | 2.11 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 2.85 | | 12.1 | | | 30 LZ | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | U | 1.35 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | 7.35 | 2.28 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 6.84 | | 7.13 | | | 30 LZ | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | U | 1.18 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | U | 1.61 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | U | 0.93 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 49.1 | 1.69 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 48.6 | | 0.944 | | | 30 LZ | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | U | 1.86 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | U | | | | | 30 LZ | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 16.7 | 0.845 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 17.5 | | 5.02 | | | 30 LZ | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 8.95 | 1.44 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 9.69 | | 7.97 | | | 30 LZ | | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | 2.2 | 0.93 | 8.45 ng/L | FALSE | NA | 1 | 1904029-04 | 3.45 | | 44.3 | | | 30 LZ | | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 77.8 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 110.5 | 70.4 | 130 | 70 | LZ | | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 80.2 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 110.5 | 72.6 | 130 | 70 | LZ | | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 69.6 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 106.9 | 65.1 | 130 | 70 | LZ | | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP1 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 1:16 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 116 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 84.5 | | 130 | 70 | LZ | | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 2.67 | 1.3 | 9.27 ng/L | FALSE | NA | 1 | 1904029-19 | 2.26 | | 16.4 | | | 30 | LZ | | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 117 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 85.7 | | 130 | 70 | LZ | | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 143 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 105 | | 130 | 70 | LZ | | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 139 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 102 | | 130 | 70 | LZ | | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 128 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 93.6 | | 130 | 70 | LZ | | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 116 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 129.4 | 89.5 | | 130 | 70 | LZ | | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 137 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 127.1 | 108 | | 130 | 70 | LZ | | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 47.9 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 35 | | 130 | 70 | LZ | | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 108 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 79.1 | | 130 | 70 | LZ | | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 165 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 136.8 | 121 | | 130 | 70 | LZ | | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 1.31 | 1.11 | 9.27 ng/L | FALSE | NA | 1 | 1904029-19 | U | | | | | 30 | LZ | | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-DUP2 | Duplicate | Water | 4/22/2019 13:54 | 4/23/2019 8:07 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 1.59 | 1.11 | 9.27 ng/L | FALSE | NA | 1 | 1904029-19 | U | | | | | 30 | LZ | | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 51.8 | 4.6 | 50 ng/L | FALSE | NA | 1 | | | 50 | 104 | | 150 | 50 | LZ | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | 9.12 | 0.7 | 10 ng/L | FALSE | NA | 1 | | | 10 | 91.2 | | 150 | 50 | LZ | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | 9.66 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 96.6 | | 150 | 50 | LZ | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 11.2 | 0.8 | 10 ng/L | FALSE | NA | 1 | | | 10 | 112 | | 150 | 50 | LZ | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 9.24 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 92.4 | | 150 | 50 | LZ | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 12.4 | 2.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 124 | | 150 | 50 | LZ | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 46.9 | 4.6 | 50 ng/L | FALSE | NA | 1 | | | 50 | 93.9 | | 150 | 50 | LZ | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 10 | 1.5 | 10 ng/L | FALSE | NA | 1 | | | 10 | 100 | | 150 | 50 | LZ | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 10.1 | 1.3 | 10 ng/L | FALSE | NA | 1 | | | 10 | 101 | | 150 | 50 | LZ | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 16.6 | 1.6 | 10 ng/L | FALSE | NA | 1 | | | 10 | 166 | | 150 | 50 | LZ | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 8.76 | 2.5 | 10 ng/L | FALSE | NA | 1 | | | 10 | 87.6 | | 150 | 50 | LZ | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | 9.49 | 1.6 | 10 ng/L | FALSE | NA | 1 | | | 10 | 94.9 | | 150 | 50 | LZ | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | 8.96 | 2.7 | 10 ng/L | FALSE | NA | 1 | | | 10 | 89.6 | | 150 | 50 | LZ | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | 8.94 | 1.4 | 10 ng/L | FALSE | NA | 1 | | | 10 | 89.4 | | 150 | 50 | LZ | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | 9.69 | 1.9 | 10 ng/L | FALSE | NA | 1 | | | 10 | 96.9 | | 150 | 50 | LZ | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | 9.37 | 1.1 | 10 ng/L | FALSE | NA | 1 | | | 10 | 93.7 | | 150 | 50 | LZ | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 12.4 | 2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 124 | | 150 | 50 | LZ | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | 9.62 | 2.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 96.2 | | 150 | 50 | LZ | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 10.3 | 1 | 10 ng/L | FALSE | NA | 1 | | | 10 | 103 | | 150 | 50 | LZ | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 10.3 | 1.7 | 10 ng/L | FALSE | NA | 1 | | | 10 | 103 | | 150 | 50 | LZ | | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | 9.35 | 1.1 | 10 ng/L | FALSE | NA | 1 | | | 10 | 93.5 | | 150 | 50 | LZ | | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 147 | | ng/L | FALSE | NA | 1 | | | 160 | 91.8 | | 130 | 70 | LZ | | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 155 | | ng/L | FALSE | NA | 1 | | | 160 | 96.7 | | 130 | 70 | LZ | | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 140 | | ng/L | FALSE | NA | 1 | | | 154.9 | 90.4 | | 130 | 70 | LZ | | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 139 | | ng/L | FALSE | NA | 1 | | | 151.8 | 91.4 | | 130 | 70 | LZ | | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 134 | | ng/L | FALSE | NA | 1 | | | 149.6 | 89.7 | | 130 | 70 | LZ | | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | | 160 | 94.2 | | 130 | 70 | LZ | | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 151 | | ng/L | FALSE | NA | 1 | | | 160 | 94.3 | | 130 | 70 | LZ | | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 137 | | ng/L | FALSE | NA | 1 | | | 153.1 | 89.2 | | 130 | 70 | LZ | | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 149 | | ng/L | FALSE | NA | 1 | | | 160 | 92.8 | | 130 | 70 | LZ | | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 148 | | ng/L | FALSE | NA | 1 | | | 160 | 92.2 | | 130 | 70 | LZ | | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 10.3 | 1.4 | 10 ng/L | FALSE | NA | 1 | | | 10 | 103 | | 150 | 50 | LZ | | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 152 | | ng/L | FALSE | NA | 1 | | | 160 | 95.3 | | 130 | 70 | LZ | | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 162 | | ng/L | FALSE | NA | 1 | | | 160 | 101 | | 130 | 70 | LZ | | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 153 | | ng/L | FALSE | NA | 1 | | | 160 | 95.6 | | 130 | 70 | LZ | | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 150 | | ng/L | FALSE | NA | 1 | | | 160 | 93.7 | | 130 | 70 | LZ | | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 144 | | ng/L | FALSE | NA | 1 | | | 151.4 | 95 | | 130 | 70 | LZ | | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 145 | | ng/L | FALSE | NA | 1 | | | 148.6 | 97.6 | | 130 | 70 | LZ | | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 136 | | ng/L | FALSE | NA | 1 | | | 160 | 84.7 | | 130 | 70 | LZ | | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 146 | | ng/L | FALSE | NA | 1 | | | 160 | 91.1 | | 130 | 70 | LZ | | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 167 | | ng/L | FALSE | NA | 1 | | | 160 | 105 | | 130 | 70 | LZ | | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 10.6 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 106 | | 150 | 50 | LZ | | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL1 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:14 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 9.69 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 96.9 | | 150 | 50 | LZ | | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 52.6 | 4.6 | 50 ng/L | FALSE | NA | 1 | | | 50 | 105 | | 150 | 50 | LZ | | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | 9.84 | 0.7 | 10 ng/L | FALSE | NA | 1 | | | 10 | 98.4 | | 150 | 50 | LZ | | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | 11.2 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 112 | | 150 | 50 | LZ | | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 19.1 | 0.8 | 10 ng/L | FALSE | NA | 1 | | | 10 | 191 | | 150 | 50 | LZ | | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 10.6 | 1.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 106 | | 150 | 50 | LZ | | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 15.2 | 2.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 152 | | 150 | 50 | LZ | | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 50.9 | 4.6 | 50 ng/L | FALSE | NA | 1 | | | 50 | 102 | | 150 | 50 | LZ | | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 10.4 | 1.5 | 10 ng/L | FALSE | NA | 1 | | | 10 | 104 | | 150 | 50 | LZ | | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 9.5 | 1.3 | 10 ng/L | FALSE | NA | 1 | | | 10 | 95 | | 150 | 50 | LZ | | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 19.7 | 1.6 | 10 ng/L | FALSE | NA | 1 | | | 10 | 197 | | 150 | 50 | LZ | | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 9.59 | 2.5 | 10 ng/L | FALSE | NA | 1 | | | 10 | 95.9 | | 150 | 50 | LZ | | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | 8.69 | 1.6 | 10 ng/L | FALSE | NA | 1 | | | 10 | 86.9 | | 150 | 50 | LZ | | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | 10.7 | 2.7 | 10 ng/L | FALSE | NA | 1 | | | 10 | 107 | | 150 | 50 | LZ | | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | 9.58 | 1.4 | 10 ng/L | FALSE | NA | 1 | | | 10 | 95.8 | | 150 | 50 | LZ | | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | 9.37 | 1.9 | 10 ng/L | FALSE | NA | 1 | | | 10 | 93.7 | | 150 | 50 | LZ | | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | 9.86 | 1.1 | 10 ng/L | FALSE | NA | 1 | | | 10 | 98.6 | | 150 | 50 | LZ | | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 14.5 | 2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 145 | | 150 | 50 | LZ | | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | 8.93 | 2.2 | 10 ng/L | FALSE | NA | 1 | | | 10 | 89.3 | | 150 | 50 | LZ | | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 11.3 | 1 | 10 ng/L | FALSE | NA | 1 | | | 10 | 113 | | 150 | 50 | LZ | | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MRL2 | MRL Check | Water | 4/22/2019 13:54 | 4/22/2019 22:37 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 9.87 | 1.7 | 10 ng/L

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 114 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 113.1 | 101 | 130 | 70 | LZ | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 92 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 111.4 | 82.5 | 130 | 70 | LZ | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 98.2 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 82.4 | 130 | 70 | LZ | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 97.3 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 81.6 | 130 | 70 | LZ | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 98.7 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 114 | 86.5 | 130 | 70 | LZ | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 99.4 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 83.5 | 130 | 70 | LZ | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 96 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 80.6 | 130 | 70 | LZ | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 94.2 | 1.22 | 8.72 ng/L | FALSE | NA | 1 | 1904029-04 | 2.49 | 119.2 | 77 | 130 | 70 | LZ | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 99.4 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 83.4 | 130 | 70 | LZ | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 118 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 99.3 | 130 | 70 | LZ | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 117 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 97.8 | 130 | 70 | LZ | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 107 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 90.1 | 130 | 70 | LZ | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 100 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 112.7 | 89 | 130 | 70 | LZ | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 117 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 110.7 | 106 | 130 | 70 | LZ | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 15.1 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 12.7 | 130 | 70 | LZ | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 84.6 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 71 | 130 | 70 | LZ | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 138 | | ng/L | FALSE | NA | 1 | 1904029-04 | | 119.2 | 116 | 130 | 70 | LZ | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 90.6 | 1.05 | 8.72 ng/L | FALSE | NA | 1 | 1904029-04 | 1.94 | 119.2 | 74.4 | 130 | 70 | LZ | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS1 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 1:39 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 78.7 | 1.05 | 8.72 ng/L | FALSE | NA | 1 | 1904029-04 | U | 119.2 | 66 | 130 | 70 | LZ | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 831 | 4.43 | 48.2 ng/L | FALSE | NA | 1 | 1904029-19 | 13.4 | 740.9 | 110 | 130 | 70 | LZ | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | 110 | 0.674 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 74.1 | 130 | 70 | LZ | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | 82.3 | 1.16 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 1.37 | 148.2 | 54.6 | 130 | 70 | LZ | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 173 | 0.77 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 15.6 | 148.2 | 106 | 130 | 70 | LZ | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 146 | 1.16 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 19.8 | 148.2 | 85.1 | 130 | 70 | LZ | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 215 | 2.12 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 77 | 148.2 | 93.3 | 130 | 70 | LZ | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 763 | 4.43 | 48.2 ng/L | FALSE | NA | 1 | 1904029-19 | 37.3 | 740.9 | 98 | 130 | 70 | LZ | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 123 | 1.44 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 83.1 | 130 | 70 | LZ | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 143 | 1.25 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 3.34 | 148.2 | 94.1 | 130 | 70 | LZ | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 688 | 1.54 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 534 | 148.2 | 104 | 130 | 70 | LZ | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 135 | 2.41 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 91.2 | 130 | 70 | LZ | 24 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-octanesulfonamide (FOSA) | 754-91-6 | FALSE | FALSE | 124 | 1.54 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 83.4 | 130 | 70 | LZ | 25 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS) | 39108-34-4 | FALSE | FALSE | 130 | 2.6 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 7.89 | 148.2 | 82.2 | 130 | 70 | LZ | 26 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-nonanesulfonate (PFNS) | 68259-12-1 | FALSE | FALSE | 126 | 1.35 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 84.7 | 130 | 70 | LZ | 27 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-MeFOSAA | 2355-31-9 | FALSE | FALSE | 120 | 1.83 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 80.9 | 130 | 70 | LZ | 28 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | N-EtFOSAA | 2991-50-6 | FALSE | FALSE | 119 | 1.06 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 80.5 | 130 | 70 | LZ | 29 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexanoate | 307-24-4 | FALSE | FALSE | 195 | 1.93 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 45 | 148.2 | 101 | 130 | 70 | LZ | 3 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-decanesulfonate (PFDS) | 2806-15-7 | FALSE | FALSE | 124 | 2.12 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 84 | 130 | 70 | LZ | 30 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 148 | 0.963 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 17.9 | 148.2 | 87.4 | 130 | 70 | LZ | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 132 | 1.64 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 8.45 | 148.2 | 83.4 | 130 | 70 | LZ | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | 121 | 1.06 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 2.74 | 148.2 | 79.8 | 130 | 70 | LZ | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 134 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 90.2 | 130 | 70 | LZ | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 128 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 86.4 | 130 | 70 | LZ | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 128 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 143.4 | 89.3 | 130 | 70 | LZ | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 144 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 140.6 | 102 | 130 | 70 | LZ | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 123 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 138.6 | 88.8 | 130 | 70 | LZ | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 130 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 88 | 130 | 70 | LZ | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 140 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 94.2 | 130 | 70 | LZ | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 136 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 141.8 | 95.8 | 130 | 70 | LZ | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 131 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 88.4 | 130 | 70 | LZ | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 131 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 88.6 | 130 | 70 | LZ | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 128 | 1.35 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | 2.26 | 148.2 | 85 | 130 | 70 | LZ | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 138 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 93 | 130 | 70 | LZ | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 157 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 106 | 130 | 70 | LZ | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 158 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 107 | 130 | 70 | LZ | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 145 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 97.9 | 130 | 70 | LZ | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 133 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 140.2 | 95 | 130 | 70 | LZ | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 156 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 137.7 | 113 | 130 | 70 | LZ | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 85 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 57.4 | 130 | 70 | LZ | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 129 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 87 | 130 | 70 | LZ | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 177 | | ng/L | FALSE | NA | 1 | 1904029-19 | | 148.2 | 119 | 130 | 70 | LZ | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 126 | 1.16 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 84.7 | 130 | 70 | LZ | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MS2 | Matrix Spike | Water | 4/22/2019 13:54 | 4/23/2019 8:30 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 120 | 1.16 | 9.63 ng/L | FALSE | NA | 1 | 1904029-19 | U | 148.2 | 81 | 130 | 70 | LZ | 9 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutanoate | 375-73-5 | FALSE | FALSE | 604 | 3.97 | 43.1 ng/L | FALSE | NA | 1 | 1904029-04 | 21.9 | 579.8 | 100 | 6.87 | 130 | 70 | 30 LZ | 1 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotridecanoate | 72629-94-8 | FALSE | FALSE | 39.7 | 0.604 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | U | 116 | 34.2 | 32.6 | 130 | 70 | 30 LZ | 10 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorotetradecanoate | 376-06-7 | FALSE | FALSE | 5.9 | 1.03 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | U | 116 | 5.09 | 81.4 | 130 | 70 | 30 LZ | 11 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorobutyl sulfonate | 29420-49-3 | FALSE | FALSE | 120 | 0.69 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 15.1 | 116 | 90.5 | 6.98 | 130 | 70 | 30 LZ | 12 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorohexyl sulfonate | 3871-99-6 | FALSE | FALSE | 110 | 1.03 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 22.5 | 116 | 75.6 | 10.7 | 130 | 70 | 30 LZ | 13 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctyl sulfonate | 1763-23-1 | FALSE | FALSE | 179 | 1.9 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 96 | 116 | 71.2 | 17 | 130 | 70 | 30 LZ | 14 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoropentanoate | 2706-90-3 | FALSE | FALSE | 552 | 3.97 | 43.1 ng/L | FALSE | NA | 1 | 1904029-04 | 37.6 | 579.8 | 88.7 | 7.07 | 130 | 70 | 30 LZ | 2 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS) | 757124-72-4 | FALSE | FALSE | 90.3 | 1.29 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 1.92 | 116 | 76.2 | 0.288 | 130 | 70 | 30 LZ | 21 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-pentanesulfonate (PFPeS) | 2706-91-4 | FALSE | FALSE | 103 | 1.12 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 3.84 | 116 | 85.6 | 2.48 | 130 | 70 | 30 LZ | 22 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | 1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS) | 27619-97-2 | FALSE | FALSE | 699 | 1.38 | 8.62 ng/L | FALSE | NA | 1 | 1904029-04 | 633 | 116 | 57.2 | 2.91 | 130 | 70 | 30 LZ | 23 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD1 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 2:02 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-1-heptanesulfonate (PFHpS) | 375-92-8 | FALSE | FALSE | 96.7 | 2.16 | 8.62 ng/L | FALSE | NA | 1 |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroheptanoate | 375-85-9 | FALSE | FALSE | 125 | 0.884 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | 17.9 | 122.8 | 87.3 | 16.4 | 130 | 70 | 30 | LZ | 4 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorooctanoate | 335-67-1 | FALSE | FALSE | 112 | 1.5 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | 8.45 | 122.8 | 84.6 | 16.2 | 130 | 70 | 30 | LZ | 5 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorononanoate | 375-95-1 | FALSE | FALSE | 98.9 | 0.972 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | 2.74 | 122.8 | 78.3 | 20.1 | 130 | 70 | 30 | LZ | 6 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D5-N-EtFOSAA | | TRUE | FALSE | 108 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 88.3 | | 130 | 70 | | LZ | 60 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | D3-N-MeFOSAA | | TRUE | FALSE | 105 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 85.5 | | 130 | 70 | | LZ | 61 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS | | TRUE | FALSE | 103 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 118.9 | 86.6 | | 130 | 70 | | LZ | 62 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS | | TRUE | FALSE | 120 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 116.5 | 103 | | 130 | 70 | | LZ | 63 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS | | TRUE | FALSE | 98.9 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 114.8 | 86.1 | | 130 | 70 | | LZ | 64 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M9PFNA | | TRUE | FALSE | 109 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 88.8 | | 130 | 70 | | LZ | 65 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOSA | | TRUE | FALSE | 114 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 92.9 | | 130 | 70 | | LZ | 66 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOS | | TRUE | FALSE | 112 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 117.5 | 95.1 | | 130 | 70 | | LZ | 67 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M8PFOA | | TRUE | FALSE | 109 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 88.8 | | 130 | 70 | | LZ | 68 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M7PFUnA | | TRUE | FALSE | 106 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 86 | | 130 | 70 | | LZ | 69 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorodecanoate | 335-76-2 | FALSE | FALSE | 108 | 1.24 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | 2.26 | 122.8 | 86.4 | 16.9 | 130 | 70 | 30 | LZ | 7 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M6PFDA | | TRUE | FALSE | 115 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 93.3 | | 130 | 70 | | LZ | 70 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFPeA | | TRUE | FALSE | 132 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 108 | | 130 | 70 | | LZ | 71 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M5PFHxA | | TRUE | FALSE | 132 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 107 | | 130 | 70 | | LZ | 72 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M4PFHpA | | TRUE | FALSE | 120 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 97.4 | | 130 | 70 | | LZ | 73 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFHxS | | TRUE | FALSE | 111 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 116.2 | 95.2 | | 130 | 70 | | LZ | 74 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M3PFBS | | TRUE | FALSE | 129 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 114.1 | 113 | | 130 | 70 | | LZ | 75 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | M2PFTreA | | TRUE | FALSE | 20.4 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 16.6 | | 130 | 70 | | LZ | 76 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFDoA | | TRUE | FALSE | 95 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 77.4 | | 130 | 70 | | LZ | 77 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | MPFBA | | TRUE | FALSE | 154 | | | ng/L | FALSE | NA | 1 | 1904029-19 | | 122.8 | 125 | | 130 | 70 | | LZ | 78 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluoroundecanoate | 2058-94-8 | FALSE | FALSE | 98.8 | 1.06 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | U | 122.8 | 80.5 | 23.8 | 130 | 70 | 30 | LZ | 8 |
| US EPA Region 5 Chicago Regional Laboratory | B19D041-MSD2 | Matrix Spike Dup | Water | 4/22/2019 13:54 | 4/23/2019 8:53 | B19D041 | OSRTI PFC | *** DEFAULT SPECIFIC METHOD *** | *** DEFAULT PREP *** | perfluorododecanoate | 307-55-1 | FALSE | FALSE | 86.9 | 1.06 | 8.84 | ng/L | FALSE | NA | 1 | 1904029-19 | U | 122.8 | 70.8 | 32 | 130 | 70 | 30 | LZ | 9 |

| QUALIFIER | DESCRIPTION |
| --- | --- |