CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPTDMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.11	44.7	ng/L	FALSE	NA	1				DK																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.626	8.94	ng/L	FALSE	NA	1				DK																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.94	ng/L	FALSE	NA	1				DK																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	13.6	0.716	8.94	ng/L	FALSE	NA	1				DK																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	18.3	1.07	8.94	ng/L	FALSE	NA	1				DK																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	52.6	1.97	8.94	ng/L	FALSE	NA	1				DK																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.11	44.7	ng/L	FALSE	NA	1				DK																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.34	8.94	ng/L	FALSE	NA	1				DK																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.16	8.94	ng/L	FALSE	NA	1				DK																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	341	1.43	8.94	ng/L	FALSE	NA	1				DK																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.24	8.94	ng/L	FALSE	NA	1				DK																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.43	8.94	ng/L	FALSE	NA	1				DK																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.42	8.94	ng/L	FALSE	NA	1				DK																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.25	8.94	ng/L	FALSE	NA	1				DK																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.7	8.94	ng/L	FALSE	NA	1				DK																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.984	8.94	ng/L	FALSE	NA	1				DK																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36.6	1.79	8.94	ng/L	FALSE	NA	1				DK																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.97	8.94	ng/L	FALSE	NA	1				DK																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.9	0.894	8.94	ng/L	FALSE	NA	1				DK																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.3	1.52	8.94	ng/L	FALSE	NA	1				DK																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.984	8.94	ng/L	FALSE	NA	1				DK																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	96.5		ng/L	FALSE	NA	1	126.2	76.4	130	70 DK																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	91.3		ng/L	FALSE	NA	1	126.2	72.3	130	70 DK																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	79.3		ng/L	FALSE	NA	1	122.2	64.9	130	70 DK																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	97		ng/L	FALSE	NA	1	119.8	81	130	70 DK																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	80.6		ng/L	FALSE	NA	1	118	68.2	130	70 DK																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	94.6		ng/L	FALSE	NA	1	126.2	74.9	130	70 DK																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	100		ng/L	FALSE	NA	1	126.2	79.3	130	70 DK																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	95.2		ng/L	FALSE	NA	1	120.8	78.8	130	70 DK																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	98		ng/L	FALSE	NA	1	126.2	77.6	130	70 DK																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	91.8		ng/L	FALSE	NA	1	126.2	72.7	130	70 DK																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.25	8.94	ng/L	FALSE	NA	1				DK																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	93.3		ng/L	FALSE	NA	1	126.2	73.9	130	70 DK																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	112		ng/L	FALSE	NA	1	126.2	88.5	130	70 DK																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	110		ng/L	FALSE	NA	1	126.2	86.8	130	70 DK																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	103		ng/L	FALSE	NA	1	126.2	81.3	130	70 DK																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	99.6		ng/L	FALSE	NA	1	119.4	81.4	130	70 DK																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	104		ng/L	FALSE	NA	1	117.3	88.5	130	70 DK																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	93.2		ng/L	FALSE	NA	1	126.2	7.54	130	70 DK																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	82.3		ng/L	FALSE	NA	1	126.2	65.2	130	70 DK																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	122		ng/L	FALSE	NA	1	126.2	97	130	70 DK																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.94	ng/L	FALSE	NA	1				DK																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190426-11	1905002-01	Water	Water	04/26/2019 08:45:00	05/01/2019 14:45:00	05/02/2019 01:43:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.94	ng/L	FALSE	NA	1				DK																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.49	48.9	ng/L	FALSE	NA	1				DK																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.68	9.77	ng/L	FALSE	NA	1				DK																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.17	9.77	ng/L	FALSE	NA	1				DK																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.782	9.77	ng/L	FALSE	NA	1				DK																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.17	9.77	ng/L	FALSE	NA	1				DK																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.15	9.77	ng/L	FALSE	NA	1				DK																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.49	48.9	ng/L	FALSE	NA	1				DK																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.47	9.77	ng/L	FALSE	NA	1				DK																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.27	9.77	ng/L	FALSE	NA	1				DK																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.56	9.77	ng/L	FALSE	NA	1				DK																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.44	9.77	ng/L	FALSE	NA	1				DK																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.56	9.77	ng/L	FALSE	NA	1				DK																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.64	9.77	ng/L	FALSE	NA	1				DK																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.37	9.77	ng/L	FALSE	NA	1				DK																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190427-11	1905002-02	Water	Water	04/27/2019 11:15:00	05/01/2019 14:45:00	05/02/2019 02:06:47	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.86	9.77	ng/L	FALSE	NA	1				DK																28
Region 6, US EPA	R06 De

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE 313	1.42	8.89	ng/L	FALSE	NA	1			DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U	2.22	8.89	ng/L	FALSE	NA	1			DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.42	8.89	ng/L	FALSE	NA	1			DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE U	2.4	8.89	ng/L	FALSE	NA	1			DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.25	8.89	ng/L	FALSE	NA	1			DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U	1.69	8.89	ng/L	FALSE	NA	1			DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE U	0.978	8.89	ng/L	FALSE	NA	1			DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE 38.5	1.78	8.89	ng/L	FALSE	NA	1			DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE U	1.96	8.89	ng/L	FALSE	NA	1			DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE 14.6	0.889	8.89	ng/L	FALSE	NA	1			DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE 9.43	1.51	8.89	ng/L	FALSE	NA	1			DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE U	0.978	8.89	ng/L	FALSE	NA	1			DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE 91.4			ng/L	FALSE	NA	1	124.6	73.4	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE 92.5			ng/L	FALSE	NA	1	124.6	74.2	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE 79.9			ng/L	FALSE	NA	1	120.6	66.3	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE 95.7			ng/L	FALSE	NA	1	118.2	80.9	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS		TRUE	FALSE 81.3			ng/L	FALSE	NA	1	116.5	69.8	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE 99.9			ng/L	FALSE	NA	1	124.6	80.2	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE 97.2			ng/L	FALSE	NA	1	124.6	78.1	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE 100			ng/L	FALSE	NA	1	119.2	84.2	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE 101			ng/L	FALSE	NA	1	124.6	81.1	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE 91.5			ng/L	FALSE	NA	1	124.6	73.4	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE U	1.25	8.89	ng/L	FALSE	NA	1			DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE 97.4			ng/L	FALSE	NA	1	124.6	78.2	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE 117			ng/L	FALSE	NA	1	124.6	94.3	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE 119			ng/L	FALSE	NA	1	124.6	95.8	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE 112			ng/L	FALSE	NA	1	124.6	89.5	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE 102			ng/L	FALSE	NA	1	117.9	86.7	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE 111			ng/L	FALSE	NA	1	115.7	95.7	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE 11.1			ng/L	FALSE	NA	1	124.6	8.92	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE 83.6			ng/L	FALSE	NA	1	124.6	67.1	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE 128			ng/L	FALSE	NA	1	124.6	102	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE U	1.07	8.89	ng/L	FALSE	NA	1			DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190429-11	1905002-05	Water	Water	04/29/2019 08:30:00	05/01/2019 14:45:00	05/02/2019 03:15:14	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE U	1.07	8.89	ng/L	FALSE	NA	1			DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE U	4.09	44.4	ng/L	FALSE	NA	1			DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U	0.622	8.89	ng/L	FALSE	NA	1			DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE U	1.07	8.89	ng/L	FALSE	NA	1			DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE 13.9	0.711	8.89	ng/L	FALSE	NA	1			DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE 14.1	1.07	8.89	ng/L	FALSE	NA	1			DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE 53.1	1.96	8.89	ng/L	FALSE	NA	1			DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE U	4.09	44.4	ng/L	FALSE	NA	1			DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE U	1.33	8.89	ng/L	FALSE	NA	1			DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE U	1.16	8.89	ng/L	FALSE	NA	1			DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE 342	1.42	8.89	ng/L	FALSE	NA	1			DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U	2.22	8.89	ng/L	FALSE	NA	1			DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.42	8.89	ng/L	FALSE	NA	1			DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE U	2.4	8.89	ng/L	FALSE	NA	1			DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.24	8.89	ng/L	FALSE	NA	1			DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U	1.69	8.89	ng/L	FALSE	NA	1			DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE U	0.978	8.89	ng/L	FALSE	NA	1			DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE 37.4	1.78	8.89	ng/L	FALSE	NA	1			DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE U	1.96	8.89	ng/L	FALSE	NA	1			DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE 15.1	0.889	8.89	ng/L	FALSE	NA	1			DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE 9.78	1.51	8.89	ng/L	FALSE	NA	1			DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE U	0.978	8.89	ng/L	FALSE	NA	1			DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE 97			ng/L	FALSE	NA	1	124.4	78	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE 95.4			ng/L	FALSE	NA	1	124.4	76.7	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE 82.6			ng/L	FALSE	NA	1	120.5	68.6	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE 99.1			ng/L	FALSE	NA	1	118.1	83.9	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS		TRUE	FALSE 87.4			ng/L	FALSE	NA	1	116.3	75.1	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE 98.3			ng/L	FALSE	NA	1	124.4	79	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE 97.3			ng/L	FALSE	NA	1	124.4	78.2	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190426-12	1905002-06	Water	Water	04/26/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 03:38:03	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	8.73	1.47	8.67	ng/L	FALSE	NA	1				DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.954	8.67	ng/L	FALSE	NA	1				DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	91.3		ng/L	FALSE	NA	1	117.4	77.7	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	89.3		ng/L	FALSE	NA	1	117.4	76.1	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	73.5		ng/L	FALSE	NA	1	113.7	64.7	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	91.6		ng/L	FALSE	NA	1	111.4	82.2	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	80.8		ng/L	FALSE	NA	1	109.8	73.6	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	91.2		ng/L	FALSE	NA	1	117.4	77.7	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	94		ng/L	FALSE	NA	1	117.4	80	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	93.8		ng/L	FALSE	NA	1	112.4	83.5	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	96.9		ng/L	FALSE	NA	1	117.4	82.5	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	86.9		ng/L	FALSE	NA	1	117.4	74	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.21	8.67	ng/L	FALSE	NA	1				DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	89.2		ng/L	FALSE	NA	1	117.4	75.9	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHpA		TRUE	FALSE	110		ng/L	FALSE	NA	1	117.4	93.4	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	117		ng/L	FALSE	NA	1	117.4	99.2	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	106		ng/L	FALSE	NA	1	117.4	90.4	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	98.3		ng/L	FALSE	NA	1	111.1	88.5	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	112		ng/L	FALSE	NA	1	109.1	103	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	2.95		ng/L	FALSE	NA	1	117.4	2.52	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	75.9		ng/L	FALSE	NA	1	117.4	64.6	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	122		ng/L	FALSE	NA	1	117.4	104	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.04	8.67	ng/L	FALSE	NA	1				DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190428-11	1905002-09	Water	Water	04/28/2019 08:55:00	05/01/2019 14:45:00	05/02/2019 04:46:37	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.04	8.67	ng/L	FALSE	NA	1				DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.97	43.1	ng/L	FALSE	NA	1				DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.604	8.62	ng/L	FALSE	NA	1				DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.03	8.62	ng/L	FALSE	NA	1				DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	11.5	0.69	8.62	ng/L	FALSE	NA	1				DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.2	1.03	8.62	ng/L	FALSE	NA	1				DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	44.1	1.9	8.62	ng/L	FALSE	NA	1				DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.97	43.1	ng/L	FALSE	NA	1				DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.29	8.62	ng/L	FALSE	NA	1				DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPnS)	2706-91-4	FALSE	FALSE	U	1.12	8.62	ng/L	FALSE	NA	1				DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	525	1.38	8.62	ng/L	FALSE	NA	1				DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.16	8.62	ng/L	FALSE	NA	1				DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.38	8.62	ng/L	FALSE	NA	1				DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.33	8.62	ng/L	FALSE	NA	1				DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.21	8.62	ng/L	FALSE	NA	1				DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.64	8.62	ng/L	FALSE	NA	1				DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.949	8.62	ng/L	FALSE	NA	1				DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36	1.72	8.62	ng/L	FALSE	NA	1				DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.9	8.62	ng/L	FALSE	NA	1				DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.3	0.862	8.62	ng/L	FALSE	NA	1				DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.47	8.62	ng/L	FALSE	NA	1				DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.949	8.62	ng/L	FALSE	NA	1				DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	86.8		ng/L	FALSE	NA	1	115.9	74.9	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	86.6		ng/L	FALSE	NA	1	115.9	74.7	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	71.1		ng/L	FALSE	NA	1	112.2	63.3	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	99		ng/L	FALSE	NA	1	110	90	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	80.6		ng/L	FALSE	NA	1	108.4	74.4	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	93.4		ng/L	FALSE	NA	1	115.9	80.5	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	90.3		ng/L	FALSE	NA	1	115.9	77.9	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	94.3		ng/L	FALSE	NA	1	111	84.9	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	95.4		ng/L	FALSE	NA	1	115.9	82.3	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	83.5		ng/L	FALSE	NA	1	115.9	72	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.21	8.62	ng/L	FALSE	NA	1				DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	93		ng/L	FALSE	NA	1	115.9	80.2	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	111		ng/L	FALSE	NA	1	115.9	95.6	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	117		ng/L	FALSE	NA	1	115.9	101	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	106		ng/L	FALSE	NA	1	115.9	91.2	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	101		ng/L	FALSE	NA	1	109.7	91.8	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	112		ng/L	FALSE	NA	1	107.7	104	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190429-11	1905002-10	Water	Water	04/29/2019 08:40:00	05/01/2019 14:45:00	05/02/2019 05:09:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	0.937		ng/L	FALSE	NA	1	115.9	0.808	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional La

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	83		ng/L	FALSE	NA	1	102.2	81.2	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	69.8		ng/L	FALSE	NA	1	102.2	68.3	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.15 8.19	ng/L	FALSE	NA	1				DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	78		ng/L	FALSE	NA	1	102.2	76.3	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	96.6		ng/L	FALSE	NA	1	102.2	94.5	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	99.4		ng/L	FALSE	NA	1	102.2	97.2	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	94.6		ng/L	FALSE	NA	1	102.2	92.6	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	87.8		ng/L	FALSE	NA	1	96.69	90.8	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	98.7		ng/L	FALSE	NA	1	94.95	104	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	0		ng/L	FALSE	NA	1	102.2		130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	51.7		ng/L	FALSE	NA	1	102.2	50.5	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	108		ng/L	FALSE	NA	1	102.2	106	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	0.983 8.19	ng/L	FALSE	NA	1				DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-11	1905002-13	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:17:59	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	0.983 8.19	ng/L	FALSE	NA	1				DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.22 45.8	ng/L	FALSE	NA	1				DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.641 9.16	ng/L	FALSE	NA	1				DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.1 9.16	ng/L	FALSE	NA	1				DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	13.6	0.733 9.16	ng/L	FALSE	NA	1				DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	16.6	1.1 9.16	ng/L	FALSE	NA	1				DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	51.7	2.02 9.16	ng/L	FALSE	NA	1				DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.22 45.8	ng/L	FALSE	NA	1				DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.37 9.16	ng/L	FALSE	NA	1				DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.19 9.16	ng/L	FALSE	NA	1				DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	750	1.47 9.16	ng/L	FALSE	NA	1				DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.29 9.16	ng/L	FALSE	NA	1				DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.47 9.16	ng/L	FALSE	NA	1				DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.47 9.16	ng/L	FALSE	NA	1				DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.28 9.16	ng/L	FALSE	NA	1				DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.74 9.16	ng/L	FALSE	NA	1				DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.01 9.16	ng/L	FALSE	NA	1				DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	38.6	1.83 9.16	ng/L	FALSE	NA	1				DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.02 9.16	ng/L	FALSE	NA	1				DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.6	0.916 9.16	ng/L	FALSE	NA	1				DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.56 9.16	ng/L	FALSE	NA	1				DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.01 9.16	ng/L	FALSE	NA	1				DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	106		ng/L	FALSE	NA	1	133.3	79.8	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	106		ng/L	FALSE	NA	1	133.3	79.5	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE	86.1		ng/L	FALSE	NA	1	129	66.8	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE	125		ng/L	FALSE	NA	1	126.5	98.9	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS		TRUE	FALSE	92.4		ng/L	FALSE	NA	1	124.6	74.1	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	105		ng/L	FALSE	NA	1	133.3	78.9	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	108		ng/L	FALSE	NA	1	133.3	80.9	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	113		ng/L	FALSE	NA	1	127.5	88.6	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	109		ng/L	FALSE	NA	1	133.3	81.7	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	102		ng/L	FALSE	NA	1	133.3	76.8	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.28 9.16	ng/L	FALSE	NA	1				DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	109		ng/L	FALSE	NA	1	133.3	81.6	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	124		ng/L	FALSE	NA	1	133.3	93.2	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	130		ng/L	FALSE	NA	1	133.3	97.8	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	119		ng/L	FALSE	NA	1	133.3	89.5	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	116		ng/L	FALSE	NA	1	126.1	91.9	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	130		ng/L	FALSE	NA	1	123.8	105	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	29.9		ng/L	FALSE	NA	1	133.3	22.4	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	96.3		ng/L	FALSE	NA	1	133.3	72.2	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	135		ng/L	FALSE	NA	1	133.3	101	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.1 9.16	ng/L	FALSE	NA	1				DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190427-12	1905002-14	Water	Water	04/27/2019 09:40:00	05/01/2019 14:45:00	05/02/2019 06:40:48	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.1 9.16	ng/L	FALSE	NA	1				DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.11 44.6	ng/L	FALSE	NA	1				DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.625 8.93	ng/L	FALSE	NA	1				DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07 8.93	ng/L	FALSE	NA	1				DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	13.3	0.714 8.93	ng/L	FALSE	NA	1				DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.5	1.07 8.93	ng/L	FALSE	NA	1				DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	51.6	1.96 8.93	ng/L	FALSE	NA	1				DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190428-11	1905002-15	Water	Water	04/28/2019 09:05:00	05/01/2019 14:45:00	05/02/2019 07:03:44	B19E001	OSRTI PFC	*** DEFAULT

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190429-11	1905002-17	Water	Water	04/29/2019 08:50:00	05/01/2019 14:45:00	05/02/2019 09:45:40	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA	TRUE	FALSE	67.5		ng/L	FALSE	NA	1	116.7	57.8	130	70	DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190429-11	1905002-17	Water	Water	04/29/2019 08:50:00	05/01/2019 14:45:00	05/02/2019 09:45:40	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA	TRUE	FALSE	117		ng/L	FALSE	NA	1	116.7	100	130	70	DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190429-11	1905002-17	Water	Water	04/29/2019 08:50:00	05/01/2019 14:45:00	05/02/2019 09:45:40	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.04	8.65 ng/L	FALSE	NA	1					DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190429-11	1905002-17	Water	Water	04/29/2019 08:50:00	05/01/2019 14:45:00	05/02/2019 09:45:40	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.04	8.65 ng/L	FALSE	NA	1					DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.75	40.7 ng/L	FALSE	NA	1					DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.57	8.14 ng/L	FALSE	NA	1					DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	0.977	8.14 ng/L	FALSE	NA	1					DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	13.6	0.652	8.14 ng/L	FALSE	NA	1					DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	15.6	0.977	8.14 ng/L	FALSE	NA	1					DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	51.4	1.79	8.14 ng/L	FALSE	NA	1					DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.75	40.7 ng/L	FALSE	NA	1					DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.22	8.14 ng/L	FALSE	NA	1					DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPnS)	2706-91-4	FALSE	FALSE	U	1.06	8.14 ng/L	FALSE	NA	1					DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	469	1.3	8.14 ng/L	FALSE	NA	1					DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.04	8.14 ng/L	FALSE	NA	1					DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.3	8.14 ng/L	FALSE	NA	1					DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.2	8.14 ng/L	FALSE	NA	1					DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.8	8.14 ng/L	FALSE	NA	1					DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.55	8.14 ng/L	FALSE	NA	1					DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.896	8.14 ng/L	FALSE	NA	1					DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36.8	1.63	8.14 ng/L	FALSE	NA	1					DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.79	8.14 ng/L	FALSE	NA	1					DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.9	0.814	8.14 ng/L	FALSE	NA	1					DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	9.11	1.38	8.14 ng/L	FALSE	NA	1					DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.896	8.14 ng/L	FALSE	NA	1					DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	68		ng/L	FALSE	NA	1	100.6	67.6	130	70	DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	68.8		ng/L	FALSE	NA	1	100.6	68.4	130	70	DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	59.2		ng/L	FALSE	NA	1	97.38	60.8	130	70	DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	84.1		ng/L	FALSE	NA	1	95.47	88.1	130	70	DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	65.8		ng/L	FALSE	NA	1	94.06	69.9	130	70	DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	75		ng/L	FALSE	NA	1	100.6	74.6	130	70	DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	76.7		ng/L	FALSE	NA	1	100.6	76.2	130	70	DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	75.8		ng/L	FALSE	NA	1	96.28	78.8	130	70	DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	78.9		ng/L	FALSE	NA	1	100.6	78.4	130	70	DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	63.5		ng/L	FALSE	NA	1	100.6	63.2	130	70	DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.14	8.14 ng/L	FALSE	NA	1					DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	72.4		ng/L	FALSE	NA	1	100.6	72	130	70	DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	91.1		ng/L	FALSE	NA	1	100.6	90.6	130	70	DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	96.3		ng/L	FALSE	NA	1	100.6	95.7	130	70	DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	87		ng/L	FALSE	NA	1	100.6	86.5	130	70	DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	81.1		ng/L	FALSE	NA	1	95.17	85.3	130	70	DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	91.7		ng/L	FALSE	NA	1	93.46	98.1	130	70	DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		FALSE	FALSE	0		ng/L	FALSE	NA	1	100.6		130	70	DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	42		ng/L	FALSE	NA	1	100.6	41.7	130	70	DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	106		ng/L	FALSE	NA	1	100.6	105	130	70	DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	0.977	8.14 ng/L	FALSE	NA	1					DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190426-11	1905002-18	Water	Water	04/26/2019 09:25:00	05/01/2019 14:45:00	05/02/2019 10:08:29	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	0.977	8.14 ng/L	FALSE	NA	1					DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	5.55	60.3 ng/L	FALSE	NA	1					DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.84	12.1 ng/L	FALSE	NA	1					DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.45	12.1 ng/L	FALSE	NA	1					DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.965	12.1 ng/L	FALSE	NA	1					DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	15	1.45	12.1 ng/L	FALSE	NA	1					DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	67	2.65	12.1 ng/L	FALSE	NA	1					DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	5.55	60.3 ng/L	FALSE	NA	1					DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.81	12.1 ng/L	FALSE	NA	1					DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPnS)	2706-91-4	FALSE	FALSE	U	1.57	12.1 ng/L	FALSE	NA	1					DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	459	1.93	12.1 ng/L	FALSE	NA	1					DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	3.01	12.1 ng/L	FALSE	NA	1					DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.93	12.1 ng/L	FALSE	NA	1					DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	3.26	12.1 ng/L	FALSE	NA	1					DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.69	12.1 ng/L	FALSE	NA	1					DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	2.29	12.1 ng/L	FALSE	NA	1					DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190427-11	1905002-19	Water	Water	04/27/2019 09:55:00	05/01/2019 14:45:00	05/02/2019 11:40:00	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.33

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								DK				1
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								DK				10
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				11
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								DK				12
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				13
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								DK				14
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								DK				2
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								DK				21
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								DK				22
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								DK				23
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								DK				24
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								DK				25
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								DK				26
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								DK				27
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								DK				28
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								DK				29
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								DK				3
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								DK				30
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								DK				4
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								DK				5
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								DK				6
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	142			ng/L	FALSE	NA	1			160	88.6	130	70	DK				60
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	136			ng/L	FALSE	NA	1			160	85.1	130	70	DK				61
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	123			ng/L	FALSE	NA	1			154.9	79.6	130	70	DK				62
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	123			ng/L	FALSE	NA	1			151.8	80.9	130	70	DK				63
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	122			ng/L	FALSE	NA	1			149.6	81.5	130	70	DK				64
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	135			ng/L	FALSE	NA	1			160	84.2	130	70	DK				65
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	139			ng/L	FALSE	NA	1			160	86.9	130	70	DK				66
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	132			ng/L	FALSE	NA	1			153.1	86.1	130	70	DK				67
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	132			ng/L	FALSE	NA	1			160	82.3	130	70	DK				68
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	133			ng/L	FALSE	NA	1			160	82.9	130	70	DK				69
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								DK				7
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.6	130	70	DK				70
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.6	130	70	DK				71
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.4	130	70	DK				72
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	135			ng/L	FALSE	NA	1			160	84.1	130	70	DK				73
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	129			ng/L	FALSE	NA	1			151.4	85.5	130	70	DK				74
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	121			ng/L	FALSE	NA	1			148.6	81.7	130	70	DK				75
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	125			ng/L	FALSE	NA	1			160	77.8	130	70	DK				76
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	133			ng/L	FALSE	NA	1			160	83	130	70	DK				77
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	140			ng/L	FALSE	NA	1			160	87.3	130	70	DK				78
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				8
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK1	Blank	Water	5/1/2019 14:45	5/1/2019 23:26	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				9
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								DK				1
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								DK				10
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				11
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								DK				12
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								DK				13
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								DK				14
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								DK				2
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								DK				21
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								DK				22
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								DK				23
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								DK				24
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								DK				25
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								DK				26
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								DK				27
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								DK				28
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								DK				29
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								DK				3
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								DK				30
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								DK				4
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								DK				5
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								DK				6
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.5	130	70	DK				60
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	141			ng/L	FALSE	NA	1			160	87.9	130	70	DK				61
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	130			ng/L	FALSE	NA	1			154.9	84.1	130	70	DK				62
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	128			ng/L	FALSE	NA	1			151.8	84.3	130	70	DK				63
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	125			ng/L	FALSE	NA	1			149.6	83.3	130	70	DK				64
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	133			ng/L	FALSE	NA	1			160	83.4	130	70	DK				65
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	138			ng/L	FALSE	NA	1			160	86.3	130	70	DK				66
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	139			ng/L	FALSE	NA	1			153.1	90.8	130	70	DK				67
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	135			ng/L	FALSE	NA	1			160	84.6	130	70	DK				68
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.7	130	70	DK				69
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								DK				7
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.9	130	70	DK				70
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	134			ng/L	FALSE	NA	1			160	83.9	130	70	DK				71
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.2	130	70	DK				72
US EPA Region 5 Chicago Regional Laboratory	B19E001-BLK2	Blank	Water	5/1/2019 14:45	5/1/2019 23:49	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.5	130	70	DK				73
US EP

US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	134		ng/L	FALSE	NA	1		151.4	88.7		130	70	DK		74
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	126		ng/L	FALSE	NA	1		148.6	84.5		130	70	DK		75
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	137		ng/L	FALSE	NA	1		160	85.5		130	70	DK		76
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	142		ng/L	FALSE	NA	1		160	88.7		130	70	DK		77
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	143		ng/L	FALSE	NA	1		160	89.5		130	70	DK		78
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	133	1.2	10 ng/L	FALSE	NA	1		160	83.4		130	70	DK		8
US EPA Region 5 Chicago Regional Laboratory	B19E001-BS1	LCS	Water	5/1/2019 14:45	5/2/2019 0:58	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	135	1.2	10 ng/L	FALSE	NA	1		160	84.6		130	70	DK		9
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	697	4.6	50 ng/L	FALSE	NA	1		800	87.1	3.04	130	70	30 DK		1
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	145	0.7	10 ng/L	FALSE	NA	1		160	90.5	6.65	130	70	30 DK		10
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	143	1.2	10 ng/L	FALSE	NA	1		160	89.1	6.69	130	70	30 DK		11
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	144	0.8	10 ng/L	FALSE	NA	1		160	90.1	6.99	130	70	30 DK		12
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	134	1.2	10 ng/L	FALSE	NA	1		160	83.8	5.93	130	70	30 DK		13
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	140	2.2	10 ng/L	FALSE	NA	1		160	87.3	0.0732	130	70	30 DK		14
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	671	4.6	50 ng/L	FALSE	NA	1		800	83.9	4.73	130	70	30 DK		2
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	145	1.5	10 ng/L	FALSE	NA	1		160	90.4	2.37	130	70	30 DK		21
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	148	1.3	10 ng/L	FALSE	NA	1		160	92.8	4.27	130	70	30 DK		22
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	120	1.6	10 ng/L	FALSE	NA	1		160	75.3	6.18	130	70	30 DK		23
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	149	2.5	10 ng/L	FALSE	NA	1		160	93.2	5.58	130	70	30 DK		24
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	144	1.6	10 ng/L	FALSE	NA	1		160	90.1	1.8	130	70	30 DK		25
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	146	2.7	10 ng/L	FALSE	NA	1		160	91.2	0.923	130	70	30 DK		26
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	145	1.4	10 ng/L	FALSE	NA	1		160	90.5	3.09	130	70	30 DK		27
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	150	1.9	10 ng/L	FALSE	NA	1		160	93.6	5.43	130	70	30 DK		28
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	159	1.1	10 ng/L	FALSE	NA	1		160	99.6	10.9	130	70	30 DK		29
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	141	2	10 ng/L	FALSE	NA	1		160	88.2	4.13	130	70	30 DK		3
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	145	2.2	10 ng/L	FALSE	NA	1		160	90.8	1.91	130	70	30 DK		30
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	143	1	10 ng/L	FALSE	NA	1		160	89.1	6.65	130	70	30 DK		4
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	134	1.7	10 ng/L	FALSE	NA	1		160	83.6	2.15	130	70	30 DK		5
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	137	1.1	10 ng/L	FALSE	NA	1		160	85.6	2.75	130	70	30 DK		6
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	141		ng/L	FALSE	NA	1		160	87.9		130	70	DK		60
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	139		ng/L	FALSE	NA	1		160	86.7		130	70	DK		61
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	135		ng/L	FALSE	NA	1		154.9	87.1		130	70	DK		62
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	126		ng/L	FALSE	NA	1		151.8	83.3		130	70	DK		63
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	127		ng/L	FALSE	NA	1		149.6	85.2		130	70	DK		64
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	132		ng/L	FALSE	NA	1		160	82.8		130	70	DK		65
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	130		ng/L	FALSE	NA	1		160	81.4		130	70	DK		66
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	131		ng/L	FALSE	NA	1		153.1	85.3		130	70	DK		67
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	131		ng/L	FALSE	NA	1		160	81.9		130	70	DK		68
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	133		ng/L	FALSE	NA	1		160	83.1		130	70	DK		69
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	142	1.4	10 ng/L	FALSE	NA	1		160	88.6	5.54	130	70	30 DK		7
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	134		ng/L	FALSE	NA	1		160	83.7		130	70	DK		70
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	127		ng/L	FALSE	NA	1		160	79.5		130	70	DK		71
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	141		ng/L	FALSE	NA	1		160	87.8		130	70	DK		72
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	133		ng/L	FALSE	NA	1		160	83.3		130	70	DK		73
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	128		ng/L	FALSE	NA	1		151.4	84.8		130	70	DK		74
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	120		ng/L	FALSE	NA	1		148.6	80.8		130	70	DK		75
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	133		ng/L	FALSE	NA	1		160	83		130	70	DK		76
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	133		ng/L	FALSE	NA	1		160	83.2		130	70	DK		77
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	135		ng/L	FALSE	NA	1		160	84.6		130	70	DK		78
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	141	1.2	10 ng/L	FALSE	NA	1		160	88.1	5.47	130	70	30 DK		8
US EPA Region 5 Chicago Regional Laboratory	B19E001-BSD1	LCS Dup	Water	5/1/2019 14:45	5/2/2019 1:21	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	137	1.2	10 ng/L	FALSE	NA	1		160	85.8	1.39	130	70	30 DK		9
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	20.4	3.83	41.6 ng/L	FALSE	NA	1 1905002-18	26.6			26.4			30 DK		1
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.582	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		10
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	0.998	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		11
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	13	0.666	8.32 ng/L	FALSE	NA	1 1905002-18	13.6			4.61			30 DK		12
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	16.6	0.998	8.32 ng/L	FALSE	NA	1 1905002-18	15.6			6.32			30 DK		13
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	55.5	1.83	8.32 ng/L	FALSE	NA	1 1905002-18	51.4			7.67			30 DK		14
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	34.3	3.83	41.6 ng/L	FALSE	NA	1 1905002-18	39.4			13.8			30 DK		2
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	3.38	1.25	8.32 ng/L	FALSE	NA	1 1905002-18	2.68			23.2			30 DK		21
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	3.84	1.08	8.32 ng/L	FALSE	NA	1 1905002-18	3.13			20.5			30 DK		22
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	483	1.33	8.32 ng/L	FALSE	NA	1 1905002-18	469			2.89			30 DK		23
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.08	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		24
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	1.76	1.33	8.32 ng/L	FALSE	NA	1 1905002-18	1.56			12.1			30 DK		25
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	4.42	2.25	8.32 ng/L	FALSE	NA	1 1905002-18	4.07			8.31			30 DK		26
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.16	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		27
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	1.78	1.58	8.32 ng/L	FALSE	NA	1 1905002-18	1.69			5.08			30 DK		28
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.915	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		29
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	40.1	1.66	8.32 ng/L	FALSE	NA	1 1905002-18	36.8			8.64			30 DK		3
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.83	8.32 ng/L	FALSE	NA	1 1905002-18	U						30 DK		30
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	15.2	0.832	8.32 ng/L	FALSE	NA	1 1905002-18	14.9			2.09			30 DK		4
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	8.81	1.41	8.32 ng/L	FALSE	NA	1 1905002-18	9.11			3.27			30 DK		5
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	1.88	0.915	8.32 ng/L	FALSE	NA	1 1905002-18	1.83			2.33			30 DK		6
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	76.5		ng/L	FALSE	NA	1 1905002-18		106.2	72		130	70	DK		60
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	74.4		ng/L	FALSE	NA	1 1905002-18		106.2	70		130	70	DK		61
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	64.3		ng/L	FALSE	NA	1 1905002-18		102.8	62.5		130	70	DK		62
US EPA Region 5 Chicago Regional Laboratory	B19E001-DUP1	Duplicate	Water	5/1/2019 14:45	5/2/2019 10:31	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	90.7		ng/L	FALSE	NA	1 1905002-18		100.8	89.9		130	70	DK		63
US EP

US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	136			ng/L	FALSE	NA	1			160	85.1	130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	8.69	1.4	10	ng/L	FALSE	NA	1			10	86.9	150	50	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	139			ng/L	FALSE	NA	1			160	86.9	130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.4	130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.3	130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	140			ng/L	FALSE	NA	1			160	87.7	130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	131			ng/L	FALSE	NA	1			151.4	86.5	130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	131			ng/L	FALSE	NA	1			148.6	87.8	130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	136			ng/L	FALSE	NA	1			160	85.1	130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	138			ng/L	FALSE	NA	1			160	86.5	130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	140			ng/L	FALSE	NA	1			160	87.4	130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	7.64	1.2	10	ng/L	FALSE	NA	1			10	76.4	150	50	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL1	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:12	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	9.38	1.2	10	ng/L	FALSE	NA	1			10	93.8	150	50	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	55.1	4.6	50	ng/L	FALSE	NA	1			50	110	150	50	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	9.88	0.7	10	ng/L	FALSE	NA	1			10	98.8	150	50	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	9.33	1.2	10	ng/L	FALSE	NA	1			10	93.3	150	50	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	12.7	0.8	10	ng/L	FALSE	NA	1			10	127	150	50	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	10.2	1.2	10	ng/L	FALSE	NA	1			10	102	150	50	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	9.92	2.2	10	ng/L	FALSE	NA	1			10	99.2	150	50	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	55	4.6	50	ng/L	FALSE	NA	1			50	110	150	50	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	9.56	1.5	10	ng/L	FALSE	NA	1			10	95.6	150	50	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.72	1.3	10	ng/L	FALSE	NA	1			10	97.2	150	50	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1			10		150	50	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	10.3	2.5	10	ng/L	FALSE	NA	1			10	103	150	50	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	10.6	1.6	10	ng/L	FALSE	NA	1			10	106	150	50	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	9.67	2.7	10	ng/L	FALSE	NA	1			10	96.7	150	50	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	9.17	1.4	10	ng/L	FALSE	NA	1			10	91.7	150	50	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	11.7	1.9	10	ng/L	FALSE	NA	1			10	117	150	50	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	10.8	1.1	10	ng/L	FALSE	NA	1			10	108	150	50	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	11.6	2	10	ng/L	FALSE	NA	1			10	116	150	50	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	9.57	2.2	10	ng/L	FALSE	NA	1			10	95.7	150	50	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	10.3	1	10	ng/L	FALSE	NA	1			10	103	150	50	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	9.92	1.7	10	ng/L	FALSE	NA	1			10	99.2	150	50	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	8.67	1.1	10	ng/L	FALSE	NA	1			10	86.7	150	50	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.2	130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.2	130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	128			ng/L	FALSE	NA	1			154.9	82.6	130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	126			ng/L	FALSE	NA	1			151.8	83.1	130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	127			ng/L	FALSE	NA	1			149.6	84.9	130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	138			ng/L	FALSE	NA	1			160	86.1	130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	133			ng/L	FALSE	NA	1			160	83	130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	135			ng/L	FALSE	NA	1			153.1	87.9	130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	132			ng/L	FALSE	NA	1			160	82.4	130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	138			ng/L	FALSE	NA	1			160	86	130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	8.77	1.4	10	ng/L	FALSE	NA	1			10	87.7	150	50	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	137			ng/L	FALSE	NA	1			160	85.6	130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	138			ng/L	FALSE	NA	1			160	86.1	130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.8	130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	139			ng/L	FALSE	NA	1			160	86.7	130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	133			ng/L	FALSE	NA	1			151.4	87.7	130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	122			ng/L	FALSE	NA	1			148.6	82.2	130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	134			ng/L	FALSE	NA	1			160	83.7	130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	139			ng/L	FALSE	NA	1			160	87.1	130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	140			ng/L	FALSE	NA	1			160	87.7	130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	9.01	1.2	10	ng/L	FALSE	NA	1			10	90.1	150	50	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E001-MRL2	MRL Check	Water	5/1/2019 14:45	5/2/2019 0:35	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	11.5	1.2	10	ng/L	FALSE	NA	1			10	115	150	50	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	682	4.11	44.7	ng/L	FALSE	NA	1 1905002-18	26.6		630.2	104	130	70	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	75.2	0.626	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	59.7	130	70	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	27.2	1.07	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	21.6	130	70	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	145	0.715	8.94	ng/L	FALSE	NA	1 1905002-18	13.6		126	104	130	70	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	130	1.07	8.94	ng/L	FALSE	NA	1 1905002-18	15.6		126	90.5	130	70	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	175	1.97	8.94	ng/L	FALSE	NA	1 1905002-18	51.4		126	98	130	70	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	625	4.11	44.7	ng/L	FALSE	NA	1 1905002-18	39.4		630.2	93	130	70	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	105	1.34	8.94	ng/L	FALSE	NA	1 1905002-18	2.68		126	81.5	130	70	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	132	1.16	8.94	ng/L	FALSE	NA	1 1905002-18	3.13		126	102	130	70	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	680	1.43	8.94	ng/L	FALSE	NA	1 1905002-18	469		126	167	130	70	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	119	2.23	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	94.4	130	70	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	111	1.43	8.94	ng/L	FALSE	NA	1 1905002-18	1.56		126	86.5	130	70	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	109	2.41	8.94	ng/L	FALSE	NA	1 1905002-18	4.07		126	83.3	130	70	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	109	1.25	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	86.2	130	70	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	102	1.7	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	81.2	130	70	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	103	0.983	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	81.5	130	70	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	162	1.79	8.94	ng/L	FALSE	NA	1 1905002-18	36.8		126	99.4	130	70	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	101	1.97	8.94	ng/L	FALSE	NA	1 1905002-18	U		126	80	130	70	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	134	0.894	8.94	ng/L	FALSE	NA	1 1905002-18	14.9		126	94.7	130	70	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E001-MS1	Matrix Spike	Water	5/1/2019 14:45	5/2/2019 10:54	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	115	1.52	8.94	ng/L	FALSE	NA	1 1905002-18	9.11

US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	101		ng/L	FALSE	NA	1	1905002-18		107.7	93.6		130	70		DK		63
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	78.7		ng/L	FALSE	NA	1	1905002-18		106.1	74.1		130	70		DK		64
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	86.5		ng/L	FALSE	NA	1	1905002-18		113.5	76.2		130	70		DK		65
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	89.6		ng/L	FALSE	NA	1	1905002-18		113.5	79		130	70		DK		66
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	90.6		ng/L	FALSE	NA	1	1905002-18		108.6	83.4		130	70		DK		67
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	91.8		ng/L	FALSE	NA	1	1905002-18		113.5	80.9		130	70		DK		68
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	78.5		ng/L	FALSE	NA	1	1905002-18		113.5	69.2		130	70		DK		69
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	92.3	1.2	8.55 ng/L	FALSE	NA	1	1905002-18	U	113.5	81.4	10.9	130	70	30	DK		7
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	85		ng/L	FALSE	NA	1	1905002-18		113.5	74.9		130	70		DK		70
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	104		ng/L	FALSE	NA	1	1905002-18		113.5	91.3		130	70		DK		71
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	109		ng/L	FALSE	NA	1	1905002-18		113.5	96		130	70		DK		72
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	98.6		ng/L	FALSE	NA	1	1905002-18		113.5	86.9		130	70		DK		73
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	96.5		ng/L	FALSE	NA	1	1905002-18		107.3	89.9		130	70		DK		74
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	107		ng/L	FALSE	NA	1	1905002-18		105.4	101		130	70		DK		75
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	1.82		ng/L	FALSE	NA	1	1905002-18		113.5	1.6		130	70		DK		76
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	68.7		ng/L	FALSE	NA	1	1905002-18		113.5	60.5		130	70		DK		77
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	114		ng/L	FALSE	NA	1	1905002-18		113.5	101		130	70		DK		78
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	83.5	1.03	8.55 ng/L	FALSE	NA	1	1905002-18	U	113.5	73.6	19.4	130	70	30	DK		8
US EPA Region 5 Chicago Regional Laboratory	B19E001-MSD1	Matrix Spike Dup	Water	5/1/2019 14:45	5/2/2019 11:17	B19E001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	71.1	1.03	8.55 ng/L	FALSE	NA	1	1905002-18	U	113.5	62.7	28.3	130	70	30	DK		9

QUALIFIER	DESCRIPTION