CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPTQMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE U	3.8	41.3	ng/L	FALSE	NA	1				LZ																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U	0.578	8.26	ng/L	FALSE	NA	1				LZ																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE U	0.991	8.26	ng/L	FALSE	NA	1				LZ																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	16.4	0.661	8.26	ng/L	FALSE	NA	1				LZ																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	52.7	0.991	8.26	ng/L	FALSE	NA	1				LZ																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	178	1.82	8.26	ng/L	FALSE	NA	1				LZ																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE U	3.8	41.3	ng/L	FALSE	NA	1				LZ																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE U	1.24	8.26	ng/L	FALSE	NA	1				LZ																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.86	1.07	8.26	ng/L	FALSE	NA	1				LZ																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1640	1.32	8.26	ng/L	FALSE	NA	1				LZ																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U	2.07	8.26	ng/L	FALSE	NA	1				LZ																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.32	8.26	ng/L	FALSE	NA	1				LZ																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	23.9	2.48	8.26	ng/L	FALSE	NA	1				LZ																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.29	8.26	ng/L	FALSE	NA	1				LZ																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U	1.57	8.26	ng/L	FALSE	NA	1				LZ																	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE U	0.909	8.26	ng/L	FALSE	NA	1				LZ																	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	54.3	1.65	8.26	ng/L	FALSE	NA	1				LZ																	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE U	1.82	8.26	ng/L	FALSE	NA	1				LZ																	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	16.1	0.826	8.26	ng/L	FALSE	NA	1				LZ																	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.8	1.4	8.26	ng/L	FALSE	NA	1				LZ																	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE U	0.909	8.26	ng/L	FALSE	NA	1				LZ																	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	91.9		ng/L	FALSE	NA	1	104.4	88	130	70 LZ																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	91.3		ng/L	FALSE	NA	1	104.4	87.4	130	70 LZ																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13(2)-8:2 FTS		TRUE	FALSE	136		ng/L	FALSE	NA	1	101.1	135	130	70 LZ																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13(2)-6:2 FTS		TRUE	FALSE	202		ng/L	FALSE	NA	1	99.07	204	130	70 LZ																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13(2)-4:2 FTS		TRUE	FALSE	110		ng/L	FALSE	NA	1	97.61	113	130	70 LZ																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	104		ng/L	FALSE	NA	1	104.4	99.9	130	70 LZ																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	102		ng/L	FALSE	NA	1	104.4	97.4	130	70 LZ																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	98.2		ng/L	FALSE	NA	1	99.9	98.3	130	70 LZ																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	107		ng/L	FALSE	NA	1	104.4	102	130	70 LZ																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	92.8		ng/L	FALSE	NA	1	104.4	88.9	130	70 LZ																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE U	1.16	8.26	ng/L	FALSE	NA	1				LZ																	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	103		ng/L	FALSE	NA	1	104.4	98.7	130	70 LZ																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	105		ng/L	FALSE	NA	1	104.4	100	130	70 LZ																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	115		ng/L	FALSE	NA	1	104.4	110	130	70 LZ																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	109		ng/L	FALSE	NA	1	104.4	104	130	70 LZ																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	108		ng/L	FALSE	NA	1	98.76	109	130	70 LZ																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	107		ng/L	FALSE	NA	1	96.98	111	130	70 LZ																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	3.23		ng/L	FALSE	NA	1	104.4	3.09	130	70 LZ																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	64.7		ng/L	FALSE	NA	1	104.4	61.9	130	70 LZ																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-01RE2	Water	Water	04/04/2019 12:10:00	04/09/2019 08:35:00	04/09/2019 19:03:29	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFBA		TRUE	FALSE	123		ng/L	FALSE	NA	1	104.4	118	130	70 LZ																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE U	0.991	8.26	ng/L	FALSE	NA	1				LZ																	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE U	0.991	8.26	ng/L	FALSE	NA	1				LZ																	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE U	3.9	42.4	ng/L	FALSE	NA	1				LZ																	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U	0.593	8.47	ng/L	FALSE	NA	1				LZ																	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE U	1.02	8.47	ng/L	FALSE	NA	1				LZ																	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	18.1	0.678	8.47	ng/L	FALSE	NA	1				LZ																	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	58.5	1.02	8.47	ng/L	FALSE	NA	1				LZ																	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	256	1.86	8.47	ng/L	FALSE	NA	1				LZ																	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	50.9	3.9	42.4	ng/L	FALSE	NA	1				LZ																	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE U	1.27	8.47	ng/L	FALSE	NA	1				LZ																	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	10.6	1.1	8.47	ng/L	FALSE	NA	1				LZ																	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	2760	1.36	8.47	ng/L	FALSE	NA	1				LZ																	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U	2.12	8.47	ng/L	FALSE	NA	1				LZ																	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.36	8.47	ng/L	FALSE	NA	1				LZ																	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	30.8	2.29	8.47	ng/L	FALSE	NA	1				LZ																	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water	Water	04/04/2019 12:23:00	04/09/2019 08:35:00	04/09/2019 19:26:18	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.19	8.47	ng/L	FALSE	NA	1				LZ																	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190404-11	1904005-02RE2	Water

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1590	1.49	9.29	ng/L	FALSE	NA	1				LZ	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.32	9.29	ng/L	FALSE	NA	1				LZ	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.49	9.29	ng/L	FALSE	NA	1				LZ	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	21.8	2.51	9.29	ng/L	FALSE	NA	1				LZ	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.3	9.29	ng/L	FALSE	NA	1				LZ	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.77	9.29	ng/L	FALSE	NA	1				LZ	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.02	9.29	ng/L	FALSE	NA	1				LZ	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	54.4	1.86	9.29	ng/L	FALSE	NA	1				LZ	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.04	9.29	ng/L	FALSE	NA	1				LZ	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	16.9	0.929	9.29	ng/L	FALSE	NA	1				LZ	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.1	1.58	9.29	ng/L	FALSE	NA	1				LZ	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.02	9.29	ng/L	FALSE	NA	1				LZ	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	123		ng/L	FALSE	NA	1	137.3	89.4	130	70 LZ	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	113		ng/L	FALSE	NA	1	137.3	82	130	70 LZ	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	170		ng/L	FALSE	NA	1	132.9	128	130	70 LZ	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	224		ng/L	FALSE	NA	1	130.3	172	130	70 LZ	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	136		ng/L	FALSE	NA	1	128.4	106	130	70 LZ	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	127		ng/L	FALSE	NA	1	137.3	92.5	130	70 LZ	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	127		ng/L	FALSE	NA	1	137.3	92.6	130	70 LZ	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	128		ng/L	FALSE	NA	1	131.4	97.2	130	70 LZ	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	131		ng/L	FALSE	NA	1	137.3	95.8	130	70 LZ	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	126		ng/L	FALSE	NA	1	137.3	92.1	130	70 LZ	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.3	9.29	ng/L	FALSE	NA	1				LZ	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	127		ng/L	FALSE	NA	1	137.3	92.8	130	70 LZ	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	130		ng/L	FALSE	NA	1	137.3	94.7	130	70 LZ	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	141		ng/L	FALSE	NA	1	137.3	103	130	70 LZ	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	132		ng/L	FALSE	NA	1	137.3	96.3	130	70 LZ	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	128		ng/L	FALSE	NA	1	129.9	98.3	130	70 LZ	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	134		ng/L	FALSE	NA	1	127.6	105	130	70 LZ	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	42.3		ng/L	FALSE	NA	1	137.3	30.8	130	70 LZ	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	116		ng/L	FALSE	NA	1	137.3	84.7	130	70 LZ	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	155		ng/L	FALSE	NA	1	137.3	113	130	70 LZ	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.11	9.29	ng/L	FALSE	NA	1				LZ	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-04-20190404-11	1904005-05RE2	Water	Water	04/04/2019 12:50:00	04/09/2019 08:35:00	04/09/2019 20:34:44	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.11	9.29	ng/L	FALSE	NA	1				LZ	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.84	41.8	ng/L	FALSE	NA	1				LZ	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.585	8.35	ng/L	FALSE	NA	1				LZ	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1	8.35	ng/L	FALSE	NA	1				LZ	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	15.1	0.725	8.35	ng/L	FALSE	NA	1				LZ	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	43.9	1	8.35	ng/L	FALSE	NA	1				LZ	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	155	1.84	8.35	ng/L	FALSE	NA	1				LZ	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.84	41.8	ng/L	FALSE	NA	1				LZ	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.25	8.35	ng/L	FALSE	NA	1				LZ	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	8.35	1.09	8.35	ng/L	FALSE	NA	1				LZ	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1440	1.34	8.35	ng/L	FALSE	NA	1				LZ	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.09	8.35	ng/L	FALSE	NA	1				LZ	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.34	8.35	ng/L	FALSE	NA	1				LZ	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	19	2.25	8.35	ng/L	FALSE	NA	1				LZ	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.17	8.35	ng/L	FALSE	NA	1				LZ	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.59	8.35	ng/L	FALSE	NA	1				LZ	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.919	8.35	ng/L	FALSE	NA	1				LZ	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	50.3	1.67	8.35	ng/L	FALSE	NA	1				LZ	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.84	8.35	ng/L	FALSE	NA	1				LZ	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13.9	0.835	8.35	ng/L	FALSE	NA	1				LZ	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.4	1.42	8.35	ng/L	FALSE	NA	1				LZ	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.919	8.35	ng/L	FALSE	NA	1				LZ	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	76.6		ng/L	FALSE	NA	1	107.3	71.4	130	70 LZ	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	76.9		ng/L	FALSE	NA	1	107.3	71.7	130	70 LZ	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	118		ng/L	FALSE	NA	1	103.8	114	130	70 LZ	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	179		ng/L	FALSE	NA	1	101.8	176	130	70 LZ	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	100		ng/L	FALSE	NA	1	100.3	99.9	130	70 LZ	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	91		ng/L	FALSE	NA	1	107.3	84.8	130	70 LZ	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water	Water	04/04/2019 13:03:00	04/09/2019 08:35:00	04/09/2019 20:57:33	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	87.4		ng/L	FALSE	NA	1	107.3	81.5	130	70 LZ	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190404-11	1904005-06RE2	Water

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.7	1.51	8.9	ng/L	FALSE	NA	1				LZ	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.979	8.9	ng/L	FALSE	NA	1				LZ	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	86.7		ng/L	FALSE	NA	1	124.9	69.4	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	85.7		ng/L	FALSE	NA	1	124.9	68.6	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13(2)-8:2 FTS		TRUE	FALSE	130		ng/L	FALSE	NA	1	120.9	107	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13(2)-6:2 FTS		TRUE	FALSE	187		ng/L	FALSE	NA	1	118.5	158	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13(2)-4:2 FTS		TRUE	FALSE	105		ng/L	FALSE	NA	1	116.8	89.7	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	97.7		ng/L	FALSE	NA	1	124.9	78.3	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	94		ng/L	FALSE	NA	1	124.9	75.3	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	93.7		ng/L	FALSE	NA	1	119.5	78.4	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	102		ng/L	FALSE	NA	1	124.9	82	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	90.6		ng/L	FALSE	NA	1	124.9	72.6	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.25	8.9	ng/L	FALSE	NA	1				LZ	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	93.3		ng/L	FALSE	NA	1	124.9	74.7	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNeA		TRUE	FALSE	108		ng/L	FALSE	NA	1	124.9	86.7	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	113		ng/L	FALSE	NA	1	124.9	90.2	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	100		ng/L	FALSE	NA	1	124.9	80	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	103		ng/L	FALSE	NA	1	118.1	87.1	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	107		ng/L	FALSE	NA	1	116	92.2	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	5.94		ng/L	FALSE	NA	1	124.9	4.76	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFDoA		TRUE	FALSE	72.9		ng/L	FALSE	NA	1	124.9	58.4	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	137		ng/L	FALSE	NA	1	124.9	110	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.9	ng/L	FALSE	NA	1				LZ	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190404-12	1904005-09RE2	Water	Water	04/04/2019 09:33:00	04/09/2019 08:35:00	04/09/2019 22:06:07	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.9	ng/L	FALSE	NA	1				LZ	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.05	44	ng/L	FALSE	NA	1				LZ	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.616	8.8	ng/L	FALSE	NA	1				LZ	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.06	8.8	ng/L	FALSE	NA	1				LZ	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroburbutyl sulfonate	29420-49-3	FALSE	FALSE	18.1	0.704	8.8	ng/L	FALSE	NA	1				LZ	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	44.2	1.06	8.8	ng/L	FALSE	NA	1				LZ	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	178	1.94	8.8	ng/L	FALSE	NA	1				LZ	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	57.1	4.05	44	ng/L	FALSE	NA	1				LZ	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.32	8.8	ng/L	FALSE	NA	1				LZ	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.14	8.8	ng/L	FALSE	NA	1				LZ	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1620	1.41	8.8	ng/L	FALSE	NA	1				LZ	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.2	8.8	ng/L	FALSE	NA	1				LZ	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.41	8.8	ng/L	FALSE	NA	1				LZ	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	23.9	2.38	8.8	ng/L	FALSE	NA	1				LZ	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.23	8.8	ng/L	FALSE	NA	1				LZ	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.67	8.8	ng/L	FALSE	NA	1				LZ	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.968	8.8	ng/L	FALSE	NA	1				LZ	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	66.2	1.76	8.8	ng/L	FALSE	NA	1				LZ	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.94	8.8	ng/L	FALSE	NA	1				LZ	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	20.2	0.88	8.8	ng/L	FALSE	NA	1				LZ	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.9	1.5	8.8	ng/L	FALSE	NA	1				LZ	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.968	8.8	ng/L	FALSE	NA	1				LZ	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	87.8		ng/L	FALSE	NA	1	121.7	68	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	83		ng/L	FALSE	NA	1	121.7	68.2	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13(2)-8:2 FTS		TRUE	FALSE	120		ng/L	FALSE	NA	1	117.8	102	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13(2)-6:2 FTS		TRUE	FALSE	184		ng/L	FALSE	NA	1	115.5	160	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13(2)-4:2 FTS		TRUE	FALSE	98.7		ng/L	FALSE	NA	1	113.8	86.8	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	94.9		ng/L	FALSE	NA	1	121.7	78	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	95.9		ng/L	FALSE	NA	1	121.7	78.8	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	92.6		ng/L	FALSE	NA	1	116.5	79.5	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	97.5		ng/L	FALSE	NA	1	121.7	80.1	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	86.5		ng/L	FALSE	NA	1	121.7	71.1	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.23	8.8	ng/L	FALSE	NA	1				LZ	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	92.7		ng/L	FALSE	NA	1	121.7	76.2	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNeA		TRUE	FALSE	104		ng/L	FALSE	NA	1	121.7	85.7	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	111		ng/L	FALSE	NA	1	121.7	90.8	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	102		ng/L	FALSE	NA	1	121.7	83.5	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	96.6		ng/L	FALSE	NA	1	115.1	83.9	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	102		ng/L	FALSE	NA	1	113.1	90.5	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-10-20190404-11	1904005-10RE2	Water	Water	04/04/2019 10:30:00	04/09/2019 08:35:00	04/09/2019 22:28:55	B190011	OSRTI PFC	*** DEFAULT SPECIFIC MET

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	105		ng/L	FALSE	NA	1	127.7	81.9	130	70 LZ	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	97.5		ng/L	FALSE	NA	1	127.7	76.3	130	70 LZ	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.26	8.99 ng/L	FALSE	NA	1				LZ	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	99.8		ng/L	FALSE	NA	1	127.7	78.2	130	70 LZ	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	113		ng/L	FALSE	NA	1	127.7	88.6	130	70 LZ	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	115		ng/L	FALSE	NA	1	127.7	90.1	130	70 LZ	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	108		ng/L	FALSE	NA	1	127.7	84.2	130	70 LZ	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	104		ng/L	FALSE	NA	1	120.9	86.1	130	70 LZ	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	114		ng/L	FALSE	NA	1	118.7	95.7	130	70 LZ	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	24.5		ng/L	FALSE	NA	1	127.7	19.2	130	70 LZ	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9FDoA		TRUE	FALSE	88.1		ng/L	FALSE	NA	1	127.7	69	130	70 LZ	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9FBA		TRUE	FALSE	146		ng/L	FALSE	NA	1	127.7	114	130	70 LZ	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.08	8.99 ng/L	FALSE	NA	1				LZ	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-12	1904006-17	Water	Water	04/05/2019 11:17:00	04/09/2019 09:26:00	04/10/2019 00:45:46	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.08	8.99 ng/L	FALSE	NA	1				LZ	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.9	42.4 ng/L	FALSE	NA	1				LZ	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.593	8.47 ng/L	FALSE	NA	1				LZ	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.02	8.47 ng/L	FALSE	NA	1				LZ	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	14.8	0.678	8.47 ng/L	FALSE	NA	1				LZ	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	37.5	1.02	8.47 ng/L	FALSE	NA	1				LZ	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	148	1.86	8.47 ng/L	FALSE	NA	1				LZ	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	46.5	3.9	42.4 ng/L	FALSE	NA	1				LZ	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.27	8.47 ng/L	FALSE	NA	1				LZ	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	8.86	1.1	8.47 ng/L	FALSE	NA	1				LZ	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1600	1.49	8.47 ng/L	FALSE	NA	1				LZ	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.12	8.47 ng/L	FALSE	NA	1				LZ	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.36	8.47 ng/L	FALSE	NA	1				LZ	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	22	2.29	8.47 ng/L	FALSE	NA	1				LZ	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.19	8.47 ng/L	FALSE	NA	1				LZ	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.61	8.47 ng/L	FALSE	NA	1				LZ	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.932	8.47 ng/L	FALSE	NA	1				LZ	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	56.2	1.69	8.47 ng/L	FALSE	NA	1				LZ	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.86	8.47 ng/L	FALSE	NA	1				LZ	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	20.7	0.847	8.47 ng/L	FALSE	NA	1				LZ	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.5	1.44	8.47 ng/L	FALSE	NA	1				LZ	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.932	8.47 ng/L	FALSE	NA	1				LZ	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-11	1904006-18	Water	Water	04/06/2019 11:55:00	04/09/2019 09:26:00	04/10/2019 01:08:35	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	101		ng/L	FALSE	NA	1	138.6	72.8	130	70 LZ	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	104		ng/L	FALSE	NA	1	138.6	74.8	130	70 LZ	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13{2}-8:2 FTS		TRUE	FALSE	149		ng/L	FALSE	NA	1	134.1	111	130	70 LZ	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13{2}-6:2 FTS		TRUE	FALSE	204		ng/L	FALSE	NA	1	131.5	155	130	70 LZ	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13{2}-4:2 FTS		TRUE	FALSE	117		ng/L	FALSE	NA	1	129.6	90.7	130	70 LZ	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	109		ng/L	FALSE	NA	1	138.6	78.5	130	70 LZ	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	113		ng/L	FALSE	NA	1	138.6	81.4	130	70 LZ	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	116		ng/L	FALSE	NA	1	132.6	87.5	130	70 LZ	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	113		ng/L	FALSE	NA	1	138.6	81.2	130	70 LZ	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	108		ng/L	FALSE	NA	1	138.6	78.1	130	70 LZ	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.31	9.33 ng/L	FALSE	NA	1				LZ	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	107		ng/L	FALSE	NA	1	138.6	77.2	130	70 LZ	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	124		ng/L	FALSE	NA	1	138.6	89.4	130	70 LZ	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	128		ng/L	FALSE	NA	1	138.6	92.3	130	70 LZ	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	115		ng/L	FALSE	NA	1	138.6	83.3	130	70 LZ	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	114		ng/L	FALSE	NA	1	131.1	86.7	130	70 LZ	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	127		ng/L	FALSE	NA	1	128.7	98.7	130	70 LZ	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	35.8		ng/L	FALSE	NA	1	138.6	25.8	130	70 LZ	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9FDoA		TRUE	FALSE	97.6		ng/L	FALSE	NA	1	138.6	70.5	130	70 LZ	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9FBA		TRUE	FALSE	157		ng/L	FALSE	NA	1	138.6	113	130	70 LZ	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.12	9.33 ng/L	FALSE	NA	1				LZ	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190405-11	1904006-19	Water	Water	04/05/2019 13:26:00	04/09/2019 09:26:00	04/10/2019 01:31:25	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.12	9.33 ng/L	FALSE	NA	1				LZ	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.33	47 ng/L	FALSE	NA	1				LZ	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.658	9.41 ng/L	FALSE	NA	1				LZ	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.13	9.41 ng/L	FALSE	NA	1				LZ	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	11.6	0.753	9.41 ng/L	FALSE	NA	1				LZ	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	35.6	1.13	9.41 ng/L	FALSE	NA	1				LZ	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	137	2.07	9.41 ng/L	FALSE	NA	1				LZ	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190406-12	1904006-20	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 01:54:14	B190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perflu

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190406-12	1904006-21	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 02:17:03	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	53	ng/L	FALSE	NA	1	110.7	47.9	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190406-12	1904006-21	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 02:17:03	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	124	ng/L	FALSE	NA	1	110.7	112	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190406-12	1904006-21	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 02:17:03	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.02	8.46	ng/L	FALSE	NA	1			LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190406-12	1904006-21	Water	Water	04/06/2019 11:05:00	04/09/2019 09:26:00	04/10/2019 02:17:03	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.02	8.46	ng/L	FALSE	NA	1			LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.15	45.1	ng/L	FALSE	NA	1			LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.632	9.02	ng/L	FALSE	NA	1			LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.08	9.02	ng/L	FALSE	NA	1			LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	20.5	0.722	9.02	ng/L	FALSE	NA	1			LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	38.7	1.08	9.02	ng/L	FALSE	NA	1			LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	134	1.99	9.02	ng/L	FALSE	NA	1			LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.15	45.1	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.35	9.02	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.17	9.02	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1140	1.44	9.02	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.26	9.02	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.44	9.02	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	18.7	2.44	9.02	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.26	9.02	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.71	9.02	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.993	9.02	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	43.3	1.8	9.02	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.99	9.02	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13	0.902	9.02	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.7	1.53	9.02	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.993	9.02	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	88.6	ng/L	FALSE	NA	1	128.7	68.8	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	95.9	ng/L	FALSE	NA	1	128.7	74.5	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	132	ng/L	FALSE	NA	1	124.6	106	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	173	ng/L	FALSE	NA	1	122.2	142	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	108	ng/L	FALSE	NA	1	120.4	89.9	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	100	ng/L	FALSE	NA	1	128.7	78	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	98.9	ng/L	FALSE	NA	1	128.7	76.8	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	99.3	ng/L	FALSE	NA	1	123.2	80.6	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	101	ng/L	FALSE	NA	1	128.7	78.7	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	97.4	ng/L	FALSE	NA	1	128.7	75.7	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.26	9.02	ng/L	FALSE	NA	1			LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	102	ng/L	FALSE	NA	1	128.7	79.1	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	113	ng/L	FALSE	NA	1	128.7	88.1	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	117	ng/L	FALSE	NA	1	128.7	90.6	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	107	ng/L	FALSE	NA	1	128.7	83.3	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	101	ng/L	FALSE	NA	1	121.8	83.1	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	118	ng/L	FALSE	NA	1	119.6	98.8	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	18.6	ng/L	FALSE	NA	1	128.7	14.5	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	85.1	ng/L	FALSE	NA	1	128.7	66.1	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	145	ng/L	FALSE	NA	1	128.7	112	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.08	9.02	ng/L	FALSE	NA	1			LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190405-11	1904006-22	Water	Water	04/05/2019 14:09:00	04/09/2019 09:26:00	04/10/2019 02:39:59	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.08	9.02	ng/L	FALSE	NA	1			LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.13	44.9	ng/L	FALSE	NA	1			LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.629	8.99	ng/L	FALSE	NA	1			LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.08	8.99	ng/L	FALSE	NA	1			LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.719	8.99	ng/L	FALSE	NA	1			LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.08	8.99	ng/L	FALSE	NA	1			LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	1.98	8.99	ng/L	FALSE	NA	1			LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.13	44.9	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.35	8.99	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.17	8.99	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.44	8.99	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.25	8.99	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.44	8.99	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.43	8.99	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.26	8.99	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.71	8.99	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190406-15	1904006-24	Water	Water	04/06/2019 15:00:00	04/09/2019 09:26:00	04/10/2019 03:25:37	8190011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	178			ng/L	FALSE	NA	1		160	111	130	70	LZ					60
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	174			ng/L	FALSE	NA	1		160	109	130	70	LZ					61
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	191			ng/L	FALSE	NA	1		154.9	123	130	70	LZ					62
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	183			ng/L	FALSE	NA	1		151.8	120	130	70	LZ					63
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	166			ng/L	FALSE	NA	1		149.6	111	130	70	LZ					64
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	172			ng/L	FALSE	NA	1		160	108	130	70	LZ					65
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	177			ng/L	FALSE	NA	1		160	111	130	70	LZ					66
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	159			ng/L	FALSE	NA	1		153.1	104	130	70	LZ					67
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	170			ng/L	FALSE	NA	1		160	106	130	70	LZ					68
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	177			ng/L	FALSE	NA	1		160	111	130	70	LZ					69
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	177			ng/L	FALSE	NA	1		160	110	130	70	LZ					70
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	171			ng/L	FALSE	NA	1		160	107	130	70	LZ					71
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	171			ng/L	FALSE	NA	1		160	107	130	70	LZ					72
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	169			ng/L	FALSE	NA	1		160	106	130	70	LZ					73
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	159			ng/L	FALSE	NA	1		151.4	105	130	70	LZ					74
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	154			ng/L	FALSE	NA	1		148.6	104	130	70	LZ					75
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	173			ng/L	FALSE	NA	1		160	108	130	70	LZ					76
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	177			ng/L	FALSE	NA	1		160	110	130	70	LZ					77
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	186			ng/L	FALSE	NA	1		160	116	130	70	LZ					78
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK1	Blank	Water	4/9/2019 9:26	4/9/2019 16:46	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	183			ng/L	FALSE	NA	1		160	114	130	70	LZ					60
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	173			ng/L	FALSE	NA	1		160	108	130	70	LZ					61
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	211			ng/L	FALSE	NA	1		154.9	136	130	70	LZ					62
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	197			ng/L	FALSE	NA	1		151.8	130	130	70	LZ					63
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	173			ng/L	FALSE	NA	1		149.6	115	130	70	LZ					64
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	176			ng/L	FALSE	NA	1		160	110	130	70	LZ					65
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	170			ng/L	FALSE	NA	1		160	106	130	70	LZ					66
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	159			ng/L	FALSE	NA	1		153.1	104	130	70	LZ					67
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	174			ng/L	FALSE	NA	1		160	109	130	70	LZ					68
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	185			ng/L	FALSE	NA	1		160	116	130	70	LZ					69
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	184			ng/L	FALSE	NA	1		160	115	130	70	LZ					70
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	170			ng/L	FALSE	NA	1		160	107	130	70	LZ					71
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	165			ng/L	FALSE	NA	1		160	103	130	70	LZ					72
US EPA Region 5 Chicago Regional Laboratory	B19D011-BLK2	Blank	Water	4/9/2019 9:26	4/9/2019 17:09	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	171			ng/L	FALSE	NA	1		160	107	130	70	LZ

US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	156		ng/L	FALSE	NA	1		151.4	103		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	150		ng/L	FALSE	NA	1		148.6	101		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	163		ng/L	FALSE	NA	1		160	102		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	178		ng/L	FALSE	NA	1		160	111		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	189		ng/L	FALSE	NA	1		160	118		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	172	1.2	10 ng/L	FALSE	NA	1		160	107		130	70	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D011-BS1	LCS	Water	4/9/2019 9:26	4/9/2019 18:17	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	169	1.2	10 ng/L	FALSE	NA	1		160	106		130	70	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	876	4.6	50 ng/L	FALSE	NA	1		800	110	0.778	130	70	30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	177	0.7	10 ng/L	FALSE	NA	1		160	110	6.57	130	70	30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	173	1.2	10 ng/L	FALSE	NA	1		160	108	10.3	130	70	30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	165	0.8	10 ng/L	FALSE	NA	1		160	103	1.4	130	70	30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	165	1.2	10 ng/L	FALSE	NA	1		160	103	5.29	130	70	30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	159	2.2	10 ng/L	FALSE	NA	1		160	99.7	0.551	130	70	30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	812	4.6	50 ng/L	FALSE	NA	1		800	102	0.099	130	70	30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	185	1.5	10 ng/L	FALSE	NA	1		160	116	3.62	130	70	30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	163	1.3	10 ng/L	FALSE	NA	1		160	102	2.4	130	70	30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	196	1.6	10 ng/L	FALSE	NA	1		160	123	8.36	130	70	30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	163	2.5	10 ng/L	FALSE	NA	1		160	102	0.901	130	70	30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	172	1.6	10 ng/L	FALSE	NA	1		160	108	0.797	130	70	30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	214	2.7	10 ng/L	FALSE	NA	1		160	134	9.71	130	70	30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	174	1.4	10 ng/L	FALSE	NA	1		160	109	2.19	130	70	30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	171	1.9	10 ng/L	FALSE	NA	1		160	107	1.68	130	70	30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	179	1.1	10 ng/L	FALSE	NA	1		160	112	5.45	130	70	30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	158	2	10 ng/L	FALSE	NA	1		160	98.7	1.05	130	70	30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	166	2.2	10 ng/L	FALSE	NA	1		160	103	2.28	130	70	30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	162	1	10 ng/L	FALSE	NA	1		160	101	0.56	130	70	30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	164	1.7	10 ng/L	FALSE	NA	1		160	103	0.94	130	70	30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	169	1.1	10 ng/L	FALSE	NA	1		160	105	0.312	130	70	30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	178		ng/L	FALSE	NA	1		160	111		130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	176		ng/L	FALSE	NA	1		160	110		130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	208		ng/L	FALSE	NA	1		154.9	135		130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	191		ng/L	FALSE	NA	1		151.8	126		130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	178		ng/L	FALSE	NA	1		149.6	119		130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	175		ng/L	FALSE	NA	1		160	109		130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	177		ng/L	FALSE	NA	1		160	111		130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	167		ng/L	FALSE	NA	1		153.1	109		130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	173		ng/L	FALSE	NA	1		160	108		130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	182		ng/L	FALSE	NA	1		160	114		130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	170	1.4	10 ng/L	FALSE	NA	1		160	106	0.443	130	70	30 LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	175		ng/L	FALSE	NA	1		160	110		130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	167		ng/L	FALSE	NA	1		160	105		130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	169		ng/L	FALSE	NA	1		160	106		130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	171		ng/L	FALSE	NA	1		160	107		130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	162		ng/L	FALSE	NA	1		151.4	107		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	155		ng/L	FALSE	NA	1		148.6	104		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	182		ng/L	FALSE	NA	1		160	114		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	183		ng/L	FALSE	NA	1		160	114		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	189		ng/L	FALSE	NA	1		160	118		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	171	1.2	10 ng/L	FALSE	NA	1		160	107	0.601	130	70	30 LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D011-BSD1	LCS Dup	Water	4/9/2019 9:26	4/9/2019 18:40	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	175	1.2	10 ng/L	FALSE	NA	1		160	109	3.11	130	70	30 LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	29.7	4.1	44.5 ng/L	FALSE	NA	1 1904005-12RE2	23			25.4			30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.624	8.91 ng/L	FALSE	NA	1 1904005-12RE2	U						30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.91 ng/L	FALSE	NA	1 1904005-12RE2	3.2						30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	18.6	0.713	8.91 ng/L	FALSE	NA	1 1904005-12RE2	15.9			15.8			30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	43	1.07	8.91 ng/L	FALSE	NA	1 1904005-12RE2	43.8			1.74			30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	151	1.96	8.91 ng/L	FALSE	NA	1 1904005-12RE2	145			3.53			30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	36	4.1	44.5 ng/L	FALSE	NA	1 1904005-12RE2	31.8			12.4			30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	3.62	1.34	8.91 ng/L	FALSE	NA	1 1904005-12RE2	3.73			2.89			30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	8.47	1.16	8.91 ng/L	FALSE	NA	1 1904005-12RE2	8.9			4.96			30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1280	1.43	8.91 ng/L	FALSE	NA	1 1904005-12RE2	1270			0.859			30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	5.1	2.23	8.91 ng/L	FALSE	NA	1 1904005-12RE2	5.46			6.93			30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	2.98	1.43	8.91 ng/L	FALSE	NA	1 1904005-12RE2	2.85			4.53			30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	19.3	2.41	8.91 ng/L	FALSE	NA	1 1904005-12RE2	19.7			1.7			30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.25	8.91 ng/L	FALSE	NA	1 1904005-12RE2	U						30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.69	8.91 ng/L	FALSE	NA	1 1904005-12RE2	2.1						30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.98	8.91 ng/L	FALSE	NA	1 1904005-12RE2	U						30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	50.8	1.78	8.91 ng/L	FALSE	NA	1 1904005-12RE2	47.3			7.2			30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.96	8.91 ng/L	FALSE	NA	1 1904005-12RE2	U						30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13	0.891	8.91 ng/L	FALSE	NA	1 1904005-12RE2	12.8			1.28			30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	11.2	1.51	8.91 ng/L	FALSE	NA	1 1904005-12RE2	11.6			3.31			30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	4.14	0.98	8.91 ng/L	FALSE	NA	1 1904005-12RE2	3.72			10.6			30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	91.4		ng/L	FALSE	NA	1 1904005-12RE2		125	73.1		130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	90.6		ng/L	FALSE	NA	1 1904005-12RE2		125	72.5		130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	137		ng/L	FALSE	NA	1 1904005-12RE2		121	113		130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D011-DUP1	Duplicate	Water	4/9/2019 9:26	4/9/2019 23:37	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	181		ng/L

US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	181		ng/L	FALSE	NA	1		160	113	130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	11.9	1.4	10 ng/L	FALSE	NA	1		10	119	150	50	LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	181		ng/L	FALSE	NA	1		160	113	130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	171		ng/L	FALSE	NA	1		160	107	130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	169		ng/L	FALSE	NA	1		160	106	130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	169		ng/L	FALSE	NA	1		160	106	130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	166		ng/L	FALSE	NA	1		151.4	110	130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	159		ng/L	FALSE	NA	1		148.6	107	130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	178		ng/L	FALSE	NA	1		160	111	130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	184		ng/L	FALSE	NA	1		160	115	130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	186		ng/L	FALSE	NA	1		160	116	130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	12.4	1.2	10 ng/L	FALSE	NA	1		10	124	150	50	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL1	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:32	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	12.8	1.2	10 ng/L	FALSE	NA	1		10	128	150	50	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	65.1	4.6	50 ng/L	FALSE	NA	1		50	130	150	50	LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	12.8	0.7	10 ng/L	FALSE	NA	1		10	128	150	50	LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	13	1.2	10 ng/L	FALSE	NA	1		10	130	150	50	LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	11.4	0.8	10 ng/L	FALSE	NA	1		10	114	150	50	LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	12.9	1.2	10 ng/L	FALSE	NA	1		10	129	150	50	LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	13.6	2.2	10 ng/L	FALSE	NA	1		10	136	150	50	LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	61.8	4.6	50 ng/L	FALSE	NA	1		50	124	150	50	LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	13.2	1.5	10 ng/L	FALSE	NA	1		10	132	150	50	LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	11.9	1.3	10 ng/L	FALSE	NA	1		10	119	150	50	LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	26.3	1.6	10 ng/L	FALSE	NA	1		10	263	150	50	LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	13.4	2.5	10 ng/L	FALSE	NA	1		10	134	150	50	LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	13.9	1.6	10 ng/L	FALSE	NA	1		10	139	150	50	LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	14.2	2.7	10 ng/L	FALSE	NA	1		10	142	150	50	LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	12	1.4	10 ng/L	FALSE	NA	1		10	120	150	50	LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	12	1.9	10 ng/L	FALSE	NA	1		10	120	150	50	LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	11.3	1.1	10 ng/L	FALSE	NA	1		10	113	150	50	LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	11.4	2	10 ng/L	FALSE	NA	1		10	114	150	50	LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	12.6	2.2	10 ng/L	FALSE	NA	1		10	126	150	50	LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	12.7	1	10 ng/L	FALSE	NA	1		10	127	150	50	LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.8	1.7	10 ng/L	FALSE	NA	1		10	128	150	50	LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	13.6	1.1	10 ng/L	FALSE	NA	1		10	136	150	50	LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	185		ng/L	FALSE	NA	1		160	116	130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	178		ng/L	FALSE	NA	1		160	111	130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	214		ng/L	FALSE	NA	1		154.9	138	130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	201		ng/L	FALSE	NA	1		151.8	133	130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	180		ng/L	FALSE	NA	1		149.6	120	130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	180		ng/L	FALSE	NA	1		160	113	130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	177		ng/L	FALSE	NA	1		160	111	130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	165		ng/L	FALSE	NA	1		153.1	108	130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	177		ng/L	FALSE	NA	1		160	111	130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	186		ng/L	FALSE	NA	1		160	116	130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	12	1.4	10 ng/L	FALSE	NA	1		10	120	150	50	LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	179		ng/L	FALSE	NA	1		160	112	130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	172		ng/L	FALSE	NA	1		160	108	130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	168		ng/L	FALSE	NA	1		160	105	130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	176		ng/L	FALSE	NA	1		160	110	130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	167		ng/L	FALSE	NA	1		151.4	110	130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	158		ng/L	FALSE	NA	1		148.6	106	130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	165		ng/L	FALSE	NA	1		160	103	130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	179		ng/L	FALSE	NA	1		160	112	130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	190		ng/L	FALSE	NA	1		160	119	130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	11.8	1.2	10 ng/L	FALSE	NA	1		10	118	150	50	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D011-MRL2	MRL Check	Water	4/9/2019 9:26	4/9/2019 17:55	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	12.5	1.2	10 ng/L	FALSE	NA	1		10	125	150	50	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	570	3.83	41.7 ng/L	FALSE	NA	1	1904005-12RE2	23	533.1	103	130	70	LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	17.2	0.583	8.33 ng/L	FALSE	NA	1	1904005-12RE2 U		106.6	16.1	130	70	LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	3.18	1	8.33 ng/L	FALSE	NA	1	1904005-12RE2	3.2	106.6	-0.0139	130	70	LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	110	0.667	8.33 ng/L	FALSE	NA	1	1904005-12RE2	15.9	106.6	88.3	130	70	LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	122	1	8.33 ng/L	FALSE	NA	1	1904005-12RE2	43.8	106.6	73.2	130	70	LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	208	1.83	8.33 ng/L	FALSE	NA	1	1904005-12RE2	145	106.6	58.4	130	70	LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	454	3.83	41.7 ng/L	FALSE	NA	1	1904005-12RE2	31.8	533.1	79.1	130	70	LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	94.6	1.25	8.33 ng/L	FALSE	NA	1	1904005-12RE2	3.73	106.6	85.2	130	70	LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	93.8	1.08	8.33 ng/L	FALSE	NA	1	1904005-12RE2	8.9	106.6	79.6	130	70	LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1260	1.33	8.33 ng/L	FALSE	NA	1	1904005-12RE2	1270	106.6	-4.98	130	70	LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	86.3	2.08	8.33 ng/L	FALSE	NA	1	1904005-12RE2	5.46	106.6	75.8	130	70	LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	80.9	1.33	8.33 ng/L	FALSE	NA	1	1904005-12RE2	2.85	106.6	73.2	130	70	LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	121	2.25	8.33 ng/L	FALSE	NA	1	1904005-12RE2	19.7	106.6	95.5	130	70	LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	71.1	1.17	8.33 ng/L	FALSE	NA	1	1904005-12RE2 U		106.6	66.7	130	70	LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	69.5	1.58	8.33 ng/L	FALSE	NA	1	1904005-12RE2	2.1	106.6	63.2	130	70	LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	67.9	0.917	8.33 ng/L	FALSE	NA	1	1904005-12RE2 U		106.6	63.6	130	70	LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	134	1.67	8.33 ng/L	FALSE	NA	1	1904005-12RE2	47.3	106.6	81.6	130	70	LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	46.6	1.83	8.33 ng/L	FALSE	NA	1	1904005-12RE2 U		106.6	43.7	130	70	LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	93.6	0.833	8.33 ng/L	FALSE	NA	1	1904005-12RE2	12.8	106.6	75.8	130	70	LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D011-MS1	Matrix Spike	Water	4/9/2019 9:26	4/10/2019 0:00	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***

US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	170		ng/L	FALSE	NA	1	1904005-12RE2		118.4	144		130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	106		ng/L	FALSE	NA	1	1904005-12RE2		116.7	90.5		130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	92.3		ng/L	FALSE	NA	1	1904005-12RE2		124.8	74		130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	94.6		ng/L	FALSE	NA	1	1904005-12RE2		124.8	75.8		130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	95.1		ng/L	FALSE	NA	1	1904005-12RE2		119.4	79.6		130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	97.7		ng/L	FALSE	NA	1	1904005-12RE2		124.8	78.3		130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	88.5		ng/L	FALSE	NA	1	1904005-12RE2		124.8	70.9		130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	88.6	1.25	8.9 ng/L	FALSE	NA	1	1904005-12RE2	U	124.8	71	20.2	130	70	30 LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	91.6		ng/L	FALSE	NA	1	1904005-12RE2		124.8	73.4		130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	109		ng/L	FALSE	NA	1	1904005-12RE2		124.8	87		130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	111		ng/L	FALSE	NA	1	1904005-12RE2		124.8	88.6		130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	100		ng/L	FALSE	NA	1	1904005-12RE2		124.8	80.1		130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	95.7		ng/L	FALSE	NA	1	1904005-12RE2		118	81.1		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	107		ng/L	FALSE	NA	1	1904005-12RE2		115.9	92.2		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	9.98		ng/L	FALSE	NA	1	1904005-12RE2		124.8	8		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	74.8		ng/L	FALSE	NA	1	1904005-12RE2		124.8	60		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	139		ng/L	FALSE	NA	1	1904005-12RE2		124.8	112		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	85	1.07	8.9 ng/L	FALSE	NA	1	1904005-12RE2	1.93	124.8	66.6	26.1	130	70	30 LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D011-MSD1	Matrix Spike Dup	Water	4/9/2019 9:26	4/10/2019 0:22	B19D011	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	73.1	1.07	8.9 ng/L	FALSE	NA	1	1904005-12RE2	2.38	124.8	56.7	40.9	130	70	30 LZ		9

QUALIFIER	DESCRIPTION