CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPTOMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.93	42.7	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.598	8.54	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.03	8.54	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	21.3	0.684	8.54	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	72	1.03	8.54	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	236	1.88	8.54	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.93	42.7	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.28	8.54	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	11.8	1.11	8.54	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1330	1.37	8.54	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.14	8.54	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.37	8.54	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	21.1	2.31	8.54	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.22	8.54	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.61	8.46	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.931	8.46	ng/L	FALSE	NA	1				LZ																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	353	1.69	8.46	ng/L	FALSE	NA	1				LZ																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.86	8.46	ng/L	FALSE	NA	1				LZ																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	20.7	0.846	8.46	ng/L	FALSE	NA	1				LZ																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	35.4	1.44	8.46	ng/L	FALSE	NA	1				LZ																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190328-11	1903031-01	Water	Water	03/28/2019 11:03:00	04/01/2019 11:33:00	04/01/2019 21:00:21	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.931	8.46	ng/L	FALSE	NA	1				LZ																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	76.8		ng/L	FALSE	NA	1	110.8	69.3	130	70 LZ																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	81.3		ng/L	FALSE	NA	1	110.8	73.3	130	70 LZ																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	94.8		ng/L	FALSE	NA	1	107.3	88.4	130	70 LZ																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	571		ng/L	FALSE	NA	1	105.2	543	130	70 LZ																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	83.9		ng/L	FALSE	NA	1	103.6	80.9	130	70 LZ																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFNA		TRUE	FALSE	87		ng/L	FALSE	NA	1	110.8	78.5	130	70 LZ																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	92.6		ng/L	FALSE	NA	1	110.8	83.6	130	70 LZ																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	86.8		ng/L	FALSE	NA	1	106.1	81.8	130	70 LZ																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	90.6		ng/L	FALSE	NA	1	110.8	81.7	130	70 LZ																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	80.1		ng/L	FALSE	NA	1	110.8	72.3	130	70 LZ																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.18	8.46	ng/L	FALSE	NA	1				LZ																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	84.7		ng/L	FALSE	NA	1	110.8	76.5	130	70 LZ																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	92.6		ng/L	FALSE	NA	1	110.8	83.6	130	70 LZ																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	99.1		ng/L	FALSE	NA	1	110.8	89.4	130	70 LZ																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	91.4		ng/L	FALSE	NA	1	110.8	82.5	130	70 LZ																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	93.5		ng/L	FALSE	NA	1	104.8	89.2	130	70 LZ																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	93.2		ng/L	FALSE	NA	1	103	90.5	130	70 LZ																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	1.04		ng/L	FALSE	NA	1	110.8	0.938	130	70 LZ																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	60.1		ng/L	FALSE	NA	1	110.8	54.2	130	70 LZ																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	114		ng/L	FALSE	NA	1	110.8	103	130	70 LZ																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.02	8.46	ng/L	FALSE	NA	1				LZ																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190328-11	1903031-02	Water	Water	03/28/2019 11:24:00	04/01/2019 11:33:00	04/01/2019 21:23:09	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.02	8.46	ng/L	FALSE	NA	1				LZ																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.05	44	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.616	8.79	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.06	8.79	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	19.6	0.704	8.79	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	68.6	1.06	8.79	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	250	1.93	8.79	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.05	44	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.32	8.79	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	11.5	1.14	8.79	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1520	1.41	8.79	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.2	8.79	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.41	8.79	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	21.3	2.37	8.79	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.23	8.79	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-03-20190328-11	1903031-03	Water	Water	03/28/2019 11:46:00	04/01/2019 11:33:00	04/01/2019 21:46:07	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.67	8.79	ng/L	FALSE	NA	1				LZ				

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1700	1.52	9.53	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.38	9.53	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.52	9.53	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	26.2	2.57	9.53	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.33	9.53	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.81	9.53	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.05	9.53	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	61.7	1.91	9.53	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.1	9.53	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	12.1	0.953	9.53	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	14	1.62	9.53	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.05	9.53	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	104		ng/L	FALSE	NA	1	145	71.4	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	105		ng/L	FALSE	NA	1	145	72.5	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	139		ng/L	FALSE	NA	1	140.4	98.7	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	199		ng/L	FALSE	NA	1	137.6	145	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	110		ng/L	FALSE	NA	1	135.6	81.3	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	116		ng/L	FALSE	NA	1	145	79.7	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	120		ng/L	FALSE	NA	1	145	82.8	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	117		ng/L	FALSE	NA	1	138.8	84.4	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	119		ng/L	FALSE	NA	1	145	82	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	108		ng/L	FALSE	NA	1	145	74.8	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.33	9.53	ng/L	FALSE	NA	1			LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	116		ng/L	FALSE	NA	1	145	80.3	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	123		ng/L	FALSE	NA	1	145	85.1	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	124		ng/L	FALSE	NA	1	145	85.7	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	119		ng/L	FALSE	NA	1	145	82.2	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	121		ng/L	FALSE	NA	1	137.2	88.3	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	126		ng/L	FALSE	NA	1	134.7	93.2	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	35.8		ng/L	FALSE	NA	1	145	24.7	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	103		ng/L	FALSE	NA	1	145	71.2	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	156		ng/L	FALSE	NA	1	145	108	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.14	9.53	ng/L	FALSE	NA	1			LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190328-11	1903013-05	Water	Water	03/28/2019 12:14:00	04/01/2019 11:33:00	04/01/2019 22:31:43	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.14	9.53	ng/L	FALSE	NA	1			LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.23	45.9	ng/L	FALSE	NA	1			LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.643	9.19	ng/L	FALSE	NA	1			LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.1	9.19	ng/L	FALSE	NA	1			LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	17.8	0.735	9.19	ng/L	FALSE	NA	1			LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	67.3	1.1	9.19	ng/L	FALSE	NA	1			LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	263	2.02	9.19	ng/L	FALSE	NA	1			LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.23	45.9	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.38	9.19	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	12.3	1.19	9.19	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1720	1.47	9.19	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.3	9.19	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.47	9.19	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	23.7	2.48	9.19	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.29	9.19	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.75	9.19	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.922	9.19	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	66.4	1.84	9.22	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.03	9.22	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13.3	0.922	9.22	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.2	1.57	9.22	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.01	9.22	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	91.6		ng/L	FALSE	NA	1	135.2	67.8	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	87.6		ng/L	FALSE	NA	1	135.2	64.8	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	116		ng/L	FALSE	NA	1	130.8	88.4	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	185		ng/L	FALSE	NA	1	128.3	144	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	97.1		ng/L	FALSE	NA	1	126.4	76.8	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	103		ng/L	FALSE	NA	1	135.2	76.1	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	104		ng/L	FALSE	NA	1	135.2	76.6	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190328-11	1903013-06	Water	Water	03/28/2019 13:39:00	04/01/2019 11:33:00	04/01/2019 22:54:31	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	103		ng/L	FALSE	NA	1	129.4	79.8	130	70 LZ		67
Region 6, US EP

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.8	1.66	9.75	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.07	9.75	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	110			ng/L	FALSE	NA	1	152	72.2	130	70 LZ	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	108			ng/L	FALSE	NA	1	152	71.3	130	70 LZ	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	137			ng/L	FALSE	NA	1	147.1	92.8	130	70 LZ	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	196			ng/L	FALSE	NA	1	144.3	136	130	70 LZ	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	111			ng/L	FALSE	NA	1	142.1	78.1	130	70 LZ	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	119			ng/L	FALSE	NA	1	152	78.1	130	70 LZ	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	129			ng/L	FALSE	NA	1	152	84.7	130	70 LZ	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	121			ng/L	FALSE	NA	1	145.5	83.3	130	70 LZ	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	124			ng/L	FALSE	NA	1	152	81.8	130	70 LZ	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	116			ng/L	FALSE	NA	1	152	76.1	130	70 LZ	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.37	9.75	ng/L	FALSE	NA	1			LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	118			ng/L	FALSE	NA	1	152	77.7	130	70 LZ	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	128			ng/L	FALSE	NA	1	152	84.2	130	70 LZ	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	132			ng/L	FALSE	NA	1	152	86.7	130	70 LZ	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	122			ng/L	FALSE	NA	1	152	80.5	130	70 LZ	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	127			ng/L	FALSE	NA	1	143.8	88.2	130	70 LZ	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	133			ng/L	FALSE	NA	1	141.2	94.3	130	70 LZ	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	66.1			ng/L	FALSE	NA	1	152	43.5	130	70 LZ	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	111			ng/L	FALSE	NA	1	152	73	130	70 LZ	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	163			ng/L	FALSE	NA	1	152	107	130	70 LZ	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.17	9.75	ng/L	FALSE	NA	1			LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-11	1903013-09	Water	Water	03/28/2019 13:06:00	04/01/2019 11:33:00	04/02/2019 00:02:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.17	9.75	ng/L	FALSE	NA	1			LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1			LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1			LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1			LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1			LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1			LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1			LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPnS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	149			ng/L	FALSE	NA	1	160	93.1	130	70 LZ	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	143			ng/L	FALSE	NA	1	160	89.5	130	70 LZ	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	173			ng/L	FALSE	NA	1	154.9	112	130	70 LZ	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	168			ng/L	FALSE	NA	1	151.8	111	130	70 LZ	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	153			ng/L	FALSE	NA	1	149.6	102	130	70 LZ	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	149			ng/L	FALSE	NA	1	160	93.3	130	70 LZ	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	151			ng/L	FALSE	NA	1	160	94.6	130	70 LZ	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	140			ng/L	FALSE	NA	1	153.1	91.7	130	70 LZ	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	151			ng/L	FALSE	NA	1	160	94.5	130	70 LZ	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	150			ng/L	FALSE	NA	1	160	93.9	130	70 LZ	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1			LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	150			ng/L	FALSE	NA	1	160	93.7	130	70 LZ	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	155			ng/L	FALSE	NA	1	160	97.1	130	70 LZ	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	154			ng/L	FALSE	NA	1	160	96.2	130	70 LZ	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	145			ng/L	FALSE	NA	1	160	90.5	130	70 LZ	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	143			ng/L	FALSE	NA	1	151.4	94.7	130	70 LZ	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	154			ng/L	FALSE	NA	1	148.6	104	130	70 LZ	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	141			ng/L	FALSE	NA	1	160	88.1	130	70 LZ	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190328-15	1903013-10	Water	Water	03/28/2019 15:00:00	04/01/2019 11:33:00	04/02/2019 01:34:15	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	152			ng/L	FALSE	NA	1	160	94.8	130	70 LZ	77
Region 6, US EPA	R06 De

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	113		ng/L	FALSE	NA	1	136.4	82.9	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	104		ng/L	FALSE	NA	1	136.4	76.2	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.3	9.26 ng/L	FALSE	NA	1				LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	107		ng/L	FALSE	NA	1	136.4	78.7	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	119		ng/L	FALSE	NA	1	136.4	87.5	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	122		ng/L	FALSE	NA	1	136.4	89.2	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	113		ng/L	FALSE	NA	1	136.4	82.5	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	111		ng/L	FALSE	NA	1	129.1	85.9	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	122		ng/L	FALSE	NA	1	126.8	96.4	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	22.5		ng/L	FALSE	NA	1	136.4	16.5	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	90.5		ng/L	FALSE	NA	1	136.4	66.4	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	154		ng/L	FALSE	NA	1	136.4	113	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.11	9.26 ng/L	FALSE	NA	1				LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.11	9.26 ng/L	FALSE	NA	1				LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-11	1904001-01	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 02:42:48	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.1	44.5 ng/L	FALSE	NA	1				LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.623	8.9 ng/L	FALSE	NA	1				LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.9 ng/L	FALSE	NA	1				LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	17.5	8.9 ng/L	FALSE	NA	1				LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	50.2	1.07 ng/L	FALSE	NA	1				LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	181	1.96	8.9 ng/L	FALSE	NA	1				LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.1	44.5 ng/L	FALSE	NA	1				LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.34	8.9 ng/L	FALSE	NA	1				LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	1.46	1.18	8.9 ng/L	FALSE	NA	1				LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1370	1.52	8.9 ng/L	FALSE	NA	1				LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.38	8.9 ng/L	FALSE	NA	1				LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.52	8.9 ng/L	FALSE	NA	1				LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	19.9	2.57	8.9 ng/L	FALSE	NA	1				LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.25	8.9 ng/L	FALSE	NA	1				LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.69	8.9 ng/L	FALSE	NA	1				LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.979	8.9 ng/L	FALSE	NA	1				LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	46.1	1.78	8.9 ng/L	FALSE	NA	1				LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.96	8.9 ng/L	FALSE	NA	1				LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	10.8	0.89	8.9 ng/L	FALSE	NA	1				LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	11.4	1.51	8.9 ng/L	FALSE	NA	1				LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.979	8.9 ng/L	FALSE	NA	1				LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	91.3		ng/L	FALSE	NA	1	124.9	73.1	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	90.3		ng/L	FALSE	NA	1	124.9	72.3	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(13C2)-8:2 FTS		TRUE	FALSE	121		ng/L	FALSE	NA	1	120.9	100	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(13C2)-6:2 FTS		TRUE	FALSE	160		ng/L	FALSE	NA	1	118.5	135	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(13C2)-4:2 FTS		TRUE	FALSE	97.2		ng/L	FALSE	NA	1	116.8	83.3	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	104		ng/L	FALSE	NA	1	124.9	83	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	105		ng/L	FALSE	NA	1	124.9	83.7	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	102		ng/L	FALSE	NA	1	119.5	85.1	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	103		ng/L	FALSE	NA	1	124.9	82.7	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	95.1		ng/L	FALSE	NA	1	124.9	76.2	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.25	8.9 ng/L	FALSE	NA	1				LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	102		ng/L	FALSE	NA	1	124.9	81.9	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	111		ng/L	FALSE	NA	1	124.9	88.8	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	118		ng/L	FALSE	NA	1	124.9	94.7	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	105		ng/L	FALSE	NA	1	124.9	84.4	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	105		ng/L	FALSE	NA	1	118.1	88.9	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	112		ng/L	FALSE	NA	1	116	96.3	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	8.97		ng/L	FALSE	NA	1	124.9	7.18	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	82.7		ng/L	FALSE	NA	1	124.9	66.2	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	147		ng/L	FALSE	NA	1	124.9	118	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.9 ng/L	FALSE	NA	1				LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190329-12	1904001-02	Water	Water	03/29/2019 10:28:00	04/01/2019 11:33:00	04/02/2019 03:05:38	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.9 ng/L	FALSE	NA	1				LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.38	47.6 ng/L	FALSE	NA	1				LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.667	9.52 ng/L	FALSE	NA	1				LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.14	9.52 ng/L	FALSE	NA	1				LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	15.9	0.762	9.52 ng/L	FALSE	NA	1				LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	57.2	1.14	9.52 ng/L	FALSE	NA	1				LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	201	2.1	9.52 ng/L	FALSE	NA	1				LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-01-20190330-11	1904001-03	Water	Water	03/30/2019 11:00:00	04/01/2019 11:33:00	04/02/2019 03:28:27	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-02-20190330-11	1904001-05	Water	Water	03/30/2019 11:17:00	04/01/2019 11:33:00	04/02/2019 04:14:11	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA	TRUE	FALSE	70.9		ng/L	FALSE	NA	1	124.8	56.8	130	70	LZ			77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-02-20190330-11	1904001-05	Water	Water	03/30/2019 11:17:00	04/01/2019 11:33:00	04/02/2019 04:14:11	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA	TRUE	FALSE	140		ng/L	FALSE	NA	1	124.8	112	130	70	LZ			78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-02-20190330-11	1904001-05	Water	Water	03/30/2019 11:17:00	04/01/2019 11:33:00	04/02/2019 04:14:11	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.9 ng/L	FALSE	NA	1					LZ			8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-02-20190330-11	1904001-05	Water	Water	03/30/2019 11:17:00	04/01/2019 11:33:00	04/02/2019 04:14:11	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.9 ng/L	FALSE	NA	1					LZ			9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.14	45 ng/L	FALSE	NA	1					LZ			1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.63	9 ng/L	FALSE	NA	1					LZ			10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.08	9 ng/L	FALSE	NA	1					LZ			11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	17.5	0.72	9 ng/L	FALSE	NA	1					LZ			12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	66.7	1.08	9 ng/L	FALSE	NA	1					LZ			13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	257	1.98	9 ng/L	FALSE	NA	1					LZ			14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.14	45 ng/L	FALSE	NA	1					LZ			2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.35	9 ng/L	FALSE	NA	1					LZ			21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	11.8	1.17	9 ng/L	FALSE	NA	1					LZ			22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1920	1.44	9 ng/L	FALSE	NA	1					LZ			23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.25	9 ng/L	FALSE	NA	1					LZ			24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.44	9 ng/L	FALSE	NA	1					LZ			25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	24.6	2.43	9 ng/L	FALSE	NA	1					LZ			26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.26	9 ng/L	FALSE	NA	1					LZ			27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.71	9 ng/L	FALSE	NA	1					LZ			28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.99	9 ng/L	FALSE	NA	1					LZ			29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	60	1.8	9 ng/L	FALSE	NA	1					LZ			3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.98	9 ng/L	FALSE	NA	1					LZ			30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	11.6	0.9	9 ng/L	FALSE	NA	1					LZ			4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.6	1.53	9 ng/L	FALSE	NA	1					LZ			5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.99	9 ng/L	FALSE	NA	1					LZ			6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	81.4		ng/L	FALSE	NA	1	128	63.6	130	70	LZ			60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	84.5		ng/L	FALSE	NA	1	128	66	130	70	LZ			61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE	115		ng/L	FALSE	NA	1	123.9	92.5	130	70	LZ			62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE	188		ng/L	FALSE	NA	1	121.5	155	130	70	LZ			63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS		TRUE	FALSE	93.7		ng/L	FALSE	NA	1	119.7	78.3	130	70	LZ			64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	96.9		ng/L	FALSE	NA	1	128	75.7	130	70	LZ			65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	96		ng/L	FALSE	NA	1	128	75	130	70	LZ			66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	99.3		ng/L	FALSE	NA	1	122.5	81	130	70	LZ			67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	98.3		ng/L	FALSE	NA	1	128	76.8	130	70	LZ			68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	87.7		ng/L	FALSE	NA	1	128	68.5	130	70	LZ			69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.26	9 ng/L	FALSE	NA	1					LZ			7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDA		TRUE	FALSE	93.5		ng/L	FALSE	NA	1	128	73.1	130	70	LZ			70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	105		ng/L	FALSE	NA	1	128	81.8	130	70	LZ			71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	107		ng/L	FALSE	NA	1	128	83.6	130	70	LZ			72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	99.1		ng/L	FALSE	NA	1	128	77.4	130	70	LZ			73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	99.5		ng/L	FALSE	NA	1	121.1	82.2	130	70	LZ			74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	108		ng/L	FALSE	NA	1	118.9	91	130	70	LZ			75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	10.4		ng/L	FALSE	NA	1	128	8.11	130	70	LZ			76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	79		ng/L	FALSE	NA	1	128	61.8	130	70	LZ			77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	136		ng/L	FALSE	NA	1	128	106	130	70	LZ			78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	2058-94-8	FALSE	FALSE	U	1.08	9 ng/L	FALSE	NA	1					LZ			8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190329-11	1904001-06	Water	Water	03/29/2019 11:04:00	04/01/2019 11:33:00	04/02/2019 04:36:59	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.08	9 ng/L	FALSE	NA	1					LZ			9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.31	46.8 ng/L	FALSE	NA	1					LZ			1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.56	9.37 ng/L	FALSE	NA	1					LZ			10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.12	9.37 ng/L	FALSE	NA	1					LZ			11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	19.3	0.75	9.37 ng/L	FALSE	NA	1					LZ			12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	74	1.12	9.37 ng/L	FALSE	NA	1					LZ			13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	284	2.06	9.37 ng/L	FALSE	NA	1					LZ			14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.31	46.8 ng/L	FALSE	NA	1					LZ			2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.41	9.37 ng/L	FALSE	NA	1					LZ			21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	12.7	1.22	9.37 ng/L	FALSE	NA	1					LZ			22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	2620	1.5	9.37 ng/L	FALSE	NA	1					LZ			23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.34	9.37 ng/L	FALSE	NA	1					LZ			24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.5	9.37 ng/L	FALSE	NA	1					LZ			25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	27.7	2.53	9.37 ng/L	FALSE	NA	1					LZ			26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.31	9.37 ng/L	FALSE	NA	1					LZ			27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.78	9.37 ng/L	FALSE	NA	1					LZ			28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190330-11	1904001-07	Water	Water	03/30/2019 11:36:00	04/01/2019 11:33:00	04/02/2019 04:59:49	B190001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.7	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.6	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	147			ng/L	FALSE	NA	1			154.9	95	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	139			ng/L	FALSE	NA	1			151.8	91.4	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	133			ng/L	FALSE	NA	1			149.6	89.2	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.6	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	157			ng/L	FALSE	NA	1			160	98.3	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	146			ng/L	FALSE	NA	1			153.1	95	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.9	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93.4	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.8	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.4	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.2	130	70	LZ				73
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	146			ng/L	FALSE	NA	1			151.4	96.3	130	70	LZ				74
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	142			ng/L	FALSE	NA	1			148.6	95.2	130	70	LZ				75
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.2	130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.5	130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	164			ng/L	FALSE	NA	1			160	103	130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK1	Blank	Water	4/1/2019 11:33	4/1/2019 18:43	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	163			ng/L	FALSE	NA	1			160	102	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	164			ng/L	FALSE	NA	1			160	103	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	156			ng/L	FALSE	NA	1			154.9	100	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	148			ng/L	FALSE	NA	1			151.8	97.8	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	142			ng/L	FALSE	NA	1			149.6	94.8	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	160			ng/L	FALSE	NA	1			160	100	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	161			ng/L	FALSE	NA	1			160	100	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	160			ng/L	FALSE	NA	1			153.1	104	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	156			ng/L	FALSE	NA	1			160	97.8	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	159			ng/L	FALSE	NA	1			160	99.4	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	161			ng/L	FALSE	NA	1			160	101	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	163			ng/L	FALSE	NA	1			160	102	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	159			ng/L	FALSE	NA	1			160	99.3	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D001-BLK2	Blank	Water	4/1/2019 11:33	4/1/2019 19:06	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	156

US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	157		ng/L	FALSE	NA	1		151.4	104		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	147		ng/L	FALSE	NA	1		148.6	98.6		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	170		ng/L	FALSE	NA	1		160	106		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	164		ng/L	FALSE	NA	1		160	103		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	170		ng/L	FALSE	NA	1		160	106		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	150	1.2	10 ng/L	FALSE	NA	1		160	93.6		130	70	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D001-BS1	LCS	Water	4/1/2019 11:33	4/1/2019 20:14	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	152	1.2	10 ng/L	FALSE	NA	1		160	94.9		130	70	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	808	4.6	50 ng/L	FALSE	NA	1		800	101	2.81	130	70	30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	159	0.7	10 ng/L	FALSE	NA	1		160	99.6	0.272	130	70	30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	159	1.2	10 ng/L	FALSE	NA	1		160	99.4	0.124	130	70	30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	149	0.8	10 ng/L	FALSE	NA	1		160	92.9	1.48	130	70	30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	147	1.2	10 ng/L	FALSE	NA	1		160	92.2	7	130	70	30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	147	2.2	10 ng/L	FALSE	NA	1		160	92	0.764	130	70	30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	770	4.6	50 ng/L	FALSE	NA	1		800	96.2	1.89	130	70	30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	155	1.5	10 ng/L	FALSE	NA	1		160	96.8	3.8	130	70	30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	148	1.3	10 ng/L	FALSE	NA	1		160	92.3	1.18	130	70	30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	141	1.6	10 ng/L	FALSE	NA	1		160	87.9	5.09	130	70	30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	153	2.5	10 ng/L	FALSE	NA	1		160	95.8	2.01	130	70	30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	156	1.6	10 ng/L	FALSE	NA	1		160	97.2	1.39	130	70	30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	167	2.7	10 ng/L	FALSE	NA	1		160	104	2.69	130	70	30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	161	1.4	10 ng/L	FALSE	NA	1		160	101	3.65	130	70	30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	154	1.9	10 ng/L	FALSE	NA	1		160	96.3	1.86	130	70	30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	157	1.1	10 ng/L	FALSE	NA	1		160	97.9	3.52	130	70	30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	150	2	10 ng/L	FALSE	NA	1		160	93.4	0.261	130	70	30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	150	2.2	10 ng/L	FALSE	NA	1		160	93.7	5.07	130	70	30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	149	1	10 ng/L	FALSE	NA	1		160	93.1	1.16	130	70	30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	150	1.7	10 ng/L	FALSE	NA	1		160	94	1.69	130	70	30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	153	1.1	10 ng/L	FALSE	NA	1		160	95.5	3	130	70	30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	164		ng/L	FALSE	NA	1		160	103		130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	161		ng/L	FALSE	NA	1		160	101		130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	172		ng/L	FALSE	NA	1		154.9	111		130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	159		ng/L	FALSE	NA	1		151.8	105		130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	149		ng/L	FALSE	NA	1		149.6	99.5		130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	159		ng/L	FALSE	NA	1		160	99.5		130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	161		ng/L	FALSE	NA	1		160	101		130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	156		ng/L	FALSE	NA	1		153.1	102		130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	157		ng/L	FALSE	NA	1		160	98.2		130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	160		ng/L	FALSE	NA	1		160	99.7		130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	154	1.4	10 ng/L	FALSE	NA	1		160	96.1	3.15	130	70	30 LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	155		ng/L	FALSE	NA	1		160	96.9		130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	159		ng/L	FALSE	NA	1		160	99.2		130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	157		ng/L	FALSE	NA	1		160	98.2		130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	154		ng/L	FALSE	NA	1		160	96		130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	151		ng/L	FALSE	NA	1		151.4	99.8		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	146		ng/L	FALSE	NA	1		148.6	98		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	165		ng/L	FALSE	NA	1		160	103		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	162		ng/L	FALSE	NA	1		160	101		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	169		ng/L	FALSE	NA	1		160	106		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	153	1.2	10 ng/L	FALSE	NA	1		160	95.7	2.21	130	70	30 LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D001-BSD1	LCS Dup	Water	4/1/2019 11:33	4/1/2019 20:37	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	155	1.2	10 ng/L	FALSE	NA	1		160	96.7	1.81	130	70	30 LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	25.2	4.1	44.5 ng/L	FALSE	NA	1	1903013-09	23.6		6.38			30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.624	8.91 ng/L	FALSE	NA	1	1903013-09	U					30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.91 ng/L	FALSE	NA	1	1903013-09	U					30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	20.3	0.713	8.91 ng/L	FALSE	NA	1	1903013-09	17.2		16.5			30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	71.5	1.07	8.91 ng/L	FALSE	NA	1	1903013-09	67.3		6.07			30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	256	1.96	8.91 ng/L	FALSE	NA	1	1903013-09	262		2.42			30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	30	4.1	44.5 ng/L	FALSE	NA	1	1903013-09	26.9		11			30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	3.87	1.34	8.91 ng/L	FALSE	NA	1	1903013-09	4.02		3.85			30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	13	1.16	8.91 ng/L	FALSE	NA	1	1903013-09	12.7		2.23			30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1730	1.43	8.91 ng/L	FALSE	NA	1	1903013-09	1610		7.01			30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	5.74	2.23	8.91 ng/L	FALSE	NA	1	1903013-09	5.14		11.2			30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.43	8.91 ng/L	FALSE	NA	1	1903013-09	1.97					30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	25.5	2.4	8.91 ng/L	FALSE	NA	1	1903013-09	24.2		5.46			30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.25	8.91 ng/L	FALSE	NA	1	1903013-09	U					30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.69	8.91 ng/L	FALSE	NA	1	1903013-09	U					30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.98	8.91 ng/L	FALSE	NA	1	1903013-09	2.02					30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	64.1	1.78	8.91 ng/L	FALSE	NA	1	1903013-09	63.6		0.814			30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.96	8.91 ng/L	FALSE	NA	1	1903013-09	U					30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13.6	0.891	8.91 ng/L	FALSE	NA	1	1903013-09	14.3		4.73			30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	13	1.51	8.91 ng/L	FALSE	NA	1	1903013-09	12.8		1			30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	2.73	0.98	8.91 ng/L	FALSE	NA	1	1903013-09	2.75		0.64			30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	80.2		ng/L	FALSE	NA	1	1903013-09		125	64.1	130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	84.2		ng/L	FALSE	NA	1	1903013-09		125	67.3	130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	114		ng/L	FALSE	NA	1	1903013-09		121	94.5	130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D001-DUP1	Duplicate	Water	4/1/2019 11:33	4/2/2019 0:25	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	180		ng/L	FALSE	NA	1

US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	151		ng/L	FALSE	NA	1			160	94.5	130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	9.16	1.4	10 ng/L	FALSE	NA	1			10	91.6	150	50	LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	148		ng/L	FALSE	NA	1			160	92.3	130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	155		ng/L	FALSE	NA	1			160	97.1	130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	151		ng/L	FALSE	NA	1			160	94.5	130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	147		ng/L	FALSE	NA	1			160	92.1	130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	146		ng/L	FALSE	NA	1			151.4	96.4	130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143		ng/L	FALSE	NA	1			148.6	96.2	130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	152		ng/L	FALSE	NA	1			160	94.9	130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	159		ng/L	FALSE	NA	1			160	99.1	130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	164		ng/L	FALSE	NA	1			160	103	130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	10	1.2	10 ng/L	FALSE	NA	1			10	100	150	50	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL1	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:28	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	10.7	1.2	10 ng/L	FALSE	NA	1			10	107	150	50	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	49.2	4.6	50 ng/L	FALSE	NA	1			50	98.3	150	50	LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	9.38	0.7	10 ng/L	FALSE	NA	1			10	93.8	150	50	LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	10.1	1.2	10 ng/L	FALSE	NA	1			10	101	150	50	LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	10.2	0.8	10 ng/L	FALSE	NA	1			10	102	150	50	LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	10.8	1.2	10 ng/L	FALSE	NA	1			10	108	150	50	LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10 ng/L	FALSE	NA	1			10		150	50	LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	50.5	4.6	50 ng/L	FALSE	NA	1			50	101	150	50	LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	10.2	1.5	10 ng/L	FALSE	NA	1			10	102	150	50	LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	10.1	1.3	10 ng/L	FALSE	NA	1			10	101	150	50	LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	15.9	1.6	10 ng/L	FALSE	NA	1			10	159	150	50	LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	9.1	2.5	10 ng/L	FALSE	NA	1			10	91	150	50	LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	9.7	1.6	10 ng/L	FALSE	NA	1			10	97	150	50	LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	11.5	2.7	10 ng/L	FALSE	NA	1			10	115	150	50	LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	9.88	1.4	10 ng/L	FALSE	NA	1			10	98.8	150	50	LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	10.1	1.9	10 ng/L	FALSE	NA	1			10	101	150	50	LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	10.7	1.1	10 ng/L	FALSE	NA	1			10	107	150	50	LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	10.9	2	10 ng/L	FALSE	NA	1			10	109	150	50	LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	8.72	2.2	10 ng/L	FALSE	NA	1			10	87.2	150	50	LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	10.6	1	10 ng/L	FALSE	NA	1			10	106	150	50	LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.2	1.7	10 ng/L	FALSE	NA	1			10	102	150	50	LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	9.72	1.1	10 ng/L	FALSE	NA	1			10	97.2	150	50	LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	160		ng/L	FALSE	NA	1			160	100	130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	166		ng/L	FALSE	NA	1			160	104	130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	148		ng/L	FALSE	NA	1			154.9	95.7	130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	145		ng/L	FALSE	NA	1			151.8	95.5	130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	139		ng/L	FALSE	NA	1			149.6	93.1	130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	155		ng/L	FALSE	NA	1			160	97	130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	161		ng/L	FALSE	NA	1			160	101	130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	157		ng/L	FALSE	NA	1			153.1	102	130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	158		ng/L	FALSE	NA	1			160	98.5	130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	157		ng/L	FALSE	NA	1			160	97.9	130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	9.68	1.4	10 ng/L	FALSE	NA	1			10	96.8	150	50	LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	155		ng/L	FALSE	NA	1			160	97	130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	159		ng/L	FALSE	NA	1			160	99.7	130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	155		ng/L	FALSE	NA	1			160	97	130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	152		ng/L	FALSE	NA	1			160	94.7	130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	154		ng/L	FALSE	NA	1			151.4	102	130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	144		ng/L	FALSE	NA	1			148.6	96.6	130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	161		ng/L	FALSE	NA	1			160	101	130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	162		ng/L	FALSE	NA	1			160	101	130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	170		ng/L	FALSE	NA	1			160	106	130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	10.5	1.2	10 ng/L	FALSE	NA	1			10	105	150	50	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19D001-MRL2	MRL Check	Water	4/1/2019 11:33	4/1/2019 19:51	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	10.8	1.2	10 ng/L	FALSE	NA	1			10	108	150	50	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	681	4.16	45.3 ng/L	FALSE	NA	1	1903013-09	23.6	648.2	101	130	70	LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	52.2	0.634	9.05 ng/L	FALSE	NA	1	1903013-09	U	129.6	40.2	130	70	LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	13.5	1.09	9.05 ng/L	FALSE	NA	1	1903013-09	U	129.6	10.4	130	70	LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	130	0.724	9.05 ng/L	FALSE	NA	1	1903013-09	17.2	129.6	86.8	130	70	LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	169	1.09	9.05 ng/L	FALSE	NA	1	1903013-09	67.3	129.6	78.7	130	70	LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	337	1.99	9.05 ng/L	FALSE	NA	1	1903013-09	262	129.6	58.3	130	70	LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	526	4.16	45.3 ng/L	FALSE	NA	1	1903013-09	26.9	648.2	77	130	70	LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	97.9	1.36	9.05 ng/L	FALSE	NA	1	1903013-09	4.02	129.6	72.4	130	70	LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	116	1.18	9.05 ng/L	FALSE	NA	1	1903013-09	12.7	129.6	80	130	70	LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1730	1.45	9.05 ng/L	FALSE	NA	1	1903013-09	1610	129.6	90.7	130	70	LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	107	2.26	9.05 ng/L	FALSE	NA	1	1903013-09	5.14	129.6	78.5	130	70	LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	103	1.45	9.05 ng/L	FALSE	NA	1	1903013-09	1.97	129.6	78.1	130	70	LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	137	2.44	9.05 ng/L	FALSE	NA	1	1903013-09	24.2	129.6	87.4	130	70	LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	93.7	1.27	9.05 ng/L	FALSE	NA	1	1903013-09	U	129.6	72.3	130	70	LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	80.3	1.72	9.05 ng/L	FALSE	NA	1	1903013-09	U	129.6	61.9	130	70	LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	80.3	0.996	9.05 ng/L	FALSE	NA	1	1903013-09	2.02	129.6	60.4	130	70	LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	162	1.81	9.05 ng/L	FALSE	NA	1	1903013-09	63.6	129.6	76.1	130	70	LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	83.2	1.99	9.05 ng/L	FALSE	NA	1	1903013-09	U	129.6	64.2	130	70	LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	108	0.905	9.05 ng/L	FALSE	NA	1	1903013-09	14.3	129.6	72.4	130	70	LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19D001-MS1	Matrix Spike	Water	4/1/2019 11:33	4/2/2019 0:48	B19D001

US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	180			ng/L	FALSE	NA	1	1903013-09		123.5	146		130	70		LZ	63
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	96.6			ng/L	FALSE	NA	1	1903013-09		121.7	79.4		130	70		LZ	64
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	98.7			ng/L	FALSE	NA	1	1903013-09		130.1	75.9		130	70		LZ	65
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	104			ng/L	FALSE	NA	1	1903013-09		130.1	79.5		130	70		LZ	66
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	94.2			ng/L	FALSE	NA	1	1903013-09		124.5	75.6		130	70		LZ	67
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	103			ng/L	FALSE	NA	1	1903013-09		130.1	78.9		130	70		LZ	68
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	92.9			ng/L	FALSE	NA	1	1903013-09		130.1	71.4		130	70		LZ	69
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	93.5	1.27	9.07	ng/L	FALSE	NA	1	1903013-09	U	130.1	71.9	2.97	130	70	30	LZ	7
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	94.3			ng/L	FALSE	NA	1	1903013-09		130.1	72.4		130	70		LZ	70
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	106			ng/L	FALSE	NA	1	1903013-09		130.1	81.7		130	70		LZ	71
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	108			ng/L	FALSE	NA	1	1903013-09		130.1	82.7		130	70		LZ	72
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	101			ng/L	FALSE	NA	1	1903013-09		130.1	77.3		130	70		LZ	73
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	104			ng/L	FALSE	NA	1	1903013-09		123.1	84.7		130	70		LZ	74
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	112			ng/L	FALSE	NA	1	1903013-09		120.9	92.3		130	70		LZ	75
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	15			ng/L	FALSE	NA	1	1903013-09		130.1	11.6		130	70		LZ	76
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	82.7			ng/L	FALSE	NA	1	1903013-09		130.1	63.6		130	70		LZ	77
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	136			ng/L	FALSE	NA	1	1903013-09		130.1	105		130	70		LZ	78
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	86.1	1.09	9.07	ng/L	FALSE	NA	1	1903013-09	1.56	130.1	65	3.63	130	70	30	LZ	8
US EPA Region 5 Chicago Regional Laboratory	B19D001-MSD1	Matrix Spike Dup	Water	4/1/2019 11:33	4/2/2019 1:11	B19D001	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	78.4	1.09	9.07	ng/L	FALSE	NA	1	1903013-09	1.45	130.1	59.1	5.14	130	70	30	LZ	9

QUALIFIER	DESCRIPTION