CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.02	43.6	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.611	8.73	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.05	8.73	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	17.6	0.698	8.73	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	56	1.05	8.73	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	224	1.92	8.73	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.02	43.6	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.31	8.73	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	10.4	1.13	8.73	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1400	1.4	8.73	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.18	8.73	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.4	8.73	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	25.7	2.36	8.73	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.22	8.73	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.66	8.73	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.96	8.73	ng/L	FALSE	NA	1				LZ																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	61.4	1.75	8.73	ng/L	FALSE	NA	1				LZ																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.92	8.73	ng/L	FALSE	NA	1				LZ																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	15.7	0.873	8.73	ng/L	FALSE	NA	1				LZ																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.7	1.48	8.73	ng/L	FALSE	NA	1				LZ																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.96	8.73	ng/L	FALSE	NA	1				LZ																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	103		ng/L	FALSE	NA	1	119.3	86.6	130	70 LZ																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	102		ng/L	FALSE	NA	1	119.3	85.2	130	70 LZ																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	133		ng/L	FALSE	NA	1	115.5	115	130	70 LZ																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	211		ng/L	FALSE	NA	1	113.2	186	130	70 LZ																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	107		ng/L	FALSE	NA	1	111.6	95.9	130	70 LZ																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	107		ng/L	FALSE	NA	1	119.3	89.7	130	70 LZ																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	110		ng/L	FALSE	NA	1	119.3	92	130	70 LZ																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	119		ng/L	FALSE	NA	1	114.2	104	130	70 LZ																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	111		ng/L	FALSE	NA	1	119.3	92.7	130	70 LZ																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-03	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	102		ng/L	FALSE	NA	1	119.3	85.6	130	70 LZ																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.22	8.73	ng/L	FALSE	NA	1				LZ																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	102		ng/L	FALSE	NA	1	119.3	85.2	130	70 LZ																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	108		ng/L	FALSE	NA	1	119.3	90.8	130	70 LZ																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	117		ng/L	FALSE	NA	1	119.3	98.4	130	70 LZ																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	110		ng/L	FALSE	NA	1	119.3	92.2	130	70 LZ																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	111		ng/L	FALSE	NA	1	112.9	98.7	130	70 LZ																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	112		ng/L	FALSE	NA	1	110.9	101	130	70 LZ																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	163		ng/L	FALSE	NA	1	119.3	113.6	130	70 LZ																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFDoA		TRUE	FALSE	87.4		ng/L	FALSE	NA	1	119.3	73.3	130	70 LZ																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	124		ng/L	FALSE	NA	1	119.3	104	130	70 LZ																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.05	8.73	ng/L	FALSE	NA	1				LZ																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190401-11	1904002-01	Water	Water	04/01/2019 10:40:00	04/02/2019 14:17:00	04/03/2019 08:02:34	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.05	8.73	ng/L	FALSE	NA	1				LZ																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1904002-02	Water	Water	04/01/2019 12:50:00	04/02/2019 14:17:00	04/03/2019 08:25:22	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190401-11	1

CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.608	8.68	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.04	8.68	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	16.4	0.694	8.68	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	56.4	1.04	8.68	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	223	1.91	8.68	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.99	43.4	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.3	8.68	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.97	1.13	8.68	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1360	1.39	8.68	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.17	8.68	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.39	8.68	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	25.1	2.34	8.68	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.22	8.68	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.78	8.68	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.03	8.68	ng/L	FALSE	NA	1				LZ																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	63.4	1.87	8.68	ng/L	FALSE	NA	1				LZ																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.06	8.68	ng/L	FALSE	NA	1				LZ																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	13.4	0.934	8.68	ng/L	FALSE	NA	1				LZ																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.2	1.34	8.68	ng/L	FALSE	NA	1				LZ																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-05	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:33:50	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.03	8.68	ng/L	FALSE	NA	1				LZ																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.7	8.92	ng/L	FALSE	NA	1	139	68.6	130	70 LZ																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.982	8.92	ng/L	FALSE	NA	1	139	65.7	130	70 LZ																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	59.5	1.78	8.92	ng/L	FALSE	NA	1	139	73.3	130	70 LZ																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.96	8.92	ng/L	FALSE	NA	1	139	75.7	130	70 LZ																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.8	0.892	8.92	ng/L	FALSE	NA	1	139	83.6	130	70 LZ																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	11.5	1.52	8.92	ng/L	FALSE	NA	1	139	74.3	130	70 LZ																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.982	8.92	ng/L	FALSE	NA	1	139	69.5	130	70 LZ																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	80.2		ng/L	FALSE	NA	1	125.6	63.9	130	70 LZ																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	81.4		ng/L	FALSE	NA	1	125.6	64.8	130	70 LZ																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	109		ng/L	FALSE	NA	1	121.5	89.7	130	70 LZ																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	188		ng/L	FALSE	NA	1	119.2	158	130	70 LZ																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	91.6		ng/L	FALSE	NA	1	117.4	78	130	70 LZ																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	84.9		ng/L	FALSE	NA	1	139	70.7	130	70 LZ																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	107		ng/L	FALSE	NA	1	139	76.8	130	70 LZ																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	106		ng/L	FALSE	NA	1	133	80.1	130	70 LZ																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	103		ng/L	FALSE	NA	1	139	74.5	130	70 LZ																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	96.6		ng/L	FALSE	NA	1	139	69.5	130	70 LZ																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.31	9.34	ng/L	FALSE	NA	1				LZ																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	102		ng/L	FALSE	NA	1	139	73.3	130	70 LZ																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	105		ng/L	FALSE	NA	1	139	75.7	130	70 LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	116		ng/L	FALSE	NA	1	139	83.6	130	70 LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	103		ng/L	FALSE	NA	1	139	74.1	130	70 LZ																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	103		ng/L	FALSE	NA	1	131.5	78.2	130	70 LZ																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	97.4		ng/L	FALSE	NA	1	136.6	71.3	130	70 LZ																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBS		TRUE	FALSE	95		ng/L	FALSE	NA	1	130.7	72.7	130	70 LZ																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFTeA		TRUE	FALSE	96.9		ng/L	FALSE	NA	1	136.6	70.9	130	70 LZ																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	92.6		ng/L	FALSE	NA	1	136.6	67.8	130	70 LZ																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-12	1904002-06	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 09:56:39	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.3	9.27	ng/L	FALSE	NA	1				LZ																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	97.2		ng/L	FALSE	NA	1	136.6	71.2	130	70 LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	99		ng/L	FALSE	NA	1	136.6	72.5	130	70 LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	103		ng/L	FALSE	NA	1	136.6	75.3	130	70 LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3HFHxS		TRUE	FALSE	93		ng/L	FALSE	NA	1	136.6	68.1	130	70 LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	95.2		ng/L	FALSE	NA	1	129.2	73.7	130	70 LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	106		ng/L	FALSE	NA	1	126.9	83.5	130	70 LZ																15
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	29.6		ng/L	FALSE	NA	1	136.6	21.7	130	70 LZ																16
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	83.6		ng/L	FALSE	NA	1	136.6	61.2	130	70 LZ																17
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-04-20190401-11	1904002-08	Water	Water	04/01/2019 11:48:00	04/02/2019 14:17:00	04/03/2019 10:42:17	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	114		ng/L	FALSE	NA	1	136.6	83.7	130	70 LZ																18
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190401-11	1904002-07	Water	Water	04/01/2019 12:11:00	04/02/2019 14:17:00	04/03/2019 10:19:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.96	8.92	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190401-11	1904002-07	Water	Water

CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.96	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	15.3	0.716	8.96	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	56.3	1.07	8.96	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	193	1.97	8.96	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.12	44.8	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.34	8.96	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.56	1.16	8.96	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1320	1.43	8.96	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.24	8.96	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.43	8.96	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	24.7	2.42	8.96	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.25	8.96	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.7	8.96	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.985	8.96	ng/L	FALSE	NA	1				LZ																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	60.1	1.79	8.96	ng/L	FALSE	NA	1				LZ																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.97	8.96	ng/L	FALSE	NA	1				LZ																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	17.2	0.896	8.96	ng/L	FALSE	NA	1				LZ																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.9	1.52	8.96	ng/L	FALSE	NA	1				LZ																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.985	8.96	ng/L	FALSE	NA	1				LZ																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	89		ng/L		FALSE	NA	1	126.6	70.4	130	70 LZ																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	88.1		ng/L		FALSE	NA	1	126.6	69.6	130	70 LZ																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13C)-8:2 FTS		TRUE	FALSE	132		ng/L		FALSE	NA	1	122.5	108	130	70 LZ																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13C)-6:2 FTS		TRUE	FALSE	198		ng/L		FALSE	NA	1	120.1	165	130	70 LZ																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13C)-4:2 FTS		TRUE	FALSE	98.8		ng/L		FALSE	NA	1	118.3	83.5	130	70 LZ																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	97.2		ng/L		FALSE	NA	1	126.6	76.8	130	70 LZ																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	103		ng/L		FALSE	NA	1	126.6	81.7	130	70 LZ																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	103		ng/L		FALSE	NA	1	121.1	85.1	130	70 LZ																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	102		ng/L		FALSE	NA	1	126.6	80.7	130	70 LZ																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	91.8		ng/L		FALSE	NA	1	126.6	72.6	130	70 LZ																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.25	8.96	ng/L	FALSE	NA	1				LZ																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	95.4		ng/L		FALSE	NA	1	126.6	75.3	130	70 LZ																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNA		TRUE	FALSE	102		ng/L		FALSE	NA	1	126.6	80.8	130	70 LZ																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	110		ng/L		FALSE	NA	1	126.6	87.1	130	70 LZ																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	100		ng/L		FALSE	NA	1	126.6	79	130	70 LZ																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	105		ng/L		FALSE	NA	1	119.7	87.4	130	70 LZ																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	113		ng/L		FALSE	NA	1	117.6	96.4	130	70 LZ																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	15.3		ng/L		FALSE	NA	1	126.6	12.1	130	70 LZ																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	81.3		ng/L		FALSE	NA	1	126.6	64.3	130	70 LZ																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190401-11	1904002-09	Water	Water	04/01/2019 13:36:00	04/02/2019 14:17:00	04/03/2019 11:05:13	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	129		ng/L		FALSE	NA	1	126.6	102	130	70 LZ																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.96	ng/L	FALSE	NA	1				LZ																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.96	ng/L	FALSE	NA	1				LZ																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.11	44.7	ng/L	FALSE	NA	1				LZ																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.625	8.94	ng/L	FALSE	NA	1				LZ																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.07	8.94	ng/L	FALSE	NA	1				LZ																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	19	0.715	8.94	ng/L	FALSE	NA	1				LZ																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	40.1	1.07	8.94	ng/L	FALSE	NA	1				LZ																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	125	1.97	8.94	ng/L	FALSE	NA	1				LZ																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	46.6	4.11	44.7	ng/L	FALSE	NA	1				LZ																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.34	8.94	ng/L	FALSE	NA	1				LZ																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	842	1.16	8.94	ng/L	FALSE	NA	1				LZ																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	14.6	0.823	8.94	ng/L	FALSE	NA	1				LZ																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	9.82	1.4	8.94	ng/L	FALSE	NA	1				LZ																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	0.906	8.23	ng/L	FALSE	NA	1				LZ																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	26.4	2.22	8.23	ng/L	FALSE	NA	1				LZ																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.15	8.23	ng/L	FALSE	NA	1				LZ																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.56	8.23	ng/L	FALSE	NA	1				LZ																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.906	8.23	ng/L	FALSE	NA	1				LZ																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-10-20190401-11	1904002-10	Water	Water	04/01/2019 14:32:00	04/02/2019 14:17:00	04/03/2019 12:36:28	B190003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	59.5	1.65	8.23	ng/L	FALSE	NA	1	

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.5	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.4	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	147			ng/L	FALSE	NA	1			154.9	94.6	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	144			ng/L	FALSE	NA	1			151.8	94.7	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	132			ng/L	FALSE	NA	1			149.6	88	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.2	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93.4	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	143			ng/L	FALSE	NA	1			153.1	93.6	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.2	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.7	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.4	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	141			ng/L	FALSE	NA	1			160	88.3	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	89.8	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	141			ng/L	FALSE	NA	1			160	87.9	130	70	LZ				73
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	137			ng/L	FALSE	NA	1			151.4	90.8	130	70	LZ				74
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	136			ng/L	FALSE	NA	1			148.6	91.8	130	70	LZ				75
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.4	130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.1	130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	92.9	130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK1	Blank	Water	4/2/2019 14:17	4/3/2019 5:45	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.1	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.6	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	148			ng/L	FALSE	NA	1			154.9	95.5	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	145			ng/L	FALSE	NA	1			151.8	95.6	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	135			ng/L	FALSE	NA	1			149.6	90.5	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.7	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	144			ng/L	FALSE	NA	1			153.1	93.8	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	91.9	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.3	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.3	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.2	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.1	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D003-BLK2	Blank	Water	4/2/2019 14:17	4/3/2019 6:08	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D003-BS1	LCS	Water	4/2/2019 14:17	4/3/2019 7:16	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.6		130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19D003-BS1	LCS	Water	4/2/2019 14:17	4/3/2019 7:16	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.3		130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19D003-BS1	LCS	Water	4/2/2019 14:17	4/3/2019 7:16	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	159			ng/L	FALSE	NA	1			160	99.5		130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19D003-BS1	LCS	Water	4/2/2019 14:17	4/3/2019 7:16	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	148	1.2	10	ng/L	FALSE	NA	1			160	92.3		130	70	LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19D003-BS1	LCS	Water	4/2/2019 14:17	4/3/2019 7:16	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	147	1.2	10	ng/L	FALSE	NA	1			160	92.1		130	70	LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	749	4.6	50	ng/L	FALSE	NA	1			800	93.6	0.337	130	70	30 LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	149	0.7	10	ng/L	FALSE	NA	1			160	93	1.95	130	70	30 LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	147	1.2	10	ng/L	FALSE	NA	1			160	92	0.583	130	70	30 LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	149	0.8	10	ng/L	FALSE	NA	1			160	92.9	0.83	130	70	30 LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	148	1.2	10	ng/L	FALSE	NA	1			160	92.7	0.27	130	70	30 LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	140	2.2	10	ng/L	FALSE	NA	1			160	87.5	5.31	130	70	30 LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	729	4.6	50	ng/L	FALSE	NA	1			800	91.1	0.318	130	70	30 LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	157	1.5	10	ng/L	FALSE	NA	1			160	97.8	3.3	130	70	30 LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	150	1.3	10	ng/L	FALSE	NA	1			160	93.6	3.86	130	70	30 LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	141	1.6	10	ng/L	FALSE	NA	1			160	87.9	4.42	130	70	30 LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	146	2.5	10	ng/L	FALSE	NA	1			160	91.5	2.48	130	70	30 LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	148	1.6	10	ng/L	FALSE	NA	1			160	92.6	1.03	130	70	30 LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	164	2.7	10	ng/L	FALSE	NA	1			160	102	4.85	130	70	30 LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	151	1.4	10	ng/L	FALSE	NA	1			160	94.5	4.67	130	70	30 LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	152	1.9	10	ng/L	FALSE	NA	1			160	94.9	1.78	130	70	30 LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	153	1.1	10	ng/L	FALSE	NA	1			160	95.5	0.183	130	70	30 LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	142	2	10	ng/L	FALSE	NA	1			160	88.5	0.788	130	70	30 LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	148	2.2	10	ng/L	FALSE	NA	1			160	92.3	0.104	130	70	30 LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	142	1	10	ng/L	FALSE	NA	1			160	88.7	0.681	130	70	30 LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	146	1.7	10	ng/L	FALSE	NA	1			160	91	0.639	130	70	30 LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	146	1.1	10	ng/L	FALSE	NA	1			160	91.2	0.292	130	70	30 LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	158			ng/L	FALSE	NA	1			160	98.9		130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.8		130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	161			ng/L	FALSE	NA	1			154.9	104		130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	155			ng/L	FALSE	NA	1			151.8	102		130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	152			ng/L	FALSE	NA	1			149.6	101		130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.3		130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	159			ng/L	FALSE	NA	1			160	99.1		130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	150			ng/L	FALSE	NA	1			153.1	97.9		130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.8		130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.8		130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	147	1.4	10	ng/L	FALSE	NA	1			160	91.9	1.12	130	70	30 LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.9		130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93.4		130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	95.2		130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	147			ng/L	FALSE	NA	1			160	92.1		130	70	LZ				73
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	144			ng/L	FALSE	NA	1			151.4	95.5		130	70	LZ				74
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143			ng/L	FALSE	NA	1			148.6	96.2		130	70	LZ				75
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.6		130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	94		130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.7		130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	147	1.2	10	ng/L	FALSE	NA	1			160	92	0.255	130	70	30 LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19D003-BSD1	LCS Dup	Water	4/2/2019 14:17	4/3/2019 7:39	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	145	1.2	10	ng/L	FALSE	NA	1			160	90.6	1.64	130	70	30 LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	23.7	4.32	47	ng/L	FALSE	NA	1	1904002-09	25.6			7.62			30 LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	1.71	0.658	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.13	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	15.9	0.752	9.4	ng/L	FALSE	NA	1	1904002-09	15.3			3.99			30 LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	53	1.13	9.4	ng/L	FALSE	NA	1	1904002-09	56.3			5.97			30 LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	207	2.07	9.4	ng/L	FALSE	NA	1	1904002-09	193			6.87			30 LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	33.3	4.32	47	ng/L	FALSE	NA	1	1904002-09	35			4.92			30 LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	4.26	1.41	9.4	ng/L	FALSE	NA	1	1904002-09	4.33			1.65			30 LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.41	1.22	9.4	ng/L	FALSE	NA	1	1904002-09	9.56			1.52			30 LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1300	1.5	9.4	ng/L	FALSE	NA	1	1904002-09	1320			1.76			30 LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	5.26	2.35	9.4	ng/L	FALSE	NA	1	1904002-09	5.55			5.29			30 LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	2.68	1.5	9.4	ng/L	FALSE	NA	1	1904002-09	3.11			14.9			30 LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	24.3	2.54	9.4	ng/L	FALSE	NA	1	1904002-09	24.7			1.65			30 LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.32	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.79	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.03	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	56.9	1.88	9.4	ng/L	FALSE	NA	1	1904002-09	60.1			5.48			30 LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.07	9.4	ng/L	FALSE	NA	1	1904002-09	U						30 LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	17.2	0.94	9.4	ng/L	FALSE	NA	1	1904002-09	17.2			0.189			30 LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	13.5	1.6	9.4	ng/L	FALSE	NA	1	1904002-09	10.9			21.3			30 LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	313	1.03	9.4	ng/L	FALSE	NA	1	1904002-09	6.67			192			30 LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	103			ng/L	FALSE	NA	1	1904002-09		140.7	72.9		130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	103			ng/L	FALSE	NA	1	1904002-09		140.7	72.9		130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17	4/3/2019 11:28	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	144			ng/L	FALSE	NA	1	1904002-09		136.2	105		130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19D003-DUP1	Duplicate	Water	4/2/2019 14:17

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.4		130	70	LZ					71
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.4		130	70	LZ					72
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.1		130	70	LZ					73
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	148			ng/L	FALSE	NA	1			151.4	97.9		130	70	LZ					74
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	140			ng/L	FALSE	NA	1			148.6	94.3		130	70	LZ					75
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.4		130	70	LZ					76
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	92.8		130	70	LZ					77
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.7		130	70	LZ					78
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	10.2	1.2	10	ng/L	FALSE	NA	1			10	102		150	50	LZ					8
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL1	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:31	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	9.74	1.2	10	ng/L	FALSE	NA	1			10	97.4		150	50	LZ					9
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	55.6	4.6	50	ng/L	FALSE	NA	1			50	111		150	50	LZ					1
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	10.5	0.7	10	ng/L	FALSE	NA	1			10	105		150	50	LZ					10
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	10.8	1.2	10	ng/L	FALSE	NA	1			10	108		150	50	LZ					11
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	8.62	0.8	10	ng/L	FALSE	NA	1			10	86.2		150	50	LZ					12
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	10.8	1.2	10	ng/L	FALSE	NA	1			10	108		150	50	LZ					13
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	8.36	2.2	10	ng/L	FALSE	NA	1			10	83.6		150	50	LZ					14
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	50.6	4.6	50	ng/L	FALSE	NA	1			50	101		150	50	LZ					2
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	10.7	1.5	10	ng/L	FALSE	NA	1			10	107		150	50	LZ					21
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.23	1.3	10	ng/L	FALSE	NA	1			10	92.3		150	50	LZ					22
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	17.2	1.6	10	ng/L	FALSE	NA	1			10	172		150	50	LZ					23
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	9.99	2.5	10	ng/L	FALSE	NA	1			10	99.9		150	50	LZ					24
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	10.6	1.6	10	ng/L	FALSE	NA	1			10	106		150	50	LZ					25
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	10.2	2.7	10	ng/L	FALSE	NA	1			10	102		150	50	LZ					26
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	10	1.4	10	ng/L	FALSE	NA	1			10	100		150	50	LZ					27
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	10.7	1.9	10	ng/L	FALSE	NA	1			10	107		150	50	LZ					28
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	9.41	1.1	10	ng/L	FALSE	NA	1			10	94.1		150	50	LZ					29
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	10	2	10	ng/L	FALSE	NA	1			10	100		150	50	LZ					3
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	10.8	2.2	10	ng/L	FALSE	NA	1			10	108		150	50	LZ					30
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	11	1	10	ng/L	FALSE	NA	1			10	110		150	50	LZ					4
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	11.5	1.7	10	ng/L	FALSE	NA	1			10	115		150	50	LZ					5
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	11	1.1	10	ng/L	FALSE	NA	1			10	110		150	50	LZ					6
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	159			ng/L	FALSE	NA	1			160	99.2		130	70	LZ					60
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	156			ng/L	FALSE	NA	1			160	97.3		130	70	LZ					61
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	157			ng/L	FALSE	NA	1			154.9	101		130	70	LZ					62
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	152			ng/L	FALSE	NA	1			151.8	99.9		130	70	LZ					63
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	143			ng/L	FALSE	NA	1			149.6	95.9		130	70	LZ					64
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	95		130	70	LZ					65
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	157			ng/L	FALSE	NA	1			160	98		130	70	LZ					66
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	149			ng/L	FALSE	NA	1			153.1	97.5		130	70	LZ					67
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.3		130	70	LZ					68
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.7		130	70	LZ					69
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	11.7	1.4	10	ng/L	FALSE	NA	1			10	117		150	50	LZ					7
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.9		130	70	LZ					70
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.2		130	70	LZ					71
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	94.7		130	70	LZ					72
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	93.1		130	70	LZ					73
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	145			ng/L	FALSE	NA	1			151.4	96.1		130	70	LZ					74
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	142			ng/L	FALSE	NA	1			148.6	95.5		130	70	LZ					75
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.7		130	70	LZ					76
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	94		130	70	LZ					77
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	156			ng/L	FALSE	NA	1			160	97.7		130	70	LZ					78
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	10.1	1.2	10	ng/L	FALSE	NA	1			10	101		150	50	LZ					8
US EPA Region 5 Chicago Regional Laboratory	B19D003-MRL2	MRL Check	Water	4/2/2019 14:17	4/3/2019 6:53	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	10.5	1.2	10	ng/L	FALSE	NA	1			10	105		150	50	LZ					9
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	584	4.1	44.5	ng/L	FALSE	NA	1	1904002-09	25.6	624.5	89.5		130	70	LZ					1
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	55.4	0.623	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	44.4		130	70	LZ					10
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	17.4	1.07	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	13.9		130	70	LZ					11
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	126	0.712	8.9	ng/L	FALSE	NA	1	1904002-09	15.3	124.9	88.7		130	70	LZ					12
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	140	1.07	8.9	ng/L	FALSE	NA	1	1904002-09	56.3	124.9	67.1		130	70	LZ					13
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	275	1.96	8.9	ng/L	FALSE	NA	1	1904002-09	193	124.9	65.1		130	70	LZ					14
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	476	4.1	44.5	ng/L	FALSE	NA	1	1904002-09	35	624.5	70.5		130	70	LZ					2
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	110	1.34	8.9	ng/L	FALSE	NA	1	1904002-09	4.33	124.9	84.8		130	70	LZ					21
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	107	1.16	8.9	ng/L	FALSE	NA	1	1904002-09	9.56	124.9	77.6		130	70	LZ					22
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	1340	1.42	8.9	ng/L	FALSE	NA	1	1904002-09	1320	124.9	16.9		130	70	LZ					23
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	102	2.23	8.9	ng/L	FALSE	NA	1	1904002-09	5.55	124.9	77.4		130	70	LZ					24
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	94	1.42	8.9	ng/L	FALSE	NA	1	1904002-09	3.11	124.9	72.7		130	70	LZ					25
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	154	2.4	8.9	ng/L	FALSE	NA	1	1904002-09	24.7	124.9	103		130	70	LZ					26
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	92.3	1.25	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	73.9		130	70	LZ					27
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	87.7	1.69	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	70.2		130	70	LZ					28
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	86	0.979	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	68.8		130	70	LZ					29
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	156	1.78	8.9	ng/L	FALSE	NA	1	1904002-09	60.1	124.9	77.2		130	70	LZ					3
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	81.7	1.96	8.9	ng/L	FALSE	NA	1	1904002-09	U	124.9	65.4		130	70	LZ					30
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	105	0.89	8.9	ng/L	FALSE	NA	1	1904002-09	17.2	124.9	69.9		130	70	LZ					4
US EPA Region 5 Chicago Regional Laboratory	B19D003-MS1	Matrix Spike	Water	4/2/2019 14:17	4/3/2019 11:50	B19D003	OSRTI PFC	*** DEFAULT SPECIF

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	114			ng/L	FALSE	NA	1	1904002-09			136.6	83.7	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	107			ng/L	FALSE	NA	1	1904002-09			142.7	75.2	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	100			ng/L	FALSE	NA	1	1904002-09			142.7	70.1	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	99.2	1.32	9.46	ng/L	FALSE	NA	1	1904002-09	2.64		142.7	67.7	15.6	130	70	30	LZ			7
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	102			ng/L	FALSE	NA	1	1904002-09			142.7	71.4	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	105			ng/L	FALSE	NA	1	1904002-09			142.7	73.7	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	116			ng/L	FALSE	NA	1	1904002-09			142.7	81.2	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	105			ng/L	FALSE	NA	1	1904002-09			142.7	73.4	130	70	LZ				73
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	107			ng/L	FALSE	NA	1	1904002-09			135	79.6	130	70	LZ				74
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	114			ng/L	FALSE	NA	1	1904002-09			132.6	86.2	130	70	LZ				75
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	61.6			ng/L	FALSE	NA	1	1904002-09			142.7	43.2	130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	96.5			ng/L	FALSE	NA	1	1904002-09			142.7	67.6	130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	131			ng/L	FALSE	NA	1	1904002-09			142.7	91.7	130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	98.4	1.14	9.46	ng/L	FALSE	NA	1	1904002-09	U		142.7	69	17.5	130	70	30	LZ			8
US EPA Region 5 Chicago Regional Laboratory	B19D003-MSD1	Matrix Spike Dup	Water	4/2/2019 14:17	4/3/2019 12:13	B19D003	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	95.4	1.14	9.46	ng/L	FALSE	NA	1	1904002-09	U		142.7	66.8	25.3	130	70	30	LZ			9

QUALIFIER DESCRIPTION