CLIENT	PROJECT	PROJECTNUM	LabName	SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPTOMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.82	41.5	ng/L	FALSE	NA	1				DK																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.581	8.3	ng/L	FALSE	NA	1				DK																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	0.996	8.3	ng/L	FALSE	NA	1				DK																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	8.57	0.664	8.3	ng/L	FALSE	NA	1				DK																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.3	0.996	8.3	ng/L	FALSE	NA	1				DK																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	46.2	1.83	8.3	ng/L	FALSE	NA	1				DK																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.82	41.5	ng/L	FALSE	NA	1				DK																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.25	8.3	ng/L	FALSE	NA	1				DK																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.08	8.3	ng/L	FALSE	NA	1				DK																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	365	1.33	8.3	ng/L	FALSE	NA	1				DK																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.08	8.3	ng/L	FALSE	NA	1				DK																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.33	8.3	ng/L	FALSE	NA	1				DK																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.24	8.3	ng/L	FALSE	NA	1				DK																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.16	8.3	ng/L	FALSE	NA	1				DK																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.58	8.3	ng/L	FALSE	NA	1				DK																28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.913	8.3	ng/L	FALSE	NA	1				DK																29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	34.2	1.66	8.3	ng/L	FALSE	NA	1				DK																3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.83	8.3	ng/L	FALSE	NA	1				DK																30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	14.2	0.83	8.3	ng/L	FALSE	NA	1				DK																4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	8.76	1.41	8.3	ng/L	FALSE	NA	1				DK																5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	39.5	0.913	8.3	ng/L	FALSE	NA	1				DK																6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	86.3		ng/L	FALSE	NA	1	105.6	81.7	130	70 DK																60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	88.3		ng/L	FALSE	NA	1	105.6	83.6	130	70 DK																61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	75.7		ng/L	FALSE	NA	1	102.1	74	130	70 DK																62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	99.3		ng/L	FALSE	NA	1	100.3	99	130	70 DK																63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	73.7		ng/L	FALSE	NA	1	98.78	74.6	130	70 DK																64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	97.1		ng/L	FALSE	NA	1	105.6	91.9	130	70 DK																65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	95.5		ng/L	FALSE	NA	1	105.6	90.4	130	70 DK																66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	91.8		ng/L	FALSE	NA	1	101.1	90.8	130	70 DK																67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	99.8		ng/L	FALSE	NA	1	105.6	94.5	130	70 DK																68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	88.3		ng/L	FALSE	NA	1	105.6	83.6	130	70 DK																69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.16	8.3	ng/L	FALSE	NA	1				DK																7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	95.3		ng/L	FALSE	NA	1	105.6	90.3	130	70 DK																70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHpA		TRUE	FALSE	97.8		ng/L	FALSE	NA	1	105.6	92.6	130	70 DK																71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	95.3		ng/L	FALSE	NA	1	105.6	90.2	130	70 DK																72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	96		ng/L	FALSE	NA	1	105.6	90.9	130	70 DK																73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	97		ng/L	FALSE	NA	1	99.94	97	130	70 DK																74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	94.4		ng/L	FALSE	NA	1	98.14	96.2	130	70 DK																75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	0.949		ng/L	FALSE	NA	1	105.6	0.899	130	70 DK																76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFDoA		TRUE	FALSE	67.4		ng/L	FALSE	NA	1	105.6	63.8	130	70 DK																77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFBA		TRUE	FALSE	111		ng/L	FALSE	NA	1	105.6	105	130	70 DK																78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	0.996	8.3	ng/L	FALSE	NA	1				DK																8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-05-20190501-11	1905005-05	Water	Water	05/01/2019 09:40:00	05/08/2019 15:05:00	05/09/2019 02:24:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	0.996	8.3	ng/L	FALSE	NA	1				DK																9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	3.99	43.4	ng/L	FALSE	NA	1				DK																1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.605	8.65	ng/L	FALSE	NA	1				DK																10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.04	8.65	ng/L	FALSE	NA	1				DK																11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.692	8.65	ng/L	FALSE	NA	1				DK																12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	13	1.04	8.65	ng/L	FALSE	NA	1				DK																13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	40.9	1.9	8.65	ng/L	FALSE	NA	1				DK																14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	3.98	43.2	ng/L	FALSE	NA	1				DK																2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.1	8.65	ng/L	FALSE	NA	1				DK																21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.12	8.65	ng/L	FALSE	NA	1				DK																22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	344	1.38	8.65	ng/L	FALSE	NA	1				DK																23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.16	8.65	ng/L	FALSE	NA	1				DK																24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.38	8.65	ng/L	FALSE	NA	1				DK																25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.33	8.65	ng/L	FALSE	NA	1				DK																26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.21	8.65	ng/L	FALSE	NA	1				DK																27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-09-20190501-11	1905005-07	Water	Water	05/01/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 03:09:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.64	8.65	ng/L	FALSE	NA	1				DK															

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	410	1.53	9.53	ng/L	FALSE	NA	1			DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.38	9.53	ng/L	FALSE	NA	1			DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.53	9.53	ng/L	FALSE	NA	1			DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.57	9.53	ng/L	FALSE	NA	1			DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.33	9.53	ng/L	FALSE	NA	1			DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.81	9.53	ng/L	FALSE	NA	1			DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.05	9.53	ng/L	FALSE	NA	1			DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	37.8	1.91	9.53	ng/L	FALSE	NA	1			DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.1	9.53	ng/L	FALSE	NA	1			DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	18.2	0.953	9.53	ng/L	FALSE	NA	1			DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	12.3	1.62	9.53	ng/L	FALSE	NA	1			DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	373	1.05	9.53	ng/L	FALSE	NA	1			DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	126		ng/L	FALSE	NA	1	145.1	86.9	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	127		ng/L	FALSE	NA	1	145.1	87.5	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	118		ng/L	FALSE	NA	1	140.4	84.3	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	134		ng/L	FALSE	NA	1	137.7	97.5	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	105		ng/L	FALSE	NA	1	135.7	77.2	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	139		ng/L	FALSE	NA	1	145.1	95.6	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	139		ng/L	FALSE	NA	1	145.1	96	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	133		ng/L	FALSE	NA	1	138.8	96	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	139		ng/L	FALSE	NA	1	145.1	96	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	132		ng/L	FALSE	NA	1	145.1	90.8	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.33	9.53	ng/L	FALSE	NA	1			DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	133		ng/L	FALSE	NA	1	144.9	87.8	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNA		TRUE	FALSE	132		ng/L	FALSE	NA	1	144.9	91.7	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	132		ng/L	FALSE	NA	1	144.9	91.4	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	129		ng/L	FALSE	NA	1	144.9	89	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	128		ng/L	FALSE	NA	1	137.1	93.3	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	124		ng/L	FALSE	NA	1	134.6	92.1	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	64.6		ng/L	FALSE	NA	1	144.9	44.6	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	114		ng/L	FALSE	NA	1	144.9	78.4	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-11-20190501-12	1905005-09	Water	Water	05/01/2019 09:55:00	05/08/2019 15:05:00	05/09/2019 03:55:24	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	153		ng/L	FALSE	NA	1	144.9	105	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.14	9.53	ng/L	FALSE	NA	1			DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.14	9.53	ng/L	FALSE	NA	1			DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.38	47.6	ng/L	FALSE	NA	1			DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.667	9.53	ng/L	FALSE	NA	1			DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.14	9.53	ng/L	FALSE	NA	1			DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.762	9.53	ng/L	FALSE	NA	1			DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	12.7	1.14	9.53	ng/L	FALSE	NA	1			DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	39.9	2.1	9.53	ng/L	FALSE	NA	1			DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.38	47.6	ng/L	FALSE	NA	1			DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.43	9.53	ng/L	FALSE	NA	1			DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.24	9.53	ng/L	FALSE	NA	1			DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	303	1.52	9.53	ng/L	FALSE	NA	1			DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.38	9.53	ng/L	FALSE	NA	1			DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.52	9.53	ng/L	FALSE	NA	1			DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.57	9.53	ng/L	FALSE	NA	1			DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.33	9.53	ng/L	FALSE	NA	1			DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.81	9.53	ng/L	FALSE	NA	1			DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.05	9.53	ng/L	FALSE	NA	1			DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	29.6	1.91	9.53	ng/L	FALSE	NA	1			DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.1	9.53	ng/L	FALSE	NA	1			DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	11.4	0.953	9.53	ng/L	FALSE	NA	1			DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.62	9.53	ng/L	FALSE	NA	1			DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	11.3	1.05	9.53	ng/L	FALSE	NA	1			DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	120		ng/L	FALSE	NA	1	144.9	83.1	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	121		ng/L	FALSE	NA	1	144.9	83.8	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	104		ng/L	FALSE	NA	1	140.3	73.9	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	120		ng/L	FALSE	NA	1	137.5	87.3	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	102		ng/L	FALSE	NA	1	135.5	75	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	131		ng/L	FALSE	NA	1	144.9	90.2	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	132		ng/L	FALSE	NA	1	144.9	91.4	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-12-20190501-11	1905005-10	Water	Water	05/01/2019 08:30:00	05/08/2019 15:05:00	05/09/2019 04:18:14	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALS

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.2	1.63	9.58	ng/L	FALSE	NA	1				DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	41.1	1.05	9.58	ng/L	FALSE	NA	1				DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	125			ng/L	FALSE	NA	1	146.6	85.3	130	70 DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-MeFOSAA		TRUE	FALSE	124			ng/L	FALSE	NA	1	146.6	84.4	130	70 DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	112			ng/L	FALSE	NA	1	142	79.1	130	70 DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	131			ng/L	FALSE	NA	1	139.2	94.2	130	70 DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	102			ng/L	FALSE	NA	1	137.1	74.6	130	70 DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	137			ng/L	FALSE	NA	1	146.6	93.7	130	70 DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	138			ng/L	FALSE	NA	1	146.6	94.4	130	70 DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	140			ng/L	FALSE	NA	1	140.3	99.9	130	70 DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	136			ng/L	FALSE	NA	1	146.6	92.7	130	70 DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	132			ng/L	FALSE	NA	1	146.6	89.7	130	70 DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.34	9.58	ng/L	FALSE	NA	1				DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	133			ng/L	FALSE	NA	1	146.6	90.8	130	70 DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHpA		TRUE	FALSE	138			ng/L	FALSE	NA	1	146.6	94.2	130	70 DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	141			ng/L	FALSE	NA	1	146.6	95.8	130	70 DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	136			ng/L	FALSE	NA	1	146.6	92.4	130	70 DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	135			ng/L	FALSE	NA	1	138.7	97	130	70 DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	129			ng/L	FALSE	NA	1	136.2	94.9	130	70 DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	78.8			ng/L	FALSE	NA	1	146.6	53.7	130	70 DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	121			ng/L	FALSE	NA	1	146.6	82.6	130	70 DK	77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-03-20190502-11	1905006-03	Water	Water	05/02/2019 10:15:00	05/08/2019 15:05:00	05/09/2019 06:35:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	163			ng/L	FALSE	NA	1	146.6	111	130	70 DK	78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.15	9.58	ng/L	FALSE	NA	1				DK	8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.15	9.58	ng/L	FALSE	NA	1				DK	9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.06	44.2	ng/L	FALSE	NA	1				DK	1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.618	8.83	ng/L	FALSE	NA	1				DK	10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.06	8.83	ng/L	FALSE	NA	1				DK	11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.706	8.83	ng/L	FALSE	NA	1				DK	12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.3	1.06	8.83	ng/L	FALSE	NA	1				DK	13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	49.2	1.94	8.83	ng/L	FALSE	NA	1				DK	14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	47.9	4.06	44.2	ng/L	FALSE	NA	1				DK	2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.32	8.83	ng/L	FALSE	NA	1				DK	21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPnS)	2706-91-4	FALSE	FALSE	U	1.15	8.83	ng/L	FALSE	NA	1				DK	22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	367	1.41	8.83	ng/L	FALSE	NA	1				DK	23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.21	8.83	ng/L	FALSE	NA	1				DK	24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.41	8.83	ng/L	FALSE	NA	1				DK	25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.38	8.83	ng/L	FALSE	NA	1				DK	26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.24	8.83	ng/L	FALSE	NA	1				DK	27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.68	8.83	ng/L	FALSE	NA	1				DK	28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.971	8.83	ng/L	FALSE	NA	1				DK	29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	35.9	1.77	8.83	ng/L	FALSE	NA	1				DK	3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.94	8.83	ng/L	FALSE	NA	1				DK	30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	15.9	0.883	8.83	ng/L	FALSE	NA	1				DK	4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.5	8.83	ng/L	FALSE	NA	1				DK	5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.971	8.83	ng/L	FALSE	NA	1				DK	6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	86.4			ng/L	FALSE	NA	1	122.6	70.5	130	70 DK	60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-MeFOSAA		TRUE	FALSE	93.7			ng/L	FALSE	NA	1	122.6	76.4	130	70 DK	61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	82			ng/L	FALSE	NA	1	118.7	69.1	130	70 DK	62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	100			ng/L	FALSE	NA	1	116.3	86	130	70 DK	63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	75.8			ng/L	FALSE	NA	1	114.6	66.1	130	70 DK	64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	104			ng/L	FALSE	NA	1	122.6	84.7	130	70 DK	65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	103			ng/L	FALSE	NA	1	122.6	83.8	130	70 DK	66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	100			ng/L	FALSE	NA	1	117.3	85.5	130	70 DK	67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	108			ng/L	FALSE	NA	1	122.6	88.3	130	70 DK	68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	92.4			ng/L	FALSE	NA	1	122.6	75.4	130	70 DK	69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.24	8.83	ng/L	FALSE	NA	1				DK	7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	98.8			ng/L	FALSE	NA	1	122.6	80.6	130	70 DK	70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	107			ng/L	FALSE	NA	1	122.6	87.3	130	70 DK	71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	104			ng/L	FALSE	NA	1	122.6	85.1	130	70 DK	72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	104			ng/L	FALSE	NA	1	122.6	84.7	130	70 DK	73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	107			ng/L	FALSE	NA	1	116	91.9	130	70 DK	74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	102			ng/L	FALSE	NA	1	113.9	89.7	130	70 DK	75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	6.45			ng/L	FALSE	NA	1	122.6	5.26	130	70 DK	76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190502-15	1905006-05	Water	Water	05/02/2019 10:30:00	05/08/2019 15:05:00	05/09/2019 06:58:04	B

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	118		ng/L	FALSE	NA	1	126.5	93.7	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	106		ng/L	FALSE	NA	1	126.5	84.1	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.25	8.95 ng/L	FALSE	NA	1				DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	109		ng/L	FALSE	NA	1	126.5	86.1	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	116		ng/L	FALSE	NA	1	126.5	91.7	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	117		ng/L	FALSE	NA	1	126.5	92.8	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	114		ng/L	FALSE	NA	1	126.5	89.9	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	115		ng/L	FALSE	NA	1	119.7	96.1	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	109		ng/L	FALSE	NA	1	117.5	92.9	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	18.9		ng/L	FALSE	NA	1	126.5	14.9	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	91.8		ng/L	FALSE	NA	1	126.5	72.5	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	135		ng/L	FALSE	NA	1	126.5	107	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.07	8.95 ng/L	FALSE	NA	1				DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:55:00	05/08/2019 15:05:00	05/09/2019 08:06:39	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.07	8.95 ng/L	FALSE	NA	1				DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-09-20190502-11	1905006-07	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.19	45.5 ng/L	FALSE	NA	1				DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.637	9.11 ng/L	FALSE	NA	1				DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.09	9.11 ng/L	FALSE	NA	1				DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.728	9.11 ng/L	FALSE	NA	1				DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.2	1.09	9.11 ng/L	FALSE	NA	1				DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	48.7	2	9.11 ng/L	FALSE	NA	1				DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	49.6	4.19	45.5 ng/L	FALSE	NA	1				DK		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.37	9.11 ng/L	FALSE	NA	1				DK		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.18	9.11 ng/L	FALSE	NA	1				DK		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	376	1.46	9.11 ng/L	FALSE	NA	1				DK		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.28	9.11 ng/L	FALSE	NA	1				DK		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.46	9.11 ng/L	FALSE	NA	1				DK		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.46	9.11 ng/L	FALSE	NA	1				DK		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.27	9.11 ng/L	FALSE	NA	1				DK		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.73	9.11 ng/L	FALSE	NA	1				DK		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1	9.11 ng/L	FALSE	NA	1				DK		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	37.5	1.82	9.11 ng/L	FALSE	NA	1				DK		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2	9.11 ng/L	FALSE	NA	1				DK		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	16.9	0.911	9.11 ng/L	FALSE	NA	1				DK		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	1.55	9.11 ng/L	FALSE	NA	1				DK		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1	9.11 ng/L	FALSE	NA	1				DK		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	101		ng/L	FALSE	NA	1	131.4	76.5	130	70 DK		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	111		ng/L	FALSE	NA	1	131.4	84.4	130	70 DK		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	95.5		ng/L	FALSE	NA	1	127.2	75.1	130	70 DK		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	120		ng/L	FALSE	NA	1	124.7	96.1	130	70 DK		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	94.1		ng/L	FALSE	NA	1	122.8	76.6	130	70 DK		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	123		ng/L	FALSE	NA	1	131.4	93.8	130	70 DK		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	122		ng/L	FALSE	NA	1	131.4	92.6	130	70 DK		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	121		ng/L	FALSE	NA	1	125.7	96.3	130	70 DK		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	124		ng/L	FALSE	NA	1	131.4	94.1	130	70 DK		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	113		ng/L	FALSE	NA	1	131.4	86	130	70 DK		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.27	9.11 ng/L	FALSE	NA	1				DK		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	119		ng/L	FALSE	NA	1	131.4	90.3	130	70 DK		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	124		ng/L	FALSE	NA	1	131.4	94.7	130	70 DK		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	124		ng/L	FALSE	NA	1	131.4	94.3	130	70 DK		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	119		ng/L	FALSE	NA	1	131.4	90.9	130	70 DK		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	120		ng/L	FALSE	NA	1	124.3	96.7	130	70 DK		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	120		ng/L	FALSE	NA	1	122	98.6	130	70 DK		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	21.5		ng/L	FALSE	NA	1	131.4	16.3	130	70 DK		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	99		ng/L	FALSE	NA	1	131.4	75.4	130	70 DK		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	146		ng/L	FALSE	NA	1	131.4	111	130	70 DK		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.09	9.11 ng/L	FALSE	NA	1				DK		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-11-20190502-11	1905006-08	Water	Water	05/02/2019 10:45:00	05/08/2019 15:05:00	05/09/2019 08:29:27	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.09	9.11 ng/L	FALSE	NA	1				DK		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.03	43.8 ng/L	FALSE	NA	1				DK		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.614	8.77 ng/L	FALSE	NA	1				DK		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.05	8.77 ng/L	FALSE	NA	1				DK		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.701	8.77 ng/L	FALSE	NA	1				DK		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	11.5	1.05	8.77 ng/L	FALSE	NA	1				DK		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	40.5	1.93	8.77 ng/L	FALSE	NA	1				DK		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-12-20190502-11	1905006-09	Water	Water	05/02/2019 09:10:00	05/08/2019 15:05:00	05/09/2019 08:52:16	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FAL

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190502-11	1905006-11	Water	Water	05/02/2019 15:05:00	05/08/2019 15:05:00	05/09/2019 09:37:54	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA	TRUE	FALSE	94.2		ng/L	FALSE	NA	1	132.5	71.1	130	70 DK			77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190502-11	1905006-11	Water	Water	05/02/2019 15:05:00	05/08/2019 15:05:00	05/09/2019 09:37:54	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA	TRUE	FALSE	135		ng/L	FALSE	NA	1	132.5	102	130	70 DK			78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190502-11	1905006-11	Water	Water	05/02/2019 15:05:00	05/08/2019 15:05:00	05/09/2019 09:37:54	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE U	1.1	9.14 ng/L	FALSE	NA	1				DK			8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190502-11	1905006-11	Water	Water	05/02/2019 15:05:00	05/08/2019 15:05:00	05/09/2019 09:37:54	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE U	1.1	9.14 ng/L	FALSE	NA	1				DK			9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE U	4.08	44.4 ng/L	FALSE	NA	1				DK			1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U	0.622	8.88 ng/L	FALSE	NA	1				DK			10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE U	1.07	8.88 ng/L	FALSE	NA	1				DK			11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE 18.4	0.71	8.88 ng/L	FALSE	NA	1				DK			12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE 31.6	1.07	8.88 ng/L	FALSE	NA	1				DK			13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE 1110	1.95	8.88 ng/L	FALSE	NA	1				DK			14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE 63.3	4.08	44.4 ng/L	FALSE	NA	1				DK			2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE U	1.33	8.88 ng/L	FALSE	NA	1				DK			21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE U	1.15	8.88 ng/L	FALSE	NA	1				DK			22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE 502	1.42	8.88 ng/L	FALSE	NA	1				DK			23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE 9.48	2.22	8.88 ng/L	FALSE	NA	1				DK			24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.42	8.88 ng/L	FALSE	NA	1				DK			25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE 72	2.4	8.88 ng/L	FALSE	NA	1				DK			26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.24	8.88 ng/L	FALSE	NA	1				DK			27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U	1.69	8.88 ng/L	FALSE	NA	1				DK			28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE U	0.977	8.88 ng/L	FALSE	NA	1				DK			29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE 59.3	1.78	8.88 ng/L	FALSE	NA	1				DK			3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE U	1.95	8.88 ng/L	FALSE	NA	1				DK			30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE 19.2	0.888	8.88 ng/L	FALSE	NA	1				DK			4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE 15.4	1.51	8.88 ng/L	FALSE	NA	1				DK			5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE U	0.977	8.88 ng/L	FALSE	NA	1				DK			6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	6:2 FtTAS	TRUE	FALSE	66.7		ng/L	FALSE	NA	1	124.2	53.7	130	70 DK			60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA	TRUE	FALSE	68.9		ng/L	FALSE	NA	1	124.2	55.5	130	70 DK			61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS	TRUE	FALSE	88.6		ng/L	FALSE	NA	1	120.2	73.7	130	70 DK			62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS	TRUE	FALSE	114		ng/L	FALSE	NA	1	117.8	96.5	130	70 DK			63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS	TRUE	FALSE	83.1		ng/L	FALSE	NA	1	116.1	71.6	130	70 DK			64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA	TRUE	FALSE	94		ng/L	FALSE	NA	1	124.2	75.7	130	70 DK			65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA	TRUE	FALSE	56.9		ng/L	FALSE	NA	1	124.2	45.8	130	70 DK			66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS	TRUE	FALSE	75		ng/L	FALSE	NA	1	118.8	63.1	130	70 DK			67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA	TRUE	FALSE	96.9		ng/L	FALSE	NA	1	124.2	78.1	130	70 DK			68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA	TRUE	FALSE	68		ng/L	FALSE	NA	1	124.2	54.8	130	70 DK			69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE U	1.24	8.88 ng/L	FALSE	NA	1				DK			7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA	TRUE	FALSE	87		ng/L	FALSE	NA	1	124.2	70.1	130	70 DK			70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA	TRUE	FALSE	91.9		ng/L	FALSE	NA	1	124.2	74	130	70 DK			71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA	TRUE	FALSE	92.4		ng/L	FALSE	NA	1	124.2	74.4	130	70 DK			72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA	TRUE	FALSE	94.9		ng/L	FALSE	NA	1	124.2	76.5	130	70 DK			73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS	TRUE	FALSE	86.5		ng/L	FALSE	NA	1	117.4	73.6	130	70 DK			74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS	TRUE	FALSE	82.6		ng/L	FALSE	NA	1	115.3	71.7	130	70 DK			75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA	TRUE	FALSE	0.504		ng/L	FALSE	NA	1	124.2	0.406	130	70 DK			76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA	TRUE	FALSE	38.6		ng/L	FALSE	NA	1	124.2	31.1	130	70 DK			77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PBA	TRUE	FALSE	101		ng/L	FALSE	NA	1	124.2	81	130	70 DK			78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE U	1.07	8.88 ng/L	FALSE	NA	1				DK			8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-05-20190502-11	1905006-12	Water	Water	05/02/2019 15:20:00	05/08/2019 15:05:00	05/09/2019 10:00:51	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE U	1.07	8.88 ng/L	FALSE	NA	1				DK			9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE 295	4.03	43.8 ng/L	FALSE	NA	1				LZ			1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U	0.614	8.77 ng/L	FALSE	NA	1				LZ			10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE U	1.05	8.77 ng/L	FALSE	NA	1				LZ			11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE 30.4	0.701	8.77 ng/L	FALSE	NA	1				LZ			12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE 66	1.05	8.77 ng/L	FALSE	NA	1				LZ			13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE 193	1.93	8.77 ng/L	FALSE	NA	1				LZ			14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE 169	4.03	43.8 ng/L	FALSE	NA	1				LZ			2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE U	1.31	8.77 ng/L	FALSE	NA	1				LZ			21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE 15.6	1.14	8.77 ng/L	FALSE	NA	1				LZ			22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE 2590	1.4	8.77 ng/L	FALSE	NA	1				LZ			23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U	2.19	8.77 ng/L	FALSE	NA	1				LZ			24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U	1.4	8.77 ng/L	FALSE	NA	1				LZ			25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE 9.79	2.37	8.77 ng/L	FALSE	NA	1				LZ			26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U	1.23	8.77 ng/L	FALSE	NA	1				LZ			27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U	1.67	8.77 ng/L	FALSE	NA	1				LZ			28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-TB-04-20190503-11	1905009-01	Water	Water	05/03/2019 11:25:00	05/08/2019 13:56:00	05/09/2019 00:00:40	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.03	43.8	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.32	8.77	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.14	8.77	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	355	1.4	8.77	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.19	8.77	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.4	8.77	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.37	8.77	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.23	8.77	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.67	8.77	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.964	8.77	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36.1	1.75	8.77	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	1.93	8.77	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	16.6	0.877	8.77	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.49	8.77	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.964	8.77	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	75.9			ng/L	FALSE	NA	1	120.6	63	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	81.5			ng/L	FALSE	NA	1	120.6	67.6	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE	73.2			ng/L	FALSE	NA	1	116.7	62.7	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE	97.7			ng/L	FALSE	NA	1	114.4	85.4	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonate(C13)(2)-4:2 FTS		TRUE	FALSE	80.5			ng/L	FALSE	NA	1	112.7	71.4	130	70 LZ		64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFNA		TRUE	FALSE	93.7			ng/L	FALSE	NA	1	120.6	77.7	130	70 LZ		65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFOSA		TRUE	FALSE	87.7			ng/L	FALSE	NA	1	120.6	72.7	130	70 LZ		66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFOS		TRUE	FALSE	87.3			ng/L	FALSE	NA	1	115.4	75.7	130	70 LZ		67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFOA		TRUE	FALSE	95.5			ng/L	FALSE	NA	1	120.6	79.2	130	70 LZ		68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFUnA		TRUE	FALSE	82.1			ng/L	FALSE	NA	1	120.6	68.1	130	70 LZ		69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.23	8.77	ng/L	FALSE	NA	1			LZ		7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MePFDA		TRUE	FALSE	86.7			ng/L	FALSE	NA	1	120.6	71.9	130	70 LZ		70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MSPFPeA		TRUE	FALSE	111			ng/L	FALSE	NA	1	120.6	92.4	130	70 LZ		71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MSPFHxA		TRUE	FALSE	102			ng/L	FALSE	NA	1	120.6	84.7	130	70 LZ		72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MAPFHpA		TRUE	FALSE	104			ng/L	FALSE	NA	1	120.6	86	130	70 LZ		73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	96.5			ng/L	FALSE	NA	1	114	84.6	130	70 LZ		74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	89.7			ng/L	FALSE	NA	1	112	80.1	130	70 LZ		75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	15.9			ng/L	FALSE	NA	1	120.6	13.2	130	70 LZ		76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	74			ng/L	FALSE	NA	1	120.6	61.4	130	70 LZ		77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	117			ng/L	FALSE	NA	1	120.6	96.7	130	70 LZ		78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.05	8.77	ng/L	FALSE	NA	1			LZ		8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 08:55:00	05/08/2019 13:56:00	05/09/2019 01:08:56	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.05	8.77	ng/L	FALSE	NA	1			LZ		9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-01-20190503-12	1905009-04	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.28	46.5	ng/L	FALSE	NA	1			LZ		1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.651	9.29	ng/L	FALSE	NA	1			LZ		10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.12	9.29	ng/L	FALSE	NA	1			LZ		11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.744	9.29	ng/L	FALSE	NA	1			LZ		12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	13	1.12	9.29	ng/L	FALSE	NA	1			LZ		13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	46.7	2.04	9.29	ng/L	FALSE	NA	1			LZ		14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.28	46.5	ng/L	FALSE	NA	1			LZ		2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.39	9.29	ng/L	FALSE	NA	1			LZ		21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.21	9.29	ng/L	FALSE	NA	1			LZ		22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	376	1.49	9.29	ng/L	FALSE	NA	1			LZ		23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.32	9.29	ng/L	FALSE	NA	1			LZ		24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.49	9.29	ng/L	FALSE	NA	1			LZ		25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.51	9.29	ng/L	FALSE	NA	1			LZ		26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.3	9.29	ng/L	FALSE	NA	1			LZ		27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.77	9.29	ng/L	FALSE	NA	1			LZ		28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.02	9.29	ng/L	FALSE	NA	1			LZ		29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36.7	1.86	9.29	ng/L	FALSE	NA	1			LZ		3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.04	9.29	ng/L	FALSE	NA	1			LZ		30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	17.1	0.916	9.29	ng/L	FALSE	NA	1			LZ		4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.56	9.29	ng/L	FALSE	NA	1			LZ		5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.01	9.29	ng/L	FALSE	NA	1			LZ		6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	DS-N-EtFOSAA		TRUE	FALSE	89.4			ng/L	FALSE	NA	1	133	67.2	130	70 LZ		60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	97.7			ng/L	FALSE	NA	1	133	73.4	130	70 LZ		61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonate(C13)(2)-8:2 FTS		TRUE	FALSE	84.6			ng/L	FALSE	NA	1	128.8	65.7	130	70 LZ		62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11	1905009-05	Water	Water	05/03/2019 09:10:00	05/08/2019 13:56:00	05/09/2019 01:31:43	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonate(C13)(2)-6:2 FTS		TRUE	FALSE	112			ng/L	FALSE	NA	1	126.2	88.8	130	70 LZ		63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-BB-02-20190503-11

Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	36.4	2.05	10.3	ng/L	FALSE	NA	1			LZ			3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.26	10.3	ng/L	FALSE	NA	1			LZ			30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	17.2	1.03	10.3	ng/L	FALSE	NA	1			LZ			4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.74	10.3	ng/L	FALSE	NA	1			LZ			5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	75.1	1.13	10.3	ng/L	FALSE	NA	1			LZ			6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	05-N-EtFOSAA		TRUE	FALSE	132		ng/L	FALSE	NA	1	168.3	78.1	130	70 LZ			60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	03-N-MeFOSAA		TRUE	FALSE	140		ng/L	FALSE	NA	1	168.3	83	130	70 LZ			61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	134		ng/L	FALSE	NA	1	162.9	82.5	130	70 LZ			62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	158		ng/L	FALSE	NA	1	159.8	99	130	70 LZ			63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	133		ng/L	FALSE	NA	1	157.4	84.3	130	70 LZ			64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFNA		TRUE	FALSE	162		ng/L	FALSE	NA	1	168.3	96.1	130	70 LZ			65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	140		ng/L	FALSE	NA	1	168.3	83	130	70 LZ			66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	151		ng/L	FALSE	NA	1	161.1	93.5	130	70 LZ			67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	160		ng/L	FALSE	NA	1	168.3	95.2	130	70 LZ			68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	143		ng/L	FALSE	NA	1	168.3	84.7	130	70 LZ			69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.44	10.3	ng/L	FALSE	NA	1			LZ			7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	149		ng/L	FALSE	NA	1	168.3	88.3	130	70 LZ			70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNA		TRUE	FALSE	182		ng/L	FALSE	NA	1	168.3	108	130	70 LZ			71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	165		ng/L	FALSE	NA	1	168.3	97.8	130	70 LZ			72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	175		ng/L	FALSE	NA	1	168.3	104	130	70 LZ			73
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	157		ng/L	FALSE	NA	1	159.2	98.4	130	70 LZ			74
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	145		ng/L	FALSE	NA	1	156.4	92.8	130	70 LZ			75
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTeA		TRUE	FALSE	103		ng/L	FALSE	NA	1	168.3	61.1	130	70 LZ			76
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PDoA		TRUE	FALSE	145		ng/L	FALSE	NA	1	168.3	86.3	130	70 LZ			77
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PBA		TRUE	FALSE	180		ng/L	FALSE	NA	1	168.3	107	130	70 LZ			78
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.23	10.3	ng/L	FALSE	NA	1			LZ			8
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-05-20190503-11	1905009-08	Water	Water	05/03/2019 09:40:00	05/08/2019 13:56:00	05/09/2019 03:48:11	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.23	10.3	ng/L	FALSE	NA	1			LZ			9
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.18	45.4	ng/L	FALSE	NA	1			LZ			1
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.636	9.08	ng/L	FALSE	NA	1			LZ			10
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.09	9.08	ng/L	FALSE	NA	1			LZ			11
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.726	9.08	ng/L	FALSE	NA	1			LZ			12
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	14.1	1.09	9.08	ng/L	FALSE	NA	1			LZ			13
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	46.7	2	9.08	ng/L	FALSE	NA	1			LZ			14
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	47.3	4.18	45.4	ng/L	FALSE	NA	1			LZ			2
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.36	9.08	ng/L	FALSE	NA	1			LZ			21
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.18	9.08	ng/L	FALSE	NA	1			LZ			22
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	382	1.45	9.08	ng/L	FALSE	NA	1			LZ			23
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.27	9.08	ng/L	FALSE	NA	1			LZ			24
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.45	9.08	ng/L	FALSE	NA	1			LZ			25
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.45	9.08	ng/L	FALSE	NA	1			LZ			26
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.27	9.08	ng/L	FALSE	NA	1			LZ			27
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.73	9.08	ng/L	FALSE	NA	1			LZ			28
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	0.999	9.08	ng/L	FALSE	NA	1			LZ			29
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	41.4	1.82	9.08	ng/L	FALSE	NA	1			LZ			3
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2	9.08	ng/L	FALSE	NA	1			LZ			30
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	19.2	0.968	9.08	ng/L	FALSE	NA	1			LZ			4
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.54	9.08	ng/L	FALSE	NA	1			LZ			5
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	0.999	9.08	ng/L	FALSE	NA	1			LZ			6
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	05-N-EtFOSAA		TRUE	FALSE	122.2		ng/L	FALSE	NA	1	130.6	70.6	130	70 LZ			60
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	03-N-MeFOSAA		TRUE	FALSE	98.3		ng/L	FALSE	NA	1	130.6	75.3	130	70 LZ			61
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	89.3		ng/L	FALSE	NA	1	126.4	70.6	130	70 LZ			62
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	116		ng/L	FALSE	NA	1	123.9	93.8	130	70 LZ			63
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	96.8		ng/L	FALSE	NA	1	122.1	79.3	130	70 LZ			64
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFNA		TRUE	FALSE	117		ng/L	FALSE	NA	1	130.6	90	130	70 LZ			65
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	102		ng/L	FALSE	NA	1	130.6	77.8	130	70 LZ			66
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	108		ng/L	FALSE	NA	1	124.9	86.7	130	70 LZ			67
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	116		ng/L	FALSE	NA	1	130.6	88.9	130	70 LZ			68
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	98.8		ng/L	FALSE	NA	1	130.6	75.7	130	70 LZ			69
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	U	1.27	9.08	ng/L	FALSE	NA	1			LZ			7
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	105		ng/L	FALSE	NA	1	130.6	80.1	130	70 LZ			70
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFNA		TRUE	FALSE	136		ng/L	FALSE	NA	1	130.6	104	130	70 LZ			71
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	123		ng/L	FALSE	NA	1	130.6	94	130	70 LZ			72
Region 6, US EPA	R06 Deer Park PFAS	[none]	US EPA Region 5 Chicago Regional Laboratory	ITC-88-07-20190503-11	1905009-09	Water	Water	05/03/2019 10:15:00	05/08/2019 13:56:00	05/09/2019 04:10:50	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	126		ng/L	FALSE	NA	1	130.6	96.4	130	70 LZ

Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	131		FALSE	NA	1	140.1	93.6	130	70 LF																						65
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	103	ng/L	FALSE	NA	1	140.1	217	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFPNA		66
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	157	ng/L	FALSE	NA	1	140.1	92.7	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFPOA		67
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	127	ng/L	FALSE	NA	1	140.1	90.3	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFPOA		68
Region 6, US EPA	906 Deer Park IPFAS	[none]	FALSE	FALSE	106	ng/L	FALSE	NA	1	140.1	75.4	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFOA		69
Region 6, US EPA	906 Deer Park IPFAS	[none]	FALSE	FALSE	U	1.13 5.38 ng/L	FALSE	NA	1	140.1		130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFOA		70
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	113	ng/L	FALSE	NA	1	140.1	80.6	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFOA	335-76-2 perfluorodecanoate	71
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	133	ng/L	FALSE	NA	1	140.1	95.5	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFOA		72
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	146	ng/L	FALSE	NA	1	140.1	104	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFHxA		73
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	157	ng/L	FALSE	NA	1	140.1	112	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFHpA		74
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	117	ng/L	FALSE	NA	1	140.1	83.5	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NBFOSA	2058-94-8 perfluorooctanesulfonamide	75
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	117	ng/L	FALSE	NA	1	140.1	83.5	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NEtFOSA	307-55-1 perfluorooctanesulfonamide	76
Region 6, US EPA	906 Deer Park IPFAS	[none]	TRUE	FALSE	102	ng/L	FALSE	NA	1	140.1	72.9	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NEtFOSA		77
Region 6, US EPA	906 Deer Park IPFAS	[none]	FALSE	FALSE	U	1.13 5.38 ng/L	FALSE	NA	1	140.1		130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NMeFOSA		78
Region 6, US EPA	906 Deer Park IPFAS	[none]	FALSE	FALSE	U	1.13 5.38 ng/L	FALSE	NA	1	140.1		130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NMeFOSA		79
Region 6, US EPA	906 Deer Park IPFAS	[none]	FALSE	FALSE	0	1.13 3.38 ng/L	FALSE	NA	1	140.1	115	130	70 LF	05/07/2019 05:00:00	05/07/2019 13:56:00	05/07/2019 05:18:49	8198515	GSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	NFOSAA		80
Region 6, US EPA	906 Deer Park IPFAS	[none]											12										9

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE	ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID	SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE	ANALYTEORDER
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.4	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.6	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	137			ng/L	FALSE	NA	1			154.9	88.6	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	136			ng/L	FALSE	NA	1			151.8	89.7	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	136			ng/L	FALSE	NA	1			149.6	90.7	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.8	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	95.2	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	145			ng/L	FALSE	NA	1			153.1	94.7	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.3	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	152			ng/L	FALSE	NA	1			160	95.1	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.7	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	158			ng/L	FALSE	NA	1			160	98.7	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.8	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	156			ng/L	FALSE	NA	1			160	97.5	130	70	LZ				73
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	150			ng/L	FALSE	NA	1			151.4	99.1	130	70	LZ				74
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143			ng/L	FALSE	NA	1			148.6	96	130	70	LZ				75
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.1	130	70	LZ				76
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	153			ng/L	FALSE	NA	1			160	95.8	130	70	LZ				77
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	158			ng/L	FALSE	NA	1			160	98.7	130	70	LZ				78
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				8
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK1	Blank	Water	5/8/2019 13:56	5/8/2019 21:44	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				9
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				1
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.7	10	ng/L	FALSE	NA	1								LZ				10
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				11
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U	0.8	10	ng/L	FALSE	NA	1								LZ				12
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U	1.2	10	ng/L	FALSE	NA	1								LZ				13
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				14
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U	4.6	50	ng/L	FALSE	NA	1								LZ				2
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.5	10	ng/L	FALSE	NA	1								LZ				21
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U	1.3	10	ng/L	FALSE	NA	1								LZ				22
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				23
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U	2.5	10	ng/L	FALSE	NA	1								LZ				24
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U	1.6	10	ng/L	FALSE	NA	1								LZ				25
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U	2.7	10	ng/L	FALSE	NA	1								LZ				26
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U	1.4	10	ng/L	FALSE	NA	1								LZ				27
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U	1.9	10	ng/L	FALSE	NA	1								LZ				28
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				29
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U	2	10	ng/L	FALSE	NA	1								LZ				3
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U	2.2	10	ng/L	FALSE	NA	1								LZ				30
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U	1	10	ng/L	FALSE	NA	1								LZ				4
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U	1.7	10	ng/L	FALSE	NA	1								LZ				5
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U	1.1	10	ng/L	FALSE	NA	1								LZ				6
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.3	130	70	LZ				60
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.4	130	70	LZ				61
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	140			ng/L	FALSE	NA	1			154.9	90.7	130	70	LZ				62
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	152			ng/L	FALSE	NA	1			151.8	100	130	70	LZ				63
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	149			ng/L	FALSE	NA	1			149.6	99.9	130	70	LZ				64
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.7	130	70	LZ				65
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	157			ng/L	FALSE	NA	1			160	97.9	130	70	LZ				66
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	153			ng/L	FALSE	NA	1			153.1	99.8	130	70	LZ				67
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.5	130	70	LZ				68
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	154			ng/L	FALSE	NA	1			160	96.4	130	70	LZ				69
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	144	1.4	10	ng/L	FALSE	NA	1			160	90.1	130	70	LZ				7
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	156			ng/L	FALSE	NA	1			160	97.4	130	70	LZ				70
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	160			ng/L	FALSE	NA	1			160	100	130	70	LZ				71
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	155			ng/L	FALSE	NA	1			160	96.8	130	70	LZ				72
US EPA Region 5 Chicago Regional Laboratory	B19E015-BLK2	Blank	Water	5/8/2019 13:56	5/8/2019 22:07	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	***

US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	145		ng/L	FALSE	NA	1		151.4	95.9		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	146		ng/L	FALSE	NA	1		148.6	98.3		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	151		ng/L	FALSE	NA	1		160	94.3		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	156		ng/L	FALSE	NA	1		160	97.2		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	164		ng/L	FALSE	NA	1		160	103		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	148	1.2	10 ng/L	FALSE	NA	1		160	92.4		130	70	LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19E015-BS1	LCS	Water	5/8/2019 13:56	5/8/2019 23:15	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	145	1.2	10 ng/L	FALSE	NA	1		160	90.5		130	70	LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	808	4.6	50 ng/L	FALSE	NA	1		800	101	3.46	130	70	30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	144	0.7	10 ng/L	FALSE	NA	1		160	90	1.87	130	70	30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	133	1.2	10 ng/L	FALSE	NA	1		160	83.1	5.89	130	70	30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	154	0.8	10 ng/L	FALSE	NA	1		160	96.1	2.37	130	70	30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	150	1.2	10 ng/L	FALSE	NA	1		160	93.6	1.67	130	70	30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	151	2.2	10 ng/L	FALSE	NA	1		160	94.4	0.465	130	70	30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	780	4.6	50 ng/L	FALSE	NA	1		800	97.5	3.98	130	70	30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	150	1.5	10 ng/L	FALSE	NA	1		160	94	1.84	130	70	30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	151	1.3	10 ng/L	FALSE	NA	1		160	94.5	1.69	130	70	30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	153	1.6	10 ng/L	FALSE	NA	1		160	95.7	6.28	130	70	30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	156	2.5	10 ng/L	FALSE	NA	1		160	97.5	4.38	130	70	30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	145	1.6	10 ng/L	FALSE	NA	1		160	90.5	1.29	130	70	30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	144	2.7	10 ng/L	FALSE	NA	1		160	89.9	1.5	130	70	30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	146	1.4	10 ng/L	FALSE	NA	1		160	91.4	1.04	130	70	30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	146	1.9	10 ng/L	FALSE	NA	1		160	91.1	0.249	130	70	30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	148	1.1	10 ng/L	FALSE	NA	1		160	92.5	0.618	130	70	30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	153	2	10 ng/L	FALSE	NA	1		160	95.9	2.24	130	70	30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	152	2.2	10 ng/L	FALSE	NA	1		160	95.2	9.78	130	70	30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	153	1	10 ng/L	FALSE	NA	1		160	95.8	1.2	130	70	30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	150	1.7	10 ng/L	FALSE	NA	1		160	94	4.1	130	70	30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	147	1.1	10 ng/L	FALSE	NA	1		160	91.7	0.507	130	70	30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	149		ng/L	FALSE	NA	1		160	93		130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	159		ng/L	FALSE	NA	1		160	99.2		130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	155		ng/L	FALSE	NA	1		154.9	99.8		130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	158		ng/L	FALSE	NA	1		151.8	104		130	70	LZ		63
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	160		ng/L	FALSE	NA	1		149.6	107		130	70	LZ		64
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	164		ng/L	FALSE	NA	1		160	102		130	70	LZ		65
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	156		ng/L	FALSE	NA	1		160	97.2		130	70	LZ		66
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	152		ng/L	FALSE	NA	1		153.1	99.1		130	70	LZ		67
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	161		ng/L	FALSE	NA	1		160	101		130	70	LZ		68
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	158		ng/L	FALSE	NA	1		160	98.8		130	70	LZ		69
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	146	1.4	10 ng/L	FALSE	NA	1		160	91.6	1.59	130	70	30 LZ		7
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	158		ng/L	FALSE	NA	1		160	98.7		130	70	LZ		70
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	176		ng/L	FALSE	NA	1		160	110		130	70	LZ		71
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	167		ng/L	FALSE	NA	1		160	104		130	70	LZ		72
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	171		ng/L	FALSE	NA	1		160	107		130	70	LZ		73
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	158		ng/L	FALSE	NA	1		151.4	104		130	70	LZ		74
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	156		ng/L	FALSE	NA	1		148.6	105		130	70	LZ		75
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	146		ng/L	FALSE	NA	1		160	91.2		130	70	LZ		76
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	163		ng/L	FALSE	NA	1		160	102		130	70	LZ		77
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	176		ng/L	FALSE	NA	1		160	110		130	70	LZ		78
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	146	1.2	10 ng/L	FALSE	NA	1		160	91.2	1.35	130	70	30 LZ		8
US EPA Region 5 Chicago Regional Laboratory	B19E015-BSD1	LCS Dup	Water	5/8/2019 13:56	5/8/2019 23:37	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	144	1.2	10 ng/L	FALSE	NA	1		160	90.2	0.365	130	70	30 LZ		9
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	19.1	4.34	47.1 ng/L	FALSE	NA	1 1905009-07	17.1		11.1			30 LZ		1
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE U		0.66	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		10
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	1.74	1.13	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		11
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	7.9	0.754	9.42 ng/L	FALSE	NA	1 1905009-07	8.02		1.61			30 LZ		12
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	13.4	1.13	9.42 ng/L	FALSE	NA	1 1905009-07	12.7		5.33			30 LZ		13
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	42	2.07	9.42 ng/L	FALSE	NA	1 1905009-07	39.9		5.08			30 LZ		14
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	44.4	4.34	47.1 ng/L	FALSE	NA	1 1905009-07	44.5		0.187			30 LZ		2
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	1.45	1.41	9.42 ng/L	FALSE	NA	1 1905009-07	1.43		1.43			30 LZ		21
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	2.48	1.23	9.42 ng/L	FALSE	NA	1 1905009-07	2.11		16.2			30 LZ		22
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	344	1.51	9.42 ng/L	FALSE	NA	1 1905009-07	349		1.51			30 LZ		23
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE U		2.36	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		24
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE U		1.51	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		25
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	4.73	2.54	9.42 ng/L	FALSE	NA	1 1905009-07	4.01		16.4			30 LZ		26
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE U		1.32	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		27
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE U		1.79	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		28
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE U		1.04	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		29
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	38.1	1.88	9.42 ng/L	FALSE	NA	1 1905009-07	36.8		3.51			30 LZ		3
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE U		2.07	9.42 ng/L	FALSE	NA	1 1905009-07 U						30 LZ		30
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	16.5	0.942	9.42 ng/L	FALSE	NA	1 1905009-07	17.1		3.05			30 LZ		4
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	7.69	1.6	9.42 ng/L	FALSE	NA	1 1905009-07	7.34		4.62			30 LZ		5
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	3.25	1.04	9.42 ng/L	FALSE	NA	1 1905009-07	3.03		6.72			30 LZ		6
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	99		ng/L	FALSE	NA	1 1905009-07		141.6	70		130	70	LZ		60
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	107		ng/L	FALSE	NA	1 1905009-07		141.6	75.3		130	70	LZ		61
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	102		ng/L	FALSE	NA	1 1905009-07		137	74.4		130	70	LZ		62
US EPA Region 5 Chicago Regional Laboratory	B19E015-DUP1	Duplicate	Water	5/8/2019 13:56	5/9/2019 2:39	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	126		ng/L	FALSE	NA	1 1905009-07		134.3	94		130	70	LZ		63
US EPA Region 5 Ch

US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	172			ng/L	FALSE	NA	1		160	107	130	70	LZ	69
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	9.51	1.4	10	ng/L	FALSE	NA	1		10	95.1	150	50	LZ	7
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	172			ng/L	FALSE	NA	1		160	108	130	70	LZ	70
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	180			ng/L	FALSE	NA	1		160	113	130	70	LZ	71
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	173			ng/L	FALSE	NA	1		160	108	130	70	LZ	72
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	176			ng/L	FALSE	NA	1		160	110	130	70	LZ	73
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	165			ng/L	FALSE	NA	1		151.4	109	130	70	LZ	74
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	162			ng/L	FALSE	NA	1		148.6	109	130	70	LZ	75
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	160			ng/L	FALSE	NA	1		160	100	130	70	LZ	76
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	169			ng/L	FALSE	NA	1		160	106	130	70	LZ	77
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	182			ng/L	FALSE	NA	1		160	114	130	70	LZ	78
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	9.8	1.2	10	ng/L	FALSE	NA	1		10	98	150	50	LZ	8
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL1	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:29	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	10.4	1.2	10	ng/L	FALSE	NA	1		10	104	150	50	LZ	9
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	50.6	4.6	50	ng/L	FALSE	NA	1		50	101	150	50	LZ	1
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	10.2	0.7	10	ng/L	FALSE	NA	1		10	102	150	50	LZ	10
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	11.3	1.2	10	ng/L	FALSE	NA	1		10	113	150	50	LZ	11
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	10.5	0.8	10	ng/L	FALSE	NA	1		10	105	150	50	LZ	12
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	9.65	1.2	10	ng/L	FALSE	NA	1		10	96.5	150	50	LZ	13
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	10.6	2.2	10	ng/L	FALSE	NA	1		10	106	150	50	LZ	14
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	50.1	4.6	50	ng/L	FALSE	NA	1		50	100	150	50	LZ	2
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	9.55	1.5	10	ng/L	FALSE	NA	1		10	95.5	150	50	LZ	21
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	9.26	1.3	10	ng/L	FALSE	NA	1		10	92.6	150	50	LZ	22
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	18.9	1.6	10	ng/L	FALSE	NA	1		10	189	150	50	LZ	23
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	9.17	2.5	10	ng/L	FALSE	NA	1		10	91.7	150	50	LZ	24
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	10	1.6	10	ng/L	FALSE	NA	1		10	100	150	50	LZ	25
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	9.56	2.7	10	ng/L	FALSE	NA	1		10	95.6	150	50	LZ	26
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	8.61	1.4	10	ng/L	FALSE	NA	1		10	86.1	150	50	LZ	27
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	10.4	1.9	10	ng/L	FALSE	NA	1		10	104	150	50	LZ	28
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	9.17	1.1	10	ng/L	FALSE	NA	1		10	91.7	150	50	LZ	29
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	10.8	2	10	ng/L	FALSE	NA	1		10	108	150	50	LZ	3
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	9.14	2.2	10	ng/L	FALSE	NA	1		10	91.4	150	50	LZ	30
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	12.4	1	10	ng/L	FALSE	NA	1		10	124	150	50	LZ	4
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.6	1.7	10	ng/L	FALSE	NA	1		10	106	150	50	LZ	5
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	10.4	1.1	10	ng/L	FALSE	NA	1		10	104	150	50	LZ	6
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	166			ng/L	FALSE	NA	1		160	104	130	70	LZ	60
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	160			ng/L	FALSE	NA	1		160	100	130	70	LZ	61
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	143			ng/L	FALSE	NA	1		154.9	92.4	130	70	LZ	62
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	145			ng/L	FALSE	NA	1		151.8	95.7	130	70	LZ	63
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	147			ng/L	FALSE	NA	1		149.6	98.2	130	70	LZ	64
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	165			ng/L	FALSE	NA	1		160	103	130	70	LZ	65
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	163			ng/L	FALSE	NA	1		160	102	130	70	LZ	66
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	158			ng/L	FALSE	NA	1		153.1	103	130	70	LZ	67
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	161			ng/L	FALSE	NA	1		160	101	130	70	LZ	68
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	161			ng/L	FALSE	NA	1		160	101	130	70	LZ	69
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	10.9	1.4	10	ng/L	FALSE	NA	1		10	109	150	50	LZ	7
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	166			ng/L	FALSE	NA	1		160	104	130	70	LZ	70
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	175			ng/L	FALSE	NA	1		160	109	130	70	LZ	71
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	164			ng/L	FALSE	NA	1		160	102	130	70	LZ	72
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	167			ng/L	FALSE	NA	1		160	104	130	70	LZ	73
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	156			ng/L	FALSE	NA	1		151.4	103	130	70	LZ	74
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	153			ng/L	FALSE	NA	1		148.6	103	130	70	LZ	75
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	160			ng/L	FALSE	NA	1		160	100	130	70	LZ	76
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	160			ng/L	FALSE	NA	1		160	100	130	70	LZ	77
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	176			ng/L	FALSE	NA	1		160	110	130	70	LZ	78
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	9.82	1.2	10	ng/L	FALSE	NA	1		10	98.2	150	50	LZ	8
US EPA Region 5 Chicago Regional Laboratory	B19E015-MRL2	MRL Check	Water	5/8/2019 13:56	5/8/2019 22:52	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	11	1.2	10	ng/L	FALSE	NA	1		10	110	150	50	LZ	9
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	763	4.22	45.9	ng/L	FALSE	NA	1	1905009-07	17.1	668.4	112	130	70	LZ	1
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	76.6	0.642	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	57.3	130	70	LZ	10
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	35.6	1.1	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	26.6	130	70	LZ	11
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	144	0.734	9.18	ng/L	FALSE	NA	1	1905009-07	8.02	133.7	101	130	70	LZ	12
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	143	1.1	9.18	ng/L	FALSE	NA	1	1905009-07	12.7	133.7	97.3	130	70	LZ	13
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	174	2.02	9.18	ng/L	FALSE	NA	1	1905009-07	39.9	133.7	100	130	70	LZ	14
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	738	4.22	45.9	ng/L	FALSE	NA	1	1905009-07	44.5	668.4	104	130	70	LZ	2
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	120	1.38	9.18	ng/L	FALSE	NA	1	1905009-07	1.43	133.7	89	130	70	LZ	21
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	135	1.19	9.18	ng/L	FALSE	NA	1	1905009-07	2.11	133.7	99.3	130	70	LZ	22
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	500	1.47	9.18	ng/L	FALSE	NA	1	1905009-07	349	133.7	113	130	70	LZ	23
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	130	2.29	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	96.9	130	70	LZ	24
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	123	1.47	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	91.8	130	70	LZ	25
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	117	2.48	9.18	ng/L	FALSE	NA	1	1905009-07	4.01	133.7	84.5	130	70	LZ	26
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	120	1.28	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	89.6	130	70	LZ	27
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	105	1.74	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	78.5	130	70	LZ	28
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	109	1.01	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	81.9	130	70	LZ	29
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	166	1.84	9.18	ng/L	FALSE	NA	1	1905009-07	36.8	133.7	96.8	130	70	LZ	3
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	109	2.02	9.18	ng/L	FALSE	NA	1	1905009-07 U		133.7	81.9	130	70	LZ	30
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	149	0.918	9.18	ng/L	FALSE	NA	1	1905009-07	17.1	133.7	98.8	130	70	LZ	4
US EPA Region 5 Chicago Regional Laboratory	B19E015-MS1	Matrix Spike	Water	5/8/2019 13:56	5/9/2019 3:02	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	131	1.56	9.18	ng/L	FALSE	NA

US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	119			ng/L	FALSE	NA	1	1905009-07		118	101		130	70	LZ	63
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	102			ng/L	FALSE	NA	1	1905009-07		116.3	87.3		130	70	LZ	64
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	112			ng/L	FALSE	NA	1	1905009-07		124.4	90.2		130	70	LZ	65
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	93.6			ng/L	FALSE	NA	1	1905009-07		124.4	75.2		130	70	LZ	66
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	109			ng/L	FALSE	NA	1	1905009-07		119	91.7		130	70	LZ	67
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	115			ng/L	FALSE	NA	1	1905009-07		124.4	92.5		130	70	LZ	68
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	93.6			ng/L	FALSE	NA	1	1905009-07		124.4	75.2		130	70	LZ	69
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	98.5	1.24	8.89	ng/L	FALSE	NA	1	1905009-07	U	124.4	79.2	12.9	130	70	30 LZ	7
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	100			ng/L	FALSE	NA	1	1905009-07		124.4	80.6		130	70	LZ	70
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	129			ng/L	FALSE	NA	1	1905009-07		124.4	104		130	70	LZ	71
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	118			ng/L	FALSE	NA	1	1905009-07		124.4	94.6		130	70	LZ	72
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	119			ng/L	FALSE	NA	1	1905009-07		124.4	96		130	70	LZ	73
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	112			ng/L	FALSE	NA	1	1905009-07		117.7	94.8		130	70	LZ	74
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	104			ng/L	FALSE	NA	1	1905009-07		115.5	89.8		130	70	LZ	75
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	12.9			ng/L	FALSE	NA	1	1905009-07		124.4	10.4		130	70	LZ	76
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	83.8			ng/L	FALSE	NA	1	1905009-07		124.4	67.4		130	70	LZ	77
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	137			ng/L	FALSE	NA	1	1905009-07		124.4	110		130	70	LZ	78
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	96	1.07	8.89	ng/L	FALSE	NA	1	1905009-07	U	124.4	77.2	14.3	130	70	30 LZ	8
US EPA Region 5 Chicago Regional Laboratory	B19E015-MSD1	Matrix Spike Dup	Water	5/8/2019 13:56	5/9/2019 3:25	B19E015	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	80.9	1.07	8.89	ng/L	FALSE	NA	1	1905009-07	1.49	124.4	63.8	17.2	130	70	30 LZ	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.6	50 ng/L	FALSE	NA	1								DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.7	10 ng/L	FALSE	NA	1								DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U		0.8	10 ng/L	FALSE	NA	1								DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U		2.2	10 ng/L	FALSE	NA	1								DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.6	50 ng/L	FALSE	NA	1								DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.5	10 ng/L	FALSE	NA	1								DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.3	10 ng/L	FALSE	NA	1								DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.6	10 ng/L	FALSE	NA	1								DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.5	10 ng/L	FALSE	NA	1								DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.6	10 ng/L	FALSE	NA	1								DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.7	10 ng/L	FALSE	NA	1								DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.4	10 ng/L	FALSE	NA	1								DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.9	10 ng/L	FALSE	NA	1								DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.1	10 ng/L	FALSE	NA	1								DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U		2	10 ng/L	FALSE	NA	1								DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	U		2.2	10 ng/L	FALSE	NA	1								DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	U		1	10 ng/L	FALSE	NA	1								DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	U		1.7	10 ng/L	FALSE	NA	1								DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	U		1.1	10 ng/L	FALSE	NA	1								DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.6		130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	151			ng/L	FALSE	NA	1			160	94.4		130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	135			ng/L	FALSE	NA	1			154.9	87		130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	132			ng/L	FALSE	NA	1			151.8	86.8		130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	131			ng/L	FALSE	NA	1			149.6	87.4		130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	149			ng/L	FALSE	NA	1			160	92.8		130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	150			ng/L	FALSE	NA	1			160	93.7		130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	141			ng/L	FALSE	NA	1			153.1	92.1		130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	148			ng/L	FALSE	NA	1			160	92.3		130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90.2		130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	U		1.4	10 ng/L	FALSE	NA	1								DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	143			ng/L	FALSE	NA	1			160	89.1		130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	144			ng/L	FALSE	NA	1			160	90		130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91		130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	145			ng/L	FALSE	NA	1			160	90.4		130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	138			ng/L	FALSE	NA	1			151.4	91.4		130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	137			ng/L	FALSE	NA	1			148.6	92.4		130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	135			ng/L	FALSE	NA	1			160	84.6		130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	146			ng/L	FALSE	NA	1			160	91.4		130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	141			ng/L	FALSE	NA	1			160	87.9		130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK1	Blank	Water	5/8/2019 15:05	5/9/2019 0:07	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	U		4.6	50 ng/L	FALSE	NA	1								DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U		0.7	10 ng/L	FALSE	NA	1								DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	U		0.8	10 ng/L	FALSE	NA	1								DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	U		1.2	10 ng/L	FALSE	NA	1								DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	U		2.2	10 ng/L	FALSE	NA	1								DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	U		4.6	50 ng/L	FALSE	NA	1								DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U		1.5	10 ng/L	FALSE	NA	1								DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	U		1.3	10 ng/L	FALSE	NA	1								DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	U		1.6	10 ng/L	FALSE	NA	1								DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	U		2.5	10 ng/L	FALSE	NA	1								DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	U		1.6	10 ng/L	FALSE	NA	1								DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	U		2.7	10 ng/L	FALSE	NA	1								DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	U		1.4	10 ng/L	FALSE	NA	1								DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	U		1.9	10 ng/L	FALSE	NA	1								DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	U		1.1	10 ng/L	FALSE	NA	1								DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/9/2019 0:29	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	U		2	10 ng/L	FALSE	NA	1								DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-BLK2	Blank	Water	5/8/2019 15:05	5/

US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	135	1	10	ng/L	FALSE	NA	1		160	84.6		130	70	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	141	1.7	10	ng/L	FALSE	NA	1		160	88.2		130	70	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	140	1.1	10	ng/L	FALSE	NA	1		160	87.3		130	70	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	155			ng/L	FALSE	NA	1		160	96.7		130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	156			ng/L	FALSE	NA	1		160	97.7		130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	147			ng/L	FALSE	NA	1		154.9	95		130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	147			ng/L	FALSE	NA	1		151.8	96.6		130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	145			ng/L	FALSE	NA	1		149.6	97		130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.4		130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	165			ng/L	FALSE	NA	1		160	103		130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	152			ng/L	FALSE	NA	1		153.1	99.3		130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.5		130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	152			ng/L	FALSE	NA	1		160	95.1		130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	137	1.4	10	ng/L	FALSE	NA	1		160	85.7		130	70	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	151			ng/L	FALSE	NA	1		160	94.5		130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.6		130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	152			ng/L	FALSE	NA	1		160	95.1		130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	150			ng/L	FALSE	NA	1		160	93.6		130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	148			ng/L	FALSE	NA	1		151.4	97.5		130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	145			ng/L	FALSE	NA	1		148.6	97.6		130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	143			ng/L	FALSE	NA	1		160	89.2		130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.3		130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	93.1		130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	139	1.2	10	ng/L	FALSE	NA	1		160	86.8		130	70	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-BS1	LCS	Water	5/8/2019 15:05	5/9/2019 1:38	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	137	1.2	10	ng/L	FALSE	NA	1		160	85.5		130	70	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	710	4.6	50	ng/L	FALSE	NA	1		800	88.7	4.03	130	70	30 DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	142	0.7	10	ng/L	FALSE	NA	1		160	88.5	5.62	130	70	30 DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	143	1.2	10	ng/L	FALSE	NA	1		160	89.4	9.53	130	70	30 DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	143	0.8	10	ng/L	FALSE	NA	1		160	89.6	1.46	130	70	30 DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	156	1.2	10	ng/L	FALSE	NA	1		160	97.3	4.04	130	70	30 DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	149	2.2	10	ng/L	FALSE	NA	1		160	93.1	4.61	130	70	30 DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	739	4.6	50	ng/L	FALSE	NA	1		800	92.4	3.8	130	70	30 DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	141	1.5	10	ng/L	FALSE	NA	1		160	88.1	2.01	130	70	30 DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	150	1.3	10	ng/L	FALSE	NA	1		160	93.8	5.8	130	70	30 DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	152	1.6	10	ng/L	FALSE	NA	1		160	95	6.12	130	70	30 DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	149	2.5	10	ng/L	FALSE	NA	1		160	92.8	3.62	130	70	30 DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	146	1.6	10	ng/L	FALSE	NA	1		160	91.3	2.76	130	70	30 DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	149	2.7	10	ng/L	FALSE	NA	1		160	93.1	4.78	130	70	30 DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	151	1.4	10	ng/L	FALSE	NA	1		160	94.6	7.65	130	70	30 DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	142	1.9	10	ng/L	FALSE	NA	1		160	88.6	4.71	130	70	30 DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	150	1.1	10	ng/L	FALSE	NA	1		160	93.8	8.37	130	70	30 DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	142	2	10	ng/L	FALSE	NA	1		160	88.8	1.79	130	70	30 DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	150	2.2	10	ng/L	FALSE	NA	1		160	93.5	4.83	130	70	30 DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	142	1	10	ng/L	FALSE	NA	1		160	88.7	4.75	130	70	30 DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	148	1.7	10	ng/L	FALSE	NA	1		160	92.8	5.03	130	70	30 DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	149	1.1	10	ng/L	FALSE	NA	1		160	93.1	6.34	130	70	30 DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	93.1		130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	155			ng/L	FALSE	NA	1		160	96.8		130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	146			ng/L	FALSE	NA	1		154.9	94		130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	149			ng/L	FALSE	NA	1		151.8	98.4		130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	142			ng/L	FALSE	NA	1		149.6	94.8		130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.6		130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	156			ng/L	FALSE	NA	1		160	97.6		130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	146			ng/L	FALSE	NA	1		153.1	95.6		130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	155			ng/L	FALSE	NA	1		160	96.6		130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.5		130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	146	1.4	10	ng/L	FALSE	NA	1		160	91.2	6.26	130	70	30 DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	150			ng/L	FALSE	NA	1		160	93.5		130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.7		130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.3		130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	151			ng/L	FALSE	NA	1		160	94.1		130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	146			ng/L	FALSE	NA	1		151.4	96.6		130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	144			ng/L	FALSE	NA	1		148.6	97.2		130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	146			ng/L	FALSE	NA	1		160	91.4		130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.5		130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	151			ng/L	FALSE	NA	1		160	94.3		130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	144	1.2	10	ng/L	FALSE	NA	1		160	90.1	3.78	130	70	30 DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-BSD1	LCS Dup	Water	5/8/2019 15:05	5/9/2019 2:01	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	145	1.2	10	ng/L	FALSE	NA	1		160	90.7	5.93	130	70	30 DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	16.2	4.02	43.7	ng/L	FALSE	NA	1 1905006-02	19.6			19.1			30 DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	U	0.612	8.74	ng/L	FALSE	NA	1 1905006-02	U						30 DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	U	1.05	8.74	ng/L	FALSE	NA	1 1905006-02	U						30 DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	9.37	0.699	8.74	ng/L	FALSE	NA	1 1905006-02	9.22			1.63			30 DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	13.8	1.05	8.74	ng/L	FALSE	NA	1 1905006-02	14.3			3.15			30 DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	51.1	1.92	8.74	ng/L	FALSE	NA	1 1905006-02	54.2			5.88			30 DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	49.1	4.02	43.7	ng/L	FALSE	NA	1 1905006-02	48.3			1.63			30 DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	U	1.31	8.74	ng/L	FALSE	NA	1 1905006-02	U						30 DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-DUP1	Duplicate	Water	5/8/2019 15:05	5/9/2019 5:26	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	1.83	1.14	8.74	ng/L	FALSE	NA	1 1905006-02	2.29			22.2			30 DK	22

US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	8.65	2.7	10	ng/L	FALSE	NA	1		10	86.5	150	50	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	8.35	1.4	10	ng/L	FALSE	NA	1		10	83.5	150	50	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	10.1	1.9	10	ng/L	FALSE	NA	1		10	101	150	50	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	9.68	1.1	10	ng/L	FALSE	NA	1		10	96.8	150	50	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	7.86	2	10	ng/L	FALSE	NA	1		10	78.6	150	50	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	8.55	2.2	10	ng/L	FALSE	NA	1		10	85.5	150	50	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	8.64	1	10	ng/L	FALSE	NA	1		10	86.4	150	50	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	9.81	1.7	10	ng/L	FALSE	NA	1		10	98.1	150	50	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	9.16	1.1	10	ng/L	FALSE	NA	1		10	91.6	150	50	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	156			ng/L	FALSE	NA	1		160	97.7	130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	162			ng/L	FALSE	NA	1		160	101	130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	152			ng/L	FALSE	NA	1		154.9	97.9	130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	142			ng/L	FALSE	NA	1		151.8	93.7	130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	136			ng/L	FALSE	NA	1		149.6	90.7	130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	152			ng/L	FALSE	NA	1		160	95	130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	160			ng/L	FALSE	NA	1		160	100	130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	148			ng/L	FALSE	NA	1		153.1	96.5	130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	155			ng/L	FALSE	NA	1		160	96.8	130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	154			ng/L	FALSE	NA	1		160	95.9	130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	9.77	1.4	10	ng/L	FALSE	NA	1		10	97.7	150	50	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	154			ng/L	FALSE	NA	1		160	96.4	130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	150			ng/L	FALSE	NA	1		160	93.9	130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.4	130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	92.9	130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	151			ng/L	FALSE	NA	1		151.4	99.7	130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143			ng/L	FALSE	NA	1		148.6	96.4	130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.2	130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	152			ng/L	FALSE	NA	1		160	94.9	130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	152			ng/L	FALSE	NA	1		160	94.8	130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	9.34	1.2	10	ng/L	FALSE	NA	1		10	93.4	150	50	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL1	MRL Check	Water	5/8/2019 15:05	5/9/2019 0:52	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	8.82	1.2	10	ng/L	FALSE	NA	1		10	88.2	150	50	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	50.9	4.6	50	ng/L	FALSE	NA	1		50	102	150	50	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	8.84	0.7	10	ng/L	FALSE	NA	1		10	88.4	150	50	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	9.99	1.2	10	ng/L	FALSE	NA	1		10	99.9	150	50	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	9.88	0.8	10	ng/L	FALSE	NA	1		10	98.8	150	50	DK	12
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexyl sulfonate	3871-99-6	FALSE	FALSE	9.82	1.2	10	ng/L	FALSE	NA	1		10	98.2	150	50	DK	13
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctyl sulfonate	1763-23-1	FALSE	FALSE	9.39	2.2	10	ng/L	FALSE	NA	1		10	93.9	150	50	DK	14
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	52.2	4.6	50	ng/L	FALSE	NA	1		50	104	150	50	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	7.91	1.5	10	ng/L	FALSE	NA	1		10	79.1	150	50	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	8.47	1.3	10	ng/L	FALSE	NA	1		10	84.7	150	50	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	17.1	1.6	10	ng/L	FALSE	NA	1		10	171	150	50	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	10	2.5	10	ng/L	FALSE	NA	1		10	100	150	50	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	9.14	1.6	10	ng/L	FALSE	NA	1		10	91.4	150	50	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	8.26	2.7	10	ng/L	FALSE	NA	1		10	82.6	150	50	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	10.4	1.4	10	ng/L	FALSE	NA	1		10	104	150	50	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	10.3	1.9	10	ng/L	FALSE	NA	1		10	103	150	50	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	10.4	1.1	10	ng/L	FALSE	NA	1		10	104	150	50	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	10.1	2	10	ng/L	FALSE	NA	1		10	101	150	50	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	9.23	2.2	10	ng/L	FALSE	NA	1		10	92.3	150	50	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	9.14	1	10	ng/L	FALSE	NA	1		10	91.4	150	50	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	10.3	1.7	10	ng/L	FALSE	NA	1		10	103	150	50	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	10.6	1.1	10	ng/L	FALSE	NA	1		10	106	150	50	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	93.4	130	70	DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	153			ng/L	FALSE	NA	1		160	95.4	130	70	DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	136			ng/L	FALSE	NA	1		154.9	88.1	130	70	DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	136			ng/L	FALSE	NA	1		151.8	89.9	130	70	DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	129			ng/L	FALSE	NA	1		149.6	86.2	130	70	DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	151			ng/L	FALSE	NA	1		160	94.6	130	70	DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	151			ng/L	FALSE	NA	1		160	94.2	130	70	DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	148			ng/L	FALSE	NA	1		153.1	96.7	130	70	DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	154			ng/L	FALSE	NA	1		160	96.2	130	70	DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	92.9	130	70	DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	335-76-2	FALSE	FALSE	10.8	1.4	10	ng/L	FALSE	NA	1		10	108	150	50	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.2	130	70	DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	148			ng/L	FALSE	NA	1		160	92.7	130	70	DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	147			ng/L	FALSE	NA	1		160	91.9	130	70	DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	146			ng/L	FALSE	NA	1		160	91.5	130	70	DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	147			ng/L	FALSE	NA	1		151.4	97.2	130	70	DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	143			ng/L	FALSE	NA	1		148.6	95.9	130	70	DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	147			ng/L	FALSE	NA	1		160	92	130	70	DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	146			ng/L	FALSE	NA	1		160	91.4	130	70	DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	149			ng/L	FALSE	NA	1		160	93.2	130	70	DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	10.3	1.2	10	ng/L	FALSE	NA	1		10	103	150	50	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-MRL2	MRL Check	Water	5/8/2019 15:05	5/9/2019 1:15	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	9.98	1.2	10	ng/L	FALSE	NA	1		10	99.8	150	50	DK	9
US EPA Region 5 Chicago Regional Laboratory	B19E018-MS1	Matrix Spike	Water	5/8/2019 15:05	5/9/2019 5:49	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutanoate	375-73-5	FALSE	FALSE	639	4.05	44	ng/L	FALSE	NA	1 1905006-02	19.6	608.4	102	130	70	DK	1
US EPA Region 5 Chicago Regional Laboratory	B19E018-MS1	Matrix Spike	Water	5/8/2019 15:05	5/9/2019 5:49	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotridecanoate	72629-94-8	FALSE	FALSE	56.8	0.616	8.8	ng/L	FALSE	NA	1 1905006-02	U	121.7	46.7	130	70	DK	10
US EPA Region 5 Chicago Regional Laboratory	B19E018-MS1	Matrix Spike	Water	5/8/2019 15:05	5/9/2019 5:49	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorotetradecanoate	376-06-7	FALSE	FALSE	10.1	1.06	8.8	ng/L	FALSE	NA	1 1905006-02	U	121.7	8.33	130	70	DK	11
US EPA Region 5 Chicago Regional Laboratory	B19E018-MS1	Matrix Spike	Water	5/8/2019 15:05	5/9/2019 5:49	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorobutyl sulfonate	29420-49-3	FALSE	FALSE	116	0.704	8.8	ng/L	FALSE	NA	1 1905006-02	9.22

US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoropentanoate	2706-90-3	FALSE	FALSE	642	4.26	46.3	ng/L	FALSE	NA	1 1905006-02	48.3	680.7	87.2	11.5	130	70	30	DK	2
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorohexane sulfonate (4:2 FTS)	757124-72-4	FALSE	FALSE	100	1.39	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	73.7	12.7	130	70	30	DK	21
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-pentanesulfonate (PFPeS)	2706-91-4	FALSE	FALSE	123	1.2	9.25	ng/L	FALSE	NA	1 1905006-02	2.29	136.1	88.6	9.84	130	70	30	DK	22
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorooctane sulfonate (6:2 FTS)	27619-97-2	FALSE	FALSE	481	1.48	9.25	ng/L	FALSE	NA	1 1905006-02	369	136.1	82	8.3	130	70	30	DK	23
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-heptanesulfonate (PFHpS)	375-92-8	FALSE	FALSE	129	2.31	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	94.8	17.1	130	70	30	DK	24
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-octanesulfonamide (FOSA)	754-91-6	FALSE	FALSE	121	1.48	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	89.2	20.1	130	70	30	DK	25
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	1H,1H,2H,2H-perfluorodecane sulfonate (8:2 FTS)	39108-34-4	FALSE	FALSE	108	2.5	9.25	ng/L	FALSE	NA	1 1905006-02	4.06	136.1	76.5	8.79	130	70	30	DK	26
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-nonanesulfonate (PFNS)	68259-12-1	FALSE	FALSE	122	1.3	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	89.7	24.8	130	70	30	DK	27
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-MeFOSAA	2355-31-9	FALSE	FALSE	107	1.76	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	78.8	18.6	130	70	30	DK	28
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	N-EtFOSAA	2991-50-6	FALSE	FALSE	114	1.02	9.25	ng/L	FALSE	NA	1 1905006-02	1.94	136.1	82.4	20.5	130	70	30	DK	29
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorohexanoate	307-24-4	FALSE	FALSE	155	1.85	9.25	ng/L	FALSE	NA	1 1905006-02	38.1	136.1	85.7	9.91	130	70	30	DK	3
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-1-decanesulfonate (PFDS)	2806-15-7	FALSE	FALSE	112	2.04	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	82.6	30.7	130	70	30	DK	30
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroheptanoate	375-85-9	FALSE	FALSE	134	0.925	9.25	ng/L	FALSE	NA	1 1905006-02	15.3	136.1	87.1	13.5	130	70	30	DK	4
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorooctanoate	335-67-1	FALSE	FALSE	131	1.57	9.25	ng/L	FALSE	NA	1 1905006-02	9.76	136.1	88.7	15.1	130	70	30	DK	5
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorononanoate	375-95-1	FALSE	FALSE	129	1.02	9.25	ng/L	FALSE	NA	1 1905006-02	71.2	136.1	42.2	13.5	130	70	30	DK	6
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D5-N-EtFOSAA		TRUE	FALSE	111			ng/L	FALSE	NA	1 1905006-02		136.1	81.7		130	70		DK	60
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	D3-N-MeFOSAA		TRUE	FALSE	116			ng/L	FALSE	NA	1 1905006-02		136.1	84.9		130	70		DK	61
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)decanesulfonateC13(2)-8:2 FTS		TRUE	FALSE	112			ng/L	FALSE	NA	1 1905006-02		131.8	85.3		130	70		DK	62
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro-(1,2-13C2)octanesulfonateC13(2)-6:2 FTS		TRUE	FALSE	127			ng/L	FALSE	NA	1 1905006-02		129.2	98		130	70		DK	63
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoro(1,2-13C2)hexanesulfonateC13(2)-4:2 FTS		TRUE	FALSE	98			ng/L	FALSE	NA	1 1905006-02		127.3	77		130	70		DK	64
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M9PFNA		TRUE	FALSE	125			ng/L	FALSE	NA	1 1905006-02		136.1	92.1		130	70		DK	65
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOSA		TRUE	FALSE	127			ng/L	FALSE	NA	1 1905006-02		136.1	93.6		130	70		DK	66
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOS		TRUE	FALSE	121			ng/L	FALSE	NA	1 1905006-02		130.3	92.7		130	70		DK	67
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M8PFOA		TRUE	FALSE	127			ng/L	FALSE	NA	1 1905006-02		136.1	93.3		130	70		DK	68
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M7PFUnA		TRUE	FALSE	120			ng/L	FALSE	NA	1 1905006-02		136.1	88		130	70		DK	69
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorodecanoate	335-76-2	FALSE	FALSE	118	1.3	9.25	ng/L	FALSE	NA	1 1905006-02	2.27	136.1	84.8	15.4	130	70	30	DK	7
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M6PFDA		TRUE	FALSE	123			ng/L	FALSE	NA	1 1905006-02		136.1	90.6		130	70		DK	70
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFPeA		TRUE	FALSE	126			ng/L	FALSE	NA	1 1905006-02		136.1	92.9		130	70		DK	71
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M5PFHxA		TRUE	FALSE	126			ng/L	FALSE	NA	1 1905006-02		136.1	92.8		130	70		DK	72
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M4PFHpA		TRUE	FALSE	121			ng/L	FALSE	NA	1 1905006-02		136.1	88.7		130	70		DK	73
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFHxS		TRUE	FALSE	124			ng/L	FALSE	NA	1 1905006-02		128.8	96.7		130	70		DK	74
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M3PFBS		TRUE	FALSE	118			ng/L	FALSE	NA	1 1905006-02		126.5	93.5		130	70		DK	75
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	M2PFTreA		TRUE	FALSE	56.9			ng/L	FALSE	NA	1 1905006-02		136.1	41.8		130	70		DK	76
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFDoA		TRUE	FALSE	108			ng/L	FALSE	NA	1 1905006-02		136.1	79.3		130	70		DK	77
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	MPFBA		TRUE	FALSE	146			ng/L	FALSE	NA	1 1905006-02		136.1	107		130	70		DK	78
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluoroundecanoate	2058-94-8	FALSE	FALSE	117	1.11	9.25	ng/L	FALSE	NA	1 1905006-02 U	7.54	136.1	80.7	19.8	130	70	30	DK	8
US EPA Region 5 Chicago Regional Laboratory	B19E018-MSD1	Matrix Spike Dup	Water	5/8/2019 15:05	5/9/2019 6:12	B19E018	OSRTI PFC	*** DEFAULT SPECIFIC METHOD ***	*** DEFAULT PREP ***	perfluorododecanoate	307-55-1	FALSE	FALSE	108	1.11	9.25	ng/L	FALSE	NA	1 1905006-02 U		136.1	79.1	23.5	130	70	30	DK	9

QUALIFIER	DESCRIPTION