SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

					Aroclors								Metals																		
				Analyte	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium
				CAS.NO	12674-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	11097-69-1	11096-82-5	GCSV-07-1	7429-90-5	7440-36-0	7440-38-2	7440-39-3	7440-41-7	7440-43-9	7440-70-2	7440-47-3	7440-48-4	7440-50-8	7439-89-6	7439-92-1	7439-95-4	7439-96-5	7439-97-6	7440-02-0	9/7/7440	7782-49-2
				Units	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	0.24	0.24		77000	31	0.68	15000	160	71			23	3100	55000	400		1800	11	1500		390
RSL Res Soil 05/2018 Carcinogenic SL TR=1E-06					6.7	0.2	0.17	0.23	0.23	0.24	0.24				0.68		1600	2100			420							15000		
RSL Res Soil 05/2018 Noncarcinogenic SL Child THI=1					4.1					1.2			77000	31	35	15000	160	71			23	3100	55000	400		1800	11	1500		390
Station	Sample ID	Depth	Date	Type	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DRA01	DRA01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 JQK	0.03 JQK	5670	0.42 U	8.78	72.8	0.42 JQ	0.21 U	55100	9	5.4	43	6900	10.2	3260	626	0.01	9.45	824	0.21 U
	DRA01-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	8600	0.41 U	12.4	117	0.55 JQ	0.2 U	96700	12	6.84	32.5	9200	10.7	2450	1050	0.01	14.3	782	0.2 U
	DRA01-20180501-12-51	6-12	5/1/2018	FS	0.00463 U	0.00925 U	0.00591 U	0.00411 U	0.00493 U	0.00423 U	0.00691 U	0.00691 U	18600	0.51 U	12.3	297	1.28	0.35 JQ	18500	21.9	18.6	16.5	20200	27.7	2160	2300	0.02	30.3	1050	0.25 U
DRA02	DRA02-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.00404 U	0.71 JK	0.71 JK	8220	0.48 U	18.1	126	0.63 JQ	0.44 JQ	186000	14.2	9.54	113	11500	29.9	6310	1260	0.02	19.3	1260	0.24 U
	DRA02-20180501-06-51 (Ar)	0-6	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.75	0.75	9130	0.47 U	21.4	141	0.59 JQ	0.64 JQ	265000	13.3	12.7	75.3	14600	34.9	3090	1740	0.02	24.7	965	0.23 U
	DRA02-20180501-12-51	6-12	5/1/2018	FS	0.00878 U	0.01 U	0.01 U	0.00779 U	0.00935 U	0.00802 U	0.83 JK	0.83 JK	12400	0.44 U	19.9	164	0.81 JQ	0.46 JQ	173000	17.2	11.3	59.8	14300	30.2	2940 JK	1540	0.01	25	1180	0.22 U
DRA03	DRA03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	1.41 JK	1.41 JK	5100	0.44 U	11.2	88.5	0.41 JQ	0.34 JQ	160000	10.2	6.53	94.9	7680	19.4	7420	949	0.03	13.3	919	0.36 JQ
	DRA03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	1.84	1.84	10300	0.47 U	12.4	136	0.64 JQ	0.36 JQ	210000	14.5	10.6	60.3	12600	23.2	4010	1370	0.02	21.8	971	0.23 U
	DRA03-20180501-12-51	6-12	5/1/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00389 U	0.00467 U	0.004 U	1.01 JK	1.01 JK	7210	0.43 U	15.4	119	0.49 JQ	0.41 JQ	251000	10.4	10.5	17.1	10000	33.9	1710	1390	0.02	19.2	661	0.22 U
DRA04	DRA04-20180501-01-51 (Ar)	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.02 U	1.32	1.32	5910	1.54 U	20.6	107	0.31 U	4.41	153000	23.5	6.56	2000	8410	153	3980	789	0.08	15	927	0.77 U
	DRA04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.86	0.86	4330	0.88 U	10.9	70	0.44 U	4.04	159000	15.3	5.04	3010	5570	228	2610	636	0.06	10.7	406	0.44 U
	DRA04-20180501-12-51	6-12	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.00421 U	0.11 JL	0.11 JL	4640	0.44 U	5.03	65.7	0.32 JQ	0.41 JQ	213000	8.4	6.34	45.4	6640	35.5	1510	1110	0.05	13.8	543	0.22 U
DRA05	DRA05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.03 U	0.02 U	1.26	1.26	4670	1.41 U	17.6	90.8	0.7 U	3.98	161000	19.7	5.4	2570	6570	164	5220	732	0.07	12.4	732	0.7 U
	DRA05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	2.95 JH	2.95 JH	5000	1.27 U	12.4	77.7	0.64 U	3.27	209000	14.5	5.35	1700	8050	135	6410	672	0.05	12.3	879	0.64 U
	DRA05-20180501-12-51	6-12	5/1/2018	FS	0.00465 U	0.00929 U	0.00595 U	0.00413 U	0.00495 U	0.00425 U	0.09 JK	0.09 JK	5200	0.49 U	10.9	41.3	0.29 JQ	0.31 JQ	302000	8.99	3.06	128	6500	16.6	1810	958	0.04	10.3	625	0.24 U
DRA06	DRA06-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	4.58 JK	4.58 JK	7550	1.32 JQ	59.1	118	0.56 U	4.63	129000	63.7	5.99	3840	9970	197	6890	701	0.09	16.2	1420	1.13 JQ
	DRA06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.2 U	31.7	31.7	5360	0.5 U	23.7	104	0.4 JQ	0.88 JQ	224000	11.9	9.72	518	10400	61.8	2250	1400	0.02	17.6	872	0.25 U
	DRA06-20180502-12-51	6-12	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	9.65	9.65	6240	0.41 U	21.9	106	0.51 JQ	0.47 JQ	192000	12.5	8.41	173	9660	36	1890	946	0.05	16	912	0.36 JQ
DRA07	DRA07-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	2.88 JL	2.88 JL	5700	1.14 U	40.1	83.6	0.57 U	2.21 JQ	134000	34.7	4.88	2150	7530	92.5	4380	584	0.05	12.1	719	2.28 UB
	DRA07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	12.7	12.7	7790	2.41 U	15.6	106	1.2 U	4.17 JQ	206000	17.9	7.59	2860	11000	142	9770	879	0.04	15.8	949	1.2 U
	DRA07-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00988 U	0.00632 U	0.00439 U	0.00527 U	0.00452 U	0.07 JK	0.07 JK	25500	1.29 U	10.1	298	1.32 JQ	0.65 U	52900	27.6	14.7	121	20400	21	2580	2520	0.01 JQ	37.9	1330	0.65 U
	DRA07-20180502-24-51	12-24	5/2/2018	FS	0.00484 UJL	0.00967 UJL	0.00619 UJL	0.00429 UJL	0.00515 UJL	0.00442 UJL	0.04 JQK	0.04 JQK	5850 JK	0.52 U	2.88 JK	43.3 JK	0.26 U	0.32 JQ	286000 JK	7.75 JK	3.52 JK	41.6	5250 JK	5.05 JK	1040 JK	910 JK	0.01	9.9 JK	444 JK	0.26 UJK
	DRA07-20180502-24-52	12-24	5/2/2018	DUP	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.05 JK	0.05 JK	21800 JK	1.17 U	6.05 JK	344 JK	1.31 JQ	0.58 U	97700 JK	23.7	15.2 JK	42.1 JK	17900 JK	18.8 JK	2310 JK	2270 JK	0.0057 U	31.6 JK	1030 JK	0.58 U
DRA08	DRA08-20180502-01-51	0-1	5/2/2018	FS	0.5 U	1 U	0.64 U	0.44 U	0.53 U	0.45 U	96.5	96.5	10900	2.53 U	42.7	154	1.26 U	3.69 JQ	88700	52.9	6.88	4230	11300	129	8530	918 JK	0.02	18.1	1080	1.26 U
	DRA08-20180502-06-51	0-6	5/2/2018	FS	0.02 UJL	0.04 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.02 UJL	2.4 JL	2.4 JL	7280	2.51 U	21.1	112	1.25 U	2.88 JQ	116000	26.7	5.36	3980	10300	139	4760	604	0.05	12.9	831	1.25 UJK
	DRA08-20180502-12-51	6-12	5/2/2018	FS	0.0051 U	0.01 U	0.00652 U	0.00453 U	0.00544 U	0.00466 U	0.00762 U	0.00762 U	20100	1.04 U	4.88 JK	216	1.16 JQ	0.52 U	47100 JK	21.4	11.4	111	18300	22.1	2420	1330	0.02	25.9	1140	0.52 U
	DRA08-20180502-12-52	6-12	5/2/2018	DUP	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.02 JQK	0.02 JQK	16300	0.46 U	8.89 JK	155	0.96	0.33 JQ	130000 JK	19.8	10.4	123	17600	21.9	2350	1200	0.03	31.5	1200	0.23 U
	DRA08-20180502-24-51	12-24	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.00452 U	0.00739 U	0.00739 U	24700	1.12 U	8.25	294	1.52 JQ	0.56 U	42900	27	16	84.7	21100	23.3	2850	2200 JK	0.01 JQ	37.7	1460	2.24 UB
DRA09	DRA09-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	2.05	2.05	3680	4.15 U	8.45	49.2	2.08 U	2.08 U	146000	11.9	3.58 JQ	5270	8630	52.2	45400	474 JK	0.01	9.81 JQ	566 JQ	2.08 U
	DRA09-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	3.06 JL	3.06 JL	7240	1 U	8.6	93.7	0.5 U	1.18 JQ	115000	12.7	5.83	1560	9370	163	3040	588	0.01	12.9	854	0.5 U
	DRA09-20180502-12-51	6-12	5/2/2018	FS	0.42 U	0.84 U	0.54 U	0.37 U	0.45 U	0.38 U	42.6	42.6	15100	0.41 U	5.68	201	0.9	0.42 JQ	113000	18.6	11.5	98.5	16400	24.6	2360	1660 JK	0.03	27.9	1170	0.21 U
	DRA09-20180502-24-51	12-24	5/2/2018	FS	0.00427 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.00391 U	0.09 JK	0.09 JK	15500	0.41 U	4.65	194	1.08	0.3 JQ	44200	19.8	10.1	77	15700	20.4	2570	1070	0.02	23.8	1380	0.21 U
DRA10	DRA10-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	4.96	4.96	11600	0.4 U	9.58	234	1.06	0.56 JQ	109000	17.7	16.2	189	17500	43.7	2670	1550	0.03	28.2	2040	0.2 U
	DRA10-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	6.72	6.72	15500	1.03 U	11	260	1.53 JQ	0.92 JQ	61800	25.1	17.5	186	19800	53.7	2800	1430	0.03	31.1	2000	0.51 U
	DRA10-20180501-12-51	6-12	5/1/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.00433 U	0.61 JH	0.61 JH	13200	0.97 U	5.79	233	1.3 JQ	0.49 U	35000	18.2	12.9	79.2	17500	35.1	1880	1280	0.03	24.2	1600	0.49 U
DRA11	DRA11-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	1.37 JK	1.37 JK	12200	0.43 U	11	171	1	0.44 JQ	60600	17.4	11.7	146	15800	36.1	3130	1040	0.04	22	2020	0.21 U
	DRA11-20180501-01-52	0-1	5/1/2018	DUP	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.00422 U	0.63 JK	0.63 JK	11500	0.47 U	11.5	196	0.92 JQ	0.51 JQ	52800	19	12.8	134	15000	36.4	3290	1020	0.03	23	2030	0.24 U
	DRA11-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	4.9 JH	4.9 JH	14200	1.05 U	19.3	244	1.27 JQ	0.52 U	75900	21.5	16.2	122	19300	42.9	2700	1440	0.04	29.3	1790	0.52 U
	DRA11-20180501-12-51	6-12	5/1/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00506 U	0.00435 U	0.21	0.21	15800	0.44 U	8.23	265	1.16	0.44 JQ	51500	23.9	18.5	31.4	19800	30.8	2120	1760	0.04	33.5	1400	0.22 U
DRA12	DRA12-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.75	0.75	11100	0.4 U	6.78	148	0.92	0.41 JQ	87900	15.7	9.92	80	14400	37.4	3020	1010	0.04	21.3	1750	0.2 U
	DRA12-20180501-06-51	0-6	5/1/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.00436 U	0.28 JH	0.28 JH	13600	0.51 U	7.52	157	1.03 JQ	0.45 JQ	93600	18.6	11.4	62.4	17000	36.3	2370	1100	0.04	24.1	1480	0.26 U
	DRA12-20180501-06-52	0-6	5/1/2018	DUP	0.00465 U	0.00928 U	0.00594 U	0.00412 U	0.00495 U	0.00424 U	0.33 JH	0.33 JH	11800	0.41 U	6.97	149	0.9	0.42 JQ	96200	19.2	10.2	77.7	15100	38.7	3000	965	0.03	23.8	1700	0.2 U
	DRA12-20180501-12-51	6-12	5/1/2018	FS	0.0047 U	0.00939 U	0.00601 U	0.00417 U	0.00501 U	0.0043 U	0.32 JH	0.32 JH	14700	0.45 U	8.45	159	1.09	0.41 JQ	90600	20.3	10.5	54	17600	33.5	2290	983	0.04	23.3	1410	0.22 U
DRA13	DRA13-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	9670	0.38 U	6.44	169	0.75 JQ	0.45 JQ	158000	17	14.3	25.9	13600	54	3010	1390	0.02	24.7	1030	0.19 U
	DRA13-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	9390	0.4 U	5.13	163	0.84	0.52 JQ	186000	15.5	11.6	25.9	13600	66.3	2590	1160	0.04	22.4	783	0.2 U
	DRA13-20180501-12-51	6-12	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.00416 U	0.00679 U	0.00679 U	11400	0.41 U	5.37	276	1.07	0.54 JQ	147000	18.8	16	24.9	15600	70.6	2310	1870	0.03	35.8	744	0.21 U
DRA14	DRA14-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	9160	0.43 U	5.18	209	0.77 JQ	0.46 JQ	121000	14	13.1	21	12700	46.9	5050	2110	0.03	27.6	1060	0.21 U
	DRA14-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.00416 U	0.0068 U	0.0068 U	10200	0.45 U	6.44	148	0.89 JQ	0.52 JQ	171000	14.9	9.99	25	15000	58.1	6330	1190	0.04	19.8	942	0.23 U
	DRA14-20180501-12-51	6-12	5/1/2018	FS	0.00456 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.00417 U	0.00681 U	0.00681 U	9760	0.49 U	5.36	122	0.82 JQ	0.37 JQ	129000	15	9.34	14	12900	63	3950	909	0.05	17.5	738	0.25 U
DRA15	DRA15-20180502-06-51	0-6	5/2/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00388 U	0.00466 U	0.004 U	0.00654 U	0.00654 U	12600	0.38 U	6.84	283	1.1	0.48 JQ	130000	22.8	16.5	17.1	15000	63.1	2710	1220	0.08	29.9	1110	0.19 U
	DRA15-20180502-12-51	6-12	5/2/2018	FS	0.00471 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.0043 U	0.00703 U	0.00703 U	16500	0.42 U	5.34	137	1.13	0.43 JQ	81600	23.2	14.2	12.7	18300	36.3	2030	1400	0.12	24.9	1020	0.31 JQ
DRA16	DRA16-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	5570	0.44 U	5.27	86.9	0.46 JQ	0.41 JQ	148000	9.55	6.89	20.6	8770	47.2	2990	895	0.06	12.5	853	0.22 U
	DRA16-20180501-06-51	0-6	5/1/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.00419 U	0.00684 U	0.00684 U	8970	0.42 U	7.93	115	0.74 JQ	0.48 JQ	189000	14.3	9.68	17.7	13600	65.7	2240	1270	0.08	17.8	766	0.21 U
	DRA16-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.00413 U	0.00675 U	0.00675 U	11500	0.49 U	6.12	124	0.69 JQ	0.39 JQ	149000	15.1	12.6	22.2	18000	37.8	4470	1220	0.14	21.7	634	0.25 U
DRA17	DRA17-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	3830	0.4 U	4.4	77.1	0.35 JQ	0.36 JQ	177000	8.45	5.26	19.6	7580	47.8	4030	745	0.05	10.9	803	0.2 U
	DRA17-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	4250	0.43 U	4.84	69.7	0.38 JQ	0.34 JQ	199000	8.2	5.69	15.5	8120	44.8	3620	825	0.03	12.6	576	0.22 U
	DRA17-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00892 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.00667 U	0.00667 U	11200	0.44 U	6.89	226	0.74 JQ	0.38 JQ	174000	17.2	8.07	9.47	12900	22.3	1960	1080	0.03	15.5	863	0.22 U
	DRA17-20180501-12-52	6-12	5/1/2018	DUP	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.00411 U	0.00672 U	0.00672 U	8320	0.4 U	3.9 JK	99.4 JK	0.65 JQ	0.36 JQ	185000	15.6	8.55	12.5	11700	30.1	2240	1180	0.09 JK	15.9	685	0.2 U
DRA18	DRA18-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	3370	0.4 U	4.52	64	0.3 JQ	0.46 JQ	175000	8.82	4.82	19.8	7760	66.1	4940	757	0.09	11.5	588	0.2 U
	DRA18-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	3600	0.38 U	4.16	55.1	0.34 JQ	0.41 JQ	234000	8.2	4.38	15.9	7000	53.9	3340	881	0.07	11	525	0.19 U
	DRA18-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.15 JQK	0.15 JQK	4180	0.39 U	3.73	60	0.35 JQ	0.39 JQ	220000	8.81	4.86	13.8	7060	47.3	5950	882	0.07	11.5	498	0.19 U
DRA19	DRA19-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.12 JQH	0.12 JQH	3140	0.4 U	4.28	53.5	0.23 JQ	0.37 JQ	142000	6.46	3.36	18.4	5410	50.9	3550	633	0.07	8.04	599	0.2 U
	DRA19-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.09 JQ	0.09 JQ	3730	0.43 U	6.41	56.7	0.29 JQ	0.49 JQ	212000	8.77	4.29	23.1	6730	66.7	4140	785	0.13	11	583	0.21 U
	DRA19-20180501-06-52	0-6	5/1/2018	DUP	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	4030	0.43 U	5.1	61.1	0.32 JQ	0.56 JQ	224000	8.41	4.5	20.8	6960	72.1	4120	916	0.12	11.4	565	0.21 U
	DRA19-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	3430	0.45 U	6.67	51	0.28 JQ	0.37 JQ	225000	7.31	3.94	18.7	6290	50.6	4520	772	0.1	10.1	508	0.22 U
DRA20	DRA20-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	3680	0.5 U	6.24	75.9	0.25 U	0.46 JQ	153000	6.92	3.64	17.7	5630	47.9	2500	657	0.28	9.89	1190	0.25 U
	DRA20-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	3500	0.47 U	10.8	56.5	0.27 JQ	0.39 JQ	225000	7.07	3.92	11.6	5990	44.8	2190	766	0.15	10.2	632	0.24 U
	DRA20-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	5130	0.47 U	10.6	98.6	0.32 JQ	0.39 JQ	295000	9.81	5.95	7.86	8160	33.9	1660	965	0.05	15.1	652	0.24 U
DRA21	DRA21-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.04 U	0.04 U	3620	0.59 U	3.9	94.8	0.35 JQ	0.94 JQ	218000	9.28	5.1	20.3	7310	65.7	3890	864	0.05	14.6	835	0.29 U
	DRA21-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	3440	0.49 U	4.73	87.6	0.38 JQ	0.86 JQ	237000	10.3	6.11	21.2	8140	67.9	4170	932	0.08	16.5	789	0.24 U
	DRA21-20180501-12-51	6-12	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.00666 U	0.00666 U	3660	0.48 U	5.21	66.9	0.31 JQ	0.46 JQ	345000	8.55	6.05	27.5	8100	48.3	1970	1180	0.03	15.7	485	0.24 U
DRA22	DRA22-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.18 JQ	0.18 JQ	3370	0.49 U	4.01	72.2	0.36 JQ	0.72 JQ	200000	9.1	4.22	18.6	6740	60.7	6810	691	0.06	11.4	774	0.24 U
	DRA22-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.24 JH	0.24 JH	3420	0.47 U	4.85	86.4	0.4 JQ	0.91 JQ	234000	10.1	5.48	26.9	7610	99.9	6920	814	0.05

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium
	DRA23-20180502-12-52	6-12	5/2/2018	DUP	0.00497 U	0.00993 U	0.00635 U	0.00441 U	0.0053 U	0.00454 U	0.00743 U	0.00743 U	21200	1.24 U	7.99	485 JK	1.37 JQ	0.62 U	72500	30.3	35.3 JK	19.6 JK	26900	23.7	3270	3580 JK	0.01 JQ	61.7 JK	1990	0.62 U
DRA24	DRA24-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	9380	0.48 U	3.96	105	0.58 JQ	0.24 U	50600	13	5.71	32.7	10400	14.9	4960	553	0.02	12.7	1210	0.24 U
	DRA24-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	5660	0.48 U	3.32	75.2	0.39 JQ	0.24 U	78100	10.1	4.58	27.5	7500	12.5	13700	505	0.02	10.8	793	0.24 U
	DRA24-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	9460	0.43 U	3.55	80.6	0.64 JQ	0.21 U	69500	14.3	5.95	25.4	10900	20	5550	269	0.03	16	1380	0.21 U
DRA25	DRA25-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	1740	0.41 U	2.03	22	0.2 U	0.2 U	72400	6.34	2.15	20.5	11000	3.71	17800	193 JK	0.0082 JQ	6.82	395	0.2 U
	DRA25-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	1250	0.39 U	1.88	65.1	0.19 U	0.19 U	65600	4.13	1.19	13.2	3660	4.89	6500	129 JK	0.01 JQ	6.26	286	0.19 U
DRA26	DRA26-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.04 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.33 JK	0.33 JK	4860	0.43 U	4.45	78.7	0.47 JQ	0.31 JQ	76700	12.1	5.06	64.2	7470	19	11800	439	0.02	12.9	863	0.21 U
	DRA26-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	6820	0.47 U	4.05	77.8 JK	0.47 JQ	0.26 JQ	94000	13.4	5.01	46	9370	17.1	17800	534	0.02	12.7	894	0.23 U
	DRA26-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.27 JK	0.27 JK	10700	0.49 U	7.43	120	0.69 JQ	0.37 JQ	146000	20.1	8.53	283	13700	29.2	8530	1030	0.02	18.1	1210	0.25 U
DRA27	DRA27-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	5230	0.44 U	4.2	107	0.52 JQ	0.35 JQ	89900	12.4	5.64	50.1	8040	21.1	11000	494	0.03	13.5	1020	0.22 U
	DRA27-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	8390	0.39 U	4.63	118	0.59 JQ	0.37 JQ	128000	14.9	6.69	70.4	11200	30.4	16500	714	0.02	16.5	950	0.2 U
	DRA27-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	12800	0.35 U	5.57	158	0.86	0.3 JQ	94700	17.7	9.23	29.3	14600	24.4	2680	839	0.03	20.4	1020	0.46 JQ
DRA28	DRA28-20180502-01-51	0-1	5/2/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.38 U	38.7	38.7	15000	1 U	6.93	177	0.99 JQ	1.15 JQ	104000	22.1	10.9	1120	16900	82.4	4850	1130 JK	0.03	22.6	2560	2 UB
	DRA28-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	4.53	4.53	16700	0.48 U	7.77	233	1.15	0.63 JQ	49100	23.8	14.7	295	19500	57.6	2730	1340	0.03	24.5	2210	0.34 JQ
	DRA28-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	3.02	3.02	21500	1.25 U	6.91	245	1.32 JQ	0.63 U	56600	27.5	12.9	40.9	21600	45	2380	1400 JK	0.03	27.3	2180	0.63 U
	DRA28-20180502-24-51	12-24	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	2.35	2.35	19900	1.01 U	8.54	356	1.64 JQ	0.51 U	55300	30.5	17.9	64.5	20400	42.5	2770	1600 JK	0.03	34.5	1820	0.51 U
EAS01	EAS01-20180501-01-51	0-1	5/1/2018	FS	0.00414 U	0.00827 U	0.00529 U	0.00367 U	0.00441 U	0.00379 U	0.00619 U	0.00619 U	4270	0.45 U	12.7	81	0.33 JQ	0.36 JQ	189000	8.82	5.34	10.4	6920	30.9	1570	962	0.07	11.5	1210	0.23 U
	EAS01-20180501-06-51	0-6	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.00413 U	0.00675 U	0.00675 U	5640	0.43 U	16.9	75.9	0.38 JQ	0.39 JQ	232000	9.62	5.53	9.89	8090	27.4	1670	1070	0.07	13.4	1120	0.22 U
	EAS01-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.00409 U	0.00669 U	0.00669 U	5900	0.49 U	12.6	67.5	0.39 JQ	0.37 JQ	263000	9.92	5.67	7.31	8250	17.6	1680	1090	0.04	13.8	936	0.24 U
EAS02	EAS02-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	4380	0.47 U	8.66	94.3	0.37 JQ	0.43 JQ	165000	8.93	5.25	20.9	6790	44.2	1960	1080	0.2	11.2	1500	0.24 U
	EAS02-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.00415 U	0.00678 U	0.00678 U	4990	0.47 U	7.4	71.9	0.38 JQ	0.36 JQ	203000	9.01	5.29	12.6	7330	27.4	1550	1150	0.07	12.2	1300	0.23 U
	EAS02-20180501-12-51	6-12	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.00678 U	0.00678 U	4720	0.45 U	7.22	69.4	0.41 JQ	0.41 JQ	212000	9.15	5.2	12.2	7290	26.9	1660	1020	0.08	11.7	1400	0.22 U
EAS03	EAS03-20180501-01-51	0-1	5/1/2018	FS	0.00984 U	0.02 U	0.01 U	0.00872 U	0.01 U	0.00899 U	1.32 JK	1.32 JK	4420	1.13 U	4.3	113	0.57 U	1.35 JQ	167000	9.48	4.88	1400	7290	75.4	2070	1000	0.11	11.2	1250	0.57 U
	EAS03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	2.18	2.18	7580	0.44 U	8.8	112	0.52 JQ	0.86 JQ	268000	14.6	8.8	225	12700	108	2350	1440	0.08	19.2	1690	0.22 U
	EAS03-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.00411 U	0.22	0.22	7910	0.41 U	6.52	98.1	0.51 JQ	0.7 JQ	341000	14.4	7.04	29.7	10800	42.8	2190	1560	0.15	16.6	1480	0.2 U
EAS04	EAS04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	4.22	4.22	6300	1.19 U	4.91	126	0.59 U	1.33 JQ	133000	12.2	6.68	2310	9450	240	2090	1240	0.11	13.7	1590	0.59 U
	EAS04-20180501-06-51	0-6	5/1/2018	FS	0.00919 U	0.01 U	0.01 U	0.00815 U	0.00979 U	0.0084 U	1.97	1.97	7210	0.44 U	5.34	133	0.59 JQ	0.9	144000	12.8	7.18	438	8980	78.4	1800	1440	0.13	14.8	1660	0.22 U
	EAS04-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00893 U	0.00571 U	0.00397 U	0.00476 U	0.00409 U	0.64 JH	0.64 JH	15700	0.41 U	7.7	156	0.87	0.59 JQ	208000	22	11.5	243	17400	35.7	2710	2180	0.07	23.7	1980	0.2 U
EAS05	EAS05-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.05 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.02 UJL	3.67 JK	3.67 JK	9380	0.46 U	7.29	112	0.55 JQ	0.68 JQ	112000	14.1	7.3	275	11200	47.1	2350	1120	0.06	16	1830	0.23 UJK
	EAS05-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.41 U	0.26 U	0.18 U	0.22 U	0.18 U	15.2	15.2	6730	0.42 U	6.73	111	0.44 JQ	0.67 JQ	204000	11.2	7.3	527	9250	31.9	2190	1300	0.03	16.2	1220	0.21 U
	EAS05-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	2.22	2.22	16000	0.47 U	6.15	169	0.95	0.43 JQ	87000	22.7	12.3	46.2	17200	21.5	2580	1970	0.02	25.3	1700	0.23 U
EAS06	EAS06-20180502-01-51	0-1	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.43 U	0.37 U	64.2	64.2	5530	0.45 U	5.12	90	0.4 JQ	0.63 JQ	105000	10.3	4.28	277	7710	26.4	4020	602 JK	0.03	12.8	1310	0.23 U
	EAS06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.44 U	0.28 U	0.19 U	0.23 U	0.2 U	30.3	30.3	6860	0.48 U	7.92	94.6	0.45 JQ	0.79 JQ	210000	12.7	7.73	736	9560	30.4	2490	913 JK	0.02	18.2	1410	0.24 U
	EAS06-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	4.9	4.9	17800	1.12 U	10.5	193	1.06 JQ	0.56 U	76500	24.8	13.8	2040	18300	40.7	2580	1910 JK	0.03	25.9	2100	1.41 JQ
	EAS06-20180502-24-51	12-24	5/2/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.00413 U	0.25	0.25	16500	0.41 U	4.77	240	1.25	0.43 JQ	38600	24.1	14.9	26	17700	19.7	2330	2040	0.0095 JQ	26.6	1370	0.21 U
EAS07	EAS07-20180503-01-51	0-1	5/3/2018	FS	2.14 U	4.27 U	2.73 U	1.9 U	2.28 U	1.95 U	95.1	95.1	10100	0.95 U	8.69	183	0.67 JQ	0.83 JQ	155000	16.9	10.3	1490	13900	63.5	3130	1430 JK	0.01	17	1160	0.47 U
	EAS07-20180503-06-51	0-6	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.36 U	32.6	32.6	6440	1.01 U	9.93	88.1	0.51 U	0.74 JQ	131000	16.4	5.14	884	8910	37.6	3180	692 JK	0.02	12.3	1170	0.51 U
	EAS07-20180503-12-51	6-12	5/3/2018	FS	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.00422 U	1.33 JL	1.33 JL	14100	0.47 U	5.38	203	0.98	0.47 JQ	45400	21.7	15	32.1	17600	40.7	1900	1480	0.03	26.7	1680	0.24 U
	EAS07-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	2.42	2.42	12500	0.41 U	4.25	436 JK	1.08	0.44 JQ	18400 JK	19.5	19.6	21.3	16000	29.3	1490	2970	0.01	29.4	1100	0.2 U
	EAS07-20180503-24-52	12-24	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.04 U	3.94	3.94	17100	0.45 U	5.06	231 JK	1.03	0.3 JQ	57900 JK	22.9	16.3	15.6	19400	18.9	1800	2040	0.0091 JQ	26.3	1010	0.22 U
	EAS07-20180503-36-51	24-36	5/3/2018	FS	0.46 U	0.91 U	0.58 U	0.4 U	0.49 U	0.42 U	72.6	72.6	4290	0.4 U	2.74	49.4	0.32 JQ	0.35 JQ	314000	9.46	3.78	111	8640	14.6	1570	858	0.01 JQ	8.98	587	0.2 U
EAS08	EAS08-20180503-01-51	0-1	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	4.12 JL	4.12 JL	4460	0.41 U	6.42	49.5	0.37 JQ	0.41 JQ	150000	11.7	3.16	393	7680	16.9	26400	557	0.01	7.06	1110	0.21 U
	EAS08-20180503-06-51	0-6	5/3/2018	FS	0.03 U	0.07 U	0.05 U	0.03 U	0.04 U	0.03 U	8.51	8.51	3530	0.37 U	6.94	152	0.32 JQ	0.57 JQ	166000	11.6	6.67	420	6420	21.6	9730	1090	0.01	12.1	881	0.18 U
	EAS08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.58 JL	0.58 JL	14000	0.39 U	12.6	288	1.03	0.42 JQ	94900	19.2	15.5	62.8	17200	28.2	1930	1930	0.03	28.1	1630	0.2 U
	EAS08-20180503-24-51	12-24	5/3/2018	FS	0.0047 U	0.00939 U	0.006 U	0.00417 U	0.005 U	0.00429 U	0.91 JK	0.91 JK	22500	1.24 U	9.96	233	1.33 JQ	0.62 U	60200 JK	26.7	14.6	62.5 JK	22100	30	2550 JK	1550 JK	0.03	27.3	1850 JK	0.62 U
	EAS08-20180503-24-52	12-24	5/3/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	3.25 JK	3.25 JK	15700	0.45 U	4.76	313	1.28	0.22 U	14100 JK	20.4	17.3	25.6 JK	19400	23.6	1510	1840 JK	0.01 JQ	24.1	609 JK	0.22 U
	EAS08-20180503-36-51	24-36	5/3/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.08 JL	0.08 JL	17300	0.48 U	5.98	302	1.22	0.33 JQ	62800	22.2	16.3	29.2	19800	21.3	1570	2070	0.0057 U	27.8	775	0.24 U
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.0042 U	0.00687 U	0.00687 U	8320	0.38 U	6.66	163	0.66 JQ	0.87	128000	14.7	8.98	18.1	11400	152	2190	1220	0.0057 U	18.6	1570	0.19 U
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	9940	0.4 U	6.21	137	0.71 JQ	0.69 JQ	167000	14.6	8.64	21	12400	96.8	2020	1470	0.04	18	1210	0.2 U
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.00401 U	0.00656 U	0.00656 U	4100	0.46 U	2.4	57	0.34 JQ	0.32 JQ	336000	8.87	6.01	5.36	6550	13.9	1860	1250	0.01	13	513	0.23 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.00414 U	0.00677 U	0.00677 U	9440	0.39 U	7.19	180	0.8	0.86	127000	17.5	10.4	22.5	12000	132	2440	1670	0.11	22.2	1800	0.19 U
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.00411 U	0.00671 U	0.00671 U	14800 JK	0.48 U	7.72	197	0.9 JQ	0.71 JQ	85900	21.5	11.3	19.1	16100	79	2660	1840	0.13	25.7	1720	0.64 JQ
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	5800	0.43 U	2.34	55.5	0.32 JQ	0.29 JQ	344000	10.7	5.15	4.73	7290	10	1690	1450	0.01	13.7	578	0.22 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7760	0.43 U	6.46	162	0.7 JQ	1.23	137000	17.9	10.1	19.4	15000	280	2640	1120	0.08	18.2	1350	0.22 U
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.0042 U	0.00686 U	0.00686 U	8760	0.4 U	5.26	147	0.74 JQ	0.7 JQ	126000	13.9	9.07	13.8	11000	130	1990	1050	0.08	17.2	961	0.2 U
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	9400	0.41 U	5.62	164	0.78 JQ	0.64 JQ	226000	18.6	10.9	13.2	12800	72.6	2530	1600	0.05	25.1	1100	0.2 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	10100	0.44 U	11.1	315	1	1.97	92700	23.4	11.2	41	14400	346	2580	1510	0.49	25.3	2660	0.22 U
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.00416 U	0.00679 U	0.00679 U	11400	0.46 U	9.4	219	0.69 JQ	1.27	97400	19.9	9.01	49.1	15500	197	2150	1510	0.42	20.9	2100	0.23 U
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.00411 U	0.00672 U	0.00672 U	7780	0.38 U	6.04	155	0.7 JQ	0.79	241000	15.5	7.55	19.5	10800	85.9	2070	1260	0.26	18.7	1080	0.19 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7590	0.39 U	6.56	210	0.61 JQ	1.15	158000	16.6	10	27.2	11300	194	3660	1640	0.11	22.9	1730	0.2 U
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	12800	0.39 U	11.5	260	0.84	1.12	118000	21	10.2	31.6	24800	195	2290	1720	0.16	24.7	2170	0.19 U
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.0067 U	0.0067 U	7360	0.37 U	4.45	109	0.57 JQ	0.45 JQ	247000	14.2	8.6	31.6	10400	53	1850	1280	0.08	20.4	841	0.18 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	4510	0.47 U	6.52	183	0.38 JQ	2.71	96100	14.5	6.25	29.7	9340	300	2620	676	0.05	14.8	1060	0.23 U
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	7280	0.48 U	8.23	152	0.45 JQ	0.89 JQ	147000	31	7.4	22.7	9590	164	2100 JK	1050	0.05	16.1	1030	0.24 U
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00468 U	0.00401 U	0.00656 U	0.00656 U	6920	0.47 U	5.73	99.7	0.44 JQ	0.35 JQ	243000	14.4	7.66	9.43	9450	28.6	1840 JK	1260	0.04	16.6	797	0.24 U
FJD01-07	FJD01-07-20180501-01-51	0-1	5/1/2018	FS	0.00452 U	0.00902 U	0.00577 U	0.00401 U	0.00481 U	0.00413 U	0.00674 U	0.00674 U	8590	0.41 U	7.66	151	0.58 JQ	0.86	134000	21.8	8.88	28.4	11400	92.6	2390 JK	1200	0.1	19.2	1920	0.21 U
	FJD01-07-20180501-06-51	0-6	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	10700	0.4 U	7.56	149	0.75 JQ	0.63 JQ	162000	17.1	10.2	19.8	13300	54.2	2310 JK	1500	0.07	21.1	1370	0.29 JQ
	FJD01-07-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00481 U	0.00413 U	0.00675 U	0.00675 U	9960	0.37 U	5.15	117	0.53 JQ	0.39 JQ	219000	13.3	9.68	9.65	11800	53.1	1750	1580	0.05	17.8	882	0.19 U
FJD01-08	FJD01-08-20180501-01-51	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.02 U	0.04 U	0.04 U	4660	1.1 JQ	7.01	193	0.31 U	2.18	59700	12.2	6.51	45.7	10500	134	1710 JK	599	0.05	24.5	992	0.31 U
	FJD01-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	5400	0.47 U	4.38	114	0.36 JQ	0.59 JQ	253000	11.3	9.24	11	9170	20.7	1550 JK	1310	0.01	14.8	662	0.24 U
	FJD01-08-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	6910	0.45 U	3.82	84.7	0.4 JQ	0.36 JQ	200000	10.5	7.58	7.97	8500	13.8	1410 JK	1220	0.04	14.7	607	0.22 U
FJD01-09	FJD01-09-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7180	0.45 U	18.2	298	0.49 JQ	1.9	157000	32.8	10.3	87.6	41300	407	2460	1340	0.09	26.8	1740	0.23 U
	FJD01-09-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.00678 U	0.00678 U	9070	0.45 U	12.9	182	0.54 JQ	0.85 JQ	190000	16.8	8.3	42.8	14400	86.7	1950	1350	0.06	18.7	1300	0.23 U
	FJD01-09-20180501-12-51	6-12	5/1/2018	FS	0.00461 U	0.0092 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.00688 U	0.00688 U	8880	0.45 U	4.91	74.2	0.5 JQ	0.34 JQ	247000	14.1	7.68	8.87	11300	12.7	1770	1190	0.01	17.1	964	0.23 U
FJD01-10NSEW	FJD01-10-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00466 U	0.004 U	0.00653 U	0.00653 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD01-11NSEW	FJD01-11-DL-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-01	FJD02-01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.03 U	9070	0.43 U	13.4	156	0.7 JQ	1.79	51400	15.4	9.4	32.6	10500	114	2020	1230	0.08	18.3	1970	0.22 U
	FJD02-01-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00908 U	0.00581 U	0.00403 U	0.00484 U	0.00415 U	0.00679 U	0.00679 U	12400	0.4 U	31.8	163	0.78 JQ	1	129000	16.

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium
	FJD02-03-20180501-12-51	6-12	5/1/2018	FS	0.00462 U	0.00923 U	0.00591 U	0.0041 U	0.00492 U	0.00422 U	0.02 JQ	0.02 JQ	15300	1.02 U	18.2	173	1.04 JQ	0.51 U	100000	23	14	15.2	16300	26.4	2280	2100	0.06	28.4	1140	0.51 U
FJD02-04	FJD02-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7270	0.46 U	9.48	163	0.62 JQ	0.63 JQ	83800	15.2	7.8	59.5	10000	79.6	1970	1020	0.2	17	2380	0.23 U
	FJD02-04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	10300	0.46 U	14.6	253	0.95	0.98	113000	24.4	13.6	70.5	23300	105	2580	1540	0.15	30.6	2150	0.23 U
	FJD02-04-20180501-12-51	6-12	5/1/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.00399 U	0.00651 U	0.00651 U	12500	0.47 U	12.1	157	0.72 JQ	0.63 JQ	147000	19.6	9.65	23.5	14600	65.1	2290	1550	0.14	21.8	1880	0.24 U
FJD02-05	FJD02-05-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.00404 U	0.06	0.06	9270	0.42 U	18.9	118	0.57 JQ	0.52 JQ	101000	13.8	7.36	121	10900	40.5	2650	1160	0.08	15.9	1730	0.21 U
	FJD02-05-20180501-06-51	0-6	5/1/2018	FS	0.00446 U	0.0089 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	11500	0.48 U	16.9	136	0.72 JQ	0.48 JQ	144000	18	10.1	78.6	12600	27.2	2160	1410	0.08	21.2	1350	0.36 JQ
	FJD02-05-20180501-12-51	6-12	5/1/2018	FS	0.00475 U	0.00949 U	0.00607 U	0.00421 U	0.00506 U	0.00434 U	0.0071 U	0.0071 U	12800	0.51 U	4.61	99	0.68 JQ	0.33 JQ	208000	17.4	8.04	15.7	13700	11.4	1840	1240	0.01	17.9	855	0.3 JQ
FJD02-06	FJD02-06-20180501-01-51	0-1	5/1/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.00418 U	0.76 JK	0.76 JK	7660	0.49 U	17.2	92.8	0.55 JQ	0.54 JQ	58900	12.1	6.41	33.3	9020	91	1620	977	0.04	13.7	1360	0.53 JQ
	FJD02-06-20180501-06-51	0-6	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00393 U	0.00472 U	0.00405 U	0.00662 U	0.00662 U	12600	0.44 U	15.7	122	0.75 JQ	0.41 JQ	96200	17.4	9.31	603	13700	61.6	2020	1500	0.03	20	1310	0.22 U
	FJD02-06-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00896 U	0.00573 U	0.00398 U	0.00478 U	0.0041 U	0.0067 U	0.0067 U	14000	0.48 U	9.54	138	0.8 JQ	0.33 JQ	172000	20.6	10.5	451	14400	13.9	2190	1490	0.02	21.7	1070	0.24 U
FJD02-07	FJD02-07-20180501-01-51	0-1	5/1/2018	FS	0.00428 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.00391 U	0.00639 U	0.00639 U	5540	0.44 U	10.3	81.2	0.39 JQ	0.86 JQ	97200	10.8	5.35	168	8770	53.5	1370	817	0.04	11.7	1180	0.22 U
	FJD02-07-20180501-06-51	0-6	5/1/2018	FS	0.00443 U	0.00884 U	0.00565 U	0.00392 U	0.00471 U	0.00404 U	0.19	0.19	9680	0.46 U	19.7	141	0.61 JQ	0.96	183000	14.9	8.63	101	13100	72.4	2100	1360	0.14	19.2	1630	0.25 JQ
	FJD02-07-20180501-12-51	6-12	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.0042 U	0.00686 U	0.00686 U	6850	0.38 U	9.94	67.1	0.42 JQ	0.35 JQ	261000	11	5.97	10.6	8240	17	1650	1130	0.04	14.2	822	0.19 U
FJD02-08	FJD02-08-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	4.71	4.71	12200	1.17 U	27.8	166	0.69 JQ	0.78 JQ	127000	18.8	9.49	1190	13700	158	2630	1420	0.05	21.8	1910	0.58 U
	FJD02-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	4.21 JK	4.21 JK	10600 JK	2.41 U	18.7	301	1.21 U	1.21 U	166000 JK	15.8	8.36	6740 JK	11400 JK	402 JK	1990 JK	1480 JK	0.07	19	1370	1.28 JQ
	FJD02-08-20180501-12-51	6-12	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00394 U	0.00472 U	0.00406 U	0.04 JK	0.04 JK	8310	0.4 U	40.9	90	0.6 JQ	0.38 JQ	240000	14.5	7.73	45.7	10200	18.3	1910	1340	0.03	17.7	1110	0.2 U
FJD02-10E	FJD02-10-DLE-20180502-06-51	0-6	5/2/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.00404 U	0.12 JK	0.12 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10N	FJD02-10-DLN-20180502-06-51	0-6	5/2/2018	FS	0.00501 U	0.01 U	0.0064 U	0.00444 U	0.00533 U	0.00458 U	0.00748 U	0.00748 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10S	FJD02-10-DLS-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	4.38	4.38	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10W	FJD02-10-DLW-20180502-06-51	0-6	5/2/2018	FS	0.00416 U	0.00831 U	0.00532 U	0.00369 U	0.00443 U	0.0038 U	0.02 JQK	0.02 JQK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-01	FJD03-01-20180502-01-51	0-1	5/2/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.08 JL	0.08 JL	15800	0.42 U	14.7	185	0.96	0.5 JQ	38400	20.3	12	90.2	15900	34.4	2600	1780	0.04	24	2040	0.21 U
	FJD03-01-20180502-06-51	0-6	5/2/2018	FS	0.00468 U	0.00936 U	0.00599 U	0.00415 U	0.00499 U	0.00428 U	0.007 U	0.007 U	20000	1.18 U	7.29	253	1.16 JQ	0.59 U	15100	26.2	17.1	24	19500	27.7	2640	2400	0.03	34.1	1310	0.59 U
	FJD03-01-20180502-12-51	6-12	5/2/2018	FS	0.00479 U	0.00958 U	0.00613 U	0.00425 U	0.0051 U	0.00438 U	0.00716 U	0.00716 U	20700	1.2 U	10.1	267	1.29 JQ	0.6 U	19100	29.8	18.1	37.9	23900	29.8	2930	2460	0.03	37.4	1510	0.6 U
FJD03-02	FJD03-02-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.04 U	7.15	7.15	11500	0.47 U	11.3	133	0.67 JQ	0.59 JQ	34000	16.8	8.09	256	12000	31	2240	1130	0.03	16.9	1820	0.36 JQ
	FJD03-02-20180502-06-51	0-6	5/2/2018	FS	0.00472 UJL	0.00943 UJL	0.00603 UJL	0.00419 UJL	0.00503 UJL	0.00431 UJL	1.05 JL	1.05 JL	16700	0.5 U	15	187	0.98 JQ	0.53 JQ	61900	22.5	13	93.5	18200	34.6	2550	1840	0.04	25.9	1590	0.25 UJK
	FJD03-02-20180502-12-51	6-12	5/2/2018	FS	0.00477 UJL	0.00952 UJL	0.00609 UJL	0.00423 UJL	0.00508 UJL	0.00436 UJL	0.09 JK	0.09 JK	17700	0.47 U	7.04	252	1.2	0.41 JQ	13800	21.6	15.4	35.6	18000	24.6	2220	2030	0.03	28.3	1220	0.24 UJK
	FJD03-02-20180502-24-51	12-24	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.00432 U	0.44 JK	0.44 JK	21900	1.29 U	5.1	411	1.42 JQ	0.65 U	25400	28.2	21.1	17.7	22700	20.4	2420	3910 JK	0.0059 U	47.2	1090	2.59 UB
FJD03-03	FJD03-03-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.34	0.34	13300	1.07 U	15.4	162	0.68 JQ	0.54 U	32200	20.1	9.41	2630	13700	57.2	2210	1400	0.05	20	2190	0.54 U
	FJD03-03-20180502-06-51	0-6	5/2/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.1 JK	0.1 JK	19100	0.49 U	14.3 JK	182	1.11	0.51 JQ	30500 JK	24.8	13.4	180 JK	19000	33.8 JK	2520	1980 JK	0.02	28.5	1330	0.32 JQ
	FJD03-03-20180502-12-51	6-12	5/2/2018	FS	0.00465 U	0.00928 U	0.00593 U	0.00412 U	0.00495 U	0.00424 U	0.00694 U	0.00694 U	19900	1.03 U	6.65 JK	173	0.88 JQ	0.51 U	117000 JK	27.2	11.9	206 JK	18500	16.6 JK	2390	1390 JK	0.01 JQ	24	1180	0.95 JQ
	FJD03-03-20180502-12-52	6-12	5/2/2018	DUP	0.00466 U	0.0093 U	0.00595 U	0.00413 U	0.00496 U	0.00425 U	0.04 JQK	0.04 JQK	22600	1.2 U	11.5	247	1.27 JQ	0.6 U	37400	30.9	16.7	75.9	21700	31.3	3150	2350	0.03	34.4	1780	0.84 JQ
FJD03-04	FJD03-04-20180502-01-51	0-1	5/2/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.00416 U	0.57 JK	0.57 JK	17800	0.49 U	14.9	213	1.01	0.5 JQ	20200	23.5	13.7	190 JK	18400	28	2670	1960	0.03	27.6	2710	0.25 U
	FJD03-04-20180502-01-52	0-1	5/2/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	1.83 JK	1.83 JK	13900	0.47 U	12.1	201	0.88 JQ	0.82 JQ	30400	20.2	12	787 JK	14700	38.6	2540	1630	0.03	23.6	2180	0.24 U
	FJD03-04-20180502-06-51	0-6	5/2/2018	FS	0.00441 U	0.00882 U	0.00564 U	0.00391 U	0.0047 U	0.00403 U	0.94	0.94	17400	0.97 U	13.7	194	1.07 JQ	0.48 U	20700	22.3	13.6	75.7	17600	24.7	2480	1950	0.03	26	2440	0.69 JQ
	FJD03-04-20180502-12-51	6-12	5/2/2018	FS	0.00482 UJL	0.00964 UJL	0.00616 UJL	0.00428 UJL	0.00514 UJL	0.00441 UJL	0.06 JL	0.06 JL	19900	0.52 U	5.64	233	1.26	0.43 JQ	13400 JK	24.9	16	35.3	21600	21.7	2280	2070	0.03	32.6	1270	0.26 UJK
	FJD03-04-20180502-12-52	6-12	5/2/2018	DUP	0.00482 U	0.00963 U	0.00616 U	0.00428 U	0.00513 U	0.00441 U	0.03 JQ	0.03 JQ	20100	0.52 U	4.72	222	1.19	0.43 JQ	39600 JK	24.9	15.4	38.7	20700	19.5	2380	2000	0.01 JQ	29.4	1240	1.04 UB
	FJD03-04-20180502-24-51	12-24	5/2/2018	FS	0.00484 U	0.00966 U	0.00618 U	0.00429 U	0.00515 U	0.00442 U	0.00722 U	0.00722 U	17500	0.48 U	5.21	275	1.12	0.41 JQ	14900 JK	23.5	16.2	52 JK	19800	22.6	2000	2050	0.02	29.4	1070	0.24 U
	FJD03-04-20180502-24-52	12-24	5/2/2018	DUP	0.00535 U	0.01 U	0.00684 U	0.00474 U	0.0057 U	0.00489 U	0.00799 U	0.00799 U	25100	1.09 U	5.1	237	1.32 JQ	0.54 U	54200 JK	28	15.7	27.3 JK	24100	19.7	2780	2140	0.01 JQ	31	1410	0.54 U
FJD03-05	FJD03-05-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.04 U	8.84	8.84	9070	1.12 U	8.81	82.3	0.56 U	0.56 U	44200	12.1	5.9	1410	9210	25.4	1640	842	0.02	13.2	1710	0.56 U
	FJD03-05-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	2.16	2.16	11400	0.4 U	9.13	123	0.66 JQ	0.37 JQ	97000	15.5	8.65	115	12600	17.2	1790	1460 JK	0.01	18.5	1160	0.2 U
	FJD03-05-20180502-12-51	6-12	5/2/2018	FS	0.00446 UJL	0.00892 UJL	0.0057 UJL	0.00396 UJL	0.00475 UJL	0.00408 UJL	0.76 JL	0.76 JL	10900	0.45 U	6.05	114	0.7 JQ	0.42 JQ	209000	18.1	9.03	84.8	11200	16.3	2210	1210	0.03	19.9	1330	0.9 UBJK
FJD03-06	FJD03-06-20180502-01-51	0-1	5/2/2018	FS	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.19 U	22.7	22.7	8620	1.84 U	7.66	80.5	0.92 U	0.92 U	36700	13.5	5.63	2010	8540	38.6	1760	722	0.02	12.1	1440	0.92 U
	FJD03-06-20180502-01-52	0-1	5/2/2018	DUP	0.08 U	0.16 U	0.1 U	0.07 U	0.09 U	0.07 U	16.9	16.9	7230	1.15 U	7.28	82.3	0.57 U	0.57 U	41300	12.3	5.75	1940	7840	42.7	1400	804 JK	0.02	12.3	1360	0.57 U
	FJD03-06-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.04 U	11.3	11.3	16100	0.47 U	9.53	168	0.92 JQ	0.55 JQ	46000	19.9	11.2	752	17300	36.7	2190	1820 JK	0.02	23.5	1760	0.23 U
	FJD03-06-20180502-12-51	6-12	5/2/2018	FS	0.0046 U	0.00918 U	0.00587 U	0.00408 U	0.00489 U	0.0042 U	0.79 JK	0.79 JK	19100	0.49 U	6.97	208	1.12	0.48 JQ	38800	24	14.6	77	19500	20.1	2510	2090 JK	0.02	29.2	1430	0.24 U
	FJD03-06-20180502-24-51	12-24	5/2/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.27 JK	0.27 JK	18400	0.48 U	4.21	220	1.01	0.41 JQ	96700	23	14	17.5	19000	17.2	2250	2040	0.01 JQ	28.4	1210	0.27 JQ
	FJD03-06-20180502-24-52	12-24	5/2/2018	DUP	0.44 U	0.89 U	0.57 U	0.39 U	0.47 U	0.41 U	57.1 JK	57.1 JK	15000	0.46 U	4.09	240	0.94	0.46 JQ	121000	19.1	15.6	27.2	17100	16.5	2100	3000	0.01	31.2	1030	0.46 JQ
FJD03-07	FJD03-07-20180502-01-51	0-1	5/2/2018	FS	0.04 UJL	0.09 UJL	0.05 UJL	0.04 UJL	0.04 UJL	0.04 UJL	6.51 JL	6.51 JL	9520	1.23 U	11	126	0.62 U	0.8 JQ	89800	17.9	8.31	1480	11600	76.8	2660	1110	0.05	17	2080	0.62 UJK
	FJD03-07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.03 U	5.28	5.28	8610	0.99 U	7.12	99.5	0.5 U	0.64 JQ	124000	13	6.27	1810	9430	39	2950	947 JK	0.01	13.7	1260	0.5 U
	FJD03-07-20180502-12-51	6-12	5/2/2018	FS	0.00467 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.00426 U	0.88	0.88	9500	0.48 U	6	106	0.6 JQ	0.44 JQ	196000	14.9	8.15	397	11300	22.2	1930	1270	0.02	18	1340	0.24 U
FJD03-08	FJD03-08-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	2.74	2.74	3290	0.44 U	3.3	64.4	0.23 JQ	0.41 JQ	116000	8.47	2.28	83.6	4450	10.9	2260	407 JK	0.03	5.97	977	0.22 U
	FJD03-08-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.4 U	0.26 U	0.18 U	0.21 U	0.18 U	25.9	25.9	7760	0.38 U	6.59	95.6	0.46 JQ	0.36 JQ	85400	11.5	5.96	510	8390	21.1	1640	967 JK	0.01	12.4	1090	0.19 U
	FJD03-08-20180502-12-51	6-12	5/2/2018	FS	0.21 U	0.43 U	0.27 U	0.19 U	0.23 U	0.19 U	14.9	14.9	13300	1.08 U	9.07	164	0.8 JQ	0.82 JQ	125000	20.3	10.7	3570	15500	86.9	2320	1540	0.01 JQ	21.9	1880	0.54 U
	FJD03-08-20180502-24-51	12-24	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.04 U	8.41	8.41	5660	0.44 U	3.58	48.8	0.35 JQ	0.32 JQ	287000	9.88	5.94	213	9540	11.7	1670	971 JK	0.01 JQ	15	750	0.22 U
FJD03-09NSEW	FJD03-09-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00428 U	0.00855 U	0.00547 U	0.00379 U	0.00456 U	0.00391 U	0.24 JK	0.24 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-09-DLNSEW-20180502-06-52	0-6	5/2/2018	Field	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.19 U	20.5 JK	20.5 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-10NW	FJD03-10-DLNW-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	2.46	2.46	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-10-DLNW-20180502-06-52	0-6	5/2/2018	Field Dupl	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	2.02 JH	2.02 JH	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD04-01	FJD04-01-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	4.29 JL	4.29 JL	4310	4.09 U	12.8	92.6	2.04 U	5.18 JQ	151000	23.9	4.77 JQ	4980	9680	175	16400	525 JK	0.03	15.7 JQ	610 JQ	2.04 U
	FJD04-01-20180502-06-51	0-6	5/2/2018	FS	0.00466 UJL	0.00931 UJL	0.00596 UJL	0.00413 UJL	0.00496 UJL	0.00426 UJL	0.26 JK	0.26 JK	12300	4.45 U	6.98 JQ	228	2.23 U	2.23 U	103000	16.3	8.1 JQ	5580	12600	316	2410	1070	0.05	19.5	1480	2.23 UJK
	FJD04-01-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.00453 U	0.25 JK	0.25 JK	17500	0.46 U	4.63	304	1.19	0.32 JQ	16900	18.2	12.7	153	15700	21.4	2800	1240 JK	0.02	24.8	848	0.23 U
	FJD04-01-20180502-24-51	12-24	5/2/2018	FS	0.0047 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.00429 U	0.14 JK	0.14 JK	17900	0.51 U	4.17	574	1.21	0.57 JQ	39300	20.1	30.9	53.3	19200	24.2	1990	4490	0.01 JQ	47	727	0.25 U
	FJD04-01-20180502-36-51	24-36	5/2/2018	FS	0.00463 UJL	0.00925 UJL	0.00592 UJL	0.00411 UJL	0.00493 UJL	0.00423 UJL	0.04 JK	0.04 JK	17700	1.07 U	4.36	262	1.1 JQ	0.53 U	83000	21.7	15	141	16600	33.7	2160	1770	0.02	28.6	889	0.53 UJK
FJD04-02	FJD04-02-20180502-01-51	0-1	5/2/2018	FS	0.38 U	0.77 U	0.49 U	0.34 U	0.41 U	0.35 U	92.9	92.9	7180	3.23 U	68.2	220	1.62 U	3.9 JQ	192000	54.9	23.3	4860	13000	158	17000	539 JK	0.02	17.6	938	1.62 U
	FJD04-02-20180502-06-51	0-6	5/2/2018	FS	0.0042 U	0.00838 U	0.00536 U	0.00372 U	0.00447 U	0.00383 U	0.44 JK	0.44 JK	12700	0.37 U	8.06	146	0.86	0.41 JQ	50100	17.4	11	187	13000	40.6	2170	802 JK	0.02	18.4	1350	0.19 U
	FJD04-02-20180502-12-51	6-12	5/2/2018	FS	0.0048 U	0.0096 U	0.00614 U	0.00426 U	0.00512 U	0.00439 U	0.12 JK	0.12 JK	18200	0.49 U	5.9	243	1.33	0.31 JQ	19100 JK	20.1	11.8	46.6	17300	21.4	2310	1460	0.01	28.9	1330	0.24 U
	FJD04-02-20180502-12-52	6-12	5/2/2018	DUP	0.00471 U	0.00942 U	0.00602 U	0.00418 U	0.00502 U	0.00431 U	0.16 JK	0.16 JK	13800	0.45 U	5.65	190	1.05	0.32 JQ	52600 JK	16.1	16.1	34.9	13300	32.2	2040	1210	0.02	24.7	1190	0.23 U
	FJD04-02-20180502-24-51	12-24	5/2/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.00448 U	0.28	0.28	18200	1.2 U	3.73	272	1.34 JQ	0.6 U	16000	20.7	12.6	83.5	15700	22.4	2210	1780	0.01 JQ	31.5	775	0.6 U
	FJD04-02-20180502-36-51	24-36	5/2/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.00438 U	0.04 JK	0.04 JK	18300	1.11 U	3.91	287	1.17 JQ	0.55 U	32200	21.1	15.1	90.8	17500	22.8	2130	1880	0.006 U	30	847	0.55 U
FJD04-03	FJD04-03-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	1.99 JH	1.99 JH	3030	19.7 U	9.84 U	116	9.84 U	9.84 U	148000	9.84 U	9.84 U	21800	9050	341	25400	293	0.02	19.7 U	984 U	9.84 U
	FJD04-03-20180502-06-51	0-6	5/2/2018	FS	0.00392 U	0.00783 U	0.00501 U	0.00348 U	0.00417 U	0.00358 U	0.25 JK	0.25 JK	3400	2.01 U	2.03 JQ	51.5	1.01 U	1.01 U	166000	6.62	2.88 JQ	3010	6100	54.9	13700	286	0.02	6.76 JQ	642	1.01 U
	FJD04-03-20180502-12-51	6-12	5/2/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.00419 U	0.04 JK	0.04 JK	9060	0.48 U	5.08	414	0.67 JQ	0.32 JQ	60000	11.3	12.5	221	11900	18	1790	2810	0.01 JQ	18.6	888	0.24 U
	FJD04-03-20180502-24-51	12-24	5/2/2018	FS	0.0048 U	0.00959 U	0.00614 U	0.00426 U	0.00511 U	0.00439 U	0.09 JK	0.09 JK	17400	0.44 U	5.02	332	1.29	0.41 JQ	16300	20.3	14.9	360	17900	27.5	2340	2240	0.01 JQ	33.2	909	0.22 U
	FJD04-03-20180502-36-51	24-36	5/2/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00419 U	0.00503 U	0.00431 U	0.37	0.37	19000	1.24 U	3.84	216	0.62 U	0.62 U	90200	0.62 U	14.4	122	19200	20	2670	1630	0.0092 JQ	27.1	916	0.62 U
FJD04-04	FJD04-04-20180502-01-51	0-1	5/2/2018	FS	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.03 U	4.35 JK	4.35 JK	2800	7.37 U	28.6	90.9	70.9	3.68 U	123000	69.4	3.68 U	9590	7510	177	8830	299	0.03	7.37 U	368 U	3.68 U
	FJD04-04-20180502-06-51	0-6	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.44 U	0.37 U	64.5	64.5	11100	0.92 U	3.09	165	0.86 JQ	0.46 U	39600	17.9	6.43	1660	10700	35.2	2690	867	0.0077 JQ	17.2	901	0.46 U
	FJD04-04-20180502-12-51	6-12	5/2/2018	FS	0.00457 U	0.00912 U	0.00584 U	0.00405 U	0.00486 U	0.00417 U	0.23	0.23	5650	0.48 U	9.44	86.9	0.45 JQ	0.4 JQ	50200	8.93	4.86	340	8510	34.3	1510	427	0.01 JQ	9.94	1110	0.24 U
	FJD04-04-20180502-24-51	12-24	5/2/2018	FS	0.00481 U	0.0096 U	0.00614 U	0.00426 U	0.00512 U	0.00439 U	0.03 JQK	0.03 JQK	18100	0.5 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium
	FJD04-05-20180503-36-51	24-36	5/3/2018	FS	0.00491 U	0.00981 U	0.00627 U	0.00435 U	0.00523 U	0.00449 U	0.02 JQ	0.02 JQ	16000 JK	0.45 U	5.67	294	1.14	0.47 JQ	51400 JK	21.4	14.7	24.1 JK	18500 JK	27.9	2520	1600	0.02	30.6	2970	0.23 U
	FJD04-05-20180503-36-52	24-36	5/3/2018	DUP	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.00438 U	0.13	0.13	31100 JK	1.28 U	7.65	369	1.64 JQ	0.64 U	104000 JK	34	19.8	362 JK	31500 JK	27.8	3240	2330	0.0065 JQ	39.3	4220	0.64 U
FJD04-06	FJD04-06-20180503-06-51	0-6	5/3/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.39 U	26.7	26.7	4700	0.34 U	4.87	126	0.47 JQ	2.89	21400	10.5	9.15	115	10500	15.9	1120	748	0.02	10.4	1960	0.17 U
	FJD04-06-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	1.51 JK	1.51 JK	6840	0.47 U	5.99	124	0.52 JQ	0.8 JQ	182000	11.1	7.91	118	10300	37.5	1680	805	0.03	19.3	1470	0.23 U
	FJD04-06-20180503-24-51	12-24	5/3/2018	FS	0.00507 U	0.01 U	0.00647 U	0.00449 U	0.00539 U	0.00463 U	0.00757 U	0.00757 U	17200	0.47 U	4.44	234	1.14	0.4 JQ	87000	19.2	10.7	16.3	16500	23.2	2270	1370	0.03	26.2	1590	0.23 U
	FJD04-06-20180503-36-51	24-36	5/3/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.00438 U	0.02 JQK	0.02 JQK	19700	1 U	5.22	245	1.34 JQ	0.5 U	60500	22	14.2	16.1	19000	18.6	2340	1310	0.02	28.5	1440	0.5 U
FJD04-07	FJD04-07-20180502-01-52	0-1	5/2/2018	DUP	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.03 U	4.3	4.3	2930	6.55 U	4.28 JQ	95.2	3.27 U	15.8	212000	16.2	3.27 U	7180	7130	577	20000	526	0.01	26.1 JQ	1080 JQ	3.27 U
	FJD04-07-20180503-01-51	0-1	5/3/2018	FS	0.19 U	0.38 U	0.24 U	0.17 U	0.2 U	0.17 U	14.8	14.8	4880	6.75 U	5.04 JQ	150	3.37 U	23.1	156000	13.1 JQ	3.37 U	9400	10700	701	19000	481	0.02	13.8 JQ	588 JQ	3.37 U
	FJD04-07-20180503-01-52	0-1	5/3/2018	DUP	0.19 U	0.39 U	0.24 U	0.17 U	0.2 U	0.17 U	15.9	15.9	4590	8.1 U	4.8 JQ	119	4.05 U	32.2	118000	16.7	4.05 U	9510	13400	1480	14000	411	0.01 JQ	10.3 JQ	487 JQ	4.05 U
	FJD04-07-20180503-06-51	0-6	5/3/2018	FS	2.09 U	4.18 U	2.67 U	1.85 U	2.23 U	1.91 U	175	175	3850	0.85 U	4.14	58	0.42 U	3.16	119000	16	3.54	1140	12300	62.3	14400	396	0.02	9.48	598	0.42 U
	FJD04-07-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.89 JK	0.89 JK	16600	0.51 U	5.7	214	1.23	0.4 JQ	15000	21.5	18.9 JK	68.9	19200	25.2	2120	1690 JK	0.01	27.7	2350	0.25 U
	FJD04-07-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	6.82	6.82	18400	0.49 U	6.36	193	1.26	0.38 JQ	38100	23.5	12.1	37.5 JK	21100	24.7	2230	874 JK	0.01	25.2	2440	0.25 U
	FJD04-07-20180503-24-51	12-24	5/3/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.00448 U	0.11 JK	0.11 JK	17600	0.48 U	5.41	245	1.09	0.84 JQ	78000	22.1	15.6	125	19400	38	2440	2080	0.0087 JQ	26.9	1990	0.24 U
	FJD04-07-20180503-36-51	24-36	5/3/2018	FS	0.23 U	0.47 U	0.3 U	0.21 U	0.25 U	0.21 U	34.1	34.1	19500	0.5 U	5.03	224	1.11	0.89 JQ	84100	23.6	11.5	84	20400	32	2370	1430	0.0085 JQ	26.4	2050	0.25 U
FJD04-08	FJD04-08-20180503-01-51	0-1	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.36 U	38.5 JK	38.5 JK	6850	6.82 U	14.9	176	3.41 U	8.64 JQ	142000	27.8	5.57 JQ	14300	14800	357	25500	551 JK	0.01 JQ	14.1 JQ	742 JQ	3.41 U
	FJD04-08-20180503-06-51	0-6	5/3/2018	FS	2.19 U	4.37 U	2.8 U	1.94 U	2.33 U	2 U	146	146	5830	4.5 U	6.28 JQ	102	2.25 U	2.25 U	93200	20	5.21 JQ	3230	13700	141	5330	612	0.01	11.6 JQ	842 JQ	2.25 U
	FJD04-08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	3.49	3.49	6670	0.5 U	4.79	143	0.59 JQ	0.7 JQ	27400	14.1	8.16	212	13700	36.3	1320	689 JK	0.09	11.8	1570	0.25 U
	FJD04-08-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.68 JK	0.68 JK	15600	0.5 U	5.36	161	0.98 JQ	0.5 JQ	101000	19.7	10.7	178	15700	30.2	2280	926	0.02	23.5	2430	0.25 U
	FJD04-08-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	1.7	1.7	19800	1.13 U	5.32	242	1.2 JQ	0.64 JQ	119000	23.6	14.1	189	19900	41.9	2280	1960	0.0072 JQ	27.7	1720	0.57 U
FJD04-09	FJD04-09-20180503-12-51	6-12	5/3/2018	FS	0.0041 U	0.0082 U	0.00524 U	0.00364 U	0.00437 U	0.00375 U	0.18 JK	0.18 JK	4980	0.85 U	1.72	35.4	0.42 U	0.42 U	55300	4.87	2.32	1570	4740	179	806	262	0.01	5.6	777	0.42 U
	FJD04-09-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.0066 U	0.00458 U	0.0055 U	0.00472 U	0.07 JK	0.07 JK	14000	0.48 U	7.08	251	1.03	0.53 JQ	50800	19.4	16	23.1	16200	22.2	2560	1600	0.01 JQ	28.1	3870	0.24 U
	FJD04-09-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.08 JQK	0.08 JQK	9280	0.52 U	8.56	219	0.77 JQ	0.68 JQ	63100	18.3	9.73	46.5	12700	41.5	2640	1370	0.04	19.4	4060	0.26 U
FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.0037 U	0.42	0.42	3250	0.42 U	10.3	108	0.28 JQ	0.57 JQ	193000	7.11	3.9	11.6	6320	95.5	1520	885	0.08	9	1020	0.21 U
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.00393 U	0.00642 U	0.00642 U	4980	0.43 U	29	58.2	0.33 JQ	0.36 JQ	261000 JK	8.82 JK	5.09	8.12 JK	7340	30.4 JK	1510	1300	0.07	11.7	1040	0.22 U
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.00401 U	0.00655 U	0.00655 U	4170	0.45 U	21.2	39.4	0.31 JQ	0.3 JQ	280000	6.91	3.3	5.37	5890	16.4	1270	902	0.03	8.81	694	0.23 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.00367 U	0.00599 U	0.00599 U	4320	0.42 U	12.1	86.8	0.33 JQ	0.44 JQ	170000	7.97	3.9	20.9 JK	5770	46.3	1630	964 JK	0.09	8.61	1330	0.21 U
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.00402 U	0.00657 U	0.00657 U	5640	0.41 U	19.7	80.5	0.35 JQ	0.39 JQ	239000 JK	9.47 JK	5.5	11.7 JK	7560	43.5 JK	1500	1200	0.11	11.5	1200	0.2 U
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.00395 U	0.00646 U	0.00646 U	4880	0.4 U	20.2	69.7	0.33 JQ	0.38 JQ	325000	10.2	5.68	9.68	8010	20.9	1720	1140	0.03	13.9	997	0.2 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.00379 U	0.1 JK	0.1 JK	6700	0.41 U	6.1	117	0.47 JQ	0.59 JQ	138000	11.9	6.34	30.9	9940	48.9	1890	1240	0.13	12.5	1920	0.21 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	7400	0.46 U	12	121	0.49 JQ	0.58 JQ	210000 JK	13.6 JK	6.51	25.3 JK	10700	48.5 JK	1780	1600	0.13	13.6	1690	0.23 U
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.00393 U	0.00643 U	0.00643 U	5250	0.41 U	17	128	0.34 JQ	0.46 JQ	258000	10.8	4.73	16.9	7160	48.6	1400	1140	0.1	10.3	1010	0.2 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.00367 U	0.15	0.15	10200	0.35 U	6.68	146	0.69 JQ	0.73	87700	16.2	9.34	45.8	13200	43	2160	1470	0.07	16.6	2520	0.17 U
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.00425 U	0.03 JQ	0.03 JQ	10500	0.46 U	6.94	149	0.71 JQ	0.61 JQ	132000	16.8	9.69	36	13800	42.6	2030	1730	0.08	18.9	2360	0.23 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.00669 U	0.00669 U	9190	0.39 U	6.15	182	0.59 JQ	0.45 JQ	216000	12.8	14.5	28.9	14400	29.8	1720	2160	0.05	19.7	1660	0.2 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	4170	0.39 U	5.55	161	0.31 JQ	1.65	123000	7.23	3.85	9.55	6310	341	2460	745	0.08	9.03	841	0.19 U
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.00376 U	0.00615 U	0.00615 U	6660	0.39 U	8.53	99.1	0.39 JQ	0.51 JQ	201000 JK	9.77 JK	5.31	8.37 JK	7740	71.7 JK	3020	1070	0.1	11.8	1090	0.19 U
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.00387 U	0.00632 U	0.00632 U	3520	0.39 U	4.45	53.6	0.25 JQ	0.41 JQ	259000 JK	6.73 JK	3.27	4.61 JK	5590	51.1 JK	1290	1010	0.04	8.05	575	0.19 U
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.00352 U	0.00576 U	0.00576 U	3700	0.36 U	9.83	157	0.4 JQ	0.76	121000	9.9	4.87	17.1 JK	7140	90.8	3590 JK	728	0.11	10.4	1080	0.18 U
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.00352 U	0.00576 U	0.00576 U	3490	0.37 U	6.62	98.1	0.28 JQ	0.48 JQ	113000	6.57	3.37	10.1 JK	5180	63.6	1960 JK	684	0.12	6.96	796	0.19 U
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.00379 U	0.00619 U	0.00619 U	6260	0.35 U	18.4	130	0.42 JQ	0.64 JQ	244000 JK	12.2 JK	5.63	14.4 JK	10300	84.8 JK	1800	1170	0.14	12.5	1040	0.18 U
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.00389 U	0.00635 U	0.00635 U	6280	0.41 U	9.32	121	0.47 JQ	0.75 JQ	168000	11.2	5.54	13.9	10100	77.2	1590	1200	0.29	12.8	859	0.21 U
FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.0036 U	0.00588 U	0.00588 U	5890	0.32 U	7.17	103	0.34 JQ	0.52 JQ	194000	10.1	4.74	18.1	9470	58.4	1380	1040	0.09	9.97	1180	0.16 U
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	6540	0.47 U	10.2	125	0.42 JQ	0.79 JQ	212000	12.2	6.38	15.8	11400	71.9	1330	1120	0.15	12.7	1080	0.23 U
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	6740	0.37 U	14.1	170	0.44 JQ	0.67 JQ	215000	13.4	6.37	56.6	11300	72.3	1460	1210	0.47	13.5	1010	0.19 U
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.00362 U	0.00592 U	0.00592 U	10900	0.43 U	8.7	221	0.88	0.66 JQ	135000	20.5	14.5	27.2	14200	56	2370	1780	0.04	23.5	2590	0.22 U
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.00431 U	0.00705 U	0.00705 U	10100	0.46 U	6.8	106	0.62 JQ	0.43 JQ	197000 JK	15 JK	8.15	15.7 JK	12700	41.1 JK	1750	1440	0.03	15.5	1540	0.23 U
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.00666 U	0.00666 U	13200	0.47 U	5.69	137	0.94	0.35 JQ	94900	20.2	12.3	11.5	15700	25	1500	1440	0.02	19	1240	0.23 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	5970	0.36 U	12.7	140	0.4 JQ	1.15	152000 JK	11.4 JK	5.47 JK	12.5 JK	8830	235 JK	1620 JK	1020	0.07	10.8	1070	0.18 U
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.00353 U	0.00577 U	0.00577 U	7690	0.35 U	15.4	192	0.62 JQ	1.55	193000	15	9.14 JK	26.9 JK	10900	273	2770 JK	1300 JK	0.11	17.2	1430	0.17 U
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	5320	0.42 U	6.65	99.5	0.36 JQ	0.9	245000 JK	9.73 JK	4.96	8.21 JK	7690	134 JK	1330	1170	0.07	10.4	697	0.21 U
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.00395 U	0.00645 U	0.00645 U	6670	0.39 U	7.71	86.8	0.41 JQ	0.54 JQ	193000 JK	10.3 JK	5.7	11.5 JK	9130	109 JK	1490	1200	0.07	11.2	902	0.2 U
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.00386 U	0.00631 U	0.00631 U	5970	0.36 U	14.8 JK	160 JK	0.48 JQ	0.97	229000	14.2	7.05	9.56	8970	169 JK	1740	1130	0.06	14.6	835	0.18 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.00398 U	0.0065 U	0.0065 U	6840	0.42 U	5.39 JK	82.1 JK	0.45 JQ	0.44 JQ	243000 JK	11.2 JK	5.79	8.17 JK	9300	41.4 JK	1550	1490	0.07	12.2	845	0.21 U
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.00351 U	0.00574 U	0.00574 U	5000	0.4 U	9.68	126	0.37 JQ	0.73 JQ	107000	7.88	4.93	10.5 JK	6760	94.5	2880	754 JK	0.07	10	925	0.2 U
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.00398 U	0.12	0.12	6300	0.43 U	6.32	117	0.42 JQ	0.74 JQ	198000	10.1	6.57	9.84	13400	106	2320	1200	0.07	14.4	792	0.21 U
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.00399 U	0.00651 U	0.00651 U	5630	0.37 U	4.57	132	0.45 JQ	0.6 JQ	228000	9.26	6.16	7.95	9120	82.7	1620	1120	0.12	12	629	0.18 U
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.00354 U	0.00579 U	0.00579 U	7680	0.4 U	6.76	116	0.47 JQ	0.49 JQ	73700 JK	10.4	6.4	10.7	10000	61.9	2580	849	0.23	11.1	1180	0.2 U
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	8090	0.47 U	33	277	0.62 JQ	2.52	163000	20.7	9.02	82.7	35400	369	1720	1240	0.37	24	1210	0.24 U
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.007 U	0.007 U	11200	0.44 U	11.2	114	0.79 JQ	0.43 JQ	207000	16.7	9.04	11	14200	49.5	1490	1370	0.17	15.8	1050	0.22 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.00365 U	0.00597 U	0.00597 U	13200	0.43 U	8.88	150	0.84 JQ	0.47 JQ	54000 JK	18.4	10.9 JK	18.9 JK	16600	46.7 JK	1710	1500	0.06	17.3	1770	0.21 U
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.00415 U	0.00678 U	0.00678 U	18900	1.16 U	6.3	202	1.28 JQ	0.58 U	17500	28.1	18.7	13.9	21200	26.7	1610	1770	0.03	25.6	1200	0.58 U
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.00437 U	0.00714 U	0.00714 U	15700	0.41 U	10	220	1.23	0.62 JQ	32300	26	16.9	18.1	18900	45.9	1750	1890	0.06	26.6	2260	0.2 U
FJD06-01	FJD06-01-20180502-01-51	0-1	5/2/2018	FS	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00465 U	0.00399 U	0.72 JK	0.72 JK	13100	0.46 U	7.13	239	0.85 JQ	0.96	77000	20.5	11.8	215	15700	88.3	2250	1690	0.05	20.8	2450	0.36 JQ
	FJD06-01-20180502-06-51	0-6	5/2/2018	FS	0.00458 U	0.00915 U	0.00586 U	0.00406 U	0.00488 U	0.00419 U	0.13	0.13	15700	0.48 U	6.5	240	0.91 JQ	0.9 JQ	40600	23.4	12.5	87.6	21200	94	2170	1750 JK	0.07	23.2	2350	0.24 U
	FJD06-01-20180502-12-51	6-12	5/2/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.00438 U	0.01 JQK	0.01 JQK	18100	1.03 U	5.78	232	1.04 JQ	0.51 U	76000	25.6	13	20.6	18500	34.2	2470	1740 JK	0.05	24.7	1780	1.76 JQ
	FJD06-01-20180502-24-51	12-24	5/2/2018	FS	0.00436 U	0.0087 U	0.00557 U	0.00386 U	0.00464 U	0.00398 U	0.12	0.12	5000	0.44 U	2.64	76.9	0.32 JQ	0.32 JQ	286000	9.64	5.4	13.3	7280	14.2	1350	1130 JK	0.02	11.4	789	0.22 U
FJD06-02	FJD06-02-20180430-01-51	0-1	4/30/2018	FS	0.00404 U	0.00807 U	0.00516 U	0.00358 U	0.0043 U	0.00369 U	0.11 JK	0.11 JK	12500	0.41 U	5.45	184	0.91	0.61 JQ	27800	17.9	11.7	51.6 JK	15100	50.2	1940	1760 JK	0.04	19.2	2080	0.2 U
	FJD06-02-20180430-06-51	0-6	4/30/2018	FS	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.00432 U	0.00706 U	0.00706 U	17800	0.51 U	5.69	166	1.19	0.35 JQ	10000	25.4	14.7	11	20900	19.4	1720	1960	0.02	23.5	1120	0.26 U
	FJD06-02-20180430-12-51	6-12	4/30/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00507 U	0.00435 U	0.0071 U	0.0071 U	16800	1.13 U	4.55	232	1.31 JQ	0.56 U	12200	26.7	18.4	14.7 JK	19700	23.7	1430	2140 JK	0.03	25.4	834	0.56 U
FJD06-03	FJD06-03-20180430-01-51	0-1	4/30/2018	FS	0.00407 U	0.00812 U	0.00519 U	0.0036 U	0.00433 U	0.00371 U	0.00607 U	0.00607 U	8190	0.43 U	5.08	142	0.63 JQ	0.56 JQ	13900	13.9	8.64	21	9900	56.6	2130	870	0.04	13.2	1290	0.22 U
	FJD06-03-20180430-06-51	0-6	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.007 U	0.007 U	13300	0.5 U	7.51	557 JK	1.27	1.83	18600	24.6	17.4	40	17200	727 JK	2250	1760	0.06	26.1	1280	0.25 U
	FJD06-03-20180430-06-52	0-6	4/30/2018	DUP	0.00457 U	0.00912 U	0.00583 U	0.00405 U	0.00486 U	0.00417 U	0.08 JK	0.08 JK	13700	0.5 U	6.16	199 JK	1.09	0.63 JQ	18000	22	14.3	36.1	17100	53.9 JK	1750	1720	0.07	22.5	1580	0.25 U
	FJD06-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00499 U	0.00428 U	0.00699 U	0.00699 U	17400	0.5 U	6.08	211	1.21	0.54 JQ	11000	25	14.2	14.7	20200	51.3	1560	1680	0.06	21.4	1020	0.25 U
FJD06-04	FJD06-04-20180430-01-51	0-1	4/30/2018	FS	0.0042 U	0.00839 U	0.00537 U	0.00372 U	0.00447 U	0.00384 U	0.08 JK	0.08 JK	15400	0.39 U	8.73	285	1.15	1.69	25900	24.3	14.8	42.1	18900	198	5610	1310	0.14	23	1820	0.19 U
	FJD06-04-20180430-06-51	0-6	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.00428 U	0.00699 U	0.00699 U	18500	0.48 U	7.01	219	1.16	0.66 JQ	11000 JK	22.4 JK	14.1	19.3 JK	21300	65.4 JK	2200	1450	0.11	19.7	1080	0.24 U
	FJD06-04-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.00427 U	0.36 JK	0.36 JK	15600	0.51 U	5.37	217	0.9 JQ	0.39 JQ	173000	22.7	11.9	11.9	17600	18.1	1900	1480 JK	0.03	22.5	1320	0.26 U
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.00363 U	0.07	0.07	4120 JK	0.37 U	2.52	72.8	0.44 JQ	0.19 U	9610	8.59	5.63	24.6	6310	10.8	758	498	0.01	9.55	837	0.19 U
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.0039 U	0.18	0.18	6950 JK	0.44 U	3.54	102	0.53 JQ	0.24 JQ	10000 JK	10.6 JK	7.74	30.8 JK	8560	15.9 JK	1020	636	0.02	11.1	1190	0.22 U
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.00441 U	0.05 JK	0.05 JK	13700	0.51 U	7.04	226	1.17	0.61 JQ	17700	23.1	15.7	70.1	16900	34.4	2240	1310	0.02	23.5	2180	0.25 U
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.00445 U	0.22 JK	0.22 JK	15800	0.45 U	8.25	228	1.23	0.5 JQ	18500	27.4	17.1	62.9	18800	36.8	2150	1620	0.02	26.8	2160	0.22 U
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.00427 U	0.09	0.09	16900	0.47 U	6.12	205	1.13	0.37 JQ	10500 JK	23.1 JK	15.8	39.1 JK	19900	27 JK	1700	2110	0.01	23.6	1490	0.23 U
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	14700	0.44 U	6.93	224	1.21	1.76	32500 JK	25.2	18	15.4 JK	18100	49.3 JK	1510	1610	0.0071 JQ	25.9	956	0.22 U
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.00368 U	0.08 JK	0.08 JK	7700	0.39 U	3.7	122	0.55 JQ	0.2 U	14400 JK	10.8 JK	8.21	23.8 JK	9630	17.2 JK	2130	796	0.009 JQ	11.6	1090	0.2 U
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.00422 U	0.00689 U	0.00689 U	10900	0.49 U	4.15	144	0.77 JQ	0.28 JQ	7860	13.5	9.68	42.5	13100	19.4	1730	947	0.009 JQ	14.3	1170	0.25 U
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.00428 U	0.00699 U	0.00699 U	13800	0.43 U	4.94	199	1.15	0.21 U	8470	18.3	13.2	12.9	16200	32.9	1190	1240	0.01	17.7	655	0.21 U
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.00409 U	0.00669 U	0.00669 U	13600	0.44 U	7.72	200	1.17	0.39 JQ	43400	20.5	12.9	33.2	15800	30.7	3480	998	0.02	23.4	1540	0.22 U
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.00433 U	0.00707 U	0.00707 U	15300	0.5 U	7.36	151	1.06	0.34 JQ	18900	16.5	9.86	18.8	16100	22.3	1700	860	0.01	18.3	949	0.25 U
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.00427 U	0.00698 U	0.00698 U	17400	0.51 U	6.47	207	1.3	0.36 JQ	24900	23.6	12	14.4	17600	23.9	2120	895	0.03	22.7	1050	0.26 U
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.21 U	0.34 U	0.34 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.00436 U	0.17	0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-01	FJD08-01-20180502-01-51	0-1	5/2/2018	FS	0.05 UJL	0.1 UJL	0.06 UJL	0.04 UJL	0.05 UJL	0.04 UJL	8.78 JL	8.78 JL	16800	0.45 U	6.59	242	1.06	0.54 JQ	42600	22.5	15.9	142	19100	39.8	2260	1890	0.05	26.3	2920	0.22 UJK
	FJD08-01-201805020 2-24-51	12-24	5/2/2018	FS	0.00469 U	0.00937 U	0.006 U	0.00416 U	0.005 U	0.00429 U	0.65 JK	0.65 JK	19400	0.49 U	6.2	316	1.24	0.39 JQ	15900	23	16.7	41.3	21300	27.3	1890	2450 JK	0.02	31.8	1440	0.24 U
	FJD08-01-201805020 2-24-52	12-24	5/2/2018	Field Duplica	0.00913 U	0.01 U	0.01 U	0.0081 U	0.00972 U	0.00834 U	1.57 JK	1.57 JK	21200	1.01 U	6.5	412	1.49 JQ	0.51 U	16300	26	23.6	26.1	23100	27.5	2080	3290 JK	0.01	40.8	1440	0.51 U
	FJD08-01-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.04 U	7.11	7.11	13900	0.49 U	7.41	214	1.02	0.48 JQ	80300	19.9	13.7	85.7	17900	35.9	1970	1520	0.03	22.7	2160	0.31 JQ
	FJD08-01-20180502-12-51	6-12	5/2/2018	FS	0.00456 U	0.00911 U	0.00583 U	0.00405 U	0.00486 U	0.00417 U	1.08 JK	1.08 JK	15100	0.45 U	4.47	280	1.15	0.32 JQ	9460	21.5	18.6	22	19400	27	1450	2030	0.06	25.1	1230	0.23 U
FJD08-02	FJD08-02-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	3.74 JK	3.74 JK	12400	0.42 U	9.5	187	1.15	0.67 JQ	11400	17.8	11.8	59.2	16000	69.7	1680	994	0.06	20.5	2270	0.21 U
	FJD08-02-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.00429 U	0.14	0.14	11100	0.44 U	4.31	212	1.12	0.22 U	7820	15.3	16.2	15.1	13700	22.1	1040	1800	0.01	21	840	0.22 U
	FJD08-02-20180503-06-51	0-6	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	15500	0.48 U	6.96	272	1.07	0.64 JQ	16500	23.2	16.3	75.2	19200	62.9	1770	1740	0.04	25	2400	0.24 U
FJD08-03	FJD08-03-20180430-01-51	0-1	4/30/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.00411 U	0.03 JQH	0.03 JQH	9520	0.41 U	8.54	178	0.86	0.25 JQ	11200	12.1	10.2	33.9 JK	11100	26.1	1530	1120 JK	0.02	19.3	1450	0.2 U
	FJD08-03-20180430-06-51	0-6	4/30/2018	FS	0.00466 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.00426 U	0.07 JH	0.07 JH	15200	0.46 U	10.3	227	1.32	0.29 JQ	26300 JK	18.3	14.1	31.8	17800	35.3	1860	1220	0.02	23.9	953	0.23 U
	FJD08-03-20180430-06-52	0-6	4/30/2018	DUP	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.00404 U	0.26 JK	0.26 JK	10900	0.45 U	6.2	153	1.02	0.23 U	10100 JK	13	9.53	24.3	12600	24	1300	826	0.02	15.7	717	0.23 U
	FJD08-03-20180430-12-51	6-12	4/30/2018	FS	0.0046 UJL	0.00919 UJL	0.00588 UJL	0.00408 UJL	0.0049 UJL	0.00421 UJL	0.17 JL	0.17 JL	11700	0.5 U	8.31	216	0.98 JQ	0.25 U	13700	12.9	14.1	26.8	14100	25.9	1340	1630	0.03	22.5	731	0.25 U
FJD08-04	FJD08-04-20180430-01-51	0-1	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	11200	0.46 U	10.5	193	0.9 JQ	0.41 JQ	66300	14.3	11.9	61.4	15200	28	1780	1240	0.05	20.6	2330	0.23 U
	FJD08-04-20180430-06-51	0-6	4/30/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.00418 U	0.29 JH	0.29 JH	11600	0.43 U	15.6	338	1.17	0.44 JQ	72300	16.2	21.7	50.5	16000	36.3	2120	1920	0.09	30.7	2410	0.22 U
	FJD08-04-20180430-06-52	0-6	4/30/2018	DUP	0.00461 U	0.00922 U	0.00589 U	0.00409 U	0.00491 U	0.00422 U	0.2	0.2	13200	0.39 U	15.1	302	1.17	0.39 JQ	91000	16.7	17.2	48.8	17100	47.5	2290	1730	0.09	27.7	2230	0.19 U
	FJD08-04-20180430-12-51	6-12	4/30/2018	FS	0.00457 U	0.00913 U	0.00584 U	0.00405 U	0.00486 U	0.00417 U	0.55 JH	0.55 JH	19300	0.49 U	11.7	330	1.43	0.6 JQ	70100 JK	23.6	21.2	73.9 JK	24900	51	2270	2290 JK	0.03	32.6	2310	0.25 U
	FJD08-04-20180430-12-52	6-12	4/30/2018	DUP	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.00432 U	0.19	0.19	16900	0.45 U	9.39	331	1.6	0.56 JQ	39000 JK	24.3	18.9	47 JK	20800	46.1	2210	1690 JK	0.04	31	2070	0.23 U
FJD08-05ESW	FJD08-05-DLESW-20180502-51	0-6	5/2/2018	Field Sampl	0.00472 U	0.00942 U	0.00603 U	0.00418 U	0.00502 U	0.00431 U	0.45 JL	0.45 JL	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-05N	FJD08-05-DLN-20180502-51	0-6	5/2/2018	FS	0.00456 UJL	0.0091 UJL	0.00582 UJL	0.00404 UJL	0.00485 UJL	0.00416 UJL	0.23 JK	0.23 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD08-05-DLN-20180502-52	0-6	5/2/2018	DUP	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.00419 U	0.46 JK	0.46 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD09-01	FJD09-01-20180430-01-51	0-1	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00459 U	0.00394 U	0.00643 U	0.00643 U	11100	0.47 U	8.9	158	0.88 JQ	0.38 JQ	93000	14	10.4	42.4	13300	29.5	2380	960	0.03	18	2190	0.24 U
	FJD09-01-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	2	2	12200	0.5 U	4.52	260	1.1	0.39 JQ	10200	14.9	18.9	12.3	14900	37.5	1180	1850	0.03	21.9	634	0.25 U
	FJD09-01-20180430-12-51	6-12	4/30/2018	FS	0.0048 U	0.00959 U	0.00613 U	0.00426 U	0.00511 U	0.00439 U	0.00717 U	0.00717 U	12200	0.46 U	4.26	219	1.47	0.23 U	14400	19.3	13.5	13.2	12600	23.3	1510	691	0.02	21.6	645	0.23 U
FJD09-02	FJD09-02-20180430-01-51	0-1	4/30/2018	FS	0.00424 U	0.00846 U	0.00541 U	0.00376 U	0.00451 U	0.00387 U	0.00633 U	0.00633 U	13000	0.46 U	5.4	174	0.98	0.42 JQ	81300	15.9	11.5	28.4 JK	16600	48.7	2020	2980 JJK	0.03	19.6	1430	0.23 U
	FJD09-02-20180430-06-51	0-6	4/30/2018	FS	0.0047 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.0043 U	0.00703 U	0.00703 U	14300	0.51 U	5.18	165	1.01 JQ	0.31 JQ	56000	17.7	9.93	23 JK	16500	38.4	2020	932 JK	0.03	20.5	888	0.25 U
	FJD09-02-20180430-12-51	6-12	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.00431 U	0.00705 U	0.00705 U	16200	1.31 U	3.78	246	1.39 JQ	0.65 U	58400	20.8	14.7	15.1	19000	24.8	1810	1390	0.01	26.9	751	0.65 U
FJD09-03	FJD09-03-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.51 JH	0.51 JH	13400	0.47 U	8.58	219	1.19	0.44 JQ	108000	18.7	14.1	64.1	16800	40.6	3180	1380	0.03	26.9	1930	0.24 U
	FJD09-03-20180430-06-51	0-6	4/30/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.0042 U	0.00687 U	0.00687 U	12800	0.44 U	5.94	148	0.86 JQ	0.37 JQ	97700	15.6	9.57	72.8	16300	37.3	3290	1130	0.05	21.6	1730	0.22 U
	FJD09-03-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00604 U	0.00419 U	0.00504 U	0.00432 U	0.08	0.08	17900	1.25 U	5.49	331	1.42 JQ	0.63 U	57000	23.8	21.6	16.9 JK	21400	41.1	2200	2270 JK	0.04	42.6	1020	0.63 U
FJD09-04NSEW	FJD09-04-DLNSEW-20180502-51	0-6	5/2/2018	Field Sam	0.00436 U	0.00872 U	0.00557 U	0.00387 U	0.00465 U	0.00399 U	0.09 JK	0.09 JK	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes

FS - Field Sample

FD - Field Duplicate

NP - Not Published

J - Estimated

H - Bias high

K - Undetermined bias.

Q - below quantitation limit

L - Biased low

P - RPD between primary and confirmation result is greater than 40

U - Not detected above detection limit

					Aroclors										SVOCs									SVOCs										SVOCs			
Analyte					Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether
CAS.NO					12674-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	7440-22-4	7440-23-5	7440-28-0	7440-62-2	7440-66-6	95-94-3	90-12-0	58-90-2	95-95-4	88-06-2	120-83-2	105-67-9	51-28-5	121-14-2	606-20-2	91-58-7	95-57-8	91-57-6	88-74-4	88-75-5	91-94-1	99-09-2	534-52-1	101-55-3
Units					mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	390		0.78	390	23000	23	18	1900	6300	49	190	1300	130	1.7	0.36	4800	390	240	630		1.2		5.1	
RSL Res Soil 05/2018 Carcinogenic SL TR=1E-06					6.7	0.2	0.17	0.23	0.23							18			49				1.7	0.36						1.2					
RSL Res Soil 05/2018 Noncarcinogenic SL Child THI=1					4.1					390		0.78	390	23000	23	4200	1900	6300	63	190	1300	130	130	19	4800	390	240	630				5.1	
Station	Sample ID	Depth	Date	Type	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DRA01	DRA01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.21 U	84.1 UB	0.21 U	**19.2**	**48.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00922 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA01-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	81.9 UB	0.2 U	**27.1**	**36.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00963 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA01-20180501-12-51	6-12	5/1/2018	FS	0.00463 U	0.00925 U	0.00591 U	0.00411 U	0.00493 U	0.25 U	102 UB	0.25 U	**59**	**48.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA02	DRA02-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.24 U	122 UB	0.24 U	**36.9**	**83.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	DRA02-20180501-06-51 (Ar)	0-6	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.23 U	161 UB	0.23 U	**43.4**	**99.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA02-20180501-12-51	6-12	5/1/2018	FS	0.00878 U	0.01 U	0.01 U	0.00779 U	0.00935 U	0.22 U	118 UB	0.22 U	**49.6**	**68.5 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
DRA03	DRA03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.22 U	102 UB	0.22 U	**22.1**	**97.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.23 U	124 UB	0.23 U	**41.6**	**55.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00974 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	DRA03-20180501-12-51	6-12	5/1/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00389 U	0.00467 U	0.22 U	114 UB	0.22 U	**35**	**35.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA04	DRA04-20180501-01-51 (Ar)	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.77 U	307 UB	0.77 U	**20**	**360**	0.04 U	0.01 U	0.07 U	0.03 U	0.02 U	0.02 U	0.06 U	0.03 U	0.05 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.09 U	0.12 U	0.06 U	0.02 U
	DRA04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.44 U	176 UB	0.44 U	**15.3**	**237**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0096 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA04-20180501-12-51	6-12	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.22 U	135 UB	0.22 U	**21.2**	**46.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA05	DRA05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.03 U	0.7 U	281 UB	0.7 U	**15**	**308**	0.04 U	0.01 U	0.07 U	0.03 U	0.02 U	0.02 U	0.06 U	0.03 U	0.05 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.08 U	0.11 U	0.05 U	0.02 U
	DRA05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.64 U	255 UB	0.64 U	**18.2**	**215**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	DRA05-20180501-12-51	6-12	5/1/2018	FS	0.00465 U	0.00929 U	0.00595 U	0.00413 U	0.00495 U	0.24 U	280 UB	0.24 U	**22.5**	**33.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA06	DRA06-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	**0.83 JQ**	224 UB	0.56 U	**21.5**	**421**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.25 U	120 UB	0.25 U	**29.9**	**79.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA06-20180502-12-51	6-12	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.21 U	111 UB	0.21 U	**34.6**	**52.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA07	DRA07-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.57 U	228 UB	0.57 U	**18.2**	**208**	0.34 U	0.13 U	0.53 U	0.24 U	0.19 U	0.15 U	0.49 U	0.23 U	0.4 U	0.12 U	0.14 U	0.16 U	0.13 U	0.09 U	0.15 U	0.65 U	0.87 U	0.43 U	0.19 U
	DRA07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	1.2 U	481 UB	1.2 U	**26.8**	**247**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA07-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00988 U	0.00632 U	0.00439 U	0.00527 U	0.65 U	258 UB	0.65 U	**65.4**	**57.7**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	DRA07-20180502-24-51	12-24	5/2/2018	FS	0.00484 UJL	0.00967 UJL	0.00619 UJL	0.00429 UJL	0.00515 UJL	0.26 U	124 UB	0.26 U	**23.4 JK**	**62.5 JK**	0.03 UJL	0.01 UJL	0.06 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
	DRA07-20180502-24-52	12-24	5/2/2018	DUP	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.58 U	58.5 U	0.58 U	**65.3 JK**	**50.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA08	DRA08-20180502-01-51	0-1	5/2/2018	FS	0.5 U	1 U	0.64 U	0.44 U	0.53 U	1.26 U	126 U	1.26 U	**28.8**	**443**	0.4 U	0.15 U	0.62 U	0.28 U	0.22 U	0.18 U	0.57 U	0.27 U	0.46 U	0.14 U	0.16 U	0.19 U	0.16 U	0.11 U	0.18 U	0.76 U	1.02 U	0.51 U	0.22 U
	DRA08-20180502-06-51	0-6	5/2/2018	FS	0.02 UJL	0.04 UJL	0.03 UJL	0.02 UJL	0.02 UJL	1.25 U	125 U	1.25 U	**24.5**	**235 JK**	0.03 UJL	0.01 UJL	0.06 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.05 UJL	0.02 UJL
	DRA08-20180502-12-51	6-12	5/2/2018	FS	0.0051 U	0.01 U	0.00652 U	0.00453 U	0.00544 U	0.52 U	209 UB	0.52 U	**52**	**79.4**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	DRA08-20180502-12-52	6-12	5/2/2018	DUP	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.23 U	123 UB	0.23 U	**48.7**	**70.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA08-20180502-24-51	12-24	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.56 U	224 UB	0.56 U	**66.7**	**81.8**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
DRA09	DRA09-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	2.08 U	208 U	2.08 U	**11.8**	**96.7 JQ**	0.3 U	0.11 U	0.47 U	0.21 U	0.17 U	0.13 U	0.44 U	0.21 U	0.36 U	0.11 U	0.12 U	0.15 U	0.12 U	0.08 U	0.14 U	0.58 U	0.78 U	0.39 U	0.17 U
	DRA09-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.5 U	199 UB	0.5 U	**21.5**	**165**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.009 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA09-20180502-12-51	6-12	5/2/2018	FS	0.42 U	0.84 U	0.54 U	0.37 U	0.45 U	0.21 U	90.7 UB	0.21 U	**51.3**	**63.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00947 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA09-20180502-24-51	12-24	5/2/2018	FS	0.00427 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.21 U	82.3 UB	0.21 U	**49.8**	**54.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00947 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
DRA10	DRA10-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	79.9 UB	0.2 U	**52**	**145**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00972 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA10-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.51 U	51.4 U	0.51 U	**67**	**262**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA10-20180501-12-51	6-12	5/1/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.49 U	48.7 U	0.49 U	**55.3**	**96.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA11	DRA11-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.21 U	85.3 UB	0.21 U	**49.3**	**105**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA11-20180501-01-52	0-1	5/1/2018	DUP	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.24 U	94.2 UB	0.24 U	**54**	**112**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA11-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.52 U	52.5 U	0.52 U	**63.9**	**95.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA11-20180501-12-51	6-12	5/1/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00506 U	0.22 U	88.4 UB	0.22 U	**69.1**	**65.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA12	DRA12-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.2 U	80.8 UB	0.2 U	**43**	**111**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0099 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA12-20180501-06-51	0-6	5/1/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.26 U	103 UB	0.26 U	**52.6**	**78.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA12-20180501-06-52	0-6	5/1/2018	DUP	0.00465 U	0.00928 U	0.00594 U	0.00412 U	0.00495 U	0.2 U	86.9 UB	0.2 U	**50.5**	**106**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA12-20180501-12-51	6-12	5/1/2018	FS	0.0047 U	0.00939 U	0.00601 U	0.00417 U	0.00501 U	0.22 U	89.8 UB	0.22 U	**54.8**	**74.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA13	DRA13-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.19 U	80.6 UB	0.19 U	**51.6**	**92.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00935 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA13-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	110 UB	0.2 U	**50.5**	**90.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA13-20180501-12-51	6-12	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.21 U	100 UB	0.21 U	**60**	**80.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA14	DRA14-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.21 U	85.5 UB	0.21 U	**42.2**	**79.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00949 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA14-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.23 U	93.2 UB	0.23 U	**44**	**105**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA14-20180501-12-51	6-12	5/1/2018	FS	0.00456 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.25 U	98.2 UB	0.25 U	**41.2**	**63**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA15	DRA15-20180502-06-51	0-6	5/2/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00388 U	0.00466 U	0.19 U	157 UB	0.19 U	**62**	**89.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA15-20180502-12-51	6-12	5/2/2018	FS	0.00471 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.21 U	403 UB	0.21 U	**59**	**65.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
DRA16	DRA16-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.22 U	97.7 UB	0.22 U	**25.9**	**95**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00956 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA16-20180501-06-51	0-6	5/1/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.21 U	107 UB	0.21 U	**37.9**	**101**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA16-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.25 U	116 UB	0.25 U	**51.6**	**69**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA17	DRA17-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	119 UB	0.2 U	**21**	**80.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00924 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA17-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.22 U	147 UB	0.22 U	**23.3**	**62.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00936 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA17-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00892 U	0.0057 U	0.00396 U	0.00475 U	0.22 U	154 UB	0.22 U	**44.7**	**49.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA17-20180501-12-52	6-12	5/1/2018	DUP	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.2 U	80.9 UB	0.2 U	**41.3**	**44.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0099 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA18	DRA18-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	89 UB	0.2 U	**21**	**113**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00884 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA18-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.19 U	109 UB	0.19 U	**20.4**	**80.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00922 U	0.01 U	0.06 U	0.08 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether
	DRA23-20180502-12-52	6-12	5/1/2018	DUP	0.00497 U	0.00993 U	0.00635 U	0.00441 U	0.0053 U	0.62 U	436 UB	0.62 U	**86.2**	**72.4**	0.4 U	0.15 U	0.62 U	0.27 U	0.22 U	0.18 U	0.57 U	0.27 U	0.46 U	0.14 U	0.16 U	0.19 U	0.16 U	0.11 U	0.18 U	0.76 U	1.02 U	0.5 U	0.22 U
DRA24	DRA24-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.24 U	95.2 UB	0.24 U	**30.3**	**81.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA24-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.24 U	95.4 UB	0.24 U	**23**	**77.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00961 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA24-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.21 U	132 UB	0.21 U	**39.8**	**69.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
DRA25	DRA25-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.2 U	109 UB	0.2 U	**15**	**168**	0.31 U	0.11 U	0.48 U	0.21 U	0.17 U	0.14 U	0.44 U	0.21 U	0.36 U	0.11 U	0.12 U	0.15 U	0.12 U	0.08 U	0.14 U	0.59 U	0.79 U	0.39 U	0.17 U
	DRA25-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.19 U	103 UB	0.19 U	**14.6**	**162**	0.32 U	0.12 U	0.5 U	0.22 U	0.18 U	0.14 U	0.46 U	0.22 U	0.37 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.14 U	0.61 U	0.82 U	0.41 U	0.17 U
DRA26	DRA26-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.04 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.21 U	117 UB	0.21 U	**25.4**	**476**	0.32 U	0.12 U	0.5 U	0.22 U	0.18 U	0.14 U	0.46 U	0.22 U	0.37 U	0.12 U	0.13 U	0.15 U	0.12 U	0.09 U	0.14 U	0.61 U	0.82 U	0.41 U	0.17 U
	DRA26-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.23 U	93.7 UB	0.23 U	**26.4**	**486**	0.34 U	0.13 U	0.53 U	0.24 U	0.19 U	0.15 U	0.49 U	0.24 U	0.4 U	0.12 U	0.14 U	0.17 U	0.13 U	0.09 U	0.15 U	0.66 U	0.88 U	0.44 U	0.19 U
	DRA26-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.25 U	126 UB	0.25 U	**41.6**	**228**	0.37 U	0.13 U	0.57 U	0.25 U	0.2 U	0.16 U	0.52 U	0.25 U	0.43 U	0.13 U	0.15 U	0.18 U	0.14 U	0.1 U	0.16 U	0.7 U	0.94 U	0.47 U	0.2 U
DRA27	DRA27-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.03 U	0.02 U	0.01 U	0.02 U	0.22 U	113 UB	0.22 U	**25.5**	**563**	0.16 U	0.06 U	0.24 U	0.11 U	0.09 U	0.07 U	0.23 U	**0.11 R**	0.18 U	0.05 U	0.06 U	0.07 U	0.06 U	0.04 U	0.07 U	0.3 U	0.4 U	**0.2 R**	0.08 U
	DRA27-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	99.5 UB	0.2 U	**30.4**	**486**	0.17 U	0.06 U	0.27 U	0.12 U	0.09 U	0.07 U	0.25 U	0.12 U	0.2 U	0.06 U	0.07 U	0.08 U	0.07 U	0.04 U	0.08 U	0.33 U	0.44 U	0.22 U	0.09 U
	DRA27-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.18 U	73.2 UB	0.18 U	**44.7**	**89.9**	0.16 U	0.06 U	0.25 U	0.11 U	0.09 U	0.07 U	0.23 U	0.11 U	0.19 U	0.06 U	0.06 U	0.08 U	0.06 U	0.04 U	0.07 U	0.31 U	0.42 U	0.21 U	0.09 U
DRA28	DRA28-20180502-01-51	0-1	5/2/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.5 U	200 UB	0.5 U	**45.3**	**149**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00956 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	DRA28-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	**0.33 JQ**	95.1 UB	0.24 U	**54.3**	**121**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	DRA28-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.63 U	251 UB	0.63 U	**60.1**	**120**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	DRA28-20180502-24-51	12-24	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.51 U	202 UB	0.51 U	**73.4**	**85.1**	0.35 U	0.13 U	0.54 U	0.24 U	0.19 U	0.15 U	0.5 U	0.24 U	0.41 U	0.13 U	0.14 U	0.17 U	0.14 U	0.09 U	0.16 U	0.67 U	0.89 U	0.44 U	0.19 U
EAS01	EAS01-20180501-01-51	0-1	5/1/2018	FS	0.00414 U	0.00827 U	0.00529 U	0.00367 U	0.00441 U	0.23 U	90.5 UB	0.23 U	**17.2**	**63.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00918 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	EAS01-20180501-06-51	0-6	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.22 U	102 UB	0.22 U	**21.6**	**53.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS01-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.24 U	120 UB	0.24 U	**22.6**	**38.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00999 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS02	EAS02-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.24 U	94 UB	0.24 U	**16.2**	**99.8**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS02-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.23 U	93.4 UB	0.23 U	**19.2**	**70.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS02-20180501-12-51	6-12	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.22 U	102 UB	0.22 U	**19.9**	**70.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS03	EAS03-20180501-01-51	0-1	5/1/2018	FS	0.00984 U	0.02 U	0.01 U	0.00872 U	0.01 U	0.57 U	227 UB	0.57 U	**16.3**	**661**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	EAS03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.22 U	153 UB	0.22 U	**27.9**	**247**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS03-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.2 U	161 UB	0.2 U	**28.4**	**165**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS04	EAS04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.59 U	238 UB	0.59 U	**20.8**	**259**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS04-20180501-06-51	0-6	5/1/2018	FS	0.00919 U	0.01 U	0.01 U	0.00815 U	0.00979 U	0.22 U	87.9 UB	0.22 U	**24.8**	**213**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS04-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00893 U	0.00571 U	0.00397 U	0.00476 U	0.2 U	81.4 UB	0.2 U	**52.9**	**96.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS05	EAS05-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.05 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.23 U	181 UB	0.23 U	**29.7**	**190 JK**	0.04 UJL	0.01 UJL	0.06 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.1 UJL	0.05 UJL	0.02 UJL
	EAS05-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.41 U	0.26 U	0.18 U	0.22 U	0.21 U	129 UB	0.21 U	**25.7**	**106**	0.33 U	0.12 U	0.51 U	0.22 U	0.18 U	0.14 U	0.47 U	0.22 U	0.38 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.14 U	0.62 U	0.83 U	0.41 U	0.18 U
	EAS05-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.23 U	94 UB	0.23 U	**54.6**	**69.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS06	EAS06-20180502-01-51	0-1	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.43 U	0.23 U	116 UB	0.23 U	**21.3**	**162**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0092 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	EAS06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.44 U	0.28 U	0.19 U	0.23 U	0.24 U	144 UB	0.24 U	**27.3**	**131**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00978 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	EAS06-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.56 U	56 U	0.56 U	**56.2**	**110**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS06-20180502-24-51	12-24	5/2/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.21 U	82.9 UB	0.21 U	**57.8**	**45.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00996 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
EAS07	EAS07-20180503-01-51	0-1	5/3/2018	FS	2.14 U	4.27 U	2.73 U	1.9 U	2.28 U	0.47 U	190 UB	0.47 U	**38.5**	**115**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00948 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	EAS07-20180503-06-51	0-6	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.51 U	203 UB	0.51 U	**22.2**	**137**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00875 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	EAS07-20180503-12-51	6-12	5/3/2018	FS	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.24 U	94.2 UB	0.24 U	**55**	**102**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS07-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.2 U	81.7 UB	0.2 U	**52.3**	**43.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00981 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	EAS07-20180503-24-52	12-24	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.22 U	89.2 UB	0.22 U	**61.7**	**38.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS07-20180503-36-51	24-36	5/3/2018	FS	0.46 U	0.91 U	0.58 U	0.4 U	0.49 U	0.2 U	134 UB	0.2 U	**18.2**	**31**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
EAS08	EAS08-20180503-01-51	0-1	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.21 U	112 UB	0.21 U	**13.2**	**60.4**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	EAS08-20180503-06-51	0-6	5/3/2018	FS	0.03 U	0.07 U	0.05 U	0.03 U	0.04 U	0.18 U	111 UB	0.18 U	**14.9**	**44.1**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	EAS08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.2 U	**71.3 JQ**	78.1 UB	**54.5**	**69.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS08-20180503-24-51	12-24	5/3/2018	FS	0.0047 U	0.00939 U	0.006 U	0.00417 U	0.005 U	0.62 U	249 UB	0.62 U	**65.1**	**112 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	EAS08-20180503-24-52	12-24	5/3/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.22 U	197 UB	0.22 U	**58.4**	**35.9 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	EAS08-20180503-36-51	24-36	5/3/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.24 U	194 UB	0.24 U	**62.2**	**37.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.19 U	106 UB	0.19 U	**37.3**	**215**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.2 U	118 UB	0.2 U	**38.5**	**125**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00985 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.23 U	230 UB	0.23 U	**25.1**	**31.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.19 U	96.6 UB	0.19 U	**42.7**	**236**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.24 U	102 UB	0.24 U	**51.1**	**166**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	**0.02 R**	0.04 U	0.01 U	0.01 U	0.01 U	**0.01 JQ**	0.00996 U	0.01 U	0.06 U	0.09 U	0.04 UJL	0.02 U
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.22 U	190 UB	0.22 U	**31.5**	**27.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.22 U	104 UB	0.22 U	**33.1**	**427**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.2 U	108 UB	0.2 U	**35.1**	**210**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.2 U	136 UB	0.2 U	**51.7**	**115**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	**0.32 JQ**	166 UB	0.22 U	**43.7**	**819**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.23 U	91.5 UB	0.23 U	**39.1**	**494**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.02 JQ**	0.00995 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.19 U	325 UB	0.19 U	**38.7**	**214**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.2 U	183 UB	0.2 U	**33.3**	**307**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.19 U	139 UB	0.19 U	**45.1**	**370**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.18 U	176 UB	0.18 U	**38.5**	**92.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0098 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.23 U	93.7 UB	0.23 U	**17.6**	**401**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00981 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.24 U	128 UB	0.24 U	**24.4**	**273 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00987 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00468 U	0.24 U	140 UB	0.24 U	**32.4**	**67.5 JK**	0.03 U	0.01 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether
	FJD02-03-20180501-12-51	6-12	5/1/2018	FS	0.00462 U	0.00923 U	0.00591 U	0.0041 U	0.00492 U	0.51 U	50.9 U	0.51 U	**59.4**	**52.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD02-04	FJD02-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.23 U	96.3 UB	0.23 U	**30.8**	**212**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.23 U	92.3 UB	0.23 U	**59.1**	**269**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-04-20180501-12-51	6-12	5/1/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.24 U	105 UB	0.24 U	**47.2**	**154**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD02-05	FJD02-05-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.21 U	83.4 UB	0.21 U	**30.7**	**126**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD02-05-20180501-06-51	0-6	5/1/2018	FS	0.00446 U	0.0089 U	0.00569 U	0.00395 U	0.00474 U	0.24 U	96.1 UB	0.24 U	**44.9**	**83.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00974 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	FJD02-05-20180501-12-51	6-12	5/1/2018	FS	0.00475 U	0.00949 U	0.00607 U	0.00421 U	0.00506 U	0.26 U	102 UB	0.26 U	**42.5**	**36.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD02-06	FJD02-06-20180501-01-51	0-1	5/1/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.25 U	98.7 UB	0.25 U	**27.1**	**90.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-06-20180501-06-51	0-6	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00393 U	0.00472 U	0.22 U	87.2 UB	0.22 U	**44.2**	**57.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-06-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00896 U	0.00573 U	0.00398 U	0.00478 U	0.24 U	96.5 UB	0.24 U	**52.8**	**38.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD02-07	FJD02-07-20180501-01-51	0-1	5/1/2018	FS	0.00428 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.22 U	88.6 UB	0.22 U	**21.7**	**146**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00948 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD02-07-20180501-06-51	0-6	5/1/2018	FS	0.00443 U	0.00884 U	0.00565 U	0.00392 U	0.00471 U	0.23 U	120 UB	0.23 U	**33.4**	**209**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0098 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	FJD02-07-20180501-12-51	6-12	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.19 U	121 UB	0.19 U	**26**	**45.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD02-08	FJD02-08-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.58 U	233 UB	0.58 U	**42.7**	**134**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0099 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	1.21 U	121 U	1.21 U	**33.5**	**141**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00985 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD02-08-20180501-12-51	6-12	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00394 U	0.00472 U	0.2 U	105 UB	0.2 U	**34.7**	**43.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD02-10E	FJD02-10-DLE-20180502-06-51	0-6	5/2/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10N	FJD02-10-DLN-20180502-06-51	0-6	5/2/2018	FS	0.00501 U	0.01 U	0.0064 U	0.00444 U	0.00533 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10S	FJD02-10-DLS-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10W	FJD02-10-DLW-20180502-06-51	0-6	5/2/2018	FS	0.00416 U	0.00831 U	0.00532 U	0.00369 U	0.00443 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-01	FJD03-01-20180502-01-51	0-1	5/2/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.21 U	84.4 UB	0.21 U	**49.1**	**73.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-01-20180502-06-51	0-6	5/2/2018	FS	0.00468 U	0.00936 U	0.00599 U	0.00415 U	0.00499 U	0.59 U	58.8 U	0.59 U	**62.1**	**47.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-01-20180502-12-51	6-12	5/2/2018	FS	0.00479 U	0.00958 U	0.00613 U	0.00425 U	0.0051 U	0.6 U	59.8 U	0.6 U	**73.8**	**56**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD03-02	FJD03-02-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.24 U	94.2 UB	0.24 U	**33.6**	**84.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00992 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-02-20180502-06-51	0-6	5/2/2018	FS	0.00472 UJL	0.00943 UJL	0.00603 UJL	0.00419 UJL	0.00503 UJL	0.25 U	101 UB	0.25 U	**54.7**	**72.7 JK**	0.03 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
	FJD03-02-20180502-12-51	6-12	5/2/2018	FS	0.00477 UJL	0.00952 UJL	0.00609 UJL	0.00423 UJL	0.00508 UJL	0.24 U	94.4 UB	0.24 U	**54.6**	**53.4 JK**	0.07 UJL	0.02 UJL	0.11 UJL	0.05 UJL	0.04 UJL	0.03 UJL	0.1 UJL	0.05 UJL	0.08 UJL	0.02 UJL	0.03 UJL	0.03 UJL	0.03 UJL	0.02 UJL	0.03 UJL	0.14 UJL	0.19 UJL	0.09 UJL	0.04 UJL
	FJD03-02-20180502-24-51	12-24	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.65 U	64.6 U	0.65 U	**72.1**	**53.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD03-03	FJD03-03-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.54 U	53.7 U	0.54 U	**42.1**	**91.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-03-20180502-06-51	0-6	5/2/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.25 UJK	98.4 UB	0.25 U	**59.7**	**55.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-03-20180502-12-51	6-12	5/2/2018	FS	0.00465 U	0.00928 U	0.00593 U	0.00412 U	0.00495 U	**14.3 JK**	206 UB	0.51 U	**65.3**	**37.6 JQ**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-03-20180502-12-52	6-12	5/2/2018	DUP	0.00466 U	0.0093 U	0.00595 U	0.00413 U	0.00496 U	0.6 U	60.2 U	0.6 U	**73.7**	**57.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD03-04	FJD03-04-20180502-01-51	0-1	5/2/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.25 U	98.1 UB	0.25 U	**54**	**67.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00995 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-04-20180502-01-52	0-1	5/2/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.24 U	94.5 UB	0.24 U	**46**	**95.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-04-20180502-06-51	0-6	5/2/2018	FS	0.00441 U	0.00882 U	0.00564 U	0.00391 U	0.0047 U	0.48 U	48.3 U	0.48 U	**51.4**	**60.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-04-20180502-12-51	6-12	5/2/2018	FS	0.00482 UJL	0.00964 UJL	0.00616 UJL	0.00428 UJL	0.00514 UJL	0.26 U	104 UB	0.26 U	**67.7**	**62 JK**	0.03 UJL	0.01 UJL	0.06 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
	FJD03-04-20180502-12-52	6-12	5/2/2018	DUP	0.00482 U	0.00963 U	0.00616 U	0.00428 U	0.00513 U	0.26 U	104 UB	0.26 U	**65.4**	**48**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-04-20180502-24-51	12-24	5/2/2018	FS	0.00484 U	0.00966 U	0.00618 U	0.00429 U	0.00515 U	0.24 U	96.5 UB	0.24 U	**54**	**48.3**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-04-20180502-24-52	12-24	5/2/2018	DUP	0.00535 U	0.01 U	0.00684 U	0.00474 U	0.0057 U	0.54 U	54.3 U	0.54 U	**68.4**	**52.1**	0.04 U	0.01 U	0.06 U	0.03 U	0.02 U	0.01 U	0.06 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.08 U	0.1 U	0.05 U	0.02 U
FJD03-05	FJD03-05-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.56 U	265 UB	0.56 U	**24.8**	**71**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-05-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	80.5 UB	0.2 U	**37.5**	**41.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-05-20180502-12-51	6-12	5/2/2018	FS	0.00446 UJL	0.00892 UJL	0.0057 UJL	0.00396 UJL	0.00475 UJL	0.23 U	106 UB	0.23 U	**44.2**	**48 JK**	0.03 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.06 UJL	0.09 UJL	0.04 UJL	0.02 UJL
FJD03-06	FJD03-06-20180502-01-51	0-1	5/2/2018	FS	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.92 U	92 U	0.92 U	**22.3**	**72.7 JQ**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00937 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-06-20180502-01-52	0-1	5/2/2018	DUP	0.08 U	0.16 U	0.1 U	0.07 U	0.09 U	0.57 U	57.3 U	0.57 U	**21.7**	**60.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00943 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-06-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.23 U	93.9 UB	0.23 U	**48.7**	**84.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00974 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-06-20180502-12-51	6-12	5/2/2018	FS	0.0046 U	0.00918 U	0.00587 U	0.00408 U	0.00489 U	0.24 U	97.7 UB	0.24 U	**59.4**	**51.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD03-06-20180502-24-51	12-24	5/2/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.24 U	96.7 UB	0.24 U	**61.3**	**43.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD03-06-20180502-24-52	12-24	5/2/2018	DUP	0.44 U	0.89 U	0.57 U	0.39 U	0.47 U	0.23 U	92.9 UB	0.23 U	**54.3**	**39**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD03-07	FJD03-07-20180502-01-51	0-1	5/2/2018	FS	0.04 UJL	0.09 UJL	0.05 UJL	0.04 UJL	0.04 UJL	0.62 U	247 UB	0.62 U	**30.3**	**129 JK**	0.03 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
	FJD03-07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.5 U	198 UB	0.5 U	**27**	**69.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00946 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-07-20180502-12-51	6-12	5/2/2018	FS	0.00467 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.24 U	96.7 UB	0.24 U	**35.2**	**54.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD03-08	FJD03-08-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.22 U	131 UB	0.22 U	**10.4**	**79.9**	0.32 U	0.12 U	0.5 U	0.22 U	0.18 U	0.14 U	0.46 U	0.22 U	0.38 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.14 U	0.62 U	0.83 U	0.41 U	0.18 U
	FJD03-08-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.4 U	0.26 U	0.18 U	0.21 U	0.19 U	76.8 UB	0.19 U	**25.9**	**47.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-08-20180502-12-51	6-12	5/2/2018	FS	0.21 U	0.43 U	0.27 U	0.19 U	0.23 U	0.54 U	53.9 U	0.54 U	**46.2**	**126**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD03-08-20180502-24-51	12-24	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.22 U	123 UB	0.22 U	**26.5**	**38.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00986 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD03-09NSEW	FJD03-09-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00428 U	0.00855 U	0.00547 U	0.00379 U	0.00456 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-09-DLNSEW-20180502-06-52	0-6	5/2/2018	Field	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-10NW	FJD03-10-DLNW-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-10-DLNW-20180502-06-52	0-6	5/2/2018	Field Dupl	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD04-01	FJD04-01-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	2.04 U	204 U	2.04 U	**13.6**	**256**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD04-01-20180502-06-51	0-6	5/2/2018	FS	0.00466 UJL	0.00931 UJL	0.00596 UJL	0.00413 UJL	0.00496 UJL	2.23 U	890 UB	2.23 U	**40.1**	**375 JK**	0.03 UJL	**0.01 JQL**	0.05 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	**0.02 JQL**	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
	FJD04-01-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.23 U	92.1 UB	0.23 U	**46.1**	**45.8**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-01-20180502-24-51	12-24	5/2/2018	FS	0.0047 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.25 U	102 UB	0.25 U	**70.2**	**40**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD04-01-20180502-36-51	24-36	5/2/2018	FS	0.00463 UJL	0.00925 UJL	0.00592 UJL	0.00411 UJL	0.00493 UJL	0.53 U	214 UB	0.53 U	**62.1**	**53 JK**	0.03 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.09 UJL	0.04 UJL	0.02 UJL
FJD04-02	FJD04-02-20180502-01-51	0-1	5/2/2018	FS	0.38 U	0.77 U	0.49 U	0.34 U	0.41 U	1.62 U	647 UB	1.62 U	**23.4**	**4780**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00839 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD04-02-20180502-06-51	0-6	5/2/2018	FS	0.0042 U	0.00838 U	0.00536 U	0.00372 U	0.00447 U	0.19 U	82.5 UB	0.19 U	**42.1**	**362**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-02-20180502-12-51	6-12	5/2/2018	FS	0.0048

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether
	FJD04-05-20180503-36-51	24-36	5/3/2018	FS	0.00491 U	0.00981 U	0.00627 U	0.00435 U	0.00523 U	0.23 U	90 UB	0.23 U	**64.6**	**60.8**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-05-20180503-36-52	24-36	5/3/2018	DUP	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.64 U	257 UB	0.64 U	**93**	**67.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD04-06	FJD04-06-20180503-06-51	0-6	5/3/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.17 U	67.8 UB	0.17 U	**22.1**	**671**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00941 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-06-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.23 U	167 UB	0.23 U	**26.6**	**105**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-06-20180503-24-51	12-24	5/3/2018	FS	0.00507 U	0.01 U	0.00647 U	0.00449 U	0.00539 U	0.23 U	156 UB	0.23 U	**54.1**	**72**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-06-20180503-36-51	24-36	5/3/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.5 U	201 UB	0.5 U	**61.1**	**50.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD04-07	FJD04-07-20180502-01-52	0-1	5/2/2018	DUP	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	3.27 U	1310 UB	3.27 U	**13.6**	**1060**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0085 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD04-07-20180503-01-51	0-1	5/3/2018	FS	0.19 U	0.38 U	0.24 U	0.17 U	0.2 U	3.37 U	337 U	3.37 U	**15.6**	**556**	0.03 U	**0.01 JQ**	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.01 JQ**	0.00865 U	0.01 U	0.05 U	0.07 U	0.04 U	0.01 U
	FJD04-07-20180503-01-52	0-1	5/3/2018	DUP	0.19 U	0.39 U	0.24 U	0.17 U	0.2 U	4.05 U	405 U	4.05 U	**13.7 JQ**	**722**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD04-07-20180503-06-51	0-6	5/3/2018	FS	2.09 U	4.18 U	2.67 U	1.85 U	2.23 U	0.42 U	170 UB	0.42 U	**19.6**	**210**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00927 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-07-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.25 U	101 UB	0.25 U	**59**	**63**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-07-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.25 U	98.6 UB	0.25 U	**71.1**	**57.8**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-07-20180503-24-51	12-24	5/3/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.24 U	95.7 UB	0.24 U	**62.3**	**101**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-07-20180503-36-51	24-36	5/3/2018	FS	0.23 U	0.47 U	0.3 U	0.21 U	0.25 U	0.25 U	99.8 UB	0.25 U	**64.6**	**65.4**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD04-08	FJD04-08-20180503-01-51	0-1	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	3.41 U	341 U	3.41 U	**16.8**	**755**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00869 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-08-20180503-06-51	0-6	5/3/2018	FS	2.19 U	4.37 U	2.8 U	1.94 U	2.33 U	2.25 U	225 U	2.25 U	**23.5**	**291**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00971 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.25 U	99.9 UB	0.25 U	**22.6**	**225**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD04-08-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.25 U	102 UB	0.25 U	**53.3**	**127**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.05 U	0.02 U
	FJD04-08-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.57 U	226 UB	0.57 U	**63.8**	**76.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD04-09	FJD04-09-20180503-12-51	6-12	5/3/2018	FS	0.0041 U	0.0082 U	0.00524 U	0.00364 U	0.00437 U	0.42 U	170 UB	0.42 U	**10.4**	**35.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00909 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD04-09-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.0066 U	0.00458 U	0.0055 U	0.24 U	305 UB	0.24 U	**58.6**	**67.8**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
	FJD04-09-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.26 U	168 UB	0.26 U	**35.5**	**171**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.21 U	93.8 UB	0.21 U	**13.8**	**216**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00902 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.22 U	112 UB	0.22 U	**19 JK**	**53.7 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.23 U	117 UB	0.23 U	**15.4**	**32.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00972 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.21 U	85.3 UB	0.21 U	**13.9**	**103**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00889 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.2 U	98.4 UB	0.2 U	**19.8 JK**	**78.1 JK**	0.03 U	**0.02 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.02 JQ**	0.00968 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.2 U	129 UB	0.2 U	**23.1**	**60.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.21 U	94.9 UB	0.21 U	**22.3**	**192**	0.33 U	0.12 U	0.51 U	0.23 U	0.18 U	0.14 U	0.47 U	0.23 U	0.38 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.63 U	0.84 U	0.42 U	0.18 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.23 U	106 UB	0.23 U	**25.7 JK**	**173 JK**	0.03 U	**0.05 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.04 JQ**	0.00993 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.2 U	107 UB	0.2 U	**19.4**	**142**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.17 U	69.4 UB	0.17 U	**31.9**	**156**	0.03 U	**0.02 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.04 JQ**	0.0089 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.23 U	92.7 UB	0.23 U	**35.7**	**157**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.2 U	87.5 UB	0.2 U	**39.2**	**85**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.19 U	141 UB	0.19 U	**14**	**332**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00853 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.19 U	105 UB	0.19 U	**20.4 JK**	**92.2 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00901 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.19 U	103 UB	0.19 U	**16 JK**	**66.8 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0092 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.18 U	108 UB	0.18 U	**16.6**	**203**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.19 U	77.9 UB	0.19 U	**11.7**	**128**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.18 U	130 UB	0.18 U	**24.2 JK**	**176 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00919 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.21 U	113 UB	0.21 U	**23.3**	**180**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00942 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.16 U	102 UB	0.16 U	**19.9**	**149**	0.03 U	**0.05 JQ**	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.05 JQ**	0.00866 U	0.01 U	0.05 U	0.08 U	0.04 U	0.01 U
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.23 U	157 UB	0.23 U	**26.1**	**204**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00964 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	**0.32 JQ**	109 UB	0.19 U	**25.8**	**173**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.22 U	86.7 UB	0.22 U	**51.5**	**145**	0.03 U	**0.04 JQ**	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.00884 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.23 U	91.4 UB	0.23 U	**38.1 JK**	**76.6 JK**	0.03 U	**0.07 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.23 U	93.1 UB	0.23 U	**53.1**	**54.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.18 U	116 UB	0.18 U	**24.3 JK**	**237 JK**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.17 U	188 UB	0.17 U	**35.6**	**316**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.05 U	0.07 U	0.04 U	0.01 U
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.21 U	118 UB	0.21 U	**23.8 JK**	**160 JK**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.01 JQ**	0.00924 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.2 U	106 UB	0.2 U	**25.2 JK**	**111 JK**	0.03 U	**0.04 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.09 JQ**	0.00983 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.18 U	130 UB	0.18 U	**33.3**	**193 JK**	0.33 U	0.12 U	0.52 U	0.23 U	0.18 U	0.15 U	0.48 U	0.23 U	0.39 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.64 U	0.86 U	0.43 U	0.18 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.21 U	129 UB	0.21 U	**27.9 JK**	**59.6 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00945 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.2 U	95.5 UB	0.2 U	**17.5**	**176**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.21 U	137 UB	0.21 U	**26.9**	**164**	0.03 U	**0.06 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.18 U	143 UB	0.18 U	**24.4**	**133**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00966 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.2 U	80.4 UB	0.2 U	**25.4 JK**	**116 JK**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00842 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.24 U	179 UB	0.24 U	**33.6**	**547**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.22 U	100 UB	0.22 U	**45.3**	**79.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.21 U	85.1 UB	0.21 U	**48 JK**	**124 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00898 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.58 U	58.1 U	0.58 U	**75.8**	**60.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.2 U	81.5 UB	0.2 U	**66.1**	**113**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD06-01	FJD06-01-20180502-01-51	0-1	5/2/2018	FS	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00465 U	0.23 U	91.2 UB	0.23 U	**45.5**	**245**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD06-01-20180502-06-51	0-6	5/2/2018	FS	0.00458 U	0.00915 U	0.00586 U	0.00406 U	0.00488 U	0.24 U	95 UB	0.24 U	**49

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.26 U	103 UB	0.26 U	**50.3**	**64.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.19 U	74.3 UB	0.19 U	**19.9**	**58.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00886 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.22 U	87.7 UB	0.22 U	**28 JK**	**58.3 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00952 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.25 U	25.4 U	0.25 U	**62.8**	**97.6**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.22 U	22.5 U	0.22 U	**69.6**	**113**	0.38 U	0.14 U	0.59 U	0.26 U	0.21 U	0.17 U	0.55 U	0.26 U	0.44 U	0.14 U	0.15 U	0.18 U	0.15 U	0.1 U	0.17 U	0.73 U	0.97 U	0.48 U	0.21 U
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.23 U	93.1 UB	0.23 U	**61.7 JK**	**61.7 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.22 U	88.1 UB	0.22 U	**66.5**	**63.5**	0.38 U	0.14 U	0.58 U	0.26 U	0.21 U	0.17 U	0.54 U	0.26 U	0.44 U	0.14 U	0.15 U	0.18 U	0.15 U	0.1 U	0.17 U	0.72 U	0.96 U	0.48 U	0.2 U
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.2 U	78.1 UB	0.2 U	**30.6 JK**	**86.5 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00893 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.25 U	98.7 UB	0.25 U	**38.7**	**50.5**	0.03 U	**0.02 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.21 U	85.3 UB	0.21 U	**49.9**	**46.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.22 U	87.4 UB	0.22 U	**56.2**	**91.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.25 U	100 UB	0.25 U	**43.1**	**40.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.26 U	102 UB	0.26 U	**57**	**47.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-01	FJD08-01-20180502-01-51	0-1	5/2/2018	FS	0.05 UJL	0.1 UJL	0.06 UJL	0.04 UJL	0.05 UJL	0.22 U	115 UB	0.22 U	**55.4**	**173 JK**	0.04 UJL	0.01 UJL	0.06 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.07 UJL	0.1 UJL	0.05 UJL	0.02 UJL
	FJD08-01-2018050202-24-51	12-24	5/2/2018	FS	0.00469 U	0.00937 U	0.006 U	0.00416 U	0.005 U	0.24 U	97.2 UB	0.24 U	**61.2**	**58.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-01-2018050202-24-52	12-24	5/2/2018	Field Duplica	0.00913 U	0.01 U	0.01 U	0.0081 U	0.00972 U	0.51 U	50.6 U	0.51 U	**70.9**	**55.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-01-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.24 U	108 UB	0.24 U	**54.9**	**90.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-01-20180502-12-51	6-12	5/2/2018	FS	0.00456 U	0.00911 U	0.00583 U	0.00405 U	0.00486 U	0.23 U	177 UB	0.23 U	**59.2**	**46.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
FJD08-02	FJD08-02-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.21 U	84.3 UB	0.21 U	**52.6**	**215**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00978 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U
	FJD08-02-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.22 U	189 UB	0.22 U	**43.4**	**31.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-02-20180503-06-51	0-6	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.24 U	249 UB	0.24 U	**60.6**	**185**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.06 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U
FJD08-03	FJD08-03-20180430-01-51	0-1	4/30/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.2 U	20.5 U	0.2 U	**38.1**	**62.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00996 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD08-03-20180430-06-51	0-6	4/30/2018	FS	0.00466 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.23 U	91.8 UB	0.23 U	**56.3**	**59.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-03-20180430-06-52	0-6	4/30/2018	DUP	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.23 U	90.2 UB	0.23 U	**33.9**	**39.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00986 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD08-03-20180430-12-51	6-12	4/30/2018	FS	0.0046 UJL	0.00919 UJL	0.00588 UJL	0.00408 UJL	0.0049 UJL	0.25 U	24.8 U	0.25 U	**39.3**	**43.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD08-04	FJD08-04-20180430-01-51	0-1	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.23 U	92.6 UB	0.23 U	**46.4**	**95.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD08-04-20180430-06-51	0-6	4/30/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.22 U	86.9 UB	0.22 U	**67.5**	**84.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD08-04-20180430-06-52	0-6	4/30/2018	DUP	0.00461 U	0.00922 U	0.00589 U	0.00409 U	0.00491 U	0.19 U	88 UB	0.19 U	**62.9**	**79.9**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD08-04-20180430-12-51	6-12	4/30/2018	FS	0.00457 U	0.00913 U	0.00584 U	0.00405 U	0.00486 U	0.25 U	98.4 UB	0.25 U	**75.4**	**141**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U
	FJD08-04-20180430-12-52	6-12	4/30/2018	DUP	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.23 U	90.4 UB	0.23 U	**66.5**	**122**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD08-05ESW	FJD08-05-DLESW-20180502-51	0-6	5/2/2018	Field Sampl	0.00472 U	0.00942 U	0.00603 U	0.00418 U	0.00502 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-05N	FJD08-05-DLN-20180502-51	0-6	5/2/2018	FS	0.00456 UJL	0.0091 UJL	0.00582 UJL	0.00404 UJL	0.00485 UJL	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD08-05-DLN-20180502-52	0-6	5/2/2018	DUP	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD09-01	FJD09-01-20180430-01-51	0-1	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00459 U	0.24 U	134 UB	0.24 U	**41.1**	**146**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00961 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD09-01-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.25 U	24.8 U	0.25 U	**46.5**	**335**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD09-01-20180430-12-51	6-12	4/30/2018	FS	0.0048 U	0.00959 U	0.00613 U	0.00426 U	0.00511 U	0.23 U	91.7 UB	0.23 U	**54.9**	**31.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD09-02	FJD09-02-20180430-01-51	0-1	4/30/2018	FS	0.00424 U	0.00846 U	0.00541 U	0.00376 U	0.00451 U	**0.26 JQ**	92 UB	0.23 U	**49.2**	**76.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00945 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD09-02-20180430-06-51	0-6	4/30/2018	FS	0.0047 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.25 U	101 UB	0.25 U	**51.7**	**55.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD09-02-20180430-12-51	6-12	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.65 U	65.3 U	0.65 U	**66.6**	**40 JQ**	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD09-03	FJD09-03-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.24 U	95 UB	0.24 U	**62.6**	**84.6**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00963 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U
	FJD09-03-20180430-06-51	0-6	4/30/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.22 U	88.4 UB	0.22 U	**45.5**	**77.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
	FJD09-03-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00604 U	0.00419 U	0.00504 U	0.63 U	62.7 U	0.63 U	**72.8**	**68.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U
FJD09-04NSEW	FJD09-04-DLNSEW-20180502-51	0-6	5/2/2018	Field Sam	0.00436 U	0.00872 U	0.00557 U	0.00387 U	0.00465 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes

FS - Field Sample

FD - Field Duplicate

NP - Not Published

J - Estimated

H - Bias high

K - Undetermined bias.

Q - below quantitation limit

L - Biased low

P - RPD between primary and confirmation result is greater than 40

U - Not detected above detection limit

					Aroclors					SVOCs													SVOCs														SVOCs
Analyte					Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Aatrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam
CAS.NO					12674-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	59-50-7	106-47-8	7005-72-3	100-01-6	100-02-7	83-32-9	208-96-8	98-86-2	120-12-7	1912-24-9	100-52-7	56-55-3	50-32-8	205-99-2	191-24-2	207-08-9	92-52-4	111-91-1	111-44-4	108-60-1	117-81-7	85-68-7	105-60-2
Units					mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	6300	2.7		27		3600		7800	18000	2.4	170	1.1	0.11	1.1		11	47	190	0.23	3100	39	290	31000
RSL Res Soil 05/2018 Carcinogenic SL TR=1E-06					6.7	0.2	0.17	0.23	0.23		2.7		27						2.4	170	1.1	0.11	1.1		11	87		0.23		39	290	
RSL Res Soil 05/2018 Noncarcinogenic SL Child THI=1					4.1					6300	250		250		3600		7800	18000	2200	7800		18				47	190		3100	1300	13000	31000
Station	Sample ID	Depth	Date	Type	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
DRA01	DRA01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00801 U	0.03 U	0.3 U	0.00789 U	0.00954 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.03 JQ	0.05 JQ	0.06 JQ	0.05 JQ	0.01 JQ	0.00946 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	DRA01-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00836 U	0.03 U	0.32 U	0.00823 U	0.00996 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.02 JQ	0.01 U	0.01 U	0.00919 U	0.01 U	0.00987 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA01-20180501-12-51	6-12	5/1/2018	FS	0.00463 U	0.00925 U	0.00591 U	0.00411 U	0.00493 U	0.01 U	0.06 U	0.00909 U	0.04 U	0.35 U	0.00895 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00919 U	0.01 U	0.01 U	0.00999 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.07 JQ	0.01 U	0.03 U
DRA02	DRA02-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.01 U	0.06 U	0.00851 U	0.03 U	0.32 U	0.00838 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.02 JQ	0.04 JQ	0.06 JQ	0.06 JQ	0.02 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA02-20180501-06-51 (Ar)	0-6	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.01 U	0.06 U	0.00853 U	0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.02 JQ	0.01 U	0.01 U	0.00938 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA02-20180501-12-51	6-12	5/1/2018	FS	0.00878 U	0.01 U	0.01 U	0.00779 U	0.00935 U	0.01 U	0.06 U	0.0085 U	0.03 U	0.32 U	0.00837 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.03 JQ	0.01 U	0.01 U	0.00935 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA03	DRA03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	0.24 JQK	0.03 JQ	0.04 JQ	0.07 JQ	0.06 JQ	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.34 JQ	0.01 U	0.03 U
	DRA03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.06 U	0.00846 U	0.03 U	0.32 U	0.00833 U	0.01 U	0.02 U	0.02 U	0.02 U	0.09 JQK	0.02 JQ	0.01 U	0.03 JQ	0.02 JQ	0.01 U	0.00999 U	0.02 U	0.02 U	0.01 U	0.28 JQ	0.01 U	0.03 U
	DRA03-20180501-12-51	6-12	5/1/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00389 U	0.00467 U	0.01 U	0.06 U	0.00855 U	0.03 U	0.32 U	0.00842 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 JQK	0.00864 U	0.01 U	0.01 U	0.0094 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.24 JQ	0.01 U	0.03 U
DRA04	DRA04-20180501-01-51 (Ar)	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.02 U	0.08 U	0.01 U	0.05 U	0.43 U	0.01 U	0.01 U	0.03 U	0.03 U	0.03 U	0.06 UJK	0.06 JQ	0.05 JQ	0.12 JQ	0.1 JQ	0.04 JQ	0.01 U	0.03 U	0.03 U	0.02 U	0.02 U	0.02 U	0.04 U
	DRA04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00834 U	0.03 U	0.32 U	0.00821 U	0.00993 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.05 JQ	0.01 U	0.08 JQ	0.00917 U	0.02 JQ	0.00985 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	DRA04-20180501-12-51	6-12	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.01 U	0.06 U	0.00874 U	0.03 U	0.33 U	0.00861 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00884 U	0.01 U	0.01 U	0.00961 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.16 JQ	0.01 U	0.03 U
DRA05	DRA05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.03 U	0.02 U	0.07 U	0.01 U	0.04 U	0.42 U	0.01 U	0.01 U	0.03 U	0.03 U	0.03 U	0.06 UJK	0.04 JQ	0.06 JQ	0.1 JQ	0.08 JQ	0.03 JQ	0.01 U	0.03 U	0.03 U	0.02 U	0.01 U	0.03 JQ	0.03 U
	DRA05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00968 U	0.04 U	0.37 U	0.00953 U	0.01 U	0.03 U	0.02 U	0.03 U	0.05 UJK	0.02 JQ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U
	DRA05-20180501-12-51	6-12	5/1/2018	FS	0.00465 U	0.00929 U	0.00595 U	0.00413 U	0.00495 U	0.01 U	0.06 U	0.00901 U	0.04 U	0.34 U	0.00888 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00912 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.13 JQ	0.01 U	0.03 U
DRA06	DRA06-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00913 U	0.04 U	0.35 U	0.00899 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.05 JQ	0.09 JQ	0.2 JQ	0.08 JQ	0.07 JQ	0.01 U	0.02 U	0.03 U	0.01 U	0.1 JQ	0.06 JQ	0.03 U
	DRA06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.01 U	0.06 U	0.00875 U	0.03 U	0.33 U	0.00862 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00885 U	0.01 U	0.01 U	0.00962 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA06-20180502-12-51	6-12	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.01 U	0.06 U	0.00882 U	0.03 U	0.33 U	0.00868 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00891 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 JQ	0.01 U	0.03 U
DRA07	DRA07-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.15 U	0.58 U	0.08 U	0.36 U	3.19 U	0.08 U	0.09 U	0.25 U	0.24 U	0.26 U	0.48 UJK	0.08 U	0.11 U	0.15 U	0.09 U	0.14 U	0.09 U	0.24 U	0.27 U	0.16 U	0.14 U	0.14 U	0.29 U
	DRA07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.01 U	0.06 U	0.00914 U	0.04 U	0.35 U	0.009 U	0.01 U	0.02 U	0.02 U	0.02 U	0.06 JQK	0.03 JQ	0.04 JQ	0.01 U	0.06 JQ	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.08 JQ	0.01 U	0.03 U
	DRA07-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00988 U	0.00632 U	0.00439 U	0.00527 U	0.01 U	0.06 U	0.00946 U	0.04 U	0.36 U	0.00931 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00956 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA07-20180502-24-51	12-24	5/2/2018	FS	0.00484 UJL	0.00967 UJL	0.00619 UJL	0.00429 UJL	0.00515 UJL	0.01 UJL	0.06 UJL	0.00932 UJL	0.04 UJL	0.35 UJL	0.00917 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.03 UJL	0.05 UJK	0.00942 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.43 UBJL	0.01 UJL	0.03 UJL
	DRA07-20180502-24-52	12-24	5/2/2018	DUP	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.01 U	0.06 U	0.0089 U	0.03 U	0.34 U	0.00877 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.009 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA08	DRA08-20180502-01-51	0-1	5/2/2018	FS	0.5 U	1 U	0.64 U	0.44 U	0.53 U	0.17 U	0.68 U	0.09 U	0.42 U	3.72 U	0.09 U	0.11 U	0.29 U	0.28 U	0.3 U	0.56 UJK	0.09 U	0.13 U	0.17 U	0.1 U	0.16 U	0.11 U	0.28 U	0.31 U	0.19 U	1.1 JQ	0.16 U	0.34 U
	DRA08-20180502-06-51	0-6	5/2/2018	FS	0.02 UJL	0.04 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.06 UJL	0.00939 UJL	0.04 UJL	0.36 UJL	0.00925 UJL	0.01 UJL	0.02 UJL	0.04 JQL	0.03 UJL	0.31 JQK	0.09 JQL	0.13 JQL	0.01 UJL	0.2 JQL	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.43 UBJL	0.01 UJL	0.03 UJL
	DRA08-20180502-12-51	6-12	5/2/2018	FS	0.0051 U	0.01 U	0.00652 U	0.00453 U	0.00544 U	0.01 U	0.06 U	0.00982 U	0.04 U	0.37 U	0.00967 U	0.01 U	0.03 U	0.02 U	0.03 U	0.05 UJK	0.00993 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U
	DRA08-20180502-12-52	6-12	5/2/2018	DUP	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00868 U	0.03 U	0.33 U	0.00855 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00878 U	0.01 U	0.01 U	0.00955 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA08-20180502-24-51	12-24	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.01 U	0.06 U	0.00953 U	0.04 U	0.36 U	0.00938 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00964 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA09	DRA09-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.13 U	0.52 U	0.07 U	0.32 U	2.86 U	0.07 U	0.08 U	0.22 U	0.22 U	0.23 U	0.43 UJK	0.07 U	0.1 U	0.13 U	0.08 U	0.12 U	0.08 U	0.21 U	0.24 U	0.15 U	0.72 JQ	0.12 U	0.26 U
	DRA09-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00782 U	0.03 U	0.3 U	0.0077 U	0.00931 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.05 JQ	0.07 JQ	0.09 JQ	0.08 JQ	0.03 JQ	0.00923 U	0.02 U	0.02 U	0.01 U	0.06 JQ	0.01 U	0.02 U
	DRA09-20180502-12-51	6-12	5/2/2018	FS	0.42 U	0.84 U	0.54 U	0.37 U	0.45 U	0.01 U	0.05 U	0.00822 U	0.03 U	0.31 U	0.0081 U	0.00979 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00831 U	0.01 U	0.01 U	0.00904 U	0.01 U	0.00971 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	DRA09-20180502-24-51	12-24	5/2/2018	FS	0.00427 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.01 U	0.05 U	0.00822 U	0.03 U	0.31 U	0.0081 U	0.00979 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00832 U	0.01 U	0.01 U	0.00904 U	0.01 U	0.00971 U	0.02 U	0.02 U	0.01 U	0.05 JQ	0.01 U	0.02 U
DRA10	DRA10-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00845 U	0.03 U	0.32 U	0.00831 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.26 JQ	0.01 U	0.26 JQ	0.01 U	0.00997 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA10-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.01 U	0.06 U	0.00898 U	0.04 U	0.34 U	0.00884 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.05 JQ	0.07 JQ	0.12 JQ	0.08 JQ	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA10-20180501-12-51	6-12	5/1/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.01 U	0.06 U	0.00912 U	0.04 U	0.35 U	0.00898 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.03 JQ	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA11	DRA11-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00908 U	0.04 U	0.35 U	0.00894 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.25 JQ	0.4 JQ	0.6	0.35 JQ	0.22 JQ	0.01 U	0.02 U	0.03 U	0.01 U	0.1 JQ	0.15 JQ	0.03 U
	DRA11-20180501-01-52	0-1	5/1/2018	DUP	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.01 U	0.06 U	0.00901 U	0.04 U	0.34 U	0.00887 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.28 JQ	0.45	0.65	0.46	0.23 JQ	0.01 U	0.02 U	0.02 U	0.01 U	11.7 JK	0.01 U	0.03 U
	DRA11-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00876 U	0.03 U	0.33 U	0.00863 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.23 JQ	0.38 JQ	0.54	0.4 JQ	0.22 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA11-20180501-12-51	6-12	5/1/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00506 U	0.01 U	0.06 U	0.00916 U	0.04 U	0.35 U	0.00901 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.03 JQ	0.01 U	0.06 JQ	0.01 U	0.02 JQ	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA12	DRA12-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.0086 U	0.03 U	0.33 U	0.00847 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.25 JQ	0.43	0.73	0.41	0.26 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.13 JQ	0.01 U	0.03 U
	DRA12-20180501-06-51	0-6	5/1/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.01 U	0.06 U	0.00906 U	0.04 U	0.34 U	0.00892 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.08 JQ	0.12 JQ	0.17 JQ	0.12 JQ	0.06 JQ	0.01 U	0.02 U	0.03 U	0.01 U	31.2 JK	0.01 U	0.03 U
	DRA12-20180501-06-52	0-6	5/1/2018	DUP	0.00465 U	0.00928 U	0.00594 U	0.00412 U	0.00495 U	0.01 U	0.06 U	0.00894 U	0.04 U	0.34 JQ	0.05 J	0.01 U	0.02 U	0.12 JQ	0.02 U	0.05 UJK	0.27 JQ	0.26 JQ	0.3 JQ	0.19 JQ	0.14 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA12-20180501-12-51	6-12	5/1/2018	FS	0.0047 U	0.00939 U	0.00601 U	0.00417 U	0.00501 U	0.01 U	0.06 U	0.00899 U	0.04 U	0.34 U	0.00885 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.04 JQ	0.05 JQ	0.08 JQ	0.06 JQ	0.02 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA13	DRA13-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00812 U	0.03 U	0.31 U	0.008 U	0.00967 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.05 JQ	0.01 U	0.01 U	0.00893 U	0.01 U	0.00959 U	0.02 U	0.02 U	0.01 U	0.07 JQ	0.01 U	0.02 U
	DRA13-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00842 U	0.03 U	0.32 U	0.00829 U	0.01 U	0.02 U	0.02 JQ	0.02 U	0.04 UJK	0.09 JQ	0.11 JQ	0.13 JQ	0.1 JQ	0.05 JQ	0.00995 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA13-20180501-12-51	6-12	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00893 U	0.03 U	0.34 U	0.00879 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.02 JQ	0.01 U	0.03 JQ	0.00982 U	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA14	DRA14-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00824 U	0.03 U	0.31 U	0.00812 U	0.00981 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.04 JQ	0.01 U	0.01 U	0.00906 U	0.01 U	0.00973 U	0.02 U	0.02 U	0.01 U	0.1 JQ	0.01 U	0.02 U
	DRA14-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.01 U	0.06 U	0.00877 U	0.03 U	0.33 U	0.00863 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.04 JQ	0.06 JQ	0.09 JQ	0.06 JQ	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA14-20180501-12-51	6-12	5/1/2018	FS	0.00456 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.01 U	0.06 U	0.00872 U	0.03 U	0.33 U	0.00858 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.02 JQ	0.02 JQ	0.01 U	0.02 JQ	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA15	DRA15-20180502-06-51	0-6	5/2/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00388 U	0.00466 U	0.01 U	0.05 U	0.00843 U	0.03 U	0.32 U	0.0083 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.02 JQ	0.02 JQ	0.01 JQ	0.04 JQ	0.02 JQ	0.00995 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA15-20180502-12-51	6-12	5/2/2018	FS	0.00471 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.01 U	0.06 U	0.009 U	0.04 U	0.34 U	0.00886 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.05 JQ	0.04 JQ	0.06 JQ	0.04 JQ	0.02 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.07 JQ	0.01 U	0.03 U
DRA16	DRA16-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.0083 U	0.03 U	0.32 U	0.00818 U	0.00989 U	0.02 U	0.03 JQ	0.02 U	0.04 UJK	0.19 JQ	0.22 JQ	0.3 JQ	0.17 JQ	0.12 JQ	0.0098 U	0.02 U	0.02 U	0.01 U	0.55	0.01 U	0.02 U
	DRA16-20180501-06-51	0-6	5/1/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.01 U	0.06 U	0.00882 U	0.03 U	0.34 U	0.00868 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.05 JQ	0.07 JQ	0.08 JQ	0.05 JQ	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA16-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.01 U	0.06 U	0.00876 U	0.03 U	0.33 U	0.00863 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.03 JQ	0.02 JQ	0.03 JQ	0.03 JQ	0.03 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA17	DRA17-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00803 U	0.03 U	0.3 U	0.0079 U	0.00956 U	0.02 U	0.02 JQ	0.02 U	0.04 UJK	0.17 JQ	0.23 JQ	0.33 JQ	0.22 JQ	0.11 JQ	0.00948 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	DRA17-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00813 U	0.03 U	0.31 U	0.008 U	0.00968 U	0.02 U	0.04 JQ	0.02 U	0.04 UJK	0.23 JQ	0.26 JQ	0.47	0.24 JQ	0.44	0.0096 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	DRA17-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00892 U	0.0057 U	0.00396 U	0.00475 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.08 JQ	0.1 JQ	0.13 JQ	0.1 JQ	0.05 JQ	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA17-20180501-12-52	6-12	5/1/2018	DUP	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.01 U	0.06 U	0.0086 U	0.03 U	0.33 U	0.00847 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.02 JQ	0.02 JQ	0.01 U	0.02 JQ	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
DRA18	DRA18-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00768 U	0.03 U	0.29 U	0.00756 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Atrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam
	DRA23-20180502-12-52	6-12	5/2/2018	DUP	0.00497 U	0.00993 U	0.00635 U	0.00441 U	0.0053 U	0.17 U	0.67 U	0.09 U	0.42 U	3.71 U	0.09 U	0.11 U	0.29 U	0.28 U	0.3 U	0.56 UJK	0.09 U	0.13 U	0.17 U	0.1 U	0.16 U	0.11 U	0.28 U	0.31 U	0.19 U	0.16 U	0.16 U	0.34 U
DRA24	DRA24-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00855 U	0.03 U	0.32 U	0.00842 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.03 JQ**	**0.04 JQ**	**0.06 JQ**	**0.07 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.15 JQ**	0.01 U	0.03 U
	DRA24-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.05 U	0.00835 U	0.03 U	0.32 U	0.00822 U	0.00994 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.03 JQ**	**0.04 JQ**	**0.06 JQ**	0.01 U	0.00986 U	0.02 U	0.02 U	0.01 U	**0.25 JQ**	**0.11 JQ**	0.02 U
	DRA24-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00869 U	0.03 U	0.33 U	0.00856 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.03 JQ**	**0.04 JQ**	**0.04 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.18 JQ**	0.01 U	0.03 U
DRA25	DRA25-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.13 U	0.52 U	0.07 U	0.33 U	2.88 U	0.07 U	0.08 U	0.23 U	0.22 U	0.23 U	0.43 UJK	**0.22 JQ**	**0.17 JQ**	0.13 U	**0.23 JQ**	0.12 U	0.08 U	0.22 U	0.24 U	0.15 U	0.13 U	0.12 U	0.26 U
	DRA25-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.14 U	0.55 U	0.07 U	0.34 U	3.02 U	0.07 U	0.09 U	0.24 U	0.23 U	0.24 U	0.45 UJK	**0.29 JQ**	**0.33 JQ**	0.14 U	**0.34 JQ**	0.13 U	0.09 U	0.23 U	0.25 U	0.16 U	**0.72 JQ**	0.13 U	0.27 U
DRA26	DRA26-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.04 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.14 U	0.54 U	0.07 U	0.34 U	3 U	0.07 U	0.09 U	0.23 U	**0.28 JQ**	0.24 U	0.45 UJK	**4.89**	**7.28**	**12**	**5.2**	**4.25**	0.09 U	0.22 U	0.25 U	0.15 U	**0.56 JQ**	0.13 U	0.27 U
	DRA26-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.15 U	0.58 U	0.08 U	0.37 U	3.22 U	0.08 U	0.1 U	0.25 U	0.24 U	0.26 U	0.48 UJK	**2.85 JQ**	**4.06 JK**	**5.68 JK**	**5.35 JK**	**1.92 JQH**	0.09 U	0.24 U	0.27 U	0.17 U	0.14 U	0.14 U	0.29 U
	DRA26-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.16 U	0.62 U	0.08 U	0.39 U	3.42 U	0.08 U	0.1 U	0.27 U	0.26 U	0.28 U	0.51 UJK	0.09 U	0.12 U	0.16 U	0.09 U	0.15 U	0.1 U	0.26 U	0.29 U	0.18 U	0.15 U	0.15 U	0.31 U
DRA27	DRA27-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.03 U	0.02 U	0.01 U	0.02 U	0.07 U	0.27 U	0.03 U	0.17 U	1.49 U	0.03 U	0.04 U	0.11 U	**0.12 JQ**	0.12 U	0.22 UJK	**2.47**	**2.75**	**3.49**	**1.41 JQ**	**1.21 JQ**	0.04 U	0.11 U	0.12 U	0.07 U	**0.32 JQ**	0.06 U	0.13 U
	DRA27-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.07 U	0.29 U	0.04 U	0.18 U	1.63 U	0.04 U	0.05 U	0.13 U	0.12 U	0.13 U	**0.55 JQK**	**2**	**2.69**	**4.36**	**2.88**	**1.58 JQ**	0.05 U	0.12 U	0.13 U	0.08 U	**5.12**	**0.08 JQ**	0.14 U
	DRA27-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.07 U	0.28 U	0.04 U	0.17 U	1.54 U	0.03 U	0.04 U	0.12 U	0.11 U	0.12 U	0.23 UJK	**0.66 JQ**	**0.99 JQ**	**1.54 JQ**	**1.19 JQ**	**0.59 JQ**	0.04 U	0.11 U	0.13 U	0.08 U	0.07 U	0.06 U	0.14 U
DRA28	DRA28-20180502-01-51	0-1	5/2/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.01 U	0.05 U	0.0083 U	0.03 U	0.32 U	0.00817 U	0.00988 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.15 JQ**	**0.21 JQ**	**0.4**	**0.29 JQ**	**0.13 JQ**	0.0098 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
	DRA28-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00871 U	0.03 U	0.33 U	0.00858 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.17 JQK**	**0.06 JQ**	**0.11 JQ**	**0.2 JQ**	**0.12 JQ**	**0.06 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA28-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.0089 U	0.03 U	0.34 U	0.00876 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.02 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	DRA28-20180502-24-51	12-24	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.15 U	0.59 U	0.08 U	0.37 U	3.27 U	0.08 U	0.1 U	0.26 U	0.25 U	0.26 U	0.49 UJK	**0.17 JQ**	0.12 U	0.15 U	0.09 U	0.14 U	0.1 U	0.25 U	0.27 U	0.17 U	**0.73 JQ**	0.14 U	0.3 U
EAS01	EAS01-20180501-01-51	0-1	5/1/2018	FS	0.00414 U	0.00827 U	0.00529 U	0.00367 U	0.00441 U	0.01 U	0.05 U	0.00797 U	0.03 U	0.3 U	0.00785 U	0.00949 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00877 U	0.01 U	0.00941 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	EAS01-20180501-06-51	0-6	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.01 U	0.06 U	0.00876 U	0.03 U	0.33 U	0.00863 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00886 U	0.01 U	0.01 U	0.00963 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS01-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.01 U	0.06 U	0.00868 U	0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00877 U	0.01 U	0.01 U	0.00954 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS02	EAS02-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00927 U	0.04 U	0.35 U	0.00913 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.26 JQK**	0.00937 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS02-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.01 U	0.06 U	0.00873 U	0.03 U	0.33 U	0.0086 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 U	0.00883 UJK	0.01 U	0.01 U	0.0096 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS02-20180501-12-51	6-12	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00868 U	0.03 U	0.33 U	0.00855 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	**0.05 JQ**	0.00955 U	**0.01 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS03	EAS03-20180501-01-51	0-1	5/1/2018	FS	0.00984 U	0.02 U	0.01 U	0.00872 U	0.01 U	0.01 U	0.06 U	0.00953 U	0.04 U	0.36 U	0.00938 U	0.01 U	0.02 U	**0.02 JQ**	0.03 U	**0.36 JQK**	**0.08 JQ**	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	**0.41 JQ**	0.01 U	0.03 U
	EAS03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.0092 U	0.04 U	0.35 U	0.00906 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.12 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS03-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00944 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS04	EAS04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00918 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.19 JQK**	**0.04 JQ**	0.01 U	**0.07 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.03 U	0.01 U	**0.09 JQ**	0.01 U	0.03 U
	EAS04-20180501-06-51	0-6	5/1/2018	FS	0.00919 U	0.01 U	0.01 U	0.00815 U	0.00979 U	0.01 U	0.06 U	0.00885 U	0.03 U	0.34 U	0.00871 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00895 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS04-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00893 U	0.00571 U	0.00397 U	0.00476 U	0.01 U	0.06 U	0.00855 U	0.03 U	0.32 U	0.00842 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00864 U	0.01 U	0.01 U	0.0094 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS05	EAS05-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.05 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.07 UJL	0.00998 UJL	0.04 UJL	0.38 UJL	0.00983 UJL	0.01 UJL	0.03 UJL	**0.06 JQK**	0.03 UJL	**1.09 JQK**	**0.07 JQL**	**0.11 JQL**	**0.21 JQL**	**0.2 JQL**	**0.06 JQL**	0.01 UJL	0.02 UJL	0.03 UJL	0.02 UJL	0.46 UBJL	0.01 UJL	0.03 UJL
	EAS05-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.41 U	0.26 U	0.18 U	0.22 U	0.14 U	0.55 U	0.07 U	0.35 U	3.05 U	0.07 U	0.09 U	0.24 U	**0.8 JQ**	0.25 U	0.46 UJK	**9.8**	**13.3**	**16.5**	**15.2**	**5.61**	0.09 U	0.23 U	0.25 U	0.16 U	0.13 U	0.13 U	0.28 U
	EAS05-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00867 U	0.03 U	0.33 U	0.00853 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.03 JQ**	**0.04 JQ**	**0.07 JQ**	**0.09 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS06	EAS06-20180502-01-51	0-1	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.43 U	0.01 U	0.05 U	0.00799 U	0.03 U	0.3 U	0.00787 U	**0.09 JQ**	0.02 U	**0.09 JQ**	0.02 U	**0.33 JQK**	**0.09 JQ**	**0.16 JQ**	**0.33 JQ**	**0.27 JQ**	**0.11 JQ**	0.00943 U	0.02 U	0.02 U	0.01 U	**0.41**	0.01 U	0.02 U
	EAS06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.44 U	0.28 U	0.19 U	0.23 U	0.01 U	0.06 U	0.0085 U	0.03 U	0.32 U	0.00837 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.03 JQ**	0.01 U	**0.05 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS06-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00869 U	0.01 U	0.01 U	0.00944 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS06-20180502-24-51	12-24	5/2/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.01 U	0.06 U	0.00865 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00874 U	0.01 U	0.01 U	0.00951 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS07	EAS07-20180503-01-51	0-1	5/3/2018	FS	2.14 U	4.27 U	2.73 U	1.9 U	2.28 U	0.01 U	0.05 U	0.00823 U	0.03 U	0.31 U	0.00811 U	0.0098 U	0.02 U	**0.02 JQ**	0.02 U	0.04 UJK	0.00833 U	**0.02 JQ**	0.01 U	**0.04 JQ**	0.01 U	0.00972 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	EAS07-20180503-06-51	0-6	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.01 U	0.05 U	0.0076 U	0.03 U	0.29 U	0.00749 U	0.00905 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.04 JQ**	**0.07 JQ**	**0.05 JQ**	**0.02 JQ**	0.00898 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
	EAS07-20180503-12-51	6-12	5/3/2018	FS	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.01 U	0.06 U	0.00895 U	0.04 U	0.34 U	0.00881 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00905 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS07-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00839 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00861 U	0.01 U	0.01 U	0.00936 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS07-20180503-24-52	12-24	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.01 U	0.06 U	0.00855 U	0.03 U	0.32 U	0.00842 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00865 U	0.01 U	0.01 U	0.0094 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS07-20180503-36-51	24-36	5/3/2018	FS	0.46 U	0.91 U	0.58 U	0.4 U	0.49 U	0.01 U	0.06 U	0.00892 U	0.03 U	0.34 U	0.00878 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.22 JQK**	0.00902 U	0.01 U	0.01 U	0.00981 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
EAS08	EAS08-20180503-01-51	0-1	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00759 U	0.03 U	0.29 U	0.00747 U	0.00903 U	0.02 U	0.02 U	0.02 U	**0.08 JQK**	**0.06 JQ**	**0.12 JQ**	**0.19 JQ**	**0.15 JQ**	**0.07 JQ**	0.00896 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	EAS08-20180503-06-51	0-6	5/3/2018	FS	0.03 U	0.07 U	0.05 U	0.03 U	0.04 U	0.01 U	0.05 U	0.00747 U	0.03 U	0.28 U	0.00736 U	0.00889 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.06 JQ**	**0.09 JQ**	**0.09 JQ**	**0.03 JQ**	0.00882 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
	EAS08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00875 U	0.03 U	0.33 U	0.00862 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00885 U	0.01 U	0.01 U	0.00962 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS08-20180503-24-51	12-24	5/3/2018	FS	0.0047 U	0.00939 U	0.006 U	0.00417 U	0.005 U	0.01 U	0.06 U	0.00917 U	0.04 U	0.35 U	0.00902 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00927 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS08-20180503-24-52	12-24	5/3/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00858 U	0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00867 U	0.01 U	0.01 U	0.00943 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	EAS08-20180503-36-51	24-36	5/3/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.01 U	0.06 U	0.00881 U	0.03 U	0.33 U	0.00868 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00891 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.01 U	0.06 U	0.00886 U	0.03 U	0.34 U	0.00872 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00974 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.01 U	0.06 U	0.00856 U	0.03 U	0.33 U	0.00843 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00941 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.01 U	0.06 U	0.0085 U	0.03 U	0.32 U	0.00837 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.0086 U	0.01 U	0.01 U	0.00935 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.01 U	0.06 U	0.00872 U	0.03 U	0.33 U	0.00859 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.05 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00959 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.01 U	0.06 U	0.00865 U	0.03 U	0.33 U	0.00852 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.74 JQK**	0.00875 U	0.01 U	0.01 U	0.00951 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.01 U	0.05 U	0.00828 U	0.03 U	0.31 U	0.00815 U	0.00986 U	0.02 U	0.02 U	0.02 U	**0.06 JQK**	0.00837 U	0.01 U	0.01 U	0.00911 U	0.01 U	0.00978 U	0.02 U	0.02 U	0.01 U	**0.21 JQ**	0.01 U	0.02 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00869 U	0.03 U	0.33 U	0.00856 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.1 JQK**	**0.03 JQ**	0.01 U	**0.04 JQ**	**0.03 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.03 U
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.01 U	0.06 U	0.00861 U	0.03 U	0.33 U	0.00848 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00947 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.01 U	0.06 U	0.00853 U	0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00862 U	0.01 U	0.01 U	0.00938 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00877 U	0.03 U	0.33 U	0.00864 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.12 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00964 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.31 JQK**	**0.02 JQ**	**0.01 JQ**	0.01 U	**0.01 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.25 JQ**	0.01 U	0.03 U
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.01 U	0.06 U	0.00866 U	0.03 U	0.33 U	0.00853 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00876 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00849 U	0.03 U	0.32 U	0.00836 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.17 JQK**	**0.05 JQ**	0.01 U	0.01 U	**0.07 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.48**	**0.56**	0.03 U
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.05 U	0.00839 U	0.03 U	0.32 U	0.00826 U	0.00998 U	0.02 U	0.02 U	0.02 U	**0.18 JQK**	**0.02 JQ**	**0.01 JQ**	**0.02 JQ**	**0.01 JQ**	0.01 U	0.0099 U	0.02 U	0.02 U	0.01 U	**0.33 JQ**	**0.05 JQ**	0.03 U
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00838 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00861 U	0.01 U	0.01 U	0.00936 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00839 U	0.01 U	**0.03 J**	0.02 U	0.02 U	**0.12 JQK**	**0.05 JQ**	0.01 U	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Atrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam
	FJD02-03-20180501-12-51	6-12	5/1/2018	FS	0.00462 U	0.00923 U	0.00591 U	0.0041 U	0.00492 U	0.01 U	0.06 U	0.00896 U	0.04 U	0.34 U	0.00882 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00906 U	0.01 U	0.01 U	0.00985 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD02-04	FJD02-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.0085 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.32 JQK**	**0.03 JQ**	0.01 U	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.3 JQ**	**0.12 JQ**	0.03 U
	FJD02-04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00858 U	0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00868 U	0.01 U	0.01 U	0.00944 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD02-04-20180501-12-51	6-12	5/1/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.01 U	0.05 U	0.00845 U	0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.08 JQK**	0.00854 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	**0.16 JQ**	0.01 U	0.03 U
FJD02-05	FJD02-05-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.01 U	0.06 U	0.00846 U	0.03 U	0.32 U	0.00833 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.02 JQ**	**0.03 JQ**	**0.02 JQ**	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	**0.13 JQ**	0.01 U	0.03 U
	FJD02-05-20180501-06-51	0-6	5/1/2018	FS	0.00446 U	0.0089 U	0.00569 U	0.00395 U	0.00474 U	0.01 U	0.06 U	0.00846 U	0.03 U	0.32 U	0.00833 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.01 JQ**	0.01 U	**0.01 JQ**	**0.01 JQ**	0.01 U	0.00999 U	0.02 U	0.02 U	0.01 U	**0.12 JQ**	0.01 U	0.03 U
	FJD02-05-20180501-12-51	6-12	5/1/2018	FS	0.00475 U	0.00949 U	0.00607 U	0.00421 U	0.00506 U	0.01 U	0.06 U	0.00902 U	0.04 U	0.34 U	0.00889 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00913 U	0.01 U	0.01 U	0.00992 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.19 JQ**	0.01 U	0.03 U
FJD02-06	FJD02-06-20180501-01-51	0-1	5/1/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.01 U	0.06 U	0.00869 U	0.03 U	0.33 U	0.00856 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00955 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD02-06-20180501-06-51	0-6	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00393 U	0.00472 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00869 U	0.01 U	0.01 U	0.00945 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.12 JQ**	0.01 U	0.03 U
	FJD02-06-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00896 U	0.00573 U	0.00398 U	0.00478 U	0.01 U	0.06 U	0.00858 U	0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00867 U	0.01 U	0.01 U	0.00943 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.03 U
FJD02-07	FJD02-07-20180501-01-51	0-1	5/1/2018	FS	0.00428 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.01 U	0.05 U	0.00823 U	0.03 U	0.31 U	0.0081 U	0.0098 U	0.02 U	**0.04 JQ**	0.02 U	0.04 UJK	**0.12 JQ**	**0.11 JQ**	**0.16 JQ**	**0.09 JQ**	**0.04 JQ**	0.00972 U	0.02 U	0.02 U	0.01 U	**0.16 JQ**	**0.05 JQ**	0.02 U
	FJD02-07-20180501-06-51	0-6	5/1/2018	FS	0.00443 U	0.00884 U	0.00565 U	0.00392 U	0.00471 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00839 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.01 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD02-07-20180501-12-51	6-12	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.01 U	0.06 U	0.00878 U	0.03 U	0.33 U	0.00864 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00888 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD02-08	FJD02-08-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.0086 U	0.03 U	0.33 U	0.00847 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.03 JQ**	**0.04 JQ**	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.24 JQ**	0.01 U	0.03 U
	FJD02-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00856 U	0.03 U	0.33 U	0.00843 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.01 JQ**	0.01 U	**0.03 JQ**	**0.01 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD02-08-20180501-12-51	6-12	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00394 U	0.00472 U	0.01 U	0.05 U	0.00832 U	0.03 U	0.32 U	0.00819 U	0.00991 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00841 U	0.01 U	0.01 U	**0.02 JQ**	0.01 U	0.00982 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
FJD02-10E	FJD02-10-DLE-20180502-06-51	0-6	5/2/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10N	FJD02-10-DLN-20180502-06-51	0-6	5/2/2018	FS	0.00501 U	0.01 U	0.0064 U	0.00444 U	0.00533 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10S	FJD02-10-DLS-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10W	FJD02-10-DLW-20180502-06-51	0-6	5/2/2018	FS	0.00416 U	0.00831 U	0.00532 U	0.00369 U	0.00443 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-01	FJD03-01-20180502-01-51	0-1	5/2/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00886 U	0.03 U	0.34 U	0.00872 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.35 JQK**	**0.02 JQ**	**0.02 JQ**	**0.04 JQ**	**0.02 JQ**	**0.04 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-01-20180502-06-51	0-6	5/2/2018	FS	0.00468 U	0.00936 U	0.00599 U	0.00415 U	0.00499 U	0.01 U	0.06 U	0.00902 U	0.04 U	0.34 U	0.00888 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00912 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-01-20180502-12-51	6-12	5/2/2018	FS	0.00479 U	0.00958 U	0.00613 U	0.00425 U	0.0051 U	0.01 U	0.06 U	0.00917 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00927 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-02	FJD03-02-20180502-01-51	0-1	5/1/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.01 U	0.06 U	0.00861 U	0.03 U	0.33 U	0.00848 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.49 JQK**	**0.02 JQ**	**0.03 JQ**	**0.05 JQ**	**0.03 JQ**	**0.01 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-02-20180502-06-51	0-6	5/2/2018	FS	0.00472 UJL	0.00943 UJL	0.00603 UJL	0.00419 UJL	0.00503 UJL	0.01 UJL	0.06 UJL	0.00909 UJL	0.04 UJL	0.35 UJL	0.00895 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJK	**0.36 JQL**	**0.02 JQL**	**0.02 JQL**	0.01 UJL	**0.02 JQL**	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.42 UBJL	0.01 UJL	0.03 UJL
	FJD03-02-20180502-12-51	6-12	5/2/2018	FS	0.00477 UJL	0.00952 UJL	0.00609 UJL	0.00423 UJL	0.00508 UJL	0.03 UJL	0.12 UJL	0.01 UJL	0.08 UJL	0.7 UJL	0.01 UJL	0.02 UJL	0.05 UJL	0.05 UJL	0.05 UJL	0.1 UJK	0.01 UJL	0.02 UJL	0.03 UJL	0.02 UJL	0.03 UJL	0.02 UJL	0.05 UJL	0.06 UJL	0.03 UJL	0.03 UJL	0.03 UJL	0.06 UJL
	FJD03-02-20180502-24-51	12-24	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.01 U	0.06 U	0.00911 U	0.04 U	0.35 U	0.00897 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00921 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-03	FJD03-03-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00846 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.28 JQK**	0.00869 U	0.01 U	0.01 U	**0.14 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-03-20180502-06-51	0-6	5/2/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.01 U	0.06 U	0.00893 U	0.03 U	0.34 U	0.00879 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00903 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-03-20180502-12-51	6-12	5/2/2018	FS	0.00465 U	0.00928 U	0.00593 U	0.00412 U	0.00495 U	0.01 U	0.06 U	0.00888 U	0.03 U	0.34 U	0.00874 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00898 U	0.01 U	0.01 U	0.00976 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-03-20180502-12-52	6-12	5/2/2018	DUP	0.00466 U	0.0093 U	0.00595 U	0.00413 U	0.00496 U	0.01 U	0.06 U	0.00902 U	0.04 U	0.34 U	0.00888 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00912 U	0.01 U	0.01 U	0.00992 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-04	FJD03-04-20180502-01-51	0-1	5/2/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.59 JQK**	0.00874 U	**0.01 JQ**	0.01 U	**0.01 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-04-20180502-01-52	0-1	5/2/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00863 U	0.03 U	0.33 U	0.0085 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00873 U	0.01 U	0.01 U	0.00949 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-04-20180502-06-51	0-6	5/2/2018	FS	0.00441 U	0.00882 U	0.00564 U	0.00391 U	0.0047 U	0.01 U	0.06 U	0.00861 U	0.03 U	0.33 U	0.00848 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.73 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00946 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-04-20180502-12-51	6-12	5/2/2018	FS	0.00482 UJL	0.00964 UJL	0.00616 UJL	0.00428 UJL	0.00514 UJL	0.01 UJL	0.06 UJL	0.00928 UJL	0.04 UJL	0.35 UJL	0.00914 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.11 JQK**	0.00939 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.42 UBJL	0.01 UJL	0.03 UJL
	FJD03-04-20180502-12-52	6-12	5/2/2018	DUP	0.00482 U	0.00963 U	0.00616 U	0.00428 U	0.00513 U	0.01 U	0.06 U	0.00934 U	0.04 U	0.36 U	0.0092 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00944 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0 UB	0.01 U	0.03 U
	FJD03-04-20180502-24-51	12-24	5/2/2018	FS	0.00484 U	0.00966 U	0.00618 U	0.00429 U	0.00515 U	0.01 U	0.06 U	0.00931 U	0.04 U	0.35 U	0.00916 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00941 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-04-20180502-24-52	12-24	5/2/2018	DUP	0.00535 U	0.01 U	0.00684 U	0.00474 U	0.0057 U	0.01 U	0.07 U	0.01 U	0.04 U	0.39 U	0.01 U	0.01 U	0.03 U	0.03 U	0.03 U	**0.15 JQK**	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.03 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U
FJD03-05	FJD03-05-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.01 U	0.06 U	0.00881 U	0.03 U	0.33 U	0.00867 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.02 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-05-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00828 U	0.03 U	0.31 U	0.00815 U	0.00985 U	0.02 U	0.02 U	0.02 U	**0.12 JQK**	0.00837 U	0.01 U	0.01 U	0.0091 U	0.01 U	0.00977 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-05-20180502-12-51	6-12	5/2/2018	FS	0.00446 UJL	0.00892 UJL	0.0057 UJL	0.00396 UJL	0.00475 UJL	0.01 UJL	0.06 UJL	0.0087 UJL	0.03 UJL	0.33 UJL	0.00857 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.25 JQK**	0.0088 UJL	0.01 UJL	0.01 UJL	0.00957 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.03 UJL
FJD03-06	FJD03-06-20180502-01-51	0-1	5/2/2018	FS	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.01 U	0.05 U	0.00814 U	0.03 U	0.31 U	0.00802 U	0.00969 U	0.02 U	0.02 U	0.02 U	**0.47 JQK**	**0.02 JQ**	**0.03 JQ**	**0.04 JQ**	**0.03 JQ**	**0.01 JQ**	0.00961 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-06-20180502-01-52	0-1	5/2/2018	DUP	0.08 U	0.16 U	0.1 U	0.07 U	0.09 U	0.01 U	0.05 U	0.00819 U	0.03 U	0.31 U	0.00806 U	0.00975 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00828 U	**0.02 JQ**	0.01 U	**0.04 JQ**	0.01 U	0.00967 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-06-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.01 U	0.06 U	0.00846 U	0.03 U	0.32 U	0.00833 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00856 U	0.01 U	0.01 U	0.0093 U	0.01 U	0.00999 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-06-20180502-12-51	6-12	5/2/2018	FS	0.0046 U	0.00918 U	0.00587 U	0.00408 U	0.00489 U	0.01 U	0.06 U	0.00908 U	0.04 U	0.35 U	0.00894 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00918 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-06-20180502-24-51	12-24	5/2/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.01 U	0.06 U	0.0087 U	0.03 U	0.33 U	0.00857 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.0088 U	0.01 U	0.01 U	0.00957 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD03-06-20180502-24-52	12-24	5/2/2018	DUP	0.44 U	0.89 U	0.57 U	0.39 U	0.47 U	0.01 U	0.06 U	0.00863 U	0.03 U	0.33 U	0.0085 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00873 U	0.01 U	0.01 U	0.00949 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-07	FJD03-07-20180502-01-51	0-1	5/2/2018	FS	0.04 UJL	0.09 UJL	0.05 UJL	0.04 UJL	0.04 UJL	0.01 UJL	0.06 UJL	0.00903 UJL	0.04 UJL	0.34 UJL	0.00889 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**1.21 JQK**	**0.03 JQL**	**0.04 JQL**	0.01 UJL	**0.04 JQL**	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.41 UBJL	0.01 UJL	0.03 UJL
	FJD03-07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.01 U	0.05 U	0.00822 U	0.03 U	0.31 U	0.00809 U	0.00979 U	0.02 U	0.02 U	0.02 U	**0.09 JQK**	0.00831 U	0.01 U	0.01 U	0.00904 U	0.01 U	0.00971 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-07-20180502-12-51	6-12	5/2/2018	FS	0.00467 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.01 U	0.06 U	0.00904 U	0.04 U	0.34 U	0.0089 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.13 JQK**	0.00914 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-08	FJD03-08-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.14 U	0.55 U	0.07 U	0.34 U	3.02 U	0.07 U	0.09 U	0.24 U	0.23 U	0.24 U	0.45 UJK	0.07 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.23 U	0.25 U	0.16 U	0.13 U	0.13 U	0.27 U
	FJD03-08-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.4 U	0.26 U	0.18 U	0.21 U	0.01 U	0.05 U	0.00807 U	0.03 U	0.31 U	0.00794 U	0.0096 U	0.02 U	0.02 U	0.02 U	**0.16 JQK**	0.00816 U	0.01 U	0.01 U	0.00887 U	0.01 U	0.00952 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-08-20180502-12-51	6-12	5/2/2018	FS	0.21 U	0.43 U	0.27 U	0.19 U	0.23 U	0.01 U	0.05 U	0.00832 U	0.03 U	0.32 U	0.00819 U	0.00991 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00841 U	0.01 U	0.01 U	0.00915 U	0.01 U	0.00982 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD03-08-20180502-24-51	12-24	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.01 U	0.06 U	0.00857 U	0.03 U	0.33 U	0.00844 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00866 U	0.01 U	0.01 U	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD03-09NSEW	FJD03-09-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00428 U	0.00855 U	0.00547 U	0.00379 U	0.00456 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-09-DLNSEW-20180502-06-52	0-6	5/2/2018	Field	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-10NW	FJD03-10-DLNW-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-10-DLNW-20180502-06-52	0-6	5/2/2018	Field Dupl	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD04-01	FJD04-01-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00747 U	0.03 U	0.28 U	0.00735 U	0.00889 U	0.02 U	0.02 U	0.02 U	**0.07 JQK**	**0.04 JQ**	**0.06 JQ**	0.01 U	**0.1 JQ**	0.01 U	0.00882 U	0.02 U	0.02 U	0.01 U	**0.11 JQ**	0.01 U	0.02 U
	FJD04-01-20180502-06-51	0-6	5/2/2018	FS	0.00466 UJL	0.00931 UJL	0.00596 UJL	0.00413 UJL	0.00496 UJL	0.01 UJL	0.06 UJL	0.00903 UJL	0.04 UJL	0.34 UJL	0.00889 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.17 JQK**	**0.02 JQL**	**0.01 JQL**	0.01 UJL	**0.02 JQL**	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.03 UJL
	FJD04-01-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.01 U	0.06 U	0.00953 U	0.04 U	0.36 U	0.00939 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00964 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-01-20180502-24-51	12-24	5/2/2018	FS	0.0047 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.01 U	0.06 U	0.0091 U	0.04 U	0.35 U	0.00896 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.0092 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.42 UB	0.01 U	0.03 U
	FJD04-01-20180502-36-51	24-36	5/2/2018	FS	0.00463 UJL	0.00925 UJL	0.00592 UJL	0.00411 UJL	0.00493 UJL	0.01 UJL	0.06 UJL	0.00903 UJL	0.04 UJL	0.34 UJL	0.00889 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.05 JQK**	0.00913 UJL	0.01 UJL	0.01 UJL	0.00993 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.03 UJL	0.01 UJL	0.41 UBJL	0.01 UJL	0.03 UJL
FJD04-02	FJD04-02-20180502-01-51	0-1	5/2/2018	FS	0.38 U	0.77 U	0.49 U	0.34 U	0.41 U	0.01 U	0.05 U	0.00729 U	0.03 U	0.28 U	0.00718 U	0.00868 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.04 JQ**	**0.08 JQ**	**0.05 JQ**	**0.02 JQ**	0.00861 U	0.02 U	0.02 U	0.01 U	**0.32 JQ**	**0.14 JQ**	0.02 U
	FJD04-02-20180

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Atrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam
	FJD04-05-20180503-36-51	24-36	5/3/2018	FS	0.00491 U	0.00981 U	0.00627 U	0.00435 U	0.00523 U	0.01 U	0.06 U	0.00945 U	0.04 U	0.36 U	0.0093 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00956 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-05-20180503-36-52	24-36	5/3/2018	DUP	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.01 U	0.06 U	0.00917 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00927 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.42 UB	0.01 U	0.03 U
FJD04-06	FJD04-06-20180503-06-51	0-6	5/3/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.01 U	0.05 U	0.00817 U	0.03 U	0.31 U	0.00805 U	0.00973 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00827 U	**0.12 JQ**	0.01 U	**0.15 JQ**	0.01 U	0.00965 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD04-06-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00843 U	0.03 U	0.32 U	0.0083 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00852 U	0.01 U	0.01 U	0.00927 U	0.01 U	0.00995 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-06-20180503-24-51	12-24	5/3/2018	FS	0.00507 U	0.01 U	0.00647 U	0.00449 U	0.00539 U	0.01 U	0.06 U	0.00969 U	0.04 U	0.37 U	0.00954 U	0.01 U	0.03 U	0.02 U	0.03 U	0.05 UJK	0.0098 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U
	FJD04-06-20180503-36-51	24-36	5/3/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.01 U	0.06 U	0.00923 U	0.04 U	0.35 U	0.00909 U	0.01 U	0.02 U	**0.07 JQ**	0.02 U	0.05 UJK	0.00934 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.42 UB	0.01 U	0.03 U
FJD04-07	FJD04-07-20180502-01-52	0-1	5/2/2018	DUP	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.01 U	0.05 U	0.00738 U	0.03 U	0.28 U	0.00727 U	0.00879 U	0.02 U	0.02 U	0.02 U	**0.11 JQK**	**0.08 JQ**	**0.12 JQ**	**0.23 JQ**	**0.28 JQ**	**0.06 JQ**	0.00872 U	0.02 U	0.02 U	0.01 U	0.35 UB	0.01 U	0.02 U
	FJD04-07-20180503-01-51	0-1	5/3/2018	FS	0.19 U	0.38 U	0.24 U	0.17 U	0.2 U	0.01 U	0.05 U	0.00751 U	0.03 U	0.28 U	0.0074 U	0.00894 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.07 JQ**	**0.09 JQ**	0.01 U	**0.13 JQ**	0.01 U	0.00887 U	0.02 U	0.02 U	0.01 U	0.4 UB	**0.34 JQ**	0.02 U
	FJD04-07-20180503-01-52	0-1	5/3/2018	DUP	0.19 U	0.39 U	0.24 U	0.17 U	0.2 U	0.01 U	0.05 U	0.00746 U	0.03 U	0.28 U	0.00735 U	0.00889 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.07 JQ**	**0.14 JQ**	**0.11 JQ**	**0.04 JQ**	0.00881 U	0.02 U	0.02 U	0.01 U	0.34 UB	0.01 U	0.02 U
	FJD04-07-20180503-06-51	0-6	5/3/2018	FS	2.09 U	4.18 U	2.67 U	1.85 U	2.23 U	0.01 U	0.05 U	0.00805 U	0.03 U	0.31 U	0.00792 U	0.00958 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00814 U	0.01 U	0.01 U	0.00885 U	0.01 U	0.0095 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD04-07-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00954 U	0.04 U	0.36 U	0.0094 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00965 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-07-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.01 U	0.06 U	0.00959 U	0.04 U	0.36 U	0.00944 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.44 UB	0.01 U	0.03 U
	FJD04-07-20180503-24-51	12-24	5/3/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.01 U	0.06 U	0.0095 U	0.04 U	0.36 U	0.00936 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00961 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.43 UB	0.01 U	0.03 U
	FJD04-07-20180503-36-51	24-36	5/3/2018	FS	0.23 U	0.47 U	0.3 U	0.21 U	0.25 U	0.01 U	0.06 U	0.00927 U	0.04 U	0.35 U	0.00912 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00937 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.42 UB	0.01 U	0.03 U
FJD04-08	FJD04-08-20180503-01-51	0-1	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.01 U	0.05 U	0.00754 U	0.03 U	0.29 U	0.00743 U	0.00898 U	0.02 U	**0.03 JQ**	0.02 U	**0.1 JQK**	**0.12 JQ**	**0.1 JQ**	**0.22 JQ**	**0.12 JQ**	**0.09 JQ**	0.00891 U	0.02 U	0.02 U	0.01 U	**0.42**	0.01 U	0.02 U
	FJD04-08-20180503-06-51	0-6	5/3/2018	FS	2.19 U	4.37 U	2.8 U	1.94 U	2.33 U	0.01 U	0.05 U	0.00843 U	0.03 U	0.32 U	0.0083 U	0.01 U	0.02 U	**0.05 JQ**	0.02 U	0.04 UJK	**0.06 JQ**	**0.1 JQ**	0.01 U	**0.11 JQ**	0.01 U	0.00995 U	0.02 U	0.02 U	0.01 U	0.39 UB	0.01 U	0.03 U
	FJD04-08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00875 U	0.03 U	0.33 U	0.00862 U	0.01 U	0.02 U	**0.07 JQ**	0.02 U	0.05 UJK	**0.08 JQ**	**0.08 JQ**	**0.18 JQ**	**0.07 JQ**	**0.06 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-08-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00938 U	0.04 U	0.36 U	0.00924 U	0.01 U	0.02 U	0.02 U	0.03 U	0.05 UJK	0.00949 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD04-08-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00899 U	0.04 U	0.34 U	0.00885 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00909 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.41 UB	0.01 U	0.03 U
FJD04-09	FJD04-09-20180503-12-51	6-12	5/3/2018	FS	0.0041 U	0.0082 U	0.00524 U	0.00364 U	0.00437 U	0.01 U	0.05 U	0.0079 U	0.03 U	0.3 U	0.00778 U	0.0094 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00799 U	0.01 U	0.01 U	0.00869 U	0.01 U	0.00933 U	0.02 U	0.02 U	0.01 U	**0.15 JQ**	0.01 U	0.02 U
	FJD04-09-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.0066 U	0.00458 U	0.0055 U	0.01 U	0.06 U	0.00981 U	0.04 U	0.37 U	0.00966 U	0.01 U	0.03 U	0.02 U	0.03 U	0.05 UJK	0.00992 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	**0.1 JQ**	0.01 U	0.03 U
	FJD04-09-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.01 U	0.07 U	0.00997 U	0.04 U	0.38 U	0.00981 U	0.01 U	0.03 U	0.03 U	0.03 U	0.05 UJK	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	**0.04 JQ**	0.01 U	0.03 U
FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.01 U	0.05 U	0.00784 U	0.03 U	0.3 U	0.00772 U	0.00933 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.06 JQ**	**0.08 JQ**	**0.05 JQ**	**0.03 JQ**	0.00925 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.01 U	0.05 U	0.00838 U	0.03 U	0.32 U	0.00825 U	0.00997 U	0.02 U	0.02 U	0.02 U	**0.36 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00921 U	0.01 U	0.00989 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.03 U
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.01 U	0.05 U	0.00844 U	0.03 U	0.32 U	0.00831 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.01 U	0.01 U	0.00928 U	0.01 U	0.00997 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.01 U	0.05 U	0.00772 U	0.03 U	0.29 U	0.00761 U	0.0092 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.1 JQ**	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.00912 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.01 U	0.05 U	0.00841 U	0.03 U	0.32 U	0.00828 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.48 JQK**	**0.02 JQ**	**0.02 JQ**	**0.04 JQ**	**0.01 JQ**	**0.04 JQ**	0.00993 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.01 U	0.05 U	0.00832 U	0.03 U	0.32 U	0.00819 U	0.00991 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00841 U	0.01 U	0.01 U	0.00915 U	0.01 U	0.00982 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.14 U	0.56 U	0.08 U	0.35 U	3.07 U	0.07 U	0.09 U	0.24 U	0.23 U	0.25 U	0.46 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.23 U	0.26 U	0.16 U	0.14 U	0.13 U	0.28 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.01 U	0.06 U	0.00862 U	0.03 U	0.33 U	0.00849 U	0.01 U	0.02 U	0.02 U	0.02 U	**1 JQK**	**0.03 JQ**	**0.04 JQ**	**0.08 JQ**	**0.02 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.03 U
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.01 U	0.06 U	0.00845 U	0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00855 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.01 U	0.05 U	0.00773 U	0.03 U	0.29 U	0.00761 U	0.0092 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00912 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.01 U	0.06 U	0.00895 U	0.04 U	0.34 U	0.00881 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00905 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.01 U	0.06 U	0.00874 U	0.03 U	0.33 U	0.00861 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00884 U	0.01 U	0.01 U	0.00961 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00741 U	0.03 U	0.28 U	0.0073 U	0.00882 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.1 JQ**	**0.08 JQ**	**0.06 JQ**	**0.03 JQ**	0.00875 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.01 U	0.05 U	0.00782 U	0.03 U	0.3 U	0.0077 U	0.00931 U	0.02 U	0.02 U	0.02 U	**0.32 JQK**	0.00791 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.00924 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.01 U	0.05 U	0.00799 U	0.03 U	0.3 U	0.00787 U	0.00951 U	0.02 U	0.02 U	0.02 U	**0.2 JQK**	**0.04 JQ**	**0.04 JQ**	**0.05 JQ**	**0.02 JQ**	**0.05 JQ**	0.00943 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.01 U	0.05 U	0.00742 U	0.03 U	0.28 U	0.0073 U	0.00883 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	0.01 U	0.01 U	0.00816 U	0.01 U	0.00876 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.47**	0.02 U
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.01 U	0.05 U	0.00742 U	0.03 U	0.28 U	0.00731 U	0.00884 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	0.01 U	**0.05 JQ**	**0.02 JQ**	**0.01 JQ**	0.00876 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.3 JQ**	0.02 U
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.01 U	0.05 U	0.00798 U	0.03 U	0.3 U	0.00786 U	0.0095 U	0.02 U	0.02 U	0.02 U	**0.11 JQK**	**0.05 JQ**	0.01 U	0.01 U	0.00877 U	0.01 U	0.00942 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.01 JQ**	0.02 U
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.01 U	0.05 U	0.00819 U	0.03 U	0.31 U	0.00806 U	0.00974 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00828 U	0.01 U	0.01 U	0.009 U	0.01 U	0.00966 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.01 U	0.05 U	0.00753 U	0.03 U	0.29 U	0.00741 U	0.00896 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.00889 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.01 U	0.05 U	0.00837 U	0.03 U	0.32 U	0.00824 U	0.00997 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00847 U	0.01 U	0.01 U	0.00921 U	0.01 U	0.00989 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.01 U	0.05 U	0.00843 U	0.03 U	0.32 U	0.0083 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00852 U	0.01 U	0.01 U	0.00926 U	0.01 U	0.00995 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.01 U	0.05 U	0.00768 U	0.03 U	0.29 U	0.00756 U	0.00915 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.03 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00907 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.01 U	0.06 U	0.00914 U	0.04 U	0.35 U	0.009 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.24 JQK**	**0.04 JQ**	0.01 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.01 U	0.06 U	0.00859 U	0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00868 U	0.01 U	0.01 U	0.00944 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00736 U	0.03 U	0.28 U	0.00724 U	0.00876 U	0.02 U	0.02 U	0.02 U	**5.19 JK**	**0.09 JQ**	**0.13 JQ**	**0.22 JQ**	**0.07 JQ**	**0.06 JQ**	0.00869 U	0.02 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.01 U	0.05 U	0.00749 U	0.03 U	0.28 U	0.00737 U	0.00891 U	0.02 U	**0.04 JQ**	0.02 U	0.04 UJK	**0.22 JQ**	**0.14 JQ**	**0.35**	**0.25 JQ**	**0.11 JQ**	0.00884 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.05 U	0.00802 U	0.03 U	0.3 U	0.0079 U	0.00955 U	0.02 U	**0.02 JQ**	0.02 U	0.04 UJK	**0.17 JQ**	**0.2 JQ**	**0.29 JQ**	**0.1 JQ**	**0.13 JQ**	0.00947 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.02 U
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.01 U	0.06 U	0.00854 U	0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	**0.09 JQ**	0.02 U	**0.35 JQK**	**0.1 JQ**	**0.12 JQ**	**0.18 JQ**	**0.06 JQ**	**0.07 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.14 U	0.57 U	0.08 U	0.36 U	3.13 U	0.08 U	0.09 U	0.25 U	0.24 U	0.25 U	0.47 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.24 U	0.26 U	0.16 U	0.14 U	0.14 U	0.28 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.01 U	0.05 U	0.00821 U	0.03 U	0.31 U	0.00809 U	0.00978 U	0.02 U	0.02 U	0.02 U	**0.35 JQK**	**0.07 JQ**	0.01 U	0.01 U	0.00903 U	0.01 U	0.0097 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.02 U
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.01 U	0.05 U	0.00745 U	0.03 U	0.28 U	0.00733 U	0.00887 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	0.01 U	0.01 U	0.00819 U	0.01 U	0.00879 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.01 U	0.05 U	0.00838 U	0.03 U	0.32 U	0.00825 U	0.00998 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.06 JQ**	**0.08 JQ**	**0.03 JQ**	**0.02 JQ**	0.0099 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.01 U	0.05 U	0.00839 U	0.03 U	0.32 U	0.00827 U	0.00999 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00849 U	0.01 U	0.01 U	0.00923 U	0.01 U	0.00991 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.01 U	0.05 U	0.00731 U	0.03 U	0.28 U	0.0072 U	0.00871 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	**0.05 JQ**	**0.02 JQ**	**0.02 JQ**	0.00864 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.01 U	0.06 U	0.00849 U	0.03 U	0.32 U	0.00835 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00858 U	0.01 U	0.01 U	0.00933 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.01 U	0.06 U	0.00902 U	0.04 U	0.34 U	0.00888 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00912 U	0.01 U	0.01 U	0.00992 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.01 U	0.05 U	0.0078 U	0.03 U	0.3 U	**0.06 JQ**	0.00928 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.06 JQ**	**0.07 JQ**	**0.11 JQ**	**0.04 JQ**	**0.03 JQ**	0.00921 U	0.02 U	0.02 U	0.01 U	**0.09 JQ**	0.01 U	0.02 U
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.01 U	0.06 U	0.00873 U	0.03 U	0.33 U	0.0086 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.0096 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.08 JQ**	0.01 U	0.03 U
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.01 U	0.06 U	0.00914 U	0.04 U	0.35 U	0.009 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	**0.02 JQ**	**0.02 JQ**	0.01 U	0.01 U	0.02 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Atrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(ghi)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.01 U	0.06 U	0.00905 U	0.04 U	0.34 U	0.00891 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.31 JQK**	0.00915 U	0.01 U	0.01 U	0.00995 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.01 U	0.05 U	0.00769 U	0.03 U	0.29 U	0.00758 U	0.00916 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00846 U	0.01 U	0.00908 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.01 U	0.05 U	0.00827 U	0.03 U	0.31 U	0.00815 U	0.00985 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.0091 U	0.01 U	0.00977 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.01 U	0.06 U	0.00923 U	0.04 U	0.35 U	0.00908 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00933 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.16 U	0.65 U	0.09 U	0.4 U	3.56 U	0.09 U	0.11 U	0.28 U	0.27 U	0.29 U	0.53 UJK	0.09 U	0.13 U	0.16 U	0.1 U	0.15 U	0.1 U	0.27 U	0.3 U	0.18 U	0.16 U	0.15 U	0.32 U
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.01 U	0.06 U	0.00894 U	0.04 U	0.34 U	0.0088 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00904 U	0.01 U	0.01 U	0.00983 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.16 U	0.64 U	0.09 U	0.4 U	3.51 U	0.09 U	0.1 U	0.28 U	0.27 U	0.29 U	0.53 UJK	0.09 U	0.13 U	0.16 U	0.1 U	0.15 U	0.1 U	0.26 U	0.29 U	0.18 U	0.16 U	0.15 U	0.32 U
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.01 U	0.05 U	0.00776 U	0.03 U	0.29 U	0.00764 U	0.00923 U	0.02 U	0.02 U	0.02 U	**0.2 JQK**	**0.03 JQ**	0.01 U	0.01 U	0.00853 U	0.01 U	0.00916 U	0.02 U	0.02 U	0.01 U	**0.05 JQ**	**0.01 JQ**	0.02 U
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.01 U	0.06 U	0.00882 U	0.03 U	0.34 U	0.00869 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.07 JQ**	**0.05 JQ**	**0.08 JQ**	**0.03 JQ**	**0.04 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.01 U	0.06 U	0.00889 U	0.03 U	0.34 U	0.00876 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00899 U	0.01 U	0.01 U	0.00978 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.01 U	0.05 U	0.00845 U	0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.01 U	0.06 U	0.00917 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00928 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.01 U	0.06 U	0.00912 U	0.04 U	0.35 U	0.00897 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00922 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-01	FJD08-01-20180502-01-51	0-1	5/2/2018	FS	0.05 UJL	0.1 UJL	0.06 UJL	0.04 UJL	0.05 UJL	0.01 UJL	0.06 UJL	0.00963 UJL	0.04 UJL	0.37 UJL	0.00949 UJL	0.01 UJL	0.03 UJL	0.02 UJL	0.03 UJL	**0.42 JQK**	**0.04 JQL**	**0.05 JQL**	**0.09 JQL**	**0.06 JQL**	**0.03 JQL**	0.01 UJL	0.02 U	0.03 UJL	0.02 UJL	0.44 UBJL	0.01 UJL	0.03 UJL
	FJD08-01-2018050202-24-51	12-24	5/2/2018	FS	0.00469 U	0.00937 U	0.006 U	0.00416 U	0.005 U	0.01 U	0.06 U	0.00891 U	0.03 U	0.34 U	0.00878 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.09 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.0098 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-01-2018050202-24-52	12-24	5/2/2018	Field Duplica	0.00913 U	0.01 U	0.01 U	0.0081 U	0.00972 U	0.01 U	0.06 U	0.0089 U	0.03 U	0.34 U	0.00876 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.009 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-01-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.01 U	0.06 U	0.0089 U	0.03 U	0.34 U	0.00876 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.07 JQ**	**0.08 JQ**	**0.11 JQ**	**0.07 JQ**	**0.05 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-01-20180502-12-51	6-12	5/2/2018	FS	0.00456 U	0.00911 U	0.00583 U	0.00405 U	0.00486 U	0.01 U	0.06 U	0.00878 U	0.03 U	0.33 U	0.00865 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00965 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD08-02	FJD08-02-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.06 U	0.0085 U	0.03 U	0.32 U	0.00836 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00934 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-02-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.01 U	0.06 U	0.00904 U	0.04 U	0.34 U	0.0089 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00993 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-02-20180503-06-51	0-6	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.01 U	0.07 U	0.01 U	0.04 U	0.38 U	0.00984 U	0.01 U	0.03 U	0.03 U	0.03 U	**0.19 JQK**	**0.03 JQ**	**0.03 JQ**	**0.05 JQ**	**0.02 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.03 U	0.02 U	0.46 UB	0.01 U	0.03 U
FJD08-03	FJD08-03-20180430-01-51	0-1	4/30/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.01 U	0.06 U	0.00865 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00951 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-03-20180430-06-51	0-6	4/30/2018	FS	0.00466 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.01 U	0.06 U	0.00886 U	0.03 U	0.34 U	0.00872 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.04 JQ**	0.01 U	**0.08 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-03-20180430-06-52	0-6	4/30/2018	DUP	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.01 U	0.06 U	0.00857 U	0.03 U	0.33 U	0.00843 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.03 JQ**	0.01 U	0.01 U	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-03-20180430-12-51	6-12	4/30/2018	FS	0.0046 UJL	0.00919 UJL	0.00588 UJL	0.00408 UJL	0.0049 UJL	0.01 U	0.06 U	0.00892 U	0.03 U	0.34 U	0.00878 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.04 JQ**	**0.04 JQ**	**0.06 JQ**	**0.04 JQ**	**0.01 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD08-04	FJD08-04-20180430-01-51	0-1	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.01 U	0.06 U	0.00853 U	0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.03 JQ**	**0.04 JQ**	**0.05 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-04-20180430-06-51	0-6	4/30/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.01 U	0.06 U	0.00875 U	0.03 U	0.33 U	0.00862 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.04 JQ**	0.01 U	**0.06 JQ**	**0.04 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-04-20180430-06-52	0-6	4/30/2018	DUP	0.00461 U	0.00922 U	0.00589 U	0.00409 U	0.00491 U	0.01 U	0.06 U	0.00888 U	0.03 U	0.34 U	0.00874 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00898 U	0.01 U	0.01 U	0.00976 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-04-20180430-12-51	6-12	4/30/2018	FS	0.00457 U	0.00913 U	0.00584 U	0.00405 U	0.00486 U	0.01 U	0.06 U	0.00873 U	0.03 U	0.33 U	0.0086 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.0096 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD08-04-20180430-12-52	6-12	4/30/2018	DUP	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.01 U	0.06 U	0.0091 U	0.04 U	0.35 U	0.00896 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.01 JQ**	**0.03 JQ**	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD08-05ESW	FJD08-05-DLESW-20180502-51	0-6	5/2/2018	Field Sampl	0.00472 U	0.00942 U	0.00603 U	0.00418 U	0.00502 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-05N	FJD08-05-DLN-20180502-51	0-6	5/2/2018	FS	0.00456 UJL	0.0091 UJL	0.00582 UJL	0.00404 UJL	0.00485 UJL	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD08-05-DLN-20180502-52	0-6	5/2/2018	DUP	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD09-01	FJD09-01-20180430-01-51	0-1	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00459 U	0.01 U	0.05 U	0.00834 U	0.03 U	0.32 U	0.00822 U	0.00993 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	0.01 U	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.00985 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD09-01-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.01 U	0.06 U	0.00882 U	0.03 U	0.34 U	0.00868 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00892 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD09-01-20180430-12-51	6-12	4/30/2018	FS	0.0048 U	0.00959 U	0.00613 U	0.00426 U	0.00511 U	0.01 U	0.06 U	0.00906 U	0.04 U	0.34 U	0.00892 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00916 U	0.01 U	0.01 U	0.00996 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD09-02	FJD09-02-20180430-01-51	0-1	4/30/2018	FS	0.00424 U	0.00846 U	0.00541 U	0.00376 U	0.00451 U	0.01 U	0.05 U	0.00821 U	0.03 U	0.31 U	0.00808 U	0.00977 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.04 JQ**	**0.07 JQ**	**0.04 JQ**	**0.02 JQ**	0.00969 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U
	FJD09-02-20180430-06-51	0-6	4/30/2018	FS	0.0047 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.01 U	0.06 U	0.00905 U	0.04 U	0.34 U	0.00892 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	**0.06 JQ**	0.00996 U	**0.02 JQ**	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD09-02-20180430-12-51	6-12	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.01 U	0.06 U	0.00926 U	0.04 U	0.35 U	0.00912 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00937 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD09-03	FJD09-03-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.01 U	0.05 U	0.00837 U	0.03 U	0.32 U	0.00824 U	0.00996 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.18 JQ**	**0.29 JQ**	**0.46**	**0.31 JQ**	**0.17 JQ**	0.00988 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.09 JQ**	0.03 U
	FJD09-03-20180430-06-51	0-6	4/30/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.01 U	0.06 U	0.00909 U	0.04 U	0.35 U	0.00895 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.08 JQ**	**0.15 JQ**	**0.21 JQ**	**0.18 JQ**	**0.08 JQ**	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
	FJD09-03-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00604 U	0.00419 U	0.00504 U	0.01 U	0.06 U	0.00904 U	0.04 U	0.34 U	0.0089 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00915 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U
FJD09-04NSEW	FJD09-04-DLNSEW-20180502-51	0-6	5/2/2018	Field Sam	0.00436 U	0.00872 U	0.00557 U	0.00387 U	0.00465 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes

FS - Field Sample

FD - Field Duplicate

NP - Not Published

J - Estimated

H - Bias high

K - Undetermined bias.

Q - below quantitation limit

L - Biased low

P - RPD between primary and confirmation result is greater than 40

U - Not detected above detection limit

| | | | | | Aroclors | | | | | | SVOCs | | | | | |

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene
	DRA23-20180502-12-52	6-12	5/2/2018	DUP	0.00497 U	0.00993 U	0.00635 U	0.00441 U	0.0053 U	0.24 U	0.16 U	0.24 U	0.14 U	0.39 U	0.11 U	0.3 U	0.21 U	0.12 U	0.11 U	0.09 U	0.15 U	0.28 U	0.14 U	0.18 U	0.15 U	0.26 U	0.12 U	0.21 U	0.09 U	0.14 U	0.23 U	0.49 U	0.12 U
DRA24	DRA24-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00985 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.00801 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00864 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**
	DRA24-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00962 U	**0.04 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00782 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00844 U	0.01 U	0.02 U	0.04 U	0.01 U
	DRA24-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00815 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.04 U	0.01 U
DRA25	DRA25-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.18 U	**0.27 JQ**	0.19 U	0.11 U	0.3 U	0.08 U	0.23 U	0.16 U	**0.32 JQ**	0.09 U	0.07 U	0.12 U	0.22 U	0.11 U	**0.19 JQ**	0.11 U	0.2 U	0.09 U	0.16 U	0.07 UJK	0.11 U	0.18 U	0.38 U	0.09 U
	DRA25-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.19 U	**0.86 JQ**	0.19 U	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	**0.17 JQ**	0.09 U	0.07 U	0.12 U	0.23 U	0.11 U	**0.2 JQ**	0.12 U	0.21 U	0.09 U	0.17 U	0.07 UJK	0.11 U	0.18 U	0.39 U	0.1 U
DRA26	DRA26-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.04 UJL	0.02 UJL	0.01 UJL	0.02 UJL	**0.54 JQ**	**7.16**	**1.23 JQ**	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	**9.74**	0.09 U	0.07 U	0.12 U	0.23 U	0.11 U	**4.67**	0.12 U	0.21 U	0.09 U	0.17 U	0.07 U	0.11 U	0.18 U	0.39 U	**2.47 JQ**
	DRA26-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	**0.24 JQH**	**3.82 JQK**	**1.11 JQH**	0.12 U	0.34 U	0.09 U	0.26 U	0.18 U	**4.72 JK**	0.1 U	0.07 U	0.13 U	0.24 U	0.12 U	**5.19 JH**	0.13 U	0.23 U	0.1 U	0.18 U	0.08 U	0.12 U	0.2 U	0.42 U	**1.06 JQH**
	DRA26-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.22 U	0.15 U	0.22 U	0.13 U	0.36 U	0.1 U	0.27 U	0.2 U	0.11 U	0.1 U	0.08 U	0.14 U	0.26 U	0.13 U	0.17 U	0.13 U	0.24 U	0.11 U	0.19 U	0.09 U	0.13 U	0.21 U	0.45 U	0.11 U
DRA27	DRA27-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.03 U	0.02 U	0.01 U	0.02 U	**0.17 JQ**	**4.71 JL**	**0.45 JQ**	0.05 U	0.15 U	0.04 U	0.12 U	0.08 U	**2.26**	0.04 U	0.03 U	0.06 U	0.11 UJL	0.05 U	**1.19 JQ**	0.06 U	0.1 U	0.04 U	0.08 U	0.03 U	0.05 U	0.09 U	0.19 U	**0.86 JQ**
	DRA27-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	**0.22 JQ**	**2.68**	**0.85 JQ**	0.06 U	0.17 U	0.04 U	0.13 U	0.09 U	**3.55**	0.05 U	0.04 U	0.06 U	0.12 U	0.06 U	**2.39**	0.06 U	0.11 U	0.05 U	0.09 U	0.04 U	0.06 U	0.1 U	0.21 U	**0.79 JQ**
	DRA27-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.09 U	**0.94 JQ**	**0.24 JQ**	0.06 U	0.16 U	0.04 U	0.12 U	0.09 U	**1.23 JQ**	0.04 U	0.03 U	0.06 U	0.11 U	0.06 U	**0.91 JQ**	0.06 U	0.11 U	0.05 U	0.08 U	0.04 U	0.06 U	0.09 U	0.2 U	**0.28 JQ**
DRA28	DRA28-20180502-01-51	0-1	5/2/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	**0.03 JQ**	**0.22 JQ**	**0.06 JQ**	0.01 U	0.03 U	0.00957 U	0.02 U	0.01 U	**0.31 JQ**	0.01 U	0.00778 U	0.01 U	0.02 U	0.01 U	**0.23 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.0084 UJK	0.01 U	0.02 U	0.04 U	**0.07 JQ**
	DRA28-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.11 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.08 JQ**	0.01 U	0.00816 U	0.01 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00881 UJK	0.01 U	0.02 U	0.04 U	**0.01 JQ**
	DRA28-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00834 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.009 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	DRA28-20180502-24-51	12-24	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.21 U	**0.31 JQ**	0.21 U	0.13 U	0.34 U	0.09 U	0.26 U	0.19 U	0.1 U	0.1 U	0.08 U	0.13 U	0.25 U	0.12 U	0.16 U	0.13 U	0.23 U	0.1 U	0.18 U	0.08 UJK	0.12 U	0.2 U	0.43 U	0.11 U
EAS01	EAS01-20180501-01-51	0-1	5/1/2018	FS	0.00414 U	0.00827 U	0.00529 U	0.00367 U	0.00441 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00919 U	0.02 U	0.01 U	**0.03 JQ**	0.0098 U	0.00747 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00806 U	0.01 U	0.01 U	0.04 U	**0.02 JQ**
	EAS01-20180501-06-51	0-6	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00821 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00886 U	0.01 U	0.02 U	0.04 U	0.01 U
	EAS01-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00877 U	0.01 U	0.02 U	0.04 U	0.01 U
EAS02	EAS02-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.07 JQ**	0.01 U	0.00869 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00937 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	EAS02-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00818 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00883 U	0.01 U	0.02 U	0.04 U	0.01 U
	EAS02-20180501-12-51	6-12	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.15 JQ**	0.01 U	0.00814 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00878 U	0.01 U	0.02 U	0.04 U	0.01 U
EAS03	EAS03-20180501-01-51	0-1	5/1/2018	FS	0.00984 U	0.02 U	0.01 U	0.00872 U	0.01 U	**0.03 JQ**	**0.1 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.04 JQ**	**0.41 JQ**	**0.16 JQ**	0.01 U	0.00893 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00963 U	0.01 U	0.02 U	0.04 U	**0.08 JQ**
	EAS03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**	0.01 U	0.00862 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0093 U	0.01 U	0.02 U	0.04 U	0.01 U
	EAS03-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00869 U	0.01 U	0.02 U	0.04 U	0.01 U
EAS04	EAS04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.05 JQ**	**0.09 JQ**	**0.07 JQ**	0.01 U	0.0086 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00928 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**
	EAS04-20180501-06-51	0-6	5/1/2018	FS	0.00919 U	0.01 U	0.01 U	0.00815 U	0.00979 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.03 JQ**	**0.02 JQ**	0.01 U	0.00829 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00895 U	0.01 U	0.02 U	0.04 U	0.01 U
	EAS04-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00893 U	0.00571 U	0.00397 U	0.00476 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00985 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00801 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00864 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**
EAS05	EAS05-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.05 UJL	0.03 UJL	0.02 UJL	0.02 UJL	**0.07 JQL**	**0.13 JQL**	0.02 UJL	0.01 UJL	0.04 UJL	0.01 UJL	**0.04 JQL**	0.02 UJL	**0.14 JQL**	0.01 UJL	0.00935 UJL	0.01 UJL	0.03 UJL	0.01 UJL	**0.13 JQL**	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.05 UJL	**0.09 JQL**
	EAS05-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.41 U	0.26 U	0.18 U	0.22 U	**0.67 JQ**	**12**	**2.97 JQ**	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	**18.8**	0.09 U	0.07 U	0.12 U	0.23 U	0.12 U	**15.2**	0.12 U	0.22 U	0.1 U	0.17 U	0.08 U	0.11 U	0.19 U	0.4 U	**5.65**
	EAS05-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00999 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00812 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00876 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
EAS06	EAS06-20180502-01-51	0-1	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.43 U	**0.04 JQ**	**0.18 JQ**	**0.05 JQ**	0.01 U	0.03 U	0.00921 U	0.02 U	0.01 U	**0.17 JQ**	0.00982 U	0.00749 U	0.01 U	0.02 U	0.01 U	**0.2 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00808 UJK	0.01 U	0.01 U	0.04 U	**0.04 JQ**
	EAS06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.44 U	0.28 U	0.19 U	0.23 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00979 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00796 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00859 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS06-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00869 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS06-20180502-24-51	12-24	5/2/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00997 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	0.01 U
EAS07	EAS07-20180503-01-51	0-1	5/3/2018	FS	2.14 U	4.27 U	2.73 U	1.9 U	2.28 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00949 U	**0.46**	0.01 U	**0.02 JQ**	0.01 U	0.00771 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00833 UJK	0.01 U	0.02 U	0.04 U	**0.02 JQ**
	EAS07-20180503-06-51	0-6	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.01 U	**0.05 JQ**	0.01 U	0.01 U	0.03 U	0.00876 U	0.02 U	0.01 U	**0.04 JQ**	0.00935 U	0.00712 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.00956 U	0.01 U	0.00769 UJK	0.01 U	0.01 U	0.03 U	0.00986 U
	EAS07-20180503-12-51	6-12	5/3/2018	FS	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00838 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00905 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS07-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00982 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00798 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00861 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS07-20180503-24-52	12-24	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00986 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00801 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00865 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS07-20180503-36-51	24-36	5/3/2018	FS	0.46 U	0.91 U	0.58 U	0.4 U	0.49 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00836 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00902 UJK	0.01 U	0.02 U	0.04 U	0.01 U
EAS08	EAS08-20180503-01-51	0-1	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	**0.03 JQ**	0.01 U	0.03 U	0.00875 U	0.02 U	0.01 U	**0.1 JQ**	0.00933 U	0.00711 U	0.01 U	0.02 U	0.01 U	**0.11 JQ**	0.01 U	0.02 U	0.00954 U	0.01 U	0.00767 UJK	0.01 U	0.01 U	0.03 U	**0.01 JQ**
	EAS08-20180503-06-51	0-6	5/3/2018	FS	0.03 U	0.07 U	0.05 U	0.03 U	0.04 U	0.01 U	**0.06 JQ**	0.01 U	0.01 U	0.03 U	0.00861 U	0.02 U	0.01 U	**0.05 JQ**	0.00919 U	0.007 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.0094 U	0.01 U	0.00755 UJK	0.01 U	0.01 U	0.03 U	0.00969 U
	EAS08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.0082 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00885 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS08-20180503-24-51	12-24	5/3/2018	FS	0.0047 U	0.00939 U	0.006 U	0.00417 U	0.005 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00927 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS08-20180503-24-52	12-24	5/3/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00989 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00804 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	EAS08-20180503-36-51	24-36	5/3/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00826 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00891 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.0083 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00896 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00987 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00802 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0098 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00797 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00817 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00882 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.02 U	0.01 U	0.02 UJL	**0.02 JQ**	0.03 U	0.00997 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00875 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00955 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00776 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.05 JQ**	**0.07 JQ**	**0.04 JQ**	0.01 U	0.00814 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00992 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00807 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00871 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00983 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.1 JQ**	**0.02 JQ**	0.01 U	0.00822 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00887 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00999 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00812 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00876 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.00979 U	**0.05 JQ**	**0.48**	**0.09 JQ**	0.01 U	0.00796 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00967 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00786 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00982 U	0.02 U	0.01 U

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene
	FJD02-03-20180501-12-51	6-12	5/1/2018	FS	0.00462 U	0.00923 U	0.00591 U	0.0041 U	0.00492 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00839 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00906 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-04	FJD02-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00995 U	0.02 U	**0.3 JQ**	**0.05 JQ**	0.01 U	0.00809 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00873 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	FJD02-04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00804 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-04-20180501-12-51	6-12	5/1/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-05	FJD02-05-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.00975 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-05-20180501-06-51	0-6	5/1/2018	FS	0.00446 U	0.0089 U	0.00569 U	0.00395 U	0.00474 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00976 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00793 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00856 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-05-20180501-12-51	6-12	5/1/2018	FS	0.00475 U	0.00949 U	0.00607 U	0.00421 U	0.00506 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00846 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00913 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-06	FJD02-06-20180501-01-51	0-1	5/1/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00814 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-06-20180501-06-51	0-6	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00393 U	0.00472 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00991 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00869 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-06-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00896 U	0.00573 U	0.00398 U	0.00478 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00989 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00804 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-07	FJD02-07-20180501-01-51	0-1	5/1/2018	FS	0.00428 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.02 U	**0.12 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.00949 U	**0.03 JQ**	0.01 U	**0.21 JQ**	0.01 U	0.00771 U	0.01 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00832 U	0.01 U	0.02 U	0.04 U	**0.11 JQ**
	FJD02-07-20180501-06-51	0-6	5/1/2018	FS	0.00443 U	0.00884 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00982 U	**0.06 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00798 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00861 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-07-20180501-12-51	6-12	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00822 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00888 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-08	FJD02-08-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00992 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.00806 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.0087 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**
	FJD02-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00987 U	0.02 U	**0.36 JQ**	**0.02 JQ**	0.01 U	0.00802 U	0.01 U	0.02 U	0.01 U	**0.01 JQH**	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD02-08-20180501-12-51	6-12	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00394 U	0.00472 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00959 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0078 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00841 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD02-10E	FJD02-10-DLE-20180502-06-51	0-6	5/2/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10N	FJD02-10-DLN-20180502-06-51	0-6	5/2/2018	FS	0.00501 U	0.01 U	0.0064 U	0.00444 U	0.00533 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10S	FJD02-10-DLS-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD02-10W	FJD02-10-DLW-20180502-06-51	0-6	5/2/2018	FS	0.00416 U	0.00831 U	0.00532 U	0.00369 U	0.00443 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-01	FJD03-01-20180502-01-51	0-1	5/2/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.0083 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.00896 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-01-20180502-06-51	0-6	5/2/2018	FS	0.00468 U	0.00936 U	0.00599 U	0.00415 U	0.00499 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00845 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00912 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-01-20180502-12-51	6-12	5/2/2018	FS	0.00479 U	0.00958 U	0.00613 U	0.00425 U	0.0051 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00927 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-02	FJD03-02-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.00993 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00807 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00871 UJK	0.01 U	0.02 U	0.04 U	**0.01 JQ**
	FJD03-02-20180502-06-51	0-6	5/2/2018	FS	0.00472 UJL	0.00943 UJL	0.00603 UJL	0.00419 UJL	0.00503 UJL	0.02 UJL	**0.03 JQL**	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	**0.03 JQL**	0.01 UJL	0.00851 UJL	0.01 UJL	0.02 UJL	0.01 UJL	**0.01 JQL**	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.00919 UJL	0.01 UJL	0.02 UJL	0.04 UJL	**0.02 JQL**
	FJD03-02-20180502-12-51	6-12	5/2/2018	FS	0.00477 UJL	0.00952 UJL	0.00609 UJL	0.00423 UJL	0.00508 UJL	0.04 UJL	0.03 UJL	0.04 UJL	0.02 UJL	0.07 UJL	0.02 UJL	0.05 UJL	0.04 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.03 UJL	0.05 UJL	0.02 UJL	0.03 UJL	0.02 UJL	0.05 UJL	0.02 UJL	0.04 UJL	0.01 UJL	0.02 UJL	0.04 UJL	0.09 UJL	0.02 UJL
	FJD03-02-20180502-24-51	12-24	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00853 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00921 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-03	FJD03-03-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00869 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-03-20180502-06-51	0-6	5/2/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00903 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-03-20180502-12-51	6-12	5/2/2018	FS	0.00465 U	0.00928 U	0.00593 U	0.00412 U	0.00495 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00832 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00898 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-03-20180502-12-52	6-12	5/2/2018	DUP	0.00466 U	0.0093 U	0.00595 U	0.00413 U	0.00496 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00845 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00912 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-04	FJD03-04-20180502-01-51	0-1	5/2/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-04-20180502-01-52	0-1	5/2/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00995 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00809 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00873 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-04-20180502-06-51	0-6	5/2/2018	FS	0.00441 U	0.00882 U	0.00564 U	0.00391 U	0.0047 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00992 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00807 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0087 UJK	0.01 U	0.02 U	0.04 U	**0.02 JQ**
	FJD03-04-20180502-12-51	6-12	5/2/2018	FS	0.00482 UJL	0.00964 UJL	0.00616 UJL	0.00428 UJL	0.00514 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.0087 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.00939 UJL	0.01 UJL	0.02 UJL	0.04 UJL	0.01 UJL
	FJD03-04-20180502-12-52	6-12	5/2/2018	DUP	0.00482 U	0.00963 U	0.00616 U	0.00428 U	0.00513 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00875 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00944 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-04-20180502-24-51	12-24	5/2/2018	FS	0.00484 U	0.00966 U	0.00618 U	0.00429 U	0.00515 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00872 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00941 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-04-20180502-24-52	12-24	5/2/2018	DUP	0.00535 U	0.01 U	0.00684 U	0.00474 U	0.0057 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.03 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 UJK	0.01 U	0.02 U	0.05 U	0.01 U
FJD03-05	FJD03-05-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**	0.01 U	0.00825 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.0089 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-05-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00954 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00775 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-05-20180502-12-51	6-12	5/2/2018	FS	0.00446 UJL	0.00892 UJL	0.0057 UJL	0.00396 UJL	0.00475 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.00816 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.0088 UJL	0.01 UJL	0.02 UJL	0.04 UJL	0.01 UJL
FJD03-06	FJD03-06-20180502-01-51	0-1	5/2/2018	FS	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00939 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00763 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00823 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-06-20180502-01-52	0-1	5/2/2018	DUP	0.08 U	0.16 U	0.1 U	0.07 U	0.09 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00944 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00767 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00828 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-06-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00975 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00793 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00856 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-06-20180502-12-51	6-12	5/2/2018	FS	0.0046 U	0.00918 U	0.00587 U	0.00408 U	0.00489 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00851 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00918 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-06-20180502-24-51	12-24	5/2/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00815 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0088 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-06-20180502-24-52	12-24	5/2/2018	DUP	0.44 U	0.89 U	0.57 U	0.39 U	0.47 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00995 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00809 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00873 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-07	FJD03-07-20180502-01-51	0-1	5/2/2018	FS	0.04 UJL	0.09 UJL	0.05 UJL	0.04 UJL	0.04 UJL	**0.03 JQL**	**0.07 JQL**	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	**0.11 JQL**	0.01 UJL	0.00846 UJL	0.01 UJL	0.02 UJL	0.01 UJL	**0.03 JQL**	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.00913 UJL	0.01 UJL	0.02 UJL	0.04 UJL	**0.05 JQL**
	FJD03-07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00948 U	**0.04 JQ**	0.01 U	0.01 U	0.01 U	0.0077 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00831 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-07-20180502-12-51	6-12	5/2/2018	FS	0.00467 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00914 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-08	FJD03-08-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.19 U	0.13 U	0.19 U	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	0.09 U	0.09 U	0.07 U	0.12 U	0.23 U	0.11 U	0.15 U	0.12 U	0.21 U	0.09 U	0.17 U	0.07 UJK	0.11 U	0.18 U	0.4 U	0.1 U
	FJD03-08-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.4 U	0.26 U	0.18 U	0.21 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0093 U	0.02 U	0.01 U	0.01 U	0.00992 U	0.00756 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00816 UJK	0.01 U	0.01 U	0.04 U	**0.06 JQ**
	FJD03-08-20180502-12-51	6-12	5/2/2018	FS	0.21 U	0.43 U	0.27 U	0.19 U	0.23 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00959 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0078 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00841 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD03-08-20180502-24-51	12-24	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00988 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD03-09NSEW	FJD03-09-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00428 U	0.00855 U	0.00547 U	0.00379 U	0.00456 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-09-DLNSEW-20180502-06-52	0-6	5/2/2018	Field	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD03-10NW	FJD03-10-DLNW-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD03-10-DLNW-20180502-06-52	0-6	5/2/2018	Field Dupl	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD04-01	FJD04-01-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.01 U	0.03 U	0.00861 U	0.02 U	0.01 U	**0.09 JQ**	0.00919 U	0.007 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	0.0094 U	0.01 U	0.00755 UJK	0.01 U	0.01 U	0.03 U	**0.02 JQ**
	FJD04-01-20180502-06-51	0-6	5/2/2018	FS	0.00466 UJL	0.00931 UJL	0.00596 UJL	0.00413 UJL	0.00496 UJL	0.02 UJL	**0.03 JQL**	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	**0.04 JQL**	0.01 UJL	0.00846 UJL	0.01 UJL	0.02 UJL	0.01 UJL	**0.01 JQL**	0.01 UJL	0.02 UJL	**0.05 JQL**	0.02 UJL	0.00913 UJL	0.01 UJL	0.02 UJL	0.04 UJL	**0.08 JQL**
	FJD04-01-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00893 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00964 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-01-20180502-24-51	12-24	5/2/2018	FS	0.0047 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00852 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0092 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-01-20180502-36-51	24-36	5/2/2018	FS	0.00463 UJL	0.00925 UJL	0.00592 UJL	0.00411 UJL	0.00493 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.03 UJL	0.01 UJL	0.02 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.00846 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.01 UJL	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.00913 UJL	0.01 UJL	0.02 UJL	0.04 UJL	**0.08 JQL**
FJD04-02	FJD04-02-20180502-01-51	0-1	5/2/2018	FS	0

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene
	FJD04-05-20180503-36-51	24-36	5/3/2018	FS	0.00491 U	0.00981 U	0.00627 U	0.00435 U	0.00523 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00885 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00956 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-05-20180503-36-52	24-36	5/3/2018	DUP	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00927 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD04-06	FJD04-06-20180503-06-51	0-6	5/3/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00942 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00766 U	0.01 U	0.02 U	0.01 U	**0.11 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00827 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-06-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00971 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0079 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00852 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-06-20180503-24-51	12-24	5/3/2018	FS	0.00507 U	0.01 U	0.00647 U	0.00449 U	0.00539 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00908 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0098 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-06-20180503-36-51	24-36	5/3/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00865 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00934 UJK	0.01 U	0.02 U	0.04 U	**0.21 JQ**
FJD04-07	FJD04-07-20180502-01-52	0-1	5/2/2018	DUP	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.01 U	**0.13 JQ**	**0.04 JQ**	0.01 U	0.03 U	0.00851 U	0.02 U	0.01 U	**0.14 JQ**	0.00908 U	0.00692 U	0.01 U	0.02 U	0.01 U	**0.18 JQ**	0.01 U	0.02 U	0.00929 U	0.01 U	0.00747 UJK	0.01 U	0.01 U	0.03 U	**0.06 JQ**
	FJD04-07-20180503-01-51	0-1	5/3/2018	FS	0.19 U	0.38 U	0.24 U	0.17 U	0.2 U	0.01 U	**0.1 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.00866 U	0.02 U	0.01 U	**0.12 JQ**	0.00924 U	0.00704 U	0.01 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.02 U	0.00945 U	0.01 U	0.0076 UJK	0.01 U	0.01 U	0.03 U	**0.04 JQ**
	FJD04-07-20180503-01-52	0-1	5/3/2018	DUP	0.19 U	0.39 U	0.24 U	0.17 U	0.2 U	0.01 U	**0.08 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.0086 U	0.02 U	0.01 U	**0.09 JQ**	0.00918 U	0.00699 U	0.01 U	0.02 U	0.01 U	**0.08 JQ**	0.01 U	0.02 U	0.00939 U	0.01 U	0.00755 UJK	0.01 U	0.01 U	0.03 U	**0.03 JQ**
	FJD04-07-20180503-06-51	0-6	5/3/2018	FS	2.09 U	4.18 U	2.67 U	1.85 U	2.23 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00928 U	0.02 U	0.01 U	0.01 U	0.0099 U	0.00754 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00814 UJK	0.01 U	0.01 U	0.04 U	0.01 U
	FJD04-07-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00894 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00965 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-07-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00898 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00969 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-07-20180503-24-51	12-24	5/3/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00891 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00961 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-07-20180503-36-51	24-36	5/3/2018	FS	0.23 U	0.47 U	0.3 U	0.21 U	0.25 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00937 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD04-08	FJD04-08-20180503-01-51	0-1	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	**0.02 JQ**	**0.18 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.0087 U	**0.13 JQ**	0.01 U	**0.22 JQ**	0.00928 U	0.00707 U	0.01 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.02 U	0.00949 U	0.01 U	0.00763 UJK	0.01 U	0.01 U	0.03 U	**0.08 JQ**
	FJD04-08-20180503-06-51	0-6	5/3/2018	FS	2.19 U	4.37 U	2.8 U	1.94 U	2.33 U	0.02 U	**0.09 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.00972 U	0.02 U	0.01 U	**0.08 JQ**	0.01 U	0.0079 U	0.01 U	0.02 U	0.01 U	**0.09 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00853 UJK	0.01 U	0.02 U	0.04 U	**0.04 JQ**
	FJD04-08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	**0.03 JQ**	**0.11 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.09 JQ**	0.01 U	0.0082 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00885 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD04-08-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00949 UJK	0.01 U	0.02 U	0.04 U	**0.28 JQ**
	FJD04-08-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00842 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00909 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD04-09	FJD04-09-20180503-12-51	6-12	5/3/2018	FS	0.0041 U	0.0082 U	0.00524 U	0.00364 U	0.00437 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00911 U	0.02 U	0.01 U	0.00985 U	0.00971 U	0.0074 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00994 U	0.01 U	0.00799 UJK	0.01 U	0.01 U	0.04 U	0.01 U
	FJD04-09-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.0066 U	0.00458 U	0.0055 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00919 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00992 UJK	0.01 U	0.02 U	0.05 U	0.01 U
	FJD04-09-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00934 U	0.01 U	0.03 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 UJK	0.01 U	0.02 U	0.05 U	0.01 U
FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.01 U	**0.07 JQ**	0.02 U	0.01 U	0.03 U	0.00903 U	0.02 U	0.01 U	**0.11 JQ**	0.00964 U	0.00734 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.00986 U	0.01 U	0.00793 U	0.01 U	0.01 U	0.04 U	**0.05 JQ**
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00966 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.00785 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00973 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00791 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.01 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.0089 U	0.02 U	**0.03 JQ**	**0.07 JQ**	0.0095 U	0.00724 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00971 U	0.01 U	0.00781 U	0.01 U	0.01 U	0.03 U	**0.05 JQ**
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.02 U	**0.02 JQ**	0.02 U	**0.03 JQ**	0.03 U	0.0097 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00788 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00851 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00959 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0078 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00841 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.19 U	0.13 U	0.2 U	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	0.09 U	0.09 U	0.07 U	0.12 U	0.23 U	0.12 U	0.15 U	0.12 U	0.22 U	0.1 U	0.17 U	0.08 U	0.12 U	0.19 U	0.4 U	0.1 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.02 U	**0.05 JQ**	0.02 U	**0.04 JQ**	0.03 U	0.00994 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.00808 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00872 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.01 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00891 U	0.02 U	0.01 U	**0.07 JQ**	0.0095 U	0.00724 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	**0.45**	0.01 U	0.00781 U	0.01 U	0.01 U	0.03 U	**0.04 JQ**
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00839 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00905 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00819 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.05 JQ**	0.01 U	0.00884 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.01 U	0.03 U	0.00854 U	0.02 U	**0.05 JQ**	**0.1 JQ**	0.00911 U	0.00695 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.00932 U	0.01 U	0.0075 U	0.01 U	0.01 U	0.03 U	**0.05 JQ**
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.01 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00902 U	0.02 U	0.01 U	**0.04 JQ**	0.00962 U	0.00733 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00984 U	0.01 U	0.00791 U	0.01 U	0.01 U	0.04 U	**0.02 JQ**
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00921 U	0.02 U	0.01 U	**0.08 JQ**	0.00982 U	0.00748 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00808 U	0.01 U	0.01 U	0.04 U	**0.03 JQ**
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.01 U	**0.04 JQ**	0.01 U	0.01 U	0.03 U	0.00855 U	0.02 U	0.01 U	**0.06 JQ**	0.00912 U	0.00695 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00933 U	0.01 U	0.0075 U	0.01 U	0.01 U	0.03 U	**0.04 JQ**
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.03 U	0.00856 U	0.02 U	**0.04 JQ**	**0.05 JQ**	0.00913 U	0.00696 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00934 U	0.01 U	0.00751 U	0.01 U	0.01 U	0.03 U	0.00963 U
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.0092 U	0.02 U	0.01 U	**0.11 JQ**	0.00981 U	0.00748 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00807 U	0.01 U	0.01 U	0.04 U	**0.04 JQ**
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00944 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00767 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00828 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.01 U	**0.04 JQ**	0.01 U	**0.03 JQ**	0.03 U	0.00868 U	0.02 U	0.01 U	**0.06 JQ**	0.00925 U	0.00705 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.00947 U	0.01 U	0.00761 U	0.01 U	0.01 U	0.03 U	**0.09 JQ**
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00965 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00784 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00971 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0079 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00852 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.03 U	0.00886 U	0.02 U	0.01 U	**0.04 JQ**	0.00945 U	0.0072 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	**0.68**	0.01 U	0.00777 U	0.01 U	0.01 U	0.03 U	**0.03 JQ**
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.02 U	**0.05 JQ**	0.02 U	**0.05 JQ**	0.03 U	0.01 U	0.02 U	0.02 U	**0.08 JQ**	0.01 U	0.00857 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.12 JQ**	0.02 U	0.00924 U	0.01 U	0.02 U	0.04 U	**0.1 JQ**
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	**0.02 JQ**	**0.11 JQ**	0.01 U	0.01 U	0.03 U	0.00848 U	0.02 U	0.01 U	**0.24 JQ**	0.00905 U	0.00689 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.00925 U	0.01 U	0.00744 U	0.01 U	0.01 U	0.03 U	**0.09 JQ**
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	**0.03 JQ**	**0.27 JQ**	**0.05 JQ**	0.01 U	0.03 U	0.00863 U	0.02 U	**0.12 JQ**	**0.43**	0.00921 U	0.00701 U	0.01 U	0.02 U	0.01 U	**0.25 JQ**	0.01 U	0.02 U	0.00942 U	0.01 U	0.00757 U	0.01 U	0.01 U	0.03 U	**0.23 JQ**
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	**0.02 JQ**	**0.19 JQ**	**0.03 JQ**	0.01 U	0.03 U	0.00925 U	0.02 U	0.01 U	**0.43**	0.00987 U	0.00752 U	0.01 U	0.02 U	0.01 U	**0.09 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00811 U	0.01 U	0.01 U	0.04 U	**0.17 JQ**
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	**0.04 JQ**	**0.1 JQ**	0.02 U	**0.05 JQ**	0.03 U	0.00984 U	0.02 U	0.01 U	**0.24 JQ**	0.01 U	0.008 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	**0.38 JQ**	0.01 U	0.00863 U	0.01 U	0.02 U	0.04 U	**0.2 JQ**
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.2 U	0.14 U	0.2 U	0.12 U	0.33 U	0.09 U	0.25 U	0.18 U	0.1 U	0.1 U	0.07 U	0.13 U	0.24 U	0.12 U	0.15 U	0.12 U	0.22 U	**1.24 JQ**	0.17 U	0.08 U	0.12 U	0.19 U	0.41 U	0.1 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.02 U	**0.09 JQ**	0.02 U	0.01 U	0.03 U	0.00947 U	0.02 U	0.01 U	**0.14 JQ**	0.01 U	0.00769 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0083 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.03 U	0.00859 U	0.02 U	0.01 U	**0.03 JQ**	0.00916 U	0.00698 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00937 U	0.01 U	0.00753 U	0.01 U	0.01 U	0.03 U	0.00966 U
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.02 U	**0.06 JQ**	0.02 U	**0.02 JQ**	0.03 U	0.00966 U	0.02 U	0.01 U	**0.11 JQ**	0.01 U	0.00785 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	**0.05 JQ**	0.01 U	0.00848 U	0.01 U	0.02 U	0.04 U	**0.1 JQ**
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00968 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00787 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00849 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.03 U	0.00843 U	0.02 U	0.01 U	**0.05 JQ**	0.00899 U	0.00685 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.0092 U	0.01 U	0.0074 U	0.01 U	0.01 U	0.03 U	**0.03 JQ**
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00978 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00795 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00845 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00912 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.01 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.00899 U	0.02 U	0.01 U	**0.1 JQ**	0.00959 U	0.00731 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00981 U	0.01 U	0.00789 U	0.01 U	0.01 U	0.04 U	**0.07 JQ**
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.06 JQ**	0.02 U	**0.03 JQ**	0.01 U

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00915 UJK	0.01 U	0.02 U	0.04 U	0.01 U
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.01 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00887 U	0.02 U	0.01 U	**0.02 JQ**	0.00946 U	0.00721 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00968 U	0.01 U	0.00778 U	0.01 U	0.01 U	0.03 U	0.00998 U
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.00954 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00775 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00864 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.14 JQ**	0.02 U	0.00933 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.23 U	0.16 U	0.23 U	0.14 U	0.38 U	0.1 U	0.28 U	0.2 U	0.11 U	0.11 U	0.08 U	0.14 U	0.27 U	0.14 U	0.17 U	0.14 U	0.25 U	**0.21 JQ**	0.2 U	0.09 U	0.14 U	0.22 U	0.47 U	0.12 U
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00838 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00904 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.22 U	0.16 U	0.23 U	0.14 U	0.37 U	0.1 U	0.28 U	0.2 U	0.11 U	0.11 U	0.08 U	0.14 U	0.27 U	0.13 U	0.17 U	0.14 U	0.25 U	**0.26 JQ**	0.2 U	0.09 U	0.13 U	0.22 U	0.46 U	0.11 U
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.01 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00894 U	0.02 U	0.01 U	**0.07 JQ**	0.00954 U	0.00727 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00975 U	0.01 U	0.00784 U	0.01 U	0.01 U	0.03 U	**0.02 JQ**
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.02 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.15 JQ**	0.01 U	0.00827 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	**0.28 JQ**	0.01 U	0.00892 U	0.01 U	0.02 U	0.04 U	**0.06 JQ**
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00833 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00899 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.1 JQ**	0.02 U	0.00928 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00922 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-01	FJD08-01-20180502-01-51	0-1	5/2/2018	FS	0.05 UJL	0.1 UJL	0.06 UJL	0.04 UJL	0.05 UJL	0.02 UJL	**0.07 JQL**	0.02 UJL	0.01 UJL	0.04 UJL	0.01 UJL	0.03 UJL	0.02 UJL	**0.06 JQL**	0.01 UJL	0.00903 UJL	0.01 UJL	0.02 UJL	0.01 UJL	**0.05 JQL**	0.01 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.00974 UJL	0.01 UJL	0.02 UJL	0.04 UJL	0.01 UJL
	FJD08-01-20180502024-51	12-24	5/2/2018	FS	0.00469 U	0.00937 U	0.006 U	0.00416 U	0.005 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00835 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00901 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-01-20180502024-52	12-24	5/2/2018	Field Duplica	0.00913 U	0.01 U	0.01 U	0.0081 U	0.00972 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00834 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.009 UJK	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-01-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.02 U	**0.09 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.12 JQ**	0.01 U	0.00834 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.009 U	0.01 U	0.02 U	0.04 U	**0.06 JQ**
	FJD08-01-20180502-12-51	6-12	5/2/2018	FS	0.00456 U	0.00911 U	0.00583 U	0.00405 U	0.00486 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**	0.01 U	0.00823 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00888 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD08-02	FJD08-02-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00979 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.00796 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-02-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00847 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00914 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-02-20180503-06-51	0-6	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	**0.03 JQ**	0.01 U	0.00937 U	0.01 U	0.03 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.01 UJK	0.01 U	0.02 U	0.05 U	0.01 U
FJD08-03	FJD08-03-20180430-01-51	0-1	4/30/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.00997 U	0.02 U	0.01 U	**0.13 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**
	FJD08-03-20180430-06-51	0-6	4/30/2018	FS	0.00466 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.07 JQ**	0.01 U	0.0083 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.00896 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-03-20180430-06-52	0-6	4/30/2018	DUP	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00987 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-03-20180430-12-51	6-12	4/30/2018	FS	0.0046 UJL	0.00919 UJL	0.00588 UJL	0.00408 UJL	0.0049 UJL	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.04 JQ**	0.01 U	0.00836 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.00902 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD08-04	FJD08-04-20180430-01-51	0-1	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00983 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-04-20180430-06-51	0-6	4/30/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.04 JQ**	**0.05 JQ**	0.01 U	0.0082 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00885 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-04-20180430-06-52	0-6	4/30/2018	DUP	0.00461 U	0.00922 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00832 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00898 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-04-20180430-12-51	6-12	4/30/2018	FS	0.00457 U	0.00913 U	0.00584 U	0.00405 U	0.00486 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00818 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00883 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD08-04-20180430-12-52	6-12	4/30/2018	DUP	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00853 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0092 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD08-05ESW	FJD08-05-DLESW-20180502-51	0-6	5/2/2018	Field Sampl	0.00472 U	0.00942 U	0.00603 U	0.00418 U	0.00502 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD08-05N	FJD08-05-DLN-20180502-51	0-6	5/2/2018	FS	0.00456 UJL	0.0091 UJL	0.00582 UJL	0.00404 UJL	0.00485 UJL	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	FJD08-05-DLN-20180502-52	0-6	5/2/2018	DUP	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD09-01	FJD09-01-20180430-01-51	0-1	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00459 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00962 U	0.02 U	**0.06 JQ**	**0.04 JQ**	0.01 U	0.00782 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00844 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD09-01-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00826 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00892 U	0.01 U	0.02 U	0.04 U	0.01 U
	FJD09-01-20180430-12-51	6-12	4/30/2018	FS	0.0048 U	0.00959 U	0.00613 U	0.00426 U	0.00511 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00916 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD09-02	FJD09-02-20180430-01-51	0-1	4/30/2018	FS	0.00424 U	0.00846 U	0.00541 U	0.00376 U	0.00451 U	0.02 U	**0.07 JQ**	0.02 U	0.01 U	0.03 U	0.00946 U	0.02 U	**0.06 JQ**	**0.1 JQ**	0.01 U	0.00769 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.0083 U	0.01 U	0.02 U	0.04 U	**0.06 JQ**
	FJD09-02-20180430-06-51	0-6	4/30/2018	FS	0.0047 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.04 JQ**	**0.14 JQ**	0.01 U	0.00848 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00916 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**
	FJD09-02-20180430-12-51	6-12	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00937 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD09-03	FJD09-03-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**	**0.31 JQ**	**0.06 JQ**	0.01 U	0.03 U	0.00965 U	0.02 U	**0.07 JQ**	**0.38 JQ**	0.01 U	0.00784 U	0.01 U	0.02 U	0.01 U	**0.32 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00846 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**
	FJD09-03-20180430-06-51	0-6	4/30/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	**0.15 JQ**	**0.03 JQ**	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.15 JQ**	0.01 U	0.00852 U	0.01 U	0.02 U	0.01 U	**0.17 JQ**	0.01 U	0.02 U	0.01 U	0.02 U	0.00919 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**
	FJD09-03-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00604 U	0.00419 U	0.00504 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00915 U	0.01 U	0.02 U	0.04 U	0.01 U
FJD09-04NSEW	FJD09-04-DLNSEW-20180502-51	0-6	5/2/2018	Field Sam	0.00436 U	0.00872 U	0.00557 U	0.00387 U	0.00465 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Notes

FS - Field Sample

FD - Field Duplicate

NP - Not Published

J - Estimated

H - Bias high

K - Undetermined bias.

Q - below quantitation limit

L - Biased low

P - RPD between primary and confirmation result is greater than 40

U - Not detected above detection limit

					Aroclors						
Analyte					Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Phenol	Pyrene
CAS.NO					12674-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	108-95-2	129-00-0
Units					mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	19000	1800
RSL Res Soil 05/2018 Carcinogenic SL TR=1E-06					6.7	0.2	0.17	0.23	0.23		
RSL Res Soil 05/2018 Noncarcinogenic SL Child THI=1					4.1					19000	1800
Station	Sample ID	Depth	Date	Type	--	--	--	--	--	--	--
DRA01	DRA01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.04 JQ**
	DRA01-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**
	DRA01-20180501-12-51	6-12	5/1/2018	FS	0.00463 U	0.00925 U	0.00591 U	0.00411 U	0.00493 U	0.02 U	0.01 U
DRA02	DRA02-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.04 JQ**
	DRA02-20180501-06-51 (Ar)	0-6	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	**0.02 JQ**
	DRA02-20180501-12-51	6-12	5/1/2018	FS	0.00878 U	0.01 U	0.01 U	0.00779 U	0.00935 U	0.02 U	**0.03 JQ**
DRA03	DRA03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	DRA03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**
	DRA03-20180501-12-51	6-12	5/1/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00389 U	0.00467 U	0.02 U	0.00995 U
DRA04	DRA04-20180501-01-51 (Ar)	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.03 U	**0.11 JQ**
	DRA04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.07 JQ**
	DRA04-20180501-12-51	6-12	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	0.01 U
DRA05	DRA05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.03 U	0.02 U	**0.08 JQ**
	DRA05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	DRA05-20180501-12-51	6-12	5/1/2018	FS	0.00465 U	0.00929 U	0.00595 U	0.00413 U	0.00495 U	0.02 U	0.01 U
DRA06	DRA06-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.12 JQ**
	DRA06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.02 U	0.01 U
	DRA06-20180502-12-51	6-12	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	0.01 U
DRA07	DRA07-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.22 U	0.09 U
	DRA07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	**0.04 JQ**
	DRA07-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00988 U	0.00632 U	0.00439 U	0.00527 U	0.02 U	0.01 U
	DRA07-20180502-24-51	12-24	5/2/2018	FS	0.00484 UJL	0.00967 UJL	0.00619 UJL	0.00429 UJL	0.00515 UJL	0.02 UJL	0.01 UJL
	DRA07-20180502-24-52	12-24	5/2/2018	DUP	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.02 U	0.01 U
DRA08	DRA08-20180502-01-51	0-1	5/2/2018	FS	0.5 U	1 U	0.64 U	0.44 U	0.53 U	0.25 U	0.11 U
	DRA08-20180502-06-51	0-6	5/2/2018	FS	0.02 UJL	0.04 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.17 JQL**
	DRA08-20180502-12-51	6-12	5/2/2018	FS	0.0051 U	0.01 U	0.00652 U	0.00453 U	0.00544 U	0.02 U	0.01 U
	DRA08-20180502-12-52	6-12	5/2/2018	DUP	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	0.01 U
	DRA08-20180502-24-51	12-24	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.02 U	0.01 U
DRA09	DRA09-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.19 U	0.08 U
	DRA09-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.1 JQ**
	DRA09-20180502-12-51	6-12	5/2/2018	FS	0.42 U	0.84 U	0.54 U	0.37 U	0.45 U	0.02 U	0.00957 U
	DRA09-20180502-24-51	12-24	5/2/2018	FS	0.00427 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.02 U	0.00957 U
DRA10	DRA10-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.23 JQ**
	DRA10-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	**0.07 JQ**
	DRA10-20180501-12-51	6-12	5/1/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	**0.03 JQ**
DRA11	DRA11-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.37 JQ**
	DRA11-20180501-01-52	0-1	5/1/2018	DUP	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.02 U	**0.46**
	DRA11-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.34 JQ**
	DRA11-20180501-12-51	6-12	5/1/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00506 U	0.02 U	**0.04 JQ**
DRA12	DRA12-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.4**
	DRA12-20180501-06-51	0-6	5/1/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.02 U	**0.1 JQ**
	DRA12-20180501-06-52	0-6	5/1/2018	DUP	0.00465 U	0.00928 U	0.00594 U	0.00412 U	0.00495 U	0.02 U	**0.56**
	DRA12-20180501-12-51	6-12	5/1/2018	FS	0.0047 U	0.00939 U	0.00601 U	0.00417 U	0.00501 U	0.02 U	**0.05 JQ**
DRA13	DRA13-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.09 JQ**
	DRA13-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.18 JQ**
	DRA13-20180501-12-51	6-12	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	**0.03 JQ**
DRA14	DRA14-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.07 JQ**
	DRA14-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.02 U	**0.06 JQ**
	DRA14-20180501-12-51	6-12	5/1/2018	FS	0.00456 U	0.0091 U	0.00582 U	0.00404 U	0.00485 U	0.02 U	**0.02 JQ**
DRA15	DRA15-20180502-06-51	0-6	5/2/2018	FS	0.00438 U	0.00875 U	0.0056 U	0.00388 U	0.00466 U	0.02 U	**0.03 JQ**
	DRA15-20180502-12-51	6-12	5/2/2018	FS	0.00471 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.02 U	**0.06 JQ**
DRA16	DRA16-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.28 JQ**
	DRA16-20180501-06-51	0-6	5/1/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.02 U	**0.08 JQ**
	DRA16-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.02 U	**0.04 JQ**
DRA17	DRA17-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.33 JQ**
	DRA17-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.4**
	DRA17-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00892 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	**0.13 JQ**
	DRA17-20180501-12-52	6-12	5/1/2018	DUP	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.02 U	**0.04 JQ**
DRA18	DRA18-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.43**
	DRA18-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.37**
	DRA18-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.35 JQ**
DRA19	DRA19-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.23 JQ**
	DRA19-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.09 JQ**
	DRA19-20180501-06-52	0-6	5/1/2018	DUP	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.17 JQ**
	DRA19-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.09 JQ**
DRA20	DRA20-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.1 JQ**
	DRA20-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	DRA20-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**
DRA21	DRA21-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	DRA21-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**
	DRA21-20180501-12-51	6-12	5/1/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	**0.09 JQ**
DRA22	DRA22-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.07 JQ**
	DRA22-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	DRA22-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**
DRA23	DRA23-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	DRA23-20180502-06-51	0-6	5/2/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00506 U	0.02 U	**0.13 JQ**
	DRA23-20180502-12-51	6-12	5/2/2018	FS	0.00497 U	0.00992 U	0.00635 U	0.00441 U	0.00529 U	0.25 U	**1.83 JQ**

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Phenol	Pyrene
	DRA23-20180502-12-52	6-12	5/2/2018	DUP	0.00497 U	0.00993 U	0.00635 U	0.00441 U	0.0053 U	0.25 U	0.11 U
DRA24	DRA24-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**
	DRA24-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	DRA24-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**
DRA25	DRA25-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.19 U	**0.27 JQ**
	DRA25-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	**0.38 JQ**
DRA26	DRA26-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.04 UJL	0.02 UJL	0.01 UJL	0.02 UJL	0.2 U	**9.42**
	DRA26-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.22 U	**4.47 JK**
	DRA26-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.23 U	0.1 U
DRA27	DRA27-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.03 U	0.02 U	0.01 U	0.02 U	0.1 U	**4.06**
	DRA27-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.11 U	**4.19**
	DRA27-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.1 U	**1.42 JQ**
DRA28	DRA28-20180502-01-51	0-1	5/2/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.02 U	**0.27 JQ**
	DRA28-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.09 JQ**
	DRA28-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	DRA28-20180502-24-51	12-24	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.22 U	0.09 U
EAS01	EAS01-20180501-01-51	0-1	5/1/2018	FS	0.00414 U	0.00827 U	0.00529 U	0.00367 U	0.00441 U	0.02 U	**0.03 JQ**
	EAS01-20180501-06-51	0-6	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.02 U	**0.02 JQ**
	EAS01-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.02 U	0.01 U
EAS02	EAS02-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	EAS02-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.02 U	0.01 U
	EAS02-20180501-12-51	6-12	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	**0.12 JQ**
EAS03	EAS03-20180501-01-51	0-1	5/1/2018	FS	0.00984 U	0.02 U	0.01 U	0.00872 U	0.01 U	0.02 U	**0.12 JQ**
	EAS03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**
	EAS03-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.02 U	**0.03 JQ**
EAS04	EAS04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.07 JQ**
	EAS04-20180501-06-51	0-6	5/1/2018	FS	0.00919 U	0.01 U	0.01 U	0.00815 U	0.00979 U	0.02 U	**0.01 JQ**
	EAS04-20180501-12-51	6-12	5/1/2018	FS	0.00447 U	0.00893 U	0.00571 U	0.00397 U	0.00476 U	0.02 U	0.00995 U
EAS05	EAS05-20180502-01-51	0-1	5/2/2018	FS	0.02 UJL	0.05 UJL	0.03 UJL	0.02 UJL	0.02 UJL	0.02 UJL	**0.12 JQL**
	EAS05-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.41 U	0.26 U	0.18 U	0.22 U	0.21 U	**17.3**
	EAS05-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**
EAS06	EAS06-20180502-01-51	0-1	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.43 U	0.02 U	**0.17 JQ**
	EAS06-20180502-06-51	0-6	5/2/2018	FS	0.22 U	0.44 U	0.28 U	0.19 U	0.23 U	0.02 U	**0.04 JQ**
	EAS06-20180502-12-51	6-12	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U
	EAS06-20180502-24-51	12-24	5/2/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00482 U	0.02 U	0.01 U
EAS07	EAS07-20180503-01-51	0-1	5/3/2018	FS	2.14 U	4.27 U	2.73 U	1.9 U	2.28 U	0.02 U	**0.02 JQ**
	EAS07-20180503-06-51	0-6	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	0.02 U	**0.04 JQ**
	EAS07-20180503-12-51	6-12	5/3/2018	FS	0.00462 U	0.00923 U	0.0059 U	0.0041 U	0.00492 U	0.02 U	0.01 U
	EAS07-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.00991 U
	EAS07-20180503-24-52	12-24	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.00995 U
	EAS07-20180503-36-51	24-36	5/3/2018	FS	0.46 U	0.91 U	0.58 U	0.4 U	0.49 U	0.02 U	0.01 U
EAS08	EAS08-20180503-01-51	0-1	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.1 JQ**
	EAS08-20180503-06-51	0-6	5/3/2018	FS	0.03 U	0.07 U	0.05 U	0.03 U	0.04 U	0.02 U	**0.05 JQ**
	EAS08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.01 U
	EAS08-20180503-24-51	12-24	5/3/2018	FS	0.0047 U	0.00939 U	0.006 U	0.00417 U	0.005 U	0.02 U	0.01 U
	EAS08-20180503-24-52	12-24	5/3/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.00998 U
	EAS08-20180503-36-51	24-36	5/3/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	**0.03 JQ**
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.02 U	**0.03 JQ**
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.02 U	0.0099 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.02 U	**0.02 JQ**
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.02 U	**0.02 JQ**
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.02 U	0.00964 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.02 U	**0.02 JQ**
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.02 U	0.00993 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	**0.03 JQ**
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.02 U	0.01 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.08 JQ**
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.02 U	0.00991 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.07 JQ**
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.02 U	**0.03 JQ**
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00468 U	0.02 U	0.01 U
FJD01-07	FJD01-07-20180501-01-51	0-1	5/1/2018	FS	0.00452 U	0.00902 U	0.00577 U	0.00401 U	0.00481 U	0.02 U	**0.89**
	FJD01-07-20180501-06-51	0-6	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.02 U	**0.03 JQ**
	FJD01-07-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00481 U	0.02 U	0.01 U
FJD01-08	FJD01-08-20180501-01-51	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.03 U	0.01 U
	FJD01-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
	FJD01-08-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**
FJD01-09	FJD01-09-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.06 JQ**
	FJD01-09-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	0.00998 U
	FJD01-09-20180501-12-51	6-12	5/1/2018	FS	0.00461 U	0.0092 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U
FJD01-10NSEW	FJD01-10-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00466 U	NA	NA
FJD01-11NSEW	FJD01-11-DL-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	NA	NA
FJD02-01	FJD02-01-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**
	FJD02-01-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00908 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	0.01 U
	FJD02-01-20180501-12-51	6-12	5/1/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00419 U	0.00502 U	0.02 U	0.01 U
FJD02-02	FJD02-02-20180501-01-51	0-1	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.02 U	**0.02 JQ**
	FJD02-02-20180501-06-51	0-6	5/1/2018	FS	0.0046 U	0.0092 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	0.01 U
	FJD02-02-20180501-12-51	6-12	5/1/2018	FS	0.00455 U	0.00908 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	0.01 U
FJD02-03	FJD02-03-20180501-01-51	0-1	5/1/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00507 U	0.02 U	**0.01 JQ**
	FJD02-03-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Phenol	Pyrene
	FJD02-03-20180501-12-51	6-12	5/1/2018	FS	0.00462 U	0.00923 U	0.00591 U	0.0041 U	0.00492 U	0.02 U	0.01 U
FJD02-04	FJD02-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.04 JQ**
	FJD02-04-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.00999 U
	FJD02-04-20180501-12-51	6-12	5/1/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.02 U	0.00983 U
FJD02-05	FJD02-05-20180501-01-51	0-1	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.03 JQ**
	FJD02-05-20180501-06-51	0-6	5/1/2018	FS	0.00446 U	0.0089 U	0.00569 U	0.00395 U	0.00474 U	0.02 U	**0.02 JQ**
	FJD02-05-20180501-12-51	6-12	5/1/2018	FS	0.00475 U	0.00949 U	0.00607 U	0.00421 U	0.00506 U	0.02 U	0.01 U
FJD02-06	FJD02-06-20180501-01-51	0-1	5/1/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.02 U	**0.02 JQ**
	FJD02-06-20180501-06-51	0-6	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00393 U	0.00472 U	0.02 U	0.01 U
	FJD02-06-20180501-12-51	6-12	5/1/2018	FS	0.00449 U	0.00896 U	0.00573 U	0.00398 U	0.00478 U	0.02 U	0.00998 U
FJD02-07	FJD02-07-20180501-01-51	0-1	5/1/2018	FS	0.00428 U	0.00854 U	0.00546 U	0.00379 U	0.00455 U	0.02 U	**0.18 JQ**
	FJD02-07-20180501-06-51	0-6	5/1/2018	FS	0.00443 U	0.00884 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.02 JQ**
	FJD02-07-20180501-12-51	6-12	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.02 U	0.01 U
FJD02-08	FJD02-08-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.05 JQ**
	FJD02-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	FJD02-08-20180501-12-51	6-12	5/1/2018	FS	0.00444 U	0.00886 U	0.00567 U	0.00394 U	0.00472 U	0.02 U	0.00968 U
FJD02-10E	FJD02-10-DLE-20180502-06-51	0-6	5/2/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	NA	NA
FJD02-10N	FJD02-10-DLN-20180502-06-51	0-6	5/2/2018	FS	0.00501 U	0.01 U	0.0064 U	0.00444 U	0.00533 U	NA	NA
FJD02-10S	FJD02-10-DLS-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	NA	NA
FJD02-10W	FJD02-10-DLW-20180502-06-51	0-6	5/2/2018	FS	0.00416 U	0.00831 U	0.00532 U	0.00369 U	0.00443 U	NA	NA
FJD03-01	FJD03-01-20180502-01-51	0-1	5/2/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.02 U	**0.02 JQ**
	FJD03-01-20180502-06-51	0-6	5/2/2018	FS	0.00468 U	0.00936 U	0.00599 U	0.00415 U	0.00499 U	0.02 U	0.01 U
	FJD03-01-20180502-12-51	6-12	5/2/2018	FS	0.00479 U	0.00958 U	0.00613 U	0.00425 U	0.0051 U	0.02 U	0.01 U
FJD03-02	FJD03-02-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	**0.03 JQ**
	FJD03-02-20180502-06-51	0-6	5/2/2018	FS	0.00472 UJL	0.00943 UJL	0.00603 UJL	0.00419 UJL	0.00503 UJL	0.02 UJL	**0.03 JQL**
	FJD03-02-20180502-12-51	6-12	5/2/2018	FS	0.00477 UJL	0.00952 UJL	0.00609 UJL	0.00423 UJL	0.00508 UJL	0.04 UJL	0.02 UJL
	FJD03-02-20180502-24-51	12-24	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	0.01 U
FJD03-03	FJD03-03-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.01 U
	FJD03-03-20180502-06-51	0-6	5/2/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U
	FJD03-03-20180502-12-51	6-12	5/2/2018	FS	0.00465 U	0.00928 U	0.00593 U	0.00412 U	0.00495 U	0.02 U	0.01 U
	FJD03-03-20180502-12-52	6-12	5/2/2018	DUP	0.00466 U	0.0093 U	0.00595 U	0.00413 U	0.00496 U	0.02 U	0.01 U
FJD03-04	FJD03-04-20180502-01-51	0-1	5/2/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.02 U	**0.02 JQ**
	FJD03-04-20180502-01-52	0-1	5/2/2018	DUP	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	FJD03-04-20180502-06-51	0-6	5/2/2018	FS	0.00441 U	0.00882 U	0.00564 U	0.00391 U	0.0047 U	0.02 U	**0.03 JQ**
	FJD03-04-20180502-12-51	6-12	5/2/2018	FS	0.00482 UJL	0.00964 UJL	0.00616 UJL	0.00428 UJL	0.00514 UJL	0.02 UJL	0.01 UJL
	FJD03-04-20180502-12-52	6-12	5/2/2018	DUP	0.00482 U	0.00963 U	0.00616 U	0.00428 U	0.00513 U	0.02 U	0.01 U
	FJD03-04-20180502-24-51	12-24	5/2/2018	FS	0.00484 U	0.00966 U	0.00618 U	0.00429 U	0.00515 U	0.02 U	0.01 U
	FJD03-04-20180502-24-52	12-24	5/2/2018	DUP	0.00535 U	0.01 U	0.00684 U	0.00474 U	0.0057 U	0.02 U	0.01 U
FJD03-05	FJD03-05-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.02 U	**0.03 JQ**
	FJD03-05-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.00963 U
	FJD03-05-20180502-12-51	6-12	5/2/2018	FS	0.00446 UJL	0.00892 UJL	0.0057 UJL	0.00396 UJL	0.00475 UJL	0.02 UJL	0.01 UJL
FJD03-06	FJD03-06-20180502-01-51	0-1	5/2/2018	FS	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	0.02 U	**0.04 JQ**
	FJD03-06-20180502-01-52	0-1	5/2/2018	DUP	0.08 U	0.16 U	0.1 U	0.07 U	0.09 U	0.02 U	**0.02 JQ**
	FJD03-06-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.00985 U
	FJD03-06-20180502-12-51	6-12	5/2/2018	FS	0.0046 U	0.00918 U	0.00587 U	0.00408 U	0.00489 U	0.02 U	0.01 U
	FJD03-06-20180502-24-51	12-24	5/2/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	0.01 U
	FJD03-06-20180502-24-52	12-24	5/2/2018	DUP	0.44 U	0.89 U	0.57 U	0.39 U	0.47 U	0.02 U	0.01 U
FJD03-07	FJD03-07-20180502-01-51	0-1	5/2/2018	FS	0.04 UJL	0.09 UJL	0.05 UJL	0.04 UJL	0.04 UJL	0.02 UJL	**0.07 JQL**
	FJD03-07-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.00957 U
	FJD03-07-20180502-12-51	6-12	5/2/2018	FS	0.00467 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.02 U	0.01 U
FJD03-08	FJD03-08-20180502-01-51	0-1	5/2/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.2 U	0.09 U
	FJD03-08-20180502-06-51	0-6	5/2/2018	FS	0.2 U	0.4 U	0.26 U	0.18 U	0.21 U	0.02 U	0.00939 U
	FJD03-08-20180502-12-51	6-12	5/2/2018	FS	0.21 U	0.43 U	0.27 U	0.19 U	0.23 U	0.02 U	0.00968 U
	FJD03-08-20180502-24-51	12-24	5/2/2018	FS	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.00997 U
FJD03-09NSEW	FJD03-09-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.00428 U	0.00855 U	0.00547 U	0.00379 U	0.00456 U	NA	NA
	FJD03-09-DLNSEW-20180502-06-52	0-6	5/2/2018	Field	0.21 U	0.42 U	0.27 U	0.18 U	0.22 U	NA	NA
FJD03-10NW	FJD03-10-DLNW-20180502-06-51	0-6	5/2/2018	Field Samp	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA
	FJD03-10-DLNW-20180502-06-52	0-6	5/2/2018	Field Dupl	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	NA	NA
FJD04-01	FJD04-01-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.08 JQ**
	FJD04-01-20180502-06-51	0-6	5/2/2018	FS	0.00466 UJL	0.00931 UJL	0.00596 UJL	0.00413 UJL	0.00496 UJL	0.02 UJL	**0.03 JQL**
	FJD04-01-20180502-12-51	6-12	5/2/2018	FS	0.00495 U	0.00989 U	0.00633 U	0.00439 U	0.00527 U	0.02 U	0.01 U
	FJD04-01-20180502-24-51	12-24	5/2/2018	FS	0.0047 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.02 U	0.01 U
	FJD04-01-20180502-36-51	24-36	5/2/2018	FS	0.00463 UJL	0.00925 UJL	0.00592 UJL	0.00411 UJL	0.00493 UJL	0.02 UJL	0.01 UJL
FJD04-02	FJD04-02-20180502-01-51	0-1	5/2/2018	FS	0.38 U	0.77 U	0.49 U	0.34 U	0.41 U	0.01 U	**0.06 JQ**
	FJD04-02-20180502-06-51	0-6	5/2/2018	FS	0.0042 U	0.00838 U	0.00536 U	0.00372 U	0.00447 U	0.02 U	0.0094 U
	FJD04-02-20180502-12-51	6-12	5/2/2018	FS	0.0048 U	0.0096 U	0.00614 U	0.00426 U	0.00512 U	0.02 U	0.01 U
	FJD04-02-20180502-12-52	6-12	5/2/2018	DUP	0.00471 U	0.00942 U	0.00602 U	0.00418 U	0.00502 U	0.02 U	0.01 U
	FJD04-02-20180502-24-51	12-24	5/2/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.02 U	0.01 U
	FJD04-02-20180502-36-51	24-36	5/2/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U
FJD04-03	FJD04-03-20180502-01-51	0-1	5/2/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**
	FJD04-03-20180502-06-51	0-6	5/2/2018	FS	0.00392 U	0.00783 U	0.00501 U	0.00348 U	0.00417 U	0.02 U	0.00896 U
	FJD04-03-20180502-12-51	6-12	5/2/2018	FS	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	0.02 U	0.01 U
	FJD04-03-20180502-24-51	12-24	5/2/2018	FS	0.0048 U	0.00959 U	0.00614 U	0.00426 U	0.00511 U	0.02 U	**0.01 JQ**
	FJD04-03-20180502-36-51	24-36	5/2/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00419 U	0.00503 U	0.02 U	0.01 U
FJD04-04	FJD04-04-20180502-01-51	0-1	5/2/2018	FS	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.01 U	**0.12 JQ**
	FJD04-04-20180502-06-51	0-6	5/2/2018	FS	0.41 U	0.82 U	0.52 U	0.36 U	0.44 U	0.02 U	0.00913 U
	FJD04-04-20180502-12-51	6-12	5/2/2018	FS	0.00457 U	0.00912 U	0.00584 U	0.00405 U	0.00486 U	0.02 U	0.00997 U
	FJD04-04-20180502-24-51	12-24	5/2/2018	FS	0.00481 U	0.0096 U	0.00614 U	0.00426 U	0.00512 U	0.02 U	**0.03 JQ**
	FJD04-04-20180502-36-51	24-36	5/2/2018	FS	0.00471 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.02 U	0.01 U
	FJD04-04-20180502-36-52	24-36	5/2/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
FJD04-05	FJD04-05-20180503-12-51	6-12	5/3/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00476 U	0.02 U	0.00983 U
	FJD04-05-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.08 U	0.05 U	0.03 U	0.04 U	0.02 U	0.00942 U
	FJD04-05-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.00661 U	0.00459 U	0.00551 U	0.02 U	0.01 U
	FJD04-05-20180503-24-52	12-24	5/3/2018	DUP	0.00496 U	0.0099 U	0.00633 U	0.00439 U	0.00528 U	0.02 U	**0.06 JQ**

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Phenol	Pyrene
	FJD04-05-20180503-36-51	24-36	5/3/2018	FS	0.00491 U	0.00981 U	0.00627 U	0.00435 U	0.00523 U	0.02 U	0.01 U
	FJD04-05-20180503-36-52	24-36	5/3/2018	DUP	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U
FJD04-06	FJD04-06-20180503-06-51	0-6	5/3/2018	FS	0.42 U	0.85 U	0.54 U	0.37 U	0.45 U	0.02 U	0.00951 U
	FJD04-06-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.00981 U
	FJD04-06-20180503-24-51	12-24	5/3/2018	FS	0.00507 U	0.01 U	0.00647 U	0.00449 U	0.00539 U	0.02 U	0.01 U
	FJD04-06-20180503-36-51	24-36	5/3/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U
FJD04-07	FJD04-07-20180502-01-52	0-1	5/2/2018	DUP	0.03 U	0.07 U	0.04 U	0.03 U	0.04 U	0.02 U	**0.13 JQ**
	FJD04-07-20180503-01-51	0-1	5/3/2018	FS	0.19 U	0.38 U	0.24 U	0.17 U	0.2 U	0.02 U	**0.12 JQ**
	FJD04-07-20180503-01-52	0-1	5/3/2018	DUP	0.19 U	0.39 U	0.24 U	0.17 U	0.2 U	0.02 U	**0.09 JQ**
	FJD04-07-20180503-06-51	0-6	5/3/2018	FS	2.09 U	4.18 U	2.67 U	1.85 U	2.23 U	0.02 U	0.00937 U
	FJD04-07-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
	FJD04-07-20180503-12-52	6-12	5/3/2018	DUP	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	0.01 U
	FJD04-07-20180503-24-51	12-24	5/3/2018	FS	0.00491 U	0.0098 U	0.00627 U	0.00435 U	0.00522 U	0.02 U	0.01 U
	FJD04-07-20180503-36-51	24-36	5/3/2018	FS	0.23 U	0.47 U	0.3 U	0.21 U	0.25 U	0.02 U	0.01 U
FJD04-08	FJD04-08-20180503-01-51	0-1	5/3/2018	FS	0.4 U	0.8 U	0.51 U	0.35 U	0.42 U	**0.27 JQ**	**0.19 JQ**
	FJD04-08-20180503-06-51	0-6	5/3/2018	FS	2.19 U	4.37 U	2.8 U	1.94 U	2.33 U	0.02 U	**0.08 JQ**
	FJD04-08-20180503-12-51	6-12	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.09 JQ**
	FJD04-08-20180503-24-51	12-24	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
	FJD04-08-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
FJD04-09	FJD04-09-20180503-12-51	6-12	5/3/2018	FS	0.0041 U	0.0082 U	0.00524 U	0.00364 U	0.00437 U	0.02 U	0.00919 U
	FJD04-09-20180503-24-51	12-24	5/3/2018	FS	0.00517 U	0.01 U	0.0066 U	0.00458 U	0.0055 U	0.02 U	0.01 U
	FJD04-09-20180503-36-51	24-36	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.02 U	**0.1 JQ**
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.02 U	**0.02 JQ**
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.02 U	0.00982 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.02 U	**0.08 JQ**
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.02 U	**0.01 JQ**
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.02 U	0.00968 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.21 U	0.09 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.02 U	**0.03 JQ**
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.02 U	0.00984 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.02 U	**0.06 JQ**
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.02 U	0.01 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.02 U	0.01 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.09 JQ**
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.02 U	**0.02 JQ**
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.02 U	**0.04 JQ**
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.02 U	**0.07 JQ**
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.02 U	**0.05 JQ**
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.02 U	**0.06 JQ**
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.02 U	0.00953 U
FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.02 U	**0.06 JQ**
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	**0.02 JQ**
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	0.00981 U
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	**0.02 JQ**	**0.04 JQ**
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.02 U	**0.05 JQ**
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.02 U	0.00999 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.13 JQ**
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.02 U	**0.45**
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	**0.22 JQ**
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.02 U	**0.13 JQ**
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.21 U	0.09 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.02 U	**0.09 JQ**
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.02 U	**0.04 JQ**
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.02 U	**0.09 JQ**
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.02 U	**0.02 JQ**
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.01 U	**0.05 JQ**
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.02 U	**0.03 JQ**
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.02 U	0.01 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.02 U	**0.08 JQ**
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.02 U	**0.01 JQ**
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.02 U	**0.03 JQ**
FJD06-01	FJD06-01-20180502-01-51	0-1	5/2/2018	FS	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00465 U	0.02 U	**0.06 JQ**
	FJD06-01-20180502-06-51	0-6	5/2/2018	FS	0.00458 U	0.00915 U	0.00586 U	0.00406 U	0.00488 U	0.02 U	**0.02 JQ**
	FJD06-01-20180502-12-51	6-12	5/2/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.02 U	0.01 U
	FJD06-01-20180502-24-51	12-24	5/2/2018	FS	0.00436 U	0.0087 U	0.00557 U	0.00386 U	0.00464 U	0.02 U	0.00963 U
FJD06-02	FJD06-02-20180430-01-51	0-1	4/30/2018	FS	0.00404 U	0.00807 U	0.00516 U	0.00358 U	0.0043 U	0.02 U	**0.03 JQ**
	FJD06-02-20180430-06-51	0-6	4/30/2018	FS	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.02 U	0.01 U
	FJD06-02-20180430-12-51	6-12	4/30/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00507 U	0.02 U	0.01 U
FJD06-03	FJD06-03-20180430-01-51	0-1	4/30/2018	FS	0.00407 U	0.00812 U	0.00519 U	0.0036 U	0.00433 U	0.02 U	**0.01 JQ**
	FJD06-03-20180430-06-51	0-6	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.02 U	0.01 U
	FJD06-03-20180430-06-52	0-6	4/30/2018	DUP	0.00457 U	0.00912 U	0.00583 U	0.00405 U	0.00486 U	0.02 U	0.01 U
	FJD06-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00499 U	0.02 U	0.01 U
FJD06-04	FJD06-04-20180430-01-51	0-1	4/30/2018	FS	0.0042 U	0.00839 U	0.00537 U	0.00372 U	0.00447 U	0.21 U	0.09 U
	FJD06-04-20180430-06-51	0-6	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.02 U	0.01 U
	FJD06-04-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	0.01 U
FJD06-05	FJD06-05-20180430-01-51	0-1	4/30/2018	FS	0.00428 U	0.00856 U	0.00547 U	0.0038 U	0.00456 U	0.02 U	**0.02 JQ**
	FJD06-05-20180430-06-51	0-6	4/30/2018	FS	0.00396 U	0.00791 U	0.00506 U	0.00351 U	0.00422 U	0.02 U	**0.02 JQ**
	FJD06-05-20180430-12-51	6-12	4/30/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U
FJD06-FLN	FJD06-FLN-20180502-06-51	0-6	5/2/2018	FS	0.00463 U	0.00925 U	0.00592 U	0.00411 U	0.00493 U	NA	NA
FJD06-FLW	FJD06-FLW-20180502-06-51	0-6	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	NA	NA
FJD07-01	FJD07-01-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.02 U	**0.04 JQ**
	FJD07-01-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.1 JQ**
	FJD07-01-20180502-12-51	6-12	5/2/2018	FS	0.00445 U	0.00888 U	0.00568 U	0.00394 U	0.00474 U	0.02 U	0.01 U

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Phenol	Pyrene
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.02 U	0.01 U
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.02 U	**0.02 JQ**
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.02 U	**0.03 JQ**
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.02 U	0.01 U
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.24 U	0.1 U
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.02 U	0.01 U
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.24 U	0.1 U
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.02 U	**0.04 JQ**
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.02 U	**0.13 JQ**
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.02 U	0.01 U
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.02 U	0.00983 U
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.02 U	0.01 U
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.02 U	0.01 U
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	NA	NA
FJD08-01	FJD08-01-20180502-01-51	0-1	5/2/2018	FS	0.05 UJL	0.1 UJL	0.06 UJL	0.04 UJL	0.05 UJL	0.02 UJL	**0.05 JQL**
	FJD08-01-2018050202-24-51	12-24	5/2/2018	FS	0.00469 U	0.00937 U	0.006 U	0.00416 U	0.005 U	0.02 U	**0.03 JQ**
	FJD08-01-2018050202-24-52	12-24	5/2/2018	Field Duplica	0.00913 U	0.01 U	0.01 U	0.0081 U	0.00972 U	0.02 U	0.01 U
	FJD08-01-20180502-06-51	0-6	5/2/2018	FS	0.04 U	0.09 U	0.05 U	0.04 U	0.04 U	0.02 U	**0.11 JQ**
	FJD08-01-20180502-12-51	6-12	5/2/2018	FS	0.00456 U	0.00911 U	0.00583 U	0.00405 U	0.00486 U	0.02 U	**0.03 JQ**
FJD08-02	FJD08-02-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.02 JQ**
	FJD08-02-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00938 U	0.006 U	0.00416 U	0.005 U	0.02 U	**0.02 JQ**
	FJD08-02-20180503-06-51	0-6	5/3/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	**0.03 JQ**
FJD08-03	FJD08-03-20180430-01-51	0-1	4/30/2018	FS	0.00449 U	0.00897 U	0.00574 U	0.00398 U	0.00478 U	0.02 U	**0.08 JQ**
	FJD08-03-20180430-06-51	0-6	4/30/2018	FS	0.00466 U	0.00932 U	0.00596 U	0.00414 U	0.00497 U	0.02 U	**0.05 JQ**
	FJD08-03-20180430-06-52	0-6	4/30/2018	DUP	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.00471 U	0.02 U	**0.04 JQ**
	FJD08-03-20180430-12-51	6-12	4/30/2018	FS	0.0046 UJL	0.00919 UJL	0.00588 UJL	0.00408 UJL	0.0049 UJL	0.02 U	**0.04 JQ**
FJD08-04	FJD08-04-20180430-01-51	0-1	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.02 U	**0.04 JQ**
	FJD08-04-20180430-06-51	0-6	4/30/2018	FS	0.00458 U	0.00914 U	0.00585 U	0.00406 U	0.00487 U	0.02 U	**0.04 JQ**
	FJD08-04-20180430-06-52	0-6	4/30/2018	DUP	0.00461 U	0.00922 U	0.00589 U	0.00409 U	0.00491 U	0.02 U	0.01 U
	FJD08-04-20180430-12-51	6-12	4/30/2018	FS	0.00457 U	0.00913 U	0.00584 U	0.00405 U	0.00486 U	0.02 U	**0.02 JQ**
	FJD08-04-20180430-12-52	6-12	4/30/2018	DUP	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.02 U	**0.02 JQ**
FJD08-05ESW	FJD08-05-DLESW-20180502-51	0-6	5/2/2018	Field Sampl	0.00472 U	0.00942 U	0.00603 U	0.00418 U	0.00502 U	NA	NA
FJD08-05N	FJD08-05-DLN-20180502-51	0-6	5/2/2018	FS	0.00456 UJL	0.0091 UJL	0.00582 UJL	0.00404 UJL	0.00485 UJL	NA	NA
	FJD08-05-DLN-20180502-52	0-6	5/2/2018	DUP	0.00458 U	0.00915 U	0.00585 U	0.00406 U	0.00488 U	NA	NA
FJD09-01	FJD09-01-20180430-01-51	0-1	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00459 U	0.02 U	**0.05 JQ**
	FJD09-01-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.01 U
	FJD09-01-20180430-12-51	6-12	4/30/2018	FS	0.0048 U	0.00959 U	0.00613 U	0.00426 U	0.00511 U	0.02 U	0.01 U
FJD09-02	FJD09-02-20180430-01-51	0-1	4/30/2018	FS	0.00424 U	0.00846 U	0.00541 U	0.00376 U	0.00451 U	0.02 U	**0.08 JQ**
	FJD09-02-20180430-06-51	0-6	4/30/2018	FS	0.0047 U	0.0094 U	0.00601 U	0.00417 U	0.00501 U	0.02 U	**0.09 JQ**
	FJD09-02-20180430-12-51	6-12	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.02 U	0.01 U
FJD09-03	FJD09-03-20180430-01-51	0-1	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	**0.32 JQ**
	FJD09-03-20180430-06-51	0-6	4/30/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.02 U	**0.15 JQ**
	FJD09-03-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00604 U	0.00419 U	0.00504 U	0.02 U	0.01 U
FJD09-04NSEW	FJD09-04-DLNSEW-20180502-51	0-6	5/2/2018	Field Sam	0.00436 U	0.00872 U	0.00557 U	0.00387 U	0.00465 U	NA	NA

Notes

FS - Field Sample

FD - Field Duplicate

NP - Not Published

J - Estimated

H - Bias high

K - Undetermined bias.

Q - below quantitation limit

L - Biased low

P - RPD between primary and confirmation result is greater than 40

U - Not detected above detection limit

Site Concentrations

	Site	OffSite
PCBs	175	95.1
Arsenic	68.2	59.1
Cobalt	30.9	23.6
Copper	21800	6740
Lead	1480	402
Manganese	4490	3290
Benzo(a) anthracene	< RSL	9.8
Benzo(a)pyrene	0.13	13.3
Benzo(b)fluoranthene	< RSL	16.5
Dibenzo(a,h)anthracene	< RSL	2.97
Indeno(1,2,3-cd)pyrene	< RSL	15.2

Analyte					Aroclors								Metals								Metals					
					Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese
CAS.NO					12674-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	11097-69-1	11096-82-5	GCSV-07-1	7429-90-5	7440-36-0	7440-38-2	7440-39-3	7440-41-7	7440-43-9	7440-70-2	7440-47-3	7440-48-4	7440-50-8	7439-89-6	7439-92-1	7439-95-4	7439-96-5
Units					mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	0.24	0.24		77000	31	0.68	15000	160	71			23	3100	55000	400		1800
RSL Res Soil 05/2018 Carcinogenic SL TR=1E-06					6.7	0.2	0.17	0.23	0.23	0.24	0.24				0.68		1600	2100			420					
RSL Res Soil 05/2018 Noncarcinogenic SL Child THI=1					4.1					1.2			77000	31	35	15000	160	71			23	3100	55000	400		1800
Station	Sample ID	Depth	Date	Type	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
FJD06-01	FJD06-01-20180502-01-51	0-1	5/2/2018	FS	0.00437 U	0.00873 U	0.00559 U	0.00388 U	0.00465 U	0.00399 U	0.72 JK	0.72 JK	13100	0.46 U	7.13	239	0.85 JQ	0.96	77000	20.5	11.8	215	15700	88.3	2250	1690
	FJD06-01-20180502-06-51	0-6	5/2/2018	FS	0.00458 U	0.00915 U	0.00586 U	0.00406 U	0.00488 U	0.00419 U	0.13	0.13	15700	0.48 U	6.5	240	0.91 JQ	0.9 JQ	40600	23.4	12.5	87.6	21200	94	2170	1750 JK
	FJD06-01-20180502-12-51	6-12	5/2/2018	FS	0.0048 U	0.00958 U	0.00613 U	0.00425 U	0.00511 U	0.00438 U	0.01 JQK	0.01 JQK	18100	1.03 U	5.78	232	1.04 JQ	0.51 U	76000	25.6	13	20.6	18500	34.2	2470	1740 JK
	FJD06-01-20180502-24-51	12-24	5/2/2018	FS	0.00436 U	0.0087 U	0.00557 U	0.00386 U	0.00464 U	0.00398 U	0.12	0.12	5000	0.44 U	2.64	76.9	0.32 JQ	0.32 JQ	286000	9.64	5.4	13.3	7280	14.2	1350	1130 JK
FJD06-02	FJD06-02-20180430-01-51	0-1	4/30/2018	FS	0.00404 U	0.00807 U	0.00516 U	0.00358 U	0.0043 U	0.00369 U	0.11 JK	0.11 JK	12500	0.41 U	5.45	184	0.91	0.61 JQ	27800	17.9	11.7	51.6 JK	15100	50.2	1940	1760 JK
	FJD06-02-20180430-06-51	0-6	4/30/2018	FS	0.00473 U	0.00944 U	0.00604 U	0.00419 U	0.00503 U	0.00432 U	0.00706 U	0.00706 U	17800	0.51 U	5.69	166	1.19	0.35 JQ	10000	25.4	14.7	11	20900	19.4	1720	1960
	FJD06-02-20180430-12-51	6-12	4/30/2018	FS	0.00476 U	0.0095 U	0.00608 U	0.00422 U	0.00507 U	0.00435 U	0.0071 U	0.0071 U	16800	1.13 U	4.55	232	1.31 JQ	0.56 U	12200	26.7	18.4	14.7 JK	19700	23.7	1430	2140 JK
FJD06-03	FJD06-03-20180430-01-51	0-1	4/30/2018	FS	0.00407 U	0.00812 U	0.00519 U	0.0036 U	0.00433 U	0.00371 U	0.00607 U	0.00607 U	8190	0.43 U	5.08	142	0.63 JQ	0.56 JQ	13900	13.9	8.64	21	9900	56.6	2130	870
	FJD06-03-20180430-06-51	0-6	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.007 U	0.007 U	13300	0.5 U	7.51	557 JK	1.27	1.83	18600	24.6	17.4	40	17200	727 JK	2250	1760
	FJD06-03-20180430-06-52	0-6	4/30/2018	DUP	0.00457 U	0.00912 U	0.00583 U	0.00405 U	0.00486 U	0.00417 U	0.08 JK	0.08 JK	13700	0.5 U	6.16	199 JK	1.09	0.63 JQ	18000	22	14.3	36.1	17100	53.9 JK	1750	1720
	FJD06-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00499 U	0.00428 U	0.00699 U	0.00699 U	17400	0.5 U	6.08	211	1.21	0.54 JQ	11000	25	14.2	14.7	20200	51.3	1560	1680
FJD06-04	FJD06-04-20180430-01-51	0-1	4/30/2018	FS	0.0042 U	0.00839 U	0.00537 U	0.00372 U	0.00447 U	0.00384 U	0.08 JK	0.08 JK	15400	0.39 U	8.73	285	1.15	1.69	25900	24.3	14.8	42.1	18900	198	5610	1310
	FJD06-04-20180430-06-51	0-6	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.00428 U	0.00699 U	0.00699 U	18500	0.48 U	7.01	219	1.16	0.66 JQ	11000 JK	22.4 JK	14.1	19.3 JK	21300	65.4 JK	2200	1450
	FJD06-04-20180430-12-51	6-12	4/30/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.00433 U	0.00707 U	0.00707 U	14800	0.95 U	6.42	174	1.07 JQ	0.48 U	30900	20	12.8	25.6	16100	80.5	4090	1080
FJD06-05	FJD06-05-20180430-01-51	0-1	4/30/2018	FS	0.00428 U	0.00856 U	0.00547 U	0.0038 U	0.00456 U	0.00391 U	0.0064 U	0.0064 U	10500	0.45 U	7.25	177	0.87 JQ	0.55 JQ	83800	16.5	13	29.1	14900	58.7	14600	1150
	FJD06-05-20180430-06-51	0-6	4/30/2018	FS	0.00396 U	0.00791 U	0.00506 U	0.00351 U	0.00422 U	0.00362 U	0.00592 U	0.00592 U	13300	0.43 U	5.79	279	0.94	1.51	34600 JK	18.7 JK	11.8	20.4 JK	15800	282 JK	2300	907
	FJD06-05-20180430-12-51	6-12	4/30/2018	FS	0.00461 U	0.00921 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.00688 U	0.00688 U	13800	0.44 U	4.93	259	1.37	0.59 JQ	13300	21.2	18	13.5	14800	56	2750	1750
FJD06-FLN	FJD06-FLN-20180502-06-51	0-6	5/2/2018	FS	0.00463 U	0.00925 U	0.00592 U	0.00411 U	0.00493 U	0.00423 U	0.12 JH	0.12 JH	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD06-FLW	FJD06-FLW-20180502-06-51	0-6	5/2/2018	FS	0.00473 U	0.00945 U	0.00605 U	0.0042 U	0.00504 U	0.00432 U	0.00707 U	0.00707 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-01	FJD07-01-20180502-01-51	0-1	5/2/2018	FS	0.04 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	6.81	6.81	12400	0.49 U	5.77	200	0.89 JQ	0.64 JQ	36000	19.4	11.8	313	15300	46.9	2280	1510
	FJD07-01-20180502-06-51	0-6	5/2/2018	FS	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	1.67	1.67	14500	0.51 U	6.08	267	1.1	0.84 JQ	19000	22.1	14.9	165	18000	323	2050	1840
	FJD07-01-20180502-12-51	6-12	5/2/2018	FS	0.00445 U	0.00888 U	0.00568 U	0.00394 U	0.00474 U	0.00406 U	0.1 JK	0.1 JK	14600	0.44 U	5.83	278	1.1	0.6 JQ	27000	22.3	16.7	30.4	20300	42.1	1720	2060 JK
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS	0.00467 U	0.00933 U	0.00597 U	0.00414 U	0.00497 U	0.00427 U	0.36 JK	0.36 JK	15600	0.51 U	5.37	217	0.9 JQ	0.39 JQ	173000	22.7	11.9	11.9	17600	18.1	1900	1480 JK
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00793 U	0.00507 U	0.00352 U	0.00423 U	0.00363 U	0.07	0.07	4120 JK	0.37 U	2.52	72.8	0.44 JQ	0.19 U	9610	8.59	5.63	24.6	6310	10.8	758	498
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	0.00427 U	0.00853 U	0.00546 U	0.00379 U	0.00455 U	0.0039 U	0.18	0.18	6950 JK	0.44 U	3.54	102	0.53 JQ	0.24 JQ	10000 JK	10.6 JK	7.74	30.8 JK	8560	15.9 JK	1020	636
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS	0.00483 U	0.00964 U	0.00617 U	0.00428 U	0.00514 U	0.00441 U	0.05 JK	0.05 JK	13700	0.51 U	7.04	226	1.17	0.61 JQ	17700	23.1	15.7	70.1	16900	34.4	2240	1310
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP	0.00487 U	0.00974 U	0.00623 U	0.00432 U	0.00519 U	0.00445 U	0.22 JK	0.22 JK	15800	0.45 U	8.25	228	1.23	0.5 JQ	18500	27.4	17.1	62.9	18800	36.8	2150	1620
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00415 U	0.00498 U	0.00427 U	0.09	0.09	16900	0.47 U	6.12	205	1.13	0.37 JQ	10500 JK	23.1 JK	15.8	39.1 JK	19900	27 JK	1700	2110
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP	0.02 U	0.04 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	14700	0.44 U	6.93	224	1.21	1.76	32500 JK	25.2	18	15.4 JK	18100	49.3 JK	1510	1610
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	0.00403 U	0.00805 U	0.00515 U	0.00357 U	0.00429 U	0.00368 U	0.08 JK	0.08 JK	7700	0.39 U	3.7	122	0.55 JQ	0.2 U	14400 JK	10.8 JK	8.21	23.8 JK	9630	17.2 JK	2130	796
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS	0.00461 U	0.00922 U	0.0059 U	0.00409 U	0.00491 U	0.00422 U	0.00689 U	0.00689 U	10900	0.49 U	4.15	144	0.77 JQ	0.28 JQ	7860	13.5	9.68	42.5	13100	19.4	1730	947
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS	0.00468 U	0.00935 U	0.00598 U	0.00415 U	0.00498 U	0.00428 U	0.00699 U	0.00699 U	13800	0.43 U	4.94	199	1.15	0.21 U	8470	18.3	13.2	12.9	16200	32.9	1190	1240
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00448 U	0.00894 U	0.00572 U	0.00397 U	0.00477 U	0.00409 U	0.00669 U	0.00669 U	13600	0.44 U	7.72	200	1.17	0.39 JQ	43400	20.5	12.9	33.2	15800	30.7	3480	998
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS	0.00474 U	0.00946 U	0.00605 U	0.0042 U	0.00504 U	0.00433 U	0.00707 U	0.00707 U	15300	0.5 U	7.36	151	1.06	0.34 JQ	18900	16.5	9.86	18.8	16100	22.3	1700	860
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS	0.00467 U	0.00934 U	0.00597 U	0.00414 U	0.00498 U	0.00427 U	0.00698 U	0.00698 U	17400	0.51 U	6.47	207	1.3	0.36 JQ	24900	23.6	12	14.4	17600	23.9	2120	895
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.21 U	0.34 U	0.34 U	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS	0.00477 U	0.00953 U	0.00609 U	0.00423 U	0.00508 U	0.00436 U	0.17	0.17	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Metals									SVOCs									SVOCs									SVOCs			
Mercury	Nickel	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol
7439-97-6	7440-02-0	9/7/7440	7782-49-2	7440-22-4	7440-23-5	7440-28-0	7440-62-2	7440-66-6	95-94-3	90-12-0	58-90-2	95-95-4	88-06-2	120-83-2	105-67-9	51-28-5	121-14-2	606-20-2	91-58-7	95-57-8	91-57-6	88-74-4	88-75-5	91-94-1	99-09-2	534-52-1	101-55-3	59-50-7
mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
11	1500		390	390		0.78	390	23000	23	18	1900	6300	49	190	1300	130	1.7	0.36	4800	390	240	630		1.2		5.1		6300
	15000									18			49				1.7	0.36						1.2				
11	1500		390	390		0.78	390	23000	23	4200	1900	6300	63	190	1300	130	130	19	4800	390	240	630				5.1		6300
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
0.05	20.8	2450	0.36 JQ	0.23 U	91.2 UB	0.23 U	45.5	245	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.07	23.2	2350	0.24 U	0.24 U	95 UB	0.24 U	49.6	271	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U
0.05	24.7	1780	1.76 JQ	0.51 U	51.5 U	0.51 U	60	129	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.02	11.4	789	0.22 U	0.22 U	105 UB	0.22 U	23.3	50.3	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.04	19.2	2080	0.2 U	0.2 U	81.8 UB	0.2 U	43.9	167	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00895 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.02	23.5	1120	0.26 U	0.26 U	25.6 U	0.26 U	66.2	40.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.03	25.4	834	0.56 U	0.56 U	56.4 U	0.56 U	68.9	36.4 JQ	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.04	13.2	1290	0.22 U	0.22 U	86.9 UB	0.22 U	34.2	157	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00901 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.06	26.1	1280	0.25 U	0.25 U	99.1 UB	0.25 U	63.2	547 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.07	22.5	1580	0.25 U	0.25 U	99.6 UB	0.25 U	54.7	125 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.06	21.4	1020	0.25 U	0.25 U	101 UB	0.25 U	64.2	113	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.14	23	1820	0.19 U	0.19 U	77.5 UB	0.19 U	57.9	665	0.33 U	0.12 U	0.52 U	0.23 U	0.18 U	0.15 U	0.48 U	0.23 U	0.39 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.63 U	0.85 U	0.42 U	0.18 U	0.14 U
0.11	19.7	1080	0.24 U	0.24 U	96.8 UB	0.24 U	60.4 JK	163 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.0062 JQ	19.5	930	0.48 U	0.48 U	190 UB	0.48 U	50.9	115	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.06	19.1	3380	0.23 U	0.23 U	90.8 UB	0.23 U	42.4	174	0.03 U	0.03 JQ	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.06 JQ	0.00949 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.12	18.6	914	0.21 U	0.21 U	85.4 UB	0.21 U	48.8 JK	413 JK	0.03 U	0.02 JQ	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.04 JQ	0.00866 U	0.01 U	0.05 U	0.08 U	0.04 U	0.01 U	0.01 U
0.03	22.6	686	0.22 U	0.22 U	88.1 UB	0.22 U	53	111	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
0.05	20.5	2590	0.44 JQ	0.25 U	98.2 UB	0.25 U	41.8	168	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.07	23.5	2700	0.25 U	0.25 U	102 UB	0.25 U	50.9	263	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.04	26.2	2160	0.22 U	0.22 U	87.3 UB	0.22 U	48.1	168	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U
0.03	22.5	1320	0.26 U	0.26 U	103 UB	0.26 U	50.3	64.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.01	9.55	837	0.19 U	0.19 U	74.3 UB	0.19 U	19.9	58.1	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00886 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.02	11.1	1190	0.22 U	0.22 U	87.7 UB	0.22 U	28 JK	58.3 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00952 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.02	23.5	2180	0.25 U	0.25 U	25.4 U	0.25 U	62.8	97.6	0.03 U	0.01 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.02 JQ	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.02	26.8	2160	0.22 U	0.22 U	22.5 U	0.22 U	69.6	113	0.38 U	0.14 U	0.59 U	0.26 U	0.21 U	0.17 U	0.55 U	0.26 U	0.44 U	0.14 U	0.15 U	0.18 U	0.15 U	0.1 U	0.17 U	0.73 U	0.97 U	0.48 U	0.21 U	0.16 U
0.01	23.6	1490	0.23 U	0.23 U	93.1 UB	0.23 U	61.7 JK	61.7 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.0071 JQ	25.9	956	0.22 U	0.22 U	88.1 UB	0.22 U	66.5	63.5	0.38 U	0.14 U	0.58 U	0.26 U	0.21 U	0.17 U	0.54 U	0.26 U	0.44 U	0.14 U	0.15 U	0.18 U	0.15 U	0.1 U	0.17 U	0.72 U	0.96 U	0.48 U	0.2 U	0.16 U
0.009 JQ	11.6	1090	0.2 U	0.2 U	78.1 UB	0.2 U	30.6 JK	86.5 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00893 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.009 JQ	14.3	1170	0.25 U	0.25 U	98.7 UB	0.25 U	38.7	50.5	0.03 U	0.02 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.03 JQ	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.01	17.7	655	0.21 U	0.21 U	85.3 UB	0.21 U	49.9	46.7	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.02	23.4	1540	0.22 U	0.22 U	87.4 UB	0.22 U	56.2	91.7	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U
0.01	18.3	949	0.25 U	0.25 U	100 UB	0.25 U	43.1	40.7	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
0.03	22.7	1050	0.26 U	0.26 U	102 UB	0.26 U	57	47.4	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

SVOCs										SVOCs									SVOCs									
4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Aatrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate
106-47-8	7005-72-3	100-01-6	100-02-7	83-32-9	208-96-8	98-86-2	120-12-7	1912-24-9	100-52-7	56-55-3	50-32-8	205-99-2	191-24-2	207-08-9	92-52-4	111-91-1	111-44-4	108-60-1	117-81-7	85-68-7	105-60-2	86-74-8	218-01-9	53-70-3	132-64-9	84-66-2	131-11-3	84-74-2
mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
2.7		**27**		**3600**		**7800**	**18000**	**2.4**	**170**	**1.1**	**0.11**	**1.1**		**11**	**47**	**190**	**0.23**	**3100**	**39**	**290**	**31000**		**110**	**0.11**	**73**	**51000**		**6300**
2.7		**27**						**2.4**	**170**	**1.1**	**0.11**	**1.1**		**11**	**87**		**0.23**		**39**	**290**			**110**	**0.11**				
250		**250**		**3600**		**7800**	**18000**	**2200**	**7800**		**18**				**47**	**190**		**3100**	**1300**	**13000**	**31000**				**73**	**51000**		**6300**
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
0.05 U	0.00841 U	0.03 U	0.32 U	0.00828 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	**0.07 JQ**	**0.04 JQ**	**0.02 JQ**	0.00993 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.0097 U	0.02 U
0.06 U	0.00876 U	0.03 U	0.33 U	0.00863 U	0.01 U	0.02 U	0.02 U	0.02 U	**1.16 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00963 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00929 U	0.04 U	0.35 U	0.00915 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.67 JQK**	0.0094 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.05 U	0.00828 U	0.03 U	0.31 U	0.00815 U	0.00985 U	0.02 U	0.02 U	0.02 U	**0.15 JQK**	0.00837 U	0.01 U	0.01 U	0.0091 U	0.01 U	0.00977 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00954 U	0.02 U
0.05 U	0.00777 U	0.03 U	0.29 U	0.00765 U	0.00925 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.01 JQ**	**0.03 JQ**	**0.02 JQ**	**0.03 JQ**	0.00918 U	0.02 U	0.02 U	0.01 U	**1.18**	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00896 U	**0.04 JQ**
0.06 U	0.00916 U	0.04 U	0.35 U	0.00902 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00926 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00916 U	0.04 U	0.35 U	0.00902 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00926 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.05 U	0.00782 U	0.03 U	0.3 U	0.0077 U	0.00931 U	0.02 U	0.02 U	0.02 U	**0.1 JQK**	**0.01 JQ**	0.01 U	**0.02 JQ**	**0.02 JQ**	0.01 U	0.00924 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00902 U	0.02 U
0.06 U	0.00908 U	0.04 U	0.35 U	0.00894 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00918 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00896 U	0.04 U	0.34 U	0.00883 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00906 U	0.01 U	0.01 U	0.00986 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00919 U	0.04 U	0.35 U	0.00905 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.0093 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.56 U	0.08 U	0.35 U	3.11 U	0.08 U	0.09 U	0.24 U	0.24 U	0.25 U	0.47 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.23 U	0.26 U	0.16 U	0.14 U	0.13 U	0.28 U	0.2 U	0.14 U	0.2 U	0.12 U	0.33 U	0.09 U	0.25 U
0.06 U	0.00901 U	0.04 U	0.34 U	0.00887 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00911 U	0.01 U	0.01 U	0.0099 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00917 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00927 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.05 U	0.00825 U	0.03 U	0.31 U	0.00812 U	0.00982 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00907 U	0.01 U	0.00973 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.0095 U	0.02 U
0.05 U	0.00752 U	0.03 U	0.29 U	0.00741 U	0.00896 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00761 U	0.01 U	0.01 U	0.00827 U	0.01 U	0.00888 U	0.02 U	0.02 U	0.01 U	**0.1 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.03 U	0.00867 U	0.02 U
0.06 U	0.00881 U	0.03 U	0.33 U	0.00868 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00891 U	0.01 U	0.01 U	0.00969 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
0.06 U	0.00927 U	0.04 U	0.35 U	0.00913 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00905 U	0.04 U	0.34 U	0.00891 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.07 JQ**	**0.11 JQ**	**0.15 JQ**	**0.11 JQ**	**0.05 JQ**	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.1 JQ**	**0.02 JQ**	0.01 U	0.03 U	0.01 U	**0.38 JQ**
0.06 U	0.00867 U	0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.15 JQK**	0.00877 U	0.01 U	0.01 U	0.00954 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00905 U	0.04 U	0.34 U	0.00891 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.31 JQK**	0.00915 U	0.01 U	0.01 U	0.00995 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.05 U	0.00769 U	0.03 U	0.29 U	0.00758 U	0.00916 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00846 U	0.01 U	0.00908 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00887 U	0.02 U
0.05 U	0.00827 U	0.03 U	0.31 U	0.00815 U	0.00985 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	0.01 U	0.01 U	0.0091 U	0.01 U	0.00977 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.02 U	**0.03 JQ**	0.02 U	0.01 U	0.03 U	0.00954 U	0.02 U
0.06 U	0.00923 U	0.04 U	0.35 U	0.00908 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00933 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.65 U	0.09 U	0.4 U	3.56 U	0.09 U	0.11 U	0.28 U	0.27 U	0.29 U	0.53 UJK	0.09 U	0.13 U	0.16 U	0.1 U	0.15 U	0.1 U	0.27 U	0.3 U	0.18 U	0.16 U	0.15 U	0.32 U	0.23 U	0.16 U	0.23 U	0.14 U	0.38 U	0.1 U	0.28 U
0.06 U	0.00894 U	0.04 U	0.34 U	0.0088 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00904 U	0.01 U	0.01 U	0.00983 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.64 U	0.09 U	0.4 U	3.51 U	0.09 U	0.1 U	0.28 U	0.27 U	0.29 U	0.53 UJK	0.09 U	0.13 U	0.16 U	0.1 U	0.15 U	0.1 U	0.26 U	0.29 U	0.18 U	0.16 U	0.15 U	0.32 U	0.22 U	0.16 U	0.23 U	0.14 U	0.37 U	0.1 U	0.28 U
0.05 U	0.00776 U	0.03 U	0.29 U	0.00764 U	0.00923 U	0.02 U	0.02 U	0.02 U	**0.2 JQK**	**0.03 JQ**	0.01 U	0.01 U	0.00853 U	0.01 U	0.00916 U	0.02 U	0.02 U	0.01 U	**0.05 JQ**	**0.01 JQ**	0.02 U	0.01 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00894 U	0.02 U
0.06 U	0.00882 U	0.03 U	0.34 U	0.00869 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.07 JQ**	**0.05 JQ**	**0.08 JQ**	**0.03 JQ**	**0.04 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00889 U	0.03 U	0.34 U	0.00876 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00899 U	0.01 U	0.01 U	0.00978 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.05 U	0.00845 U	0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U
0.06 U	0.00917 U	0.04 U	0.35 U	0.00903 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00928 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
0.06 U	0.00912 U	0.04 U	0.35 U	0.00897 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00922 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

SVOCs																		
										SVOCs								
Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
117-84-0	206-44-0	86-73-7	118-74-1	87-68-3	77-47-4	67-72-1	193-39-5	78-59-1	319-77-3M	91-20-3	98-95-3	621-64-7	86-30-6	95-48-7	87-86-5	85-01-8	108-95-2	129-00-0
mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
630	2400	2400	0.21	1.2	1.8	1.8	1.1	570		3.8	5.1	0.078	110	3200	1		19000	1800
			0.21	1.2		1.8	1.1	570		3.8	5.1	0.078	110		1			
630	2400	2400	63	78	1.8	45		13000		130	130			3200	250		19000	1800
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
0.01 U	0.07 JQ	0.01 U	0.00788 U	0.01 U	0.02 U	0.01 U	0.04 JQ	0.01 U	0.02 U	0.01 U	0.01 U	0.00851 U	0.01 U	0.02 U	0.04 U	0.03 JQ	0.02 U	0.06 JQ
0.02 U	0.02 JQ	0.01 U	0.00821 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00886 UJ	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.02 JQ
0.02 U	0.01 U	0.01 U	0.00871 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0094 UJK	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.01 U	0.01 U	0.00775 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00963 U
1.18	0.03 JQ	0.00956 U	0.00728 U	0.01 U	0.02 U	0.01 U	0.01 JQ	0.01 U	0.02 U	0.00978 U	0.01 U	0.00786 U	0.01 U	0.01 U	0.04 U	0.01 U	0.02 U	0.03 JQ
0.02 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00926 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00926 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.08 JQ	0.01 JQ	0.00962 U	0.00733 U	0.01 U	0.02 U	0.01 U	0.02 JQ	0.01 U	0.02 U	0.00984 U	0.01 U	0.00791 U	0.01 U	0.01 U	0.04 U	0.01 U	0.02 U	0.01 JQ
0.02 U	0.01 U	0.01 U	0.0085 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00918 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.0084 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00906 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.00861 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.0093 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.18 U	0.1 U	0.09 U	0.07 U	0.13 U	0.24 U	0.12 U	0.15 U	0.12 U	0.22 U	1.73 JQ	0.17 U	0.08 U	0.12 U	0.19 U	0.41 U	0.1 U	0.21 U	0.09 U
0.02 U	0.01 U	0.01 U	0.00844 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00911 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.06 JQ	0.02 U	0.00927 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.03 JQ	0.01 U	0.00773 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.55	0.01 U	0.00834 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.02 JQ
0.01 U	0.03 JQ	0.00925 U	0.00705 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.71	0.01 U	0.00761 U	0.01 U	0.01 U	0.03 U	0.02 JQ	0.02 U	0.02 JQ
0.08 JQ	0.01 U	0.01 U	0.00826 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00891 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
0.02 U	0.04 JQ	0.01 U	0.00868 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00937 U	0.01 U	0.02 U	0.04 U	0.02 JQ	0.02 U	0.04 JQ
0.02 U	0.1 JQ	0.01 U	0.00848 U	0.01 U	0.02 U	0.01 U	0.11 JQ	0.01 U	0.02 U	0.01 U	0.02 U	0.00916 U	0.01 U	0.02 U	0.04 U	0.03 JQ	0.02 U	0.1 JQ
0.01 U	0.01 U	0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00877 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00915 UJ	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.02 JQ	0.00946 U	0.00721 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00968 U	0.01 U	0.00778 U	0.01 U	0.01 U	0.03 U	0.00998 U	0.02 U	0.02 JQ
0.01 U	0.04 JQ	0.01 U	0.00775 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.03 JQ
0.02 U	0.01 U	0.01 U	0.00864 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.14 JQ	0.02 U	0.00933 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.2 U	0.11 U	0.11 U	0.08 U	0.14 U	0.27 U	0.14 U	0.17 U	0.14 U	0.25 U	0.21 JQ	0.2 U	0.09 U	0.14 U	0.22 U	0.47 U	0.12 U	0.24 U	0.1 U
0.02 U	0.01 U	0.01 U	0.00838 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00904 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.2 U	0.11 U	0.11 U	0.08 U	0.14 U	0.27 U	0.13 U	0.17 U	0.14 U	0.25 U	0.26 JQ	0.2 U	0.09 U	0.13 U	0.22 U	0.46 U	0.11 U	0.24 U	0.1 U
0.01 U	0.07 JQ	0.00954 U	0.00727 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00975 U	0.01 U	0.00784 U	0.01 U	0.01 U	0.03 U	0.02 JQ	0.02 U	0.04 JQ
0.02 U	0.15 JQ	0.01 U	0.00827 U	0.01 U	0.02 U	0.01 U	0.02 JQ	0.01 U	0.02 U	0.28 JQ	0.01 U	0.00892 U	0.01 U	0.02 U	0.04 U	0.06 JQ	0.02 U	0.13 JQ
0.02 U	0.01 U	0.01 U	0.00833 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00899 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.01 U	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00983 U
0.02 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.1 JQ	0.02 U	0.00928 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00922 U	0.01 U	0.02 U	0.04 U	0.02 JQ	0.02 U	0.01 U
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

					0-1 inch	0-6 inch	6-12 inch	12-24 inch
FJD06-01	FJD06-01-20180502-01-51	0-1	5/2/2018	FS	**0.72 JK**			
	FJD06-01-20180502-06-51	0-6	5/2/2018	FS		**0.13**		
	FJD06-01-20180502-12-51	6-12	5/2/2018	FS			**0.01 JQK**	
	FJD06-01-20180502-24-51	12-24	5/2/2018	FS				**0.12**
FJD07-01	FJD07-01-20180502-01-51	0-1	5/2/2018	FS	**6.81**			
	FJD07-01-20180502-06-51	0-6	5/2/2018	FS		**1.67**		
	FJD07-01-20180502-12-51	6-12	5/2/2018	FS			**0.1 JK**	
	FJD07-01-20180502-24-51	12-24	5/2/2018	FS				**0.36 JK**
FJD06-02	FJD06-02-20180430-01-51	0-1	4/30/2018	FS	**0.11 JK**			
	FJD06-02-20180430-06-51	0-6	4/30/2018	FS		0.00706 U		
	FJD06-02-20180430-12-51	6-12	4/30/2018	FS			0.0071 U	
FJD06-03	FJD06-03-20180430-01-51	0-1	4/30/2018	FS	0.00607 U			
	FJD06-03-20180430-06-51	0-6	4/30/2018	FS		0.007 U		
	FJD06-03-20180430-06-52	0-6	4/30/2018	DUP		**0.08 JK**		
	FJD06-03-20180430-12-51	6-12	4/30/2018	FS			0.00699 U	
FJD06-04	FJD06-04-20180430-01-51	0-1	4/30/2018	FS	**0.08 JK**			
	FJD06-04-20180430-06-51	0-6	4/30/2018	FS		0.00699 U		
	FJD06-04-20180430-12-51	6-12	4/30/2018	FS			0.00707 U	
FJD06-05	FJD06-05-20180430-01-51	0-1	4/30/2018	FS	0.0064 U			
	FJD06-05-20180430-06-51	0-6	4/30/2018	FS		0.00592 U		
	FJD06-05-20180430-12-51	6-12	4/30/2018	FS			0.00688 U	
FJD06-FLN	FJD06-FLN-20180502-06-51	0-6	5/2/2018	FS		**0.12 JH**		
FJD06-FLW	FJD06-FLW-20180502-06-51	0-6	5/2/2018	FS		0.00707 U		
FJD07-02	FJD07-02-20180430-01-51	0-1	4/30/2018	FS	**0.07**			
	FJD07-02-20180430-01-52	0-1	4/30/2018	DUP	**0.18**			
	FJD07-02-20180430-06-51	0-6	4/30/2018	FS		**0.05 JK**		
	FJD07-02-20180430-06-52	0-6	4/30/2018	DUP		**0.22 JK**		
	FJD07-02-20180430-12-51	6-12	4/30/2018	FS			**0.09**	
	FJD07-02-20180430-12-52	6-12	4/30/2018	DUP			0.03 U	
FJD07-03	FJD07-03-20180430-01-51	0-1	4/30/2018	FS	**0.08 JK**			
	FJD07-03-20180430-06-51	0-6	4/30/2018	FS		0.00689 U		
	FJD07-03-20180430-12-51	6-12	4/30/2018	FS			0.00699 U	
FJD07-04	FJD07-04-20180430-01-51	0-1	4/30/2018	FS	0.00669 U			
	FJD07-04-20180430-06-51	0-6	4/30/2018	FS		0.00707 U		
	FJD07-04-20180430-12-51	6-12	4/30/2018	FS			0.00698 U	
FJD07-05NSEW	FJD07-05-DLNSEW-20180502-06-51	0-6	5/2/2018	Field		0.34 U		
FJD07-FLE	FJD07-FLE-20180502-06-51	0-6	5/2/2018	FS		**0.17**		

SUM	0.53916	1.091	0.29598
Samples	8	13	8
Average	**0.067395**	**0.083923**	**0.036998**
MAX	**0.11**	**0.22**	**0.09**

Analyte					Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.0042 U	0.00687 U	0.00687 U	8320	0.38 U	6.66	163	0.66 JQ	0.87	128000	14.7	8.98	18.1	11400	152	2190	1220	0.0057 U	18.6
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.00442 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	9940	0.4 U	6.21	137	0.71 JQ	0.69 JQ	167000	14.6	8.64	21	12400	96.8	2020	1470	0.04	18
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.00401 U	0.00656 U	0.00656 U	4100	0.46 U	2.4	57	0.34 JQ	0.32 JQ	336000	8.87	6.01	5.36	6550	13.9	1860	1250	0.01	13
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.00414 U	0.00677 U	0.00677 U	9440	0.39 U	7.19	180	0.8	0.86	127000	17.5	10.4	22.5	12000	132	2440	1670	0.11	22.2
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.00411 U	0.00671 U	0.00671 U	14800 JK	0.48 U	7.72	197	0.9 JQ	0.71 JQ	85900	21.5	11.3	19.1	16100	79	2660	1840	0.13	25.7
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.00442 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	5800	0.43 U	2.34	55.5	0.32 JQ	0.29 JQ	344000	10.7	5.15	4.73	7290	10	1690	1450	0.01	13.7
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7760	0.43 U	6.46	162	0.7 JQ	1.23	137000	17.9	10.1	19.4	15000	280	2640	1120	0.08	18.2
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.0042 U	0.00686 U	0.00686 U	8760	0.4 U	5.26	147	0.74 JQ	0.7 JQ	126000	13.9	9.07	13.8	11000	130	1990	1050	0.08	17.2
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	9400	0.41 U	5.62	164	0.78 JQ	0.64 JQ	226000	18.6	10.9	13.2	12800	72.6	2530	1600	0.05	25.1
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	10100	0.44 U	11.1	315	1	1.97	92700	23.4	11.2	41	14400	346	2580	1510	0.49	25.3
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.00416 U	0.00679 U	0.00679 U	11400	0.46 U	9.4	219	0.69 JQ	1.27	97400	19.9	9.01	49.1	15500	197	2150	1510	0.42	20.9
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.00411 U	0.00672 U	0.00672 U	7780	0.38 U	6.04	155	0.7 JQ	0.79	241000	15.5	7.55	19.5	10800	85.9	2070	1260	0.26	18.7
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7590	0.39 U	6.56	210	0.61 JQ	1.15	158000	16.6	10	27.2	11300	194	3660	1640	0.11	22.9
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	12800	0.39 U	11.5	260	0.84	1.12	118000	21	10.2	31.6	24800	195	2290	1720	0.16	24.7

	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.0067 U	0.0067 U	**7360**	0.37 U	**4.45**	**109**	**0.57 JQ**	**0.45 JQ**	**247000**	**14.2**	**8.6**	**31.6**	**10400**	**53**	**1850**	**1280**	**0.08**	**20.4**
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	**4510**	0.47 U	**6.52**	**183**	**0.38 JQ**	**2.71**	**96100**	**14.5**	**6.25**	**29.7**	**9340**	**300**	**2620**	**676**	**0.05**	**14.8**
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	**7280**	0.48 U	**8.23**	**152**	**0.45 JQ**	**0.89 JQ**	**147000**	**31**	**7.4**	**22.7**	**9590**	**164**	**2100 JK**	**1050**	**0.05**	**16.1**
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00468 U	0.00401 U	0.00656 U	0.00656 U	**6920**	0.47 U	**5.73**	**99.7**	**0.44 JQ**	**0.35 JQ**	**243000**	**14.4**	**7.66**	**9.43**	**9450**	**28.6**	**1840 JK**	**1260**	**0.04**	**16.6**
FJD01-07	FJD01-07-20180501-01-51	0-1	5/1/2018	FS	0.00452 U	0.00902 U	0.00577 U	0.00401 U	0.00481 U	0.00413 U	0.00674 U	0.00674 U	**8590**	0.41 U	**7.66**	**151**	**0.58 JQ**	**0.86**	**134000**	**21.8**	**8.88**	**28.4**	**11400**	**92.6**	**2390 JK**	**1200**	**0.1**	**19.2**
	FJD01-07-20180501-06-51	0-6	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	**10700**	0.4 U	**7.56**	**149**	**0.75 JQ**	**0.63 JQ**	**162000**	**17.1**	**10.2**	**19.8**	**13300**	**54.2**	**2310 JK**	**1500**	**0.07**	**21.1**
	FJD01-07-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00481 U	0.00413 U	0.00675 U	0.00675 U	**9960**	0.37 U	**5.15**	**117**	**0.53 JQ**	**0.39 JQ**	**219000**	**13.3**	**9.68**	**9.65**	**11800**	**53.1**	**1750**	**1580**	**0.05**	**17.8**
FJD01-08	FJD01-08-20180501-01-51	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.02 U	0.04 U	0.04 U	**4660**	**1.1 JQ**	**7.01**	**193**	0.31 U	**2.18**	**59700**	**12.2**	**6.51**	**45.7**	**10500**	**134**	**1710 JK**	**599**	**0.05**	**24.5**
	FJD01-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	**5400**	0.47 U	**4.38**	**114**	**0.36 JQ**	**0.59 JQ**	**253000**	**11.3**	**9.24**	**11**	**9170**	**20.7**	**1550 JK**	**1310**	**0.01**	**14.8**
	FJD01-08-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	**6910**	0.45 U	**3.82**	**84.7**	**0.4 JQ**	**0.36 JQ**	**200000**	**10.5**	**7.58**	**7.97**	**8500**	**13.8**	**1410 JK**	**1220**	**0.04**	**14.7**
FJD01-09	FJD01-09-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	**7180**	0.45 U	**18.2**	**298**	**0.49 JQ**	**1.9**	**157000**	**32.8**	**10.3**	**87.6**	**41300**	**407**	**2460**	**1340**	**0.09**	**26.8**
	FJD01-09-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.00678 U	0.00678 U	**9070**	0.45 U	**12.9**	**182**	**0.54 JQ**	**0.85 JQ**	**190000**	**16.8**	**8.3**	**42.8**	**14400**	**86.7**	**1950**	**1350**	**0.06**	**18.7**
	FJD01-09-20180501-12-51	6-12	5/1/2018	FS	0.00461 U	0.0092 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.00688 U	0.00688 U	**8880**	0.45 U	**4.91**	**74.2**	**0.5 JQ**	**0.34 JQ**	**247000**	**14.1**	**7.68**	**8.87**	**11300**	**12.7**	**1770**	**1190**	**0.01**	**17.1**

FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.0037 U	**0.42**	**0.42**	**3250**	0.42 U	**10.3**	**108**	**0.28 JQ**	**0.57 JQ**	**193000**	**7.11**	**3.9**	**11.6**	**6320**	**95.5**	**1520**	**885**	**0.08**	**9**
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.00393 U	0.00642 U	0.00642 U	**4980**	0.43 U	**29**	**58.2**	**0.33 JQ**	**0.36 JQ**	**261000 JK**	**8.82 JK**	**5.09**	**8.12 JK**	**7340**	**30.4 JK**	**1510**	**1300**	**0.07**	**11.7**

	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.00401 U	0.00655 U	0.00655 U	4170	0.45 U	21.2	39.4	0.31 JQ	0.3 JQ	280000	6.91	3.3	5.37	5890	16.4	1270	902	0.03	8.81
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.00367 U	0.00599 U	0.00599 U	4320	0.42 U	12.1	86.8	0.33 JQ	0.44 JQ	170000	7.97	3.9	20.9 JK	5770	46.3	1630	964 JK	0.09	8.61
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.00402 U	0.00657 U	0.00657 U	5640	0.41 U	19.7	80.5	0.35 JQ	0.39 JQ	239000 JK	9.47 JK	5.5	11.7 JK	7560	43.5 JK	1500	1200	0.11	11.5
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.00395 U	0.00646 U	0.00646 U	4880	0.4 U	20.2	69.7	0.33 JQ	0.38 JQ	325000	10.2	5.68	9.68	8010	20.9	1720	1140	0.03	13.9
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.00379 U	0.1 JK	0.1 JK	6700	0.41 U	6.1	117	0.47 JQ	0.59 JQ	138000	11.9	6.34	30.9	9940	48.9	1890	1240	0.13	12.5
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	7400	0.46 U	12	121	0.49 JQ	0.58 JQ	210000 JK	13.6 JK	6.51	25.3 JK	10700	48.5 JK	1780	1600	0.13	13.6
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.00393 U	0.00643 U	0.00643 U	5250	0.41 U	17	128	0.34 JQ	0.46 JQ	258000	10.8	4.73	16.9	7160	48.6	1400	1140	0.1	10.3
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.00367 U	0.15	0.15	10200	0.35 U	6.68	146	0.69 JQ	0.73	87700	16.2	9.34	45.8	13200	43	2160	1470	0.07	16.6
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.00425 U	0.03 JQ	0.03 JQ	10500	0.46 U	6.94	149	0.71 JQ	0.61 JQ	132000	16.8	9.69	36	13800	42.6	2030	1730	0.08	18.9
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.00669 U	0.00669 U	9190	0.39 U	6.15	182	0.59 JQ	0.45 JQ	216000	12.8	14.5	28.9	14400	29.8	1720	2160	0.05	19.7
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	4170	0.39 U	5.55	161	0.31 JQ	1.65	123000	7.23	3.85	9.55	6310	341	2460	745	0.08	9.03
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.00376 U	0.00615 U	0.00615 U	6660	0.39 U	8.53	99.1	0.39 JQ	0.51 JQ	201000 JK	9.77 JK	5.31	8.37 JK	7740	71.7 JK	3020	1070	0.1	11.8
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.00387 U	0.00632 U	0.00632 U	3520	0.39 U	4.45	53.6	0.25 JQ	0.41 JQ	259000 JK	6.73 JK	3.27	4.61 JK	5590	51.1 JK	1290	1010	0.04	8.05
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.00352 U	0.00576 U	0.00576 U	3700	0.36 U	9.83	157	0.4 JQ	0.76	121000	9.9	4.87	17.1 JK	7140	90.8	3590 JK	728	0.11	10.4
	FJD05-06-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.0077 U	0.00493 U	0.00342 U	0.00411 U	0.00352 U	0.00576 U	0.00576 U	3490	0.37 U	6.62	98.1	0.28 JQ	0.48 JQ	113000	6.57	3.37	10.1 JK	5180	63.6	1960 JK	684	0.12	6.96
	FJD05-06-20180430-06-51	0-6	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.00379 U	0.00619 U	0.00619 U	6260	0.35 U	18.4	130	0.42 JQ	0.64 JQ	244000 JK	12.2 JK	5.63	14.4 JK	10300	84.8 JK	1800	1170	0.14	12.5
	FJD05-06-20180430-12-51	6-12	4/30/2018	FS	0.00425 U	0.0085 U	0.00543 U	0.00377 U	0.00453 U	0.00389 U	0.00635 U	0.00635 U	6280	0.41 U	9.32	121	0.47 JQ	0.75 JQ	168000	11.2	5.54	13.9	10100	77.2	1590	1200	0.29	12.8

FJD05-07	FJD05-07-20180430-01-51	0-1	4/30/2018	FS	0.00394 U	0.00786 U	0.00503 U	0.00349 U	0.00419 U	0.0036 U	0.00588 U	0.00588 U	5890	0.32 U	7.17	103	0.34 JQ	0.52 JQ	194000	10.1	4.74	18.1	9470	58.4	1380	1040	0.09	9.97
	FJD05-07-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	6540	0.47 U	10.2	125	0.42 JQ	0.79 JQ	212000	12.2	6.38	15.8	11400	71.9	1330	1120	0.15	12.7
	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	6740	0.37 U	14.1	170	0.44 JQ	0.67 JQ	215000	13.4	6.37	56.6	11300	72.3	1460	1210	0.47	13.5
FJD05-08	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.00362 U	0.00592 U	0.00592 U	10900	0.43 U	8.7	221	0.88	0.66 JQ	135000	20.5	14.5	27.2	14200	56	2370	1780	0.04	23.5
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.00431 U	0.00705 U	0.00705 U	10100	0.46 U	6.8	106	0.62 JQ	0.43 JQ	197000 JK	15 JK	8.15	15.7 JK	12700	41.1 JK	1750	1440	0.03	15.5
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.00666 U	0.00666 U	13200	0.47 U	5.69	137	0.94	0.35 JQ	94900	20.2	12.3	11.5	15700	25	1500	1440	0.02	19
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	5970	0.36 U	12.7	140	0.4 JQ	1.15	152000 JK	11.4 JK	5.47 JK	12.5 JK	8830	235 JK	1620 JK	1020	0.07	10.8
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.00353 U	0.00577 U	0.00577 U	7690	0.35 U	15.4	192	0.62 JQ	1.55	193000	15	9.14 JK	26.9 JK	10900	273	2770 JK	1300 JK	0.11	17.2
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	5320	0.42 U	6.65	99.5	0.36 JQ	0.9	245000 JK	9.73 JK	4.96	8.21 JK	7690	134 JK	1330	1170	0.07	10.4
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.00395 U	0.00645 U	0.00645 U	6670	0.39 U	7.71	86.8	0.41 JQ	0.54 JQ	193000 JK	10.3 JK	5.7	11.5 JK	9130	109 JK	1490	1200	0.07	11.2
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.00386 U	0.00631 U	0.00631 U	5970	0.36 U	14.8 JK	160 JK	0.48 JQ	0.97	229000	14.2	7.05	9.56	8970	169 JK	1740	1130	0.06	14.6
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.00398 U	0.0065 U	0.0065 U	6840	0.42 U	5.39 JK	82.1 JK	0.45 JQ	0.44 JQ	243000 JK	11.2 JK	5.79	8.17 JK	9300	41.4 JK	1550	1490	0.07	12.2
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.00351 U	0.00574 U	0.00574 U	5000	0.4 U	9.68	126	0.37 JQ	0.73 JQ	107000	7.88	4.93	10.5 JK	6760	94.5	2880	754 JK	0.07	10
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.00398 U	0.12	0.12	6300	0.43 U	6.32	117	0.42 JQ	0.74 JQ	198000	10.1	6.57	9.84	13400	106	2320	1200	0.07	14.4
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.00399 U	0.00651 U	0.00651 U	5630	0.37 U	4.57	132	0.45 JQ	0.6 JQ	228000	9.26	6.16	7.95	9120	82.7	1620	1120	0.12	12
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.00354 U	0.00579 U	0.00579 U	7680	0.4 U	6.76	116	0.47 JQ	0.49 JQ	73700 JK	10.4	6.4	10.7	10000	61.9	2580	849	0.23	11.1
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	8090	0.47 U	33	277	0.62 JQ	2.52	163000	20.7	9.02	82.7	35400	369	1720	1240	0.37	24

	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.007 U	0.007 U	**11200**	0.44 U	**11.2**	**114**	**0.79 JQ**	**0.43 JQ**	**207000**	**16.7**	**9.04**	**11**	**14200**	**49.5**	**1490**	**1370**	**0.17**	**15.8**
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.00365 U	0.00597 U	0.00597 U	**13200**	0.43 U	**8.88**	**150**	**0.84 JQ**	**0.47 JQ**	**54000 JK**	**18.4**	**10.9 JK**	**18.9 JK**	**16600**	**46.7 JK**	**1710**	**1500**	**0.06**	**17.3**
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.00415 U	0.00678 U	0.00678 U	**18900**	1.16 U	**6.3**	**202**	**1.28 JQ**	0.58 U	**17500**	**28.1**	**18.7**	**13.9**	**21200**	**26.7**	**1610**	**1770**	**0.03**	**25.6**
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.00437 U	0.00714 U	0.00714 U	**15700**	0.41 U	**10**	**220**	**1.23**	**0.62 JQ**	**32300**	**26**	**16.9**	**18.1**	**18900**	**45.9**	**1750**	**1890**	**0.06**	**26.6**

Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	2,3,4,6-Tetrachlorophenol	2,4,5-Trichlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline	4,6-Dinitro-2-methylphenol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether
1570	0.19 U	0.19 U	106 UB	0.19 U	**37.3**	**215**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00886 U
1210	0.2 U	0.2 U	118 UB	0.2 U	**38.5**	**125**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00985 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00856 U
513	0.23 U	0.23 U	230 UB	0.23 U	**25.1**	**31.7**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U	0.01 U	0.06 U	0.0085 U
1800	0.19 U	0.19 U	96.6 UB	0.19 U	**42.7**	**236**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00872 U
1720	**0.64 JQ**	0.24 U	102 UB	0.24 U	**51.1**	**166**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	**0.02 R**	0.04 U	0.01 U	0.01 U	0.01 U	**0.01 JQ**	0.00996 U	0.01 U	0.06 U	0.09 U	0.04 UJL	0.02 U	0.01 U	0.06 U	0.00865 U
578	0.22 U	0.22 U	190 UB	0.22 U	**31.5**	**27.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00828 U
1350	0.22 U	0.22 U	104 UB	0.22 U	**33.1**	**427**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00869 U
961	0.2 U	0.2 U	108 UB	0.2 U	**35.1**	**210**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00861 U
1100	0.2 U	0.2 U	136 UB	0.2 U	**51.7**	**115**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00853 U
2660	0.22 U	**0.32 JQ**	166 UB	0.22 U	**43.7**	**819**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00877 U
2100	0.23 U	0.23 U	91.5 UB	0.23 U	**39.1**	**494**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.02 JQ**	0.00995 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U
1080	0.19 U	0.19 U	325 UB	0.19 U	**38.7**	**214**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00866 U
1730	0.2 U	0.2 U	183 UB	0.2 U	**33.3**	**307**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U	0.01 U	0.06 U	0.00849 U
2170	0.19 U	0.19 U	139 UB	0.19 U	**45.1**	**370**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00839 U

841	0.18 U	0.18 U	176 UB	0.18 U	**38.5**	**92.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0098 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U	0.01 U	0.06 U	0.00852 U
1060	0.23 U	0.23 U	93.7 UB	0.23 U	**17.6**	**401**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00981 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00852 U
1030	0.24 U	0.24 U	128 UB	0.24 U	**24.4**	**273 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00987 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00857 U
797	0.24 U	0.24 U	140 UB	0.24 U	**32.4**	**67.5 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00999 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00868 U
1920	0.21 U	0.21 U	118 UB	0.21 U	**32.5**	**214 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U
1370	**0.29 JQ**	0.2 U	127 UB	0.2 U	**41**	**124 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00858 U
882	0.19 U	0.19 U	111 UB	0.19 U	**35.6**	**75.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00995 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U
992	0.31 U	0.31 U	124 UB	0.31 U	**14.7**	**866 JK**	0.04 U	0.01 U	0.07 U	0.03 U	0.02 U	0.02 U	0.06 U	0.03 U	0.05 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.02 U	0.09 U	0.12 U	0.06 U	0.02 U	0.02 U	0.08 U	0.01 U
662	0.24 U	0.24 U	139 UB	0.24 U	**28.7**	**178 JK**	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U	0.05 U	0.02 U	0.01 U	0.07 U	0.00994 U
607	0.22 U	0.22 U	110 UB	0.22 U	**27**	**51 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.0088 U
1740	0.23 U	0.23 U	154 UB	0.23 U	**27**	**840**	0.03 U	**0.03 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.03 JQ**	0.00999 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00867 U
1300	0.23 U	0.23 U	137 UB	0.23 U	**30.3**	**385**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00987 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00857 U
964	0.23 U	0.23 U	135 UB	0.23 U	**34.4**	**53.2**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00881 U

1020	0.21 U	0.21 U	93.8 UB	0.21 U	**13.8**	**216**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00902 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00784 U
1040	0.22 U	0.22 U	112 UB	0.22 U	**19 JK**	**53.7 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00838 U

694	0.23 U	0.23 U	117 UB	0.23 U	**15.4**	**32.3**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00972 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00844 U
1330	0.21 U	0.21 U	85.3 UB	0.21 U	**13.9**	**103**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00889 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00772 U
1200	0.2 U	0.2 U	98.4 UB	0.2 U	**19.8 JK**	**78.1 JK**	0.03 U	**0.02 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.02 JQ**	0.00968 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00841 U
997	0.2 U	0.2 U	129 UB	0.2 U	**23.1**	**60.4**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00832 U
1920	0.21 U	0.21 U	94.9 UB	0.21 U	**22.3**	**192**	0.33 U	0.12 U	0.51 U	0.23 U	0.18 U	0.14 U	0.47 U	0.23 U	0.38 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.63 U	0.84 U	0.42 U	0.18 U	0.14 U	0.56 U	0.08 U
1690	0.23 U	0.23 U	106 UB	0.23 U	**25.7 JK**	**173 JK**	0.03 U	**0.05 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.04 JQ**	0.00993 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00862 U
1010	0.2 U	0.2 U	107 UB	0.2 U	**19.4**	**142**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.06 U	0.00845 U
2520	0.17 U	0.17 U	69.4 UB	0.17 U	**31.9**	**156**	0.03 U	**0.02 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.04 JQ**	0.0089 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00773 U
2360	0.23 U	0.23 U	92.7 UB	0.23 U	**35.7**	**157**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00895 U
1660	0.2 U	0.2 U	87.5 UB	0.2 U	**39.2**	**85**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00874 U
841	0.19 U	0.19 U	141 UB	0.19 U	**14**	**332**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00853 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00741 U
1090	0.19 U	0.19 U	105 UB	0.19 U	**20.4 JK**	**92.2 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00901 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00782 U
575	0.19 U	0.19 U	103 UB	0.19 U	**16 JK**	**66.8 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0092 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00799 U
1080	0.18 U	0.18 U	108 UB	0.18 U	**16.6**	**203**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00742 U
796	0.19 U	0.19 U	77.9 UB	0.19 U	**11.7**	**128**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00742 U
1040	0.18 U	0.18 U	130 UB	0.18 U	**24.2 JK**	**176 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00919 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00798 U
859	0.21 U	0.21 U	113 UB	0.21 U	**23.3**	**180**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00942 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00819 U

1180	0.16 U	0.16 U	102 UB	0.16 U	**19.9**	**149**	0.03 U	**0.05 JQ**	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.05 JQ**	0.00866 U	0.01 U	0.05 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00753 U
1080	0.23 U	0.23 U	157 UB	0.23 U	**26.1**	**204**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00964 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00837 U
1010	0.19 U	**0.32 JQ**	109 UB	0.19 U	**25.8**	**173**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00843 U
2590	0.22 U	0.22 U	86.7 UB	0.22 U	**51.5**	**145**	0.03 U	**0.04 JQ**	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.00884 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00768 U
1540	0.23 U	0.23 U	91.4 UB	0.23 U	**38.1 JK**	**76.6 JK**	0.03 U	**0.07 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00914 U
1240	0.23 U	0.23 U	93.1 UB	0.23 U	**53.1**	**54.8**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00859 U
1070	0.18 U	0.18 U	116 UB	0.18 U	**24.3 JK**	**237 JK**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00736 U
1430	0.17 U	0.17 U	188 UB	0.17 U	**35.6**	**316**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.05 U	0.07 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00749 U
697	0.21 U	0.21 U	118 UB	0.21 U	**23.8 JK**	**160 JK**	0.03 U	**0.01 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	**0.01 JQ**	0.00924 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00802 U
902	0.2 U	0.2 U	106 UB	0.2 U	**25.2 JK**	**111 JK**	0.03 U	**0.04 JQ**	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.09 JQ**	0.00983 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00854 U
835	0.18 U	0.18 U	130 UB	0.18 U	**33.3**	**193 JK**	0.33 U	0.12 U	0.52 U	0.23 U	0.18 U	0.15 U	0.48 U	0.23 U	0.39 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.64 U	0.86 U	0.43 U	0.18 U	0.14 U	0.57 U	0.08 U
845	0.21 U	0.21 U	129 UB	0.21 U	**27.9 JK**	**59.6 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00945 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00821 U
925	0.2 U	0.2 U	95.5 UB	0.2 U	**17.5**	**176**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00745 U
792	0.21 U	0.21 U	137 UB	0.21 U	**26.9**	**164**	0.03 U	**0.06 JQ**	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	**0.08 JQ**	0.00965 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00838 U
629	0.18 U	0.18 U	143 UB	0.18 U	**24.4**	**133**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00966 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.00839 U
1180	0.2 U	0.2 U	80.4 UB	0.2 U	**25.4 JK**	**116 JK**	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00842 U	0.01 U	0.05 U	0.07 U	0.03 U	0.01 U	0.01 U	0.05 U	0.00731 U
1210	0.24 U	0.24 U	179 UB	0.24 U	**33.6**	**547**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U	0.04 U	0.01 U	0.01 U	0.06 U	0.00849 U

1050	0.22 U	0.22 U	100 UB	0.22 U	**45.3**	**79.5**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00902 U
1770	0.21 U	0.21 U	85.1 UB	0.21 U	**48 JK**	**124 JK**	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00898 U	0.01 U	0.06 U	0.08 U	0.04 U	0.01 U	0.01 U	0.05 U	0.0078 U
1200	0.58 U	0.58 U	58.1 U	0.58 U	**75.8**	**60.1**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00873 U
2260	0.2 U	0.2 U	81.5 UB	0.2 U	**66.1**	**113**	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U	0.04 U	0.02 U	0.01 U	0.06 U	0.00914 U

4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Aatrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene
0.03 U	0.34 U	0.00872 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00974 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**
0.03 U	0.33 U	0.00843 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00941 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00987 U	0.02 U	0.01 U	**0.03 JQ**
0.03 U	0.32 U	0.00837 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.0086 U	0.01 U	0.01 U	0.00935 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0098 U	0.02 U	0.01 U	0.01 U
0.03 U	0.33 U	0.00859 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.05 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00959 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**
0.03 U	0.33 U	0.00852 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.74 JQK**	0.00875 U	0.01 U	0.01 U	0.00951 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 UJL	**0.02 JQ**	0.03 U	0.00997 U	0.02 U	0.01 U	**0.01 JQ**
0.03 U	0.31 U	0.00815 U	0.00986 U	0.02 U	0.02 U	0.02 U	**0.06 JQK**	0.00837 U	0.01 U	0.01 U	0.00911 U	0.01 U	0.00978 U	0.02 U	0.02 U	0.01 U	**0.21 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00955 U	0.02 U	0.01 U	0.01 U
0.03 U	0.33 U	0.00856 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.1 JQK**	**0.03 JQ**	0.01 U	**0.04 JQ**	**0.03 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.03 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.05 JQ**	**0.07 JQ**	**0.04 JQ**
0.03 U	0.33 U	0.00848 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00947 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00992 U	0.02 U	0.01 U	**0.02 JQ**
0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00862 U	0.01 U	0.01 U	0.00938 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00983 U	0.02 U	0.01 U	0.01 U
0.03 U	0.33 U	0.00864 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.12 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00964 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.1 JQ**	**0.02 JQ**
0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.31 JQK**	**0.02 JQ**	**0.01 JQ**	0.01 U	**0.01 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.25 JQ**	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	**0.03 JQ**
0.03 U	0.33 U	0.00853 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00876 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00999 U	0.02 U	0.01 U	0.01 U
0.03 U	0.32 U	0.00836 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.17 JQK**	**0.05 JQ**	0.01 U	0.01 U	**0.07 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.48**	**0.56**	0.03 U	0.02 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.00979 U	**0.05 JQ**	**0.48**	**0.09 JQ**
0.03 U	0.32 U	0.00826 U	0.00998 U	0.02 U	0.02 U	0.02 U	**0.18 JQK**	**0.02 JQ**	**0.01 JQ**	**0.02 JQ**	**0.01 JQ**	0.01 U	0.0099 U	0.02 U	0.02 U	0.01 U	**0.33 JQ**	**0.05 JQ**	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00967 U	0.02 U	0.01 U	**0.02 JQ**

0.03 U	0.32 U	0.00838 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00861 U	0.01 U	0.01 U	0.00936 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00982 U	0.02 U	0.01 U	0.01 U
0.03 U	0.32 U	0.00839 U	0.01 U	**0.03 J**	0.02 U	0.02 U	**0.12 JQK**	**0.05 JQ**	0.01 U	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.51**	**2.98**	0.03 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00982 U	**0.44**	**0.51**	**0.07 JQ**
0.03 U	0.33 U	0.00844 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.26 JQ**	**1.9**	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00988 U	**0.95**	0.01 U	**0.03 JQ**
0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00878 U	0.01 U	0.01 U	0.00954 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.07 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U
0.03 U	0.33 U	0.0085 U	0.01 U	0.02 U	**0.1 JQ**	0.02 U	0.05 UJK	**0.69**	**0.44**	**1.1**	**0.42**	**0.39 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.35 JQ**	**0.59**	0.03 U	**0.07 JQ**	**1.17**	**0.12 JQ**	0.01 U	0.03 U	0.00995 U	**0.26 JQ**	0.01 U	**0.86**
0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.03 JQ**	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.03 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00989 U	**0.03 JQ**	0.01 U	**0.03 JQ**
0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.06 JQK**	0.00874 U	0.01 U	0.01 U	0.0095 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.21 JQ**	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	0.01 U
0.05 U	0.44 U	0.01 U	0.01 U	0.03 U	0.03 U	0.03 U	0.06 UJK	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	0.02 U	**1.58**	0.02 U	0.04 U	0.02 U	0.02 U	0.03 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U
0.04 U	0.38 U	0.00978 U	0.01 U	0.03 U	0.03 U	0.03 U	0.05 UJK	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U
0.03 U	0.33 U	0.00867 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.0089 U	0.01 U	0.01 U	0.00968 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.13 JQ**	**0.21 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.01 JQ**
0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.42 JQK**	**0.03 JQ**	0.01 U	**0.06 JQ**	**0.04 JQ**	**0.01 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**1.09**	**12.4**	0.03 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.3 JQ**	0.01 U	**0.06 JQ**
0.03 U	0.33 U	0.00844 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.21 JQK**	**0.01 JQ**	0.01 U	**0.01 JQ**	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.26 JQ**	**0.09 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00988 U	0.02 U	0.01 U	**0.01 JQ**
0.03 U	0.33 U	0.00867 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00891 U	0.01 U	0.01 U	0.00968 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.47**	**1.73**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U

0.03 U	0.3 U	0.00772 U	0.00933 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.06 JQ**	**0.08 JQ**	**0.05 JQ**	**0.03 JQ**	0.00925 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.02 U	0.01 U	0.03 U	0.00903 U	0.02 U	0.01 U	**0.11 JQ**
0.03 U	0.32 U	0.00825 U	0.00997 U	0.02 U	0.02 U	0.02 U	**0.36 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00921 U	0.01 U	0.00989 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00966 U	0.02 U	0.01 U	**0.05 JQ**

0.03 U	0.32 U	0.00831 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.01 U	0.01 U	0.00928 U	0.01 U	0.00997 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00973 U	0.02 U	0.01 U	0.01 U
0.03 U	0.29 U	0.00761 U	0.0092 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.1 JQ**	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.00912 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.0089 U	0.02 U	**0.03 JQ**	**0.07 JQ**
0.03 U	0.32 U	0.00828 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.48 JQK**	**0.02 JQ**	**0.02 JQ**	**0.04 JQ**	**0.01 JQ**	**0.04 JQ**	0.00993 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	**0.03 JQ**	0.03 U	0.0097 U	0.02 U	0.01 U	**0.04 JQ**
0.03 U	0.32 U	0.00819 U	0.00991 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00841 U	0.01 U	0.01 U	0.00915 U	0.01 U	0.00982 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00959 U	0.02 U	0.01 U	0.01 U
0.35 U	3.07 U	0.07 U	0.09 U	0.24 U	0.23 U	0.25 U	0.46 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.23 U	0.26 U	0.16 U	0.14 U	0.13 U	0.28 U	0.19 U	0.13 U	0.2 U	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	0.09 U
0.03 U	0.33 U	0.00849 U	0.01 U	0.02 U	0.02 U	0.02 U	**1 JQK**	**0.03 JQ**	**0.04 JQ**	**0.08 JQ**	**0.02 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.03 U	0.02 U	**0.05 JQ**	0.02 U	**0.04 JQ**	0.03 U	0.00994 U	0.02 U	0.01 U	**0.07 JQ**
0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00855 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U	0.01 U	0.01 U
0.03 U	0.29 U	0.00761 U	0.0092 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00912 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00891 U	0.02 U	0.01 U	**0.07 JQ**
0.04 U	0.34 U	0.00881 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00905 U	0.01 U	0.01 U	0.00984 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U
0.03 U	0.33 U	0.00861 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00884 U	0.01 U	0.01 U	0.00961 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U
0.03 U	0.28 U	0.0073 U	0.00882 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.1 JQ**	**0.08 JQ**	**0.06 JQ**	**0.03 JQ**	0.00875 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.01 U	0.03 U	0.00854 U	0.02 U	**0.05 JQ**	**0.1 JQ**
0.03 U	0.3 U	0.0077 U	0.00931 U	0.02 U	0.02 U	0.02 U	**0.32 JQK**	0.00791 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.00924 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00902 U	0.02 U	0.01 U	**0.04 JQ**
0.03 U	0.3 U	0.00787 U	0.00951 U	0.02 U	0.02 U	0.02 U	**0.2 JQK**	**0.04 JQ**	**0.04 JQ**	**0.05 JQ**	**0.02 JQ**	**0.05 JQ**	0.00943 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.00921 U	0.02 U	0.01 U	**0.08 JQ**
0.03 U	0.28 U	0.0073 U	0.00883 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	0.01 U	0.01 U	0.00816 U	0.01 U	0.00876 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.47**	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.01 U	0.03 U	0.00855 U	0.02 U	0.01 U	**0.06 JQ**
0.03 U	0.28 U	0.00731 U	0.00884 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	0.01 U	**0.05 JQ**	**0.02 JQ**	**0.01 JQ**	0.00876 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.3 JQ**	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.03 U	0.00856 U	0.02 U	**0.04 JQ**	**0.05 JQ**
0.03 U	0.3 U	0.00786 U	0.0095 U	0.02 U	0.02 U	0.02 U	**0.11 JQK**	**0.05 JQ**	0.01 U	0.01 U	0.00877 U	0.01 U	0.00942 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.01 JQ**	0.02 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.0092 U	0.02 U	0.01 U	**0.11 JQ**
0.03 U	0.31 U	0.00806 U	0.00974 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00828 U	0.01 U	0.01 U	0.009 U	0.01 U	0.00966 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00944 U	0.02 U	0.01 U	0.01 U

0.03 U	0.29 U	0.00741 U	0.00896 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.00889 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	**0.03 JQ**	0.03 U	0.00868 U	0.02 U	0.01 U	**0.06 JQ**
0.03 U	0.32 U	0.00824 U	0.00997 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00847 U	0.01 U	0.01 U	0.00921 U	0.01 U	0.00989 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00965 U	0.02 U	0.01 U	**0.02 JQ**
0.03 U	0.32 U	0.0083 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00852 U	0.01 U	0.01 U	0.00926 U	0.01 U	0.00995 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00971 U	0.02 U	0.01 U	0.01 U
0.03 U	0.29 U	0.00756 U	0.00915 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.02 JQ**	**0.03 JQ**	0.01 U	**0.02 JQ**	0.01 U	0.00907 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.03 U	0.00886 U	0.02 U	0.01 U	**0.04 JQ**
0.04 U	0.35 U	0.009 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.24 JQK**	**0.04 JQ**	0.01 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.05 JQ**	0.02 U	**0.05 JQ**	0.03 U	0.01 U	0.02 U	0.02 U	**0.08 JQ**
0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00868 U	0.01 U	0.01 U	0.00944 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0099 U	0.02 U	0.01 U	0.01 U
0.03 U	0.28 U	0.00724 U	0.00876 U	0.02 U	0.02 U	0.02 U	**5.19 JK**	**0.09 JQ**	**0.13 JQ**	**0.22 JQ**	**0.07 JQ**	**0.06 JQ**	0.00869 U	0.02 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.02 U	**0.02 JQ**	**0.11 JQ**	0.01 U	0.01 U	0.03 U	0.00848 U	0.02 U	0.01 U	**0.24 JQ**
0.03 U	0.28 U	0.00737 U	0.00891 U	0.02 U	**0.04 JQ**	0.02 U	0.04 UJK	**0.22 JQ**	**0.14 JQ**	**0.35**	**0.25 JQ**	**0.11 JQ**	0.00884 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.03 JQ**	**0.27 JQ**	**0.05 JQ**	0.01 U	0.03 U	0.00863 U	0.02 U	**0.12 JQ**	**0.43**
0.03 U	0.3 U	0.0079 U	0.00955 U	0.02 U	**0.02 JQ**	0.02 U	0.04 UJK	**0.17 JQ**	**0.2 JQ**	**0.29 JQ**	**0.1 JQ**	**0.13 JQ**	0.00947 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.02 U	**0.02 JQ**	**0.19 JQ**	**0.03 JQ**	0.01 U	0.03 U	0.00925 U	0.02 U	0.01 U	**0.43**
0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	**0.09 JQ**	0.02 U	**0.35 JQK**	**0.1 JQ**	**0.12 JQ**	**0.18 JQ**	**0.06 JQ**	**0.07 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	**0.04 JQ**	**0.1 JQ**	0.02 U	**0.05 JQ**	0.03 U	0.00984 U	0.02 U	0.01 U	**0.24 JQ**
0.36 U	3.13 U	0.08 U	0.09 U	0.25 U	0.24 U	0.25 U	0.47 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.24 U	0.26 U	0.16 U	0.14 U	0.14 U	0.28 U	0.2 U	0.14 U	0.2 U	0.12 U	0.33 U	0.09 U	0.25 U	0.18 U	0.1 U
0.03 U	0.31 U	0.00809 U	0.00978 U	0.02 U	0.02 U	0.02 U	**0.35 JQK**	**0.07 JQ**	0.01 U	0.01 U	0.00903 U	0.01 U	0.0097 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.02 U	0.02 U	**0.09 JQ**	0.02 U	0.01 U	0.03 U	0.00947 U	0.02 U	0.01 U	**0.14 JQ**
0.03 U	0.28 U	0.00733 U	0.00887 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	0.01 U	0.01 U	0.00819 U	0.01 U	0.00879 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.01 U	0.03 U	0.00859 U	0.02 U	0.01 U	**0.03 JQ**
0.03 U	0.32 U	0.00825 U	0.00998 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.06 JQ**	**0.08 JQ**	**0.03 JQ**	**0.02 JQ**	0.0099 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.06 JQ**	0.02 U	**0.02 JQ**	0.03 U	0.00966 U	0.02 U	0.01 U	**0.11 JQ**
0.03 U	0.32 U	0.00827 U	0.00999 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00849 U	0.01 U	0.01 U	0.00923 U	0.01 U	0.00991 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00968 U	0.02 U	0.01 U	**0.02 JQ**
0.03 U	0.28 U	0.0072 U	0.00871 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.04 JQ**	**0.04 JQ**	**0.05 JQ**	**0.02 JQ**	**0.02 JQ**	0.00864 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.03 U	0.00843 U	0.02 U	0.01 U	**0.05 JQ**
0.03 U	0.32 U	0.00835 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00858 U	0.01 U	0.01 U	0.00933 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00978 U	0.02 U	0.01 U	**0.03 JQ**

0.04 U	0.34 U	0.00888 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00912 U	0.01 U	0.01 U	0.00992 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U
0.03 U	0.3 U	**0.06 JQ**	0.00928 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.06 JQ**	**0.07 JQ**	**0.11 JQ**	**0.04 JQ**	**0.03 JQ**	0.00921 U	0.02 U	0.02 U	0.01 U	**0.09 JQ**	0.01 U	0.02 U	0.01 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.00899 U	0.02 U	0.01 U	**0.1 JQ**
0.03 U	0.33 U	0.0086 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.0096 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.08 JQ**	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.06 JQ**	0.02 U	**0.03 JQ**
0.04 U	0.35 U	0.009 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	**0.02 JQ**	**0.02 JQ**	0.01 U	0.01 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.03 JQ**

Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
0.01 U	0.0083 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00896 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
0.01 U	0.00802 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
0.01 U	0.00797 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.0099 U
0.01 U	0.00817 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00882 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00875 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.02 JQ**
0.01 U	0.00776 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00964 U
0.01 U	0.00814 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.05 JQ**
0.01 U	0.00807 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00871 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00993 U
0.01 U	0.00822 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00887 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.03 JQ**
0.01 U	0.00812 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00876 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.00796 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.08 JQ**
0.01 U	0.00786 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.02 JQ**

0.01 U	0.00798 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00861 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00991 U
0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.07 JQ**
0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.03 JQ**
0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00878 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.00809 U	0.01 U	0.02 U	0.01 U	**0.5**	0.01 U	0.02 U	0.01 U	0.01 U	0.00873 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**	0.02 U	**0.89**
0.01 U	0.00804 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.03 JQ**
0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.01 U	0.01 U	0.03 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.05 U	0.01 U	0.03 U	0.01 U
0.01 U	0.00931 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.05 U	0.01 U	0.02 U	0.01 U
0.01 U	0.00825 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0089 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00877 U	0.01 U	0.02 U	**0.06 JQ**	**0.05 JQ**	0.02 U	**0.06 JQ**
0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	0.00998 U
0.01 U	0.00825 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00891 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U

0.00964 U	0.00734 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.00986 U	0.01 U	0.00793 U	0.01 U	0.01 U	0.04 U	**0.05 JQ**	0.02 U	**0.1 JQ**
0.01 U	0.00785 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.02 JQ**

0.01 U	0.00791 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00982 U
0.0095 U	0.00724 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00971 U	0.01 U	0.00781 U	0.01 U	0.01 U	0.03 U	**0.05 JQ**	0.02 U	**0.08 JQ**
0.01 U	0.00788 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00851 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.01 JQ**
0.01 U	0.0078 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00841 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**	0.02 U	0.00968 U
0.09 U	0.07 U	0.12 U	0.23 U	0.12 U	0.15 U	0.12 U	0.22 U	0.1 U	0.17 U	0.08 U	0.12 U	0.19 U	0.4 U	0.1 U	0.21 U	0.09 U
0.01 U	0.00808 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00872 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**	0.02 U	**0.03 JQ**
0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00984 U
0.0095 U	0.00724 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	**0.45**	0.01 U	0.00781 U	0.01 U	0.01 U	0.03 U	**0.04 JQ**	0.02 U	**0.06 JQ**
0.01 U	0.00839 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00905 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.01 U	0.00819 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.05 JQ**	0.01 U	0.00884 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.00911 U	0.00695 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.00932 U	0.01 U	0.0075 U	0.01 U	0.01 U	0.03 U	**0.05 JQ**	0.02 U	**0.09 JQ**
0.00962 U	0.00733 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00984 U	0.01 U	0.00791 U	0.01 U	0.01 U	0.04 U	**0.02 JQ**	0.02 U	**0.02 JQ**
0.00982 U	0.00748 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00808 U	0.01 U	0.01 U	0.04 U	**0.03 JQ**	0.02 U	**0.04 JQ**
0.00912 U	0.00695 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00933 U	0.01 U	0.0075 U	0.01 U	0.01 U	0.03 U	**0.04 JQ**	0.02 U	**0.07 JQ**
0.00913 U	0.00696 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00934 U	0.01 U	0.00751 U	0.01 U	0.01 U	0.03 U	0.00963 U	0.02 U	**0.05 JQ**
0.00981 U	0.00748 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00807 U	0.01 U	0.01 U	0.04 U	**0.04 JQ**	0.02 U	**0.06 JQ**
0.01 U	0.00767 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00828 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00953 U

0.00925 U	0.00705 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.00947 U	0.01 U	0.00761 U	0.01 U	0.01 U	0.03 U	**0.09 JQ**	0.02 U	**0.06 JQ**
0.01 U	0.00784 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
0.01 U	0.0079 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00852 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00981 U
0.00945 U	0.0072 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	**0.68**	0.01 U	0.00777 U	0.01 U	0.01 U	0.03 U	**0.03 JQ**	**0.02 JQ**	**0.04 JQ**
0.01 U	0.00857 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.12 JQ**	0.02 U	0.00924 U	0.01 U	0.02 U	0.04 U	**0.1 JQ**	0.02 U	**0.05 JQ**
0.01 U	0.00805 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00999 U
0.00905 U	0.00689 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.00925 U	0.01 U	0.00744 U	0.01 U	0.01 U	0.03 U	**0.09 JQ**	0.02 U	**0.13 JQ**
0.00921 U	0.00701 U	0.01 U	0.02 U	0.01 U	**0.25 JQ**	0.01 U	0.02 U	0.00942 U	0.01 U	0.00757 U	0.01 U	0.01 U	0.03 U	**0.23 JQ**	0.02 U	**0.45**
0.00987 U	0.00752 U	0.01 U	0.02 U	0.01 U	**0.09 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00811 U	0.01 U	0.01 U	0.04 U	**0.17 JQ**	0.02 U	**0.22 JQ**
0.01 U	0.008 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	**0.38 JQ**	0.01 U	0.00863 U	0.01 U	0.02 U	0.04 U	**0.2 JQ**	0.02 U	**0.13 JQ**
0.1 U	0.07 U	0.13 U	0.24 U	0.12 U	0.15 U	0.12 U	0.22 U	**1.24 JQ**	0.17 U	0.08 U	0.12 U	0.19 U	0.41 U	0.1 U	0.21 U	0.09 U
0.01 U	0.00769 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0083 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**	0.02 U	**0.09 JQ**
0.00916 U	0.00698 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.00937 U	0.01 U	0.00753 U	0.01 U	0.01 U	0.03 U	0.00966 U	0.02 U	**0.04 JQ**
0.01 U	0.00785 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	**0.05 JQ**	0.01 U	0.00848 U	0.01 U	0.02 U	0.04 U	**0.1 JQ**	0.02 U	**0.09 JQ**
0.01 U	0.00787 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00849 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
0.00899 U	0.00685 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.0092 U	0.01 U	0.0074 U	0.01 U	0.01 U	0.03 U	**0.03 JQ**	0.01 U	**0.05 JQ**
0.01 U	0.00795 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**

0.01 U	0.00845 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00912 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
0.00959 U	0.00731 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00981 U	0.01 U	0.00789 U	0.01 U	0.01 U	0.04 U	**0.07 JQ**	0.02 U	**0.08 JQ**
0.01 U	0.00818 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00883 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.01 JQ**
0.01 U	0.00856 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.00924 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.03 JQ**

Arsenic (FJD01)	Arsenic (FJD05)	Arochlor 1260 (FJD01)	Arochlor (FJD05)	Cobalt (FJD01)	Cobalt (FJD05)	Copper (FJD01)	Copper (FJD05)	Lead (FJD01)	Lead (FJD05)	Manganese (FJD01)	Manganese (FJD05)	Benzo(a)anthracene (FJD01)	Benzo(a)anthracene (FJD05)	Benzo(a)pyrene (FJD01)	Benzo(a)pyrene (FJD05)	Benzo(b)fluoranthene (FJD01)	Benzo(b)fluoranthene (FJD05)	DiBenzo(a,h)anthracene (FJD01)	DiBenzo(a,h)anthracene (FJD05)	Indeno(1,2,3-cd)pyrene (FJD01)	Indeno(1,2,3-cd)pyrene (FJD05)
6.66	10.3	0.00687 U	0.42	8.98	3.9	18.1	11.6	152	95.5	1220	885	0.02 JQ	0.05 JQ	0.01 U	0.06 JQ	0.01 U	0.08 JQ	0.02 U	0.02 U	0.01 U	0.05 JQ
6.21	29	0.0066 U	0.00642 U	8.64	5.09	21	8.12 JK	96.8	30.4 JK	1470	1300	0.02 JQ	0.02 JQ	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
2.4	21.2	0.00656 U	0.00655 U	6.01	3.3	5.36	5.37	13.9	16.4	1250	902	0.0086 U	0.00854 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
7.19	12.1	0.00677 U	0.00599 U	10.4	3.9	22.5	20.9 JK	132	46.3	1670	964 JK	0.02 JQ	0.03 JQ	0.01 U	0.1 JQ	0.01 U	0.06 JQ	0.02 U	0.02 U	0.01 U	0.03 JQ
7.72	19.7	0.00671 U	0.00657 U	11.3	5.5	19.1	11.7 JK	79	43.5 JK	1840	1200	0.00875 U	0.02 JQ	0.01 U	0.02 JQ	0.01 U	0.04 JQ	0.02 UJL	0.02 U	0.01 U	0.01 U
2.34	20.2	0.0066 U	0.00646 U	5.15	5.68	4.73	9.68	10	20.9	1450	1140	0.00837 U	0.00841 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
6.46	6.1	0.03 U	0.1 JK	10.1	6.34	19.4	30.9	280	48.9	1120	1240	0.03 JQ	0.08 U	0.01 U	0.11 U	0.04 JQ	0.14 U	0.02 U	0.2 U	0.03 JQ	0.15 U
5.26	12	0.00686 U	0.00665 U	9.07	6.51	13.8	25.3 JK	130	48.5 JK	1050	1600	0.02 JQ	0.03 JQ	0.01 U	0.04 JQ	0.01 U	0.08 JQ	0.02 U	0.02 U	0.01 U	0.01 JQ
5.62	17	0.00657 U	0.00643 U	10.9	4.73	13.2	16.9	72.6	48.6	1600	1140	0.00862 U	0.00855 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
11.1	6.68	0.03 U	0.15	11.2	9.34	41	45.8	346	43	1510	1470	0.02 JQ	0.04 JQ	0.01 U	0.04 JQ	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 JQ
9.4	6.94	0.00679 U	0.03 JQ	9.01	9.69	49.1	36	197	42.6	1510	1730	0.02 JQ	0.00905 U	0.01 JQ	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 JQ	0.01 U
6.04	6.15	0.00672 U	0.00669 U	7.55	14.5	19.5	28.9	85.9	29.8	1260	2160	0.00876 U	0.00884 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
6.56	5.55	0.03 U	0.02 U	10	3.85	27.2	9.55	194	341	1640	745	0.05 JQ	0.05 JQ	0.01 U	0.1 JQ	0.01 U	0.08 JQ	0.02 U	0.01 U	0.06 JQ	0.05 JQ
11.5	8.53	0.03 U	0.00615 U	10.2	5.31	31.6	8.37 JK	195	71.7 JK	1720	1070	0.02 JQ	0.00791 U	0.01 JQ	0.01 U	0.02 JQ	0.01 U	0.02 U	0.02 U	0.02 JQ	0.01 U
4.45	4.45	0.0067 U	0.00632 U	8.6	3.27	31.6	4.61 JK	53	51.1 JK	1280	1010	0.00861 U	0.04 JQ	0.01 U	0.04 JQ	0.01 U	0.05 JQ	0.02 U	0.02 U	0.01 U	0.02 JQ
6.52	9.83	0.03 U	0.00576 U	6.25	4.87	29.7	17.1 JK	300	90.8	676	728	0.05 JQ	0.05 JQ	0.01 U	0.01 U	0.06 JQ	0.01 U	0.02 U	0.01 U	0.04 JQ	0.01 U
8.23	6.62	0.00665 U	0.00576 U	7.4	3.37	22.7	10.1 JK	164	63.6	1050	684	0.02 JQ	0.04 JQ	0.01 U	0.01 U	0.01 U	0.05 JQ	0.02 U	0.01 U	0.01 U	0.03 JQ
5.73	18.4	0.00656 U	0.00619 U	7.66	5.63	9.43	14.4 JK	28.6	84.8 JK	1260	1170	0.00878 U	0.05 JQ	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
7.66	9.32	0.00674 U	0.00635 U	8.88	5.54	28.4	13.9	92.6	77.2	1200	1200	0.69	0.00828 U	0.44	0.01 U	1.1	0.01 U	0.12 JQ	0.02 U	0.5	0.01 U
7.56	7.17	0.00657 U	0.00588 U	10.2	4.74	19.8	18.1	54.2	58.4	1500	1040	0.02 JQ	0.04 JQ	0.03 JQ	0.04 JQ	0.06 JQ	0.06 JQ	0.02 U	0.01 U	0.06 JQ	0.02 JQ
5.15	10.2	0.00675 U	0.00658 U	9.68	6.38	9.65	15.8	53.1	71.9	1580	1120	0.00874 U	0.00847 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
7.01	14.1	0.04 U	0.00658 U	6.51	6.37	45.7	56.6	134	72.3	599	1210	0.01 U	0.00852 U	0.01 U	0.01 U	0.02 U	0.01 U	0.03 U	0.02 U	0.02 U	0.01 U
4.38	8.7	0.03 U	0.00592 U	9.24	14.5	11	27.2	20.7	56	1310	1780	0.01 U	0.02 JQ	0.01 U	0.03 JQ	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 JQ
3.82	6.8	0.03 U	0.00705 U	7.58	8.15	7.97	15.7 JK	13.8	41.1 JK	1220	1440	0.0089 U	0.04 JQ	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
18.2	5.69	0.03 U	0.00666 U	10.3	12.3	87.6	11.5	407	25	1340	1440	0.03 JQ	0.00868 U	0.01 U	0.01 U	0.06 JQ	0.01 U	0.02 U	0.02 U	0.04 JQ	0.01 U
12.9	12.7	0.00678 U	0.02 U	8.3	5.47 JK	42.8	12.5 JK	86.7	235 JK	1350	1020	0.01 JQ	0.09 JQ	0.01 U	0.13 JQ	0.01 JQ	0.22 JQ	0.02 U	0.01 U	0.01 U	0.06 JQ
4.91	15.4	0.00688 U	0.00577 U	7.68	9.14 JK	8.87	26.9 JK	12.7	273	1190	1300 JK	0.00891 U	0.22 JQ	0.01 U	0.14 JQ	0.01 U	0.35	0.02 U	0.05 JQ	0.01 U	0.25 JQ
7.073333333	6.65		0.03 U	8.77	4.96	24.47444444	8.21 JK	126.096296	134 JK	1328.333333	1170		0.17 JQ		0.2 JQ		0.29 JQ		0.03 JQ		0.09 JQ
11.5	7.71	Undetect	0.00645 U		5.7		11.5 JK		109 JK		1200		0.1 JQ		0.12 JQ		0.18 JQ		0.02 U		0.06 JQ
	14.8		0.00631 U		7.05		9.56		169 JK		1130		0.08 U		0.11 U		0.14 U		0.2 U		0.15 U
	5.39		0.0065 U		5.79		8.17 JK		41.4 JK		1490		0.07 JQ		0.01 U		0.01 U		0.02 U		0.01 U
	9.68		0.00574 U		4.93		10.5 JK		94.5		754 JK		0.03 JQ		0.01 U		0.01 U		0.01 U		0.01 U
	6.32		0.12		6.57		9.84		106		1200		0.05 JQ		0.06 JQ		0.08 JQ		0.02 U		0.02 JQ
	4.57		0.00651 U		6.16		7.95		82.7		1120		0.00849 U		0.01 U		0.01 U		0.02 U		0.01 U
	6.76		0.00579 U		6.4		10.7		61.9		849		0.04 JQ		0.04 JQ		0.05 JQ		0.01 U		0.02 JQ
	33		0.00658 U		9.02		82.7		369		1240		0.00858 U		0.01 U		0.01 U		0.02 U		0.01 U
	11.2		0.007 U		9.04		11		49.5		1370		0.00912 U		0.01 U		0.01 U		0.02 U		0.01 U
	8.88		0.00597 U		10.9 JK		18.9 JK		46.7 JK		1500		0.06 JQ		0.07 JQ		0.11 JQ		0.02 U		0.03 JQ
	6.3		0.00678 U		18.7		13.9		26.7		1770		0.02 JQ		0.01 U		0.01 U		0.02 U		0.01 U
	10		0.00714 U		16.9		18.1		45.9		1890		0.02 JQ		0.01 U		0.02 JQ		0.02 U		0.01 U
	11.05225		0.164		6.5995		12.53875		58.935		1158.825										
	33																				