SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

Station	Sample ID	Depth	Date	Type	Arsenic Transcribe-1016	Arsenic Transcribe-1223	Arsenic Transcribe-1323	Arsenic Transcribe-1142	Arsenic Transcribe-2148	Arsenic Transcribe-1254	Arsenic Transcribe-2240	Arsenic GCSV07-1	Metals Barium 7429-90-5	Metals Beryllium 7440-36-0	Metals Boron 7440-42-8	Metals Cadmium 7440-43-9	Metals Calcium 7440-70-2	Metals Chromium 7440-47-3	Metals Cobalt 7440-48-4	Metals Copper 7440-50-8	Metals Iron 7439-89-6	Metals Lead 7439-92-1	Metals Magnesium 7439-95-4	Metals Manganese 7439-96-5	Metals Mercury 7439-97-6	Metals Nickel 7440-02-0	Metals Potassium 7440-09-7	Metals Selenium 7782-49-2	Metals Silver 7440-22-4	Metals Sodium 7440-23-5	Metals Thallium 7440-28-0	Metals Vanadium 7440-62-2	Metals Zinc 7440-66-6	SVOCs 2,4,5,6-Tetrachlorotoluene 95-94-3	SVOCs Methylnaphthalene 90-12-0	SVOCs 2,6,6,6-Tetrachlorophenol 58-90-2	SVOCs 2,4,5-Trichlorophenol 95-95-4	SVOCs 2,4,6-Trichlorophenol 88-06-2	SVOCs 2,6-Dichlorophenol 120-83-2	SVOCs 2,4-Dinitrophenol 105-67-9	SVOCs 2,4-Dinitrotoluene 51-28-5	SVOCs 2,6-Dinitrotoluene 121-14-2	SVOCs 2-Chloronaphthalene 606-20-2	SVOCs 2-Chlorophenol 91-58-7	SVOCs 2-Methylnaphthalene 95-57-8	SVOCs 2-Nitroaniline 91-57-6	SVOCs 2-Nitrophenol 88-75-5	SVOCs 3,3'-Dichlorobenzidine 91-94-1	SVOCs 3-Nitroaniline 99-09-2
Analyte																																																			
CAS NO					12675-11-2	11104-28-2	11141-16-5	53469-21-9	12672-29-6	11097-69-1	11096-82-5	7429-90-5	7440-39-3	7440-41-7	7440-42-8	7440-43-9	7440-70-2	7440-47-3	7440-48-4	7440-50-8	7439-89-6	7439-92-1	7439-95-4	7439-96-5	7439-97-6	7440-02-0	9/7/7440	7782-49-2	7440-22-4	7440-23-5	7440-28-0	7440-62-2	7440-66-6	95-94-3	90-12-0	58-90-2	95-95-4	88-06-2	120-83-2	105-67-9	51-28-5	121-14-2	606-20-2	91-58-7	95-57-8	91-57-6	88-74-4	88-75-5	91-94-1	99-09-2
Units					mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg
RSL Summary 05/2018 Resident Soil					4.1	0.2	0.17	0.23	0.23	0.24	0.24			1600	160	71			23	3100	55000	400			1800	11	1500		390	390		0.78	390	23000	23	18	1900	6300	49	190	1300	130	1.7	0.36	4800	390	2.0	630		1.2	
RSL Hex Sol 05/2018 Carcinogenic SL TR=10-06					6.7	0.2	0.17	0.23	0.23	0.24							420																									1.7	0.36							1.2	
RSL Hex Sol 05/2018 Noncarcinogenic SL Child THI=1					4.1					1.2		77000	31	15000	160	71	23	2100	55000	400									390	390																				
Station	Sample ID	Depth	Date	Type																																														
DRA01	DRA01-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.64 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 JQR	0.02 JQK	5670	0.42 U	0.78	72.8	0.42 JQ	0.21 U	55100	9	5.4	43	6900	18.2	3260	626	0.01	9.45	824	0.21 U	0.21 U	84.1 UR	0.21 U	19.2	48.4	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00921 U	0.01 U	0.06 U	0.08 U
	DRA01-20180501-06-53	0-6	5/1/2018	FS	0.62 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	0.03 U	0.01 U	8600	0.41 U	12.4	117	0.55 JQ	0.21 U	96700	12	6.84	32.5	9200	10.7	2450	1050	0.01	14.2	782	0.21 U	0.21 U	81.9 UR	0.21 U	27.1	36.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00863 U	0.01 U	0.06 U	0.08 U
DRA02	DRA02-20180501-12-53	0-1	5/1/2018	FS	0.0663 U	0.0927 U	0.00791 U	0.00491 U	0.0423 U	0.00491 U	0.0491 U	0.0491 U	18600	0.51 U	12.1	297	1.28	0.25 JQ	18500	21.9	18.6	16.5	20200	27.7	2160	2300	0.02	30.3	1050	0.25 U	0.25 U	102 UR	0.25 U	59	48.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0979 U	0.01 U	0.06 U	0.09 U
	DRA02-20180501-01-53	0-1	5/1/2018	FS	0.0642 U	0.0883 U	0.00565 U	0.00392 U	0.0471 U	0.00484 U	0.71 JK	0.71 JK	8220	0.48 U	18.1	126	0.63 JQ	0.44 JQ	186000	14.2	9.54	113	11500	25.9	6310	1260	0.02	19.3	1260	0.24 U	0.24 U	122 UR	0.24 U	36.9	83.3	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0979 U	0.01 U	0.06 U	0.09 U
	DRA02-20180501-06-53	0-6	5/1/2018	FS	0.0648 U	0.0891 U	0.0057 U	0.00396 U	0.0475 U	0.00488 U	0.75 JK	0.75 JK	8140	0.42 U	8.25	141	0.59 JQ	0.21 U	75.3	14600	24.9	3090	1540	20.2	965	1540	0.01	7.4	565	0.21 U	0.21 U	84.4 UR	0.21 U	41.4	193	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0952 U	0.01 U	0.06 U	0.09 U
	DRA02-20180501-13-53	6-12	5/1/2018	FS	0.0878 U	0.011 U	0.01 U	0.00779 U	0.0935 U	0.00802 U	0.83 JK	0.83 JK	12400	0.64 U	19.9	164	0.81 JQ	0.46 JQ	173000	17.2	11.3	59.8	14300	30.2	2940	1540	0.01	25	1180	0.22 U	0.22 U	118 UR	0.22 U	49.6	68.5 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0979 U	0.01 U	0.06 U	0.09 U
DRA03	DRA03-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.64 U	0.02 U	0.01 U	0.02 U	0.02 U	1.41 JK	1.41 JK	7480	0.41 U	11.2	88.5	0.41 JQ	0.24 JQ	160000	10.2	6.53	94.9	7600	19.4	7420	949	0.01	13.3	919	0.26 JQ	0.22 U	102 UR	0.22 U	22.1	97.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0989 U	0.01 U	0.06 U	0.09 U
	DRA03-20180501-06-53	0-6	5/1/2018	FS	0.82 U	0.64 U	0.02 U	0.01 U	0.02 U	0.02 U	1.84	1.84	10300	0.47 U	12.4	136	0.64 JQ	0.26 JQ	210000	14.5	10.6	60.2	12600	23.2	4010	1370	0.02	21.8	971	0.23 U	0.23 U	124 UR	0.23 U	41.6	55.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0974 U	0.01 U	0.06 U	0.09 U
	DRA03-20180501-12-53	6-12	5/1/2018	FS	0.0618 U	0.0875 U	0.0056 U	0.00391 U	0.0467 U	0.00479 U	1.01 JK	1.01 JK	7210	0.41 U	15.4	119	0.58 JQ	0.41 JQ	251000	10.4	13.5	17.1	10000	33.9	1710	1350	0.02	19.2	641	0.22 U	0.22 U	118 UR	0.22 U	20	35.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0958 U	0.01 U	0.06 U	0.09 U
DRA04	DRA04-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.66 U	0.02 U	0.02 U	0.03 U	0.02 U	1.32	1.32	5910	1.54 U	20.8	197	0.31 U	0.41 U	153000	23.5	6.56	2000	8410	153	3900	789	0.08	15	927	0.77 U	0.77 U	307 UR	0.77 U	28	260	0.04 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.06 U	0.12 U
	DRA04-20180501-06-53	0-6	5/1/2018	FS	0.82 U	0.66 U	0.02 U	0.01 U	0.02 U	0.02 U	0.86	0.86	4330	0.88 U	10.5	78	0.44 U	4.04	159000	15.3	5.04	3010	5570	228	2610	626	0.06	16.7	486	0.44 U	0.44 U	176 UR	0.44 U	15.3	237	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0986 U	0.01 U	0.06 U	0.08 U
	DRA04-20180501-12-53	6-12	5/1/2018	FS	0.0686 U	0.0919 U	0.00588 U	0.00408 U	0.0486 U	0.00499 U	0.17 JK	0.17 JK	3900	0.43 U	5.85	65.7	0.32 JQ	0.41 JQ	213000	8.4	6.34	15.1	6600	15.7	1410	1310	0.05	13.8	543	0.23 U	0.23 U	135 UR	0.23 U	21.2	46.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0965 U	0.01 U	0.06 U	0.093 U
DRA05	DRA05-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.05 U	0.03 U	0.02 U	0.03 U	0.02 U	1.26	1.26	4670	1.41 U	17.5	164	0.57 JQ	3.98	161000	19.7	5.4	2570	6570	164	5220	732	0.07	12.4	732	0.71 U	0.71 U	281 UR	0.71 U	15	208	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.102 U	0.01 U	0.06 U	0.11 U
	DRA05-20180501-06-53	0-6	5/1/2018	FS	0.82 U	0.05 U	0.03 U	0.02 U	0.03 U	0.02 U	2.95 JH	2.95 JH	5060	1.27 U	12.4	77.7	0.64 U	2.27	209000	14.5	5.35	1700	8050	125	6410	672	0.05	12.3	879	0.64 U	0.64 U	255 UR	0.64 U	16.2	215	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0921 U	0.01 U	0.06 U	0.11 U
	DRA05-20180501-12-53	6-12	5/1/2018	FS	0.0665 U	0.0929 U	0.0595 U	0.0413 U	0.0495 U	0.0425 U	0.99 JK	0.99 JK	5200	0.49 U	10.9	41.3	0.29 JQ	0.31 JQ	303000	8.99	3.06	128	6500	16.6	1810	958	0.04	10.5	625	0.24 U	0.24 U	290 UR	0.24 U	22.5	33.3	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0931 U	0.01 U	0.06 U	0.09 U
DRA06	DRA06-20180502-12-53	0-1	5/2/2018	FS	0.82 U	0.45 U	0.29 U	0.2 U	0.24 U	0.21 U	5.58 JK	5.58 JK	7550	1.32 JQ	22.2	118	0.56 U	6.63	129000	63.7	5.99	2040	9970	197	6890	701	0.09	16	1420	1.13 JQ	0.82 JQ	224 UR	0.56 U	21.5	421	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0917 U	0.01 U	0.07 U	0.09 U
	DRA06-20180502-06-53	0-6	5/2/2018	FS	0.22 U	0.45 U	0.29 U	0.2 U	0.24 U	0.21 U	31.7	31.7	5260	0.51 U	13.7	104	0.4 JQ	0.88 JQ	224000	11.9	9.72	518	10400	41.8	2250	1400	0.02	17.6	872	0.25 U	0.25 U	120 UR	0.25 U	29.9	79.9	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0963 U	0.01 U	0.06 U	0.09 U
	DRA06-20180502-12-53	6-12	5/2/2018	FS	0.64 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	9.65	9.65	6260	0.41 U	21.9	186	0.51 JQ	0.47 JQ	192000	12.5	8.41	173	9660	36	1890	946	0.05	16	702	0.26 JQ	0.21 U	111 UR	0.21 U	34.6	52.1	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0989 U	0.01 U	0.06 U	0.09 U
	DRA06-20180502-01-53	0-1	5/2/2018	FS	0.82 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	2.08 JL	2.08 JL	5700	1.14 U	18.1	83.6	0.57 U	2.21 JQ	134000	34.7	4.88	2550	7530	92.5	4380	584	0.05	12.1	719	2.28 UR	0.57 U	228 UR	0.57 U	18.2	208	0.34 U	0.13 U	0.53 U	0.24 U	0.19 U	0.15 U	0.49 U	0.23 U	0.41 U	0.12 U	0.14 U	0.16 U	0.13 U	0.091 U	0.15 U	0.65 U	0.87 U
	DRA07-20180502-06-53	0-6	5/2/2018	FS	0.64 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	15.7	15.7	5790	2.41 U	15.6	106	1.2 U	4.17 JQ	206000	25.5	7.59	2660	11000	142	9770	879	0.04	15.8	949	1.2 U	1.2 U	481 UR	1.2 U	36.4	247	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.09 U
DRA07	DRA07-20180502-12-53	6-12	5/2/2018	FS	0.0695 U	0.0988 U	0.00682 U	0.00632 U	0.0493 U	0.00537 U	0.07 JK	0.07 JK	25500	0.29 U	16.3	298	1.22 JQ	0.65 U	52900	27.6	14.7	121	20400	21	2580	2320	0.02	37.7	1330	0.65 U	0.65 U	258 UR	0.65 U	57.7	103	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.1 U
	DRA07-20180502-24-53	12-24	5/2/2018	FS	0.0684 U	0.0967 U	0.00667 U	0.00615 U	0.0515 U	0.00523 U	0.04 JQK	0.04 JQK	5800	0.28 U	12.1	42.3 JK	0.26 U	0.32 JQ	286000 JK	7.75 JK	25.2 JK	41.6	5250 JK	5.05 JK	1040 JK	910 JK	0.02	17.2	441 JK	0.26 U	0.26 U	124 UR	0.26 U	23.4 JK	42.5 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.101 U	0.01 U	0.07 U	0.09 U
	DRA07-20180502-34-53	12-24	5/2/2018	DUP	0.0669 U	0.0950 U	0.00599 U	0.00416 U	0.0499 U	0.00428 U	0.95 JK	0.95 JK	21000 JK	1.17 U	6.05 JK	344 JK	1.31 JQ	0.58 U	97700 JK	23.7	15.2 JK	42.1 JK	17900 JK	18.8 JK	2310 JK	2270 JK	0.0657 U	31.6 JK	1830 JK	0.58 U	0.58 U	58.5 U	0.58 U	65.3 JK	50.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.09 U
DRA08	DRA08-20180501-06-53	0-6	5/2/2018	FS	0.5 U	1 U	0.04 U	0.44 U	0.53 U	0.45 U	4.1	4.1	10900	2.53 U	42.1	154	1.26 U	3.65 JQ	88700	52.9	6.88	4230	11300	129	8530	918 JK	0.02	18.1	1080	1.26 U	1.26 U	326 UR	1.26 U	28.8	443	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.76 U	1.42 U
	DRA08-20180502-12-53	6-12	5/2/2018	FS	0.62 U	0.08 U	0.04 U	0.03 U	0.02 U	0.03 U	2.4 JL	2.4 JL	7280	2.51 U	21.1	112	1.25 U	2.88 JQ	116000	26.7	5.26	1980	10300	129	4760	604	0.05	12.9	821	1.25 UR	1.25 U	125 U	1.25 U	24.5	235 JK	0.03 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.1 U
DRA09	DRA09-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.64 U	0.02 U	0.01 U	0.02 U	0.02 U	3.06 JL	3.06 JL	7480	0.41 U	11.1	93.7	0.41 U	0.31 U	115000	12.7	6.43	1570	8170	103	2420	1320	0.02	25.9	1140	0.31 U	0.31 U	209 UR	0.31 U	52	76.4	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.1 U
	DRA09-20180501-12-53	6-12	5/1/2018	FS	0.82 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	2.05	2.05	3680	0.15 U	8.45	49.2	2.08 U	2.08 U	160000	11.9	3.58 JQ	5370	8630	52.2	4500	474 JK	0.01	12.8	854	1.08 UR	1.08 U	208 UR	1.08 U	11.8	96.7 JQ	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.1 U
	DRA09-20180501-24-53	24-48	5/1/2018	FS	0.64 U	0.08 U	0.05 U	0.03 U	0.04 U	0.03 U	3.06 JL	3.06 JL	7240	0.41 U	8.6	93.7	0.41 U	0.31 U	115000	12.7	6.43	1560	8170	103	2420	1320	0.02	12.9	854	1.08 UR	1.08 U	199 UR	1.08 U	11.8	65.1	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.1 U
	DRA09-20180502-01-53	0-1	5/2/2018	FS	0.42 U	0.04 U	0.34 U	0.37 U	0.45 U	0.38 U	42.6	42.6	15100	0.41 U	5.68	201	0.9 JQ	0.42 JQ	112000	18.6	11.5	98.5	16400	24.6	2360	1660 JK	0.03	27.9	1178	0.21 U	0.21 U	90.7 UR	0.21 U	51.3	63.5	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0947 U	0.01 U	0.06 U	0.08 U
	DRA09-20180502-12-53	12-24	5/2/2018	FS	0.0627 U	0.0854 U	0.00546 U	0.00379 U	0.0455 U	0.00391 U	0.09 JK	0.09 JK	15500	0.41 U	4.65	194	1.08	0.32 JQ	44200	15.8	10.1	75	15700	20.4	2570	1070	0.02	23.8	1380	0.21 U	0.21 U	82.3 UR	0.21 U	49.8	54.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0947 U	0.01 U	0.06 U	0.08 U
DRA10	DRA10-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.64 U	0.02 U	0.01 U	0.02 U	0.02 U	4.96	4.96	9.92	0.41 U	7.8	216	1.6 JQ	0.56 JQ	189000	18.2	16.1	189	17000	63.7	2670	1550	0.02	24.5	2040	0.21 U	0.21 U	79.9 UR	0.21 U	52	43.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0972 U	0.01 U	0.06 U	0.08 U
	DRA10-20180501-06-53	0-6	5/1/2018	FS	0.64 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	6.72	6.72	15500	1.03 U	11	260	1.53 JQ	0.52 JQ	61800	25.2	17.5	186	19800	53.7	2800	1430	0.03	31.1	2000	0.51 U	0.51 U	51.4 U	0.51 U	51.7	69.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.07 U	0.09 U
	DRA10-20180502-12-53	6-12	5/2/2018	FS	0.0663 U	0.0944 U	0.00594 U	0.0413 U	0.0495 U	0.0425 U	0.79 JK	0.79 JK	15200	0.41 U	7.9	123	0.63 JQ	0.41 JQ	250000	18.7	5.15	42.9	12200	26.1	1800	1310	0.02	16.6	1150	0.22 U	0.22 U	124 UR	0.22 U	52.3	36.9	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0989 U	0.01 U	0.06 U	0.09 U
DRA11	DRA11-20180501-01-53	0-1	5/1/2018	FS	0.82 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	1.37 JK	1.37 JK	11200	0.41 U	11	171	1	0.44 JQ	60600	17.4	11.7	146	15800	17.4	3130	1040	0.02	22	2020	0.21 U	0.21 U	85.3 UR	0.21 U	49.3	105	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0971 U	0.01 U	0.06 U	0.09 U
	DRA11-20180501-06-53	0-6	5/1/2018	DUP	0.0662 U	0.0937 U	0.0589 U	0.0409 U	0.0491 U	0.0421 U	0.83 JK	0.83 JK	52800	0.41 U	16	196	0.92 JQ	0.52 JQ	156000	19	12.6	134	19000	24.6	3720	1020	0.02	24.3	1420	0.21 U	0.21 U	84.3 UR	0.21 U	52	112	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0961 U	0.01 U	0.06 U	0.09 U
	DRA11-20180501-06-53	0-6	5/1/2018	FS	0.82 U	0.04 U	0.02 U	0.01 U	0.02 U	0.02 U	4.9 JH	4.9 JH	12200	1.05 U	19.3	244	1.27 JQ	0.53 U	75900	21.5	16.2	122	19300	42.9	2700	1440	0.04	29.3	1790	0.53 U	0.53 U	52.8 U	0.53 U	63.9	95.1	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.06 U	0.09 U
DRA12	DRA12-20180501-01-53	0-1	5/1/2018	FS	0.0656 U	0.0905 U	0.00608 U	0.00416 U	0.0505 U	0.00437 U	0.75 JK	0.75 JK	15000	0.41 U	12.1	265	1.1 U	0.44 JQ	50600	36.8	12.6	31.4	19000	36.8	2120	1760	0.02	31.4	1800	0.22 U	0.22 U	249 UR	0.22 U	65.1	112 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.1 U	0.01 U	0.06 U	0.09 U
	DRA12-20180501-06-53	0-6	5/1/2018	FS	0.64 U	0.09 U	0.06 U	0.04 U	0.05 U	0.04 U	6.78	6.78	14700	0.41 U	14	148	0.92 JQ	0.41 JQ	87900	15.7	9.92	80	14400	37.4	3020	1010	0.04	21.3	1170	0.22 U	0.22 U	80.8 UR	0.22 U	43	111	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0999 U	0.01 U	0.06 U	0.09 U
	DRA12-20180502-12-53	6-12	5/2/2018	FS	0.0663 U	0.0937 U	0.0589 U	0.0409 U	0.0491 U	0.0421 U	0.83 JK	0.83 JK	15800	0.41 U	15.7	157	0.81 JQ	0.45 JQ	156000	18.6	11	42.4	17000	36.3	2270	1100	0.02	24.3	1400	0.21 U	0.21 U	103 UR	0.21 U	52.6	78.3	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

| | | | | | SVOCs | | | | |

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

| | | | | | Anions | | | | Metals | | | | |

Station	Sample ID	Depth	Date	Type	1,4-Dichlorobenzene-d4	2-Bromonaphthalene	2-Fluorobiphenyl	2-Fluorophenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitrophenol	2-Methylnaphthalene	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Acenaphthene	Acenaphthylene	Anthracene	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butylbenzylphthalate	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachlorodibenzo-p-dioxins	Hexachlorodibenzofurans	Hexachlorobenzene	Indeno(1,2,3-cd)pyrene	Isophorone	Naphthalene	N-nitroso-di-n-propylamine	N-Nitrosodiphenylamine	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
	Analyte				SVOCs														SVOCs												SVOCs																								SVOCs		
	CAS NO				534-52-1	101-55-3	59-50-7	106-47-8	7005-72-3	100-01-6	100-02-7	83-32-9	208-96-8	98-86-2	120-12-7	1912-24-9	100-52-7	56-55-3	50-32-8	205-99-2	191-24-2	207-08-9	92-52-4	111-91-1	111-44-4	108-60-1	117-81-7	85-68-7	105-60-2	86-74-8	218-01-9	53-70-3	132-64-9	84-66-2	131-11-3	84-74-2	117-84-0	206-44-0	86-73-7	118-74-1	87-68-3	77-47-4	67-72-1	193-39-5	70-39-1	1319-77-3MP	193-39-5	91-20-3	98-95-3	621-64-7	86-30-6	95-48-7	87-86-5	85-01-8	108-95-2	129-00-0
	Units				mg/kg	mg/kg	mg/kg

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

| | | | | | Arsenics | | | Metals | | | | |

SW
Soil Analytical Data
Samples Collected April and May 2018
Frank J. Doyle
EPA Region 6

| | | | | SVOCs | | | |

	Analyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	1,3,5,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.0046 U	0.00919 U	0.00588 U	0.00408 U	0.0049 U	0.0042 U	0.00687 U	0.00687 U	8320	0.38 U	6.66	163	0.66 JQ	0.87	120000	14.7	8.98	18.1	11400	152	2190	1220	0.0057 U	18.6	1570	0.19 U	0.19 U	106 UB	0.19 U	37.3	215	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.0042 U	0.00883 U	0.00565 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	9940	0.4 U	6.21	137	0.71 JQ	0.69 JQ	167000	14.6	8.64	21	12400	96.8	2020	1470	0.04	18	1210	0.2 U	0.2 U	118 UB	0.2 U	38.5	125	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00985 U	0.01 U	0.06 U	0.09 U
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00467 U	0.00401 U	0.00656 U	0.00656 U	4100	0.46 U	2.4	57	0.34 JQ	0.32 JQ	336000	8.87	6.01	5.36	6550	13.9	1860	1250	0.01	13	513	0.23 U	0.23 U	230 UB	0.23 U	25.1	31.7	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00979 U	0.01 U	0.06 U	0.09 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.00453 U	0.00905 U	0.00579 U	0.00402 U	0.00482 U	0.00414 U	0.00677 U	0.00677 U	9440	0.39 U	7.19	180	0.8	0.86	127000	17.5	10.4	22.5	12000	132	2440	1670	0.11	22.2	1800	0.19 U	0.19 U	96.6 UB	0.19 U	42.7	236	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.00449 U	0.00898 U	0.00574 U	0.00399 U	0.00478 U	0.00411 U	0.00671 U	0.00671 U	14800 JK	0.48 U	7.72	197	0.9 JQ	0.71 JQ	85900	21.5	11.3	19.1	16100	79	2660	1840	0.13	25.7	1720	0.64 JQ	0.24 U	102 UB	0.24 U	51.1	166	0.03 U	0.01 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 R	0.04 U	0.01 U	0.01 U	0.01 U	0.01 JQ	0.00996 U	0.01 U	0.06 U	0.09 U
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.0042 U	0.00882 U	0.00564 U	0.00392 U	0.0047 U	0.00404 U	0.0066 U	0.0066 U	5800	0.43 U	2.34	55.5	0.32 JQ	0.29 JQ	344000	10.7	5.15	4.73	7290	10	1690	1450	0.01	13.7	578	0.22 U	0.22 U	190 UB	0.22 U	31.5	27.4	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.06 U	0.08 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7760	0.43 U	6.46	162	0.7 JQ	1.23	137000	17.9	10.1	19.4	15000	280	2640	1120	0.08	18.2	1350	0.22 U	0.22 U	104 UB	0.22 U	33.1	427	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.00459 U	0.00917 U	0.00587 U	0.00407 U	0.00489 U	0.0042 U	0.00686 U	0.00686 U	8760	0.4 U	5.26	147	0.74 JQ	0.7 JQ	126000	13.9	9.07	13.8	11000	130	1990	1050	0.08	17.2	961	0.2 U	0.2 U	108 UB	0.2 U	35.1	210	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00991 U	0.01 U	0.06 U	0.09 U
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	9400	0.41 U	5.62	164	0.78 JQ	0.64 JQ	226000	18.6	10.9	13.2	12800	72.6	2530	1600	0.05	25.1	1100	0.2 U	0.2 U	136 UB	0.2 U	51.7	115	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00982 U	0.01 U	0.06 U	0.09 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	10100	0.44 U	11.1	315	1	1.97	92700	23.4	11.2	41	14400	346	2580	1510	0.49	25.3	2660	0.22 U	0.32 JQ	166 UB	0.22 U	43.7	819	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.00455 U	0.00909 U	0.00581 U	0.00403 U	0.00484 U	0.00416 U	0.00679 U	0.00679 U	11400	0.46 U	9.4	219	0.69 JQ	1.27	97400	19.9	9.01	49.1	15500	197	2150	1510	0.42	20.9	2100	0.23 U	0.23 U	91.5 UB	0.23 U	39.1	494	0.03 U	0.01 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.02 JQ	0.00995 U	0.01 U	0.06 U	0.09 U
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.0045 U	0.00899 U	0.00575 U	0.00399 U	0.00479 U	0.00411 U	0.00672 U	0.00672 U	7780	0.38 U	6.04	155	0.7 JQ	0.79	241000	15.5	7.55	19.5	10800	85.9	2070	1260	0.26	18.7	1080	0.19 U	0.19 U	325 UB	0.19 U	38.7	214	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00998 U	0.01 U	0.06 U	0.09 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7590	0.39 U	6.56	210	0.61 JQ	1.15	158000	16.6	10	27.2	11300	194	3660	1640	0.11	22.9	1730	0.2 U	0.2 U	183 UB	0.2 U	33.3	307	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	12800	0.39 U	11.5	260	0.84	1.12	118000	21	10.2	31.6	24800	195	2290	1720	0.16	24.7	2170	0.19 U	0.19 U	139 UB	0.19 U	45.1	370	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.00448 U	0.00896 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.0067 U	0.0067 U	7260	0.37 U	4.45	109	0.57 JQ	0.45 JQ	247000	14.2	8.6	31.6	10400	53	1850	1280	0.08	20.4	841	0.18 U	0.18 U	176 UB	0.18 U	38.5	92.4	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0098 U	0.01 U	0.06 U	0.09 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	4510	0.47 U	6.52	183	0.38 JQ	2.71	96100	14.5	6.25	29.7	9340	300	2620	676	0.05	14.8	1060	0.23 U	0.23 U	93.7 UB	0.23 U	17.6	401	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00981 U	0.01 U	0.06 U	0.09 U
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	7280	0.48 U	8.23	152	0.45 JQ	0.89 JQ	147000	31	7.4	22.7	9590	164	2100 JK	1050	0.05	16.1	1030	0.24 U	0.24 U	128 UB	0.24 U	24.4	273 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00987 U	0.01 U	0.06 U	0.09 U
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.00439 U	0.00877 U	0.00561 U	0.00389 U	0.00468 U	0.00401 U	0.00656 U	0.00656 U	6920	0.47 U	5.73	99.7	0.44 JQ	0.35 JQ	243000	14.4	7.66	9.43	9450	28.6	1840 JK	1260	0.04	16.6	797	0.24 U	0.24 U	140 UB	0.24 U	32.4	67.5 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00999 U	0.01 U	0.06 U	0.09 U
FJD01-07	FJD01-07-20180501-01-51	0-1	5/1/2018	FS	0.00452 U	0.00902 U	0.00577 U	0.00401 U	0.00481 U	0.00413 U	0.00674 U	0.00674 U	8590	0.41 U	7.66	151	0.58 JQ	0.86	134000	21.8	8.88	28.4	11400	92.6	2390 JK	1200	0.1	19.2	1920	0.21 U	0.21 U	118 UB	0.21 U	32.5	214 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00994 U	0.01 U	0.06 U	0.09 U
	FJD01-07-20180501-06-51	0-6	5/1/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00469 U	0.00402 U	0.00657 U	0.00657 U	10700	0.4 U	7.56	149	0.75 JQ	0.63 JQ	162000	17.1	10.2	19.8	13300	54.2	2310 JK	1500	0.07	21.1	1370	0.29 JQ	0.2 U	127 UB	0.2 U	41	124 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00988 U	0.01 U	0.06 U	0.09 U
	FJD01-07-20180501-12-51	6-12	5/1/2018	FS	0.00452 U	0.00903 U	0.00578 U	0.00401 U	0.00481 U	0.00413 U	0.00675 U	0.00675 U	9960	0.37 U	5.15	117	0.53 JQ	0.39 JQ	219000	13.3	9.68	9.65	11800	53.1	1750	1580	0.05	17.8	882	0.19 U	0.19 U	111 UB	0.19 U	35.6	75.5	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00995 U	0.01 U	0.06 U	0.09 U
FJD01-08	FJD01-08-20180501-01-51	0-1	5/1/2018	FS	0.03 U	0.06 U	0.03 U	0.02 U	0.03 U	0.02 U	0.04 U	0.04 U	4660	1.1 JQ	7.01	193	0.31 U	2.18	59700	12.2	6.51	45.7	10500	134	1710 JK	599	0.05	24.5	992	0.31 U	0.31 U	124 UB	0.31 U	14.7	866 JK	0.04 U	0.01 U	0.07 U	0.03 U	0.02 U	0.02 U	0.06 U	0.03 U	0.05 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.02 U	0.09 U	0.12 U
	FJD01-08-20180501-06-51	0-6	5/1/2018	FS	0.02 U	0.05 U	0.03 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	5400	0.47 U	4.38	114	0.36 JQ	0.59 JQ	253000	11.3	9.24	11	9170	20.7	1550 JK	1310	0.01	14.8	662	0.24 U	0.24 U	139 UB	0.24 U	28.7	178 JK	0.04 U	0.01 U	0.06 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.07 U	0.1 U
	FJD01-08-20180501-12-51	6-12	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	6910	0.45 U	3.82	84.7	0.4 JQ	0.36 JQ	200000	10.5	7.58	7.97	8500	13.8	1410 JK	1220	0.04	14.7	607	0.22 U	0.22 U	110 UB	0.22 U	27	51 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U
FJD01-09	FJD01-09-20180501-01-51	0-1	5/1/2018	FS	0.02 U	0.04 U	0.02 U	0.02 U	0.02 U	0.02 U	0.03 U	0.03 U	7180	0.45 U	10.2	298	0.49 JQ	1.9	157000	32.8	10.3	87.6	41300	407	2460	1340	0.09	26.8	1740	0.23 U	0.23 U	154 UB	0.23 U	27	840	0.03 U	0.03 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.03 JQ	0.00999 U	0.01 U	0.06 U	0.09 U
	FJD01-09-20180501-06-51	0-6	5/1/2018	FS	0.00454 U	0.00907 U	0.0058 U	0.00403 U	0.00484 U	0.00415 U	0.00678 U	0.00678 U	9070	0.45 U	12.9	182	0.54 JQ	0.85 JQ	190000	16.8	8.3	42.8	14400	86.7	1950	1350	0.06	18.7	1300	0.23 U	0.23 U	137 UB	0.23 U	30.3	385	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00987 U	0.01 U	0.06 U	0.09 U
	FJD01-09-20180501-12-51	6-12	5/1/2018	FS	0.00461 U	0.0092 U	0.00589 U	0.00409 U	0.00491 U	0.00421 U	0.00688 U	0.00688 U	8880	0.45 U	4.91	74.2	0.5 JQ	0.34 JQ	247000	14.1	7.68	8.87	11300	12.7	1770	1190	0.01	17.1	964	0.23 U	0.23 U	135 UB	0.23 U	34.4	53.2	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U

FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.00405 U	0.00808 U	0.00517 U	0.00359 U	0.00431 U	0.0037 U	0.42	0.42	3250	0.42 U	10.3	108	0.28 JQ	0.57 JQ	193000	7.11	3.9	11.6	6320	95.5	1520	885	0.08	9	1020	0.21 U	0.21 U	93.8 UB	0.21 U	13.8	216	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00902 U	0.01 U	0.06 U	0.08 U
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.0043 U	0.00858 U	0.00549 U	0.00381 U	0.00457 U	0.00393 U	0.00642 U	0.00642 U	4980	0.43 U	29	58.2	0.33 JQ	0.36 JQ	261000 JK	8.82 JK	5.09	8.12 JK	7340	30.4 JK	1510	1300	0.07	11.7	1040	0.22 U	0.22 U	112 UB	0.22 U	19 JK	53.7 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00965 U	0.01 U	0.06 U	0.08 U
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.00439 U	0.00876 U	0.0056 U	0.00389 U	0.00467 U	0.00401 U	0.00655 U	0.00655 U	4170	0.45 U	21.2	39.4	0.31 JQ	0.3 JQ	280000	6.91	3.3	5.37	5890	16.4	1270	902	0.03	8.81	694	0.23 U	0.23 U	117 UB	0.23 U	15.4	32.3	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00972 U	0.01 U	0.06 U	0.08 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.00401 U	0.00802 U	0.00513 U	0.00356 U	0.00427 U	0.00367 U	0.00599 U	0.00599 U	4320	0.42 U	12.1	86.8	0.33 JQ	0.44 JQ	170000	7.97	3.9	20.9 JK	5770	46.3	1630	964 JK	0.09	8.61	1330	0.21 U	0.21 U	85.3 UB	0.21 U	13.9	103	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00889 U	0.01 U	0.06 U	0.08 U
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.0044 U	0.00879 U	0.00562 U	0.0039 U	0.00468 U	0.00402 U	0.00657 U	0.00657 U	5640	0.41 U	19.7	80.5	0.35 JQ	0.39 JQ	239000 JK	9.47 JK	5.5	11.7 JK	7560	43.5 JK	1500	1200	0.11	11.5	1200	0.2 U	0.2 U	98.4 UB	0.2 U	19.8 JK	78.1 JK	0.03 U	0.02 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.02 JQ	0.00968 U	0.01 U	0.06 U	0.08 U
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.00446 U	0.00395 U	0.00646 U	0.00646 U	4880	0.4 U	20.2	69.7	0.33 JQ	0.38 JQ	325000	10.2	5.68	9.68	8010	20.9	1720	1140	0.03	13.9	997	0.2 U	0.2 U	129 UB	0.2 U	23.1	60.4	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00958 U	0.01 U	0.06 U	0.08 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.00415 U	0.00828 U	0.0053 U	0.00368 U	0.00441 U	0.00379 U	0.1 JK	0.1 JK	6700	0.41 U	6.1	117	0.47 JQ	0.59 JQ	138000	11.9	6.34	30.9	9940	48.9	1890	1240	0.13	12.5	1920	0.21 U	0.21 U	94.9 UB	0.21 U	22.3	192	0.33 U	0.12 U	0.51 U	0.23 U	0.18 U	0.14 U	0.47 U	0.23 U	0.38 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.63 U	0.84 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.00445 U	0.00889 U	0.00569 U	0.00395 U	0.00474 U	0.00407 U	0.00665 U	0.00665 U	7400	0.46 U	12	121	0.49 JQ	0.58 JQ	210000 JK	13.6 JK	6.51	25.3 JK	10700	48.5 JK	1780	1600	0.13	13.6	1690	0.23 U	0.23 U	106 UB	0.23 U	25.7 JK	173 JK	0.03 U	0.05 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.04 JQ	0.00993 U	0.01 U	0.06 U	0.09 U
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.00431 U	0.0086 U	0.0055 U	0.00382 U	0.00458 U	0.00393 U	0.00643 U	0.00643 U	5250	0.41 U	17	128	0.34 JQ	0.46 JQ	258000	10.8	4.73	16.9	7160	48.6	1400	1140	0.1	10.3	1010	0.2 U	0.2 U	107 UB	0.2 U	19.4	142	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00973 U	0.01 U	0.06 U	0.08 U
FJD05-04	FJD05-04-20180430-01-51	0-1	4/30/2018	FS	0.00402 U	0.00802 U	0.00513 U	0.00356 U	0.00428 U	0.00367 U	0.15	0.15	10200	0.35 U	6.68	146	0.69 JQ	0.73	87700	16.2	9.34	45.8	13200	43	2160	1470	0.07	16.6	2520	0.17 U	0.17 U	69.4 UB	0.17 U	31.9	156	0.03 U	0.02 JQ	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.04 JQ	0.0089 U	0.01 U	0.06 U	0.08 U
	FJD05-04-20180430-06-51	0-6	4/30/2018	FS	0.00465 U	0.00929 U	0.00594 U	0.00412 U	0.00495 U	0.00425 U	0.03 JQ	0.03 JQ	10500	0.46 U	6.94	149	0.71 JQ	0.61 JQ	132000	16.8	9.69	36	13800	42.6	2030	1730	0.08	18.9	2360	0.23 U	0.23 U	92.7 UB	0.23 U	35.7	157	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U
	FJD05-04-20180430-12-51	6-12	4/30/2018	FS	0.00448 U	0.00895 U	0.00573 U	0.00398 U	0.00477 U	0.0041 U	0.00669 U	0.00669 U	9190	0.39 U	6.15	182	0.59 JQ	0.45 JQ	216000	12.8	14.5	28.9	14400	29.8	1720	2160	0.05	19.7	1660	0.2 U	0.2 U	87.5 UB	0.2 U	39.2	85	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U
FJD05-05	FJD05-05-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	4170	0.39 U	5.55	161	0.31 JQ	1.65	123000	7.23	3.85	9.55	6310	341	2460	745	0.08	9.03	841	0.19 U	0.19 U	141 UB	0.19 U	14	332	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00853 U	0.01 U	0.05 U	0.07 U
	FJD05-05-20180430-06-51	0-6	4/30/2018	FS	0.00412 U	0.00822 U	0.00526 U	0.00365 U	0.00438 U	0.00376 U	0.00615 U	0.00615 U	6660	0.39 U	8.53	99.1	0.39 JQ	0.51 JQ	201000 JK	9.77 JK	5.31	8.37 JK	7740	71.7 JK	2020	1070	0.1	11.8	1090	0.19 U	0.19 U	105 UB	0.19 U	20.4 JK	92.2 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00901 U	0.01 U	0.06 U	0.08 U
	FJD05-05-20180430-12-51	6-12	4/30/2018	FS	0.0423 U	0.00845 U	0.00541 U	0.00375 U	0.00451 U	0.00387 U	0.0632 U	0.0632 U	3520	0.39 U	4.45	53.6	0.25 JQ	0.41 JQ	259000 JK	6.73 JK	3.27	4.61 JK	5590	51.1 JK	1290	1010	0.04	8.05	575	0.19 U	0.19 U	103 UB	0.19 U	16 JK	66.8 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0092 U	0.01 U	0.06 U	0.08 U
FJD05-06	FJD05-06-20180430-01-51	0-1	4/30/2018	FS	0.00385 U	0.0077 U	0.00492 U	0.00342 U	0.0041 U	0.00352 U	0.0576 U	0.0576 U	3700	0.36 U	9.83	157	0.4 JQ	0.76	121000	9.

	Amlyte				Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs	Aluminum	Antimony	Arsenic	Barium	Beryllium	Cadmium	Calcium	Chromium	Cobalt	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Potassium	Selenium	Silver	Sodium	Thallium	Vanadium	Zinc	1,2,4,5-Tetrachlorobenzene	1-Methylnaphthalene	1,3,5,6-Tetrachlorophenol	2,3,5,6-Tetrachlorophenol	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2,4-Dimethylphenol	2,4-Dinitrophenol	2,4-Dinitrotoluene	2,6-Dinitrotoluene	2-Chloronaphthalene	2-Chlorophenol	2-Methylnaphthalene	2-Nitroaniline	2-Nitrophenol	3,3'-Dichlorobenzidine	3-Nitroaniline
FJD05-08	FJD05-07-20180430-12-51	6-12	4/30/2018	FS	0.00441 U	0.0088 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	6740	0.37 U	14.1	170	0.44 JQ	0.67 JQ	215000	13.4	6.37	56.6	11300	72.3	1460	1210	0.47	13.5	1010	0.19 U	0.32 JQ	109 UJ	0.19 U	25.8	173	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.0097 U	0.01 U	0.06 U	0.08 U
	FJD05-08-20180430-01-51	0-1	4/30/2018	FS	0.00397 U	0.00792 U	0.00507 U	0.00352 U	0.00422 U	0.00362 U	0.00592 U	0.00592 U	10900	0.43 U	8.7	221	0.88	0.66 JQ	135000	20.5	14.5	27.2	14200	56	2370	1780	0.04	23.5	2590	0.22 U	0.22 U	86.7 UJ	0.22 U	51.5	145	0.03 U	0.04 JQ	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.08 JQ	0.00884 U	0.01 U	0.06 U	0.08 U
	FJD05-08-20180430-06-51	0-6	4/30/2018	FS	0.00472 U	0.00943 U	0.00603 U	0.00418 U	0.00502 U	0.00431 U	0.00705 U	0.00705 U	10100	0.46 U	6.8	106	0.62 JQ	0.43 JQ	197000 JK	15 JK	8.15	15.7 JK	12700	41.1 JK	1750	1440	0.03	15.5	1540	0.23 U	0.23 U	91.4 UJ	0.23 U	38.1 JK	76.6 JK	0.03 U	0.07 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.08 JQ	0.01 U	0.01 U	0.07 U	0.09 U
	FJD05-08-20180430-12-51	6-12	4/30/2018	FS	0.00446 U	0.00891 U	0.0057 U	0.00396 U	0.00475 U	0.00408 U	0.00666 U	0.00666 U	13200	0.47 U	5.69	137	0.94	0.35 JQ	94900	20.2	12.3	11.5	15700	25	1500	1440	0.02	19	1240	0.23 U	0.23 U	93.1 UJ	0.23 U	53.1	54.8	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00989 U	0.01 U	0.06 U	0.09 U
FJD05-09	FJD05-09-20180430-01-51	0-1	4/30/2018	FS	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.02 U	0.02 U	5970	0.36 U	12.7	140	0.4 JQ	1.15	152000 JK	11.4 JK	5.47 JK	12.5 JK	8830	235 JK	1620 JK	1020	0.07	10.8	1070	0.18 U	0.18 U	116 UJ	0.18 U	24.3 JK	237 JK	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.05 U	0.07 U
	FJD05-09-20180430-01-52	0-1	4/30/2018	DUP	0.00386 U	0.00772 U	0.00494 U	0.00343 U	0.00411 U	0.00353 U	0.00577 U	0.00577 U	7690	0.35 U	15.4	192	0.62 JQ	1.55	193000	15	9.14 JK	26.9 JK	10900	273	2770 JK	1300 JK	0.11	17.2	1430	0.17 U	0.17 U	188 UJ	0.17 U	35.6	316	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.05 U	0.07 U
	FJD05-09-20180430-06-51	0-6	4/30/2018	FS	0.02 U	0.04 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	5320	0.42 U	6.65	99.5	0.36 JQ	0.9	245000 JK	9.73 JK	4.96	8.21 JK	7690	134 JK	1330	1170	0.07	10.4	697	0.21 U	0.21 U	118 UJ	0.21 U	23.8 JK	160 JK	0.03 U	0.01 JQ	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 JQ	0.00924 U	0.01 U	0.06 U	0.08 U
	FJD05-09-20180430-06-52	0-6	4/30/2018	DUP	0.00432 U	0.00863 U	0.00552 U	0.00383 U	0.0046 U	0.00395 U	0.00645 U	0.00645 U	6670	0.39 U	7.71	86.8	0.41 JQ	0.54 JQ	193000 JK	10.3 JK	5.7	11.5 JK	9130	109 JK	1490	1200	0.07	11.2	902	0.2 U	0.2 U	106 UJ	0.2 U	25.2 JK	111 JK	0.03 U	0.04 JQ	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.09 JQ	0.00983 U	0.01 U	0.06 U	0.09 U
	FJD05-09-20180430-12-51	6-12	4/30/2018	FS	0.00423 U	0.00844 U	0.0054 U	0.00375 U	0.0045 U	0.00386 U	0.00631 U	0.00631 U	5970	0.36 U	14.8 JK	160 JK	0.48 JQ	0.97	229000	14.2	7.05	9.56	8970	169 JK	1740	1130	0.06	14.6	835	0.18 U	0.18 U	130 UJ	0.18 U	33.3	193 JK	0.33 U	0.12 U	0.52 U	0.23 U	0.18 U	0.15 U	0.48 U	0.23 U	0.39 U	0.12 U	0.13 U	0.16 U	0.13 U	0.09 U	0.15 U	0.64 U	0.86 U
	FJD05-09-20180430-12-52	6-12	4/30/2018	DUP	0.00435 U	0.00869 U	0.00556 U	0.00386 U	0.00463 U	0.00398 U	0.0065 U	0.0065 U	6840	0.42 U	5.39 JK	82.1 JK	0.45 JQ	0.44 JQ	243000 JK	11.2 JK	5.79	8.17 JK	9300	41.4 JK	1550	1490	0.07	12.2	845	0.21 U	0.21 U	129 UJ	0.21 U	27.9 JK	59.6 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00945 U	0.01 U	0.06 U	0.08 U
FJD05-10	FJD05-10-20180430-01-51	0-1	4/30/2018	FS	0.00384 U	0.00768 U	0.00491 U	0.00341 U	0.00409 U	0.00351 U	0.0574 U	0.0574 U	5000	0.4 U	9.68	126	0.37 JQ	0.73 JQ	107000	7.88	4.93	10.5 JK	6760	94.5	2880	754 JK	0.07	10	925	0.2 U	0.2 U	95.5 UJ	0.2 U	17.5	176	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00858 U	0.01 U	0.05 U	0.07 U
	FJD05-10-20180430-06-51	0-6	4/30/2018	FS	0.00436 U	0.0087 U	0.00556 U	0.00386 U	0.00464 U	0.00398 U	0.12	0.12	6300	0.43 U	6.32	117	0.42 JQ	0.74 JQ	198000	10.1	6.57	9.84	13400	106	2320	1200	0.07	14.4	792	0.21 U	0.21 U	137 UJ	0.21 U	26.9	164	0.03 U	0.06 JQ	0.05 U	0.02 U	0.01 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.08 JQ	0.00965 U	0.01 U	0.06 U	0.08 U
	FJD05-10-20180430-12-51	6-12	4/30/2018	FS	0.00436 U	0.00871 U	0.00557 U	0.00387 U	0.00464 U	0.00399 U	0.00651 U	0.00651 U	5630	0.37 U	4.57	132	0.45 JQ	0.6 JQ	228000	9.26	6.16	7.95	9120	82.7	1620	1120	0.12	12	629	0.18 U	0.18 U	143 UJ	0.18 U	24.4	133	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00966 U	0.01 U	0.06 U	0.08 U
FJD05-11	FJD05-11-20180430-01-51	0-1	4/30/2018	FS	0.00388 U	0.00774 U	0.00495 U	0.00344 U	0.00413 U	0.00354 U	0.00579 U	0.00579 U	7680	0.4 U	6.76	116	0.47 JQ	0.49 JQ	73700 JK	10.4	6.4	10.7	10000	61.9	2580	849	0.23	11.1	1180	0.2 U	0.2 U	80.4 UJ	0.2 U	25.4 JK	116 JK	0.03 U	0.01 U	0.04 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00842 U	0.01 U	0.05 U	0.07 U
	FJD05-11-20180430-06-51	0-6	4/30/2018	FS	0.00441 U	0.00881 U	0.00563 U	0.00391 U	0.00469 U	0.00403 U	0.00658 U	0.00658 U	8090	0.47 U	33	277	0.62 JQ	2.52	163000	20.7	9.02	82.7	35400	369	1720	1240	0.37	24	1210	0.24 U	0.24 U	179 UJ	0.24 U	33.6	547	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00977 U	0.01 U	0.06 U	0.09 U
	FJD05-11-20180430-12-51	6-12	4/30/2018	FS	0.00469 U	0.00936 U	0.00599 U	0.00416 U	0.00499 U	0.00428 U	0.007 U	0.007 U	11200	0.44 U	11.2	114	0.79 JQ	0.43 JQ	207000	16.7	9.04	11	14200	49.5	1490	1370	0.17	15.8	1050	0.22 U	0.22 U	100 UJ	0.22 U	45.3	79.5	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U
FJD05-12	FJD05-12-20180430-01-51	0-1	4/30/2018	FS	0.004 U	0.00799 U	0.00511 U	0.00355 U	0.00426 U	0.00365 U	0.0597 U	0.0597 U	13200	0.43 U	8.88	150	0.84 JQ	0.47 JQ	54000 JK	18.4	10.9 JK	18.9 JK	16600	46.7 JK	1710	1500	0.06	17.3	1770	0.21 U	0.21 U	85.1 UJ	0.21 U	48 JK	124 JK	0.03 U	0.01 U	0.05 U	0.02 U	0.01 U	0.01 U	0.04 U	0.02 U	0.03 U	0.01 U	0.01 U	0.01 U	0.01 U	0.00898 U	0.01 U	0.06 U	0.08 U
	FJD05-12-20180430-06-51	0-6	4/30/2018	FS	0.00454 U	0.00906 U	0.0058 U	0.00402 U	0.00483 U	0.00415 U	0.0678 U	0.0678 U	18900	1.16 U	6.3	202	1.28 JQ	0.58 U	17500	28.1	18.7	13.9	21200	26.7	1610	1770	0.03	25.6	1200	0.58 U	0.58 U	58.1 U	0.58 U	75.8	60.1	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.06 U	0.09 U
	FJD05-12-20180430-12-51	6-12	4/30/2018	FS	0.00478 U	0.00955 U	0.00611 U	0.00424 U	0.00509 U	0.00437 U	0.0714 U	0.0714 U	15700	0.41 U	10	220	1.23	0.62 JQ	32300	26	16.9	18.1	18900	45.9	1750	1890	0.06	26.6	2260	0.2 U	0.2 U	81.5 UJ	0.2 U	66.1	113	0.03 U	0.01 U	0.05 U	0.02 U	0.02 U	0.01 U	0.05 U	0.02 U	0.04 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.07 U	0.09 U

	Analyte				4,4-Dichlorobenzophenone	4-Bromophenyl-phenylether	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl-phenylether	4-Nitroaniline	4-Nitrophenol	Acenaphthene	Acenaphthylene	Acetophenone	Anthracene	Atrazine (Aatrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(a)pyrene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Biphenyl	Bis(2-Chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Caprolactam	Carbazole	Chrysene	Dibenz(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	2-Naphthylamine	2-Nitroaniline	3-Nitroaniline	4-Nitroaniline	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
FJD01-01	FJD01-01-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00886 U	0.03 U	0.34 U	0.00872 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00974 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.0083 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00896 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
	FJD01-01-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00856 U	0.03 U	0.33 U	0.00843 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00941 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00987 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.00802 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00866 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
	FJD01-01-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.01 U	0.01 U	0.06 U	0.0085 U	0.03 U	0.32 U	0.00837 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.0086 U	0.01 U	0.01 U	0.00935 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.0098 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00797 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0086 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.0099 U
FJD01-02	FJD01-02-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00872 U	0.03 U	0.33 U	0.00859 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.05 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00959 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U	0.00817 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00882 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
	FJD01-02-20180501-06-51	0-6	5/1/2018	FS	0.04 UJL	0.02 U	0.01 U	0.06 U	0.00865 U	0.03 U	0.33 U	0.00852 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.74 JQK**	0.00875 U	0.01 U	0.01 U	0.00951 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 UJL	**0.02 JQ**	0.03 U	0.00997 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00875 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.02 JQ**
	FJD01-02-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00828 U	0.03 U	0.31 U	0.00815 U	0.00986 U	0.02 U	0.02 U	0.02 U	**0.06 JQK**	0.00837 U	0.01 U	0.01 U	0.00911 U	0.01 U	0.00978 U	0.02 U	0.02 U	0.01 U	**0.21 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00955 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00776 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00837 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00964 U
FJD01-03	FJD01-03-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00869 U	0.03 U	0.33 U	0.00856 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.1 JQK**	**0.03 JQ**	0.01 U	**0.04 JQ**	**0.03 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.03 U	0.02 U	**0.04 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.05 JQ**	**0.07 JQ**	**0.04 JQ**	0.01 U	0.00814 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00879 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.05 JQ**
	FJD01-03-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00861 U	0.03 U	0.33 U	0.00848 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00947 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.01 JQ**	0.02 U	0.01 U	0.03 U	0.00992 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00807 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00871 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
	FJD01-03-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00853 U	0.03 U	0.32 U	0.0084 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00862 U	0.01 U	0.01 U	0.00938 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00983 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00993 U
FJD01-04	FJD01-04-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00877 U	0.03 U	0.33 U	0.00864 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.12 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00964 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	**0.1 JQ**	**0.02 JQ**	0.01 U	0.00822 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00887 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.02 JQ**
	FJD01-04-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.31 JQK**	**0.02 JQ**	**0.01 JQ**	0.01 U	**0.01 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.25 JQ**	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.03 JQ**
	FJD01-04-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00866 U	0.03 U	0.33 U	0.00853 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00876 U	0.01 U	0.01 U	0.00953 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00999 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00812 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00876 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
FJD01-05	FJD01-05-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.01 U	0.01 U	0.06 U	0.00849 U	0.03 U	0.32 U	0.00836 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.17 JQK**	**0.05 JQ**	0.01 U	0.01 U	**0.07 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.48**	**0.56**	0.03 U	0.02 U	**0.08 JQ**	0.02 U	0.01 U	0.03 U	0.00979 U	**0.05 JQ**	**0.48**	**0.09 JQ**	0.01 U	0.00796 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00859 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.08 JQ**
	FJD01-05-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00839 U	0.03 U	0.32 U	0.00826 U	0.00998 U	0.02 U	0.02 U	0.02 U	**0.18 JQK**	**0.02 JQ**	**0.01 JQ**	**0.02 JQ**	**0.01 JQ**	0.01 U	0.0099 U	0.02 U	0.02 U	0.01 U	**0.33 JQ**	**0.05 JQ**	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00967 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.00786 U	0.01 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00848 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.02 JQ**
	FJD01-05-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.01 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00838 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00861 U	0.01 U	0.01 U	0.00936 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00982 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00798 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00861 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00991 U
FJD01-06	FJD01-06-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00852 U	0.03 U	0.32 U	0.00839 U	0.01 U	**0.03 J**	0.02 U	0.02 U	**0.12 JQK**	**0.05 JQ**	0.01 U	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.51**	**2.98**	0.03 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00982 U	**0.44**	**0.51**	**0.07 JQ**	0.01 U	0.00799 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00862 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.07 JQ**
	FJD01-06-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00857 U	0.03 U	0.33 U	0.00844 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	0.01 U	0.01 U	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.26 JQ**	**1.9**	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00988 U	**0.95**	0.01 U	**0.03 JQ**	0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.03 JQ**
	FJD01-06-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00868 U	0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00878 U	0.01 U	0.01 U	0.00954 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.07 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00878 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
FJD01-07	FJD01-07-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.0085 U	0.01 U	0.02 U	**0.1 JQ**	0.02 U	0.05 UJK	**0.69**	**0.44**	**1.1**	**0.42**	**0.39 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.35 JQ**	**0.59**	0.03 U	**0.07 JQ**	**1.17**	**0.12 JQ**	0.01 U	0.03 U	0.00995 U	**0.26 JQ**	0.01 U	**0.86**	0.01 U	0.00809 U	0.01 U	0.02 U	0.01 U	**0.5**	0.01 U	0.02 U	0.01 U	0.01 U	0.00873 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**	0.02 U	**0.09**
	FJD01-07-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00858 U	0.03 U	0.33 U	0.00845 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	**0.02 JQ**	**0.03 JQ**	**0.06 JQ**	**0.05 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	**0.04 JQ**	0.03 U	0.02 U	**0.05 JQ**	0.02 U	0.01 U	0.03 U	0.00989 U	**0.03 JQ**	0.01 U	**0.03 JQ**	0.01 U	0.00804 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00868 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	**0.03 JQ**
	FJD01-07-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00864 U	0.03 U	0.33 U	0.00851 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.06 JQK**	0.00874 U	0.01 U	0.01 U	0.0095 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.21 JQ**	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00996 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0081 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00874 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
FJD01-08	FJD01-08-20180501-01-51	0-1	5/1/2018	FS	0.06 U	0.02 U	0.02 U	0.08 U	0.01 U	0.05 U	0.44 U	0.01 U	0.01 U	0.03 U	0.03 U	0.03 U	0.06 UJK	0.01 U	0.01 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.03 U	0.02 U	**1.58**	0.02 U	0.04 U	0.02 U	0.02 U	0.03 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.01 U	0.01 U	0.03 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.01 U	0.01 U	0.02 U	0.05 U	0.01 U	0.03 U	0.01 U
	FJD01-08-20180501-06-51	0-6	5/1/2018	FS	0.05 U	0.02 U	0.01 U	0.07 U	0.00994 U	0.04 U	0.38 U	0.00978 U	0.01 U	0.03 U	0.03 U	0.03 U	0.05 UJK	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.03 U	0.02 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.04 U	0.01 U	0.03 U	0.02 U	0.01 U	0.01 U	0.00931 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00931 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U
	FJD01-08-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.0088 U	0.03 U	0.33 U	0.00867 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.0089 U	0.01 U	0.01 U	0.00968 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.13 JQ**	**0.21 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	**0.01 JQ**	0.01 U	0.00825 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.0089 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	**0.03 JQ**
FJD01-09	FJD01-09-20180501-01-51	0-1	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00867 U	0.03 U	0.33 U	0.00854 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.42 JQK**	**0.03 JQ**	0.01 U	**0.06 JQ**	**0.04 JQ**	**0.01 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**1.09**	**12.4**	0.03 U	0.02 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.01 U	**0.3 JQ**	0.01 U	**0.06 JQ**	0.01 U	0.00813 U	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00877 U	0.01 U	0.02 U	**0.06 JQ**	**0.05 JQ**	0.02 U	**0.06 JQ**
	FJD01-09-20180501-06-51	0-6	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00857 U	0.03 U	0.33 U	0.00844 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.21 JQK**	**0.01 JQ**	0.01 U	**0.01 JQ**	0.00942 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.26 JQ**	**0.09 JQ**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00988 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.00803 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00867 U	0.01 U	0.02 U	0.04 U	**0.02 JQ**	0.02 U	0.00998 U
	FJD01-09-20180501-12-51	6-12	5/1/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00881 U	0.03 U	0.33 U	0.00867 U	0.01 U	0.02 U	0.02 U	0.02 U	0.05 UJK	0.00891 U	0.01 U	0.01 U	0.00968 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.47**	**1.73**	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U	0.00825 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00891 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.01 U

FJD05-01	FJD05-01-20180430-01-51	0-1	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00784 U	0.03 U	0.3 U	0.00772 U	0.00933 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.05 JQ**	**0.06 JQ**	**0.08 JQ**	**0.05 JQ**	**0.03 JQ**	0.00925 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.07 JQ**	0.02 U	0.01 U	0.03 U	0.00903 U	0.02 U	0.01 U	**0.11 JQ**	0.00964 U	0.00734 U	0.01 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.02 U	0.00986 U	0.01 U	0.00793 U	0.01 U	0.01 U	0.04 U	**0.05 JQ**	0.02 U	**0.1 JQ**
	FJD05-01-20180430-06-51	0-6	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00838 U	0.03 U	0.32 U	0.00825 U	0.00997 U	0.02 U	0.02 U	0.02 U	**0.36 JQK**	**0.02 JQ**	0.01 U	0.01 U	0.00921 U	0.01 U	0.00989 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	0.01 U	0.03 U	0.00966 U	0.02 U	0.01 U	**0.05 JQ**	0.01 U	0.00785 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00847 U	0.01 U	0.02 U	0.04 U	**0.03 JQ**	0.02 U	**0.02 JQ**
	FJD05-01-20180430-12-51	6-12	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00844 U	0.03 U	0.32 U	0.00831 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00854 U	0.01 U	0.01 U	0.00928 U	0.01 U	0.00997 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00973 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00791 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00854 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00982 U
FJD05-02	FJD05-02-20180430-01-51	0-1	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00772 U	0.03 U	0.29 U	0.00761 U	0.0092 U	0.02 U	0.02 U	0.02 U	0.04 UJK	**0.03 JQ**	**0.1 JQ**	**0.06 JQ**	**0.03 JQ**	**0.02 JQ**	0.00912 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	**0.06 JQ**	0.02 U	0.01 U	0.03 U	0.0089 U	0.02 U	**0.03 JQ**	**0.07 JQ**	0.0095 U	0.00724 U	0.01 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.02 U	0.00971 U	0.01 U	0.00781 U	0.01 U	0.01 U	0.03 U	**0.05 JQ**	0.02 U	**0.08 JQ**
	FJD05-02-20180430-06-51	0-6	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00841 U	0.03 U	0.32 U	0.00828 U	0.01 U	0.02 U	0.02 U	0.02 U	**0.48 JQK**	**0.02 JQ**	**0.02 JQ**	**0.04 JQ**	**0.01 JQ**	**0.04 JQ**	0.00993 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	**0.02 JQ**	0.02 U	**0.03 JQ**	0.03 U	0.0097 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U	0.00788 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00851 U	0.01 U	0.02 U	0.04 U	**0.04 JQ**	0.02 U	**0.01 JQ**
	FJD05-02-20180430-12-51	6-12	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.05 U	0.00832 U	0.03 U	0.32 U	0.00819 U	0.00991 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00841 U	0.01 U	0.01 U	0.00915 U	0.01 U	0.00982 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00959 U	0.02 U	0.01 U	0.01 U	0.01 U	0.0078 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	**0.07 JQ**	0.01 U	0.00841 U	0.01 U	0.02 U	0.04 U	**0.01 JQ**	0.02 U	0.00968 U
FJD05-03	FJD05-03-20180430-01-51	0-1	4/30/2018	FS	0.42 U	0.18 U	0.14 U	0.56 U	0.08 U	0.35 U	3.07 U	0.07 U	0.09 U	0.24 U	0.23 U	0.25 U	0.46 UJK	0.08 U	0.11 U	0.14 U	0.08 U	0.13 U	0.09 U	0.23 U	0.26 U	0.16 U	0.14 U	0.13 U	0.28 U	0.19 U	0.13 U	0.2 U	0.12 U	0.32 U	0.09 U	0.24 U	0.17 U	0.09 U	0.09 U	0.07 U	0.12 U	0.23 U	0.12 U	0.15 U	0.12 U	0.22 U	0.1 U	0.17 U	0.08 U	0.12 U	0.19 U	0.4 U	0.1 U	0.21 U	0.09 U
	FJD05-03-20180430-06-51	0-6	4/30/2018	FS	0.04 U	0.02 U	0.01 U	0.06 U	0.00862 U	0.03 U	0.33 U	0.00849 U	0.01 U	0.02 U	0.02 U	0.02 U	**1 JQK**	**0.03 JQ**	**0.04 JQ**	**0.08 JQ**	**0.02 JQ**	**0.02 JQ**	0.01 U	0.02 U	0.02 U	0.01 U	**0.03 JQ**	0.01 U	0.03 U	0.02 U	**0.05 JQ**	0.02 U	**0.04 JQ**	0.03 U	0.00994 U	0.02 U	0.01 U	**0.07 JQ**	0.01 U	0.00808 U	0.01 U	0.02 U	0.01 U	**0.01 JQ**	0.01 U	0.02 U	0.01 U	0.01 U	0.00872 U	0.01 U	0.02 U	0.04 U	**0.07 JQ**	0.02 U	**0.03 JQ**
	FJD05-03-20180430-12-51	6-12	4/30/2018	FS	0.04 U	0.01 U	0.01 U	0.06 U	0.00845 U	0.03 U	0.32 U	0.00832 U	0.01 U	0.02 U	0.02 U	0.02 U	0.04 UJK	0.00855 U	0.01 U	0.01 U	0.00929 U	0.01 U	0.00998 U	0.02 U	0.02 U	0.01 U	0.01 U	0.01 U	0.03 U	0.02 U	0.01 U	0.02 U	0.01 U	0.03 U	0.00974 U	0.02 U	0.01 U	0.01 U	0.01 U	0.00792 U	0.01 U	0.02 U	0.01 U	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	0.00855 U	0.01 U	0.02 U	0.04 U	0.01 U	0.02 U	0.00984 U
FJD05-

	Asphy			4,6-Dihydro-2-methylphenol	4-Bromophenyl phenyl ether	4-Chloro-3-methylphenol	4-Chloroaniline	4-Chlorophenyl phenyl ether	4-Nitroaniline	Acenaphthene	Acenaphthylene	Acetophenone	Ambrosene	Atrazine (Aatrex)	Benzaldehyde	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl Alcohol	Bis(2-chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Carprofam	Chlorfenvinphos	Chrysene	Dibenzo(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene	Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
FJD05-07-20190430-01-S1	0-1	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-08-20190430-06-S1	0-6	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-09-20190430-12-S1	6-12	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-01-S1	0-1	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-06-S1	0-6	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-12-S1	6-12	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-01-S1	0-1	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-06-S1	0-6	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-12-S1	6-12	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-01-S1	0-1	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-06-S1	0-6	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-12-S1	6-12	4/30/2018	FS	0.041U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.02U	0.02U	0.02U	0.02U	0.04U	0.0002U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U

	Asphy			Benzaldehyde	Benzo(a)anthracene	Benzo(b)fluoranthene	Benzo(g,h,i)perylene	Benzo(k)fluoranthene	Benzoic Acid	Benzyl Alcohol	Bis(2-chloroethoxy)methane	Bis(2-Chloroethyl)ether	Bis(2-Chloroisopropyl)ether	Bis(2-Ethylhexyl)phthalate	Butyl benzyl phthalate	Carbazole	Carprofam	Chlorfenvinphos	Chrysene	Dibenzo(a,h)anthracene	Dibenzofuran	Diethyl phthalate	Dimethyl phthalate	Di-n-butyl phthalate	Di-n-octyl phthalate	Fluoranthene	Fluorene
FJD05-07-20190430-01-S1	0-1	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-08-20190430-06-S1	0-6	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-09-20190430-12-S1	6-12	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-01-S1	0-1	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-06-S1	0-6	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-10-20190430-12-S1	6-12	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-01-S1	0-1	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-06-S1	0-6	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-11-20190430-12-S1	6-12	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-01-S1	0-1	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-06-S1	0-6	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U
FJD05-12-20190430-12-S1	6-12	4/30/2018	FS	0.02U	0.04U	0.08U	0.04U	0.04U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U

	Asphy			Hexachlorobenzene	Hexachlorobutadiene	Hexachlorocyclopentadiene	Hexachloroethane	Indeno(1,2,3-cd)pyrene	Isophorone	m,p-Cresol	Naphthalene	Nitrobenzene	n-Nitrosodi-n-propylamine	n-Nitrosodiphenylamine	o-Cresol	Pentachlorophenol	Phenanthrene	Phenol	Pyrene
FJD05-07-20190430-01-S1	0-1	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-08-20190430-06-S1	0-6	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-09-20190430-12-S1	6-12	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-10-20190430-01-S1	0-1	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-10-20190430-06-S1	0-6	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-10-20190430-12-S1	6-12	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-11-20190430-01-S1	0-1	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-11-20190430-06-S1	0-6	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-11-20190430-12-S1	6-12	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-12-20190430-01-S1	0-1	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-12-20190430-06-S1	0-6	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U
FJD05-12-20190430-12-S1	6-12	4/30/2018	FS	0.01U	0.01U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.01U	0.01U	0.02U	0.01U	0.01U	0.02U	0.00091U

Arsenic (FJD01)	Arsenic (FJD05)	Arochlor 1260 (FJD01)	Arochlor (FJD05)	Cobalt (FJD01)	Cobalt (FJD05)	Copper (FJD01)	Copper (FJD05)	Lead (FJD01)	Lead (FJD05)	Manganese (FJD01)	Manganese (FJD05)	Benzo(a)anthracene (FJD01)	Benzo(a)anthracene (FJD05)
6.66	10.3	0.00687 U	0.42	8.98	3.9	18.1	11.6	152	95.5	1220	885	0.02 JQ	0.05 JQ
6.21	29	0.0066 U	0.00642 U	8.64	5.09	21	8.12 JK	96.8	30.4 JK	1470	1300	0.02 JQ	0.02 JQ
2.4	21.2	0.00656 U	0.00655 U	6.01	3.3	5.36	5.37	13.9	16.4	1250	902	0.0086 U	0.00854 U
7.19	12.1	0.00677 U	0.00599 U	10.4	3.9	22.5	20.9 JK	132	46.3	1670	964 JK	0.02 JQ	0.03 JQ
7.72	19.7	0.00671 U	0.00657 U	11.3	5.5	19.1	11.7 JK	79	43.5 JK	1840	1200	0.00875 U	0.02 JQ
2.34	20.2	0.0066 U	0.00646 U	5.15	5.68	4.73	9.68	10	20.9	1450	1140	0.00837 U	0.00841 U
6.46	6.1	0.03 U	0.1 JK	10.1	6.34	19.4	30.9	280	48.9	1120	1240	0.03 JQ	0.08 U
5.26	12	0.00686 U	0.00665 U	9.07	6.51	13.8	25.3 JK	130	48.5 JK	1050	1600	0.02 JQ	0.03 JQ
5.62	17	0.00657 U	0.00643 U	10.9	4.73	13.2	16.9	72.6	48.6	1600	1140	0.00862 U	0.00855 U
11.1	6.68	0.03 U	0.15	11.2	9.34	41	45.8	346	43	1510	1470	0.02 JQ	0.04 JQ
9.4	6.94	0.00679 U	0.03 JQ	9.01	9.69	49.1	36	197	42.6	1510	1730	0.02 JQ	0.00905 U
6.04	6.15	0.00672 U	0.00669 U	7.55	14.5	19.5	28.9	85.9	29.8	1260	2160	0.00876 U	0.00884 U
6.56	5.55	0.03 U	0.02 U	10	3.85	27.2	9.55	194	341	1640	745	0.05 JQ	0.05 JQ
11.5	8.53	0.03 U	0.00615 U	10.2	5.31	31.6	8.37 JK	195	71.7 JK	1720	1070	0.02 JQ	0.00791 U
4.45	4.45	0.0067 U	0.00632 U	8.6	3.27	31.6	4.61 JK	53	51.1 JK	1280	1010	0.00861 U	0.04 JQ
6.52	9.83	0.03 U	0.00576 U	6.25	4.87	29.7	17.1 JK	300	90.8	676	728	0.05 JQ	0.05 JQ
8.23	6.62	0.00665 U	0.00576 U	7.4	3.37	22.7	10.1 JK	164	63.6	1050	684	0.02 JQ	0.04 JQ
5.73	18.4	0.00656 U	0.00619 U	7.66	5.63	9.43	14.4 JK	28.6	84.8 JK	1260	1170	0.00878 U	0.05 JQ
7.66	9.32	0.00674 U	0.00635 U	8.88	5.54	28.4	13.9	92.6	77.2	1200	1200	0.69	0.00828 U
7.56	7.17	0.00657 U	0.00588 U	10.2	4.74	19.8	18.1	54.2	58.4	1500	1040	0.02 JQ	0.04 JQ
5.15	10.2	0.00675 U	0.00658 U	9.68	6.38	9.65	15.8	53.1	71.9	1580	1120	0.00874 U	0.00847 U
7.01	14.1	0.04 U	0.00658 U	6.51	6.37	45.7	56.6	134	72.3	599	1210	0.01 U	0.00852 U
4.38	8.7	0.03 U	0.00592 U	9.24	14.5	11	27.2	20.7	56	1310	1780	0.01 U	0.02 JQ
3.82	6.8	0.03 U	0.00705 U	7.58	8.15	7.97	15.7 JK	13.8	41.1 JK	1220	1440	0.0089 U	0.04 JQ
18.2	5.69	0.03 U	0.00666 U	10.3	12.3	87.6	11.5	407	25	1340	1440	0.03 JQ	0.00868 U
12.9	12.7	0.00678 U	0.02 U	8.3	5.47 JK	42.8	12.5 JK	86.7	235 JK	1350	1020	0.01 JQ	0.09 JQ
4.91	15.4	0.00688 U	0.00577 U	7.68	9.14 JK	8.87	26.9 JK	12.7	273	1190	1300 JK	0.00891 U	0.22 JQ
7.073333333	6.65		0.03 U	8.77	4.96	24.47444444	8.21 JK	126.0962963	134 JK	1328.333333	1170		0.17 JQ
11.5	7.71	Undetect	0.00645 U		5.7		11.5 JK		109 JK		1200		0.1 JQ
	14.8		0.00631 U		7.05		9.56		169 JK		1130		0.08 U
	5.39		0.0065 U		5.79		8.17 JK		41.4 JK		1490		0.07 JQ
	9.68		0.00574 U		4.93		10.5 JK		94.5		754 JK		0.03 JQ
	6.32		0.12		6.57		9.84		106		1200		0.05 JQ
	4.57		0.00651 U		6.16		7.95		82.7		1120		0.00849 U
	6.76		0.00579 U		6.4		10.7		61.9		849		0.04 JQ
	33		0.00658 U		9.02		82.7		369		1240		0.00858 U
	11.2		0.007 U		9.04		11		49.5		1370		0.00912 U
	8.88		0.00597 U		10.9 JK		18.9 JK		46.7 JK		1500		0.06 JQ
	6.3		0.00678 U		18.7		13.9		26.7		1770		0.02 JQ
	10		0.00714 U		16.9		18.1		45.9		1890		0.02 JQ
	11.05225		0.164		6.5995		12.53875		58.935		1158.825		
	33												

Benzo(a)pyrene (FJD01)	Benzo(a)pyrene (FJD05)	Benzo(b)fluoranthene (FJD01)	Benzo(b)fluoranthene (FJD05)	DiBenzo(a,h)anthracene (FJD01)	DiBenzo(a,h)anthracene (FJD05)	Indeno(1,2,3-cd)pyrene (FJD01)	Indeno(1,2,3-cd)pyrene (FJD05)
0.01 U	**0.06 JQ**	0.01 U	**0.08 JQ**	0.02 U	0.02 U	0.01 U	**0.05 JQ**
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	**0.1 JQ**	0.01 U	**0.06 JQ**	0.02 U	0.02 U	0.01 U	**0.03 JQ**
0.01 U	**0.02 JQ**	0.01 U	**0.04 JQ**	0.02 UJL	0.02 U	0.01 U	0.01 U
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	0.11 U	**0.04 JQ**	0.14 U	0.02 U	0.2 U	**0.03 JQ**	0.15 U
0.01 U	**0.04 JQ**	0.01 U	**0.08 JQ**	0.02 U	0.02 U	0.01 U	**0.01 JQ**
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	**0.04 JQ**	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	**0.02 JQ**
0.01 JQ	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	**0.01 JQ**	0.01 U
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	**0.1 JQ**	0.01 U	**0.08 JQ**	0.02 U	0.01 U	**0.06 JQ**	**0.05 JQ**
0.01 JQ	0.01 U	**0.02 JQ**	0.01 U	0.02 U	0.02 U	**0.02 JQ**	0.01 U
0.01 U	**0.04 JQ**	0.01 U	**0.05 JQ**	0.02 U	0.02 U	0.01 U	**0.02 JQ**
0.01 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.01 U	**0.04 JQ**	0.01 U
0.01 U	0.01 U	0.01 U	**0.05 JQ**	0.02 U	0.01 U	0.01 U	**0.03 JQ**
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.44	0.01 U	**1.1**	0.01 U	**0.12 JQ**	0.02 U	**0.5**	0.01 U
0.03 JQ	**0.04 JQ**	**0.06 JQ**	**0.06 JQ**	0.02 U	0.01 U	**0.06 JQ**	**0.02 JQ**
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	0.01 U	0.02 U	0.01 U	0.03 U	0.02 U	0.02 U	0.01 U
0.01 U	**0.03 JQ**	0.01 U	0.01 U	0.02 U	0.01 U	0.01 U	**0.01 JQ**
0.01 U	0.01 U	0.01 U	0.01 U	0.02 U	0.02 U	0.01 U	0.01 U
0.01 U	0.01 U	**0.06 JQ**	0.01 U	0.02 U	0.02 U	**0.04 JQ**	0.01 U
0.01 U	**0.13 JQ**	**0.01 JQ**	**0.22 JQ**	0.02 U	0.01 U	0.01 U	**0.06 JQ**
0.01 U	**0.14 JQ**	0.01 U	**0.35**	0.02 U	**0.05 JQ**	0.01 U	**0.25 JQ**
	0.2 JQ		**0.29 JQ**		**0.03 JQ**		**0.09 JQ**
	0.12 JQ		**0.18 JQ**		0.02 U		**0.06 JQ**
	0.11 U		0.14 U		0.2 U		0.15 U
	0.01 U		0.01 U		0.02 U		0.01 U
	0.01 U		0.01 U		0.01 U		0.01 U
	0.06 JQ		**0.08 JQ**		0.02 U		**0.02 JQ**
	0.01 U		0.01 U		0.02 U		0.01 U
	0.04 JQ		**0.05 JQ**		0.01 U		**0.02 JQ**
	0.01 U		0.01 U		0.02 U		0.01 U
	0.01 U		0.01 U		0.02 U		0.01 U
	0.07 JQ		**0.11 JQ**		0.02 U		**0.03 JQ**
	0.01 U		0.01 U		0.02 U		0.01 U
	0.01 U		**0.02 JQ**		0.02 U		0.01 U