McCall - Rep...
11.3.46

ANCHOR ENVIRONMENTAL, L.L.C.

Anchor Environmental, L.L.C.
6650 SW Redwood Lane, Suite 110
Portland, OR 97224
Phone 503.670.1108
Fax 503.670.1128

May 15, 2002
020162-02

Mr. Tom Gainer, P.E.
Project Manager, Portland Harbor and Voluntary Cleanup
Oregon Department of Environmental Quality
2020 SW 4th Avenue, Suite 400
Portland, Oregon 97201-4987

Re: First quarter 2002 Sampling Results; McCall Oil and Chemical Corporation, RIFS, Portland, Oregon

Dear Tom:

The attached tables present all groundwater and surface water sampling results for the remedial investigation currently being conducted at the McCall Oil and Chemical facility in Portland, Oregon. These results include first quarter 2002 sampling results which have been validated and are judged to be acceptable for their intended use.

Table 1	Monitoring Well and River Hydrology Measurements
Table 2	Total Petroleum Hydrocarbons
Table 3	PAHs and SVOCs
Table 4	Volatile Organic Compounds
Table 5	Metals

If you have any questions, please let us know.

Sincerely,

John J. Renda, R.G.
Anchor Environmental, L.L.C.

John E. Edwards, C.E.G, R.G.

USEPA SF
1187785

Cc: Ted McCall; McCall Oil and Chemical
Don Pyle, Lane, Powell, Spears, Lubersky, LLP

RECEIVED
OCT 16 2002
DEPT OF ENVIRONMENTAL QUALITY
NORTHWEST REGION

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
EX-1	36.12	09/08/94	15.35	20.77
		12/29/94	14.60	21.52
		03/29/95	13.06	23.06
		06/27/95	13.65	22.47
		07/14/95	13.82	22.30
		05/01/97	12.71	23.41
		02/03/99	13.21	22.91
		12/08/00	15.65	20.47
		01/19/01	15.46	20.66
		02/08/01	15.55	20.57
		03/08/01	15.65	20.47
		04/12/01	15.72	20.40
		05/15/01	15.68	20.44
		06/12/01	15.75	20.37
		07/16/01	15.84	20.28
		08/14/01	15.97	20.15
		09/13/01	16.07	20.05
		10/25/01	16.31	19.81
		11/16/01	16.27	19.85
		12/18/01	15.88	20.24
		01/22/02	15.05	21.07
		02/14/02	14.56	21.56
EX-2	32.28	09/08/94	18.56	13.72
		12/29/94	17.87	14.41
		03/29/95	17.11	15.17
		06/27/95	17.27	15.01
		07/14/95	17.42	14.86
		05/01/97	13.08	19.20
		02/03/99	16.30	15.98
		12/08/00	18.66	13.62
		01/19/01	18.67	13.61
		02/08/01	18.70	13.58
		03/08/01	18.76	13.52
		04/12/01	18.10	14.18
		05/15/01	17.94	14.34
		06/12/01	17.94	14.34
		07/16/01	18.49	13.79
		08/14/01	18.73	13.55
		09/13/01	18.90	13.38
		10/25/01	19.18	13.10
		11/16/01	19.24	13.04
		12/18/01	18.50	13.78
		01/22/02	17.83	14.45
		02/14/02	17.49	14.79

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
EX-3	32.07	09/08/94	17.96	14.11
		12/29/94	16.72	15.35
		03/29/95	15.43	16.64
		06/27/95	15.91	16.16
		07/14/95	15.96	16.11
		05/01/97	12.84	19.23
		02/03/99	15.12	16.95
		12/08/00	18.27	13.80
		01/19/01	18.13	13.94
		02/08/01	18.10	13.97
		03/08/01	18.17	13.90
		04/12/01	17.44	14.63
		05/15/01	17.08	14.99
		06/12/01	17.04	15.03
		07/16/01	17.82	14.25
		08/14/01	18.25	13.82
		09/13/01	18.51	13.56
		10/25/01	18.92	13.15
		11/16/01	19.02	13.05
		12/18/01	17.91	14.16
		01/22/02	16.41	15.66
		02/14/02	15.95	16.12
EX-4 (MW-2)	35.60	10/18/93	16.63	18.97
		10/28/93	16.72	18.88
		01/27/94	16.56	19.04
		09/08/94	16.86	18.74
		12/29/94	16.09	19.51
		03/29/95	14.63	20.97
		06/27/95	15.22	20.38
		07/14/95	15.41	20.19
		05/01/97	14.08	21.52
		02/03/99	14.58	21.02
		12/08/00	16.97	18.63
		01/19/01	16.81	18.79
		02/08/01	16.84	18.76
		03/08/01	16.92	18.68
		04/12/01	16.96	18.64
		05/15/01	16.92	18.68
		06/12/01	16.98	18.62
		07/16/01	17.09	18.51
		08/14/01	17.22	18.38
		09/13/01	17.30	18.30
		10/25/01	17.51	18.09
		11/16/01	17.52	18.08
		12/18/01	17.22	18.38
		01/22/02	16.28	19.32
		02/14/02	15.80	19.80

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
EX-5	31.87	09/08/94	NM	
		12/29/94	15.85	16.02
		03/29/95	14.84	17.03
		06/27/95	16.32	15.55
		07/14/95	16.34	15.53
		05/01/97	12.06	19.81
		02/03/99	13.45	18.42
		12/08/00	19.72	12.15
		01/19/01	18.87	13.00
		02/08/01	18.98	12.89
		03/08/01	19.22	12.65
		04/12/01	18.96	12.91
		05/15/01	18.94	12.93
		06/12/01	19.05	12.82
		07/16/01	19.76	12.11
		08/14/01	20.32	11.55
		09/13/01	20.70	11.17
		10/25/01	21.27	10.60
		11/16/01	21.04	10.83
		12/18/01	16.64	15.23
		01/22/02	16.10	15.77
		02/14/02	15.35	16.52
EX-6	34.38	09/08/94	NM	
		12/29/94	13.98	20.40
		03/29/95	12.51	21.87
		06/27/95	13.04	21.34
		07/14/95	13.17	21.21
		05/01/97	11.93	22.45
		02/03/99	12.71	21.67
		12/08/00	Well casing filled with silt	
		11/16/01	Decommissioned	
EX-7	35.29	09/08/94	NM	
		12/29/94	13.21	22.08
		03/29/95	11.69	23.60
		06/27/95	12.34	22.95
		07/14/95	12.38	22.91
		05/01/97	11.44	23.85
		02/03/99	11.81	23.48
		12/08/00	14.32	20.97
		01/19/01	14.15	21.14
		02/08/01	14.18	21.11
		03/08/01	14.30	20.99
		04/12/01	14.37	20.92
		05/15/01	14.33	20.96
		06/12/01	14.41	20.88
		07/16/01	14.51	20.78
		08/14/01	14.65	20.64
		09/13/01	14.75	20.54
		10/25/01	15.01	20.28
		11/16/01	14.98	20.31
		12/18/01	14.42	20.87
		01/22/02	13.50	21.79
		02/14/02	13.15	22.14

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
MW-1	35.48	05/11/93	15.56	19.92
		10/18/93	17.04	18.44
		10/28/93	17.16	18.32
		01/27/94	16.99	18.49
		09/08/94	NM	
		12/29/94	16.43	19.05
		03/29/95	NM	
		06/27/95	NM	
		07/14/95	NM	
		05/01/97	14.12	21.36
		02/03/99	14.83	20.65
		12/08/00	17.40	18.08
		01/19/01	17.23	18.25
		02/08/01	17.32	18.16
		03/08/01	17.42	18.06
		04/12/01	17.41	18.07
		05/15/01	17.37	18.11
		06/12/01	NM	
		07/16/01	17.59	17.89
		08/14/01	17.70	17.78
		09/13/01	17.78	17.70
		10/25/01	17.97	17.51
		11/16/01	17.88	17.60
		12/18/01	17.44	18.04
		01/22/02	16.68	18.80
		02/14/02	16.38	19.10
MW-3	34.56	10/18/93	16.47	18.09
		10/28/93	16.60	17.96
		01/27/94	16.40	18.16
		09/08/94	NM	
		12/29/94	15.90	18.66
		03/29/95	NM	
		06/27/95	NM	
		07/14/95	NM	
		05/01/97	13.73	20.83
		02/03/99	14.36	20.20
		12/08/00	16.73	17.83
		01/19/01	16.60	17.96
		02/08/01	16.64	17.92
		03/08/01	16.73	17.83
		04/12/01	16.73	17.83
		05/15/01	16.71	17.85
		06/12/01	16.76	17.80
		07/16/01	16.91	17.65
		08/14/01	16.97	17.59
		09/13/01	17.09	17.47
		10/25/01	17.24	17.32
		11/16/01	17.16	17.40
		12/18/01	16.82	17.74
		01/22/02	16.09	18.47
		02/14/02	15.65	18.91

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
MW-4	33.61	10/18/93	16.21	17.40
		10/28/93	16.26	17.35
		01/27/94	16.06	17.55
		09/08/94	NM	
		12/29/94	15.55	18.06
		03/29/95	NM	
		06/27/95	NM	
		07/14/95	NM	
		05/01/97	13.32	20.29
		02/03/99	14.04	19.57
		12/08/00	16.25	17.36
		01/19/01	16.17	17.44
		02/08/01	16.21	17.40
		03/08/01	16.29	17.32
		04/12/01	16.28	17.33
		05/15/01	16.28	17.33
		06/12/01	16.32	17.29
		07/16/01	16.43	17.18
		08/14/01	16.53	17.08
		09/13/01	16.60	17.01
		10/25/01	16.74	16.87
		11/16/01	16.63	16.98
		12/18/01	16.20	17.41
		01/22/02	15.65	17.96
		02/14/02	15.26	18.35
MW-5	34.66	10/18/93	20.13	14.53
		10/28/93	20.48	14.18
		01/27/94	19.89	14.77
		09/08/94	NM	
		12/29/94	19.25	15.41
		03/29/95	NM	
		06/27/95	NM	
		07/14/95	NM	
		05/01/97	15.91	18.75
		02/03/99	18.15	16.51
		12/08/00	19.80	14.86
		01/19/01	19.69	14.97
		02/08/01	19.67	14.99
		03/08/01	19.75	14.91
		04/12/01	19.80	14.86
		05/15/01	20.00	14.66
		06/12/01	20.01	14.65
		07/16/01	20.32	14.34
		08/14/01	20.39	14.27
		09/13/01	20.47	14.19
		10/25/01	20.30	14.36
		11/16/01	20.19	14.47
		12/18/01	19.18	15.48
		01/22/02	19.00	15.66
		02/14/02	18.79	15.87
MW-6	34.83	10/25/01	16.73	18.10
		11/16/01	16.67	18.16
		12/18/01	16.35	18.48
		01/22/02	15.46	19.37
		02/14/02	15.94	18.89
MW-7	34.74	10/25/01	25.77	8.97
		11/16/01	24.94	9.80
		12/18/01	21.26	13.48
		01/22/02	22.72	12.02
		02/14/02	22.61	12.13

Table 1

Monitoring Well and River Hydrology Measurements

McCall Oil and Chemical Corporation

Well	Reference Point Elevation (Feet MSL)	Date	DTW (Feet)	WLE (Feet MSL)
MW-8	32.24	10/25/01	25.64	6.60
		11/16/01	23.85	8.39
		12/18/01	19.55	12.69
		01/22/02	22.44	9.80
		02/14/02	22.54	9.70
MW-9	36.00	01/22/02	17.57	18.43
		02/14/02	17.21	18.79
MW-10	35.06	01/22/02	14.97	20.09
		02/14/02	14.46	20.60
MW-11	34.41	01/22/02	13.32	21.09
		02/14/02	12.94	21.47
MW-12	32.79	01/22/02	17.88	14.91
		02/14/02	17.46	15.33
MW-13	34.94	01/22/02	18.83	16.11
		02/14/02	17.95	16.99
WG-1	37.28	10/28/93	32.82	4.46
		01/27/94	30.04	7.24
		09/08/94	NM	
		12/29/94	NM	
		03/29/95	NM	
		06/27/95	NM	
		07/14/95	NM	
		05/01/97	17.80	19.48
		02/03/99	23.02	14.26
		12/08/00	31.60	5.68
		01/19/01	31.74	5.54
		02/08/01	30.78	6.50
		03/08/01	31.80	5.48
		04/12/01	29.15	8.13
		05/15/01	29.95	7.33
		06/12/01	31.02	6.26
		07/16/01	34.23	3.05
		08/14/01	33.27	4.01
		09/13/01	31.15	6.13
		10/25/01	31.38	5.90
		11/16/01	30.77	6.51
		12/18/01	25.45	11.83
		01/22/02	27.80	9.48
		02/14/02	29.27	8.01

Note: Reference point elevations for EX-1 to EX-7, MW-1 to MW-5 and WG-1 surveyed by WH&P on September 19, 2000.
MW-6 to MW-13 surveyed by WH&P on January 30, 2002

Table 2
Total Petroleum Hydrocarbons
Groundwater and Storm Water
McCall/GWCC
Portland, Oregon

Location	Matrix	Date Sampled	TPH - FIQ																			
			Gasoline		Naphtha Distillate		Jet Fuel as JP-4		Mineral Spirits		Jet Fuel as Jet A		Kerosene		Diesel		Heavy Fuel Oil		Lube Oil	
Geoprobe Borings - Water µg/L (ppb)																						
GP-1	Water	12/11/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-2	Water	12/11/00	130	H	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-3	Water	12/11/00	170	H	100	U	100	U	100	U	100	U	100	U	280	L	250	U	250	U
GP-4	Water	12/11/00	2500	H	100	U	100	U	100	U	100	U	100	U	7100	F	250	U	4400	L
GP-5	Water	12/11/00	620	H	100	U	100	U	100	U	100	U	100	U	430	Y	250	U	300	Y
GP-6	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-7	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-8	Water	12/12/00	100	U	100	U	100	U	100	U	100	U	100	U	100	Y	250	U	250	U
GP-9	Water	12/12/00	100	U	100	U	100	U	100	U	100	U	100	U	130	Y	250	U	250	U
GP-10	Water	12/12/00	100	U	100	U	100	U	100	U	100	U	100	U	100	Y	250	U	250	U
GP-11	Water	12/12/00	100	U	100	U	100	U	100	U	100	U	100	U	130	Y	250	U	250	U
GP-12	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	130	H	250	U	250	U
GP-12 Duplicate	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	160	Y	250	U	250	U
GP-13	Water	12/12/00	110	Z	100	U	100	U	100	U	100	U	100	U	260	Y	250	U	250	U
GP-14	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-15	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	2800	F	250	U	1200	F
GP-16	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-17	Water	12/13/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-18	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-19	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-19 Duplicate	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-20	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	550	Y	250	U	250	U
GP-21	Water	12/12/00	100	U	100	U	100	U	100	U	100	U	100	U	120	Y	250	U	250	U
GP-22	Water	02/09/01	210	H	100	U	100	U	100	U	100	U	100	U	1100	F	250	U	250	U
GP-23	Water	02/09/01	100	U	100	U	100	U	100	U	100	U	100	U	440	H	250	U	250	U
GP-24	Water	02/09/01	100	U	100	U	100	U	100	U	100	U	100	U	270	H	250	U	250	U
GP-25	Water	02/09/01	100	U	100	U	100	U	100	U	100	U	100	U	280	H	250	U	250	U
GP-26	Water	02/09/01	100	U	100	U	100	U	100	U	100	U	100	U	300	H	250	U	500	L
GP-27	Water	02/12/01	100	U	100	U	100	U	100	U	100	U	100	U	170	H	250	U	250	U
GP-28	Water	02/12/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-29	Water	02/12/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-30	Water	02/12/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-30 Duplicate	Water	02/12/01	100	U	100	U	100	U	100	U	100	U	100	U	120	H	250	U	250	U
GP-31	Water	02/13/01	1800	H	100	U	100	U	100	U	100	U	100	U	7600	Y	250	U	4800	F
GP-32	Water	02/13/01	100	U	100	U	100	U	100	U	100	U	100	U	700	H	250	U	1100	F
GP-33	Water	02/13/01	100	U	100	U	100	U	100	U	100	U	100	U	320	Y	250	U	250	U
GP-34	Water	02/13/01	130	H	100	U	100	U	100	U	100	U	100	U	2100	Y	250	U	580	L
GP-35	Water	02/13/01	100	U	100	U	100	U	100	U	100	U	100	U	200	H	250	U	270	Y
GP-36	Water	02/13/01	100	U	100	U	100	U	100	U	100	U	100	U	210	Y	250	U	250	U
GP-37	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-38	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-38 Duplicate	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-39	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
GP-40	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	640	Y	250	U	250	U
GP-45	Water	11/14/01	> 667	DET											1680	U	1680	U		
GP-46	Water	11/14/01	> 714	DET											38700		28000			
GP-47	Water	11/14/01	> 250	DET											630	U	630	U		
Field Blank	Water	12/14/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
Field Blank	Water	02/14/01	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U

Table 2
Total Petroleum Hydrocarbons
Groundwater and Storm Water
McCall/GWCC
Portland, Oregon

Location	Matrix	Date Sampled	TPH - FIQ																			
			Gasoline		Naphtha Distillate		Jet Fuel as JP-4		Mineral Spirits		Jet Fuel as Jet A		Kerosene		Diesel		Heavy Fuel Oil		Lube Oil	
Monitoring Wells - Water µg/L (ppb)																						
EX-1	Water	12/20/00	990	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-1	Water	12/20/00	460	H											280	Y	550	O				
EX-2	Water	12/20/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-2	Water	03/07/02	110	U											170	Y	270	U				
EX-3	Water	12/20/00	690	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-3	Water	03/07/02	110	U											110	Y	270	U				
EX-4/MW-2	Water	12/20/00	640	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-4/MW-2	Water	03/07/02	160	H											920	Y	290	O				
EX-5	Water	12/20/00	950	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-5	Water	03/07/02	100	U											140	Y	250	U				
EX-7	Water	12/20/00	530	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
EX-7	Water	03/06/02	100	U											100	U	250	U				
MW-1	Water	12/20/00	1200	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
MW-1	Water	03/07/02	100	U											110	Y	250	U				
MW-3	Water	12/20/00	720	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
MW-3 Duplicate	Water	03/07/02	240	H											1000	Y	390	O				
MW-3	Water	03/07/02	220	H											1000	Y	410	O				
MW-4	Water	12/20/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
MW-4	Water	03/07/02	180	H											870	Y	350	O				
MW-5	Water	12/20/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U		
MW-5	Water	03/07/02	100	U											310	Y	260	O				
MW-6	Water	10/25/01	250	U											630	U	630	U				
MW-6 Duplicate	Water	10/25/01	250	U											630	U	630	U				
MW-6	Water	03/08/02	160	Z											240	Y	500	O				
MW-7	Water	10/25/01	250	U											630	U	630	U				
MW-7	Water	03/08/02	110	U											1500	Y	4000	O				
MW-8	Water	10/25/01	250	U											3090		1840					
MW-8	Water	03/07/02	650	H											20000	Y	9200	O				
MW-9	Water	01/22/02	140	H											480	Y	310	O				
MW-9	Water	03/06/02	200	H											520	Y	300	U				
MW-9 Duplicate	Water	03/06/02	210	H											600	Y	290	U				
MW-10	Water	01/22/02	100	U											250	Y	510	O				
MW-10	Water	03/06/02	110	U											170	Y	320	O				
MW-11	Water	01/22/02	1900	H											15000	Y	4300	O				
MW-11	Water	03/08/02	1700	H											11000	Y	2600	O				
MW-12	Water	01/22/02	110	H											630	Y	1000	O				
MW-12	Water	03/06/02	150	H											1100	Y	1900	O				
MW-13	Water	01/22/02	300	H											1000	Y	2300	O				
MW-13 Duplicate	Water	01/22/02	360	H											1300	Y	2900	O				
MW-13	Water	03/06/02	150	H											710	Y	1500	O				

Table 2
Total Petroleum Hydrocarbons
Groundwater and Storm Water
McCall/GWCC
Portland, Oregon

Location	Matrix	Date Sampled	TPH - FIQ																	
			Gasoline		Naphtha Distillate		Jet Fuel as JP-4		Mineral Spirits		Jet Fuel as Jet A		Kerosene		Diesel		Heavy Fuel Oil		Lube Oil	
Catch Basins - Storm Water µg/L (ppb)																				
S-1W	Water	12/20/00	1100	Z	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
S-1W	Water	03/06/02	110	U											110	U	270	U		
S-2W	Water	12/20/00	100	U	100	U	100	U	100	U	100	U	100	U	100	U	250	U	250	U
S-2W	Water	03/06/02	130	Z											110	U	260	U		
S-3W	Water	02/15/01	1300	Z	100	U	100	U	100	U	100	U	100	U	510	Z	250	U	700	Z
S-3W	Water	03/06/02	110	U											110	Z	260	U		
Oil/Water Separator - Storm Water µg/L (ppb)																				
S-4W	Water	02/15/01	270	Z	100	U	100	U	100	U	100	U	100	U	280	Z	250	U	250	U
S-4W Duplicate	Water	02/15/01	260	Z	100	U	100	U	100	U	100	U	100	U	300	Z	250	U	250	U
S-4W	Water	04/09/02	220	H											1300	F	550	O		

Notes: U = Not detected at method reporting limit. F = Fingerprit of the sample matches the elution pattern of calibration standard
L = The fingerprint resembles a petroleum product, but the elution pattern indicates the presence of lighter weight constituents.
H = The fingerprint resembles a petroleum product, but the elution pattern indicates the presence of heavier weight constituents.
O = The fingerprint resembles oil, but does not match the calibration standard.
Y = The fingerprint resembles a petroleum product in the correct carbon range, but the elution pattern does not match the calibration standard.
Z = The fingerprint does not resemble a petroleum product.
DET = Detected above method reporting limit (method reporting limit shown)
D = The reported result is from a dilution.

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	2-Chloroethyl Vinyl Ether	Dichlorodifluoromethane	Chloromethane	Vinyl Chloride	Bromomethane	Chloroethane	Trichlorofluoromethane	Acetone	1,1-Dichloroethene	Trichlorotrifluoroethane	Carbon Disulfide	Methylene Chloride	*trans*- 1, 2-dichloroethene	1,1-Dichloroethane	2-Butanone	2,2-Dichloropropane	*cis*-1, 2-dichloroethene	Chloroform	Bromochloromethane	1,1,1-Trichloroethane	1,1-Dichloropropene	Carbon Tetrachloride
GP-1	Water	12/11/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-2	Water	12/11/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-3	Water	12/11/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-4	Water	12/11/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-5	Water	12/11/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	1.6	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-6	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-7	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	1.1	20 U	0.5 U	0.5 U	0.5 U	0.5 U	3.3	0.5 U	0.5 U
GP-8	Water	12/12/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-9	Water	12/12/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-10	Water	12/12/00	5.0 U	0.5 U	0.5 U	2.6 D	0.5 U	0.5 U	0.5 U	20 U	2.6 D	0.5 U	0.5 U	1.0 U	0.5 U	7.6 D	20 U	0.5 U	210 D	0.5 U	0.5 U	26 D	0.5 U	0.5 U
GP-11	Water	12/12/00	5.0 U	0.5 U	0.5 U	1.8	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	2.2	20 U	0.5 U	23	0.5 U	0.5 U	2.5	0.5 U	0.5 U
GP-12	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-12 Duplicate	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	2.4	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-13	Water	12/12/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	1.7	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.76	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-14	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.75	20 U	0.5 U	15	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-15	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.52	20 U	0.5 U	4.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-16	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-17	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.54	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-18	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-19	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.60	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-19 Duplicate	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.51	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-20	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-21	Water	12/13/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.54	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-22	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.64	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-23	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-24	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-25	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-26	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-27	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.67	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-28	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-29	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-30	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-30 Duplicate	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-31	Water	02/13/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-32	Water	02/13/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-33	Water	02/13/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.84	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-34	Water	02/13/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.61	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-35	Water	02/13/01	5.0 U	0.5 U	0.5 U	67	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.54	1.0 U	0.5 U	7	20 U	0.5 U	8.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-36	Water	02/13/01	5.0 U	0.5 U	0.5 U	2.5	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	1.1	1.0 U	0.5 U	1.1	20 U	0.5 U	23	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	1,2-Dichloroethane	Benzene	Trichloroethene	1,2-Dichloropropane	Bromodichloromethane	Dibromomethane	2-Hexanone	cis-1,3-Dichloropropene	Toluene	trans 1,3-Dichloropropene	1,1,2-Trichloroethane	4-Methyl-2-pentanone	1,3 Dichloropropane	Tetrachloroethene	Dibromochloromethane	1,2 Dibromoethane	Chlorobenzene	1,1,1,2-Tetrachloroethane	Ethylbenzene	m,p-Xylenes	o-Xylene	Styrene	Bromoform
GP-1	Water	12/11/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-2	Water	12/11/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-3	Water	12/11/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-4	Water	12/11/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-5	Water	12/11/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-6	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-7	Water	12/14/00	0.5 U	0.5 U	1.6	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	21	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-8	Water	12/12/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-9	Water	12/12/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.2	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-10	Water	12/12/00	0.5 U	0.5 U	220 D	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	430 D	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-11	Water	12/12/00	0.5 U	0.5 U	27	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	140 D	0.5 U	2.0 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-12	Water	12/13/00	0.5 U	0.5 U	1.3	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.2	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-12 Duplicate	Water	12/13/00	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.87	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-13	Water	12/12/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-14	Water	12/13/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-15	Water	12/13/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-16	Water	12/13/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-17	Water	12/13/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-18	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-19	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-19 Duplicate	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-20	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-21	Water	12/13/00	0.5 U	0.5 U	0.56	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-22	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.3	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-23	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-24	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-25	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-26	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-27	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.53	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-28	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-29	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	3.3	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-30	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.2	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-30 Duplicate	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.2	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-31	Water	02/13/01	0.5 U	1.4	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.7	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	9.9	4.4	7.5	0.5 U	0.5 U
GP-32	Water	02/13/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-33	Water	02/13/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-34	Water	02/13/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-35	Water	02/13/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-36	Water	02/13/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	Isopropylbenzene	1,1,2,2-Tetrachloroethane	1,2,3-Trichloropropane	Bromobenzene	n-Propylbenzene	2-Chlorotoluene	4-Chlorotoluene	1,3,5-Trimethylbenzene	tert-Butylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	1,3-Dichlorobenzene	4-Isopropyltoluene	1,4-Dichlorobenzene	n-Butylbenzene	1,2-Dichlorobenzene	1,2-Dibromo-3-chloropropane	1,2,4-Trichlorobenzene	1,2,3-Trichlorobenzene	Naphthalene	Hexachlorobutadiene
GP-1	Water	12/11/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-2	Water	12/11/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-3	Water	12/11/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-4	Water	12/11/00	9.8	0.5 U	0.5 U	2.0 U	16	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	3.5	0.5 U	2.0 U	0.5 U	5.3	0.5 U	2.0 U	2.0 U	2.0 U	25	2.0 U
GP-5	Water	12/11/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-6	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-7	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-8	Water	12/12/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-9	Water	12/12/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-10	Water	12/12/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-11	Water	12/12/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-12	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-12 Duplicate	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-13	Water	12/12/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-14	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-15	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-16	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-17	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-18	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-19	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-19 Duplicate	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-20	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-21	Water	12/13/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-22	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-23	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-24	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-25	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-26	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-27	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-28	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-29	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-30	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-30 Duplicate	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-31	Water	02/13/01	4.2	0.5 U	0.5 U	2.0 U	6.7	2.0 U	2.0 U	2.0 U	2.0 U	8.4	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-32	Water	02/13/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-33	Water	02/13/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-34	Water	02/13/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-35	Water	02/13/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-36	Water	02/13/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	2-Chloroethyl Vinyl Ether	Dichlorodifluoromethane	Chloromethane	Vinyl Chloride	Bromomethane	Chloroethane	Trichlorofluoromethane	Acetone	1,1-Dichloroethene	Trichlorotrifluoroethane	Carbon Disulfide	Methylene Chloride	*trans*- 1, 2-dichloroethene	1,1-Dichloroethane	2-Butanone	2,2-Dichloropropane	*cis*- 1, 2-dichloroethene	Chloroform	Bromochloromethane	1,1,1-Trichloroethane	1,1-Dichloropropene	Carbon Tetrachloride
GP-37	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-38	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.56	1.0 U	0.5 U	0.5 U	20 U	0.5 U	11	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-38 Duplicate	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	8.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-39	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.8	1.0 U	0.5 U	0.5 U	20 U	0.5 U	5.9	0.5 U	0.5 U	0.83	0.5 U	0.5 U
GP-40	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-41-19.5	Water	04/06/01	NA	0.5 U	0.5 U	0.760	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	10 U	5.0 U	0.5 U	0.5 U	10 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-41-39.5	Water	04/06/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-41-56.0	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-41-74.0	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-42-19.0	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	10 U	5.0 U	0.5 U	0.5 U	10 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-42-42.5	Water	04/06/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-42-54.5	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-42-75.5	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-43-22.5	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	10 U	5.0 U	0.5 U	1.45	10 U	0.5 U	8.72	0.5 U	0.5 U	1.17	0.5 U	0.5 U
GP-43-34.5	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-43-64.0	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-43-64.0D	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-43-74.5	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-44-22.0	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	10 U	5.0 U	0.5 U	2.02	10 U	0.5 U	2.83	0.5 U	0.5 U	1.23	0.5 U	0.5 U
GP-44-22.0D	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	10 U	5.0 U	0.5 U	2.09	10 U	0.5 U	2.73	0.5 U	0.5 U	1.49	0.5 U	0.5 U
GP-44-45.5	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-44-75.5	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
GP-44-76.5	Water	04/09/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U	1.0 U	NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
Trip Blank	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/09/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/12/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	12/14/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	02/14/01	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	2.8	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	04/10/01	NA	5.0 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	NA	0.5 U		NA	5.0 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	NA	0.5 U	NA	0.5 U
EX-1	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.53	20 U	0.5 U	0.5 U	0.5 U	0.5 U	9.1	0.5 U	0.5 U
EX-1	Water	03/07/02		2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	100 U	2.5 U		2.5 U	10 U	2.5 U	3.2 D	100 U	2.5 U	2.5 U	2.5 U	2.5 U	13 D	2.5 U	2.5 U
EX-2	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-2	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-3	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-3	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-4/MW-2	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	1.1	0.5 U	0.5 U	0.5 U	0.5 U
EX-4/MW-2	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-5	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	1,2-Dichloroethane	Benzene	Trichloroethene	1,2-Dichloropropane	Bromodichloromethane	Dibromomethane	2-Hexanone	cis-1,3-Dichloropropene	Toluene	trans 1,3-Dichloropropene	1,1,2-Trichloroethane	4-Methyl-2-pentanone	1,3 Dichloropropane	Tetrachloroethene	Dibromochloromethane	1,2 Dibromoethane	Chlorobenzene	1,1,1,2-Tetrachloroethane	Ethylbenzene	m,p-Xylenes	o-Xylene	Styrene	Bromoform
GP-37	Water	02/14/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-38	Water	02/14/01	0.5 U	0.5 U	2.3	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	3.1	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-38 Duplicate	Water	02/14/01	0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	2.9	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-39	Water	02/14/01	0.5 U	0.5 U	5.6	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	14	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-40	Water	02/14/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
GP-41-19.5	Water	04/06/01	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
GP-41-39.5	Water	04/06/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.660	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-41-56.0	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-41-74.0	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-42-19.0	Water	04/06/01	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
GP-42-42.5	Water	04/06/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.531	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-42-54.5	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-42-75.5	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-43-22.5	Water	04/06/01	0.5 U	1.0 U	21.0	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	5.0 U	0.5 U	64.9	0.5 U	0.5 U	0.680	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
GP-43-34.5	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-43-64.0	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.818	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-43-64.0D	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.848	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-43-74.5	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.904	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-44-22.0	Water	04/06/01	0.5 U	1.0 U	19.7	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	5.0 U	0.5 U	42.2	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
GP-44-22.0D	Water	04/06/01	0.5 U	1.0 U	23	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	5.0 U	0.5 U	65.7	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
GP-44-45.5	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.697	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-44-75.5	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.647	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
GP-44-76.5	Water	04/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
Trip Blank	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/09/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/12/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Trip Blank	Water	02/14/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	12/14/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	02/14/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Field Blank	Water	04/10/01	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	NA	0.5 U	0.5 U	0.5 U	0.5 U	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	NA	1.0 U
EX-1	Water	12/20/00	0.5 U	0.5 U	20	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	400 D	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-1	Water	03/07/02	2.5 U	2.5 U	32 D	2.5 U	2.5 U	2.5 U	100 U	2.5 U	2.5 U	2.5 U	2.5 U	100 U	2.5 U	480 D	2.5 U	10.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
EX-2	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-2	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-3	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-3	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-4/MW-2	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.65	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-4/MW-2	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-5	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	Isopropylbenzene	1,1,2,2-Tetrachloroethane	1,2,3-Trichloropropane	Bromobenzene	n-Propylbenzene	2-Chlorotoluene	4-Chlorotoluene	1,3,5-Trimethylbenzene	tert-Butylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	1,3-Dichlorobenzene	4-Isopropyltoluene	1,4-Dichlorobenzene	n-Butylbenzene	1,2-Dichlorobenzene	1,2-Dibromo-3-chloropropane	1,2,4-Trichlorobenzene	1,2,3-Trichlorobenzene	Naphthalene	Hexachlorobutadiene
GP-37	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-38	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-38 Duplicate	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-39	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-40	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
GP-41-19.5	Water	04/06/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
GP-41-39.5	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-41-56.0	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-41-74.0	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-42-19.0	Water	04/06/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
GP-42-42.5	Water	04/06/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-42-54.5	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-42-75.5	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-43-22.5	Water	04/06/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	5.5	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
GP-43-34.5	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-43-64.0	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-43-64.0D	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-43-74.5	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-44-22.0	Water	04/06/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
GP-44-22.0D	Water	04/06/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
GP-44-45.5	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-44-75.5	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
GP-44-76.5	Water	04/09/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
Trip Blank	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Trip Blank	Water	02/09/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Trip Blank	Water	02/12/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Trip Blank	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Field Blank	Water	12/14/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Field Blank	Water	02/14/01	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Field Blank	Water	04/10/01	NA	0.5 U	0.5 U	0.5 U	NA	NA	NA	NA	NA	NA	NA	0.5 U	NA	0.5 U	NA	0.5 U	NA	NA	NA	NA	NA
EX-1	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-1	Water	03/07/02	10.0 U	2.5 U	2.5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	2.5 U	10.0 U	2.5 U	10.0 U	2.5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
EX-2	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-2	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-3	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-3	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-4/MW-2	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-4/MW-2	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-5	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	2-Chloroethyl Vinyl Ether	Dichlorodifluoromethane	Chloromethane	Vinyl Chloride	Bromomethane	Chloroethane	Trichlorofluoromethane	Acetone	1,1-Dichloroethene	Trichlorotrifluoroethane	Carbon Disulfide	Methylene Chloride	*trans*-1, 2-dichloroethene	1,1-Dichloroethane	2-Butanone	2,2-Dichloropropane	*cis*-1, 2-dichloroethene	Chloroform	Bromochloromethane	1,1,1-Trichloroethane	1,1-Dichloropropene	Carbon Tetrachloride
EX-5	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-7	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-7	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-1	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.53	0.5 U	0.5 U	0.5 U	0.5 U
MW-1	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	9.7	0.5 U	0.5 U	0.5 U	0.5 U
MW-3	Water	12/20/00	5.0 U	0.5 U	0.5 U	1.2	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-3	Water	03/07/02		0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-3 Duplicate	Water	03/07/02		0.5 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-4	Water	12/20/00	5.0 U	0.5 U	0.5 U	1.4	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-4	Water	03/07/02		0.5 U	0.5 U	2.6	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-5	Water	12/20/00	5.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-5	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-6	Water	10/25/01		2.5 U	2.5 U	5 U	2.5 U	2.5 U	2.5 U	125 U	2.5 U	10 U	50 U	25.0 U	2.8	6.4	50 U	2.5 U	422	2.5 U	2.5 U	7.45	2.5 U	2.5 U
MW-6 Duplicate	Water	10/25/01		2.5 U	2.5 U	5 U	2.5 U	2.5 U	2.5 U	125 U	2.5 U	10 U	50 U	25.0 U	2.6	6.9	50 U	2.5 U	411	2.5 U	2.5 U	7.65	2.5 U	2.5 U
MW-6	Water	03/08/02		2.5 U	2.5 U	5.6 D	2.5 U	2.5 U	2.5 U	100 U	3.8 D		2.5 U	10.0 U	4.0 D	11.0 D	100 U	2.5 U	700 D	2.5 U	2.5 U	22 D	2.5 U	2.5 U
MW-7	Water	10/25/01		0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	25 U	0.5 U	2.0 U	10.0 U	5.0 U	0.5 U	0.5 U	10 U	0.5 U	2.9	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-7	Water	03/08/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	2.1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-8	Water	10/25/01		0.5 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	25 U	0.5 U	2.0 U	10.0 U	5.0 U	0.5 U	0.5 U	10 U	0.5 U	1.21	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-8	Water	03/07/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9	Water	01/22/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9 Duplicate	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-10	Water	01/22/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-10	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-11	Water	01/22/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-11	Water	03/08/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-12	Water	01/22/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-12	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13	Water	01/22/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13 Duplicate	Water	03/06/02		0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U		0.5 U	2.0 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. *J* = estimated concentration.

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	1,2-Dichloroethane	Benzene	Trichloroethene	1,2-Dichloropropane	Bromodichloromethane	Dibromomethane	2-Hexanone	cis-1,3-Dichloropropene	Toluene	trans 1,3-Dichloropropene	1,1,2-Trichloroethane	4-Methyl-2-pentanone	1,3 Dichloropropane	Tetrachloroethene	Dibromochloromethane	1,2 Dibromoethane	Chlorobenzene	1,1,1,2-Tetrachloroethane	Ethylbenzene	m,p-Xylenes	o-Xylene	Styrene	Bromoform
EX-5	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-7	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
EX-7	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-1	Water	12/20/00	0.5 U	0.5 U	0.56	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	3.5	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-1	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	3.2	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-3	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-3	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-3 Duplicate	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-4	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-4	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-5	Water	12/20/00	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-5	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-6	Water	10/25/01	2.5 U	5 U	20.5	2.5 U	2.5 U	2.5 U	50 U	2.5 U	5 U	2.5 U	2.5 U	2.5 U	2.5 U	23	2.5 U	2.5 U	2.5 U	2.5 U	5 U	10 U	5 U	5 U	2.5 U
MW-6 Duplicate	Water	10/25/01	2.5 U	5 U	20.6	2.5 U	2.5 U	2.5 U	50 U	2.5 U	5 U	2.5 U	2.5 U	2.5 U	2.5 U	21.2	2.5 U	2.5 U	2.5 U	2.5 U	5 U	10 U	5 U	5 U	2.5 U
MW-6	Water	03/08/02	2.5 U	2.5 U	200 D	2.5 U	2.5 U	2.5 U	100 U	2.5 U	2.5 U	2.5 U	2.5 U	100 U	2.5 U	360 D	2.5 U	10.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
MW-7	Water	10/25/01	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
MW-7	Water	03/08/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	3.4	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-8	Water	10/25/01	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	10 U	0.5 U	1.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1.0 U	2.0 U	1.0 U	1.0 U	0.5 U
MW-8	Water	03/07/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9	Water	01/22/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-9 Duplicate	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-10	Water	01/22/02	0.5 U	0.5 U	0.57	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-10	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-11	Water	01/22/02	0.5 U	2.0	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.6	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	4.7	3.1	8.2	0.5 U	0.5 U
MW-11	Water	03/08/02	0.5 U	1.2	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	1.1	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	2.9	2.3	5.2	0.5 U	0.5 U
MW-12	Water	01/22/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-12	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.52	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13	Water	01/22/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
MW-13 Duplicate	Water	03/06/02	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	0.5 U	20 U	0.5 U	0.5 U	0.5 U	2.0 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration.

TABLE 4
VOLATILE ORGANIC COMPOUNDS (µg/L)
GROUNDWATER
McCall/GWCC

Sample Designation	Matrix	Date Sampled	Isopropylbenzene	1,1,2,2-Tetrachloroethane	1,2,3-Trichloropropane	Bromobenzene	n-Propylbenzene	2-Chlorotoluene	4-Chlorotoluene	1,3,5-Trimethylbenzene	tert-Butylbenzene	1,2,4-Trimethylbenzene	sec-Butylbenzene	1,3-Dichlorobenzene	4-Isopropyltoluene	1,4-Dichlorobenzene	n-Butylbenzene	1,2-Dichlorobenzene	1,2-Dibromo-3-chloropropane	1,2,4-Trichlorobenzene	1,2,3-Trichlorobenzene	Naphthalene	Hexachlorobutadiene
EX-5	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-7	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
EX-7	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-1	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-1	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-3	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-3	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-3 Duplicate	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-4	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-4	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-5	Water	12/20/00	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-5	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-6	Water	10/25/01	10.0 U	2.5 U	2.5 U	2.5 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	2.5 U	5.0 U	2.5 U	10.0 U	2.5 U	25 U	2.5 U	25 U	2.5 U	2.5 U	10 U	10 U
MW-6 Duplicate	Water	10/25/01	10.0 U	2.5 U	2.5 U	2.5 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	2.5 U	5.0 U	2.5 U	10.0 U	2.5 U	25 U	2.5 U	25 U	2.5 U	2.5 U	10 U	10 U
MW-6	Water	03/08/02	10.0 U	2.5 U	2.5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U	2.5 U	10.0 U	2.5 U	10.0 U	2.5 U	10.0 U	10.0 U	10.0 U	10.0 U	10.0 U
MW-7	Water	10/25/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
MW-7	Water	03/08/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-8	Water	10/25/01	2.0 U	0.5 U	0.5 U	0.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5 U	1.0 U	0.5 U	2.0 U	0.5 U	5.0 U	0.5 U	5.0 U	0.5 U	0.5 U	2.0 U	2.0 U
MW-8	Water	03/07/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-9	Water	01/22/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-9	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-9 Duplicate	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-10	Water	01/22/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-10	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-11	Water	01/22/02	4.2	0.5 U	0.5 U	2.0 U	6.1	2.0 U	2.0 U	2.0 U	2.0 U	4.5	2.0 U	0.5 U	2.0 U	0.5 U	2.4	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-11	Water	03/08/02	3.6	0.5 U	0.5 U	2.0 U	5.2	2.0 U	2.0 U	2.0 U	2.0 U	3.3	2.0 U	0.5 U	2.0 U	0.5 U	2.3	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-12	Water	01/22/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-12	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-13	Water	01/22/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	4.8	2.0 U
MW-13	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
MW-13 Duplicate	Water	03/06/02	2.0 U	0.5 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	0.5 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration.

TABLE 3
PAHs and SVOCs (µg/L)
Groundwater and Storm Water
McCall/GWCC

Sample Designation	Groundwater																		
Sample Designation	GP-1	GP-2	GP-3	GP-4	GP-5	GP-6	GP-7	GP-8	GP-9	GP-10	GP-11	GP-12	GP-12 Duplicate	GP-13	GP-14	GP-15	GP-16	GP-17	GP-18
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water
Date Sampled	12/11/00	12/11/00	12/11/00	12/11/00	12/11/00	12/14/00	12/14/00	12/12/00	12/12/00	12/12/00	12/12/00	12/13/00	12/13/00	12/12/00	12/13/00	12/13/00	12/13/00	12/13/00	12/14/00
	LPAHs																		
Naphthalene	0.12	0.16	2.9	96 D	0.11	0.07 J	0.05 J	0.04 J	0.38	0.05 J	0.02 J	0.1 J	0.08 J	0.03 J	0.24	0.23	0.19	0.16	0.13
Acenaphthylene	0.02 J	0.05 J	0.096 U	1 JD	0.099 U	0.04 J	0.02 J	0.096 U	0.096 U	0.009 J	0.10 U	0.06 J	0.01 J	0.098 U	0.03 J	0.04 J	0.04 J	0.03 J	0.04 J
Acenaphthene	0.02 J	0.02 J	0.70	16 D	0.11	0.03 J	0.02 J	0.096 U	0.08 J	0.01 J	0.10 U	0.03 J	0.01 J	0.03 J	0.01 J	0.13	0.12	0.08 J	0.36
Fluorene	0.04 J	0.02 J	2.1	47 D	0.099 U	0.03 J	0.03 J	0.006 J	0.22	0.02 J	0.01 J	0.02 J	0.02 J	0.01 J	0.02 J	0.51	0.25	0.06 J	0.07 J
Phenanthrene	0.15	0.21	1.9	140 D	0.06 J	0.28	0.24	0.04 J	0.43	0.09 J	0.04 J	0.41	0.16	0.05 J	0.23	1.2	0.70	0.23	0.60
Anthracene	0.02 J	0.07 J	0.09 J	6 JD	0.008 J	0.07 J	0.02 J	0.01 J	0.02 J	0.01 J	0.03 J	0.09 J	0.02 J	0.008 J	0.04 J	0.07 J	0.05 J	0.02 J	0.07 J
2-Methylnaphthalene	0.09 J	0.12	19 D	340 D	0.09 J	0.06 J	0.09 J	0.02 J	1.5	0.14	0.03 J	0.07 J	0.08 J	0.03 J	0.06 J	0.14	0.1 J	0.07 J	0.08 J
Total LPAH	0.46	0.65	26.69	646	0.378	0.58	0.47	0.12	2.63	0.33	0.13	0.78	0.38	0.16	0.63	2.32	1.45	0.65	1.35
	HPAHs																		
Fluoranthene	0.15	0.55	0.06 J	4.0 JD	0.02 J	0.33	0.20	0.07 J	0.11	0.04 J	0.04 J	0.49	0.12	0.06 J	0.35	0.17	0.20	0.13	0.47
Pyrene	0.20	0.64	0.13	13 D	0.05 J	0.40	0.24	0.11	0.50	0.05 J	0.09 J	0.67	0.18	0.06 J	0.50	0.51	0.32	0.20	0.68
Benz(a)anthracene	0.11	0.48	0.03 J	9.0 D	0.02 J	0.22	0.16	0.04 J	0.06 J	0.02 J	0.01 J	0.40	0.09 J	0.04 J	0.19	0.14	0.13	0.07 J	0.15
Chrysene	0.12	0.41	0.03 J	25 D	0.03 J	0.24	0.16	0.04 J	0.07 J	0.02 J	0.02 J	0.43	0.09 J	0.04 J	0.27	0.21	0.18	0.09 J	0.18
Benzo(b)fluoranthene	0.07 J	0.24	0.01 J	3 JD	0.01 J	0.10	0.097	0.02 J	0.02 J	0.01 J	0.008 J	0.21	0.04 J	0.02 J	0.21	0.099	0.10	0.06 J	0.15
Benzo(k)fluoranthene	0.08 J	0.28	0.02 J	4 JD	0.008 J	0.18	0.11	0.03 J	0.03 J	0.02 J	0.008 J	0.29	0.07 J	0.02 J	0.21	0.09 J	0.12	0.08 J	0.17
Benzo(a)pyrene	0.13	0.43	0.02 J	1 JD	0.01 J	0.23	0.15	0.04 J	0.03 J	0.02 J	0.008 J	0.39	0.08 J	0.03 J	0.37	0.16	0.17	0.10	0.29
Indeno(1,2,3-cd)pyrene	0.09 J	0.26	0.01 J	0.8 JD	0.02 J	0.10 J	0.09 J	0.03 J	0.02 J	0.01 J	0.009 J	0.2 J	0.05 J	0.02 J	0.37	0.1 J	0.1 J	0.07 J	0.20
Dibenz(a,h)anthracene	0.01 J	0.03 J	0.005 J	0.7 JD	0.20 U	0.03 J	0.02 J	0.004 J	0.005 J	0.007 J	0.2 U	0.04 J	0.02 J	0.006 J	0.05 J	0.02 J	0.03 J	0.01 J	0.02 J
Benzo(g,h,i)perylene	0.09 J	0.2 J	0.01 J	1 JD	0.02 J	0.10 J	0.07 J	0.04 J	0.02 J	0.01 J	0.008 J	0.2 J	0.05 J	0.02 J	0.43	0.2 J	0.1 J	0.08 J	0.27
Total HPAHs	1.05	3.52	0.33	61.50	0.19	1.93	1.30	0.42	0.87	0.21	0.201	3.32	0.79	0.32	2.95	1.70	1.45	0.89	2.58
	SVOCs																		
3- and 4-Methylphenol Coelution	0.07 J	0.20 J	0.03 J	38 U	0.04 J	0.30 J	0.1 J	0.02 J	0.08 J	0.1 J	0.03 J	0.2 J	0.1 J	0.06 J	0.2 J	0.3 J	0.60	0.75	0.3 J
Dibenzofuran	0.01 J	0.01 J	1.0	19 D	0.099 U	0.01 J	0.01 J	0.096 U	0.09 J	0.01 J	0.09 J	0.01 J	0.01 J	0.098 U	0.02 J	0.02 J	0.02 J	0.01 J	0.02 J
Butyl Benzyl Phthalate	0.08 J	0.30	0.20	15 U	0.01 J	0.09 J	0.05 J	0.07 J	0.2 J	0.20 J	0.2 J	0.07 J	0.31	0.06 J	0.21 U	0.1 J	0.08 J	0.06 J	0.07 J
Di-n-octyl Phthalate	0.95 U	0.95 U	0.96 U	77 U	0.99 U	0.97 U	0.96 U	0.96 U	0.96 U	0.96 U	1.0 U	1.1 U	0.06 J	0.98 U	1.0 U	0.96 U	0.98 U	0.96 U	0.96 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration. D = reported result is from a dilution.

TABLE 3
PAHs and SVOCs (µg/L)
Groundwater and Storm Water
McCall/GWCC

Sample Designation / Matrix / Date Sampled	GP-19 Water 12/14/00	GP-19 Duplicate Water 12/14/00	GP-20 Water 12/14/00	GP-21 Water 12/13/00	GP-22 Water 02/09/01	GP-22 F Water 02/09/01	GP-23 Water 02/09/01	GP-24 Water 02/09/01	GP-25 Water 02/09/01	GP-26 Water 02/09/01	GP-27 Water 02/12/01	GP-27 F Water 02/12/01	GP-28 Water 02/12/01	GP-28 F Water 02/12/01	GP-29 Water 02/12/01	GP-29 F Water 02/12/01	GP-30 Water 02/12/01	GP-30 Duplicate Water 02/12/01	GP-31 Water 02/13/01	GP-32 Water 02/13/01	GP-33 Water 02/13/01
	Groundwater																				
LPAHs																					
Naphthalene	0.02 J	0.008 J	0.15	0.04 J	0.56	0.09 J	0.05 J	0.21	0.22	0.20	0.22	0.095 U	0.097 U	0.096 U	0.17	0.096 U	0.097 U	0.098 U	7.6 D	0.57 D	0.12
Acenaphthylene	0.096 U	0.096 U	0.03 J	0.096 U	0.096 U	0.10 U	0.008 J	0.02 J	0.02 J	0.02 J	0.097 U	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	4.8 U	0.09 JD	0.02 J
Acenaphthene	0.096 U	0.096 U	0.11	0.096 U	0.81	0.1 J	0.03 J	0.09 J	0.11	0.03 J	0.11	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	12 D	0.5 JD	0.17
Fluorene	0.096 U	0.096 U	0.02 J	0.01 J	2.1	0.13	0.02 J	0.06 J	0.05 J	0.05 J	0.32	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	24 D	0.79 D	0.04 J
Phenanthrene	0.03 J	0.008 J	0.26	0.06 J	2.0	0.10	0.06 J	0.21	0.28	0.13	0.73	0.095 U	0.12	0.096 U	0.28	0.096 U	0.16	0.12	70 D	2.6 D	0.16
Anthracene	0.096 U	0.096 U	0.02 J	0.006 J	0.06 J	0.10 U	0.008 J	0.02 J	0.06 J	0.02 J	0.097 U	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	13 D	0.54 D	0.02 J
2-Methylnaphthalene	0.01 J	0.096 U	0.07 J	0.04 J	14 D	0.4	0.04 J	0.07 J	0.07 J	0.07 J	0.15	0.095 U	0.097 U	0.096 U	0.49	0.096 U	0.097 U	0.098 U	430 D	13 D	0.26
Total LPAH	0.06	0.016	0.66	0.16	19.53	0.82	0.22	0.68	0.81	0.52	1.53		0.12		0.94		0.16	0.12	556.6	18.1	0.79
HPAHs																					
Fluoranthene	0.096 U	0.096 U	0.15	0.01 J	0.06 J	0.02 J	0.03 J	0.099	0.38	0.12	0.12	0.095 U	0.23	0.096 U	0.46	0.096 U	0.097 U	0.098 U	6.3 D	0.75 D	0.09 J
Pyrene	0.01 J	0.02 J	0.20	0.04 J	0.23	0.03 J	0.06 J	0.23	0.48	0.15	0.23	0.095 U	0.31	0.096 U	0.81	0.096 U	0.28	0.31	32 D	2.0 D	0.15
Benz(a)anthracene	0.005 J	0.096 U	0.08 J	0.096 U	0.02 J	0.009 J	0.01 J	0.06 J	0.26	0.06 J	0.097 U	0.095 U	0.18	0.096 U	0.28	0.096 U	0.097 U	0.098 U	9.2 D	0.75 D	0.06 J
Chrysene	0.007 J	0.096 U	0.12	0.096 U	0.03 J	0.01 J	0.02 J	0.07 J	0.28	0.07 J	0.13	0.095 U	0.17	0.096 U	0.40	0.096 U	0.11	0.10	25 D	1.4 D	0.08 J
Benzo(b)fluoranthene	0.005 J	0.096 U	0.08 J	0.096 U	0.01 J	0.006 J	0.01 J	0.05 J	0.15	0.05 J	0.10	0.095 U	0.12	0.096 U	0.27	0.096 U	0.097 U	0.098 U	2 JD	0.4 JD	0.05 J
Benzo(k)fluoranthene	0.006 J	0.096 U	0.07 J	0.096 U	0.01 J	0.007 J	0.02 J	0.06 J	0.16	0.06 J	0.097 U	0.095 U	0.12	0.096 U	0.25	0.096 U	0.097 U	0.098 U	1 JD	0.3 JD	0.05 J
Benzo(a)pyrene	0.096 U	0.096 U	0.12	0.096 U	0.02 J	0.10 U	0.02 J	0.08 J	0.23	0.07 J	0.12	0.095 U	0.20	0.096 U	0.46	0.096 U	0.097 U	0.098 U	5 JD	0.59 D	0.08 J
Indeno(1,2,3-cd)pyrene	0.008 J	0.005 J	0.10 J	0.004 J	0.01 J	0.005 J	0.01 J	0.05 J	0.12	0.06 J	0.14	0.095 U	0.18	0.096 U	0.51	0.096 U	0.097 U	0.098 U	1 JD	0.4 JD	0.06 J
Dibenz(a,h)anthracene	0.006 J	0.006 J	0.02 J	0.19 U	0.006 J	0.005 J	0.005 J	0.01 J	0.03 J	0.02 J	0.097 U	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	0.6 JD	0.1 JD	0.01 J
Benzo(g,h,i)perylene	0.009 J	0.008 J	0.10 J	0.19 U	0.01 J	0.007 J	0.02 J	0.06 J	0.11	0.05 J	0.10	0.095 U	0.13	0.096 U	0.47	0.096 U	0.097 U	0.098 U	3 JD	0.53 D	0.07 J
Total HPAHs	0.056	0.039	1.04	0.054	0.406	0.099	0.205	0.769	2.200	0.710	0.94		1.64		3.91		0.39	0.41	85.1	7.2	0.70
SVOCs																					
3- and 4-Methylphenol Coelution	0.03 J	0.007 J	2.0	0.06 J	0.01 J	0.25 U	0.2 J	0.88	0.44	1.3	0.49	0.24 U	0.24 U	0.24 U	0.28	0.24 U	0.24 U	0.25 U	12 U	1.4 D	0.74
Dibenzofuran	0.096 U	0.096 U	0.01 J	0.096 U	0.86 J	0.02 J	0.097 U	0.02 J	0.02 J	0.02 J	0.12	0.095 U	0.097 U	0.096 U	0.097 U	0.096 U	0.097 U	0.098 U	6.1 D	0.2 JD	0.02 J
Butyl Benzyl Phthalate	0.02 J	0.19 U	0.04 J	0.35	0.098	0.16	0.05 J	0.06 J	0.1 J	0.08 J	1.7	0.25	0.25	0.096 U	0.33	0.096 U	0.45	0.28	4.8 U	0.65 D	0.53
Di-n-octyl Phthalate	0.96 U	0.004 J	1.1 U	0.96 U	0.96 U	0.04 J	0.97 U	0.97 U	0.96 U	0.96 U	0.97 U	0.95 U	0.97 U	0.96 U	0.97 U	0.96 U	0.97 U	0.98 U	48 U	4.8 U	0.95 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration. D = reported result is from a dilution.

TABLE 3
PAHs and SVOCs (µg/L)
Groundwater and Storm Water
McCall/GWCC

Sample Designation	GP-34	GP-35	GP-36	GP-37	GP-38	GP-38 Duplicate	GP-39	GP-40	Field Blank	Field Blank	EX-1	EX-1	EX-2	EX-2	EX-3	EX-3	EX-4/MW-2	EX-4/MW-2	EX-5	EX-5	EX-7
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water
Date Sampled	02/13/01	02/13/01	02/13/01	02/14/01	02/14/01	02/14/01	02/14/01	02/14/01	12/14/00	02/14/01	12/20/00	03/07/02	12/20/00	03/07/02	12/20/00	03/07/02	12/20/00	03/07/02	12/20/00	03/07/02	12/20/00
	Groundwater																				
	LPAHs																				
Naphthalene	0.09 J	0.31	0.24	0.09 J	0.16	0.05 J	0.02 J	0.12	0.009 J	0.095 U	0.095 U	0.013 U	0.01 J	0.013 U	0.02 J	0.013 U	0.095 U	0.014 U	0.009 J	0.028 J	0.095 U
Acenaphthylene	0.095 U	0.09 J	0.04 J	0.008 J	0.020 J	0.095 U	0.095 U	0.02 J	0.096 U	0.095 U	0.095 U	0.011 U	0.095 U	0.011 U	0.095 U	0.011 U	0.095 U	0.012 U	0.095 U	0.011 U	0.095 U
Acenaphthene	0.09 J	0.07 J	0.04 J	0.009 J	0.020 J	0.095 U	0.095 U	0.08 J	0.096 U	0.095 U	0.095 U	0.0094 U	0.02 J	0.041 J	0.01 J	0.0093 U	0.14	0.30	0.009 J	0.024 J	0.095 U
Fluorene	0.099	0.06 J	0.06 J	0.01 J	0.02 J	0.01 J	0.008 J	0.02 J	0.096 U	0.095 U	0.095 U	0.013 U	0.095 U	0.013 U	0.095 U	0.013 U	0.095 U	0.014 U	0.095 U	0.013 U	0.095 U
Phenanthrene	0.15	0.54	0.44	0.11	0.16	0.06 J	0.05 J	0.30	0.096 U	0.095 U	0.01 J	0.038 J	0.04 J	0.047 J	0.04 J	0.06 J	0.10	0.52	0.02 J	0.034 J	0.095 U
Anthracene	0.04 J	0.16	0.10	0.02 J	0.03 J	0.02 J	0.008 J	0.08 J	0.096 U	0.095 U	0.008 J	0.063 J	0.095 U	0.016 U	0.095 U	0.019 J	0.095 U	0.071 J	0.095 U	0.016 U	0.095 U
2-Methylnaphthalene	0.06 J	0.14	0.08 J	0.04 J	0.04 J	0.02 J	0.02 J	0.05 J	0.096 U	0.095 U	0.095 U	0.013 U	0.008 J	0.012 J	0.095 U	0.012 U	0.095 U	0.013 U	0.095 U	0.012 U	0.095 U
Total LPAH	0.53	1.37	1.00	0.29	0.45	0.16	0.11	0.67	0.009		0.018	0.101	0.078	0.100	0.07	0.08	0.24	0.89	0.038	0.086	
	HPAHs																				
Fluoranthene	0.12	0.75	0.55	0.12	0.32	0.08 J	0.02 J	0.32	0.096 U	0.095 U	0.02 J	0.014 U	0.009 J	0.017 J	0.01 J	0.038 J	0.01 J	0.048 J	0.009 J	0.013 U	0.095 U
Pyrene	0.23	1.1	0.58	0.15	0.45	0.11	0.04 J	0.53	0.096 U	0.095 U	0.03 J	0.039 J	0.03 J	0.039 J	0.03 J	0.064 J	0.02 J	0.13 J	0.040 J	0.046 J	0.095 U
Benz(a)anthracene	0.07 J	0.49	0.35	0.06 J	0.17	0.03 J	0.009 J	0.23	0.096 U	0.095 U	0.01 J	0.013 U	0.007 J	0.013 U	0.008 J	0.013 U	0.007 J	0.013 U	0.006 J	0.013 U	0.095 U
Chrysene	0.14	0.57	0.34	0.08 J	0.21	0.04 J	0.01 J	0.25	0.096 U	0.095 U	0.02 J	0.015 U	0.007 J	0.015 U	0.01 J	0.015 U	0.008 J	0.016 U	0.008 J	0.015 U	0.095 U
Benzo(b)fluoranthene	0.05 J	0.36	0.16	0.04 J	0.13	0.02 J	0.009 J	0.14	0.096 U	0.095 U	0.01 J	0.021 U	0.006 J	0.021 U	0.006 J	0.021 U	0.006 J	0.021 U	0.095 U	0.021 U	0.095 U
Benzo(k)fluoranthene	0.04 J	0.36	0.22	0.05 J	0.15	0.03 J	0.008 J	0.15	0.096 U	0.095 U	0.01 J	0.021 U	0.006 J	0.021 U	0.006 J	0.021 U	0.006 J	0.021 U	0.003 J	0.021 U	0.004 J
Benzo(a)pyrene	0.07 J	0.63	0.29	0.07 J	0.24	0.04 J	0.01 J	0.23	0.096 U	0.095 U	0.02 J	0.018 U	0.007 J	0.017 U	0.007 J	0.017 U	0.007 J	0.018 U	0.095 U	0.017 U	0.095 U
Indeno(1,2,3-cd)pyrene	0.05 J	0.52	0.15	0.06 J	0.21	0.03 J	0.01 J	0.15	0.19 U	0.095 U	0.02 J	0.026 U	0.009 J	0.026 U	0.009 J	0.026 U	0.007 J	0.027 U	0.007 J	0.026 U	0.005 J
Dibenz(a,h)anthracene	0.01 J	0.08 J	0.03 J	0.01 J	0.03 J	0.005 J	0.095 U	0.03 J	0.004 J	0.095 U	0.19 U	0.03 U	0.005 J	0.033 U	0.19 U	0.033 J	0.19 U	0.034 U	0.19 U	0.033 U	0.19 U
Benzo(g,h,i)perylene	0.06 J	0.53	0.14	0.06 J	0.25	0.04 J	0.02 J	0.15	0.19 U	0.095 U	0.02 J	0.039 J	0.01 J	0.018 U	0.02 J	0.034 J	0.009 J	0.019 U	0.03 J	0.054 J	0.007 J
Total HPAHs	0.84	5.39	2.81	0.70	2.16	0.43	0.14	2.18	0.004		0.16	0.08	0.10	0.06	0.106	0.136	0.080	0.178	0.103	0.100	0.016
	SVOCs																				
3- and 4-Methylphenol Coelution	0.75	1.5	0.67	0.04 J	0.09 J	0.01 J	0.01 J	0.04 J	0.48 U	0.24 U	0.48 U	0.055 U	0.02 J	0.055 U	0.05 J	0.087 J	0.48 U	0.056 U	0.007 J	0.055 U	0.48 U
Dibenzofuran	0.05 J	0.03 J	0.03 J	0.095 U	0.01 J	0.095 U	0.095 U	0.01 J	0.096 U	0.095 U	0.095 U	0.015 U	0.095 U	0.014 U	0.095 U	0.014 U	0.095 U	0.015 U	0.095 U	0.014 U	0.095 U
Butyl Benzyl Phthalate	0.13	0.43	0.83	0.51	0.50	0.34	0.59	1.00	0.19 U	0.095 U	0.19 U	0.028 U	0.19 U	0.028 U	0.19 U	0.028 U	0.19 U	0.028 U	0.19 U	0.028 U	0.19 U
Di-n-octyl Phthalate	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.95 U	0.96 U	0.95 U	0.95 U	0.035 U	0.95 U	0.035 U	0.95 U	0.035 U	0.95 U	0.036 U	0.95 U	0.035 U	0.95 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration. D = reported result is from a dilution.

TABLE 3
PAHs and SVOCs (µg/L)
Groundwater and Storm Water
McCall/GWCC

Sample Designation	EX-7	MW-1	MW-1	MW-3	MW-3	MW-3 Dup	MW-4	MW-4	MW-5	MW-5	MW-6	MW-6 Dup	MW-6	MW-7	MW-7	MW-8	MW-8	MW-9	MW-9	MW-9 Dup	MW-10
Matrix	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water
Date Sampled	03/06/02	12/20/00	03/07/02	12/20/00	03/07/02	03/07/02	12/20/00	03/07/02	12/20/00	03/07/02	10/25/01	10/25/01	03/08/02	10/25/01	03/08/02	10/25/01	03/07/02	01/22/02	03/06/02	03/06/02	01/22/02
Groundwater																					
LPAHs																					
Naphthalene	0.14 J	0.095 U	0.012 U	0.095 U	0.012 U	0.012 U	0.095 U	0.014 U	0.095 U	0.034 J	5.00 U	5.00 U	0.12 J	5.00 U	0.086 J	5.00 U	0.16 J	0.20 U	0.013 U	0.012 U	0.20 U
Acenaphthylene	0.011 U	0.095 U	0.011 U	0.095 U	0.011 U	0.011 U	0.095 U	0.012 U	0.095 U	0.011 U	5.00 U	5.00 U	0.038 J	5.00 U	0.025 J	5.00 U	0.011 U	0.20 U	0.11 J	0.069 J	0.20 U
Acenaphthene	0.0089 U	0.095 U	0.0088 U	0.17	0.21	0.23	0.03 J	0.064 J	0.095 U	0.0094 U	5.00 U	5.00 U	0.0095 U	5.00 U	0.0092 U	5.00 U	0.58	0.20 U	0.12 J	0.15 J	0.20 U
Fluorene	0.013 U	0.095 U	0.012 U	0.095 U	0.012 U	0.012 U	0.095 U	0.014 U	0.095 U	0.013 U	5.00 U	5.00 U	0.02 J	5.00 U	0.013 U	5.00 U	0.56	0.20 U	0.01 U	0.012 U	0.20 U
Phenanthrene	0.016 J	0.095 U	0.011 U	0.13	0.18 J	0.17 J	0.06 J	0.082 J	0.095 U	0.011 U	5.00 U	5.00 U	0.13 J	5.00 U	0.077 J	5.00 U	1.2	0.26	0.22	0.16 J	0.20 U
Anthracene	0.019 J	0.095 U	0.015 U	0.02 J	0.049 J	0.055 J	0.01 J	0.035 J	0.095 U	0.016 U	5.00 U	5.00 U	0.047 J	5.00 U	0.039 J	5.00 U	0.097 J	0.20 U	0.098 J	0.067 J	0.20 U
2-Methylnaphthalene	0.012 U	0.095 U	0.012 U	0.095 U	0.012 U	0.012 U	0.095 U	0.013 U	0.095 U	0.013 U	5.00 U	5.00 U	0.025 J	5.00 U	0.034 J	5.00 U	0.081 J	0.20 U	0.012 U	0.012 U	0.20 U
Total LPAH	0.18			0.32	0.44	0.46	0.10	0.18		0.03			0.38		0.26		2.68	0.26	0.55	0.45	
HPAHs																					
Fluoranthene	0.018 J	0.095 U	0.013 U	0.01 J	0.065 J	0.071 J	0.02 J	0.04 J	0.095 U	0.014 U	5.00 U	5.00 U	0.18 J	5.00 U	0.061 J	5.00 U	0.22	0.25	0.33	0.13 J	0.20 U
Pyrene	0.022 J	0.095 U	0.015 U	0.05 J	0.13 J	0.11 J	0.05 J	0.11 J	0.095 U	0.024 J	5.00 U	5.00 U	0.25	5.00 U	0.089 J	5.00 U	0.34	0.41	0.48	0.26	0.20 U
Benz(a)anthracene	0.012 U	0.095 U	0.012 U	0.008 J	0.012 U	0.024 J	0.01 J	0.053 J	0.095 U	0.013 U	5.00 U	5.00 U	0.077 J	5.00 U	0.044 J	5.00 U	0.071 J	0.20 U	0.23	0.096 J	0.20 U
Chrysene	0.015 U	0.095 U	0.014 U	0.009 J	0.033 J	0.030 J	0.02 J	0.048 J	0.095 U	0.015 U	5.00 U	5.00 U	0.087 J	5.00 U	0.045 J	5.00 U	0.16 J	0.20 U	0.24	0.10 J	0.20 U
Benzo(b)fluoranthene	0.020 U	0.095 U	0.020 U	0.006 J	0.020 U	0.020 U	0.01 J	0.021 U	0.095 U	0.021 U	5.00 U	5.00 U	0.088 J	5.00 U	0.021 U	5.00 U	0.064 J	0.20 U	0.28	0.098 J	0.20 U
Benzo(k)fluoranthene	0.020 U	0.095 U	0.020 U	0.006 J	0.020 U	0.020 U	0.01 J	0.021 U	0.095 U	0.021 U	5.00 U	5.00 U	0.045 J	5.00 U	0.021 U	5.00 U	0.02 U	0.20 U	0.096 J	0.027 J	0.20 U
Benzo(a)pyrene	0.017 U	0.095 U	0.016 U	0.007 J	0.016 U	0.016 U	0.01 J	0.018 U	0.095 U	0.018 U	5.00 U	5.00 U	0.096 J	5.00 U	0.017 U	5.00 U	0.089 J	0.20 U	0.26	0.094 J	0.20 U
Indeno(1,2,3-cd)pyrene	0.025 U	0.19 U	0.024 U	0.008 J	0.024 U	0.024 U	0.01 J	0.026 U	0.19 U	0.026 U	5.00 U	5.00 U	0.088 J	5.00 U	0.026 U	5.00 U	0.04 J	0.20 U	0.15 J	0.062 J	0.20 U
Dibenz(a,h)anthracene	0.031 U	0.19 U	0.031 U	0.19 U	0.031 U	0.031 U	0.19 U	0.033 U	0.19 U	0.033 U	5.00 U	5.00 U	0.033 U	5.00 U	0.032 U	5.00 U	0.031 U	0.20 U	0.031 U	0.031 U	0.20 U
Benzo(g,h,i)perylene	0.017 U	0.19 U	0.017 U	0.009 J	0.039 J	0.017 U	0.02 J	0.018 U	0.19 U	0.018 U	5.00 U	5.00 U	0.09 J	5.00 U	0.099 J	5.00 U	0.057 J	0.20 U	0.16 J	0.065 J	0.20 U
Total HPAHs	0.040			0.113	0.267	0.235	0.160	0.251		0.02			1.00		0.34		1.04	0.66	2.23	0.93	
SVOCs																					
3- and 4-Methylphenol Coelution	0.052 U	0.48 U	0.051 U	0.48 U	0.051 U	0.051 U	0.48 U	0.056 U	0.48 U	0.055 U	5.00 U	5.00 U	0.073 J	5.00 U	1.1	5.00 U	0.22 J	0.480 U	0.052 U	0.051 U	0.48 U
Dibenzofuran	0.014 U	0.095 U	0.014 U	0.095 U	0.014 U	0.014 U	0.095 U	0.015 U	0.095 U	0.015 U	5.00 U	5.00 U	0.015 U	5.00 U	0.014 U	5.00 U	0.18 J	0.20 U	0.014 U	0.014 U	0.20 U
Butyl Benzyl Phthalate	0.041 J	0.19 U	0.052 J	0.19 U	0.026 U	0.026 U	0.19 U	0.028 U	0.19 U	0.028 U	5.00 U	5.00 U	0.028 U	5.00 U	0.027 U	5.00 U	0.13 J	0.20 U	0.050 J	0.074 J	0.20 U
Di-n-octyl Phthalate	0.033 U	0.95 U	0.032 U	0.95 U	0.032 U	0.032 U	0.95 U	0.035 U	0.95 U	0.035 U	5.00 U	5.00 U	0.035 U	5.00 U	0.034 U	5.00 U	0.032 U	0.20 U	0.033 U	0.032 U	0.20 U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration. D = reported result is from a dilution.

TABLE 3
PAHs and SVOCs (µg/L)
Groundwater and Storm Water
McCall/GWCC

	Groundwater																															
Sample Designation	MW-10		MW-11		MW-11		MW-12		MW-12		MW-13		MW-13 Dup		MW-13		S-1		S-1		S-2		S-2		S-3		S-3		S-4		S-4 Duplicate		S-4	
Matrix	Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water		Water	
Date Sampled	03/06/02		01/22/02		03/08/02		01/22/02		03/06/02		01/22/02		01/22/02		03/06/02		12/20/00		03/06/02		12/20/00		03/06/02		12/20/00		03/06/02		12/20/00		12/20/00		04/09/02	
LPAHs																																		
Naphthalene	0.24		0.20	U	0.12	U	0.20	U	0.12	J	0.20	U	0.25		0.24		0.03	J	0.03	J	0.07	J	0.025	J	0.07	J	0.025	J	0.04	J	0.04	J	0.012	U
Acenaphthylene	0.022	J	0.20	U	0.110	U	0.20	U	0.028	J	0.20	U	0.20	U	0.054	J	0.006	J	0.011	U	0.02	J	0.011	U	0.095	U	0.011	U	0.095	U	0.096	U	0.011	U
Acenaphthene	0.009	U	0.43		1.6	JD	0.20	U	0.15	J	0.20	U	0.20	U	0.18	J	0.02	J	0.0088	U	0.02	J	0.0092	U	0.095	U	0.0089	U	0.14		0.12		0.085	J
Fluorene	0.013	U	0.86		2.0	D	0.20	U	0.013	U	0.20	U	0.20	U	0.037	J	0.02	J	0.012	U	0.04	J	0.013	U	0.02	J	0.013	U	0.36		0.34		0.17	J
Phenanthrene	0.08	J	1.80		3.0	D	0.20	U	0.11	J	0.20	U	0.20	U	0.19	J	0.07	J	0.032	J	0.25		0.043	J	0.20		0.054	J	0.46		0.35		0.073	J
Anthracene	0.029	J	0.41		0.660	JD	0.20	U	0.016	U	0.20	U	0.20	U	0.041	J	0.095	U	0.015	U	0.02	J	0.016	U	0.095	U	0.015	U	0.02	J	0.01	J	0.015	U
2-Methylnaphthalene	0.015	J	20.00	D	24	D	0.20	U	0.034	J	0.20	U	0.20	U	0.056	J	0.03	J	0.016	J	0.05	J	0.014	J	0.096		0.012	U	0.09	J	0.10		0.012	U
Total LPAH	0.39		23.50		31.26				0.44						0.80		0.176		0.078		0.470		0.082		0.386		0.079		1.110		0.960		0.328	
HPAHs																																		
Fluoranthene	0.10	J	0.43		0.38	JD	0.20	U	0.058	J	0.20	U	0.20	U	0.14	J	0.02	J	0.013	U	0.099		0.022	J	0.06	J	0.023	J	0.06	J	0.05	J	0.01	U
Pyrene	0.15	J	0.61		0.89	JD	0.20	U	0.11	J	0.20	U	0.20	U	0.19	J	0.02	J	0.015	U	0.12		0.025	J	0.03	J	0.022	J	0.19		0.16		0.10	J
Benz(a)anthracene	0.081	J	0.20	U	0.23	JD	0.20	U	0.052	J	0.20	U	0.20	U	0.063	J	0.095	U	0.012	U	0.03	J	0.013	U	0.007	J	0.012	U	0.03	J	0.02	J	0.012	U
Chrysene	0.094	J	0.20	U	0.50	JD	0.20	U	0.046	J	0.20	U	0.20	U	0.075	J	0.008	J	0.014	U	0.06	J	0.015	U	0.03	J	0.015	U	0.12		0.09	J	0.014	U
Benzo(b)fluoranthene	0.070	J	0.20	U	0.20	U	0.20	U	0.021	U	0.20	U	0.20	U	0.020	U	0.006	J	0.020	U	0.04	J	0.021	U	0.01	J	0.020	U	0.03	J	0.03	J	0.020	U
Benzo(k)fluoranthene	0.037	J	0.20	U	0.20	U	0.20	U	0.021	U	0.20	U	0.20	U	0.020	U	0.004	J	0.020	U	0.03	J	0.021	U	0.008	J	0.020	U	0.02	J	0.01	J	0.020	U
Benzo(a)pyrene	0.090	J	0.20	U	0.16	U	0.20	U	0.018	U	0.20	U	0.20	U	0.098	J	0.095	U	0.016	U	0.03	J	0.017	U	0.095	U	0.017	U	0.03	J	0.02	J	0.016	U
Indeno(1,2,3-cd)pyrene	0.052	J	0.20	U	0.24	U	0.20	U	0.026	U	0.20	U	0.20	U	0.082	J	0.006	J	0.024	U	0.04	J	0.026	U	0.01	J	0.025	U	0.02	J	0.02	J	0.024	U
Dibenz(a,h)anthracene	0.031	U	0.20	U	0.31	U	0.20	U	0.033	U	0.20	U	0.20	U	0.031	U	0.19	U	0.031	U	0.009	J	0.032	U	0.19	U	0.031	U	0.009	J	0.008	J	0.031	U
Benzo(g,h,i)perylene	0.061	J	0.20	U	0.17	U	0.20	U	0.047	J	0.20	U	0.20	U	0.110	J	0.007	J	0.017	U	0.06	J	0.018	U	0.01	J	0.017	U	0.04	J	0.03	J	0.017	U
Total HPAHs	0.74		1.04		2.00				0.31						0.76		0.071				0.52		0.047		0.17		0.045		0.55		0.44		0.10	
SVOCs																																		
3- and 4-Methylphenol Coelution	0.053	U	0.49	U	0.510	U	1.9		0.41	J	28	D	31	D	1.5		0.3	J	0.23	J	0.49		0.089	J	0.48	U	0.220	J	0.2	J	0.2	J	0.051	U
Dibenzofuran	0.014	U	0.20	U	0.81	JD	0.20	U	0.015	U	0.20	U	0.20	U	0.021	J	0.01	J	0.014	U	0.02	J	0.014	U	0.01	U	0.019	J	0.13		0.11		0.11	J
Butyl Benzyl Phthalate	0.040	J	0.20	U	0.26	U	0.20	U	0.028	U	0.20	U	0.20	U	0.027	U	0.1	J	0.19	J	0.1	J	0.05	J	0.08	J	0.092	J	0.05	J	0.04	J	0.14	J
Di-n-octyl Phthalate	0.033	U	0.20	U	0.32	U	0.20	U	0.035	U	0.20	U	0.20	U	0.034	U	0.95	U	0.032	U	0.95	U	0.032	U	0.95	U	0.033	U	0.95	U	0.96	U	0.032	U

NOTE: µg/L = micrograms per liter or parts per billion. U = not detected at or above the indicated method reporting limit. J = estimated concentration. D = reported result is from a dilution.

Table 5
Metals
Groundwater and Stormwater
McCall/GWCC
Portland, Oregon

Location		Matrix	Date Sampled	Arsenic	Cadmium	Chromium	Copper	Lead	Zinc
Geoprobe Borings - Groundwater µg/L (ppb)									
GP-3	Dissolved	Water	12/11/00	35.8		4.75	3.71		
GP-4	Dissolved	Water	12/11/00	19.3		5.89	3.69		
GP-5	Dissolved	Water	12/11/00	22.5		8.06	3.04		
GP-11	Dissolved	Water	12/12/00	14.7		5.04	2.33		
GP-12	Dissolved	Water	12/13/00	11.1		6.1	1 U		
GP-12 Duplicate	Dissolved	Water	12/13/00	11.3		5.0	0.5		
GP-13	Dissolved	Water	12/12/00	61.9		7.63	5.35		
GP-14	Dissolved	Water	12/13/00	4.8		5.1	1.3		
GP-15	Dissolved	Water	12/13/00	18.6		8.1	1.1		
GP-51	Total	Water	11/15/01	19.9		62.1	74.1		
GP-51 Duplicate	Total	Water	11/15/01	3.65		15.3	18.3		
GP-51	Dissolved	Water	11/15/01	5.48		1 U	2 U		
GP-51 Duplicate	Dissolved	Water	11/15/01	4.20		1 U	2 U		
GP-52	Total	Water	11/15/01	3.64		14.0	18.2		
GP-52	Dissolved	Water	11/15/01	6.51		1 U	2 U		
GP-53	Total	Water	11/15/01	2.84		25.0	20.3		
GP-53	Dissolved	Water	11/15/01	16.6		1 U	2 U		
Field Blank	Dissolved	Water	12/13/00	0.5 U		0.3	0.2 U		
Monitoring Wells - Groundwater µg/L (ppb)									
EX-4/MW-2	Dissolved	Water	12/20/00	8.8		8.1	2.0		
EX-4/MW-2	Total	Water	03/07/02	56.8		5.8	7.7		
EX-4/MW-2	Dissolved	Water	03/07/02	47.5		2.4	0.6		
MW-1	Dissolved	Water	12/20/00	2.50 U		9.5	514		
MW-1	Total	Water	03/07/02	0.80		1.9	139		
MW-1	Dissolved	Water	03/07/02	1.00 U		2.0	130		
MW-3	Dissolved	Water	12/20/00	39.7	0.10 U	0.4 U	0.5	0.04 U	1.3
MW-3	Total	Water	03/07/02	42.8		6.4	11.0		
MW-3 Duplicate	Total	Water	03/07/02	41.6		6.7	7.8		
MW-3	Dissolved	Water	03/07/02	43.4		5.7	1.3		
MW-3 Duplicate	Dissolved	Water	03/07/02	43.4		2.5	0.7		
MW-4	Dissolved	Water	12/20/00	12.7		1.00 U	1.00 U		
MW-4	Total	Water	03/07/02	9.2		8.70	29.90		
MW-4	Dissolved	Water	03/07/02	10.0		3.30	1.20		
MW-6	Total	Water	10/25/01	29.8		67.8	98.8		
MW-6 Duplicate	Total	Water	10/25/01	27.3		35.0	48.6		
MW-6	Dissolved	Water	10/25/01	18.2		1.00 U	2.00 U		
MW-6 Duplicate	Dissolved	Water	10/25/01	19.0		1.00 U	2.00 U		
MW-6	Total	Water	03/08/02	6.8		9.6	18.3		
MW-6	Dissolved	Water	03/08/02	20.4		0.80	2.5		
MW-7	Total	Water	10/25/01	18.1		127	164		
MW-7	Dissolved	Water	10/25/01	3.04		1.00 U	2.00 U		
MW-7	Total	Water	03/08/02	4.4		9.1	19.1		
MW-7	Dissolved	Water	03/08/02	3.5		2.3	1.3		
MW-8	Total	Water	10/25/01	43.9		225	394		
MW-8	Dissolved	Water	10/25/01	2.33		1.00 U	2.00 U		
MW-8	Total	Water	03/07/02	4.3		14.7	36.1		
MW-8	Dissolved	Water	03/07/02	8.6		2.9	1.3		
Catch Basins - Storm Water µg/L (ppb)									
S-1W	Total	Water	12/20/00	0.5 U	0.05 U	0.4	3.8	0.43	200
S-1W	Total	Water	03/06/02	0.5 U	0.20 U	0.4	3.7	0.31	195
S-2W	Total	Water	12/20/00	1 U	0.22	2.0	9.9	5.93	113
S-2W	Total	Water	03/06/02	0.5 U	0.20 U	0.6	6.0	1.13	73.3
S-3W	Dissolved	Water	12/15/00	1 U	0.63	2.9	29.6	1.62	596
S-3W	Total	Water	03/06/02	0.5 U	0.2 U	1.2	13.1	2.30	84.2
Oil/Water Separator - Storm Water µg/L (ppb)									
S-4W	Dissolved	Water	12/15/00	0.5 U	0.22	0.8	4.9	0.05	47.1
S-4W Duplicate	Dissolved	Water	12/15/00	0.5 U	0.21	0.6	4.7	0.04	45.0
S-4W	Total	Water	04/09/02	0.6	0.20	0.9	9.0	3.29	86.6

Note: U = not detected at method reporting limit. µg/L = micrograms per liter. ppb = parts per billion.