Contractor: TONTO | Coordinates: Loc A-2 | Project: GILT EDGE | Hole No.: R88-402

Drill Type: INGERSOL RAND T4W | Casing Depth: | State: SD | Sheet 1 of 8

Hole Size: | Bearing: | Inclination: -90 | Date Started: 7/24/88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 1330' | Date Completed: 7-27-88 | Hole Surveyed:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	3	0-5		Tqtp	0-205 QUARTZ TRACHYTE	0-255 OXIDE		
								(0-205) medium grain Tqtp w/ primary and	(0-205) pervasive lt orange		
								secondary qtz., orange stained matrix	FeOx staining. Replacement		
								with moderate to highly altered	of fine diss FeS_2 by FeOx		
					20-25			feldspars. moderate soft white clay			
					45-50						
					70-75						
					95-100						
					120-125						
					145-150						
					170-175						

DRILL CUTTING LOG

Logged by:

Contractor: TONTO | Coordinates: Loc A-2 | Project: GILT EDGE | Hole No.: R88-402

Drill Type: INGERSOL RAND TH60 | Casing Depth: | State: SD | Sheet 2 of 8

Hole Size: | Bearing: | Inclination: -90° | Date Started: 7/24/88 | Property: GILT EDGE

Collar Elev.: | Final Depth: | Date Completed: | Hole Surveyed:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlitt, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			20	3			Tqtp	QUARTZ TRACHYTE (cont.)			
					195-200						
			70				Tbxq	205 - 255 BRECCIA dk brown to maroon	(205-255) dk brown to maroon staining of FeOx, Replacement and psuedomorphs of FeS_2		
					220-225						
					245-250						
			60	1			Ttp	255 - 275 TRACHYTE PORPHYRY (255-275) med to dk gray coarse grain Ttp med alt. of phenos.	255-1330 SULFIDE (255-320) 1% FeS_2 diss		
					270-275						
			60				Tqtp	275 - 300 QUARTZ TRACHYTE			
					295-300						
			60				Ttp	300 - 350 TRACHYTE PORPHYRY			
					320-325				(320-335) 2% FeS_2		
									(335-350) 1% FeS_2		
					345-350			345 H_2O			

DRILL CUTTING LOG

Logged by:

Contractor: TONTO | Coordinates: Loc A-2 | Project: GILT EDGE | Hole No.: R88-402

Drill Type: | Casing Depth: | State: SD | Sheet 3 of 8

Hole Size: | Bearing: | Inclination: -90° | Date Started: 7/24/88 | Property: GILT EDGE

Collar Elev.: | Final Depth: | Date Completed: | Hole Surveyed:

DRILL CUTTING LOG

Logged by:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	1			Tqtp	350-587 QUARTZ TRACHYTE			
								(350-375 medium grain Tqtp, yellow-gray matrix, moderate alt.	(350-375) 3% FeS_2		
					370-375						
								(375-) moderate to heavy alt. yellow clays, minor qtz veining & secondary qtz	(375-395) 5% FeS_2 3-4% FeOx stained chips		
				2	395-400				395-410 MIX 20% orange to dk brn FeOx. FeS_2 1%		
				1					410- SULFIDE (410-430) 1% FeS_2		
					420-425						
									(430-480 2% FeS_2, trace silver gray mineral		
					445-450						
					470-475						
								(480-490) vein qtz 5%	(480-490) 5% FeS_2 FeOx — 5%		
									(490-510) 1% FeS_2		
					495-500						
									(510-555) 2% FeS_2		
					520-525						

Contractor: TONTO | Coordinates: LocA-2 | Project: GILT EDGE | Hole No.: R88-402

Drill Type: | Casing Depth: | State: SD | Sheet 4 of 8

Hole Size: | Bearing: | Inclination: -90° | Date Started: 7/24/88 | Property: GILT EDGE

Collar Elev.: | Final Depth: | Date Completed: | Hole Surveyed:

GRAPHIC LOGS

DISTANCE (feet)	ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	DOWN HOLE LOCATION: ELEVATION
			80	1		
					545-550	
					570-575	
			60			
					595-600	
					620-625	
					645-650	
					670-675	
					695-700	

GEOLOGIC NOTES

ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION / TYPE (Massive, Disseminated, Veinfill, Replacement)	ASSAY Au	ASSAY Ag
Tqtp		SULFIDE (cont.)		
	(550-555) pt schist inclusions	(555-570) 1% FeS_2		
		(570-635) 2% FeS_2 diss, trace, silver sulfide		
Ttp	583-777 TRACHYTE PORPHYRY (583-645) medium gray Ttp w/moderate alt.			
		(635-705) 3% FeS_2 diss		
	(645-665) lt. green alt.			
	(665-777) med. gray Ttp w/moderate alt., some vuggy texture,			

DRILL CUTTING LOG

Logged by:

Contractor TONTO | Coordinates Loc A-Z | Project GILT EDGE | Hole No. R88-402

Drill Type | Casing Depth | State SD | Sheet 5 of 8

Hole Size | Bearing | Inclination -90° | Date Started 7/24/88 | Property GILT EDGE

Collar Elev. | Final Depth | Date Completed | Hole Surveyed

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlet, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1			Ttp	TRACHYTE (cont.)	SULFIDE (cont.)			
									(705-777) 5% diss, fine			
					720-725							
					745-750							
					770-775							
			80				Tqtp	777-1330 QUARTZ TRACHYTE PORPHYRY (777-830) yellow matrix, white clay alt mod. tabesy	(777-820) 1½% FeS_2 fine diss			
					795-800							
					820-825				(820-830) 2% FeS_2 fine diss 1% silver grey diss			
								(830-840) grading from yellow to white	(830-850) 4% FeS_2 fine diss			
					845-850			(840-960) white Tqtp white clay alt increase w/ depth	(850-835) 3% FeS_2 fine diss			
					870-875							

DRILL CUTTING LOG

Logged by:

Contractor: TONTO | Coordinates: Loc A-2 | Project: GILT EDGE | Hole No.: R88-402

Drill Type: | Casing Depth: | State: SD | Sheet 6 of 8

Hole Size: | Bearing: | Inclination: -90° | Date Started: 7/24/88 | Property: GILT EDGE

Collar Elev.: | Final Depth: | Date Completed: | Hole Surveyed:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1			Tqtp	QUARTZ TRACHYTE (cont.)	SULFIDE (cont.)			
					895-900							
								increasing wht clay alt.				
					920-925							
									(935-980) 4% FeS_2 fine diss.			
					945-950							
					970-975							
								(980-1000) heavy wht clay alt.	(980-990) 5% FeS_2 fine diss.			
									(990-1000) 4% FeS_2 fine diss.			
					995-1000				(1000-1075) 5-7% FeS_2			
					1020-1025							
					1045-1050							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88 - 402

Drill Type _____ Casing Depth _____ State _____ Sheet 7 of 8

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	1050-1055		Tgfp					
					1070-1075							
									(1075-1205) 3-5% FeS2			
					1095-1100							
					1120-1125							
					1145-1150							
					1170-1175							
					1195-1200							
									(1205-1305) 1-3% FeS2			
					1220-1225							

DRILL CUTTING LOG

Logged by: GMM

Contractor _____ Coordinates _____ Project _____ Hole No. R88-402

Drill Type _____ Casing Depth _____ State _____ Sheet 8 of 8

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	1225-1230		Tgtp					
					1245-1250							
					1270-1275							
					1295-1300							
									(1305-1320) 5-7% FeS_2			
					1320-1325				(1320-1325) 7-10% FeS_2			
					1325-1330				(1325-1330) 5-7% FeS_2			
								HOLE TD @ 1330' - H_2O +200 gpm watered out tricone				

DRILL CUTTING LOG

Logged by: Cmfm

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0654 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 26-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	59	0.002 OPT		Fire Assay
2	Au	Gold	3	0.002 OPT		Fire Assay
3	Au	Gold	3	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	59	2 -150	59	Assay Prep	58

REMARKS: SAMPLES R88-402-245-250 AND 250-255 WERE ACCIDENTLY MIXED TOGETHER DURING SAMPLE PREPARATION. (NO CHARGE FOR THESE SAMPLES.)

3 SEPARATE ASSAY RESULTS ARE REPORTED FOR 3 SAMPLES. (ERRATIC RESULTS)

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0654

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-402-0-5		0.009		
D2 R88-402-5-10		0.033		
D2 R88-402-10-15		0.049	0.114	0.072 = .078
D2 R88-402-15-20		0.147		
D2 R88-402-20-25		0.028		
D2 R88-402-25-30		0.016		
D2 R88-402-30-35		0.010		
D2 R88-402-35-40		0.008		
D2 R88-402-40-45		0.031		
D2 R88-402-45-50		0.025		
D2 R88-402-50-55		0.019		
D2 R88-402-55-60		0.016		
D2 R88-402-60-65		0.010		
D2 R88-402-65-70		0.017		
D2 R88-402-70-75		0.016		
D2 R88-402-75-80		0.035		
D2 R88-402-80-85		0.018		
D2 R88-402-85-90		0.027		
D2 R88-402-90-95		0.015		
D2 R88-402-95-100		0.029		
D2 R88-402-100-105		0.028		
D2 R88-402-105-110		0.026		
D2 R88-402-110-115		0.063		
D2 R88-402-115-120		0.031		
D2 R88-402-120-125		0.027		
D2 R88-402-125-130		0.045		
D2 R88-402-130-135		0.047		
D2 R88-402-135-140		0.058		
D2 R88-402-140-145		0.065		
D2 R88-402-145-150		0.070		
D2 R88-402-150-155		0.084		
D2 R88-402-155-160		0.071		
D2 R88-402-160-165		0.096		
D2 R88-402-165-170		0.156	0.193	0.090 = .146
D2 R88-402-170-175		0.083		
D2 R88-402-175-180		0.220		
D2 R88-402-180-185		0.073		
D2 R88-402-185-190		0.045		
D2 R88-402-190-195		0.013		
D2 R88-402-195-200		0.121		

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-402-200-205		0.336		
D2 R88-402-205-210		0.029		
D2 R88-402-210-215		0.028		
D2 R88-402-215-220		0.029		
D2 R88-402-220-225		0.086		
D2 R88-402-225-230		0.176	0.256	0.136 = .189
D2 R88-402-230-235		0.041		
D2 R88-402-235-240		0.022		
D2 R88-402-240-245		0.037		
D2 R88-402-245-255		0.025		
D2 R88-402-255-260		0.038		
D2 R88-402-260-265		0.046		
D2 R88-402-265-270		0.021		
D2 R88-402-270-275		0.017		
D2 R88-402-275-280		0.035		
D2 R88-402-280-285		0.002		
D2 R88-402-285-290		<0.002		
D2 R88-402-290-295		0.002		
D2 R88-402-295-300		0.006		

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12605, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-AUG-88

Report No: 098-0654
Project : GILT EDGE
Reference: NONE LISTED

3 Analyses of Gold	at $ 0.00	$ 0.00	
3 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
59 Analyses of Gold	at $ 6.50	$ 383.50	
Subtotal		$ 383.50	$ 383.50
Sample Preparation			
58 Samples of Assay Prep	at $ 3.00	$ 174.00	
Subtotal		$ 174.00	$ 174.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 4.64	
2% DEADWOOD CITY SALES TAX		$ 2.32	
Less: NO CHARGE ONE FIRE ASSAY		$ 8.00	
Subtotal		$ -1.04	$ -1.04

Invoice Total: $ 556.46 U.S.

T88-402
(0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0655 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 5-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	9	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	9	2 -150	9	Assay Prep	9

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0655

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-402-300-305		0.004
D2 R88-402-305-310		0.020
D2 R88-402-310-315		0.009
D2 R88-402-315-320		0.009
D2 R88-402-320-325		0.014
D2 R88-402-325-330		0.022
D2 R88-402-330-335		0.016
D2 R88-402-335-340		0.016
D2 R88-402-340-345		0.010

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12433, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 9-AUG-88

Report No: 098-0655
Project : GILT EDGE
Reference: NONE LISTED

9 Analyses of Gold	at $ 6.50	$ 58.50	
Subtotal		$ 58.50	$ 58.50
Sample Preparation			
9 Samples of Assay Prep	at $ 3.00	$ 27.00	
Subtotal		$ 27.00	$ 27.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.72	
2% DEADWOOD CITY SALES TAX		$ 0.36	
Subtotal		$ 1.08	$ 1.08
	Invoice Total:		$ 86.58 U.S.

1288-402 (300-345)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0660 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	2	0.002 OPT		Fire Assay
3	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1128
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

2 OR 3 SEPARATE ASSAY RESULTS ARE REPORTED FOR
2 SAMPLES.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0660

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-402-345-350		0.011			D2 R88-402-545-550		0.008		
D2 R88-402-350-355		0.011			D2 R88-402-550-555		0.004		
D2 R88-402-355-360		0.004			D2 R88-402-555-560		0.002		
D2 R88-402-360-365		0.007			D2 R88-402-560-565		<0.002		
D2 R88-402-365-370		0.007			D2 R88-402-565-570		<0.002		
D2 R88-402-370-375		0.005			D2 R88-402-570-575		<0.002		
D2 R88-402-375-380		0.010			D2 R88-402-575-580		<0.002		
D2 R88-402-380-385		0.095			D2 R88-402-580-585		0.007		
D2 R88-402-385-390		0.271			D2 R88-402-585-590		0.045		
D2 R88-402-390-395		0.602			D2 R88-402-590-595		0.113		
D2 R88-402-395-400		0.085			D2 R88-402-595-600		0.047		
D2 R88-402-400-405		0.072			D2 R88-402-600-605		0.055		
D2 R88-402-405-410		0.069			D2 R88-402-605-610		0.138	0.073 = .106	
D2 R88-402-410-415		0.155	0.097	0.434 = .229	D2 R88-402-610-615		0.066		
D2 R88-402-415-420		0.014			D2 R88-402-615-620		0.165		
D2 R88-402-420-425		0.044			D2 R88-402-620-625		0.049		
D2 R88-402-425-430		0.014			D2 R88-402-625-630		0.104		
D2 R88-402-430-435		0.008			D2 R88-402-630-635		0.144		
D2 R88-402-435-440		0.017			D2 R88-402-635-640		0.132		
D2 R88-402-440-445		0.004			D2 R88-402-640-645		0.081		
D2 R88-402-445-450		0.002							
D2 R88-402-450-455		0.004							
D2 R88-402-455-460		<0.002							
D2 R88-402-460-465		<0.002							
D2 R88-402-465-470		0.002							
D2 R88-402-470-475		0.009							
D2 R88-402-475-480		<0.002							
D2 R88-402-480-485		0.006							
D2 R88-402-485-490		<0.002							
D2 R88-402-490-495		<0.002							
D2 R88-402-495-500		<0.002							
D2 R88-402-500-505		<0.002							
D2 R88-402-505-510		0.003							
D2 R88-402-510-515		<0.002							
D2 R88-402-515-520		<0.002							
D2 R88-402-520-525		<0.002							
D2 R88-402-525-530		0.004							
D2 R88-402-530-535		0.003							
D2 R88-402-535-540		0.004							
D2 R88-402-540-545		<0.002							

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12729. Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0660
Project : GILT EDGE
Reference: NONE LISTED

2 Analyses of Gold	at $ 0.00	$ 0.00	
1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
Gilt 60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1128 Samples of Excessive Wetness	at $ 0.15	$ 169.20	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 361.20	$ 361.20
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.05	
2% DEADWOOD CITY SALES TAX		$ 6.02	
Subtotal		$ 18.07	$ 18.07
Invoice Total:			$ 769.27 U.S.

RSE-402
(345 - 645)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0661 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	4	0.002 OPT		Fire Assay
3	Au	Gold	4	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	989
				Sample Pickup	1

REMARKS: 3 SEPARATE ASSAY RESULTS REPORTED FOR SOME SAMPLES. (ERRATIC RESULTS)

FINAL RESULTS ARE REPORTED.

(RESULT NOW REPORTED FOR SAMPLE 940-945.
RESULT FOR SAMPLE 930-935 HAS CHANGED.)

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0661

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-402-645-650		0.071			D2 R88-402-845-850		0.007		
D2 R88-402-650-655		0.053			D2 R88-402-850-855		0.012		
D2 R88-402-655-660		0.098	0.059	0.039 = .062	D2 R88-402-855-860		0.011		
D2 R88-402-660-665		0.049			D2 R88-402-860-865		0.030		
D2 R88-402-665-670		0.033			D2 R88-402-865-870		0.028		
D2 R88-402-670-675		0.050			D2 R88-402-870-875		0.011		
D2 R88-402-675-680		0.102			D2 R88-402-875-880		0.006		
D2 R88-402-680-685		0.114			D2 R88-402-880-885		0.004		
D2 R88-402-685-690		0.093			D2 R88-402-885-890		0.014		
D2 R88-402-690-695		0.616	0.188	0.569 = .458	D2 R88-402-890-895		0.037		
D2 R88-402-695-700		0.314	0.566	0.146 = .342	D2 R88-402-895-900		0.048		
D2 R88-402-700-705		0.137			D2 R88-402-900-905		0.041		
D2 R88-402-705-710		0.215			D2 R88-402-905-910		0.015		
D2 R88-402-710-715		0.113			D2 R88-402-910-915		0.006		
D2 R88-402-715-720		0.040			D2 R88-402-915-920		0.012		
D2 R88-402-720-725		0.065			D2 R88-402-920-925		0.015		
D2 R88-402-725-730		0.087			D2 R88-402-925-930		0.016		
D2 R88-402-730-735		0.150			D2 R88-402-930-935		0.008		
D2 R88-402-735-740		0.084			D2 R88-402-935-940		0.009		
D2 R88-402-740-745		0.129			D2 R88-402-940-945		0.007		
D2 R88-402-745-750		0.152							
D2 R88-402-750-755		0.165							
D2 R88-402-755-760		0.101							
D2 R88-402-760-765		0.087							
D2 R88-402-765-770		0.093							
D2 R88-402-770-775		0.269							
D2 R88-402-775-780		0.187							
D2 R88-402-780-785		0.198	0.388	0.231 = .272					
D2 R88-402-785-790		0.033							
D2 R88-402-790-795		0.092							
D2 R88-402-795-800		0.156							
D2 R88-402-800-805		0.185							
D2 R88-402-805-810		0.018							
D2 R88-402-810-815		0.009							
D2 R88-402-815-820		0.011							
D2 R88-402-820-825		0.008							
D2 R88-402-825-830		0.012							
D2 R88-402-830-835		0.006							
D2 R88-402-835-840		<0.002							
D2 R88-402-840-845		0.007							

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12721, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0661
Project : GILT EDGE
Reference: NONE LISTED

4 Analyses of Gold	at $ 0.00	$ 0.00	
4 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
989 Samples of Excessive Wetness	at $ 0.15	$ 148.35	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 340.35	$ 340.35
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.21	
2% DEADWOOD CITY SALES TAX		$ 5.61	
Subtotal		$ 16.82	$ 16.82
Invoice Total:			$ 747.17 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0677 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 29-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	61
				Excessive Wetness	1306
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0677

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-402-945-950		0.003	D2 R88-402-1145-1150		<0.002
D2 R88-402-950-955		0.005	D2 R88-402-1150-1155		<0.002
D2 R88-402-955-960		0.005	D2 R88-402-1155-1160		<0.002
D2 R88-402-960-965		0.005	D2 R88-402-1160-1165		0.002
D2 R88-402-965-970		0.006	D2 R88-402-1165-1170		0.005
D2 R88-402-970-975		0.007	D2 R88-402-1170-1175		0.002
D2 R88-402-975-980		0.007	D2 R88-402-1175-1180		<0.002
D2 R88-402-980-985		0.007	D2 R88-402-1180-1185		<0.002
D2 R88-402-985-990		0.011	D2 R88-402-1185-1190		<0.002
D2 R88-402-990-995		0.013	D2 R88-402-1190-1195		<0.002
D2 R88-402-995-1000		<0.002	D2 R88-402-1195-1200		<0.002
D2 R88-402-1000-1005		<0.002	D2 R88-402-1200-1205		<0.002
D2 R88-402-1005-1010		<0.002	D2 R88-402-1205-1210		<0.002
D2 R88-402-1010-1015		0.018	D2 R88-402-1210-1215		0.002
D2 R88-402-1015-1020		0.003	D2 R88-402-1215-1220		0.002
D2 R88-402-1020-1025		0.007	D2 R88-402-1220-1225		0.003
D2 R88-402-1025-1030		0.002	D2 R88-402-1225-1230		0.004
D2 R88-402-1030-1035		0.009	D2 R88-402-1230-1235		0.005
D2 R88-402-1035-1040		0.009	D2 R88-402-1235-1240		<0.002
D2 R88-402-1040-1045		0.002	D2 R88-402-1240-1245		0.003
D2 R88-402-1045-1050		0.012			
D2 R88-402-1050-1055		0.009			
D2 R88-402-1055-1060		<0.002			
D2 R88-402-1060-1065		<0.002			
D2 R88-402-1065-1070		<0.002			
D2 R88-402-1070-1075		<0.002			
D2 R88-402-1075-1080		0.003			
D2 R88-402-1080-1085		<0.002			
D2 R88-402-1085-1090		<0.002			
D2 R88-402-1090-1095		0.006			
D2 R88-402-1095-1100		<0.002			
D2 R88-402-1100-1105		<0.002			
D2 R88-402-1105-1110		<0.002			
D2 R88-402-1110-1115		<0.002			
D2 R88-402-1115-1120		<0.002			
D2 R88-402-1120-1125		<0.002			
D2 R88-402-1125-1130		<0.002			
D2 R88-402-1130-1135		<0.002			
D2 R88-402-1135-1140		<0.002			
D2 R88-402-1140-1145		<0.002			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Invoice : 12586, Page 1

Date : 31-AUG-88

Report No: 098-0677
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1306 Samples of Excessive Wetness	at $ 0.15	$ 195.90	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 387.90	$ 387.90
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 13.12	
2% DEADWOOD CITY SALES TAX		$ 6.56	
Subtotal		$ 19.68	$ 19.68
Invoice Total:			$ 797.58 U.S.

K88-402
(745-1245)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0679 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 23-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	17	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	17	2 -150	17	Assay Prep	17
				Excessive Wetness	373
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED. RESULT HAS CHANGED
SLIGHTLY FOR SAMPLE 402-1310-1315.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0679

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-402-1245-1250		0.004
D2 R88-402-1250-1255		0.003
D2 R88-402-1255-1260		0.002
D2 R88-402-1260-1265		0.002
D2 R88-402-1265-1270		<0.002
D2 R88-402-1270-1275		0.003
D2 R88-402-1275-1280		0.006
D2 R88-402-1280-1285		0.004
D2 R88-402-1285-1290		0.003
D2 R88-402-1290-1295		<0.002
D2 R88-402-1295-1300		<0.002
D2 R88-402-1300-1305		0.004
D2 R88-402-1305-1310		0.002
D2 R88-402-1310-1315		0.011
D2 R88-402-1315-1320		0.003
D2 R88-402-1320-1325		0.008
D2 R88-402-1325-1330		0.003

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12598, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-AUG-88

Report No: 098-0679
Project : GILT EDGE
Reference: NONE LISTED

17 Analyses of Gold	at $ 6.50	$ 110.50	
Subtotal		$ 110.50	$ 110.50
Sample Preparation			
17 Samples of Assay Prep	at $ 3.00	$ 51.00	
373 Samples of Excessive Wetness	at $ 0.15	$ 55.95	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 118.95	$ 118.95
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 4.08	
2% DEADWOOD CITY SALES TAX		$ 2.04	
Subtotal		$ 6.12	$ 6.12
Invoice Total:			$ 235.57 U.S.

KBE - 402
(1245 - 1330)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 26-08-88 09:06:27 098-0654   J. BARRON            29/07/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   59 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   59 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    3 0.002 99.999 Results Reported     "
"  03 Au     FA        OPT    3 0.002 30.000 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  58           Assay Prep          "
"REMARKS"
"  50 SAMPLES R88-402-245-250 AND 250-255 WERE        "
"  51 ACCIDENTLY MIXED TOGETHER DURING SAMPLE          "
"  52 PREPARATION.  (NO CHARGE FOR THESE SAMPLES.)     "
"  53 3 SEPARATE ASSAY RESULTS ARE REPORTED FOR 3      "
"  54 SAMPLES. (ERRATIC RESULTS)                       "
"  55 FINAL RESULTS ARE ALL REPORTED.                  "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,3(1X,A7,A1))"
```

update

"BEGIN "	"Type"	"Frac"	"Sample ID"		" Au" "	Au" "	Au"	
"06540001"	"D"	"2"	"R88-402-0-5 "		0.009	-9	-9	
"06540002"	"D"	"2"	"R88-402-5-10 "		0.033	-9	-9	5-25
"06540003"	"D"	"2"	"R88-402-10-15	(.078 "AV)	0.049	0.114	0.072	20'@.072
"06540004"	"D"	"2"	"R88-402-15-20 "		0.147	-9	-9	
"06540005"	"D"	"2"	"R88-402-20-25 "		0.028	-9	-9	
"06540008"	"D"	"2"	"R88-402-25-30 "		0.016	-9	-9	
"06540009"	"D"	"2"	"R88-402-30-35 "		0.010	-9	-9	
"06540010"	"D"	"2"	"R88-402-35-40 "		0.008	-9	-9	
"06540011"	"D"	"2"	"R88-402-40-45 "		0.031	-9	-9	
"06540012"	"D"	"2"	"R88-402-45-50 "		0.025	-9	-9	10'@.028
"06540013"	"D"	"2"	"R88-402-50-55 "		0.019	-9	-9	
"06540014"	"D"	"2"	"R88-402-55-60 "		0.016	-9	-9	
"06540015"	"D"	"2"	"R88-402-60-65 "		0.010	-9	-9	
"06540016"	"D"	"2"	"R88-402-65-70 "		0.017	-9	-9	
"06540017"	"D"	"2"	"R88-402-70-75 "		0.016	-9	-9	
"06540018"	"D"	"2"	"R88-402-75-80 "		0.035	-9	-9	
"06540019"	"D"	"2"	"R88-402-80-85 "		0.018	-9	-9	75-280
"06540020"	"D"	"2"	"R88-402-85-90 "		0.027	-9	-9	
"06540021"	"D"	"2"	"R88-402-90-95 "		0.015	-9	-9	205'@.061
"06540022"	"D"	"2"	"R88-402-95-100 "		0.029	-9	-9	
"06540023"	"D"	"2"	"R88-402-100-105 "		0.028	-9	-9	
"06540024"	"D"	"2"	"R88-402-105-110 "		0.026	-9	-9	
"06540025"	"D"	"2"	"R88-402-110-115 "		0.063	-9	-9	
"06540026"	"D"	"2"	"R88-402-115-120 "		0.031	-9	-9	
"06540027"	"D"	"2"	"R88-402-120-125 "		0.027	-9	-9	
"06540028"	"D"	"2"	"R88-402-125-130 "		0.045	-9	-9	
"06540029"	"D"	"2"	"R88-402-130-135 "		0.047	-9	-9	
"06540030"	"D"	"2"	"R88-402-135-140 "		0.058	-9	-9	
"06540033"	"D"	"2"	"R88-402-140-145 "		0.065	-9	-9	
"06540034"	"D"	"2"	"R88-402-145-150 "		0.070	-9	-9	
"06540035"	"D"	"2"	"R88-402-150-155 "		0.084	-9	-9	
"06540036"	"D"	"2"	"R88-402-155-160 "		0.071	-9	-9	
"06540037"	"D"	"2"	"R88-402-160-165 "		0.096	-9	-9	
"06540038"	"D"	"2"	"R88-402-165-170 "		0.156	0.193	0.090	(.146 AV)
"06540039"	"D"	"2"	"R88-402-170-175 "		0.083	-9	-9	
"06540040"	"D"	"2"	"R88-402-175-180 "		0.220	-9	-9	
"06540041"	"D"	"2"	"R88-402-180-185 "		0.073	-9	-9	
"06540042"	"D"	"2"	"R88-402-185-190 "		0.045	-9	-9	

"06540043"	"D"	"2"	"R88-402-190-195	"	0.013	-9	-9
"06540044"	"D"	"2"	"R88-402-195-200	"	0.121	-9	-9
"06540045"	"D"	"2"	"R88-402-200-205	"	0.336	-9	-9
"06540046"	"D"	"2"	"R88-402-205-210	"	0.029	-9	-9
"06540047"	"D"	"2"	"R88-402-210-215	"	0.028	-9	-9
"06540048"	"D"	"2"	"R88-402-215-220	"	0.029	-9	-9
"06540049"	"D"	"2"	"R88-402-220-225	"	0.086	-9	-9
"06540050"	"D"	"2"	"R88-402-225-230	"	0.176	0.256	0.136 (.189 AV)
"06540051"	"D"	"2"	"R88-402-230-235	"	0.041	-9	-9
"06540052"	"D"	"2"	"R88-402-235-240	"	0.022	-9	-9
"06540053"	"D"	"2"	"R88-402-240-245	"	0.037	-9	-9
"06540054"	"D"	"2"	"R88-402-245-255	"	0.025	-9	-9
"06540055"	"D"	"2"	"R88-402-255-260	"	0.038	-9	-9
"06540058"	"D"	"2"	"R88-402-260-265	"	0.046	-9	-9
"06540059"	"D"	"2"	"R88-402-265-270	"	0.021	-9	-9
"06540060"	"D"	"2"	"R88-402-270-275	"	0.017	-9	-9
"06540061"	"D"	"2"	"R88-402-275-280	"	0.035	-9	-9
"06540062"	"D"	"2"	"R88-402-280-285	"	0.002	-9	-9
"06540063"	"D"	"2"	"R88-402-285-290	"	-0.002	-9	-9
"06540064"	"D"	"2"	"R88-402-290-295	"	0.002	-9	-9
"06540065"	"D"	"2"	"R88-402-295-300	"	0.006	-9	-9

"END"

75-280'
205'@.061

update

```
"TITLE 02-09-88 10:21:29 098-0660   J. BARRON            03/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    2 0.002 99.999 Results Reported     "
"  03 Au     FA        OPT    1 0.002 30.000 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1128           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                                  "
"  51 2 OR 3 SEPARATE ASSAY RESULTS ARE REPORTED FOR "
"  52 2 SAMPLES.                                                   "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,3(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au" "    Au"
"06600001" "D" "2" "R88-402-345-350     "    0.011       -9       -9
"06600004" "D" "2" "R88-402-350-355     "    0.011       -9       -9
"06600005" "D" "2" "R88-402-355-360     "    0.004       -9       -9
"06600006" "D" "2" "R88-402-360-365     "    0.007       -9       -9
"06600007" "D" "2" "R88-402-365-370     "    0.007       -9       -9
"06600008" "D" "2" "R88-402-370-375     "    0.005       -9       -9
"06600009" "D" "2" "R88-402-375-380     "    0.010       -9       -9
"06600010" "D" "2" "R88-402-380-385     "    0.095       -9       -9
"06600011" "D" "2" "R88-402-385-390     "    0.271       -9       -9
"06600012" "D" "2" "R88-402-390-395     "    0.602       -9       -9
"06600013" "D" "2" "R88-402-395-400     "    0.085       -9       -9
"06600014" "D" "2" "R88-402-400-405     "    0.072       -9       -9
"06600015" "D" "2" "R88-402-405-410     "    0.069       -9       -9
"06600016" "D" "2" "R88-402-410-415     "    0.155    0.097    0.434
"06600017" "D" "2" "R88-402-415-420     "    0.014-      -9       -9
"06600018" "D" "2" "R88-402-420-425     "    0.044       -9       -9
"06600019" "D" "2" "R88-402-425-430     "    0.014       -9       -9
"06600020" "D" "2" "R88-402-430-435     "    0.008       -9       -9
"06600021" "D" "2" "R88-402-435-440     "    0.017       -9       -9
"06600022" "D" "2" "R88-402-440-445     "    0.004       -9       -9
"06600023" "D" "2" "R88-402-445-450     "    0.002       -9       -9
"06600024" "D" "2" "R88-402-450-455     "    0.004       -9       -9
"06600025" "D" "2" "R88-402-455-460     "   -0.002       -9       -9
"06600026" "D" "2" "R88-402-460-465     "   -0.002       -9       -9
"06600029" "D" "2" "R88-402-465-470     "    0.002       -9       -9
"06600030" "D" "2" "R88-402-470-475     "    0.009       -9       -9
"06600031" "D" "2" "R88-402-475-480     "   -0.002       -9       -9
"06600032" "D" "2" "R88-402-480-485     "    0.006       -9       -9
"06600033" "D" "2" "R88-402-485-490     "   -0.002       -9       -9
"06600034" "D" "2" "R88-402-490-495     "   -0.002       -9       -9
"06600035" "D" "2" "R88-402-495-500     "   -0.002       -9       -9
"06600036" "D" "2" "R88-402-500-505     "   -0.002       -9       -9
"06600037" "D" "2" "R88-402-505-510     "    0.003       -9       -9
"06600038" "D" "2" "R88-402-510-515     "   -0.002       -9       -9
"06600039" "D" "2" "R88-402-515-520     "   -0.002       -9       -9
"06600040" "D" "2" "R88-402-520-525     "   -0.002       -9       -9
"06600041" "D" "2" "R88-402-525-530     "    0.004       -9       -9
"06600042" "D" "2" "R88-402-530-535     "    0.003       -9       -9
```

380 - 425
45' @ .164

(.229 AV)

"06600043"	"D"	"2"	"R88-402-535-540	"	0.004	-9	-9	
"06600044"	"D"	"2"	"R88-402-540-545	"	-0.002	-9	-9	
"06600045"	"D"	"2"	"R88-402-545-550	"	0.008	-9	-9	
"06600046"	"D"	"2"	"R88-402-550-555	"	0.004	-9	-9	
"06600047"	"D"	"2"	"R88-402-555-560	"	0.002	-9	-9	
"06600048"	"D"	"2"	"R88-402-560-565	"	-0.002	-9	-9	
"06600049"	"D"	"2"	"R88-402-565-570	"	-0.002	-9	-9	
"06600050"	"D"	"2"	"R88-402-570-575	"	-0.002	-9	-9	
"06600051"	"D"	"2"	"R88-402-575-580	"	-0.002	-9	-9	
"06600054"	"D"	"2"	"R88-402-580-585	"	0.007	-9	-9	
"06600055"	"D"	"2"	"R88-402-585-590	"	0.045	-9	-9	
"06600056"	"D"	"2"	"R88-402-590-595	"	0.113	-9	-9	
"06600057"	"D"	"2"	"R88-402-595-600	"	0.047	-9	-9	585-805
"06600058"	"D"	"2"	"R88-402-600-605	"	0.055	-9	-9	
"06600059"	"D"	"2"	"R88-402-605-610	"	0.138	0.073 (.106 AV)	-9	220'@.122
"06600060"	"D"	"2"	"R88-402-610-615	"	0.066	-9	-9	
"06600061"	"D"	"2"	"R88-402-615-620	"	0.165	-9	-9	
"06600062"	"D"	"2"	"R88-402-620-625	"	0.049	-9	-9	
"06600063"	"D"	"2"	"R88-402-625-630	"	0.104	-9	-9	
"06600064"	"D"	"2"	"R88-402-630-635	"	0.144	-9	-9	
"06600065"	"D"	"2"	"R88-402-635-640	"	0.132	-9	-9	
"06600066"	"D"	"2"	"R88-402-640-645	"	0.081	-9	-9	

"END"

```
"TITLE 05-09-88 09:05:29 098-0661   J. BARRON              05/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"      ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au      FA         OPT   60 0.002 99.999 Results Reported      "
"  02 Au      FA         OPT    4 0.002 99.999 Results Reported      "
"  03 Au      FA         OPT    4 0.002 30.000 Results Reported      "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  60            Assay Prep          "
"  42 P64= 989            Excessive Wetness   "
"  43 P23=   1            Sample Pickup       "
"REMARKS"
"  50 3 SEPARATE ASSAY RESULTS REPORTED FOR SOME      "
"  51 SAMPLES. (ERRATIC RESULTS)                      "
"  52 FINAL RESULTS ARE REPORTED.                     "
"  53 (RESULT NOW REPORTED FOR SAMPLE 940-945.        "
"  54  RESULT FOR SAMPLE 930-935 HAS CHANGED.)        "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,3(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au" "    Au"
"06610001" "D" "2" "R88-402-645-650      "    0.071 —     -9        -9
"06610002" "D" "2" "R88-402-650-655      "    0.053 —     -9        -9
"06610005" "D" "2" "R88-402-655-660      "    0.098 — 0.059     0.039(.065 AV)
"06610006" "D" "2" "R88-402-660-665      "    0.049 —     -9        -9
"06610007" "D" "2" "R88-402-665-670      "    0.033 —     -9        -9
"06610008" "D" "2" "R88-402-670-675      "    0.050 —     -9        -9
"06610009" "D" "2" "R88-402-675-680      "    0.102 —     -9        -9
"06610010" "D" "2" "R88-402-680-685      "    0.114 —     -9        -9
"06610011" "D" "2" "R88-402-685-690      "    0.093 —     -9        -9
"06610012" "D" "2" "R88-402-690-695      "    0.616 — 0.188     0.569(.458AV)
"06610013" "D" "2" "R88-402-695-700      "    0.314 — 0.566     0.146(.342 AV)
"06610014" "D" "2" "R88-402-700-705      "    0.137 —     -9        -9   585 -805
"06610015" "D" "2" "R88-402-705-710      "    0.215 —     -9        -9
"06610016" "D" "2" "R88-402-710-715      "    0.113 —     -9        -9   220' @ .122
"06610017" "D" "2" "R88-402-715-720      "    0.040 —     -9        -9
"06610018" "D" "2" "R88-402-720-725      "    0.065 —     -9        -9
"06610019" "D" "2" "R88-402-725-730      "    0.087 —     -9        -9
"06610020" "D" "2" "R88-402-730-735      "    0.150 —     -9        -9
"06610021" "D" "2" "R88-402-735-740      "    0.084 —     -9        -9
"06610022" "D" "2" "R88-402-740-745      "    0.129 —     -9        -9
"06610023" "D" "2" "R88-402-745-750      "    0.152 —     -9        -9
"06610024" "D" "2" "R88-402-750-755      "    0.165 —     -9        -9
"06610025" "D" "2" "R88-402-755-760      "    0.101 —     -9        -9
"06610026" "D" "2" "R88-402-760-765      "    0.087 —     -9        -9
"06610027" "D" "2" "R88-402-765-770      "    0.093 —     -9        -9
"06610030" "D" "2" "R88-402-770-775      "    0.269 —     -9        -9
"06610031" "D" "2" "R88-402-775-780      "    0.187 —     -9        -9
"06610032" "D" "2" "R88-402-780-785      "    0.198 — 0.388     0.231(.272 AV)
"06610033" "D" "2" "R88-402-785-790      "    0.033 —     -9        -9
"06610034" "D" "2" "R88-402-790-795      "    0.092 —     -9        -9
"06610035" "D" "2" "R88-402-795-800      "    0.156 —     -9        -9
"06610036" "D" "2" "R88-402-800-805      "    0.185 —     -9        -9
"06610037" "D" "2" "R88-402-805-810      "    0.018       -9        -9
"06610038" "D" "2" "R88-402-810-815      "    0.009       -9        -9
"06610039" "D" "2" "R88-402-815-820      "    0.011       -9        -9
"06610040" "D" "2" "R88-402-820-825      "    0.008       -9        -9
```

"06610042"	"D"	"2"	"R88-402-830-835	"	0.006	-9	-9	
"06610043"	"D"	"2"	"R88-402-835-840	"	-0.002	-9	-9	
"06610044"	"D"	"2"	"R88-402-840-845	"	0.007	-9	-9	
"06610045"	"D"	"2"	"R88-402-845-850	"	0.007	-9	-9	
"06610046"	"D"	"2"	"R88-402-850-855	"	0.012	-9	-9	
"06610047"	"D"	"2"	"R88-402-855-860	"	0.011	-9	-9	
"06610048"	"D"	"2"	"R88-402-860-865	"	0.030	-9	-9	860-870
"06610049"	"D"	"2"	"R88-402-865-870	"	0.028	-9	-9	10' @ .029
"06610050"	"D"	"2"	"R88-402-870-875	"	0.011	-9	-9	
"06610051"	"D"	"2"	"R88-402-875-880	"	0.006	-9	-9	
"06610052"	"D"	"2"	"R88-402-880-885	"	0.004	-9	-9	
"06610055"	"D"	"2"	"R88-402-885-890	"	0.014	-9	-9	
"06610056"	"D"	"2"	"R88-402-890-895	"	0.037	-9	-9	890-905
"06610057"	"D"	"2"	"R88-402-895-900	"	0.048	-9	-9	
"06610058"	"D"	"2"	"R88-402-900-905	"	0.041	-9	-9	15' @ .042
"06610059"	"D"	"2"	"R88-402-905-910	"	0.015	-9	-9	
"06610060"	"D"	"2"	"R88-402-910-915	"	0.006	-9	-9	
"06610061"	"D"	"2"	"R88-402-915-920	"	0.012	-9	-9	
"06610062"	"D"	"2"	"R88-402-920-925	"	0.015	-9	-9	
"06610063"	"D"	"2"	"R88-402-925-930	"	0.016	-9	-9	
"06610064"	"D"	"2"	"R88-402-930-935	"	0.008	-9	-9	
"06610065"	"D"	"2"	"R88-402-935-940	"	0.009	-9	-9	
"06610066"	"D"	"2"	"R88-402-940-945	"	0.007	-9	-9	

"END"

```
"TITLE 29-08-88 14:24:52 098-0677   J. BARRON            03/08/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  61           Assay Prep          "
"  42 P64=1306           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                                  "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"06770001" "D" "2" "R88-402-945-950     "    0.003
"06770002" "D" "2" "R88-402-950-955     "    0.005
"06770003" "D" "2" "R88-402-955-960     "    0.005
"06770004" "D" "2" "R88-402-960-965     "    0.005
"06770005" "D" "2" "R88-402-965-970     "    0.006
"06770006" "D" "2" "R88-402-970-975     "    0.007
"06770007" "D" "2" "R88-402-975-980     "    0.007
"06770008" "D" "2" "R88-402-980-985     "    0.007
"06770011" "D" "2" "R88-402-985-990     "    0.011
"06770012" "D" "2" "R88-402-990-995     "    0.013
"06770013" "D" "2" "R88-402-995-1000    "   -0.002
"06770014" "D" "2" "R88-402-1000-1005   "   -0.002
"06770015" "D" "2" "R88-402-1005-1010   "   -0.002
"06770016" "D" "2" "R88-402-1010-1015   "    0.018
"06770017" "D" "2" "R88-402-1015-1020   "    0.003
"06770018" "D" "2" "R88-402-1020-1025   "    0.007
"06770019" "D" "2" "R88-402-1025-1030   "    0.002
"06770020" "D" "2" "R88-402-1030-1035   "    0.009
"06770021" "D" "2" "R88-402-1035-1040   "    0.009
"06770022" "D" "2" "R88-402-1040-1045   "    0.002
"06770023" "D" "2" "R88-402-1045-1050   "    0.012
"06770024" "D" "2" "R88-402-1050-1055   "    0.009
"06770025" "D" "2" "R88-402-1055-1060   "   -0.002
"06770026" "D" "2" "R88-402-1060-1065   "   -0.002
"06770027" "D" "2" "R88-402-1065-1070   "   -0.002
"06770028" "D" "2" "R88-402-1070-1075   "   -0.002
"06770029" "D" "2" "R88-402-1075-1080   "    0.003
"06770030" "D" "2" "R88-402-1080-1085   "   -0.002
"06770031" "D" "2" "R88-402-1085-1090   "   -0.002
"06770032" "D" "2" "R88-402-1090-1095   "    0.006
"06770033" "D" "2" "R88-402-1095-1100   "   -0.002
"06770036" "D" "2" "R88-402-1100-1105   "   -0.002
"06770037" "D" "2" "R88-402-1105-1110   "   -0.002
"06770038" "D" "2" "R88-402-1110-1115   "   -0.002
"06770039" "D" "2" "R88-402-1115-1120   "   -0.002
"06770040" "D" "2" "R88-402-1120-1125   "   -0.002
"06770041" "D" "2" "R88-402-1125-1130   "   -0.002
"06770042" "D" "2" "R88-402-1130-1135   "   -0.002
"06770043" "D" "2" "R88-402-1135-1140   "   -0.002
"06770044" "D" "2" "R88-402-1140-1145   "   -0.002
"06770045" "D" "2" "R88-402-1145-1150   "   -0.002
"06770046" "D" "2" "R88-402-1150-1155   "   -0.002
"06770047" "D" "2" "R88-402-1155-1160   "    0.002
```

"06770047"	"D"	"2"	"R88-402-1155-1160 "	0.002
"06770048"	"D"	"2"	"R88-402-1160-1165 "	0.002
"06770049"	"D"	"2"	"R88-402-1165-1170 "	0.005
"06770050"	"D"	"2"	"R88-402-1170-1175 "	0.002
"06770051"	"D"	"2"	"R88-402-1175-1180 "	-0.002
"06770052"	"D"	"2"	"R88-402-1180-1185 "	-0.002
"06770053"	"D"	"2"	"R88-402-1185-1190 "	-0.002
"06770054"	"D"	"2"	"R88-402-1190-1195 "	-0.002
"06770055"	"D"	"2"	"R88-402-1195-1200 "	-0.002
"06770056"	"D"	"2"	"R88-402-1200-1205 "	-0.002
"06770057"	"D"	"2"	"R88-402-1205-1210 "	-0.002
"06770058"	"D"	"2"	"R88-402-1210-1215 "	0.002
"06770061"	"D"	"2"	"R88-402-1215-1220 "	0.002
"06770062"	"D"	"2"	"R88-402-1220-1225 "	0.003
"06770063"	"D"	"2"	"R88-402-1225-1230 "	0.004
"06770064"	"D"	"2"	"R88-402-1230-1235 "	0.005
"06770065"	"D"	"2"	"R88-402-1235-1240 "	-0.002
"06770066"	"D"	"2"	"R88-402-1240-1245 "	0.003

"END"

```
"TITLE 23-08-88 14:39:09 098-0679   J. BARRON              04/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE        #SAMPLES:   17 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt  (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA         OPT   17 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  17            Assay Prep          "
"  42 P64= 373            Excessive Wetness   "
"  43 P23=   1            Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.  RESULT HAS CHANGED"
"  51 SLIGHTLY FOR SAMPLE 402-1310-1315.              "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"06790001" "D" "2" "R88-402-1245-1250   "    0.004
"06790002" "D" "2" "R88-402-1250-1255   "    0.003
"06790003" "D" "2" "R88-402-1255-1260   "    0.002
"06790004" "D" "2" "R88-402-1260-1265   "    0.002
"06790005" "D" "2" "R88-402-1265-1270   "   -0.002
"06790006" "D" "2" "R88-402-1270-1275   "    0.003
"06790007" "D" "2" "R88-402-1275-1280   "    0.006
"06790008" "D" "2" "R88-402-1280-1285   "    0.004
"06790009" "D" "2" "R88-402-1285-1290   "    0.003
"06790010" "D" "2" "R88-402-1290-1295   "   -0.002
"06790013" "D" "2" "R88-402-1295-1300   "   -0.002
"06790014" "D" "2" "R88-402-1300-1305   "    0.004
"06790015" "D" "2" "R88-402-1305-1310   "    0.002
"06790016" "D" "2" "R88-402-1310-1315   "    0.011
"06790017" "D" "2" "R88-402-1315-1320   "    0.003
"06790018" "D" "2" "R88-402-1320-1325   "    0.008
"06790019" "D" "2" "R88-402-1325-1330   "    0.003
"END"
```