Contractor: TONTO | Coordinates: SITE A3 | Project: GILT EDGE | Hole No.: RBS-404

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 9

Hole Size: | Bearing: — | Inclination: 90 | Date Started: 7.28.88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 1450' | Date Completed: 7.29.88 | Hole Surveyed:

DRILL CUTTING LOG

Logged by: [illegible]

Distance (feet)	Alteration (1 Weak, 2 Moderate, 3 Strong)	Total Sulfides (vol %)	Rock Code	Ore Code	Distance Down Hole (feet)	Elevation	Rock Type	Description (Mineralogy, Alteration, Textures, Grain Size, Fragment Size)	Mineralization Distribution (Massive, Disseminated, Veinlill, Replacement)	Mineralization Type	Assay Au	Assay Ag
			60	3	0-5		Ttp	0-120 TRACHYTE PORPHYRY 4-1% quartz pisnatic crystals, mainly altered.	0-115 OXIDE (0-25) 3-5% FeOx, 1-3% jarosite			
					20-25							
									(25-35) 4 FeOx, 2-3% jarosite			
									(35-52) 5-7% FeOx; 1-2% jarosite			
					45-50							
									(52-90) 4-1% FeOx, 2-4% jarosite			
					70-75							
									(90-115) 1-3% FeOx, 2-3% jarosite 1-2% MnOx			
					95-100							
				2					115-142 MIX 4-1% FeS2, 1-3% FeOx, 2-3% jarosite			
			80		120-125		Ttp	120-225 QUARTZ TRACHYTE PORPHYRY quartz globs 5% matrix; mainly - line green alt of phenos ext dioxide in to white clay.				
				1	145-150				142-220 SULFIDE 3-4% FeS2			
					170-175							

Contractor _____ Coordinates _____ Project _____ Hole No. R88-404

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	1	175-180		Tgtp				
					195-200						
				2	220-225				220-255 MIXED 1-2% jarosite tr-1% FeOx, 1-2% FeS_2		
			Stope				Stope	225-255 NO RETURN - STOPE.			
					245-250						
			80	1			Tgtp	255-1450 QUARTZ TRACHYTE PORPHYRY. Vuggy 2-3%, fine grain matrix	255-1450 SULFIDE tr-2% FeS_2 (260-265) 4% OXIDE, tr-2% FeS_2 (265-280) tr-1% FeS_2		
					270-275						
									(280-285) 3-5% OXIDE (285-355) 2-3% FeS_2		
					295-300				295-305 FRACTURED		
					320-325						
					345-350						

DRILL CUTTING LOG

Logged by: [illegible]

Contractor _____ Coordinates _____ Project _____ Hole No. R88-404

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	1	350-355		Tdp				
									(355-385) 6-8% FeS_2		
								(360-385) 5% chips w/ intense diss. pyrite. monomineralic texture gray chips gray appearance			
					370-375						
								H_2O @ 385'	(385-400) 3-5% FeS_2		
					395-400						
									(400-490) 1-2% FeS_2		
					420-425						
					445-450						
					470-475						
					495-500			(490-555) 2-3% chips layer of diss. pyrite giving dark gray color; 3-5% yellow clay alteration on rims of chips	(490-510) 6-8% FeS_2		
									(510-555) 3-4% FeS_2		
					520-525						

DRILL CUTTING LOG

Logged by: Cmfm

Contractor _____ Coordinates _____ Project _____ Hole No. 288-404

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	525-530		Tgtp					
					545-550							
									(555-580) tr-2% FeS_2			
					570-575							
									(580-590) 3-4% FeS_2			
									(590-625) 2-3% FeS_2			
					595-600							
					620-625							
									(625-630) 3-5% FeS_2			
									(630-675) tr-2% FeS_2			
					645-650							
					670-675							
									(675-695) 5-7% FeS_2			
					695-700				(695-700) 1-2% FeS_2			

DRILL CUTTING LOG

Logged by: Cmfm

Contractor _____ Coordinates _____ Project _____ Hole No. 288-404

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	1	700-705		Tgfp		(700-735) 6-8% FeS_2		
					720-725						
								(725-735) gray matrix from disc pyrite			
									(735-765) 2-4% FeS_2		
					745-750						
								(750-825) tr-2% chips in yellow alteration of matrix			
									(765-900) 3-5% FeS_2		
					770-775						
					795-800						
									(800-830) 5-8% FeS_2 - loose and disseminated		
					820-825						
								(830-900) Green alteration of matrix	(830-870) 3-5% FeS_2		
					845-850						
					870-875				(870-880) 1-2% FeS_2		

DRILL CUTTING LOG

Logged by: [illegible]

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-1-04

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	1	875-880		$T_{Q}+p$		(880-900) 5-7% FeS_2		
					895-900				(900-920) 9-11% FeS_2 - loose & disseminated.		
					920-925				(920-970) 5-7% FeS_2		
					945-950						
					970-975				(970-985) 10-12% FeS_2 - loose & disseminated.		
									(985-1015) 3-5% FeS_2 - Fine disseminations		
					995-1000			(1000-1025) Gray-green alteration/strong			
									(1015-1025) 1-2% FeS_2		
					1020-1025				(1025-1080) 5-7% FeS_2 - loose & disseminated		
					1045-1050						

DRILL CUTTING LOG

Logged by: CmFm / JAB

Contractor _____ Coordinates _____ Project _____ Hole No. D88-101

Drill Type _____ Casing Depth _____ State _____ Sheet 1 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80		1050-1055		Tqtp				
					1070-1075						
									(1080-1085) 10% FeS_2, pyrite diss and loose nuggets		
									(1085-1115) 5-7% FeS_2 loose and disseminated		
					1095-1100						
									(1115-1125) 8-10% FeS_2		
					1120-1125						
									(1125-1160) 5-7% FeS_2, loose and disseminated		
					1145-1150						
									(1160-1175) 3-4% FeS_2		
					1170-1175						
									(1175-1190) 5-7% FeS_2		
									(1190-1205) 3-5% FeS_2		
					1195-1200				(1205-1225) 2-3% FeS_2		
					1220-1225						

DRILL CUTTING LOG

Logged by: Cmfm / JAH

Contractor _____ Coordinates _____ Project _____ Hole No. R88 - 404

Drill Type _____ Casing Depth _____ State _____ Sheet 8 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			20	1	1225-1230		Rhyp		(1225-1300) 5-7% FeS2 diss.		
					1245-1250						
					1270-1275				1270-1280 FRACTURED		
					1295-1300				(1300-1310) 8-10% FeS2		
									(1310-1335) 5-7% FeS2 diss		
					1320-1325						
									(1335-1345) 10-12% FeS2		
					1345-1350				(1345-1440) 5-7% FeS2		
					1370-1375						
					1395-1400						

DRILL CUTTING LOG

Logged by: Cmfm / JAB

Contractor _____ Coordinates _____ Project _____ Hole No. R88-404

Drill Type _____ Casing Depth _____ State _____ Sheet 9 of 9

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property GILT EDGE

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	1400-1405		Tgr					
					1420-1425							
									(1440-1450) 3-4% fine disse.			
					1445-1450							
							HOLE TD @ 1450					

DRILL CUTTING LOG

Logged by: [illegible] / 7-40

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0691 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	53	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	53	2 -150	53	Assay Prep	53
				Sample Pickup	1

REMARKS: SAMPLE R88-404-290-295 WAS LISTED ON YOUR SAMPLE SUBMITTAL BUT WAS NOT RECEIVED WITH THE SHIPMENT.

FINAL RESULTS ARE REPORTED. 2 SEPARATE ASSAY RESULTS ARE REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0691

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-404-0-5		0.006	
D2 R88-404-5-10		0.003	
D2 R88-404-10-15		<0.002	
D2 R88-404-15-20		0.003	
D2 R88-404-20-25		0.004	
D2 R88-404-25-30		0.002	
D2 R88-404-30-35		<0.002	
D2 R88-404-35-40		0.008	
D2 R88-404-40-45		0.014	
D2 R88-404-45-50		0.052	
D2 R88-404-50-55		0.320	
D2 R88-404-55-60		0.020	
D2 R88-404-60-65		0.015	
D2 R88-404-65-70		0.012	
D2 R88-404-70-75		0.018	
D2 R88-404-75-80		0.015	
D2 R88-404-80-85		0.159	
D2 R88-404-85-90		0.037	
D2 R88-404-90-95		0.010	
D2 R88-404-95-100		0.055	
D2 R88-404-100-105		0.008	
D2 R88-404-105-110		0.031	
D2 R88-404-110-115		0.011	
D2 R88-404-115-120		0.003	
D2 R88-404-120-125		<0.002	
D2 R88-404-125-130		<0.002	
D2 R88-404-130-135		0.006	
D2 R88-404-135-140		0.030	
D2 R88-404-140-145		0.027	
D2 R88-404-145-150		0.258	
D2 R88-404-150-155		0.057	
D2 R88-404-155-160		0.123	
D2 R88-404-160-165		0.043	
D2 R88-404-165-170		0.012	
D2 R88-404-170-175		0.012	
D2 R88-404-175-180		0.009	
D2 R88-404-180-185		0.003	
D2 R88-404-185-190		0.009	
D2 R88-404-190-195		0.016	
D2 R88-404-195-200		0.007	
D2 R88-404-200-205		0.006	
D2 R88-404-205-210		0.006	
D2 R88-404-210-215		0.002	
D2 R88-404-215-220		0.006	
D2 R88-404-220-225		0.200	0.101 =.150
D2 R88-404-255-260		0.004	
D2 R88-404-260-265		0.003	
D2 R88-404-265-270		0.004	
D2 R88-404-270-275		0.003	
D2 R88-404-275-280		0.003	
D2 R88-404-280-285		0.004	
D2 R88-404-285-290		0.003	
D2 R88-404-295-300		<0.002	

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12719, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0691
Project : GILT EDGE
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
53 Analyses of Gold	at $ 6.50	$ 344.50	
Subtotal		$ 344.50	$ 344.50
Sample Preparation			
53 Samples of Assay Prep	at $ 3.00	$ 159.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 171.00	$ 171.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 4.72	
2% DEADWOOD CITY SALES TAX		$ 2.36	
Subtotal		$ 7.08	$ 7.08
Invoice Total:			$ 522.58 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0692 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 29-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	17	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	17	2 -150	17	Assay Prep	17
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0692

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-404-300-305		0.008
D2 R88-404-305-310		0.004
D2 R88-404-310-315		0.005
D2 R88-404-315-320		0.003
D2 R88-404-320-325		<0.002
D2 R88-404-325-330		<0.002
D2 R88-404-330-335		0.006
D2 R88-404-335-340		<0.002
D2 R88-404-340-345		0.016
D2 R88-404-345-350		<0.002
D2 R88-404-350-355		0.004
D2 R88-404-355-360		0.010
D2 R88-404-360-365		<0.002
D2 R88-404-365-370		<0.002
D2 R88-404-370-375		0.005
D2 R88-404-375-380		<0.002
D2 R88-404-380-385		<0.002

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12588, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-AUG-88

Report No: 098-0692
Project : GILT EDGE
Reference: NONE LISTED

17 Analyses of Gold	at $ 6.50	$ 110.50	
Subtotal		$ 110.50	$ 110.50
Sample Preparation			
17 Samples of Assay Prep	at $ 3.00	$ 51.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 63.00	$ 63.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 1.84	
2% DEADWOOD CITY SALES TAX		$ 0.92	
Subtotal		$ 2.76	$ 2.76
Invoice Total:			$ 176.26 U.S.

KEE-404
(200-255)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0763 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 12-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	873
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0763

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-404-385-390		<0.002
D2 R88-404-390-395		0.003
D2 R88-404-395-400		0.005
D2 R88-404-400-405		0.004
D2 R88-404-405-410		<0.002
D2 R88-404-410-415		<0.002
D2 R88-404-415-420		<0.002
D2 R88-404-420-425		<0.002
D2 R88-404-425-430		<0.002
D2 R88-404-430-435		<0.002
D2 R88-404-435-440		<0.002
D2 R88-404-440-445		<0.002
D2 R88-404-445-450		0.002
D2 R88-404-450-455		0.008
D2 R88-404-455-460		0.002
D2 R88-404-460-465		<0.002
D2 R88-404-465-470		0.003
D2 R88-404-470-475		<0.002
D2 R88-404-475-480		<0.002
D2 R88-404-480-485		0.003
D2 R88-404-485-490		<0.002
D2 R88-404-490-495		<0.002
D2 R88-404-495-500		0.009
D2 R88-404-500-505		0.008
D2 R88-404-505-510		0.006
D2 R88-404-510-515		0.006
D2 R88-404-515-520		0.007
D2 R88-404-520-525		0.036
D2 R88-404-525-530		0.040
D2 R88-404-530-535		0.031
D2 R88-404-535-540		0.017
D2 R88-404-540-545		0.008
D2 R88-404-545-550		0.028
D2 R88-404-550-555		0.014
D2 R88-404-555-560		0.003
D2 R88-404-560-565		0.002
D2 R88-404-565-570		0.014
D2 R88-404-570-575		0.007
D2 R88-404-575-580		0.005
D2 R88-404-580-585		0.004
D2 R88-404-585-590		0.009
D2 R88-404-590-595		0.006
D2 R88-404-595-600		0.005
D2 R88-404-600-605		0.016
D2 R88-404-605-610		0.005
D2 R88-404-610-615		0.014
D2 R88-404-615-620		0.026
D2 R88-404-620-625		0.009
D2 R88-404-625-630		0.010
D2 R88-404-630-635		0.005
D2 R88-404-635-640		0.004
D2 R88-404-640-645		0.004
D2 R88-404-645-650		0.004
D2 R88-404-650-655		<0.002
D2 R88-404-655-660		0.005
D2 R88-404-660-665		0.007
D2 R88-404-665-670		0.005
D2 R88-404-670-675		0.008
D2 R88-404-675-680		0.029
D2 R88-404-680-685		0.039

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12683, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0763
Project : GILT EDGE
Reference: NONE LISTED

Cu fm 80 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
873 Samples of Excessive Wetness	at $ 0.15	$ 130.95	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 322.95	$ 322.95
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72
Invoice Total:			$ 713.67 U.S.

KEB - 404
(385 - 685)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0758 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 7-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1096
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0758

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-404-685-690		0.088	D2 R88-404-885-890		0.013
D2 R88-404-690-695		0.040	D2 R88-404-890-895		0.034
D2 R88-404-695-700		0.036	D2 R88-404-895-900		0.064
D2 R88-404-700-705		0.028	D2 R88-404-900-905		0.237
D2 R88-404-705-710		0.017	D2 R88-404-905-910		0.241
D2 R88-404-710-715		0.058	D2 R88-404-910-915		0.180
D2 R88-404-715-720		0.015	D2 R88-404-915-920		0.215
D2 R88-404-720-725		0.034	D2 R88-404-920-925		0.346
D2 R88-404-725-730		0.024	D2 R88-404-925-930		0.459
D2 R88-404-730-735		0.040	D2 R88-404-930-935		0.519
D2 R88-404-735-740		0.011	D2 R88-404-935-940		0.456
D2 R88-404-740-745		0.013	D2 R88-404-940-945		0.110
D2 R88-404-745-750		0.039	D2 R88-404-945-950		0.543
D2 R88-404-750-755		0.045	D2 R88-404-950-955		0.134
D2 R88-404-755-760		0.014	D2 R88-404-955-960		0.211
D2 R88-404-760-765		0.014	D2 R88-404-960-965		0.294
D2 R88-404-765-770		0.016	D2 R88-404-965-970		0.588
D2 R88-404-770-775		0.018	D2 R88-404-970-975		0.089
D2 R88-404-775-780		0.015	D2 R88-404-975-980		0.064
D2 R88-404-780-785		0.011	D2 R88-404-980-985		0.076
D2 R88-404-785-790		0.010			
D2 R88-404-790-795		0.009			
D2 R88-404-795-800		0.003			
D2 R88-404-800-805		0.015			
D2 R88-404-805-810		0.016			
D2 R88-404-810-815		0.009			
D2 R88-404-815-820		0.019			
D2 R88-404-820-825		0.010			
D2 R88-404-825-830		0.032			
D2 R88-404-830-835		0.021			
D2 R88-404-835-840		0.014			
D2 R88-404-840-845		0.015			
D2 R88-404-845-850		0.015			
D2 R88-404-850-855		0.013			
D2 R88-404-855-860		0.007			
D2 R88-404-860-865		0.009			
D2 R88-404-865-870		0.008			
D2 R88-404-870-875		0.017			
D2 R88-404-875-880		0.029			
D2 R88-404-880-885		0.016			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12691, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0758
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1096 Samples of Excessive Wetness	at $ 0.15	$ 164.40	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 356.40	$ 356.40
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72
Invoice Total:			$ 747.12 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0700 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	866
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

2 SEPARATE ASSAY RESULTS ARE REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0700

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-404-985-990		0.103	
D2 R88-404-990-995		0.096	
D2 R88-404-995-1000		0.070	
D2 R88-404-1000-1005		0.087	
D2 R88-404-1005-1010		0.097	
D2 R88-404-1010-1015		0.022	
D2 R88-404-1015-1020		0.015	
D2 R88-404-1020-1025		0.030	
D2 R88-404-1025-1030		0.075	
D2 R88-404-1030-1035		0.211	
D2 R88-404-1035-1040		0.234	
D2 R88-404-1040-1045		0.190	
D2 R88-404-1045-1050		0.120	0.239 =
D2 R88-404-1050-1055		0.097	
D2 R88-404-1055-1060		0.079	
D2 R88-404-1060-1065		0.042	
D2 R88-404-1065-1070		0.093	
D2 R88-404-1070-1075		0.043	
D2 R88-404-1075-1080		0.114	
D2 R88-404-1080-1085		0.064	
D2 R88-404-1085-1090		0.222	
D2 R88-404-1090-1095		0.032	
D2 R88-404-1095-1100		0.029	
D2 R88-404-1100-1105		0.091	
D2 R88-404-1105-1110		0.070	
D2 R88-404-1110-1115		0.043	
D2 R88-404-1115-1120		0.043	
D2 R88-404-1120-1125		0.033	
D2 R88-404-1125-1130		0.052	
D2 R88-404-1130-1135		0.043	
D2 R88-404-1135-1140		0.027	
D2 R88-404-1140-1145		0.038	
D2 R88-404-1145-1150		0.028	
D2 R88-404-1150-1155		0.018	
D2 R88-404-1155-1160		0.015	
D2 R88-404-1160-1165		0.018	
D2 R88-404-1165-1170		0.065	
D2 R88-404-1170-1175		0.014	
D2 R88-404-1175-1180		0.009	
D2 R88-404-1180-1185		0.023	
D2 R88-404-1185-1190		0.030	
D2 R88-404-1190-1195		0.020	
D2 R88-404-1195-1200		0.014	
D2 R88-404-1200-1205		0.018	
D2 R88-404-1205-1210		0.050	
D2 R88-404-1210-1215		0.038	
D2 R88-404-1215-1220		0.034	
D2 R88-404-1220-1225		0.039	
D2 R88-404-1225-1230		0.066	
D2 R88-404-1230-1235		0.054	
D2 R88-404-1235-1240		0.058	
D2 R88-404-1240-1245		0.049	
D2 R88-404-1245-1250		0.057	
D2 R88-404-1250-1255		0.046	
D2 R88-404-1255-1260		0.037	
D2 R88-404-1260-1265		0.039	
D2 R88-404-1265-1270		0.061	
D2 R88-404-1270-1275		0.046	
D2 R88-404-1275-1280		0.049	
D2 R88-404-1280-1285		0.028	

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12717, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0700
Project : GILT EDGE
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
Confm			
60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
866 Samples of Excessive Wetness	at $ 0.15	$ 129.90	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 321.90	$ 321.90
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72
Invoice Total:			$ 712.62 U.S.

REC-400
(955 - 1255)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0701 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	33	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	33	2 -150	33	Assay Prep	33
				Excessive Wetness	576
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0701

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-404-1285-1290		0.030
D2 R88-404-1290-1295		0.038
D2 R88-404-1295-1300		0.040
D2 R88-404-1300-1305		0.060
D2 R88-404-1305-1310		0.042
D2 R88-404-1310-1315		0.023
D2 R88-404-1315-1320		0.022
D2 R88-404-1320-1325		0.019
D2 R88-404-1325-1330		0.023
D2 R88-404-1330-1335		0.014
D2 R88-404-1335-1340		0.022
D2 R88-404-1340-1345		0.016
D2 R88-404-1345-1350		0.019
D2 R88-404-1350-1355		0.016
D2 R88-404-1355-1360		0.013
D2 R88-404-1360-1365		0.023
D2 R88-404-1365-1370		0.043
D2 R88-404-1370-1375		0.022
D2 R88-404-1375-1380		0.029
D2 R88-404-1380-1385		0.054
D2 R88-404-1385-1390		0.100
D2 R88-404-1390-1395		0.044
D2 R88-404-1395-1400		0.029
D2 R88-404-1400-1405		0.038
D2 R88-404-1405-1410		0.020
D2 R88-404-1410-1415		0.030
D2 R88-404-1415-1420		0.023
D2 R88-404-1420-1425		0.025
D2 R88-404-1425-1430		0.030
D2 R88-404-1430-1435		0.032
D2 R88-404-1435-1440		0.034
D2 R88-404-1440-1445		0.036
D2 R88-404-1445-1450		0.019

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12718, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0701
Project : GILT EDGE
Reference: NONE LISTED

33 Analyses of Gold	at $ 6.50	$ 214.50	
Subtotal		$ 214.50	$ 214.50
Sample Preparation			
33 Samples of Assay Prep	at $ 3.00	$ 99.00	
576 Samples of Excessive Wetness	at $ 0.15	$ 86.40	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 197.40	$ 197.40
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72

Invoice Total: $ 412.62 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 02-09-88-07:42:06 098-0691   J. BARRON              02/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE        #SAMPLES:   53 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"      ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au      FA        OPT   53 0.002 99.999 Results Reported     "
"  02 Au      FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  53            Assay Prep          "
"  42 P23=   1            Sample Pickup       "
"REMARKS"
"  50 SAMPLE R88-404-290-295 WAS LISTED ON YOUR      "
"  51 SAMPLE SUBMITTAL BUT WAS NOT RECEIVED WITH     "
"  52 THE SHIPMENT.                                  "
"  53 FINAL RESULTS ARE REPORTED.  2 SEPARATE ASSAY  "
"  54 RESULTS ARE REPORTED FOR ONE SAMPLE.           "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au" "     Au"
"06910001" "D" "2" "R88-404-0-5          "    0.006       -9
"06910002" "D" "2" "R88-404-5-10         "    0.003       -9
"06910005" "D" "2" "R88-404-10-15        "   -0.002       -9
"06910006" "D" "2" "R88-404-15-20        "    0.003       -9
"06910007" "D" "2" "R88-404-20-25        "    0.004       -9
"06910008" "D" "2" "R88-404-25-30        "    0.002       -9
"06910009" "D" "2" "R88-404-30-35        "   -0.002       -9
"06910010" "D" "2" "R88-404-35-40        "    0.008       -9
"06910011" "D" "2" "R88-404-40-45        "    0.014       -9
"06910012" "D" "2" "R88-404-45-50        "    0.052       -9      45-60
"06910013" "D" "2" "R88-404-50-55        "    0.320       -9
"06910014" "D" "2" "R88-404-55-60        "    0.020       -9      15'@.131
"06910015" "D" "2" "R88-404-60-65        "    0.015       -9
"06910016" "D" "2" "R88-404-65-70        "    0.012       -9
"06910017" "D" "2" "R88-404-70-75        "    0.018       -9
"06910018" "D" "2" "R88-404-75-80        "    0.015       -9
"06910019" "D" "2" "R88-404-80-85        "    0.159       -9      80-110
"06910020" "D" "2" "R88-404-85-90        "    0.037       -9
"06910021" "D" "2" "R88-404-90-95        "    0.010       -9      30'@.050
"06910022" "D" "2" "R88-404-95-100       "    0.055       -9
"06910023" "D" "2" "R88-404-100-105      "    0.008       -9
"06910024" "D" "2" "R88-404-105-110      "    0.031       -9
"06910025" "D" "2" "R88-404-110-115      "    0.011       -9
"06910026" "D" "2" "R88-404-115-120      "    0.003       -9
"06910027" "D" "2" "R88-404-120-125      "   -0.002       -9
"06910030" "D" "2" "R88-404-125-130      "   -0.002       -9
"06910031" "D" "2" "R88-404-130-135      "    0.006       -9
"06910032" "D" "2" "R88-404-135-140      "    0.030       -9      135-165
"06910033" "D" "2" "R88-404-140-145      "    0.027       -9
"06910034" "D" "2" "R88-404-145-150      "    0.258       -9      30'@.096
"06910035" "D" "2" "R88-404-150-155      "    0.057       -9
"06910036" "D" "2" "R88-404-155-160      "    0.123       -9
"06910037" "D" "2" "R88-404-160-165      "    0.043       -9
"06910038" "D" "2" "R88-404-165-170      "    0.012       -9
"06910039" "D" "2" "R88-404-170-175      "    0.012       -9
"06910040" "D" "2" "R88-404-175-180      "    0.009       -9
"06910041" "D" "2" "R88-404-180-185      "    0.003       -9
"06910042" "D" "2" "R88-404-185-190      "    0.009       -9
```

"06910043"	"D"	"2"	"R88-404-190-195	"	0.016	-9	
"06910044"	"D"	"2"	"R88-404-195-200	"	0.007	-9	
"06910045"	"D"	"2"	"R88-404-200-205	"	0.006	-9	
"06910046"	"D"	"2"	"R88-404-205-210	"	0.006	-9	
"06910047"	"D"	"2"	"R88-404-210-215	"	0.002	-9	
"06910048"	"D"	"2"	"R88-404-215-220	"	0.006	-9	
"06910049"	"D"	"2"	"R88-404-220-225	"	0.200	0.101	5'@.150
"06910050"	"D"	"2"	"R88-404-255-260	"	0.004	-9	
"06910051"	"D"	"2"	"R88-404-260-265	"	0.003	-9	
"06910052"	"D"	"2"	"R88-404-265-270	"	0.004	-9	
"06910055"	"D"	"2"	"R88-404-270-275	"	0.003	-9	
"06910056"	"D"	"2"	"R88-404-275-280	"	0.003	-9	
"06910057"	"D"	"2"	"R88-404-280-285	"	0.004	-9	
"06910058"	"D"	"2"	"R88-404-285-290	"	0.003	-9	290-295 NO SAMPLE
"06910059"	"D"	"2"	"R88-404-295-300	"	-0.002	-9	

"END"

```
"TITLE 29-08-88 14:37:41 098-0692   J. BARRON            05/08/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   17 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   17 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  17           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"06920001" "D" "2" "R88-404-300-305      "    0.008
"06920002" "D" "2" "R88-404-305-310      "    0.004
"06920003" "D" "2" "R88-404-310-315      "    0.005
"06920006" "D" "2" "R88-404-315-320      "    0.003
"06920007" "D" "2" "R88-404-320-325      "   -0.002
"06920008" "D" "2" "R88-404-325-330      "   -0.002
"06920009" "D" "2" "R88-404-330-335      "    0.006
"06920010" "D" "2" "R88-404-335-340      "   -0.002
"06920011" "D" "2" "R88-404-340-345      "    0.016
"06920012" "D" "2" "R88-404-345-350      "   -0.002
"06920013" "D" "2" "R88-404-350-355      "    0.004
"06920014" "D" "2" "R88-404-355-360      "    0.010
"06920015" "D" "2" "R88-404-360-365      "   -0.002
"06920016" "D" "2" "R88-404-365-370      "   -0.002
"06920017" "D" "2" "R88-404-370-375      "    0.005
"06920018" "D" "2" "R88-404-375-380      "   -0.002
"06920019" "D" "2" "R88-404-380-385      "   -0.002
"END"
```

```
"TITLE 12-09-88 08:22:44 098-0763   J. BARRON            05/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64= 873           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                                  "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"07630001" "D" "2" "R88-404-385-390      "   -0.002
"07630002" "D" "2" "R88-404-390-395      "    0.003
"07630003" "D" "2" "R88-404-395-400      "    0.005
"07630004" "D" "2" "R88-404-400-405      "    0.004
"07630007" "D" "2" "R88-404-405-410      "   -0.002
"07630008" "D" "2" "R88-404-410-415      "   -0.002
"07630009" "D" "2" "R88-404-415-420      "   -0.002
"07630010" "D" "2" "R88-404-420-425      "   -0.002
"07630011" "D" "2" "R88-404-425-430      "   -0.002
"07630012" "D" "2" "R88-404-430-435      "   -0.002
"07630013" "D" "2" "R88-404-435-440      "   -0.002
"07630014" "D" "2" "R88-404-440-445      "   -0.002
"07630015" "D" "2" "R88-404-445-450      "    0.002
"07630016" "D" "2" "R88-404-450-455      "    0.008
"07630017" "D" "2" "R88-404-455-460      "    0.002
"07630018" "D" "2" "R88-404-460-465      "   -0.002
"07630019" "D" "2" "R88-404-465-470      "    0.003
"07630020" "D" "2" "R88-404-470-475      "   -0.002
"07630021" "D" "2" "R88-404-475-480      "   -0.002
"07630022" "D" "2" "R88-404-480-485      "    0.003
"07630023" "D" "2" "R88-404-485-490      "   -0.002
"07630024" "D" "2" "R88-404-490-495      "   -0.002
"07630025" "D" "2" "R88-404-495-500      "    0.009
"07630026" "D" "2" "R88-404-500-505      "    0.008
"07630027" "D" "2" "R88-404-505-510      "    0.006
"07630028" "D" "2" "R88-404-510-515      "    0.006
"07630029" "D" "2" "R88-404-515-520      "    0.007
"07630032" "D" "2" "R88-404-520-525      "    0.036
"07630033" "D" "2" "R88-404-525-530      "    0.040
"07630034" "D" "2" "R88-404-530-535      "    0.031
"07630035" "D" "2" "R88-404-535-540      "    0.017
"07630036" "D" "2" "R88-404-540-545      "    0.008
"07630037" "D" "2" "R88-404-545-550      "    0.028
"07630038" "D" "2" "R88-404-550-555      "    0.014
"07630039" "D" "2" "R88-404-555-560      "    0.003
"07630040" "D" "2" "R88-404-560-565      "    0.002
"07630041" "D" "2" "R88-404-565-570      "    0.014
"07630042" "D" "2" "R88-404-570-575      "    0.007
"07630043" "D" "2" "R88-404-575-580      "    0.005
"07630044" "D" "2" "R88-404-580-585      "    0.004
"07630045" "D" "2" "R88-404-585-590      "    0.009
"07630046" "D" "2" "R88-404-590-595      "    0.006
"07630047" "D" "2" "R88-404-595-600      "    0.005
```

520-550
~~15' @ .036~~
30' @ .027
~~545-550~~
~~5' @~~

"07630047"	"D"	"2"	"R88-404-595-600	"	0.005
"07630048"	"D"	"2"	"R88-404-600-605	"	0.016
"07630049"	"D"	"2"	"R88-404-605-610	"	0.005
"07630050"	"D"	"2"	"R88-404-610-615	"	0.014
"07630051"	"D"	"2"	"R88-404-615-620	"	0.026 —
"07630052"	"D"	"2"	"R88-404-620-625	"	0.009
"07630053"	"D"	"2"	"R88-404-625-630	"	0.010
"07630054"	"D"	"2"	"R88-404-630-635	"	0.005
"07630057"	"D"	"2"	"R88-404-635-640	"	0.004
"07630058"	"D"	"2"	"R88-404-640-645	"	0.004
"07630059"	"D"	"2"	"R88-404-645-650	"	0.004
"07630060"	"D"	"2"	"R88-404-650-655	"	-0.002
"07630061"	"D"	"2"	"R88-404-655-660	"	0.005
"07630062"	"D"	"2"	"R88-404-660-665	"	0.007
"07630063"	"D"	"2"	"R88-404-665-670	"	0.005
"07630064"	"D"	"2"	"R88-404-670-675	"	0.008
"07630065"	"D"	"2"	"R88-404-675-680	"	0.029 —
"07630066"	"D"	"2"	"R88-404-680-685	"	0.039 —

"END"

675 – 755
80'@

```
"TITLE 07-09-88 09:22:56 098-0758   J. BARRON              05/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1096           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                                  "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"07580001" "D" "2" "R88-404-685-690      "    0.088
"07580002" "D" "2" "R88-404-690-695      "    0.040
"07580003" "D" "2" "R88-404-695-700      "    0.036
"07580004" "D" "2" "R88-404-700-705      "    0.028
"07580005" "D" "2" "R88-404-705-710      "    0.017
"07580006" "D" "2" "R88-404-710-715      "    0.058
"07580007" "D" "2" "R88-404-715-720      "    0.015
"07580008" "D" "2" "R88-404-720-725      "    0.034
"07580009" "D" "2" "R88-404-725-730      "    0.024
"07580012" "D" "2" "R88-404-730-735      "    0.040
"07580013" "D" "2" "R88-404-735-740      "    0.011
"07580014" "D" "2" "R88-404-740-745      "    0.013
"07580015" "D" "2" "R88-404-745-750      "    0.039
"07580016" "D" "2" "R88-404-750-755      "    0.045
"07580017" "D" "2" "R88-404-755-760      "    0.014
"07580018" "D" "2" "R88-404-760-765      "    0.014
"07580019" "D" "2" "R88-404-765-770      "    0.016
"07580020" "D" "2" "R88-404-770-775      "    0.018
"07580021" "D" "2" "R88-404-775-780      "    0.015
"07580022" "D" "2" "R88-404-780-785      "    0.011
"07580023" "D" "2" "R88-404-785-790      "    0.010
"07580024" "D" "2" "R88-404-790-795      "    0.009
"07580025" "D" "2" "R88-404-795-800      "    0.003
"07580026" "D" "2" "R88-404-800-805      "    0.015
"07580027" "D" "2" "R88-404-805-810      "    0.016
"07580028" "D" "2" "R88-404-810-815      "    0.009
"07580029" "D" "2" "R88-404-815-820      "    0.019
"07580030" "D" "2" "R88-404-820-825      "    0.010
"07580031" "D" "2" "R88-404-825-830      "    0.032
"07580032" "D" "2" "R88-404-830-835      "    0.021
"07580033" "D" "2" "R88-404-835-840      "    0.014
"07580034" "D" "2" "R88-404-840-845      "    0.015
"07580037" "D" "2" "R88-404-845-850      "    0.015
"07580038" "D" "2" "R88-404-850-855      "    0.013
"07580039" "D" "2" "R88-404-855-860      "    0.007
"07580040" "D" "2" "R88-404-860-865      "    0.009
"07580041" "D" "2" "R88-404-865-870      "    0.008
"07580042" "D" "2" "R88-404-870-875      "    0.017
"07580043" "D" "2" "R88-404-875-880      "    0.029
"07580044" "D" "2" "R88-404-880-885      "    0.016
"07580045" "D" "2" "R88-404-885-890      "    0.013
"07580046" "D" "2" "R88-404-890-895      "    0.034
"07580047" "D" "2" "R88-404-895-900      "    0.064
```

675 -755

80'@ ~~.035~~ .035

825-835

10'@ .026

875-

890-1150

260' @ .145

"07580048"	"D"	"2"	"R88-404-900-905	"	0.237
"07580049"	"D"	"2"	"R88-404-905-910	"	0.241
"07580050"	"D"	"2"	"R88-404-910-915	"	0.180
"07580051"	"D"	"2"	"R88-404-915-920	"	0.215
"07580052"	"D"	"2"	"R88-404-920-925	"	0.346
"07580053"	"D"	"2"	"R88-404-925-930	"	0.459
"07580054"	"D"	"2"	"R88-404-930-935	"	0.519
"07580055"	"D"	"2"	"R88-404-935-940	"	0.456
"07580056"	"D"	"2"	"R88-404-940-945	"	0.110
"07580057"	"D"	"2"	"R88-404-945-950	"	0.543
"07580058"	"D"	"2"	"R88-404-950-955	"	0.134
"07580059"	"D"	"2"	"R88-404-955-960	"	0.211
"07580062"	"D"	"2"	"R88-404-960-965	"	0.294
"07580063"	"D"	"2"	"R88-404-965-970	"	0.588
"07580064"	"D"	"2"	"R88-404-970-975	"	0.089
"07580065"	"D"	"2"	"R88-404-975-980	"	0.064
"07580066"	"D"	"2"	"R88-404-980-985	"	0.076

"END"

95' @ .256

890-1150
260' @ .145

```
"TITLE 02-09-88 07:33:50 098-0700   J. BARRON              05/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64= 866           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"  51 2 SEPARATE ASSAY RESULTS ARE REPORTED FOR ONE  "
"  52 SAMPLE.                                              "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"07000001" "D" "2" "R88-404-985-990     "    0.103 —     -9
"07000004" "D" "2" "R88-404-990-995     "    0.096 —     -9
"07000005" "D" "2" "R88-404-995-1000    "    0.070 —     -9
"07000006" "D" "2" "R88-404-1000-1005   "    0.087 —     -9
"07000007" "D" "2" "R88-404-1005-1010   "    0.097 —     -9
"07000008" "D" "2" "R88-404-1010-1015   "    0.022 —     -9
"07000009" "D" "2" "R88-404-1015-1020   "    0.015 -     -9
"07000010" "D" "2" "R88-404-1020-1025   "    0.030 —     -9
"07000011" "D" "2" "R88-404-1025-1030   "    0.075 —     -9
"07000012" "D" "2" "R88-404-1030-1035   "    0.211 —     -9
"07000013" "D" "2" "R88-404-1035-1040   "    0.234 —     -9
"07000014" "D" "2" "R88-404-1040-1045   "    0.190 —     -9
"07000015" "D" "2" "R88-404-1045-1050   "    0.120 —  0.239(.180 AV)
"07000016" "D" "2" "R88-404-1050-1055   "    0.097 —     -9
"07000017" "D" "2" "R88-404-1055-1060   "    0.079 —     -9
"07000018" "D" "2" "R88-404-1060-1065   "    0.042 —     -9
"07000019" "D" "2" "R88-404-1065-1070   "    0.093 —     -9
"07000020" "D" "2" "R88-404-1070-1075   "    0.043 —     -9
"07000021" "D" "2" "R88-404-1075-1080   "    0.114 —     -9
"07000022" "D" "2" "R88-404-1080-1085   "    0.064 —     -9
"07000023" "D" "2" "R88-404-1085-1090   "    0.222 —     -9
"07000024" "D" "2" "R88-404-1090-1095   "    0.032 —     -9
"07000025" "D" "2" "R88-404-1095-1100   "    0.029 —     -9
"07000026" "D" "2" "R88-404-1100-1105   "    0.091 —     -9
"07000029" "D" "2" "R88-404-1105-1110   "    0.070 —     -9
"07000030" "D" "2" "R88-404-1110-1115   "    0.043 —     -9
"07000031" "D" "2" "R88-404-1115-1120   "    0.043 —     -9
"07000032" "D" "2" "R88-404-1120-1125   "    0.033 —     -9
"07000033" "D" "2" "R88-404-1125-1130   "    0.052 —     -9
"07000034" "D" "2" "R88-404-1130-1135   "    0.043 —     -9
"07000035" "D" "2" "R88-404-1135-1140   "    0.027 —     -9
"07000036" "D" "2" "R88-404-1140-1145   "    0.038 —     -9
"07000037" "D" "2" "R88-404-1145-1150   "    0.028 —     -9
"07000038" "D" "2" "R88-404-1150-1155   "    0.018       -9
"07000039" "D" "2" "R88-404-1155-1160   "    0.015       -9
"07000040" "D" "2" "R88-404-1160-1165   "    0.018       -9
"07000041" "D" "2" "R88-404-1165-1170   "    0.065 —     -9
"07000042" "D" "2" "R88-404-1170-1175   "    0.014 -     -9
"07000043" "D" "2" "R88-404-1175-1180   "    0.009 —     -9
```

890 -1150
260'@.145

1165-1340
175'@.036

"07000044"	"D"	"2"	"R88-404-1180-1185	"	0.025	-9
"07000045"	"D"	"2"	"R88-404-1185-1190	"	0.030	-9
"07000046"	"D"	"2"	"R88-404-1190-1195	"	0.020	-9
"07000047"	"D"	"2"	"R88-404-1195-1200	"	0.014	-9
"07000048"	"D"	"2"	"R88-404-1200-1205	"	0.018	-9
"07000049"	"D"	"2"	"R88-404-1205-1210	"	0.050	-9
"07000050"	"D"	"2"	"R88-404-1210-1215	"	0.038	-9
"07000051"	"D"	"2"	"R88-404-1215-1220	"	0.034	-9
"07000054"	"D"	"2"	"R88-404-1220-1225	"	0.039	-9
"07000055"	"D"	"2"	"R88-404-1225-1230	"	0.066	-9
"07000056"	"D"	"2"	"R88-404-1230-1235	"	0.054	-9
"07000057"	"D"	"2"	"R88-404-1235-1240	"	0.058	-9
"07000058"	"D"	"2"	"R88-404-1240-1245	"	0.049	-9
"07000059"	"D"	"2"	"R88-404-1245-1250	"	0.057	-9
"07000060"	"D"	"2"	"R88-404-1250-1255	"	0.046	-9
"07000061"	"D"	"2"	"R88-404-1255-1260	"	0.037	-9
"07000062"	"D"	"2"	"R88-404-1260-1265	"	0.039	-9
"07000063"	"D"	"2"	"R88-404-1265-1270	"	0.061	-9
"07000064"	"D"	"2"	"R88-404-1270-1275	"	0.046	-9
"07000065"	"D"	"2"	"R88-404-1275-1280	"	0.049	-9
"07000066"	"D"	"2"	"R88-404-1280-1285	"	0.028	-9

"END"

```
"TITLE 02-09-88 07:35:32 098-0701   J. BARRON              05/08/88"
"CLIENT BROHM MINING CORP.                                          "
"PROJECT GILT EDGE        #SAMPLES:   33 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"      ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA         OPT   33 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  33            Assay Prep          "
"  42 P64= 576            Excessive Wetness   "
"  43 P23=   1            Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au"
"07010001" "D" "2" "R88-404-1285-1290   "    0.030
"07010002" "D" "2" "R88-404-1290-1295   "    0.038
"07010005" "D" "2" "R88-404-1295-1300   "    0.040
"07010006" "D" "2" "R88-404-1300-1305   "    0.060
"07010007" "D" "2" "R88-404-1305-1310   "    0.042
"07010008" "D" "2" "R88-404-1310-1315   "    0.023
"07010009" "D" "2" "R88-404-1315-1320   "    0.022
"07010010" "D" "2" "R88-404-1320-1325   "    0.019
"07010011" "D" "2" "R88-404-1325-1330   "    0.023
"07010012" "D" "2" "R88-404-1330-1335   "    0.014
"07010013" "D" "2" "R88-404-1335-1340   "    0.022
"07010014" "D" "2" "R88-404-1340-1345   "    0.016
"07010015" "D" "2" "R88-404-1345-1350   "    0.019
"07010016" "D" "2" "R88-404-1350-1355   "    0.016
"07010017" "D" "2" "R88-404-1355-1360   "    0.013
"07010018" "D" "2" "R88-404-1360-1365   "    0.023
"07010019" "D" "2" "R88-404-1365-1370   "    0.043
"07010020" "D" "2" "R88-404-1370-1375   "    0.022
"07010021" "D" "2" "R88-404-1375-1380   "    0.029
"07010022" "D" "2" "R88-404-1380-1385   "    0.054
"07010023" "D" "2" "R88-404-1385-1390   "    0.100
"07010024" "D" "2" "R88-404-1390-1395   "    0.044
"07010025" "D" "2" "R88-404-1395-1400   "    0.029
"07010026" "D" "2" "R88-404-1400-1405   "    0.038
"07010027" "D" "2" "R88-404-1405-1410   "    0.020
"07010030" "D" "2" "R88-404-1410-1415   "    0.030
"07010031" "D" "2" "R88-404-1415-1420   "    0.023
"07010032" "D" "2" "R88-404-1420-1425   "    0.025
"07010033" "D" "2" "R88-404-1425-1430   "    0.030
"07010034" "D" "2" "R88-404-1430-1435   "    0.032
"07010035" "D" "2" "R88-404-1435-1440   "    0.034
"07010036" "D" "2" "R88-404-1440-1445   "    0.036
"07010037" "D" "2" "R88-404-1445-1450   "    0.019
"END"
```

1165-1340

175' @ .036

1360-1445