Contractor LANDG | Coordinates SITE 3 | Project GILT EDGE | Hole No. R88-405

Drill Type | Casing Depth | State SD | Sheet 1 of 7

Hole Size | Bearing — | Inclination 90 | Date Started 7.28.88 | Property GILT EDGE

Collar Elev. | Final Depth 1125' | Date Completed 7.30.88 | Hole Surveyed

DRILL CUTTING LOG

Logged by:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			1		0-5		FILL	0-25 FILL	0-75 OXIDE		
					20-25						
			60					25-140 TRACHYTE PORPHYRY			
									(30-85) tr-1% FeOx, 2-15% jarosite, tr-2% MnOx.		
					45-50						
					70-75						
				Z					75-255 MIXED tr-1% FeS2, tr-1% FeOx, 3-4% jarosite, tr MnOx		
					100-110						
					120-125				(120-135) 4-5% FeS2, 2% jarosite, tr-1% MnOx		
									(135-165) tr-1% FeS2, 4-5%		
			70				Tbxa	140-255 BRECCIA Tp Clg, PC Cdh sandstone	jarosite, tr MnOx.		
					145-150						
					170-175				(165-255) tr-1% FeS2, 1-3% jarosite, tr-1% FeOx		

Contractor _____ Coordinates _____ Project _____ Hole No. BBB - 405

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			70	2	175-180		TDXa					
					195-200							
					220-225							
					245-250							
			10	1			PC	255-295 PRECAMBRIAN SCHIST w/ 5-10% TEP in FABRIC	255-1125 SULFIDE ~1% FeS2			
					270-275							
			70		295-300		TDXa	295-365 BRECCIA PC schist, TEP, PC chert, CAQ				
					320-325							
					345-350							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88 - 405

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 1 2 3	1 2 3	1 2 3	1 2 3	1 2 3	1 2 3	1 2 3	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
									70	1	350-355		TBXZ					
														H_2O @ 365'				
									60				Ttp	365 - 1125 TRACHYTE PORPHYRY.	(365 - 435) 1-3% FeS_2			
											370-375			moderate alt. 3-5% chlorite to lime green				
											395-400							
											420-425							
															(435 - 440) 7-9% FeS_2			
															(440 - 585) 2-4% FeS_2			
											445-450							
											470-475							
											475-500							
											520-525							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-405

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	525-530		Tip					
					545-550							
					570-575							
								(579-586) 20% PC schist				
									(585-595) 5-7% FeS_2			
					595-600				(595-610) 1-3% FeS_2			
									(610-665) 3-4% FeS_2			
					620-625							
					645-650							
									(665-695) 3-6% FeS_2			
					670-675							
					695-700				(695-710) 1-2% FeS_2			

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. DB8-405

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	1	700-705		Tgo	quartz crystals tr-1% mafics; pyrite			
									(710 – 720) 3-4% FeS_2		
					720-725				(720 – 745) 1-3% FeS_2		
									740 – 745 FRACTURED		
					745-750				(745 – 755) 3-5% FeS_2		
									(755 – 790) 2-3% FeS_2		
									765 – 775 FRACTURED		
					770-775						
									(790 – 795) 5-7% FeS_2		
					795-800				(795 - 803) 15-17% FeS_2		
									(803 – 815) 5-7% FeS_2		
									(815 – 835) 3-4% FeS_2		
					820-825						
									(835 - 870) 1-3% FeS_2		
					845-850						
					870-875				(870 – 1085) 4-6% FeS_2		

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-405

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	875-880		TFP					
					895-900							
									910-915 FRACTURED			
					920-925				920-1090 FRACTURED			
					945-950							
					970-975							
					995-1000							
					1020-1025							
					1045-1050							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88 - 405

Drill Type _____ Casing Depth _____ State _____ Sheet 7 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 123 123 123 123 123 123 123	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	1050-1055		TKD					
					1070-1075							
									(1085-1125) 1-3% FeS_2			
					1095-1100							
									1100-1125 FRACTURED			
					1120-1125							
							HOLE TD @ 1125	~75 gpm				

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0693 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 1-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

ONE ADDITIONAL RESULT HAS BEEN REPORTED FOR
SAMPLE 90-95.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0693

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-405-0-5		0.015		D2 R88-405-200-205		0.019	
D2 R88-405-5-10		0.008		D2 R88-405-205-210		0.004	
D2 R88-405-10-15		0.015		D2 R88-405-210-215		<0.002	
D2 R88-405-15-20		0.008		D2 R88-405-215-220		0.003	
D2 R88-405-20-25		0.010		D2 R88-405-220-225		<0.002	
D2 R88-405-25-30		0.015		D2 R88-405-225-230		0.007	
D2 R88-405-30-35		0.013		D2 R88-405-230-235		0.003	
D2 R88-405-35-40		0.017		D2 R88-405-235-240		0.003	
D2 R88-405-40-45		0.035		D2 R88-405-240-245		0.002	
D2 R88-405-45-50		0.009		D2 R88-405-245-250		0.013	
D2 R88-405-50-55		0.062		D2 R88-405-250-255		0.003	
D2 R88-405-55-60		0.010		D2 R88-405-255-260		0.005	
D2 R88-405-60-65		0.019		D2 R88-405-260-265		0.002	
D2 R88-405-65-70		0.051		D2 R88-405-265-270		0.003	
D2 R88-405-70-75		0.069		D2 R88-405-270-275		0.009	
D2 R88-405-75-80		0.046		D2 R88-405-275-280		0.015	
D2 R88-405-80-85		0.027		D2 R88-405-280-285		0.004	
D2 R88-405-85-90		0.054		D2 R88-405-285-290		0.005	
D2 R88-405-90-95		0.110	0.073	D2 R88-405-290-295		<0.002	
D2 R88-405-95-100		0.139		D2 R88-405-295-300		0.015	
D2 R88-405-100-105		0.015					
D2 R88-405-105-110		0.011					
D2 R88-405-110-115		0.016					
D2 R88-405-115-120		0.031					
D2 R88-405-120-125		0.014					
D2 R88-405-125-130		0.011					
D2 R88-405-130-135		0.016					
D2 R88-405-135-140		0.034					
D2 R88-405-140-145		0.005					
D2 R88-405-145-150		0.042					
D2 R88-405-150-155		0.023					
D2 R88-405-155-160		0.037					
D2 R88-405-160-165		0.109					
D2 R88-405-165-170		0.042					
D2 R88-405-170-175		0.011					
D2 R88-405-175-180		0.004					
D2 R88-405-180-185		0.008					
D2 R88-405-185-190		0.019					
D2 R88-405-190-195		0.016					
D2 R88-405-195-200		0.017					

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12589, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-AUG-88

Report No: 098-0693
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

(66-405
(0-200)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0694 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 16-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	13	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	13	2 -150	13	Assay Prep	13
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0694

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-405-300-305		0.014
D2 R88-405-305-310		0.010
D2 R88-405-310-315		0.008
D2 R88-405-315-320		0.021
D2 R88-405-320-325		0.003
D2 R88-405-325-330		0.007
D2 R88-405-330-335		0.005
D2 R88-405-335-340		0.003
D2 R88-405-340-345		0.006
D2 R88-405-345-350		0.009
D2 R88-405-350-355		0.010
D2 R88-405-355-360		0.006
D2 R88-405-360-365		0.008

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12512, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 22-AUG-88

Report No: 098-0694
Project : GILT EDGE
Reference: NONE LISTED

13 Analyses of Gold	at $ 6.50	$ 84.50	
Subtotal		$ 84.50	$ 84.50
Sample Preparation			
13 Samples of Assay Prep	at $ 3.00	$ 39.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 51.00	$ 51.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 1.52	
2% DEADWOOD CITY SALES TAX		$ 0.76	
Subtotal		$ 2.28	$ 2.28
Invoice Total:			$ 137.78 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0765 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1470
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0765

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-405-365-370		0.006	D2 R88-405-565-570		0.004
D2 R88-405-370-375		0.004	D2 R88-405-570-575		0.003
D2 R88-405-375-380		0.005	D2 R88-405-575-580		0.008
D2 R88-405-380-385		0.009	D2 R88-405-580-585		0.004
D2 R88-405-385-390		0.003	D2 R88-405-585-590		0.005
D2 R88-405-390-395		<0.002	D2 R88-405-590-595		0.008
D2 R88-405-395-400		0.010	D2 R88-405-595-600		0.007
D2 R88-405-400-405		0.007	D2 R88-405-600-605		0.002
D2 R88-405-405-410		0.005	D2 R88-405-605-610		<0.002
D2 R88-405-410-415		0.003	D2 R88-405-610-615		0.008
D2 R88-405-415-420		0.003	D2 R88-405-615-620		0.009
D2 R88-405-420-425		0.006	D2 R88-405-620-625		0.010
D2 R88-405-425-430		0.004	D2 R88-405-625-630		0.010
D2 R88-405-430-435		0.004	D2 R88-405-630-635		0.010
D2 R88-405-435-440		0.007	D2 R88-405-635-640		0.006
D2 R88-405-440-445		0.007	D2 R88-405-640-645		0.017
D2 R88-405-445-450		0.005	D2 R88-405-645-650		0.012
D2 R88-405-450-455		<0.002	D2 R88-405-650-655		0.007
D2 R88-405-455-460		0.003	D2 R88-405-655-660		0.009
D2 R88-405-460-465		0.008	D2 R88-405-660-665		0.008
D2 R88-405-465-470		0.005			
D2 R88-405-470-475		0.003			
D2 R88-405-475-480		0.011			
D2 R88-405-480-485		0.002			
D2 R88-405-485-490		0.003			
D2 R88-405-490-495		0.003			
D2 R88-405-495-500		<0.002			
D2 R88-405-500-505		<0.002			
D2 R88-405-505-510		0.004			
D2 R88-405-510-515		<0.002			
D2 R88-405-515-520		<0.002			
D2 R88-405-520-525		<0.002			
D2 R88-405-525-530		<0.002			
D2 R88-405-530-535		0.003			
D2 R88-405-535-540		0.002			
D2 R88-405-540-545		0.003			
D2 R88-405-545-550		0.003			
D2 R88-405-550-555		0.002			
D2 R88-405-555-560		<0.002			
D2 R88-405-560-565		0.006			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12730, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0765
Project : GILT EDGE
Reference: NONE LISTED

Gold 60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1470 Samples of Excessive Wetness	at $ 0.15	$ 220.50	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 412.50	$ 412.50
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72
Invoice Total:			$ 803.22 U.S.

888-405
(265-665)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0702 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 24-AUG-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	820
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0702

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-405-665-670		0.009	D2 R88-405-865-870		0.006
D2 R88-405-670-675		0.006	D2 R88-405-870-875		0.019
D2 R88-405-675-680		0.004	D2 R88-405-875-880		0.029
D2 R88-405-680-685		0.020	D2 R88-405-880-885		0.024
D2 R88-405-685-690		0.008	D2 R88-405-885-890		0.015
D2 R88-405-690-695		0.007	D2 R88-405-890-895		0.010
D2 R88-405-695-700		0.005	D2 R88-405-895-900		0.005
D2 R88-405-700-705		0.003	D2 R88-405-900-905		0.009
D2 R88-405-705-710		0.002	D2 R88-405-905-910		0.006
D2 R88-405-710-715		0.006	D2 R88-405-910-915		0.009
D2 R88-405-715-720		0.016	D2 R88-405-915-920		<0.002
D2 R88-405-720-725		0.008	D2 R88-405-920-925		0.003
D2 R88-405-725-730		0.005	D2 R88-405-925-930		0.004
D2 R88-405-730-735		0.003	D2 R88-405-930-935		0.008
D2 R88-405-735-740		0.003	D2 R88-405-935-940		0.011
D2 R88-405-740-745		0.009	D2 R88-405-940-945		0.003
D2 R88-405-745-750		0.012	D2 R88-405-945-950		0.004
D2 R88-405-750-755		0.019	D2 R88-405-950-955		<0.002
D2 R88-405-755-760		0.028	D2 R88-405-955-960		0.003
D2 R88-405-760-765		0.006	D2 R88-405-960-965		0.004
D2 R88-405-765-770		0.013			
D2 R88-405-770-775		0.015			
D2 R88-405-775-780		0.024			
D2 R88-405-780-785		0.035			
D2 R88-405-785-790		0.020			
D2 R88-405-790-795		0.029			
D2 R88-405-795-800		0.026			
D2 R88-405-800-805		0.052			
D2 R88-405-805-810		0.029			
D2 R88-405-810-815		0.014			
D2 R88-405-815-820		0.014			
D2 R88-405-820-825		0.012			
D2 R88-405-825-830		0.016			
D2 R88-405-830-835		0.026			
D2 R88-405-835-840		0.011			
D2 R88-405-840-845		0.012			
D2 R88-405-845-850		0.009			
D2 R88-405-850-855		0.004			
D2 R88-405-855-860		0.023			
D2 R88-405-860-865		0.007			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12604, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 31-AUG-88

Report No: 098-0702
Project : GILT EDGE
Reference: NONE LISTED

180 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
820 Samples of Excessive Wetness	at $ 0.15	$ 123.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 315.00	$ 315.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.48	
2% DEADWOOD CITY SALES TAX		$ 0.24	
Subtotal		$ 0.72	$ 0.72
Invoice Total:			$ 705.72 U.S.

PEE - 405
(645 - 765)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0721 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 2-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	32	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	32	2 -150	32	Assay Prep	32
				Excessive Wetness	685
				Sample Pickup	1

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0721

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-405-965-970		0.005
D2 R88-405-970-975		0.036
D2 R88-405-975-980		0.011
D2 R88-405-980-985		0.005
D2 R88-405-985-990		0.019
D2 R88-405-990-995		0.004
D2 R88-405-995-1000		0.004
D2 R88-405-1000-1005		<0.002
D2 R88-405-1005-1010		0.023
D2 R88-405-1010-1015		0.017
D2 R88-405-1015-1020		0.004
D2 R88-405-1020-1025		0.005
D2 R88-405-1025-1030		0.003
D2 R88-405-1030-1035		0.012
D2 R88-405-1035-1040		0.003
D2 R88-405-1040-1045		0.015
D2 R88-405-1045-1050		0.017
D2 R88-405-1050-1055		0.038
D2 R88-405-1055-1060		0.015
D2 R88-405-1060-1065		0.006
D2 R88-405-1065-1070		0.012
D2 R88-405-1070-1075		0.015
D2 R88-405-1075-1080		0.009
D2 R88-405-1080-1085		0.006
D2 R88-405-1085-1090		0.038
D2 R88-405-1090-1095		0.036
D2 R88-405-1095-1100		0.018
D2 R88-405-1100-1105		0.015
D2 R88-405-1105-1110		0.012
D2 R88-405-1110-1115		0.014
D2 R88-405-1115-1120		0.018
D2 R88-405-1120-1125		0.009

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12722, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 15-SEP-88

Report No: 098-0721
Project : GILT EDGE
Reference: NONE LISTED

CUFM

32 Analyses of Gold	at $ 6.50	$ 208.00	
Subtotal		$ 208.00	$ 208.00
Sample Preparation			
32 Samples of Assay Prep	at $ 3.00	$ 96.00	
685 Samples of Excessive Wetness	at $ 0.15	$ 102.75	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 210.75	$ 210.75
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 7.15	
2% DEADWOOD CITY SALES TAX		$ 3.58	
Subtotal		$ 10.73	$ 10.73
Invoice Total:			$ 429.48 U.S.

PEB-905
(925-1125)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 01-09-88 08:21:52 098-0693   J. BARRON              05/08/88"
"CLIENT BROHM MINING CORP.                                          "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"      ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au      FA         OPT   60 0.002 99.999 Results Reported      "
"  02 Au      FA         OPT    1 0.002 99.999 Results Reported      "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  60            Assay Prep          "
"  42 P23=   1            Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                                    "
"  51 ONE ADDITIONAL RESULT HAS BEEN REPORTED FOR                    "
"  52 SAMPLE 90-95.                                                  "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au" "     Au"
"06930001" "D" "2" "R88-405-0-5          "    0.015        -9
"06930002" "D" "2" "R88-405-5-10         "    0.008        -9
"06930003" "D" "2" "R88-405-10-15        "    0.015        -9
"06930004" "D" "2" "R88-405-15-20        "    0.008        -9
"06930007" "D" "2" "R88-405-20-25        "    0.010        -9
"06930008" "D" "2" "R88-405-25-30        "    0.015        -9
"06930009" "D" "2" "R88-405-30-35        "    0.013        -9
"06930010" "D" "2" "R88-405-35-40        "    0.017        -9
"06930011" "D" "2" "R88-405-40-45        "    0.035        -9
"06930012" "D" "2" "R88-405-45-50        "    0.009        -9
"06930013" "D" "2" "R88-405-50-55        "    0.062        -9
"06930014" "D" "2" "R88-405-55-60        "    0.010        -9
"06930015" "D" "2" "R88-405-60-65        "    0.019        -9
"06930016" "D" "2" "R88-405-65-70        "    0.051        -9
"06930017" "D" "2" "R88-405-70-75        "    0.069        -9
"06930018" "D" "2" "R88-405-75-80        "    0.046        -9
"06930019" "D" "2" "R88-405-80-85        "    0.027        -9
"06930020" "D" "2" "R88-405-85-90        "    0.054        -9
"06930021" "D" "2" "R88-405-90-95        "    0.110        0.073
"06930022" "D" "2" "R88-405-95-100       "    0.139        -9
"06930023" "D" "2" "R88-405-100-105      "    0.015        -9
"06930024" "D" "2" "R88-405-105-110      "    0.011        -9
"06930025" "D" "2" "R88-405-110-115      "    0.016        -9
"06930026" "D" "2" "R88-405-115-120      "    0.031        -9
"06930027" "D" "2" "R88-405-120-125      "    0.014        -9
"06930028" "D" "2" "R88-405-125-130      "    0.011        -9
"06930029" "D" "2" "R88-405-130-135      "    0.016        -9
"06930032" "D" "2" "R88-405-135-140      "    0.034        -9
"06930033" "D" "2" "R88-405-140-145      "    0.005        -9
"06930034" "D" "2" "R88-405-145-150      "    0.042        -9
"06930035" "D" "2" "R88-405-150-155      "    0.023        -9
"06930036" "D" "2" "R88-405-155-160      "    0.037        -9
"06930037" "D" "2" "R88-405-160-165      "    0.109        -9
"06930038" "D" "2" "R88-405-165-170      "    0.042        -9
"06930039" "D" "2" "R88-405-170-175      "    0.011        -9
"06930040" "D" "2" "R88-405-175-180      "    0.004        -9
"06930041" "D" "2" "R88-405-180-185      "    0.008        -9
"06930042" "D" "2" "R88-405-185-190      "    0.019        -9
"06930043" "D" "2" "R88-405-190-195      "    0.016        -9
"06930044" "D" "2" "R88-405-195-200      "    0.017        -9
```

(.092 AV)

40-100

60'@.055

135-170

35'@.042

"06930046"	"D"	"2"	"R88-405-205-210	"	0.004	-9
"06930047"	"D"	"2"	"R88-405-210-215	"	-0.002	-9
"06930048"	"D"	"2"	"R88-405-215-220	"	0.003	-9
"06930049"	"D"	"2"	"R88-405-220-225	"	-0.002	-9
"06930050"	"D"	"2"	"R88-405-225-230	"	0.007	-9
"06930051"	"D"	"2"	"R88-405-230-235	"	0.003	-9
"06930052"	"D"	"2"	"R88-405-235-240	"	0.003	-9
"06930053"	"D"	"2"	"R88-405-240-245	"	0.002	-9
"06930054"	"D"	"2"	"R88-405-245-250	"	0.013	-9
"06930057"	"D"	"2"	"R88-405-250-255	"	0.003	-9
"06930058"	"D"	"2"	"R88-405-255-260	"	0.005	-9
"06930059"	"D"	"2"	"R88-405-260-265	"	0.002	-9
"06930060"	"D"	"2"	"R88-405-265-270	"	0.003	-9
"06930061"	"D"	"2"	"R88-405-270-275	"	0.009	-9
"06930062"	"D"	"2"	"R88-405-275-280	"	0.015	-9
"06930063"	"D"	"2"	"R88-405-280-285	"	0.004	-9
"06930064"	"D"	"2"	"R88-405-285-290	"	0.005	-9
"06930065"	"D"	"2"	"R88-405-290-295	"	-0.002	-9
"06930066"	"D"	"2"	"R88-405-295-300	"	0.015	-9

"END"

```
"TITLE 29-08-88 14:42:16 098-0693   J. BARRON            05/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA         OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA         OPT   60 0.002 99.999 Test not yet complete"
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"06930001" "D" "2" "R88-405-0-5          "    0.015       -9
"06930002" "D" "2" "R88-405-5-10         "    0.008       -9
"06930003" "D" "2" "R88-405-10-15        "    0.015       -9
"06930004" "D" "2" "R88-405-15-20        "    0.008       -9
"06930007" "D" "2" "R88-405-20-25        "    0.010       -9
"06930008" "D" "2" "R88-405-25-30        "    0.015       -9
"06930009" "D" "2" "R88-405-30-35        "    0.013       -9
"06930010" "D" "2" "R88-405-35-40        "    0.017       -9
"06930011" "D" "2" "R88-405-40-45        "    0.035       -9
"06930012" "D" "2" "R88-405-45-50        "    0.009       -9
"06930013" "D" "2" "R88-405-50-55        "    0.062       -9      40-100
"06930014" "D" "2" "R88-405-55-60        "    0.010       -9
"06930015" "D" "2" "R88-405-60-65        "    0.019       -9      60'@.053
"06930016" "D" "2" "R88-405-65-70        "    0.051       -9
"06930017" "D" "2" "R88-405-70-75        "    0.069       -9
"06930018" "D" "2" "R88-405-75-80        "    0.046       -9
"06930019" "D" "2" "R88-405-80-85        "    0.027       -9
"06930020" "D" "2" "R88-405-85-90        "    0.054       -9
"06930021" "D" "2" "R88-405-90-95        "    0.110       -9
"06930022" "D" "2" "R88-405-95-100       "    0.139       -9
"06930023" "D" "2" "R88-405-100-105      "    0.015       -9
"06930024" "D" "2" "R88-405-105-110      "    0.011       -9
"06930025" "D" "2" "R88-405-110-115      "    0.016       -9
"06930026" "D" "2" "R88-405-115-120      "    0.031       -9      5'@.031
"06930027" "D" "2" "R88-405-120-125      "    0.014       -9
"06930028" "D" "2" "R88-405-125-130      "    0.011       -9
"06930029" "D" "2" "R88-405-130-135      "    0.016       -9
"06930032" "D" "2" "R88-405-135-140      "    0.034       -9
"06930033" "D" "2" "R88-405-140-145      "    0.005       -9      135-170
"06930034" "D" "2" "R88-405-145-150      "    0.042       -9
"06930035" "D" "2" "R88-405-150-155      "    0.023       -9      35'@.042
"06930036" "D" "2" "R88-405-155-160      "    0.037       -9
"06930037" "D" "2" "R88-405-160-165      "    0.109       -9
"06930038" "D" "2" "R88-405-165-170      "    0.042       -9
"06930039" "D" "2" "R88-405-170-175      "    0.011       -9
"06930040" "D" "2" "R88-405-175-180      "    0.004       -9
"06930041" "D" "2" "R88-405-180-185      "    0.008       -9
"06930042" "D" "2" "R88-405-185-190      "    0.019       -9
"06930043" "D" "2" "R88-405-190-195      "    0.016       -9
"06930044" "D" "2" "R88-405-195-200      "    0.017       -9
"06930045" "D" "2" "R88-405-200-205      "    0.019       -9
"06930046" "D" "2" "R88-405-205-210      "    0.004       -9
"06930047" "D" "2" "R88-405-210-215      "    0.002       -9
```

"06930047"	"D"	"2"	"R88-405-210-215	"	0.002	-9
"06930048"	"D"	"2"	"R88-405-215-220	"	0.003	-9
"06930049"	"D"	"2"	"R88-405-220-225	"	-0.002	-9
"06930050"	"D"	"2"	"R88-405-225-230	"	0.007	-9
"06930051"	"D"	"2"	"R88-405-230-235	"	0.003	-9
"06930052"	"D"	"2"	"R88-405-235-240	"	0.003	-9
"06930053"	"D"	"2"	"R88-405-240-245	"	0.002	-9
"06930054"	"D"	"2"	"R88-405-245-250	"	0.013	-9
"06930057"	"D"	"2"	"R88-405-250-255	"	0.003	-9
"06930058"	"D"	"2"	"R88-405-255-260	"	0.005	-9
"06930059"	"D"	"2"	"R88-405-260-265	"	0.002	-9
"06930060"	"D"	"2"	"R88-405-265-270	"	0.003	-9
"06930061"	"D"	"2"	"R88-405-270-275	"	0.009	-9
"06930062"	"D"	"2"	"R88-405-275-280	"	0.015	-9
"06930063"	"D"	"2"	"R88-405-280-285	"	0.004	-9
"06930064"	"D"	"2"	"R88-405-285-290	"	0.005	-9
"06930065"	"D"	"2"	"R88-405-290-295	"	-0.002	-9
"06930066"	"D"	"2"	"R88-405-295-300	"	0.015	-9

"END"

```
"TITLE 02-09-88 10:27:46 098-0765   J. BARRON            08/08/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1470           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"07650001" "D" "2" "R88-405-365-370     "    0.006
"07650002" "D" "2" "R88-405-370-375     "    0.004
"07650003" "D" "2" "R88-405-375-380     "    0.005
"07650004" "D" "2" "R88-405-380-385     "    0.009
"07650005" "D" "2" "R88-405-385-390     "    0.003
"07650006" "D" "2" "R88-405-390-395     "   -0.002
"07650009" "D" "2" "R88-405-395-400     "    0.010
"07650010" "D" "2" "R88-405-400-405     "    0.007
"07650011" "D" "2" "R88-405-405-410     "    0.005
"07650012" "D" "2" "R88-405-410-415     "    0.003
"07650013" "D" "2" "R88-405-415-420     "    0.003
"07650014" "D" "2" "R88-405-420-425     "    0.006
"07650015" "D" "2" "R88-405-425-430     "    0.004
"07650016" "D" "2" "R88-405-430-435     "    0.004
"07650017" "D" "2" "R88-405-435-440     "    0.007
"07650018" "D" "2" "R88-405-440-445     "    0.007
"07650019" "D" "2" "R88-405-445-450     "    0.005
"07650020" "D" "2" "R88-405-450-455     "   -0.002
"07650021" "D" "2" "R88-405-455-460     "    0.003
"07650022" "D" "2" "R88-405-460-465     "    0.008
"07650023" "D" "2" "R88-405-465-470     "    0.005
"07650024" "D" "2" "R88-405-470-475     "    0.003
"07650025" "D" "2" "R88-405-475-480     "    0.011
"07650026" "D" "2" "R88-405-480-485     "    0.002
"07650027" "D" "2" "R88-405-485-490     "    0.003
"07650028" "D" "2" "R88-405-490-495     "    0.003
"07650029" "D" "2" "R88-405-495-500     "   -0.002
"07650030" "D" "2" "R88-405-500-505     "   -0.002
"07650031" "D" "2" "R88-405-505-510     "    0.004
"07650034" "D" "2" "R88-405-510-515     "   -0.002
"07650035" "D" "2" "R88-405-515-520     "   -0.002
"07650036" "D" "2" "R88-405-520-525     "   -0.002
"07650037" "D" "2" "R88-405-525-530     "   -0.002
"07650038" "D" "2" "R88-405-530-535     "    0.003
"07650039" "D" "2" "R88-405-535-540     "    0.002
"07650040" "D" "2" "R88-405-540-545     "    0.003
"07650041" "D" "2" "R88-405-545-550     "    0.003
"07650042" "D" "2" "R88-405-550-555     "    0.002
"07650043" "D" "2" "R88-405-555-560     "   -0.002
"07650044" "D" "2" "R88-405-560-565     "    0.006
"07650045" "D" "2" "R88-405-565-570     "    0.004
"07650046" "D" "2" "R88-405-570-575     "    0.003
```

"07650047"	"D"	"2"	"R88-405-575-580	"	0.008
"07650048"	"D"	"2"	"R88-405-580-585	"	0.004
"07650049"	"D"	"2"	"R88-405-585-590	"	0.005
"07650050"	"D"	"2"	"R88-405-590-595	"	0.008
"07650051"	"D"	"2"	"R88-405-595-600	"	0.007
"07650052"	"D"	"2"	"R88-405-600-605	"	0.002
"07650053"	"D"	"2"	"R88-405-605-610	"	-0.002
"07650054"	"D"	"2"	"R88-405-610-615	"	0.008
"07650055"	"D"	"2"	"R88-405-615-620	"	0.009
"07650056"	"D"	"2"	"R88-405-620-625	"	0.010
"07650059"	"D"	"2"	"R88-405-625-630	"	0.010
"07650060"	"D"	"2"	"R88-405-630-635	"	0.010
"07650061"	"D"	"2"	"R88-405-635-640	"	0.006
"07650062"	"D"	"2"	"R88-405-640-645	"	0.017
"07650063"	"D"	"2"	"R88-405-645-650	"	0.012
"07650064"	"D"	"2"	"R88-405-650-655	"	0.007
"07650065"	"D"	"2"	"R88-405-655-660	"	0.009
"07650066"	"D"	"2"	"R88-405-660-665	"	0.008

"END"

```
"TITLE 24-08-88 15:50:06 098-0702   J. BARRON            05/08/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64= 820           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"07020001" "D" "2" "R88-405-665-670      "    0.009
"07020002" "D" "2" "R88-405-670-675      "    0.006
"07020003" "D" "2" "R88-405-675-680      "    0.004
"07020006" "D" "2" "R88-405-680-685      "    0.020 —   5'@.020
"07020007" "D" "2" "R88-405-685-690      "    0.008
"07020008" "D" "2" "R88-405-690-695      "    0.007
"07020009" "D" "2" "R88-405-695-700      "    0.005
"07020010" "D" "2" "R88-405-700-705      "    0.003
"07020011" "D" "2" "R88-405-705-710      "    0.002
"07020012" "D" "2" "R88-405-710-715      "    0.006
"07020013" "D" "2" "R88-405-715-720      "    0.016
"07020014" "D" "2" "R88-405-720-725      "    0.008
"07020015" "D" "2" "R88-405-725-730      "    0.005
"07020016" "D" "2" "R88-405-730-735      "    0.003
"07020017" "D" "2" "R88-405-735-740      "    0.003
"07020018" "D" "2" "R88-405-740-745      "    0.009
"07020019" "D" "2" "R88-405-745-750      "    0.012
"07020020" "D" "2" "R88-405-750-755      "    0.019
"07020021" "D" "2" "R88-405-755-760      "    0.028 —   5'@.028
"07020022" "D" "2" "R88-405-760-765      "    0.006
"07020023" "D" "2" "R88-405-765-770      "    0.013
"07020024" "D" "2" "R88-405-770-775      "    0.015
"07020025" "D" "2" "R88-405-775-780      "    0.024 —
"07020026" "D" "2" "R88-405-780-785      "    0.035 —   775-810
"07020027" "D" "2" "R88-405-785-790      "    0.020 —
"07020028" "D" "2" "R88-405-790-795      "    0.029 —   35'@.031
"07020031" "D" "2" "R88-405-795-800      "    0.026 —
"07020032" "D" "2" "R88-405-800-805      "    0.052 —
"07020033" "D" "2" "R88-405-805-810      "    0.029 —
"07020034" "D" "2" "R88-405-810-815      "    0.014
"07020035" "D" "2" "R88-405-815-820      "    0.014
"07020036" "D" "2" "R88-405-820-825      "    0.012
"07020037" "D" "2" "R88-405-825-830      "    0.016
"07020038" "D" "2" "R88-405-830-835      "    0.026 —   5'
"07020039" "D" "2" "R88-405-835-840      "    0.011
"07020040" "D" "2" "R88-405-840-845      "    0.012
"07020041" "D" "2" "R88-405-845-850      "    0.009
"07020042" "D" "2" "R88-405-850-855      "    0.004
"07020043" "D" "2" "R88-405-855-860      "    0.023 —   5'
"07020044" "D" "2" "R88-405-860-865      "    0.007
"07020045" "D" "2" "R88-405-865-870      "    0.006
"07020046" "D" "2" "R88-405-870-875      "    0.019     5'
"07020047" "D" "2" "R88-405-875-880      "    0.029 —
```

"07020048"	"D"	"2"	"R88-405-880-885	"	0.024 — 5'
"07020049"	"D"	"2"	"R88-405-885-890	"	0.015
"07020050"	"D"	"2"	"R88-405-890-895	"	0.010
"07020051"	"D"	"2"	"R88-405-895-900	"	0.005
"07020052"	"D"	"2"	"R88-405-900-905	"	0.009
"07020053"	"D"	"2"	"R88-405-905-910	"	0.006
"07020056"	"D"	"2"	"R88-405-910-915	"	0.009
"07020057"	"D"	"2"	"R88-405-915-920	"	-0.002
"07020058"	"D"	"2"	"R88-405-920-925	"	0.003
"07020059"	"D"	"2"	"R88-405-925-930	"	0.004
"07020060"	"D"	"2"	"R88-405-930-935	"	0.008
"07020061"	"D"	"2"	"R88-405-935-940	"	0.011
"07020062"	"D"	"2"	"R88-405-940-945	"	0.003
"07020063"	"D"	"2"	"R88-405-945-950	"	0.004
"07020064"	"D"	"2"	"R88-405-950-955	"	-0.002
"07020065"	"D"	"2"	"R88-405-955-960	"	0.003
"07020066"	"D"	"2"	"R88-405-960-965	"	0.004

"END"

```
"TITLE 02-09-88 09:04:55 098-0721   J. BARRON              08/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE        #SAMPLES:   32 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   32 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  32           Assay Prep          "
"  42 P64= 685           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"07210001" "D" "2" "R88-405-965-970     "    0.005
"07210002" "D" "2" "R88-405-970-975     "    0.036
"07210005" "D" "2" "R88-405-975-980     "    0.011
"07210006" "D" "2" "R88-405-980-985     "    0.005
"07210007" "D" "2" "R88-405-985-990     "    0.019
"07210008" "D" "2" "R88-405-990-995     "    0.004
"07210009" "D" "2" "R88-405-995-1000    "    0.004
"07210010" "D" "2" "R88-405-1000-1005   "   -0.002
"07210011" "D" "2" "R88-405-1005-1010   "    0.023
"07210012" "D" "2" "R88-405-1010-1015   "    0.017
"07210013" "D" "2" "R88-405-1015-1020   "    0.004
"07210014" "D" "2" "R88-405-1020-1025   "    0.005
"07210015" "D" "2" "R88-405-1025-1030   "    0.003
"07210016" "D" "2" "R88-405-1030-1035   "    0.012
"07210017" "D" "2" "R88-405-1035-1040   "    0.003
"07210018" "D" "2" "R88-405-1040-1045   "    0.015
"07210019" "D" "2" "R88-405-1045-1050   "    0.017
"07210020" "D" "2" "R88-405-1050-1055   "    0.038
"07210021" "D" "2" "R88-405-1055-1060   "    0.015
"07210022" "D" "2" "R88-405-1060-1065   "    0.006
"07210023" "D" "2" "R88-405-1065-1070   "    0.012
"07210024" "D" "2" "R88-405-1070-1075   "    0.015
"07210025" "D" "2" "R88-405-1075-1080   "    0.009
"07210026" "D" "2" "R88-405-1080-1085   "    0.006
"07210027" "D" "2" "R88-405-1085-1090   "    0.038
"07210030" "D" "2" "R88-405-1090-1095   "    0.036
"07210031" "D" "2" "R88-405-1095-1100   "    0.018
"07210032" "D" "2" "R88-405-1100-1105   "    0.015
"07210033" "D" "2" "R88-405-1105-1110   "    0.012
"07210034" "D" "2" "R88-405-1110-1115   "    0.014
"07210035" "D" "2" "R88-405-1115-1120   "    0.018
"07210036" "D" "2" "R88-405-1120-1125   "    0.009
"END"
```

WP date