Contractor: TONTO | Coordinates: | Project: GILT EDGE | Hole No.: RBB-423

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 6

Hole Size: | Bearing: – | Inclination: 90° | Date Started: 8-15-88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 900 | Date Completed: | Hole Surveyed:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3 1 2 3	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			1	3	0-5		FILL	0-25 FILL	0-25 OXIDE			
					20-25							
			30	2			Cdh	25-45 CAMBRIAN DEADWOOD HORNFELS (25-40) 10-20% yellow clays.	25-70 MIX tr-1% FeS_2 diss 2-4% jarosite			
			40		45-50		Cdq	45-75 CAMBRIAN DEADWOOD QUARTZITE clear-white				
				1	70-75				70-815 SULFIDE tr-2% FeS_2			
			10				PC	75-245 PRECAMBRIAN SCHIST				
					95-100							
					120-125							
					145-150							
					170-175							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-423

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 1 2 3	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	1	175-180		PC					
					195-200							
					220-225							
			70		245-250		Tbxa	245-280 BRECCIA of Ttp, PC schist, Cdh, Cdg	(240-280) 2-4% FeS_2 diss.			
					270-275							
			10				PC	280-365 PRECAMBRIAN SCHIST	(280-315) tr-1% FeS_2 diss			
					295-300							
									(315-366) 1-3% FeS_2 diss			
					320-325							
					345-350							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-423

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES % (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			10	1	350-355		PC				
									(360-375) 1-2% FeS_2		
			60				TKP	365-530 TRACHYTE PORPHYRY			
					370-375			extensive shearing, 1-3% quartz, pyrite			
									(375-390) 3-4% FeS_2		
									(390-405) 1-3% FeS_2		
					395-400						
									(405-555) 5-7% FeS_2		
					420-425						
					445-450						
					470-475						
								(490-495) 5-7% PC schist			
					495-500						
								(505-510) 3-5% PC schist			
					520-525						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-423

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	1	525-530		Ttp				
			10				PC	530-545 PRECAMBRIAN SCHIST 15-20% Ttp			
			60		545-550		Ttp	545-695 TRACHYTE PORPHYRY.			
									(555-590) 3-5% FeS_2		
					570-575						
								(580-695) 5-10% Tqtp. also get down to Tqtp making become more & more silicified.	(590-690) 5-7% FeS_2		
					595-600						
								(600-) phero alterat. to yellow clay. 5-10%			
					620-625						
					645-650						
					670-675						
									(690-740) 4-6% FeS_2		
			80		695-700		Tqtp	695-755 QUARTZ TRACHYTE PORPHYRY			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB - 423

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	700-705		Tqtp					
					720-725				(720 – 790) 2-4% OXIDE			
					745-750			(755 – 775) 3-5% phono. altered to pale lime green	(745 -85) 6-8% FeS2			
					770-775							
			60				TEP	775 -815 TRACHYTE PORPHYRY				
					795-800							
									810 – 850 FRACTURED			
			70	3	820-825		Tbxa	815 – BRECCIA of Tep, Tqtp, PC 815 – quartz veining 15-20% chips	OXIDE 3-5% jarosite 2-4% FeOx, tr-2% MnOx			
					845-850							
					870-875			(875 – 880) broken, large chips				

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-423

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 6

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES % (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			70	3	875-880		Tbxa					
								(880-900) NO SAMPLE / NO RETURN				
					895-900							
					HOLE TD @ 900'			H_2O ~ 50 gpm				

DRILL CUTTING LOG

Logged by: _____

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0863 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 20-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0863

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-423-0-5		0.019	D2 R88-423-200-205		<0.002
D2 R88-423-5-10		0.062	D2 R88-423-205-210		0.003
D2 R88-423-10-15		0.080	D2 R88-423-210-215		0.005
D2 R88-423-15-20		0.030	D2 R88-423-215-220		<0.002
D2 R88-423-20-25		0.054	D2 R88-423-220-225		<0.002
D2 R88-423-25-30		0.026	D2 R88-423-225-230		0.017
D2 R88-423-30-35		0.014	D2 R88-423-230-235		0.025
D2 R88-423-35-40		0.009	D2 R88-423-235-240		0.026
D2 R88-423-40-45		0.010	D2 R88-423-240-245		0.020
D2 R88-423-45-50		0.007	D2 R88-423-245-250		0.032
D2 R88-423-50-55		0.015	D2 R88-423-250-255		0.039
D2 R88-423-55-60		0.029	D2 R88-423-255-260		0.060
D2 R88-423-60-65		0.021	D2 R88-423-260-265		0.097
D2 R88-423-65-70		0.026	D2 R88-423-265-270		0.041
D2 R88-423-70-75		0.033	D2 R88-423-270-275		0.049
D2 R88-423-75-80		0.011	D2 R88-423-275-280		0.039
D2 R88-423-80-85		0.015	D2 R88-423-280-285		0.023
D2 R88-423-85-90		0.011	D2 R88-423-285-290		0.027
D2 R88-423-90-95		0.096	D2 R88-423-290-295		0.077
D2 R88-423-95-100		0.035	D2 R88-423-295-300		0.058
D2 R88-423-100-105		0.030			
D2 R88-423-105-110		0.020			
D2 R88-423-110-115		0.034			
D2 R88-423-115-120		0.012			
D2 R88-423-120-125		0.034			
D2 R88-423-125-130		0.008			
D2 R88-423-130-135		0.003			
D2 R88-423-135-140		0.008			
D2 R88-423-140-145		0.010			
D2 R88-423-145-150		0.015			
D2 R88-423-150-155		<0.002			
D2 R88-423-155-160		0.004			
D2 R88-423-160-165		0.005			
D2 R88-423-165-170		0.011			
D2 R88-423-170-175		0.005			
D2 R88-423-175-180		<0.002			
D2 R88-423-180-185		<0.002			
D2 R88-423-185-190		<0.002			
D2 R88-423-190-195		<0.002			
D2 R88-423-195-200		<0.002			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12814, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0863
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

P88-423 (0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0864 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 20-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	15	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	15	2 -150	15	Assay Prep	15
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0864

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-423-300-305		0.058
D2 R88-423-305-310		0.079
D2 R88-423-310-315		0.042
D2 R88-423-315-320		0.030
D2 R88-423-320-325		0.016
D2 R88-423-325-330		0.051
D2 R88-423-330-335		0.270
D2 R88-423-335-340		0.080
D2 R88-423-340-345		0.058
D2 R88-423-345-350		0.098
D2 R88-423-350-355		0.376
D2 R88-423-355-360		0.178
D2 R88-423-360-365		0.382
D2 R88-423-365-370		0.109
D2 R88-423-370-375		0.105

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12824, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0864
Project : GILT EDGE
Reference: NONE LISTED

Au Fw 15 Analyses of Gold	at $ 6.50	$ 97.50	
Subtotal		$ 97.50	$ 97.50
Sample Preparation			
15 Samples of Assay Prep	at $ 3.00	$ 45.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 57.00	$ 57.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 1.68	
2% DEADWOOD CITY SALES TAX		$ 0.84	
Subtotal		$ 2.52	$ 2.52
Invoice Total:			$ 157.02 U.S.

RE8-423 (300 - 375)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0873 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 20-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1537
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0873

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-423-375-380		0.100	D2 R88-423-575-580		0.026
D2 R88-423-380-385		0.130	D2 R88-423-580-585		0.071
D2 R88-423-385-390		0.052	D2 R88-423-585-590		0.027
D2 R88-423-390-395		0.046	D2 R88-423-590-595		0.380
D2 R88-423-395-400		0.035	D2 R88-423-595-600		0.040
D2 R88-423-400-405		0.033	D2 R88-423-600-605		0.037
D2 R88-423-405-410		0.029	D2 R88-423-605-610		0.026
D2 R88-423-410-415		0.032	D2 R88-423-610-615		0.038
D2 R88-423-415-420		0.030	D2 R88-423-615-620		0.040
D2 R88-423-420-425		0.025	D2 R88-423-620-625		0.048
D2 R88-423-425-430		0.034	D2 R88-423-625-630		0.326
D2 R88-423-430-435		0.037	D2 R88-423-630-635		0.290
D2 R88-423-435-440		0.042	D2 R88-423-635-640		0.070
D2 R88-423-440-445		0.050	D2 R88-423-640-645		0.086
D2 R88-423-445-450		0.029	D2 R88-423-645-650		0.029
D2 R88-423-450-455		0.032	D2 R88-423-650-655		0.058
D2 R88-423-455-460		0.043	D2 R88-423-655-660		0.018
D2 R88-423-460-465		0.063	D2 R88-423-660-665		0.021
D2 R88-423-465-470		0.044	D2 R88-423-665-670		0.022
D2 R88-423-470-475		0.029	D2 R88-423-670-675		0.030
D2 R88-423-475-480		0.034			
D2 R88-423-480-485		0.019			
D2 R88-423-485-490		0.029			
D2 R88-423-490-495		0.022			
D2 R88-423-495-500		0.016			
D2 R88-423-500-505		0.018			
D2 R88-423-505-510		0.022			
D2 R88-423-510-515		0.035			
D2 R88-423-515-520		0.038			
D2 R88-423-520-525		0.028			
D2 R88-423-525-530		0.119			
D2 R88-423-530-535		0.034			
D2 R88-423-535-540		0.018			
D2 R88-423-540-545		0.039			
D2 R88-423-545-550		0.020			
D2 R88-423-550-555		0.024			
D2 R88-423-555-560		0.023			
D2 R88-423-560-565		0.025			
D2 R88-423-565-570		0.026			
D2 R88-423-570-575		0.099			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12887, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 30-SEP-88

Report No: 098-0873
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1537 Samples of Excessive Wetness	at $ 0.15	$ 230.55	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 422.55	$ 422.55
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 14.50	
2% DEADWOOD CITY SALES TAX		$ 7.25	
Subtotal		$ 21.75	$ 21.75
Invoice Total:			$ 834.30 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0877 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 21-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	41	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	41	2 -150	41	Assay Prep	41
				Excessive Wetness	964
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0877

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-423-675-680		0.027
D2 R88-423-680-685		0.015
D2 R88-423-685-690		0.015
D2 R88-423-690-695		0.046
D2 R88-423-695-700		0.057
D2 R88-423-700-705		0.018
D2 R88-423-705-710		0.016
D2 R88-423-710-715		0.003
D2 R88-423-715-720		0.007
D2 R88-423-720-725		0.008
D2 R88-423-725-730		0.006
D2 R88-423-730-735		0.004
D2 R88-423-735-740		0.005
D2 R88-423-740-745		0.005
D2 R88-423-745-750		0.024
D2 R88-423-750-755		0.009
D2 R88-423-755-760		0.020
D2 R88-423-760-765		0.007
D2 R88-423-765-770		0.058
D2 R88-423-770-775		0.039
D2 R88-423-775-780		0.011
D2 R88-423-780-785		0.032
D2 R88-423-785-790		0.018
D2 R88-423-790-795		0.033
D2 R88-423-795-800		0.029
D2 R88-423-800-805		0.081
D2 R88-423-805-810		0.025
D2 R88-423-810-815		0.047
D2 R88-423-815-820		0.044
D2 R88-423-820-825		0.071
D2 R88-423-825-830		0.035
D2 R88-423-830-835		<0.002
D2 R88-423-835-840		0.030
D2 R88-423-840-845		0.014
D2 R88-423-845-850		0.007
D2 R88-423-850-855		0.021
D2 R88-423-855-860		<0.002
D2 R88-423-860-865		<0.002
D2 R88-423-865-870		0.046
D2 R88-423-870-875		0.036
D2 R88-423-875-880		0.029

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12793, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0877
Project : GILT EDGE
Reference: NONE LISTED

Cu Fe 41 Analyses of Gold	at $ 6.50	$ 266.50	
Subtotal		$ 266.50	$ 266.50
Sample Preparation			
41 Samples of Assay Prep	at $ 3.00	$ 123.00	
964 Samples of Excessive Wetness	at $ 0.15	$ 144.60	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 279.60	$ 279.60
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 9.54	
2% DEADWOOD CITY SALES TAX		$ 4.77	
Subtotal		$ 14.31	$ 14.31
Invoice Total:			$ 560.41 U.S.

RE8-423 (675 - 550)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 20-09-88 09:35:42 098-0863 . J. BARRON              19/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"08630001" "D" "2" "R88-423-0-5          "    0.019
"08630002" "D" "2" "R88-423-5-10         "    0.062
"08630003" "D" "2" "R88-423-10-15        "    0.080
"08630004" "D" "2" "R88-423-15-20        "    0.030
"08630007" "D" "2" "R88-423-20-25        "    0.054
"08630008" "D" "2" "R88-423-25-30        "    0.026
"08630009" "D" "2" "R88-423-30-35        "    0.014
"08630010" "D" "2" "R88-423-35-40        "    0.009
"08630011" "D" "2" "R88-423-40-45        "    0.010
"08630012" "D" "2" "R88-423-45-50        "    0.007
"08630013" "D" "2" "R88-423-50-55        "    0.015
"08630014" "D" "2" "R88-423-55-60        "    0.029
"08630015" "D" "2" "R88-423-60-65        "    0.021
"08630016" "D" "2" "R88-423-65-70        "    0.026
"08630017" "D" "2" "R88-423-70-75        "    0.033
"08630018" "D" "2" "R88-423-75-80        "    0.011
"08630019" "D" "2" "R88-423-80-85        "    0.015
"08630020" "D" "2" "R88-423-85-90        "    0.011
"08630021" "D" "2" "R88-423-90-95        "    0.096
"08630022" "D" "2" "R88-423-95-100       "    0.035
"08630023" "D" "2" "R88-423-100-105      "    0.030
"08630024" "D" "2" "R88-423-105-110      "    0.020
"08630025" "D" "2" "R88-423-110-115      "    0.034
"08630026" "D" "2" "R88-423-115-120      "    0.012
"08630027" "D" "2" "R88-423-120-125      "    0.034
"08630028" "D" "2" "R88-423-125-130      "    0.008
"08630029" "D" "2" "R88-423-130-135      "    0.003
"08630032" "D" "2" "R88-423-135-140      "    0.008
"08630033" "D" "2" "R88-423-140-145      "    0.010
"08630034" "D" "2" "R88-423-145-150      "    0.015
"08630035" "D" "2" "R88-423-150-155      "   -0.002
"08630036" "D" "2" "R88-423-155-160      "    0.004
"08630037" "D" "2" "R88-423-160-165      "    0.005
"08630038" "D" "2" "R88-423-165-170      "    0.011
"08630039" "D" "2" "R88-423-170-175      "    0.005
"08630040" "D" "2" "R88-423-175-180      "   -0.002
"08630041" "D" "2" "R88-423-180-185      "   -0.002
"08630042" "D" "2" "R88-423-185-190      "   -0.002
"08630043" "D" "2" "R88-423-190-195      "   -0.002
"08630044" "D" "2" "R88-423-195-200      "   -0.002
"08630045" "D" "2" "R88-423-200-205      "   -0.002
"08630046" "D" "2" "R88-423-205-210      "    0.003
"08630047" "D" "2" "R88-423-210-215      "    0.005
"08630048" "D" "2" "R88-423-215-220      "   -0.002
```

5-30

25'@ .050

55-75

20'@ .027

90-125

35'@ .037

"08630049"	"D"	"2"	"R88-423-220-225 "	-0.002	
"08630050"	"D"	"2"	"R88-423-225-230 "	0.017	
"08630051"	"D"	"2"	"R88-423-230-235 "	0.025	—
"08630052"	"D"	"2"	"R88-423-235-240 "	0.026	—
"08630053"	"D"	"2"	"R88-423-240-245 "	0.020	—
"08630054"	"D"	"2"	"R88-423-245-250 "	0.032	—
"08630057"	"D"	"2"	"R88-423-250-255 "	0.039	—
"08630058"	"D"	"2"	"R88-423-255-260 "	0.060	—
"08630059"	"D"	"2"	"R88-423-260-265 "	0.097	—
"08630060"	"D"	"2"	"R88-423-265-270 "	0.041	—
"08630061"	"D"	"2"	"R88-423-270-275 "	0.049	—
"08630062"	"D"	"2"	"R88-423-275-280 "	0.039	—
"08630063"	"D"	"2"	"R88-423-280-285 "	0.023	—
"08630064"	"D"	"2"	"R88-423-285-290 "	0.027	—
"08630065"	"D"	"2"	"R88-423-290-295 "	0.077	—
"08630066"	"D"	"2"	"R88-423-295-300 "	0.058	—
"END"					

230 – 675

470' @ .064

```
"TITLE 20-09-88 10:16:24 098-0864   J. BARRON            19/08/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   15 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   15 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  15           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"08640001" "D" "2" "R88-423-300-305,    "    0.058
"08640002" "D" "2" "R88-423-305-310     "    0.079
"08640003" "D" "2" "R88-423-310-315     "    0.042
"08640004" "D" "2" "R88-423-315-320     "    0.030
"08640005" "D" "2" "R88-423-320-325     "    0.016-
"08640008" "D" "2" "R88-423-325-330     "    0.051
"08640009" "D" "2" "R88-423-330-335     "    0.270
"08640010" "D" "2" "R88-423-335-340     "    0.080
"08640011" "D" "2" "R88-423-340-345     "    0.058
"08640012" "D" "2" "R88-423-345-350     "    0.098
"08640013" "D" "2" "R88-423-350-355     "    0.376
"08640014" "D" "2" "R88-423-355-360     "    0.178
"08640015" "D" "2" "R88-423-360-365     "    0.382
"08640016" "D" "2" "R88-423-365-370     "    0.109
"08640017" "D" "2" "R88-423-370-375     "    0.105
"END"
```

```
"TITLE 20-09-88 09:47:08 098-0873   J. BARRON            24/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1537           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"08730001" "D" "2" "R88-423-375-380     "    0.100
"08730002" "D" "2" "R88-423-380-385     "    0.130
"08730003" "D" "2" "R88-423-385-390     "    0.052
"08730004" "D" "2" "R88-423-390-395     "    0.046
"08730007" "D" "2" "R88-423-395-400     "    0.035
"08730008" "D" "2" "R88-423-400-405     "    0.033
"08730009" "D" "2" "R88-423-405-410     "    0.029
"08730010" "D" "2" "R88-423-410-415     "    0.032
"08730011" "D" "2" "R88-423-415-420     "    0.030
"08730012" "D" "2" "R88-423-420-425     "    0.025
"08730013" "D" "2" "R88-423-425-430     "    0.034
"08730014" "D" "2" "R88-423-430-435     "    0.037
"08730015" "D" "2" "R88-423-435-440     "    0.042
"08730016" "D" "2" "R88-423-440-445     "    0.050
"08730017" "D" "2" "R88-423-445-450     "    0.029
"08730018" "D" "2" "R88-423-450-455     "    0.032
"08730019" "D" "2" "R88-423-455-460     "    0.043
"08730020" "D" "2" "R88-423-460-465     "    0.063
"08730021" "D" "2" "R88-423-465-470     "    0.044
"08730022" "D" "2" "R88-423-470-475     "    0.029
"08730023" "D" "2" "R88-423-475-480     "    0.034
"08730024" "D" "2" "R88-423-480-485     "    0.019
"08730025" "D" "2" "R88-423-485-490     "    0.029
"08730026" "D" "2" "R88-423-490-495     "    0.022
"08730027" "D" "2" "R88-423-495-500     "    0.016
"08730028" "D" "2" "R88-423-500-505     "    0.018
"08730029" "D" "2" "R88-423-505-510     "    0.022
"08730032" "D" "2" "R88-423-510-515     "    0.035
"08730033" "D" "2" "R88-423-515-520     "    0.038
"08730034" "D" "2" "R88-423-520-525     "    0.028
"08730035" "D" "2" "R88-423-525-530     "    0.119
"08730036" "D" "2" "R88-423-530-535     "    0.034
"08730037" "D" "2" "R88-423-535-540     "    0.018
"08730038" "D" "2" "R88-423-540-545     "    0.039
"08730039" "D" "2" "R88-423-545-550     "    0.020
"08730040" "D" "2" "R88-423-550-555     "    0.024
"08730041" "D" "2" "R88-423-555-560     "    0.023
"08730042" "D" "2" "R88-423-560-565     "    0.025
"08730043" "D" "2" "R88-423-565-570     "    0.026
"08730044" "D" "2" "R88-423-570-575     "    0.099
"08730045" "D" "2" "R88-423-575-580     "    0.026
"08730046" "D" "2" "R88-423-580-585     "    0.071
"08730047" "D" "2" "R88-423-585-590     "    0.027
```

"08730048"	"D"	"2"	"R88-423-590-595	"	0.380
"08730049"	"D"	"2"	"R88-423-595-600	"	0.040
"08730050"	"D"	"2"	"R88-423-600-605	"	0.037
"08730051"	"D"	"2"	"R88-423-605-610	"	0.026
"08730052"	"D"	"2"	"R88-423-610-615	"	0.038
"08730053"	"D"	"2"	"R88-423-615-620	"	0.040
"08730054"	"D"	"2"	"R88-423-620-625	"	0.048
"08730057"	"D"	"2"	"R88-423-625-630	"	0.326
"08730058"	"D"	"2"	"R88-423-630-635	"	0.290
"08730059"	"D"	"2"	"R88-423-635-640	"	0.070
"08730060"	"D"	"2"	"R88-423-640-645	"	0.086
"08730061"	"D"	"2"	"R88-423-645-650	"	0.029
"08730062"	"D"	"2"	"R88-423-650-655	"	0.058
"08730063"	"D"	"2"	"R88-423-655-660	"	0.018
"08730064"	"D"	"2"	"R88-423-660-665	"	0.021
"08730065"	"D"	"2"	"R88-423-665-670	"	0.022
"08730066"	"D"	"2"	"R88-423-670-675	"	0.030

"END"

```
"TITLE 21-09-88 09:46:10 098-0877   J. BARRON            24/08/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE       #SAMPLES:   41 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   41 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  41           Assay Prep          "
"  42 P64= 964           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"08770001" "D" "2" "R88-423-675-680      "    0.027
"08770002" "D" "2" "R88-423-680-685      "    0.015
"08770003" "D" "2" "R88-423-685-690      "    0.015
"08770004" "D" "2" "R88-423-690-695      "    0.046
"08770005" "D" "2" "R88-423-695-700      "    0.057
"08770006" "D" "2" "R88-423-700-705      "    0.018
"08770007" "D" "2" "R88-423-705-710      "    0.016
"08770008" "D" "2" "R88-423-710-715      "    0.003
"08770011" "D" "2" "R88-423-715-720      "    0.007
"08770012" "D" "2" "R88-423-720-725      "    0.008
"08770013" "D" "2" "R88-423-725-730      "    0.006
"08770014" "D" "2" "R88-423-730-735      "    0.004
"08770015" "D" "2" "R88-423-735-740      "    0.005
"08770016" "D" "2" "R88-423-740-745      "    0.005
"08770017" "D" "2" "R88-423-745-750      "    0.024
"08770018" "D" "2" "R88-423-750-755      "    0.009
"08770019" "D" "2" "R88-423-755-760      "    0.020
"08770020" "D" "2" "R88-423-760-765      "    0.007
"08770021" "D" "2" "R88-423-765-770      "    0.058
"08770022" "D" "2" "R88-423-770-775      "    0.039
"08770023" "D" "2" "R88-423-775-780      "    0.011
"08770024" "D" "2" "R88-423-780-785      "    0.032
"08770025" "D" "2" "R88-423-785-790      "    0.018
"08770026" "D" "2" "R88-423-790-795      "    0.033
"08770027" "D" "2" "R88-423-795-800      "    0.029
"08770028" "D" "2" "R88-423-800-805      "    0.081
"08770029" "D" "2" "R88-423-805-810      "    0.025
"08770030" "D" "2" "R88-423-810-815      "    0.047
"08770031" "D" "2" "R88-423-815-820      "    0.044
"08770032" "D" "2" "R88-423-820-825      "    0.071
"08770033" "D" "2" "R88-423-825-830      "    0.035
"08770036" "D" "2" "R88-423-830-835      "   -0.002
"08770037" "D" "2" "R88-423-835-840      "    0.030
"08770038" "D" "2" "R88-423-840-845      "    0.014
"08770039" "D" "2" "R88-423-845-850      "    0.007
"08770040" "D" "2" "R88-423-850-855      "    0.021
"08770041" "D" "2" "R88-423-855-860      "   -0.002
"08770042" "D" "2" "R88-423-860-865      "   -0.002
"08770043" "D" "2" "R88-423-865-870      "    0.046
"08770044" "D" "2" "R88-423-870-875      "    0.036
"08770045" "D" "2" "R88-423-875-880      "    0.029
"END"
```

230-700

470' @ .064

745 - 880

135' @ .028