Contractor: TONTO | Coordinates: SITE A1 | Project: GILT EDGE | Hole No.: R88-427

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 7

Hole Size: | Bearing: N-S | Inclination: 75° | Date Started: 8.25.88 | Property: GILT EDGE

Collar Elev.: | Final Depth: | Date Completed: 8.29.88 | Hole Surveyed: NO - CAVED. CASING PULLED

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL % SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			30	2	0-5		Cdh	0-55 CAMBRIAN DEADWOOD HORNFEL	0-40 MIXED	1-3% jarosite, tr-1% MnOx, tr-1% FeS_2		
								(FRACTURED ENTIRE HOLE - USED MUD TO LUBE. PIPE SO ROCKS THAT COLLAPSED ONTO STEEL WOULDN'T STICK IT.)				
					20-25							
				1					40 -	SULFIDE 1-3% FeS_2 diss, tr jarosite		
					45-50							
			50				Thtp	55-60 HORNBLEND TRACHYTE				
			30				Cdh	60-75 CAMBRIAN DEADWOOD HORNFEL				
					70-75							
			70				Tbxa	75-100 BRECCIA of Tkp, PE schist, Tqtp				
					95-100							
			60				Tkp	100-190 TRACHYTE PORPHYRY	(100-105) 3-5% FeS_2 diss, loose tr-1% jarosite			
									(105-135) 5-7% FeS_2 diss loose tr jarosite			
					120-125							
									(135-155) 7-9% FeS_2 diss loose - higher sulfide intervals due to monzonitic sulfide pattern in Tkp			
					145-150							
									(155-170) 5-7% FeS_2 diss, loose 1-2% jarosite.			
					170-175				(170-175) 7-9% FeS_2 diss loose			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RB8-427

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	1	175-180		Tkp		(175 - 200) 3-5% FeS2 diss loose tr-2% jarosite		
			70				Tbxa	190 - 335 BRECCIA of Tkp, chert, PC schist, andesite			
					195-200						
									(200 - 315) 2-4% FeS2 diss, loose tr-2% jarosite		
					220-225						
					245-250						
					270-275						
					295-300						
					320-325				(315 - 325) 2-4% jarosite, 3-5% FeS2 diss. loose (325 - 335) tr-1% jarosite, 2-4% FeS2 diss. loose		
			60				Tkp	335 - 400 TRACHYTE PORPHYRY w/ 10-20% Tqtp, 1-2% PC schist	(335 - 405) 9-12% FeS2 loose, diss		
					345-350						

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RBE-427

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong) 123 123 123 123 123 123 123	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	350-355		Ttp					
					370-375							
					395-400							
			80				Tqtp	400 - 423 QUARTZ TRACHYTE PORPHYRY.	(405 - 425) 3-5% FeS_2, 1-2% jarosite.			
			60		420-425		Ttp	423 — 450 TRACHYTE PORPHYRY.	(425 - 450) 7-9% FeS_2, diss & loose			
					445-450			(445-450) 3-5% PC schist				
			80				Tqtp	450-455 QUARTZ TRACHYTE PORPHYRY.	(450 - 455) 1-3% FeS_2 diss & loose			
			60				Ttp	455 — 510 TRACHYTE PORPHYRY 10-15% Tqtp (455 - 535) 1-3% PC schist.	(455 - 490) 5-7% FeS_2 diss, loose			
					470-475							
					495-500				(490 - 505) 3-5% FeS_2 diss, loose			
			70				Tbxa	510 — TD5 BRECCIA of Ttp, Tqtp, PC schist	(505 - 580) 10-12% FeS_2 diss, loose.			
					520-525							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-427

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			70	1	525-530		Tbxa					
					545-550							
					570-575							
									(580-585) 5-7% FeS2 diss, loose.			
									(585-610) 10-12% FeS2 diss, loose			
					595-600							
									(610-625) 3-5% FeS2 diss, loose			
					620-625							
				3				(625-785) Tkp, Tqtp, Cdh sandstone, PC schist, chert,	625-755 OXIDE 5-7% jarosite, 1-2% MnOx, tr-1% FeOx			
					645-650							
					670-675							
					695-700							

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-427

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			70	3	700-705		Tbxa				
									(710-755) 3-5% jarosite, 2-4% FeOx, tr MnOx		
					720-725						
					745-750						
				2					755-790 MIXED tr-1% FeS2 2-3% jarosite, tr-1% FeOx tr MnOx		
					770-775						
			10				PC	785-805 PRECAMBRIAN SCHIST			
				1					790- SULFIDE 2-3% FeS2		
					795-800						
			80				Tqtp	805-855 QUARTZ TRACHYTE PORPHYRY w/ 3-7% PC schist			
					820-825						
									(825-845) 3-5% FeS2		
					845-850				(845-875) 1-3% FeS2		
			60				Tkp	855-910 TRACHYTE PORPHYRY			
					870-875						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-427

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

GRAPHIC LOGS

ALTERATION (1 Weak, 2 Moderate, 3 Strong): 1 2 3 | 1 2 3 | 1 2 3 | 1 2 3 | 1 2 3 | 1 2 3 | 1 2 3

TOTAL SULFIDES (vol %): 0 10

GEOLOGIC NOTES

DISTANCE (feet)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	DOWN HOLE LOCATION: ELEVATION	ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY: Au	ASSAY: Ag
	60		875-880		Ttp		(875 - 915) 1-2% jarosite, tr-1% FeOx, tr-1% FeS2		
			895-900						
	80				Tqtp	910 - 915 QUARTZ TRACHYTE PORPHYRY			
	10				PPC	915 - 925 PRECAMBRIAN SCHIST	(915 - 970) 3-5% FeS2 diss. loose		
			920-925						
	70				Tbxa	925 - 1110 BRECCIA of Ttp, Tqtp, Cdh sandstone, PC schist			
			945-950						
			970-975				(970 - 1005) 2-4% FeS2 diss.		
						(975 - 1020) Ttp, Cdh, PC schist			
			995-1000						
							(1005 - 1025) 7-9% FeS2 diss, loose, tr jarosite		
			1020-1025			(1020 - 1110) PC schist, Ttp, Cdh, PC chert, quartz crystals	(1025 - 1070) 2-4% FeS2 diss loose tr FeOx, tr-1% jarosite		
			1045-1050						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-427

Drill Type _____ Casing Depth _____ State _____ Sheet 7 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			70	1	1050-1055		Thxa				
					1070-1075				(1070-1085) tr-2% FeS2 diss. tr-1% FeOx, tr jarosite		
					1085-1100				(1085-1095) 3-5% FeS2 loose fracture, tr jarosite, tr FeOx (1095-1110) tr-1% FeS2 diss tr-1% jarosite, tr-1% FeOx		
			10				PC	1110 – 1133 PRECAMBRIAN SCHIST	(1110 – 1140) 3-5% FeS2 diss frac, tr jarosite tr FeOx		
					1120-1125						
			60				Tbp	1133 – 1210 TRACHYTE PORPHYRY dk gray matrix w/ quartz silicification, dolomite, phenos weathered.			
					1145-1150				(1140 – 1175) 3-5% FeS2 diss		
					1170-1175						
					1195-1200				(1175-1180) 2-4% FeS2 diss tr-1% FeOx 1-3% jarosite (1180-1195) 3-7% FeS2 (1195-1200) 1-2% FeS2, 1-2% FeOx 1-2% jarosite		
			70		1220-1225		Thxa	1210 – 1225 BRECCIA of PC schist, Tbp, Tgtp, chert	(1200-1210) 3-4% FeS2, tr-2% jarosite tr FeOx (1210-1225) 1-2% FeOx tr-1% jarosite, tr-2% FeS2		

Hole TD @ 1225' – LOST CIRCULATION! NOT RECOVERABLE

DRILL CUTTING LOG

Logged by: _____

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0943 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 22-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0943

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-427-0-5		0.048	D2 R88-427-200-205		0.040
D2 R88-427-5-10		0.065	D2 R88-427-205-210		0.045
D2 R88-427-10-15		0.072	D2 R88-427-210-215		0.035
D2 R88-427-15-20		0.162	D2 R88-427-215-220		0.023
D2 R88-427-20-25		0.198	D2 R88-427-220-225		0.052
D2 R88-427-25-30		0.120	D2 R88-427-225-230		0.048
D2 R88-427-30-35		0.053	D2 R88-427-230-235		0.045
D2 R88-427-35-40		0.051	D2 R88-427-235-240		0.044
D2 R88-427-40-45		0.096	D2 R88-427-240-245		0.099
D2 R88-427-45-50		0.196	D2 R88-427-245-250		0.080
D2 R88-427-50-55		0.105	D2 R88-427-250-255		0.052
D2 R88-427-55-60		0.058	D2 R88-427-255-260		0.045
D2 R88-427-60-65		0.056	D2 R88-427-260-265		0.035
D2 R88-427-65-70		0.048	D2 R88-427-265-270		0.027
D2 R88-427-70-75		0.029	D2 R88-427-270-275		0.021
D2 R88-427-75-80		0.044	D2 R88-427-275-280		0.021
D2 R88-427-80-85		0.033	D2 R88-427-280-285		<0.002
D2 R88-427-85-90		0.054	D2 R88-427-285-290		0.102
D2 R88-427-90-95		0.030	D2 R88-427-290-295		0.062
D2 R88-427-95-100		0.061	D2 R88-427-295-300		0.047
D2 R88-427-100-105		0.053			
D2 R88-427-105-110		0.049			
D2 R88-427-110-115		0.048			
D2 R88-427-115-120		0.028			
D2 R88-427-120-125		0.047			
D2 R88-427-125-130		0.091			
D2 R88-427-130-135		0.051			
D2 R88-427-135-140		0.037			
D2 R88-427-140-145		0.073			
D2 R88-427-145-150		0.081			
D2 R88-427-150-155		0.039			
D2 R88-427-155-160		0.045			
D2 R88-427-160-165		0.032			
D2 R88-427-165-170		0.018			
D2 R88-427-170-175		0.024			
D2 R88-427-175-180		0.024			
D2 R88-427-180-185		0.052			
D2 R88-427-185-190		0.213			
D2 R88-427-190-195		0.038			
D2 R88-427-195-200		0.051			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12807, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0943
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

RE8-427 (0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0946 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 22-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1535
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0946

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-427-300-305		0.034	D2 R88-427-500-505		0.099
D2 R88-427-305-310		0.033	D2 R88-427-505-510		0.105
D2 R88-427-310-315		0.032	D2 R88-427-510-515		0.094
D2 R88-427-315-320		0.040	D2 R88-427-515-520		0.078
D2 R88-427-320-325		0.038	D2 R88-427-520-525		0.130
D2 R88-427-325-330		0.041	D2 R88-427-525-530		0.126
D2 R88-427-330-335		0.030	D2 R88-427-530-535		0.066
D2 R88-427-335-340		0.030	D2 R88-427-535-540		0.090
D2 R88-427-340-345		0.077	D2 R88-427-540-545		0.043
D2 R88-427-345-350		0.062	D2 R88-427-545-550		0.105
D2 R88-427-350-355		0.082	D2 R88-427-550-555		0.100
D2 R88-427-355-360		0.095	D2 R88-427-555-560		0.118
D2 R88-427-360-365		0.078	D2 R88-427-560-565		0.063
D2 R88-427-365-370		0.065	D2 R88-427-565-570		0.088
D2 R88-427-370-375		0.064	D2 R88-427-570-575		0.074
D2 R88-427-375-380		0.064	D2 R88-427-575-580		0.073
D2 R88-427-380-385		0.064	D2 R88-427-580-585		0.117
D2 R88-427-385-390		0.070	D2 R88-427-585-590		0.048
D2 R88-427-390-395		0.102	D2 R88-427-590-595		0.076
D2 R88-427-395-400		0.067	D2 R88-427-595-600		0.070
D2 R88-427-400-405		0.053			
D2 R88-427-405-410		0.056			
D2 R88-427-410-415		0.076			
D2 R88-427-415-420		0.060			
D2 R88-427-420-425		0.061			
D2 R88-427-425-430		0.080			
D2 R88-427-430-435		0.070			
D2 R88-427-435-440		0.096			
D2 R88-427-440-445		0.117			
D2 R88-427-445-450		0.076			
D2 R88-427-450-455		0.042			
D2 R88-427-455-460		0.058			
D2 R88-427-460-465		0.064			
D2 R88-427-465-470		0.059			
D2 R88-427-470-475		0.083			
D2 R88-427-475-480		0.043			
D2 R88-427-480-485		0.039			
D2 R88-427-485-490		0.074			
D2 R88-427-490-495		0.056			
D2 R88-427-495-500		0.056			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12808, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0946
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1535 Samples of Excessive Wetness	at $ 0.15	$ 230.25	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 422.25	$ 422.25
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 14.49	
2% DEADWOOD CITY SALES TAX		$ 7.25	
Subtotal		$ 21.74	$ 21.74
Invoice Total:			$ 833.99 U.S.

KBC-427 (300-400)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0971 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 23-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	53	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	53	2 -150	53	Assay Prep	53
				Excessive Wetness	1181
				Sample Pickup	1

REMARKS: SAMPLE 750-755 WAS NOT RECEIVED WITH THE SAMPLE SHIPMENT.

FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0971

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-427-600-605		0.056
D2 R88-427-605-610		0.082
D2 R88-427-610-615		0.052
D2 R88-427-615-620		0.252
D2 R88-427-620-625		0.437
D2 R88-427-625-630		0.136
D2 R88-427-630-635		0.105
D2 R88-427-635-640		0.134
D2 R88-427-640-645		0.054
D2 R88-427-645-650		0.044
D2 R88-427-650-655		0.043
D2 R88-427-655-660		0.051
D2 R88-427-660-665		0.032
D2 R88-427-665-670		0.046
D2 R88-427-670-675		0.066
D2 R88-427-675-680		0.038
D2 R88-427-680-685		0.059
D2 R88-427-685-690		0.062
D2 R88-427-690-695		0.078
D2 R88-427-695-700		0.047
D2 R88-427-700-705		0.020
D2 R88-427-705-710		0.035
D2 R88-427-710-715		0.044
D2 R88-427-715-720		0.043
D2 R88-427-720-725		0.031
D2 R88-427-725-730		0.022
D2 R88-427-730-735		0.033
D2 R88-427-735-740		0.037
D2 R88-427-740-745		0.090
D2 R88-427-745-750		0.059
	MISSING	
D2 R88-427-755-760		0.032
D2 R88-427-760-765		0.032
D2 R88-427-765-770		0.023
D2 R88-427-770-775		0.023
D2 R88-427-775-780		0.034
D2 R88-427-780-785		0.027
D2 R88-427-785-790		0.075
D2 R88-427-790-795		0.056
D2 R88-427-795-800		0.028
D2 R88-427-800-805		0.050
D2 R88-427-805-810		0.046
D2 R88-427-810-815		0.064
D2 R88-427-815-820		0.021
D2 R88-427-820-825		0.042
D2 R88-427-825-830		0.038
D2 R88-427-830-835		0.025
D2 R88-427-835-840		0.025
D2 R88-427-840-845		0.032
D2 R88-427-845-850		0.033
D2 R88-427-850-855		0.011
D2 R88-427-855-860		0.011
D2 R88-427-860-865		0.039
D2 R88-427-865-870		0.023

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12786, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0971
Project : GILT EDGE
Reference: NONE LISTED

53 Analyses of Gold	at $ 6.50	$ 344.50	
Subtotal		$ 344.50	$ 344.50
Sample Preparation			
53 Samples of Assay Prep	at $ 3.00	$ 159.00	
1181 Samples of Excessive Wetness	at $ 0.15	$ 177.15	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 348.15	$ 348.15
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.81	
2% DEADWOOD CITY SALES TAX		$ 5.90	
Subtotal		$ 17.71	$ 17.71
Invoice Total:			$ 710.36 U.S.

REB-427 (KCC-870)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0976 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	57	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	57	2 -150	57	Assay Prep	57
				Excessive Wetness	1295
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0976

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-427-870-875		0.010
D2 R88-427-875-880		0.036
D2 R88-427-880-885		0.017
D2 R88-427-885-890		0.030
D2 R88-427-890-895		0.019
D2 R88-427-895-900		0.010
D2 R88-427-900-905		0.008
D2 R88-427-905-910		0.029
D2 R88-427-910-915		0.016
D2 R88-427-915-920		0.026
D2 R88-427-920-925		0.017
D2 R88-427-925-930		0.023
D2 R88-427-930-935		0.042
D2 R88-427-935-940		0.088
D2 R88-427-940-945		0.094
D2 R88-427-945-950		0.053
D2 R88-427-950-955		0.026
D2 R88-427-955-960		0.145
D2 R88-427-960-965		0.079
D2 R88-427-965-970		0.123
D2 R88-427-970-975		0.082
D2 R88-427-975-980		0.074
D2 R88-427-980-985		0.023
D2 R88-427-985-990		0.014
D2 R88-427-990-995		0.020
D2 R88-427-995-1000		0.023
D2 R88-427-1000-1005		0.017
D2 R88-427-1005-1010		0.011
D2 R88-427-1010-1015		0.023
D2 R88-427-1015-1020		0.038
D2 R88-427-1020-1025		0.024
D2 R88-427-1025-1030		0.042
D2 R88-427-1030-1035		0.015
D2 R88-427-1035-1040		0.026
D2 R88-427-1040-1045		0.018
D2 R88-427-1045-1050		0.023
D2 R88-427-1050-1055		0.016
D2 R88-427-1055-1060		0.024
D2 R88-427-1060-1065		0.024
D2 R88-427-1065-1070		0.032
D2 R88-427-1070-1075		0.021
D2 R88-427-1075-1080		0.021
D2 R88-427-1080-1085		0.036
D2 R88-427-1085-1090		0.008
D2 R88-427-1090-1095		0.020
D2 R88-427-1095-1100		0.031
D2 R88-427-1100-1105		0.013
D2 R88-427-1105-1110		0.009
D2 R88-427-1110-1115		0.020
D2 R88-427-1115-1120		0.026
D2 R88-427-1120-1125		0.016
D2 R88-427-1125-1130		0.015
D2 R88-427-1130-1135		0.026
D2 R88-427-1135-1140		0.036
D2 R88-427-1140-1145		0.013
D2 R88-427-1145-1150		0.012
D2 R88-427-1150-1155		0.015

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12771, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0976
Project : GILT EDGE
Reference: NONE LISTED

57 Analyses of Gold	at $ 6.50	$ 370.50	
Subtotal		$ 370.50	$ 370.50
Sample Preparation			
57 Samples of Assay Prep	at $ 3.00	$ 171.00	
1295 Samples of Excessive Wetness	at $ 0.15	$ 194.25	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 377.25	$ 377.25
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.81	
2% DEADWOOD CITY SALES TAX		$ 6.41	
Subtotal		$ 19.22	$ 19.22
Invoice Total:			$ 766.97 U.S.

288-427 (870-1155)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0975 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	14	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	14	2 -150	14	Assay Prep	14
				Excessive Wetness	302
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0975

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-427-1155-1160		0.034
D2 R88-427-1160-1165		0.017
D2 R88-427-1165-1170		0.011
D2 R88-427-1170-1175		0.015
D2 R88-427-1175-1180		0.036
D2 R88-427-1180-1185		0.018
D2 R88-427-1185-1190		0.021
D2 R88-427-1190-1195		0.012
D2 R88-427-1195-1200		0.024
D2 R88-427-1200-1205		0.019
D2 R88-427-1205-1210		0.017
D2 R88-427-1210-1215		0.026
D2 R88-427-1215-1220		0.024
D2 R88-427-1220-1225		0.026

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12782, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0975
Project : GILT EDGE
Reference: NONE LISTED

14 Analyses of Gold	at $ 6.50	$ 91.00	
Subtotal		$ 91.00	$ 91.00
Sample Preparation			
14 Samples of Assay Prep	at $ 3.00	$ 42.00	
302 Samples of Excessive Wetness	at $ 0.15	$ 45.30	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 99.30	$ 99.30
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 3.41	
2% DEADWOOD CITY SALES TAX		$ 1.71	
Subtotal		$ 5.12	$ 5.12
Invoice Total:			$ 195.42 U.S.

REC 427 (1155 - 1275)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 22-09-88 09:50:48 098-0943   J. BARRON            01/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09430001" "D" "2" "R88-427-0-5          "    0.048
"09430002" "D" "2" "R88-427-5-10         "    0.065
"09430003" "D" "2" "R88-427-10-15        "    0.072
"09430004" "D" "2" "R88-427-15-20        "    0.162
"09430007" "D" "2" "R88-427-20-25        "    0.198
"09430008" "D" "2" "R88-427-25-30        "    0.120
"09430009" "D" "2" "R88-427-30-35        "    0.053
"09430010" "D" "2" "R88-427-35-40        "    0.051
"09430011" "D" "2" "R88-427-40-45        "    0.096
"09430012" "D" "2" "R88-427-45-50        "    0.196
"09430013" "D" "2" "R88-427-50-55        "    0.105
"09430014" "D" "2" "R88-427-55-60        "    0.058
"09430015" "D" "2" "R88-427-60-65        "    0.056
"09430016" "D" "2" "R88-427-65-70        "    0.048
"09430017" "D" "2" "R88-427-70-75        "    0.029
"09430018" "D" "2" "R88-427-75-80        "    0.044
"09430019" "D" "2" "R88-427-80-85        "    0.033
"09430020" "D" "2" "R88-427-85-90        "    0.054
"09430021" "D" "2" "R88-427-90-95        "    0.030
"09430022" "D" "2" "R88-427-95-100       "    0.061
"09430023" "D" "2" "R88-427-100-105      "    0.053
"09430024" "D" "2" "R88-427-105-110      "    0.049
"09430025" "D" "2" "R88-427-110-115      "    0.048
"09430026" "D" "2" "R88-427-115-120      "    0.028
"09430027" "D" "2" "R88-427-120-125      "    0.047
"09430028" "D" "2" "R88-427-125-130      "    0.091
"09430029" "D" "2" "R88-427-130-135      "    0.051
"09430032" "D" "2" "R88-427-135-140      "    0.037
"09430033" "D" "2" "R88-427-140-145      "    0.073
"09430034" "D" "2" "R88-427-145-150      "    0.081
"09430035" "D" "2" "R88-427-150-155      "    0.039
"09430036" "D" "2" "R88-427-155-160      "    0.045
"09430037" "D" "2" "R88-427-160-165      "    0.032
"09430038" "D" "2" "R88-427-165-170      "    0.018
"09430039" "D" "2" "R88-427-170-175      "    0.024
"09430040" "D" "2" "R88-427-175-180      "    0.024
"09430041" "D" "2" "R88-427-180-185      "    0.052
"09430042" "D" "2" "R88-427-185-190      "    0.213
"09430043" "D" "2" "R88-427-190-195      "    0.038
"09430044" "D" "2" "R88-427-195-200      "    0.051
"09430045" "D" "2" "R88-427-200-205      "    0.040
"09430046" "D" "2" "R88-427-205-210      "    0.045
"09430047" "D" "2" "R88-427-210-215      "    0.035
"09430048" "D" "2" "R88-427-215-220      "    0.023
```

0-

"09430049"	"D"	"2"	"R88-427-220-225	"	0.052
"09430050"	"D"	"2"	"R88-427-225-230	"	0.048
"09430051"	"D"	"2"	"R88-427-230-235	"	0.045
"09430052"	"D"	"2"	"R88-427-235-240	"	0.044
"09430053"	"D"	"2"	"R88-427-240-245	"	0.099
"09430054"	"D"	"2"	"R88-427-245-250	"	0.080
"09430057"	"D"	"2"	"R88-427-250-255	"	0.052
"09430058"	"D"	"2"	"R88-427-255-260	"	0.045
"09430059"	"D"	"2"	"R88-427-260-265	"	0.035
"09430060"	"D"	"2"	"R88-427-265-270	"	0.027
"09430061"	"D"	"2"	"R88-427-270-275	"	0.021
"09430062"	"D"	"2"	"R88-427-275-280	"	0.021
"09430063"	"D"	"2"	"R88-427-280-285	"	-0.002
"09430064"	"D"	"2"	"R88-427-285-290	"	0.102
"09430065"	"D"	"2"	"R88-427-290-295	"	0.062
"09430066"	"D"	"2"	"R88-427-295-300	"	0.047

"END"

```
"TITLE 22-09-88 09:54:16 098-0946   J. BARRON            01/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1535           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09460001" "D" "2" "R88-427-300-305      "    0.034
"09460002" "D" "2" "R88-427-305-310      "    0.033
"09460003" "D" "2" "R88-427-310-315      "    0.032
"09460004" "D" "2" "R88-427-315-320      "    0.040
"09460005" "D" "2" "R88-427-320-325      "    0.038
"09460006" "D" "2" "R88-427-325-330      "    0.041
"09460007" "D" "2" "R88-427-330-335      "    0.030
"09460010" "D" "2" "R88-427-335-340      "    0.030
"09460011" "D" "2" "R88-427-340-345      "    0.077
"09460012" "D" "2" "R88-427-345-350      "    0.062
"09460013" "D" "2" "R88-427-350-355      "    0.082
"09460014" "D" "2" "R88-427-355-360      "    0.095
"09460015" "D" "2" "R88-427-360-365      "    0.078
"09460016" "D" "2" "R88-427-365-370      "    0.065
"09460017" "D" "2" "R88-427-370-375      "    0.064
"09460018" "D" "2" "R88-427-375-380      "    0.064
"09460019" "D" "2" "R88-427-380-385      "    0.064
"09460020" "D" "2" "R88-427-385-390      "    0.070
"09460021" "D" "2" "R88-427-390-395      "    0.102
"09460022" "D" "2" "R88-427-395-400      "    0.067
"09460023" "D" "2" "R88-427-400-405      "    0.053
"09460024" "D" "2" "R88-427-405-410      "    0.056
"09460025" "D" "2" "R88-427-410-415      "    0.076
"09460026" "D" "2" "R88-427-415-420      "    0.060
"09460027" "D" "2" "R88-427-420-425      "    0.061
"09460028" "D" "2" "R88-427-425-430      "    0.080
"09460029" "D" "2" "R88-427-430-435      "    0.070
"09460030" "D" "2" "R88-427-435-440      "    0.096
"09460031" "D" "2" "R88-427-440-445      "    0.117
"09460032" "D" "2" "R88-427-445-450      "    0.076
"09460035" "D" "2" "R88-427-450-455      "    0.042
"09460036" "D" "2" "R88-427-455-460      "    0.058
"09460037" "D" "2" "R88-427-460-465      "    0.064
"09460038" "D" "2" "R88-427-465-470      "    0.059
"09460039" "D" "2" "R88-427-470-475      "    0.083
"09460040" "D" "2" "R88-427-475-480      "    0.043
"09460041" "D" "2" "R88-427-480-485      "    0.039
"09460042" "D" "2" "R88-427-485-490      "    0.074
"09460043" "D" "2" "R88-427-490-495      "    0.056
"09460044" "D" "2" "R88-427-495-500      "    0.056
"09460045" "D" "2" "R88-427-500-505      "    0.099
"09460046" "D" "2" "R88-427-505-510      "    0.105
"09460047" "D" "2" "R88-427-510-515      "    0.094
```

0-600 (600' @ .065)

TVD 580' @ .065

w/ 75° dip

"09460048"	"D"	"2"	"R88-427-515-520	"	0.078
"09460049"	"D"	"2"	"R88-427-520-525	"	0.130
"09460050"	"D"	"2"	"R88-427-525-530	"	0.126
"09460051"	"D"	"2"	"R88-427-530-535	"	0.066
"09460052"	"D"	"2"	"R88-427-535-540	"	0.090
"09460053"	"D"	"2"	"R88-427-540-545	"	0.043
"09460054"	"D"	"2"	"R88-427-545-550	"	0.105
"09460055"	"D"	"2"	"R88-427-550-555	"	0.100
"09460056"	"D"	"2"	"R88-427-555-560	"	0.118
"09460057"	"D"	"2"	"R88-427-560-565	"	0.063
"09460060"	"D"	"2"	"R88-427-565-570	"	0.088
"09460061"	"D"	"2"	"R88-427-570-575	"	0.074
"09460062"	"D"	"2"	"R88-427-575-580	"	0.073
"09460063"	"D"	"2"	"R88-427-580-585	"	0.117
"09460064"	"D"	"2"	"R88-427-585-590	"	0.048
"09460065"	"D"	"2"	"R88-427-590-595	"	0.076
"09460066"	"D"	"2"	"R88-427-595-600	"	0.070

"END"

```
"TITLE 23-09-88 08:20:55 098-0971   J. BARRON              06/09/88"
"CLIENT BROHM MINING CORP.                                          "
"PROJECT GILT EDGE       #SAMPLES:   53 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   53 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  53           Assay Prep          "
"  42 P64=1181           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 SAMPLE 750-755 WAS NOT RECEIVED WITH THE SAMPLE"
"  51 SHIPMENT.                                       "
"  52 FINAL RESULTS ARE REPORTED.                     "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au"
"09710001" "D" "2" "R88-427-600-605     "    0.056
"09710002" "D" "2" "R88-427-605-610     "    0.082
"09710005" "D" "2" "R88-427-610-615     "    0.052
"09710006" "D" "2" "R88-427-615-620     "    0.252
"09710007" "D" "2" "R88-427-620-625     "    0.437
"09710008" "D" "2" "R88-427-625-630     "    0.136
"09710009" "D" "2" "R88-427-630-635     "    0.105
"09710010" "D" "2" "R88-427-635-640     "    0.134
"09710011" "D" "2" "R88-427-640-645     "    0.054
"09710012" "D" "2" "R88-427-645-650     "    0.044
"09710013" "D" "2" "R88-427-650-655     "    0.043
"09710014" "D" "2" "R88-427-655-660     "    0.051
"09710015" "D" "2" "R88-427-660-665     "    0.032
"09710016" "D" "2" "R88-427-665-670     "    0.046
"09710017" "D" "2" "R88-427-670-675     "    0.066
"09710018" "D" "2" "R88-427-675-680     "    0.038
"09710019" "D" "2" "R88-427-680-685     "    0.059
"09710020" "D" "2" "R88-427-685-690     "    0.062
"09710021" "D" "2" "R88-427-690-695     "    0.078
"09710022" "D" "2" "R88-427-695-700     "    0.047
"09710023" "D" "2" "R88-427-700-705     "    0.020
"09710024" "D" "2" "R88-427-705-710     "    0.035
"09710025" "D" "2" "R88-427-710-715     "    0.044
"09710026" "D" "2" "R88-427-715-720     "    0.043
"09710027" "D" "2" "R88-427-720-725     "    0.031
"09710030" "D" "2" "R88-427-725-730     "    0.022
"09710031" "D" "2" "R88-427-730-735     "    0.033
"09710032" "D" "2" "R88-427-735-740     "    0.037
"09710033" "D" "2" "R88-427-740-745     "    0.090
"09710034" "D" "2" "R88-427-745-750     "    0.059
"09710035" "D" "2" "R88-427-755-760     "    0.032
"09710036" "D" "2" "R88-427-760-765     "    0.032
"09710037" "D" "2" "R88-427-765-770     "    0.023
"09710038" "D" "2" "R88-427-770-775     "    0.023
"09710039" "D" "2" "R88-427-775-780     "    0.034
"09710040" "D" "2" "R88-427-780-785     "    0.027
"09710041" "D" "2" "R88-427-785-790     "    0.075
"09710042" "D" "2" "R88-427-790-795     "    0.056
"09710043" "D" "2" "R88-427-795-800     "    0.028
"09710044" "D" "2" "R88-427-800-805     "    0.050
```

"09710045"	"D"	"2"	"R88-427-805-810	"	0.046
"09710046"	"D"	"2"	"R88-427-810-815	"	0.064
"09710047"	"D"	"2"	"R88-427-815-820	"	0.021
"09710048"	"D"	"2"	"R88-427-820-825	"	0.042
"09710049"	"D"	"2"	"R88-427-825-830	"	0.038
"09710050"	"D"	"2"	"R88-427-830-835	"	0.025
"09710051"	"D"	"2"	"R88-427-835-840	"	0.025
"09710052"	"D"	"2"	"R88-427-840-845	"	0.032
"09710055"	"D"	"2"	"R88-427-845-850	"	0.033
"09710056"	"D"	"2"	"R88-427-850-855	"	0.011
"09710057"	"D"	"2"	"R88-427-855-860	"	0.011
"09710058"	"D"	"2"	"R88-427-860-865	"	0.039
"09710059"	"D"	"2"	"R88-427-865-870	"	0.023

"END"

```
"TITLE 29-09-88 08:04:25 098-0976   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE    #SAMPLES:   57 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   57 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  57           Assay Prep          "
"  42 P64=1295           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09760001" "D" "2" "R88-427-870-875     "    0.010-
"09760002" "D" "2" "R88-427-875-880     "    0.036 —
"09760003" "D" "2" "R88-427-880-885     "    0.017-
"09760004" "D" "2" "R88-427-885-890     "    0.030 —
"09760005" "D" "2" "R88-427-890-895     "    0.019
"09760006" "D" "2" "R88-427-895-900     "    0.010
"09760007" "D" "2" "R88-427-900-905     "    0.008
"09760010" "D" "2" "R88-427-905-910     "    0.029 —
"09760011" "D" "2" "R88-427-910-915     "    0.016-
"09760012" "D" "2" "R88-427-915-920     "    0.026 —
"09760013" "D" "2" "R88-427-920-925     "    0.017-
"09760014" "D" "2" "R88-427-925-930     "    0.023 —
"09760015" "D" "2" "R88-427-930-935     "    0.042 —
"09760016" "D" "2" "R88-427-935-940     "    0.088 —
"09760017" "D" "2" "R88-427-940-945     "    0.094 —
"09760018" "D" "2" "R88-427-945-950     "    0.053 —
"09760019" "D" "2" "R88-427-950-955     "    0.026 —
"09760020" "D" "2" "R88-427-955-960     "    0.145 —
"09760021" "D" "2" "R88-427-960-965     "    0.079 —
"09760022" "D" "2" "R88-427-965-970     "    0.123 —
"09760023" "D" "2" "R88-427-970-975     "    0.082 —
"09760024" "D" "2" "R88-427-975-980     "    0.074 —
"09760025" "D" "2" "R88-427-980-985     "    0.023 —
"09760026" "D" "2" "R88-427-985-990     "    0.014-
"09760027" "D" "2" "R88-427-990-995     "    0.020 —
"09760028" "D" "2" "R88-427-995-1000    "    0.023 —
"09760029" "D" "2" "R88-427-1000-1005   "    0.017-
"09760030" "D" "2" "R88-427-1005-1010   "    0.011-
"09760031" "D" "2" "R88-427-1010-1015   "    0.023 —
"09760032" "D" "2" "R88-427-1015-1020   "    0.038 —
"09760035" "D" "2" "R88-427-1020-1025   "    0.024 —
"09760036" "D" "2" "R88-427-1025-1030   "    0.042 —
"09760037" "D" "2" "R88-427-1030-1035   "    0.015-
"09760038" "D" "2" "R88-427-1035-1040   "    0.026 —
"09760039" "D" "2" "R88-427-1040-1045   "    0.018-
"09760040" "D" "2" "R88-427-1045-1050   "    0.023 —
"09760041" "D" "2" "R88-427-1050-1055   "    0.016-
"09760042" "D" "2" "R88-427-1055-1060   "    0.024 —
"09760043" "D" "2" "R88-427-1060-1065   "    0.024 —
"09760044" "D" "2" "R88-427-1065-1070   "    0.032 —
"09760045" "D" "2" "R88-427-1070-1075   "    0.021 —
"09760046" "D" "2" "R88-427-1075-1080   "    0.021 —
"09760047" "D" "2" "R88-427-1080-1085   "    0.036 —
```

0-890

890' @ .062

905-1140

235' @ .035

"09760048"	"D"	"2"	"R88-427-1085-1090	"	0.008
"09760049"	"D"	"2"	"R88-427-1090-1095	"	0.020
"09760050"	"D"	"2"	"R88-427-1095-1100	"	0.031
"09760051"	"D"	"2"	"R88-427-1100-1105	"	0.013
"09760052"	"D"	"2"	"R88-427-1105-1110	"	0.009
"09760053"	"D"	"2"	"R88-427-1110-1115	"	0.020
"09760054"	"D"	"2"	"R88-427-1115-1120	"	0.026
"09760055"	"D"	"2"	"R88-427-1120-1125	"	0.016
"09760056"	"D"	"2"	"R88-427-1125-1130	"	0.015
"09760057"	"D"	"2"	"R88-427-1130-1135	"	0.026
"09760060"	"D"	"2"	"R88-427-1135-1140	"	0.036
"09760061"	"D"	"2"	"R88-427-1140-1145	"	0.013
"09760062"	"D"	"2"	"R88-427-1145-1150	"	0.012
"09760063"	"D"	"2"	"R88-427-1150-1155	"	0.015

"END"

905-1140

235' @ .035

```
"TITLE 23-09-88 08:26:54 098-0975   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   14 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   14 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  14           Assay Prep          "
"  42 P64= 302           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09750001" "D" "2" "R88-427-1155-1160   "    0.034
"09750002" "D" "2" "R88-427-1160-1165   "    0.017
"09750003" "D" "2" "R88-427-1165-1170   "    0.011
"09750004" "D" "2" "R88-427-1170-1175   "    0.015
"09750005" "D" "2" "R88-427-1175-1180   "    0.036
"09750006" "D" "2" "R88-427-1180-1185   "    0.018
"09750009" "D" "2" "R88-427-1185-1190   "    0.021
"09750010" "D" "2" "R88-427-1190-1195   "    0.012
"09750011" "D" "2" "R88-427-1195-1200   "    0.024
"09750012" "D" "2" "R88-427-1200-1205   "    0.019
"09750013" "D" "2" "R88-427-1205-1210   "    0.017
"09750014" "D" "2" "R88-427-1210-1215   "    0.026
"09750015" "D" "2" "R88-427-1215-1220   "    0.024
"09750016" "D" "2" "R88-427-1220-1225   "    0.026
"END"
```

5'@

1175-1225

50'@.022

TD