DRILL CUTTING LOG

Contractor: TONTO	Coordinates: E 26546.26 N 46218.38 SITE 189	Project: GILT EDGE	Hole No.: RBB-430
Drill Type:	Casing Depth:	State: SD	Sheet 1 of 4
Hole Size:	Bearing: — Inclination: 90	Date Started: 8-29-88	Property: GILT EDGE
Collar Elev.: 5533.4	Final Depth: 600'	Date Completed: 8-30-88	Hole Surveyed: NO casing pulled

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES % (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	3	0-5		Ttp	0-30 TRACHYTE PORPHYRY unaltered phenos & matrix	0-55 OXIDE 3-4% jarosite, tr-1% MnOx, tr FeOx.		
					20-25						
			30				Cdh	30-95 CAMBRIAN DEADWOOD HORNFELS sandstone, shale.			
					45-50						
				2					55-65 MIXED tr-1% FeS2, 1-2% jarosite, 1% FeOx		
				1	70-75				65-600 SULFIDE 2-3% FeS2 diss.		
			60		95-100		Ttp	95-110 TRACHYTE PROPHYRY.	(100-145) 3-5% FeS2 diss		
			30		120-125		Cdh	110-130 CAMBRIAN DEADWOOD HORNFELS brown silicified shale, 5-10% PC schist.			
			60				Ttp	130-145 TRACHYTE PORPHYRY unaltered matrix & phenos.			
			30		145-150		Cdh	145-160 CAMBRIAN DEADWOOD HORNFELS brown silicified shale.	(145-160) 1-2% FeS2 diss		
			60		170-175		Ttp	160-180 TRACHYTE PORPHYRY unaltered matrix & phenos. 5-15% Cdh shale	(160-175) 5-7% FeS2 diss		

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. 1288-430

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	/	175-180		Trp		(175-220) 3-4% FeS_2 diss.		
			30				Cdh	180-195 CAMBRIAN DEADWOOD HORNFELS brown silicified shale.			
			60		195-200		Trp	195-220 TRACHYTE PORPHYRY. unaltered matrix & phenos.		026	
										351	
										314	
										940	
			10		220-225		PC	220-235 PRECAMBRIAN SCHIST w/ 15-20% green clay.	(220-240) 4-5% FeS_2 diss	354	
										103	
			40				Cdq	235-275 CAMBRIAN DEADWOOD QUARTZITE clean, white.	(240-275) 2-3% FeS_2 diss	42	
					245-250					21	
										26	
										35	
										002	
					270-275						
			10				PC	275-415 PRECAMBRIAN SCHIST	(275-445) 1-2% FeS_2 diss		
					295-300						
					320-325						
					345-350			(345-370) 2-4% PC chert			

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-430

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	1	350-355		PC					
					370-375							
								(380-395) 3-5% PC chert				
					395-400			(395-415) 10-15% PC chert				
			60				T&P	415-420 TRACHYTE PORPHYRY				
			10		420-425		PC	420-600 PRECAMBRIAN SCHIST				
								(420-430) 25-30% chip of quartz vein				
								(435-450) 3-5% vein quartz				
					445-450				(445-495) 5-7% FeS2 disseminated			
					470-475							
					495-500				(495-525) 2-3% FeS2 disseminated			
								(505-510) 15-20% vein quartz				
					510-525							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-430

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			10	1	525-530		PC		(525 - 545) 3-5% FeS_2 diss		
					545-550				(545-555) 5-7% FeS_2 diss, fract		
									(555-600) 2-3% FeS_2 diss		
					570-575						
					595-600						
							TD @ 600'	- INFILL			

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0979 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	37

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0979

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-430-0-5		0.005	D2 R88-430-200-205		0.014
D2 R88-430-5-10		<0.002	D2 R88-430-205-210		0.026
D2 R88-430-10-15		0.005	D2 R88-430-210-215		0.351
D2 R88-430-15-20		0.007	D2 R88-430-215-220		0.314
D2 R88-430-20-25		<0.002	D2 R88-430-220-225		0.940
D2 R88-430-25-30		0.006	D2 R88-430-225-230		0.354
D2 R88-430-30-35		0.002	D2 R88-430-230-235		0.103
D2 R88-430-35-40		0.007	D2 R88-430-235-240		0.042
D2 R88-430-40-45		0.007	D2 R88-430-240-245		0.021
D2 R88-430-45-50		0.012	D2 R88-430-245-250		0.026
D2 R88-430-50-55		0.009	D2 R88-430-250-255		0.035
D2 R88-430-55-60		0.006	D2 R88-430-255-260		0.002
D2 R88-430-60-65		0.006	D2 R88-430-260-265		0.012
D2 R88-430-65-70		0.005	D2 R88-430-265-270		<0.002
D2 R88-430-70-75		<0.002	D2 R88-430-270-275		0.025
D2 R88-430-75-80		0.003	D2 R88-430-275-280		0.018
D2 R88-430-80-85		0.005	D2 R88-430-280-285		0.018
D2 R88-430-85-90		0.002	D2 R88-430-285-290		0.008
D2 R88-430-90-95		0.004	D2 R88-430-290-295		0.005
D2 R88-430-95-100		0.015	D2 R88-430-295-300		0.008
D2 R88-430-100-105		<0.002			
D2 R88-430-105-110		<0.002			
D2 R88-430-110-115		0.002			
D2 R88-430-115-120		0.017			
D2 R88-430-120-125		<0.002			
D2 R88-430-125-130		<0.002			
D2 R88-430-130-135		0.012			
D2 R88-430-135-140		0.008			
D2 R88-430-140-145		0.016			
D2 R88-430-145-150		0.019			
D2 R88-430-150-155		0.005			
D2 R88-430-155-160		0.004			
D2 R88-430-160-165		0.008			
D2 R88-430-165-170		<0.002			
D2 R88-430-170-175		<0.002			
D2 R88-430-175-180		<0.002			
D2 R88-430-180-185		<0.002			
D2 R88-430-185-190		<0.002			
D2 R88-430-190-195		<0.002			
D2 R88-430-195-200		<0.002			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12783, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0979
Project : GILT EDGE
Reference: NONE LISTED

30 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
37 Samples of Excessive Wetness	at $ 0.15	$ 5.55	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 197.55	$ 197.55
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.50	
2% DEADWOOD CITY SALES TAX		$ 2.75	
Subtotal		$ 8.25	$ 8.25
Invoice Total:			$ 595.80 U.S.

KEE-430 (0-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

+ + + + +

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0980 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 23-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	9	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	9	2 -150	9	Assay Prep	9

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0980

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-430-300-305		0.002
D2 R88-430-305-310		0.003
D2 R88-430-310-315		0.002
D2 R88-430-315-320		0.003
D2 R88-430-320-325		0.006
D2 R88-430-325-330		0.004
D2 R88-430-330-335		0.004
D2 R88-430-335-340		0.004
D2 R88-430-340-345		0.005

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12792, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0980
Project : GILT EDGE
Reference: NONE LISTED

Au fire 9 Analyses of Gold	at $ 6.50	$ 58.50	
Subtotal		$ 58.50	$ 58.50
Sample Preparation			
9 Samples of Assay Prep	at $ 3.00	$ 27.00	
Subtotal		$ 27.00	$ 27.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.72	
2% DEADWOOD CITY SALES TAX		$ 0.36	
Subtotal		$ 1.08	$ 1.08
Invoice Total:			$ 86.58 U.S.

KEE-430 (300-345)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1464

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0982 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	51	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	51	2 -150	51	Assay Prep	51
				Excessive Wetness	1778
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0982

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-430-345-350		0.006
D2 R88-430-350-355		0.007
D2 R88-430-355-360		0.005
D2 R88-430-360-365		<0.002
D2 R88-430-365-370		0.010
D2 R88-430-370-375		0.009
D2 R88-430-375-380		0.011
D2 R88-430-380-385		0.008
D2 R88-430-385-390		0.006
D2 R88-430-390-395		0.008
D2 R88-430-395-400		0.006
D2 R88-430-400-405		0.006
D2 R88-430-405-410		0.007
D2 R88-430-410-415		0.006
D2 R88-430-415-420		0.009
D2 R88-430-420-425		0.006
D2 R88-430-425-430		0.009
D2 R88-430-430-435		0.009
D2 R88-430-435-440		0.008
D2 R88-430-440-445		<0.002
D2 R88-430-445-450		0.004
D2 R88-430-450-455		0.006
D2 R88-430-455-460		0.008
D2 R88-430-460-465		0.011
D2 R88-430-465-470		0.009
D2 R88-430-470-475		0.013
D2 R88-430-475-480		0.015
D2 R88-430-480-485		0.010
D2 R88-430-485-490		0.008
D2 R88-430-490-495		0.009
D2 R88-430-495-500		0.006
D2 R88-430-500-505		0.006
D2 R88-430-505-510		0.008
D2 R88-430-510-515		0.006
D2 R88-430-515-520		0.006
D2 R88-430-520-525		0.005
D2 R88-430-525-530		0.003
D2 R88-430-530-535		0.008
D2 R88-430-535-540		0.008
D2 R88-430-540-545		0.009
D2 R88-430-545-550		0.006
D2 R88-430-550-555		0.007
D2 R88-430-555-560		0.004
D2 R88-430-560-565		0.006
D2 R88-430-565-570		<0.002
D2 R88-430-570-575		<0.002
D2 R88-430-575-580		<0.002
D2 R88-430-580-585		<0.002
D2 R88-430-585-590		<0.002
D2 R88-430-590-595		0.003
D2 R88-430-595-600		<0.002

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12772, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0982
Project : GILT EDGE
Reference: NONE LISTED

51 Analyses of Gold	at $ 6.50	$ 331.50	
Subtotal		$ 331.50	$ 331.50
Sample Preparation			
51 Samples of Assay Prep	at $ 3.00	$ 153.00	
1778 Samples of Excessive Wetness	at $ 0.15	$ 266.70	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 431.70	$ 431.70
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 15.23	
2% DEADWOOD CITY SALES TAX		$ 7.61	
Subtotal		$ 22.84	$ 22.84

Invoice Total: $ 786.04 U.S.

188-430 (345-600)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 25-09-88 08:29:15 098-0979   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=  37           Excessive Wetness   "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09790001" "D" "2" "R88-430-0-5          "    0.005
"09790002" "D" "2" "R88-430-5-10         "   -0.002
"09790003" "D" "2" "R88-430-10-15        "    0.005
"09790004" "D" "2" "R88-430-15-20        "    0.007
"09790005" "D" "2" "R88-430-20-25        "   -0.002
"09790006" "D" "2" "R88-430-25-30        "    0.006
"09790007" "D" "2" "R88-430-30-35        "    0.002
"09790008" "D" "2" "R88-430-35-40        "    0.007
"09790009" "D" "2" "R88-430-40-45        "    0.007
"09790010" "D" "2" "R88-430-45-50        "    0.012
"09790013" "D" "2" "R88-430-50-55        "    0.009
"09790014" "D" "2" "R88-430-55-60        "    0.006
"09790015" "D" "2" "R88-430-60-65        "    0.006
"09790016" "D" "2" "R88-430-65-70        "    0.005
"09790017" "D" "2" "R88-430-70-75        "   -0.002
"09790018" "D" "2" "R88-430-75-80        "    0.003
"09790019" "D" "2" "R88-430-80-85        "    0.005
"09790020" "D" "2" "R88-430-85-90        "    0.002
"09790021" "D" "2" "R88-430-90-95        "    0.004
"09790022" "D" "2" "R88-430-95-100       "    0.015
"09790023" "D" "2" "R88-430-100-105      "   -0.002
"09790024" "D" "2" "R88-430-105-110      "   -0.002
"09790025" "D" "2" "R88-430-110-115      "    0.002
"09790026" "D" "2" "R88-430-115-120      "    0.017
"09790027" "D" "2" "R88-430-120-125      "   -0.002
"09790028" "D" "2" "R88-430-125-130      "   -0.002
"09790029" "D" "2" "R88-430-130-135      "    0.012
"09790030" "D" "2" "R88-430-135-140      "    0.008
"09790031" "D" "2" "R88-430-140-145      "    0.016
"09790032" "D" "2" "R88-430-145-150      "    0.019
"09790033" "D" "2" "R88-430-150-155      "    0.005
"09790034" "D" "2" "R88-430-155-160      "    0.004
"09790035" "D" "2" "R88-430-160-165      "    0.008
"09790038" "D" "2" "R88-430-165-170      "   -0.002
"09790039" "D" "2" "R88-430-170-175      "   -0.002
"09790040" "D" "2" "R88-430-175-180      "   -0.002
"09790041" "D" "2" "R88-430-180-185      "   -0.002
"09790042" "D" "2" "R88-430-185-190      "   -0.002
"09790043" "D" "2" "R88-430-190-195      "   -0.002
"09790044" "D" "2" "R88-430-195-200      "   -0.002
"09790045" "D" "2" "R88-430-200-205      "    0.014
"09790046" "D" "2" "R88-430-205-210      "    0.026
"09790047" "D" "2" "R88-430-210-215      "    0.351
"09790048" "D" "2" "R88-430-215-220      "    0.314
```

Complete

205-255
50'@

"09790049"	"D"	"2"	"R88-430-220-225	"	0.940
"09790050"	"D"	"2"	"R88-430-225-230	"	0.354
"09790051"	"D"	"2"	"R88-430-230-235	"	0.103
"09790052"	"D"	"2"	"R88-430-235-240	"	0.042
"09790053"	"D"	"2"	"R88-430-240-245	"	0.021
"09790054"	"D"	"2"	"R88-430-245-250	"	0.026
"09790055"	"D"	"2"	"R88-430-250-255	"	0.035
"09790056"	"D"	"2"	"R88-430-255-260	"	0.002
"09790057"	"D"	"2"	"R88-430-260-265	"	0.012
"09790058"	"D"	"2"	"R88-430-265-270	"	-0.002
"09790059"	"D"	"2"	"R88-430-270-275	"	0.025
"09790060"	"D"	"2"	"R88-430-275-280	"	0.018
"09790063"	"D"	"2"	"R88-430-280-285	"	0.018
"09790064"	"D"	"2"	"R88-430-285-290	"	0.008
"09790065"	"D"	"2"	"R88-430-290-295	"	0.005
"09790066"	"D"	"2"	"R88-430-295-300	"	0.008

"END"

```
"TITLE 23-09-88 08:18:18 098-0980   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:    9 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT    9 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=   9           Assay Prep          "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09800001" "D" "2" "R88-430-300-305     "    0.002
"09800004" "D" "2" "R88-430-305-310     "    0.003
"09800005" "D" "2" "R88-430-310-315     "    0.002
"09800006" "D" "2" "R88-430-315-320     "    0.003
"09800007" "D" "2" "R88-430-320-325     "    0.006
"09800008" "D" "2" "R88-430-325-330     "    0.004
"09800009" "D" "2" "R88-430-330-335     "    0.004
"09800010" "D" "2" "R88-430-335-340     "    0.004
"09800011" "D" "2" "R88-430-340-345     "    0.005
"END"
```

```
"TITLE 15-09-88 08:06:34 098-0982   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   51 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   51 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  51           Assay Prep          "
"  42 P64=1778           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09820001" "D" "2" "R88-430-345-350     "    0.006
"09820002" "D" "2" "R88-430-350-355     "    0.007
"09820003" "D" "2" "R88-430-355-360     "    0.005
"09820006" "D" "2" "R88-430-360-365     "   -0.002
"09820007" "D" "2" "R88-430-365-370     "    0.010
"09820008" "D" "2" "R88-430-370-375     "    0.009
"09820009" "D" "2" "R88-430-375-380     "    0.011
"09820010" "D" "2" "R88-430-380-385     "    0.008
"09820011" "D" "2" "R88-430-385-390     "    0.006
"09820012" "D" "2" "R88-430-390-395     "    0.008
"09820013" "D" "2" "R88-430-395-400     "    0.006
"09820014" "D" "2" "R88-430-400-405     "    0.006
"09820015" "D" "2" "R88-430-405-410     "    0.007
"09820016" "D" "2" "R88-430-410-415     "    0.006
"09820017" "D" "2" "R88-430-415-420     "    0.009
"09820018" "D" "2" "R88-430-420-425     "    0.006
"09820019" "D" "2" "R88-430-425-430     "    0.009
"09820020" "D" "2" "R88-430-430-435     "    0.009
"09820021" "D" "2" "R88-430-435-440     "    0.008
"09820022" "D" "2" "R88-430-440-445     "   -0.002
"09820023" "D" "2" "R88-430-445-450     "    0.004
"09820024" "D" "2" "R88-430-450-455     "    0.006
"09820025" "D" "2" "R88-430-455-460     "    0.008
"09820026" "D" "2" "R88-430-460-465     "    0.011
"09820027" "D" "2" "R88-430-465-470     "    0.009
"09820028" "D" "2" "R88-430-470-475     "    0.013
"09820031" "D" "2" "R88-430-475-480     "    0.015
"09820032" "D" "2" "R88-430-480-485     "    0.010
"09820033" "D" "2" "R88-430-485-490     "    0.008
"09820034" "D" "2" "R88-430-490-495     "    0.009
"09820035" "D" "2" "R88-430-495-500     "    0.006
"09820036" "D" "2" "R88-430-500-505     "    0.006
"09820037" "D" "2" "R88-430-505-510     "    0.008
"09820038" "D" "2" "R88-430-510-515     "    0.006
"09820039" "D" "2" "R88-430-515-520     "    0.006
"09820040" "D" "2" "R88-430-520-525     "    0.005
"09820041" "D" "2" "R88-430-525-530     "    0.003
"09820042" "D" "2" "R88-430-530-535     "    0.008
"09820043" "D" "2" "R88-430-535-540     "    0.008
"09820044" "D" "2" "R88-430-540-545     "    0.009
"09820045" "D" "2" "R88-430-545-550     "    0.006
"09820046" "D" "2" "R88-430-550-555     "    0.007
"09820047" "D" "2" "R88-430-555-560     "    0.004
```

```
"09820048" "D" "2" "R88-430-560-565      "    0.006
"09820049" "D" "2" "R88-430-565-570      "   -0.002
"09820050" "D" "2" "R88-430-570-575      "   -0.002
"09820051" "D" "2" "R88-430-575-580      "   -0.002
"09820052" "D" "2" "R88-430-580-585      "   -0.002
"09820053" "D" "2" "R88-430-585-590      "   -0.002
"09820056" "D" "2" "R88-430-590-595      "    0.003
"09820057" "D" "2" "R88-430-595-600      "   -0.002
"END"
```