Contractor: LANG | Coordinates: SITE A6. | Project: GILT EDGE | Hole No.: R88-431

Drill Type: | Casing Depth: | State: S.D. | Sheet 1 of 1

Hole Size: | Bearing: | Inclination: 90 | Date Started: 8-29-88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 1200' | Date Completed: 8.31.88 | Hole Surveyed: CAVED.

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			70	3	0-5		Tbxa	0-40 BRECCIA of Cdh, Cdq, Tkp, Tgfp	0-	OXIDE 1-2% FeOx, 3-5% jarosite		
					20-25							
			30				Cdh	40-70 CAMBRIAN DEADWOOD QUARTZITE	40-75 FRACTURED			
					45-50							
									(55-75) 1-3% jarosite, tr-1% FeOx, tr MnOx			
			60		70-75		Tkp	70-97 TRACHYTE PORPHYRY				
									(75-80) tr-1% jarosite (80-95) 3-4% jarosite, tr MnOx, tr FeOx			
			40		95-100		Cdq	97-110 CAMBRIAN DEADWOOD QUARTZITE	(95-100) 2-3% jarosite, tr MnOx tr-1% FeOx			
									100-1200 SULFIDE 3-5% FeS_2 dis			
			10				PC	110-403 PRECAMBRIAN SCHIST	(110-205) 1-2% FeS_2 dis			
					120-125							
					145-150							
					170-175							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-431

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			10	1	175-180		PC	(175-185) 3-5% quartz veining			
								(190-285) 25-30% PC chert			
					195-200						
								(205-225) 5-7% vein quartz	(205-245) 4-6% FeS_2		
					220-225						
								(235-245) 3-4% vein quartz			
					245-250				(245-290) 1-2% FeS_2		
					270-275						
								(290-320) 60-70% quartz vein	(290-330) 5-7% FeS_2		
					295-300						
					320-325			(320-390) 4-5% quartz vein.			
									(330-390) 1-2% FeS_2		
					345-350						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-431

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	1	350-355		PC					
					370-375							
								(390-395) 50-60% quartz veining	(390-395) 7-9% FeS_2 diss loose			
					395-400				(395-405) 1-2% FeS_2 diss			
			60	1			Tep	403-1145 TRACHYE PORPHYRY gray silicified matrix	(405-465) 5-7% FeS_2 diss			
					420-425							
					445-450							
									(465-505) 4-5% FeS_2 diss, loose			
					470-475							
					495-500							
									(505-530) 7-9% FeS_2 diss, loose			
					520-525							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-431

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	525-530		Ttp					
									(530 - 600) 5-7% FeS_2 dis loose			
					545-550							
								(555 - 570) 1-3% PC schist				
					570-575							
								(580 - 600) tr - 2% PC schist				
					595-600							
								(600 - 615) 5-15% PC schist	(600-620) 2-4% FeS_2 dis			
								(615-625) tr-1% PC schist				
					620-625				(620 - 625) 7-9% FeS_2 dis loose			
									(625 - 715) 4-6% FeS_2 dis loose			
					645-650							
					670-675							
								(690 - 705) 2-6% PC schist				
					695-700							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-431

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	700-705		Tkp					
									(715-725) 2-3% FeS_2 diss, loose			
					720-725				(725-770) 4-5% FeS_2 diss, loose			
					745-750							
								(750-770) 1-3% PC schist.	(750-765) 1-2% jarosite.			
					770-775				(770-780) 6-7% FeS_2 diss, loose			
									(780-815) 2-3% FeS_2 diss			
					795-800							
								(805-815) 2-4% PC schist				
									(815-890) 4-6% FeS_2 diss.			
					820-825							
					845-850							
					870-875							

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88 - 431

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 7

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	875-880		Tkp.					
									(890-910) 2-4% FeS_2 diss.			
					895-900							
								(905-960) 4-7% PC schist.				
									(910-925) 4-6% FeS_2 diss.			
					920-925							
									(925-960) 6-7% FeS_2 diss			
					945-950							
									(960-1005) 2-3% FeS_2 diss.			
								(985-985) 5-7% PC schist				
					970-975							
								(985-1000) 10-15% PC schist				
					995-1000							
								(1005-1030) 2-4% PC schist.	(1005-1060) 1-2% FeS_2 diss			
					1020-1025							
					1045-1050							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-431

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 1

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	1050-1055		TEP					
								(1060-1110) 3-4% PC schist.	(1060-1095) 5-7% FeS_2 diss			
					1070-1075							
					1095-1100				(1095-1145) 2-4% FeS_2 diss			
					1120-1125							
			10		1145-1150		PC	1145-1200 PRECAMBRIAN SCHIST	(1145-1160) 3-5% FeS_2 diss			
									(1160-1200) 2-4% FeS_2 diss			
					1170-1175							
					1195-1200							
							TD @ 1200'					

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0981 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

RESULT NOW REPORTED FOR SAMPLE 195-200.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0981

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-431-0-5		0.026	D2 R88-431-205-210		0.014
D2 R88-431-5-10		0.025	D2 R88-431-210-215		0.026
D2 R88-431-10-15		0.049	D2 R88-431-215-220		0.014
D2 R88-431-15-20		0.058	D2 R88-431-220-225		0.012
D2 R88-431-20-25		0.018	D2 R88-431-225-230		0.017
D2 R88-431-30-35		0.018	D2 R88-431-230-235		0.008
D2 R88-431-35-40		0.016	D2 R88-431-235-240		0.005
D2 R88-431-40-45		0.032	D2 R88-431-240-245		0.005
D2 R88-431-45-50		0.019	D2 R88-431-245-250		0.036
D2 R88-431-50-55		0.050	D2 R88-431-250-255		0.015
D2 R88-431-55-60		0.026	D2 R88-431-255-260		0.005
D2 R88-431-60-65		0.014	D2 R88-431-260-265		0.011
D2 R88-431-65-70		0.014	D2 R88-431-265-270		0.008
D2 R88-431-70-75		0.022	D2 R88-431-270-275		0.004
D2 R88-431-75-80		0.017	D2 R88-431-275-280		0.004
D2 R88-431-80-85		0.010	D2 R88-431-280-285		0.006
D2 R88-431-85-90		0.009	D2 R88-431-285-290		0.016
D2 R88-431-90-95		0.014	D2 R88-431-290-295		0.013
D2 R88-431-95-100		0.006	D2 R88-431-295-300		0.023
D2 R88-431-100-105		0.020	D2 R88-431-300-305		0.028
D2 R88-431-105-110		0.021			
D2 R88-431-110-115		0.039			
D2 R88-431-115-120		0.029			
D2 R88-431-120-125		0.021			
D2 R88-431-125-130		0.008			
D2 R88-431-130-135		0.006			
D2 R88-431-135-140		0.005			
D2 R88-431-140-145		0.012			
D2 R88-431-145-150		0.010			
D2 R88-431-150-155		0.011			
D2 R88-431-155-160		0.008			
D2 R88-431-160-165		0.015			
D2 R88-431-165-170		0.056			
D2 R88-431-170-175		0.006			
D2 R88-431-175-180		0.007			
D2 R88-431-180-185		0.008			
D2 R88-431-185-190		0.039			
D2 R88-431-190-195		0.038			
D2 R88-431-195-200		0.347			
D2 R88-431-200-205		0.068			

MISSING

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12767, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 09R-0981
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

RRR-431 (c-305)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0983 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 29-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1071
				Sample Pickup	1

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0983

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-431-305-310		0.028	D2 R88-431-505-510		0.034
D2 R88-431-310-315		0.038	D2 R88-431-510-515		0.048
D2 R88-431-315-320		0.019	D2 R88-431-515-520		0.113
D2 R88-431-320-325		0.015	D2 R88-431-520-525		0.068
D2 R88-431-325-330		0.005	D2 R88-431-525-530		0.080
D2 R88-431-330-335		<0.002	D2 R88-431-530-535		0.027
D2 R88-431-335-340		0.010	D2 R88-431-535-540		0.015
D2 R88-431-340-345		0.015	D2 R88-431-540-545		0.017
D2 R88-431-345-350		0.005	D2 R88-431-545-550		0.024
D2 R88-431-350-355		0.013	D2 R88-431-550-555		0.033
D2 R88-431-355-360		0.004	D2 R88-431-555-560		0.018
D2 R88-431-360-365		0.023	D2 R88-431-560-565		0.017
D2 R88-431-365-370		0.009	D2 R88-431-565-570		0.032
D2 R88-431-370-375		0.014	D2 R88-431-570-575		0.033
D2 R88-431-375-380		0.005	D2 R88-431-575-580		0.030
D2 R88-431-380-385		0.011	D2 R88-431-580-585		0.032
D2 R88-431-385-390		0.009	D2 R88-431-585-590		0.020
D2 R88-431-390-395		0.035	D2 R88-431-590-595		0.012
D2 R88-431-395-400		0.023	D2 R88-431-595-600		0.023
D2 R88-431-400-405		0.022	D2 R88-431-600-605		0.011
D2 R88-431-405-410		0.010			
D2 R88-431-410-415		0.019			
D2 R88-431-415-420		0.012			
D2 R88-431-420-425		0.015			
D2 R88-431-425-430		0.007			
D2 R88-431-430-435		0.018			
D2 R88-431-435-440		0.018			
D2 R88-431-440-445		0.020			
D2 R88-431-445-450		0.011			
D2 R88-431-450-455		0.013			
D2 R88-431-455-460		0.016			
D2 R88-431-460-465		0.029			
D2 R88-431-465-470		0.037			
D2 R88-431-470-475		0.042			
D2 R88-431-475-480		0.077			
D2 R88-431-480-485		0.043			
D2 R88-431-485-490		0.033			
D2 R88-431-490-495		0.049			
D2 R88-431-495-500		0.050			
D2 R88-431-500-505		0.030			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12883, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 30-SEP-88

Report No: 098-0983
Project : GILT EDGE
Reference: NONE LISTED

Au + Ag 60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1071 Samples of Excessive Wetness	at $ 0.15	$ 160.65	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 352.65	$ 352.65
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.71	
2% DEADWOOD CITY SALES TAX		$ 5.85	
Subtotal		$ 17.56	$ 17.56
Invoice Total:			$ 760.21 U.S.

KEE-431 (305-605)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0989 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 28-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1318
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

RESULTS FOR SAMPLES: D2R88-431-650-655 AND
D2R88-431-665-670 ARE NOW FINAL.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0989

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-431-605-610		0.028	D2 R88-431-805-810		0.007
D2 R88-431-610-615		0.020	D2 R88-431-810-815		0.008
D2 R88-431-615-620		0.024	D2 R88-431-815-820		0.006
D2 R88-431-620-625		0.025	D2 R88-431-820-825		0.008
D2 R88-431-625-630		0.028	D2 R88-431-825-830		0.008
D2 R88-431-630-635		0.026	D2 R88-431-830-835		0.006
D2 R88-431-635-640		0.030	D2 R88-431-835-840		0.005
D2 R88-431-640-645		0.016	D2 R88-431-840-845		<0.002
D2 R88-431-645-650		0.014	D2 R88-431-845-850		0.005
D2 R88-431-650-655		0.044	D2 R88-431-850-855		<0.002
D2 R88-431-655-660		0.021	D2 R88-431-855-860		0.009
D2 R88-431-660-665		0.016	D2 R88-431-860-865		0.006
D2 R88-431-665-670		0.020	D2 R88-431-865-870		0.007
D2 R88-431-670-675		0.023	D2 R88-431-870-875		<0.002
D2 R88-431-675-680		0.011	D2 R88-431-875-880		0.003
D2 R88-431-680-685		0.007	D2 R88-431-880-885		<0.002
D2 R88-431-685-690		0.010	D2 R88-431-885-890		0.006
D2 R88-431-690-695		0.014	D2 R88-431-890-895		0.009
D2 R88-431-695-700		0.018	D2 R88-431-895-900		0.006
D2 R88-431-700-705		0.015	D2 R88-431-900-905		0.006
D2 R88-431-705-710		0.069			
D2 R88-431-710-715		0.026			
D2 R88-431-715-720		0.005			
D2 R88-431-720-725		0.008			
D2 R88-431-725-730		0.010			
D2 R88-431-730-735		0.013			
D2 R88-431-735-740		0.010			
D2 R88-431-740-745		0.020			
D2 R88-431-745-750		0.011			
D2 R88-431-750-755		0.008			
D2 R88-431-755-760		0.012			
D2 R88-431-760-765		0.010			
D2 R88-431-765-770		0.004			
D2 R88-431-770-775		0.007			
D2 R88-431-775-780		0.006			
D2 R88-431-780-785		0.009			
D2 R88-431-785-790		0.008			
D2 R88-431-790-795		0.010			
D2 R88-431-795-800		0.008			
D2 R88-431-800-805		0.006			

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12885, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 30-SEP-88

Report No: 098-0989
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1318 Samples of Excessive Wetness	at $ 0.15	$ 197.70	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 389.70	$ 389.70
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 13.19	
2% DEADWOOD CITY SALES TAX		$ 6.59	
Subtotal		$ 19.78	$ 19.78
Invoice Total:			$ 799.48 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0991 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	59	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	59	2 -150	59	Assay Prep	59
				Excessive Wetness	901
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0991

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-431-905-910		0.008
D2 R88-431-910-915		0.008
D2 R88-431-915-920		0.009
D2 R88-431-920-925		0.016
D2 R88-431-925-930		0.010
D2 R88-431-930-935		0.006
D2 R88-431-935-940		0.006
D2 R88-431-940-945		0.008
D2 R88-431-945-950		0.006
D2 R88-431-950-955		0.007
D2 R88-431-955-960		0.006
D2 R88-431-960-965		0.006
D2 R88-431-965-970		0.008
D2 R88-431-970-975		<0.002
D2 R88-431-975-980		<0.002
D2 R88-431-980-985		0.003
D2 R88-431-985-990		0.008
D2 R88-431-990-995		0.010
D2 R88-431-995-1000		0.009
D2 R88-431-1000-1005		0.008
D2 R88-431-1005-1010		0.006
D2 R88-431-1010-1015		0.007
D2 R88-431-1015-1020		0.006
D2 R88-431-1020-1025		0.006
D2 R88-431-1025-1030		0.007
D2 R88-431-1030-1035		0.008
D2 R88-431-1035-1040		0.009
D2 R88-431-1040-1045		0.008
D2 R88-431-1045-1050		0.008
D2 R88-431-1050-1055		0.007
D2 R88-431-1055-1060		0.008
D2 R88-431-1060-1065		0.006
D2 R88-431-1065-1070		0.010
D2 R88-431-1070-1075		0.006
D2 R88-431-1075-1080		0.007
D2 R88-431-1080-1085		0.008
D2 R88-431-1085-1090		0.006
D2 R88-431-1090-1095		<0.002
D2 R88-431-1095-1100		<0.002
D2 R88-431-1100-1105		0.006
D2 R88-431-1105-1110		0.006
D2 R88-431-1110-1115		0.010
D2 R88-431-1115-1120		0.008
D2 R88-431-1120-1125		0.006
D2 R88-431-1125-1130		0.008
D2 R88-431-1130-1135		0.007
D2 R88-431-1135-1140		0.014
D2 R88-431-1140-1145		0.010
D2 R88-431-1145-1150		0.004
D2 R88-431-1150-1155		0.007
D2 R88-431-1155-1160		0.006
D2 R88-431-1160-1165		0.006
D2 R88-431-1165-1170		<0.002
D2 R88-431-1170-1175		0.005
D2 R88-431-1175-1180		0.005
D2 R88-431-1180-1185		<0.002
D2 R88-431-1185-1190		0.004
D2 R88-431-1190-1195		0.005
D2 R88-431-1195-1200		0.004

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12781, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0991
Project : GILT EDGE
Reference: NONE LISTED

59 Analyses of Gold	at $ 6.50	$ 383.50	
Subtotal		$ 383.50	$ 383.50
Sample Preparation			
59 Samples of Assay Prep	at $ 3.00	$ 177.00	
901 Samples of Excessive Wetness	at $ 0.15	$ 135.15	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 324.15	$ 324.15
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 10.61	
2% DEADWOOD CITY SALES TAX		$ 5.30	
Subtotal		$ 15.91	$ 15.91
Invoice Total:			$ 723.56 U.S.

PEE-431 (905-1200)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 25-09-88 07:44:57 098-0981   J. BARRON              06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"  51 RESULT NOW REPORTED FOR SAMPLE 195-200.              "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09810001" "D" "2" "R88-431-0-5          "    0.026
"09810002" "D" "2" "R88-431-5-10         "    0.025
"09810005" "D" "2" "R88-431-10-15        "    0.049
"09810006" "D" "2" "R88-431-15-20        "    0.058
"09810007" "D" "2" "R88-431-20-25        "    0.018
"09810008" "D" "2" "R88-431-30-35        "    0.018
"09810009" "D" "2" "R88-431-35-40        "    0.016
"09810010" "D" "2" "R88-431-40-45        "    0.032
"09810011" "D" "2" "R88-431-45-50        "    0.019
"09810012" "D" "2" "R88-431-50-55        "    0.050
"09810013" "D" "2" "R88-431-55-60        "    0.026
"09810014" "D" "2" "R88-431-60-65        "    0.014
"09810015" "D" "2" "R88-431-65-70        "    0.014
"09810016" "D" "2" "R88-431-70-75        "    0.022
"09810017" "D" "2" "R88-431-75-80        "    0.017
"09810018" "D" "2" "R88-431-80-85        "    0.010
"09810019" "D" "2" "R88-431-85-90        "    0.009
"09810020" "D" "2" "R88-431-90-95        "    0.014
"09810021" "D" "2" "R88-431-95-100       "    0.006
"09810022" "D" "2" "R88-431-100-105      "    0.020
"09810023" "D" "2" "R88-431-105-110      "    0.021
"09810024" "D" "2" "R88-431-110-115      "    0.039
"09810025" "D" "2" "R88-431-115-120      "    0.029
"09810026" "D" "2" "R88-431-120-125      "    0.021
"09810027" "D" "2" "R88-431-125-130      "    0.008
"09810030" "D" "2" "R88-431-130-135      "    0.006
"09810031" "D" "2" "R88-431-135-140      "    0.005
"09810032" "D" "2" "R88-431-140-145      "    0.012
"09810033" "D" "2" "R88-431-145-150      "    0.010
"09810034" "D" "2" "R88-431-150-155      "    0.011
"09810035" "D" "2" "R88-431-155-160      "    0.008
"09810036" "D" "2" "R88-431-160-165      "    0.015
"09810037" "D" "2" "R88-431-165-170      "    0.056
"09810038" "D" "2" "R88-431-170-175      "    0.006
"09810039" "D" "2" "R88-431-175-180      "    0.007
"09810040" "D" "2" "R88-431-180-185      "    0.008
"09810041" "D" "2" "R88-431-185-190      "    0.039
"09810042" "D" "2" "R88-431-190-195      "    0.038
"09810043" "D" "2" "R88-431-195-200      "    0.347
"09810044" "D" "2" "R88-431-200-205      "    0.068
"09810045" "D" "2" "R88-431-205-210      "    0.014
"09810046" "D" "2" "R88-431-210-215      "    0.026
"09810047" "D" "2" "R88-431-215-220      "    0.014
```

0-20

20' @ .040

40-75

35' @ .025

100-125

25' @ .026

185-215

30' @ .089

"09810048"	"D"	"2"	"R88-431-220-225	"	0.012
"09810049"	"D"	"2"	"R88-431-225-230	"	0.017
"09810050"	"D"	"2"	"R88-431-230-235	"	0.008
"09810051"	"D"	"2"	"R88-431-235-240	"	0.005
"09810052"	"D"	"2"	"R88-431-240-245	"	0.005
"09810055"	"D"	"2"	"R88-431-245-250	"	0.036
"09810056"	"D"	"2"	"R88-431-250-255	"	0.015
"09810057"	"D"	"2"	"R88-431-255-260	"	0.005
"09810058"	"D"	"2"	"R88-431-260-265	"	0.011
"09810059"	"D"	"2"	"R88-431-265-270	"	0.008
"09810060"	"D"	"2"	"R88-431-270-275	"	0.004
"09810061"	"D"	"2"	"R88-431-275-280	"	0.004
"09810062"	"D"	"2"	"R88-431-280-285	"	0.006
"09810063"	"D"	"2"	"R88-431-285-290	"	0.016
"09810064"	"D"	"2"	"R88-431-290-295	"	0.013
"09810065"	"D"	"2"	"R88-431-295-300	"	0.023
"09810066"	"D"	"2"	"R88-431-300-305	"	0.028

"END"

295- 315
20'@ .029

```
"TITLE 29-09-88 10:38:32 098-0983   J. BARRON              07/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1071           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09830001" "D" "2" "R88-431-305-310      "    0.028
"09830002" "D" "2" "R88-431-310-315      "    0.038
"09830003" "D" "2" "R88-431-315-320      "    0.019
"09830004" "D" "2" "R88-431-320-325      "    0.015
"09830007" "D" "2" "R88-431-325-330      "    0.005
"09830008" "D" "2" "R88-431-330-335      "   -0.002
"09830009" "D" "2" "R88-431-335-340      "    0.010
"09830010" "D" "2" "R88-431-340-345      "    0.015
"09830011" "D" "2" "R88-431-345-350      "    0.005
"09830012" "D" "2" "R88-431-350-355      "    0.013
"09830013" "D" "2" "R88-431-355-360      "    0.004
"09830014" "D" "2" "R88-431-360-365      "    0.023
"09830015" "D" "2" "R88-431-365-370      "    0.009
"09830016" "D" "2" "R88-431-370-375      "    0.014
"09830017" "D" "2" "R88-431-375-380      "    0.005
"09830018" "D" "2" "R88-431-380-385      "    0.011
"09830019" "D" "2" "R88-431-385-390      "    0.009
"09830020" "D" "2" "R88-431-390-395      "    0.035
"09830021" "D" "2" "R88-431-395-400      "    0.023
"09830022" "D" "2" "R88-431-400-405      "    0.022
"09830023" "D" "2" "R88-431-405-410      "    0.010
"09830024" "D" "2" "R88-431-410-415      "    0.019
"09830025" "D" "2" "R88-431-415-420      "    0.012
"09830026" "D" "2" "R88-431-420-425      "    0.015
"09830027" "D" "2" "R88-431-425-430      "    0.007
"09830028" "D" "2" "R88-431-430-435      "    0.018
"09830029" "D" "2" "R88-431-435-440      "    0.018
"09830032" "D" "2" "R88-431-440-445      "    0.020
"09830033" "D" "2" "R88-431-445-450      "    0.011
"09830034" "D" "2" "R88-431-450-455      "    0.013
"09830035" "D" "2" "R88-431-455-460      "    0.016
"09830036" "D" "2" "R88-431-460-465      "    0.029
"09830037" "D" "2" "R88-431-465-470      "    0.037
"09830038" "D" "2" "R88-431-470-475      "    0.042
"09830039" "D" "2" "R88-431-475-480      "    0.077
"09830040" "D" "2" "R88-431-480-485      "    0.043
"09830041" "D" "2" "R88-431-485-490      "    0.033
"09830042" "D" "2" "R88-431-490-495      "    0.049
"09830043" "D" "2" "R88-431-495-500      "    0.050
"09830044" "D" "2" "R88-431-500-505      "    0.030
"09830045" "D" "2" "R88-431-505-510      "    0.034
"09830046" "D" "2" "R88-431-510-515      "    0.048
"09830047" "D" "2" "R88-431-515-520      "    0.113
"09830048" "D" "2" "R88-431-520-525      "    0.068
"09830049" "D" "2" "R88-431-525-530      "    0.080
```

295 - 315
20'@ .029

5'

390 - 405
15'@

5'

460 - 675
215'@.033

"09830050"	"D"	"2"	"R88-431-530-535	"	0.027
"09830051"	"D"	"2"	"R88-431-535-540	"	0.015
"09830052"	"D"	"2"	"R88-431-540-545	"	0.017
"09830053"	"D"	"2"	"R88-431-545-550	"	0.024
"09830054"	"D"	"2"	"R88-431-550-555	"	0.033
"09830057"	"D"	"2"	"R88-431-555-560	"	0.018
"09830058"	"D"	"2"	"R88-431-560-565	"	0.017
"09830059"	"D"	"2"	"R88-431-565-570	"	0.032
"09830060"	"D"	"2"	"R88-431-570-575	"	0.033
"09830061"	"D"	"2"	"R88-431-575-580	"	0.030
"09830062"	"D"	"2"	"R88-431-580-585	"	0.032
"09830063"	"D"	"2"	"R88-431-585-590	"	0.020
"09830064"	"D"	"2"	"R88-431-590-595	"	0.012
"09830065"	"D"	"2"	"R88-431-595-600	"	0.023
"09830066"	"D"	"2"	"R88-431-600-605	"	0.011

"END"

```
"TITLE 28-09-88 12:33:54 098-0989   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                        "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1318           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"  51 RESULTS FOR SAMPLES: D2R88-431-650-655 AND           "
"  52 D2R88-431-665-670 ARE NOW FINAL.                     "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au"
"09890001" "D" "2" "R88-431-605-610      "    0.028-
"09890002" "D" "2" "R88-431-610-615      "    0.020-
"09890003" "D" "2" "R88-431-615-620      "    0.024-
"09890004" "D" "2" "R88-431-620-625      "    0.025-
"09890005" "D" "2" "R88-431-625-630      "    0.028-
"09890006" "D" "2" "R88-431-630-635      "    0.026-
"09890007" "D" "2" "R88-431-635-640      "    0.030-
"09890008" "D" "2" "R88-431-640-645      "    0.016-
"09890009" "D" "2" "R88-431-645-650      "    0.014-
"09890010" "D" "2" "R88-431-650-655      "    0.044-
"09890013" "D" "2" "R88-431-655-660      "    0.021-
"09890014" "D" "2" "R88-431-660-665      "    0.016-
"09890015" "D" "2" "R88-431-665-670      "    0.020-
"09890016" "D" "2" "R88-431-670-675      "    0.023-
"09890017" "D" "2" "R88-431-675-680      "    0.011
"09890018" "D" "2" "R88-431-680-685      "    0.007
"09890019" "D" "2" "R88-431-685-690      "    0.010
"09890020" "D" "2" "R88-431-690-695      "    0.014
"09890021" "D" "2" "R88-431-695-700      "    0.018
"09890022" "D" "2" "R88-431-700-705      "    0.015
"09890023" "D" "2" "R88-431-705-710      "    0.069-
"09890024" "D" "2" "R88-431-710-715      "    0.026-
"09890025" "D" "2" "R88-431-715-720      "    0.005
"09890026" "D" "2" "R88-431-720-725      "    0.008
"09890027" "D" "2" "R88-431-725-730      "    0.010
"09890028" "D" "2" "R88-431-730-735      "    0.013
"09890029" "D" "2" "R88-431-735-740      "    0.010
"09890030" "D" "2" "R88-431-740-745      "    0.020-
"09890031" "D" "2" "R88-431-745-750      "    0.011
"09890032" "D" "2" "R88-431-750-755      "    0.008
"09890033" "D" "2" "R88-431-755-760      "    0.012
"09890034" "D" "2" "R88-431-760-765      "    0.010
"09890035" "D" "2" "R88-431-765-770      "    0.004
"09890038" "D" "2" "R88-431-770-775      "    0.007
"09890039" "D" "2" "R88-431-775-780      "    0.006
"09890040" "D" "2" "R88-431-780-785      "    0.009
"09890041" "D" "2" "R88-431-785-790      "    0.008
"09890042" "D" "2" "R88-431-790-795      "    0.010
"09890043" "D" "2" "R88-431-795-800      "    0.008
"09890044" "D" "2" "R88-431-800-805      "    0.006
```

460-675

215'@.033

705-715
10'@.048

5'

"09890045"	"D"	"2"	"R88-431-805-810	"	0.007
"09890046"	"D"	"2"	"R88-431-810-815	"	0.008
"09890047"	"D"	"2"	"R88-431-815-820	"	0.006
"09890048"	"D"	"2"	"R88-431-820-825	"	0.008
"09890049"	"D"	"2"	"R88-431-825-830	"	0.008
"09890050"	"D"	"2"	"R88-431-830-835	"	0.006
"09890051"	"D"	"2"	"R88-431-835-840	"	0.005
"09890052"	"D"	"2"	"R88-431-840-845	"	-0.002
"09890053"	"D"	"2"	"R88-431-845-850	"	0.005
"09890054"	"D"	"2"	"R88-431-850-855	"	-0.002
"09890055"	"D"	"2"	"R88-431-855-860	"	0.009
"09890056"	"D"	"2"	"R88-431-860-865	"	0.006
"09890057"	"D"	"2"	"R88-431-865-870	"	0.007
"09890058"	"D"	"2"	"R88-431-870-875	"	-0.002
"09890059"	"D"	"2"	"R88-431-875-880	"	0.003
"09890060"	"D"	"2"	"R88-431-880-885	"	-0.002
"09890063"	"D"	"2"	"R88-431-885-890	"	0.006
"09890064"	"D"	"2"	"R88-431-890-895	"	0.009
"09890065"	"D"	"2"	"R88-431-895-900	"	0.006
"09890066"	"D"	"2"	"R88-431-900-905	"	0.006

"END"

```
"TITLE 25-09-88 08:25:56 098-0991   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   59 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   59 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  59           Assay Prep          "
"  42 P64= 901           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09910001" "D" "2" "R88-431-905-910     "    0.008
"09910002" "D" "2" "R88-431-910-915     "    0.008
"09910005" "D" "2" "R88-431-915-920     "    0.009
"09910006" "D" "2" "R88-431-920-925     "    0.016
"09910007" "D" "2" "R88-431-925-930     "    0.010
"09910008" "D" "2" "R88-431-930-935     "    0.006
"09910009" "D" "2" "R88-431-935-940     "    0.006
"09910010" "D" "2" "R88-431-940-945     "    0.008
"09910011" "D" "2" "R88-431-945-950     "    0.006
"09910012" "D" "2" "R88-431-950-955     "    0.007
"09910013" "D" "2" "R88-431-955-960     "    0.006
"09910014" "D" "2" "R88-431-960-965     "    0.006
"09910015" "D" "2" "R88-431-965-970     "    0.008
"09910016" "D" "2" "R88-431-970-975     "   -0.002
"09910017" "D" "2" "R88-431-975-980     "   -0.002
"09910018" "D" "2" "R88-431-980-985     "    0.003
"09910019" "D" "2" "R88-431-985-990     "    0.008
"09910020" "D" "2" "R88-431-990-995     "    0.010
"09910021" "D" "2" "R88-431-995-1000    "    0.009
"09910022" "D" "2" "R88-431-1000-1005   "    0.008
"09910023" "D" "2" "R88-431-1005-1010   "    0.006
"09910024" "D" "2" "R88-431-1010-1015   "    0.007
"09910025" "D" "2" "R88-431-1015-1020   "    0.006
"09910026" "D" "2" "R88-431-1020-1025   "    0.006
"09910027" "D" "2" "R88-431-1025-1030   "    0.007
"09910030" "D" "2" "R88-431-1030-1035   "    0.008
"09910031" "D" "2" "R88-431-1035-1040   "    0.009
"09910032" "D" "2" "R88-431-1040-1045   "    0.008
"09910033" "D" "2" "R88-431-1045-1050   "    0.008
"09910034" "D" "2" "R88-431-1050-1055   "    0.007
"09910035" "D" "2" "R88-431-1055-1060   "    0.008
"09910036" "D" "2" "R88-431-1060-1065   "    0.006
"09910037" "D" "2" "R88-431-1065-1070   "    0.010
"09910038" "D" "2" "R88-431-1070-1075   "    0.006
"09910039" "D" "2" "R88-431-1075-1080   "    0.007
"09910040" "D" "2" "R88-431-1080-1085   "    0.008
"09910041" "D" "2" "R88-431-1085-1090   "    0.006
"09910042" "D" "2" "R88-431-1090-1095   "   -0.002
"09910043" "D" "2" "R88-431-1095-1100   "   -0.002
"09910044" "D" "2" "R88-431-1100-1105   "    0.006
"09910045" "D" "2" "R88-431-1105-1110   "    0.006
"09910046" "D" "2" "R88-431-1110-1115   "    0.010
"09910047" "D" "2" "R88-431-1115-1120   "    0.008
```

"09910048"	"D"	"2"	"R88-431-1120-1125 "	0.006
"09910049"	"D"	"2"	"R88-431-1125-1130 "	0.008
"09910050"	"D"	"2"	"R88-431-1130-1135 "	0.007
"09910051"	"D"	"2"	"R88-431-1135-1140 "	0.014
"09910052"	"D"	"2"	"R88-431-1140-1145 "	0.010
"09910055"	"D"	"2"	"R88-431-1145-1150 "	0.004
"09910056"	"D"	"2"	"R88-431-1150-1155 "	0.007
"09910057"	"D"	"2"	"R88-431-1155-1160 "	0.006
"09910058"	"D"	"2"	"R88-431-1160-1165 "	0.006
"09910059"	"D"	"2"	"R88-431-1165-1170 "	-0.002
"09910060"	"D"	"2"	"R88-431-1170-1175 "	0.005
"09910061"	"D"	"2"	"R88-431-1175-1180 "	0.005
"09910062"	"D"	"2"	"R88-431-1180-1185 "	-0.002
"09910063"	"D"	"2"	"R88-431-1185-1190 "	0.004
"09910064"	"D"	"2"	"R88-431-1190-1195 "	0.005
"09910065"	"D"	"2"	"R88-431-1195-1200 "	0.004

"END"