Contractor: TONTO | Coordinates: SITE 183 | Project: GILT EDGE | Hole No.: R88-432

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 5

Hole Size: | Bearing: – | Inclination: 90 | Date Started: 8-30-88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 750' | Date Completed: 8-31-88 | Hole Surveyed: NO

CASING PULL

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			70	3	0-5		Tkyo	0-260 BRECCIA of Tkp, PC schist, Cdq, Cdh sandstone & shale.	0-120 OXIDE 4-5% jarosite, tr MnOx, 1-2% FeOx		
					20-25						
								(40-140) dominately Cdh shale.			
					45-50						
					70-75						
					95-100						
				2	120-125				120-145 MIX tr FeS_2, 1-3% jarosite, 1-2% FeOx		
								(140-160) dominance of Tkp & Cdq			
				1	145-150				145-200 SULFIDE 2-4% FeS_2 diss		
								(160-200) dominance of PC schist			
					170-175				(170-175) 4-6% FeS_2		

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-432

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 5

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

Logged by:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			70	1	175-180		Tbxa		(175-200) 1-3% FeS2 diss		
					195-200						
				2				(200-230) dominance of Cdh; Ttp	200-345 MIXED 2-3% FeS2, 1-3% jarosite tr FeOx		
					220-225				(210-230) 4-5% jarosite, tr-1% FeOx, tr-1% FeS2		
								(230-245) dominance of Ttp; PC schist	(230-245) 2-3% jarosite, 1-2% FeS2 diss.		
					245-250			(245-260) dominance of Cdh, Ttp	(245-263) 2-4% jarosite, 1-2% FeOx, tr-1% MnOx, tr FeS2		
								(260-275) Cdh; Ttp; PC schist			
					270-275				(263-275) 2-3% jarosite, tr-1% FeOx, 3-4% FeS2		
			60				Ttp	275-640 TRACHYTE PORPHYRY	(275-285) 1-2% jarosite, tr-1% FeOx 2-3% FeS2		
					295-300				(285-295) 2-5% jarosite, tr-2% FeOx, 1-2% FeS2		
									(295-305) 3-4% jarosite, 1-2% FeOx, tr-1% FeS2		
									(305-310) tr jarosite, 1-2% FeS2		
									(310-325) tr-1% FeOx, tr-2% FeS2, 3-4% jarosite, tr MnOx		
					320-325						
									(325-345) 1-2% jarosite, tr FeOx, tr-1% FeS2		
				3	345-350				345- OXIDE 4-5% jarosite		

Contractor _____ Coordinates _____ Project _____ Hole No. R88-432

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 5

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES % (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	3	350-355		Tep					
					370-375							
					395-400							
									(405-425) 1-3% jarosite			
					420-425							
									(425-520) 4-6% jarosite			
					445-450							
					470-475							
					495-500							
					520-525				(520-530) 3-4% jarosite, tr EOX			

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-432

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 5

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	3	525-530		Tbp				
									(530-550) 2-3% jarosite		
					545-550						
									(550-565) 1-3% jarosite		
									(565-610) 5-6% jarosite 1-2% FeOx fractures		
					570-575						
					595-600						
				2					610-645 MIXED 1-2% FeS_2, tr jarosite, tr FeOx		
					620-625						
									(625-635) 3-5% FeOx, tr FeS_2		
									(635-640) 12-15% FeOx, tr FeS_2		
			80				Tqtp'	640-687 QUARTZ TRACHYTE PORPHYRY 4-5% quartz prisms.	(640-645) tr FeS_2, tr FeOx, 3-4% jaro.		
				3	645-650				645-710 OXIDE 2-3% jarosite, tr FeOx		
									(650-687) 4-5% jarosite		
					670-675						
							PC	687-730 PRECAMBRIAN SCHIST	(687-710) tr jarosite		
					695-700						

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-432

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 5

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	5	700-705		PC					
				2					710 - 750	MIXED		
									(715 - 725) 4-6% FeS_2 frost, tr jarosite			
					720-725							
									(725 - 730) tr-1% FeS_2, tr jarosite			
			70				Tbxa	730 - 750 BRECCIA of PC schist, Tkp, Tgtp	(730 - 750) tr FeS_2, 1-3% jarosite			
								(730 - 740) 15-20% green clay.				
					745-750							
							Hole TD @ 750'	- INFILL designated TD ~ 600'				
								- NO ROOM OR WAY TO GET				
								BOOSTERS UP ON SITE.				

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0984 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0984

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-432-0-5		0.007
D2 R88-432-5-10		0.003
D2 R88-432-10-15		0.005
D2 R88-432-15-20		0.004
D2 R88-432-20-25		0.014
D2 R88-432-25-30		0.012
D2 R88-432-30-35		0.018
D2 R88-432-35-40		0.026
D2 R88-432-40-45		0.053
D2 R88-432-45-50		0.035
D2 R88-432-50-55		0.105
D2 R88-432-55-60		0.009
D2 R88-432-60-65		0.019
D2 R88-432-65-70		0.071
D2 R88-432-70-75		0.126
D2 R88-432-75-80		0.040
D2 R88-432-80-85		0.016
D2 R88-432-85-90		0.023
D2 R88-432-90-95		0.010
D2 R88-432-95-100		0.012
D2 R88-432-100-105		0.008
D2 R88-432-105-110		0.015
D2 R88-432-110-115		0.009
D2 R88-432-115-120		0.009
D2 R88-432-120-125		0.008
D2 R88-432-125-130		0.009
D2 R88-432-130-135		0.006
D2 R88-432-135-140		0.004
D2 R88-432-140-145		0.006
D2 R88-432-145-150		0.003
D2 R88-432-150-155		0.007
D2 R88-432-155-160		0.006
D2 R88-432-160-165		0.006
D2 R88-432-165-170		0.005
D2 R88-432-170-175		0.006
D2 R88-432-175-180		0.008
D2 R88-432-180-185		0.008
D2 R88-432-185-190		0.006
D2 R88-432-190-195		0.005
D2 R88-432-195-200		0.004
D2 R88-432-200-205		0.006
D2 R88-432-205-210		0.008
D2 R88-432-210-215		0.007
D2 R88-432-215-220		0.006
D2 R88-432-220-225		0.013
D2 R88-432-225-230		<0.002
D2 R88-432-230-235		0.005
D2 R88-432-235-240		0.003
D2 R88-432-240-245		0.009
D2 R88-432-245-250		0.010
D2 R88-432-250-255		0.005
D2 R88-432-255-260		0.007
D2 R88-432-260-265		0.014
D2 R88-432-265-270		0.006
D2 R88-432-270-275		0.004
D2 R88-432-275-280		0.004
D2 R88-432-280-285		0.004
D2 R88-432-285-290		0.005
D2 R88-432-290-295		0.003
D2 R88-432-495-300		0.003

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12773, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-09R4
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

RBB - 432 (0 - 300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0990 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	33	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	33	2 -150	33	Assay Prep	33
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0990

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-432-300-305		0.003
D2 R88-432-305-310		0.003
D2 R88-432-310-315		0.011
D2 R88-432-315-320		0.008
D2 R88-432-320-325		<0.002
D2 R88-432-325-330		<0.002
D2 R88-432-330-335		<0.002
D2 R88-432-335-340		<0.002
D2 R88-432-340-345		<0.002
D2 R88-432-345-350		<0.002
D2 R88-432-350-355		0.007
D2 R88-432-355-360		0.006
D2 R88-432-360-365		0.004
D2 R88-432-365-370		<0.002
D2 R88-432-370-375		<0.002
D2 R88-432-375-380		<0.002
D2 R88-432-380-385		<0.002
D2 R88-432-385-390		<0.002
D2 R88-432-390-395		<0.002
D2 R88-432-395-400		<0.002
D2 R88-432-400-405		<0.002
D2 R88-432-405-410		<0.002
D2 R88-432-410-415		<0.002
D2 R88-432-415-420		<0.002
D2 R88-432-420-425		<0.002
D2 R88-432-425-430		0.005
D2 R88-432-430-435		0.003
D2 R88-432-435-440		<0.002
D2 R88-432-440-445		<0.002
D2 R88-432-445-450		<0.002
D2 R88-432-450-455		<0.002
D2 R88-432-455-460		<0.002
D2 R88-432-460-465		<0.002

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12775, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0990
Project : GILT EDGE
Reference: NONE LISTED

33 Analyses of Gold	at $ 6.50	$ 214.50	
Subtotal		$ 214.50	$ 214.50
Sample Preparation			
33 Samples of Assay Prep	at $ 3.00	$ 99.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 111.00	$ 111.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 3.12	
2% DEADWOOD CITY SALES TAX		$ 1.56	
Subtotal		$ 4.68	$ 4.68
Invoice Total:			$ 330.18 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0993 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 3-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	56	0.002 OPT		Fire Assay
2	Au	Gold	2	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	56	2 -150	56	Assay Prep	56
				Excessive Wetness	977
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

2 SEPARATE RESULTS ARE REPORTED FOR 2 SAMPLES.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0993

PROJECT: GILT EDGE PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-432-465-470		<0.002	
D2 R88-432-470-475		<0.002	
D2 R88-432-475-480		<0.002	
D2 R88-432-480-485		<0.002	
D2 R88-432-485-490		<0.002	
D2 R88-432-490-495		<0.002	
D2 R88-432-495-500		<0.002	
D2 R88-432-500-505		<0.002	
D2 R88-432-505-510		<0.002	
D2 R88-432-510-515		<0.002	
D2 R88-432-515-520		<0.002	
D2 R88-432-520-525		0.007	
D2 R88-432-525-530		<0.002	
D2 R88-432-530-535		<0.002	
D2 R88-432-535-540		<0.002	
D2 R88-432-540-545		<0.002	
D2 R88-432-545-550		<0.002	
D2 R88-432-550-555		<0.002	
D2 R88-432-555-560		<0.002	
D2 R88-432-560-565		<0.002	
D2 R88-432-565-570		0.003	
D2 R88-432-570-575		0.003	
D2 R88-432-575-580		0.028	
D2 R88-432-580-585		0.029	0.054 = .036
D2 R88-432-585-590		0.009	
D2 R88-432-590-595		0.012	
D2 R88-432-595-600		0.038	
D2 R88-432-600-605		0.007	
D2 R88-432-605-610		0.187	
D2 R88-432-610-615		0.009	
D2 R88-432-615-620		0.008	
D2 R88-432-620-625		0.025	
D2 R88-432-625-630		<0.002	
D2 R88-432-630-635		<0.002	
D2 R88-432-635-640		<0.002	
D2 R88-432-640-645		0.003	
D2 R88-432-645-650		<0.002	
D2 R88-432-650-655		<0.002	
D2 R88-432-655-660		0.004	
D2 R88-432-660-665		<0.002	
D2 R88-432-665-670		<0.002	
D2 R88-432-670-675		0.003	
D2 R88-432-675-680		<0.002	
D2 R88-432-680-685		0.005	
D2 R88-432-685-690		<0.002	
D2 R88-432-690-695		0.003	
D2 R88-432-695-700		<0.002	
D2 R88-432-700-705		<0.002	
D2 R88-432-705-710		<0.002	
D2 R88-432-710-715		0.005	
D2 R88-432-715-720		0.007	
D2 R88-432-720-725		0.003	
D2 R88-432-725-730		0.003	
D2 R88-432-730-735		0.021	
D2 R88-432-735-740		0.025	
D2 R88-432-740-745		0.016	0.050 = .033
745-750 MISSING			

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12974, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-0993
Project : GILT EDGE
Reference: NONE LISTED

2 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
56 Analyses of Gold	at $ 6.50	$ 364.00	
Subtotal		$ 364.00	$ 364.00
Sample Preparation			
56 Samples of Assay Prep	at $ 3.00	$ 168.00	
977 Samples of Excessive Wetness	at $ 0.15	$ 146.55	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 326.55	$ 326.55
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 10.82	
2% DEADWOOD CITY SALES TAX		$ 5.41	
Subtotal		$ 16.23	$ 16.23
Invoice Total:			$ 706.78 U.S.

F88-432 (465 - 745)

BROHM MINING CO
OCT 31 1988
RECEIVED

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

RECEIVED
OCT 21 1998
BROHM MINING CO.

```
"TITLE 25-09-88 08:10:21 098-0984   J. BARRON            02/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09840001" "D" "2" "R88-432-0-5          "    0.007
"09840002" "D" "2" "R88-432-5-10         "    0.003
"09840003" "D" "2" "R88-432-10-15        "    0.005
"09840004" "D" "2" "R88-432-15-20        "    0.004
"09840005" "D" "2" "R88-432-20-25        "    0.014
"09840008" "D" "2" "R88-432-25-30        "    0.012
"09840009" "D" "2" "R88-432-30-35        "    0.018
"09840010" "D" "2" "R88-432-35-40        "    0.026
"09840011" "D" "2" "R88-432-40-45        "    0.053
"09840012" "D" "2" "R88-432-45-50        "    0.035
"09840013" "D" "2" "R88-432-50-55        "    0.105
"09840014" "D" "2" "R88-432-55-60        "    0.009
"09840015" "D" "2" "R88-432-60-65        "    0.019
"09840016" "D" "2" "R88-432-65-70        "    0.071
"09840017" "D" "2" "R88-432-70-75        "    0.126
"09840018" "D" "2" "R88-432-75-80        "    0.040
"09840019" "D" "2" "R88-432-80-85        "    0.016
"09840020" "D" "2" "R88-432-85-90        "    0.023
"09840021" "D" "2" "R88-432-90-95        "    0.010
"09840022" "D" "2" "R88-432-95-100       "    0.012
"09840023" "D" "2" "R88-432-100-105      "    0.008
"09840024" "D" "2" "R88-432-105-110      "    0.015
"09840025" "D" "2" "R88-432-110-115      "    0.009
"09840026" "D" "2" "R88-432-115-120      "    0.009
"09840027" "D" "2" "R88-432-120-125      "    0.008
"09840028" "D" "2" "R88-432-125-130      "    0.009
"09840029" "D" "2" "R88-432-130-135      "    0.006
"09840030" "D" "2" "R88-432-135-140      "    0.004
"09840033" "D" "2" "R88-432-140-145      "    0.006
"09840034" "D" "2" "R88-432-145-150      "    0.003
"09840035" "D" "2" "R88-432-150-155      "    0.007
"09840036" "D" "2" "R88-432-155-160      "    0.006
"09840037" "D" "2" "R88-432-160-165      "    0.006
"09840038" "D" "2" "R88-432-165-170      "    0.005
"09840039" "D" "2" "R88-432-170-175      "    0.006
"09840040" "D" "2" "R88-432-175-180      "    0.008
"09840041" "D" "2" "R88-432-180-185      "    0.008
"09840042" "D" "2" "R88-432-185-190      "    0.006
"09840043" "D" "2" "R88-432-190-195      "    0.005
"09840044" "D" "2" "R88-432-195-200      "    0.004
"09840045" "D" "2" "R88-432-200-205      "    0.006
"09840046" "D" "2" "R88-432-205-210      "    0.008
"09840047" "D" "2" "R88-432-210-215      "    0.007
"09840048" "D" "2" "R88-432-215-220      "    0.006
```

35-90

55'@

"09840049"	"D"	"2"	"R88-432-220-225 "	0.013
"09840050"	"D"	"2"	"R88-432-225-230 "	-0.002
"09840051"	"D"	"2"	"R88-432-230-235 "	0.005
"09840052"	"D"	"2"	"R88-432-235-240 "	0.003
"09840053"	"D"	"2"	"R88-432-240-245 "	0.009
"09840054"	"D"	"2"	"R88-432-245-250 "	0.010
"09840055"	"D"	"2"	"R88-432-250-255 "	0.005
"09840058"	"D"	"2"	"R88-432-255-260 "	0.007
"09840059"	"D"	"2"	"R88-432-260-265 "	0.014
"09840060"	"D"	"2"	"R88-432-265-270 "	0.006
"09840061"	"D"	"2"	"R88-432-270-275 "	0.004
"09840062"	"D"	"2"	"R88-432-275-280 "	0.004
"09840063"	"D"	"2"	"R88-432-280-285 "	0.004
"09840064"	"D"	"2"	"R88-432-285-290 "	0.005
"09840065"	"D"	"2"	"R88-432-290-295 "	0.003
"09840066"	"D"	"2"	"R88-432-495-300 "	0.003

"END"

```
"TITLE 25-09-88 08:13:03 098-0990   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   33 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   33 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  33           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09900001" "D" "2" "R88-432-300-305     "    0.003
"09900004" "D" "2" "R88-432-305-310     "    0.003
"09900005" "D" "2" "R88-432-310-315     "    0.011
"09900006" "D" "2" "R88-432-315-320     "    0.008
"09900007" "D" "2" "R88-432-320-325     "   -0.002
"09900008" "D" "2" "R88-432-325-330     "   -0.002
"09900009" "D" "2" "R88-432-330-335     "   -0.002
"09900010" "D" "2" "R88-432-335-340     "   -0.002
"09900011" "D" "2" "R88-432-340-345     "   -0.002
"09900012" "D" "2" "R88-432-345-350     "   -0.002
"09900013" "D" "2" "R88-432-350-355     "    0.007
"09900014" "D" "2" "R88-432-355-360     "    0.006
"09900015" "D" "2" "R88-432-360-365     "    0.004
"09900016" "D" "2" "R88-432-365-370     "   -0.002
"09900017" "D" "2" "R88-432-370-375     "   -0.002
"09900018" "D" "2" "R88-432-375-380     "   -0.002
"09900019" "D" "2" "R88-432-380-385     "   -0.002
"09900020" "D" "2" "R88-432-385-390     "   -0.002
"09900021" "D" "2" "R88-432-390-395     "   -0.002
"09900022" "D" "2" "R88-432-395-400     "   -0.002
"09900023" "D" "2" "R88-432-400-405     "   -0.002
"09900024" "D" "2" "R88-432-405-410     "   -0.002
"09900025" "D" "2" "R88-432-410-415     "   -0.002
"09900026" "D" "2" "R88-432-415-420     "   -0.002
"09900029" "D" "2" "R88-432-420-425     "   -0.002
"09900030" "D" "2" "R88-432-425-430     "    0.005
"09900031" "D" "2" "R88-432-430-435     "    0.003
"09900032" "D" "2" "R88-432-435-440     "   -0.002
"09900033" "D" "2" "R88-432-440-445     "   -0.002
"09900034" "D" "2" "R88-432-445-450     "   -0.002
"09900035" "D" "2" "R88-432-450-455     "   -0.002
"09900036" "D" "2" "R88-432-455-460     "   -0.002
"09900037" "D" "2" "R88-432-460-465     "   -0.002
"END"
```

```
"TITLE 03-10-88 10:24:16 098-0993   J. BARRON              09/09/88"
"CLIENT BROHM MINING CORP.                                   "
"PROJECT GILT EDGE        #SAMPLES:   56 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   56 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    2 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  56           Assay Prep          "
"  42 P64= 977           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                        "
"  51 2 SEPARATE RESULTS ARE REPORTED FOR 2 SAMPLES. "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"09930001" "D" "2" "R88-432-465-470      "   -0.002       -9
"09930002" "D" "2" "R88-432-470-475      "   -0.002       -9
"09930003" "D" "2" "R88-432-475-480      "   -0.002       -9
"09930004" "D" "2" "R88-432-480-485      "   -0.002       -9
"09930007" "D" "2" "R88-432-485-490      "   -0.002       -9
"09930008" "D" "2" "R88-432-490-495      "   -0.002       -9
"09930009" "D" "2" "R88-432-495-500      "   -0.002       -9
"09930010" "D" "2" "R88-432-500-505      "   -0.002       -9
"09930011" "D" "2" "R88-432-505-510      "   -0.002       -9
"09930012" "D" "2" "R88-432-510-515      "   -0.002       -9
"09930013" "D" "2" "R88-432-515-520      "   -0.002       -9
"09930014" "D" "2" "R88-432-520-525      "    0.007       -9
"09930015" "D" "2" "R88-432-525-530      "   -0.002       -9
"09930016" "D" "2" "R88-432-530-535      "   -0.002       -9
"09930017" "D" "2" "R88-432-535-540      "   -0.002       -9
"09930018" "D" "2" "R88-432-540-545      "   -0.002       -9
"09930019" "D" "2" "R88-432-545-550      "   -0.002       -9
"09930020" "D" "2" "R88-432-550-555      "   -0.002       -9
"09930021" "D" "2" "R88-432-555-560      "   -0.002       -9
"09930022" "D" "2" "R88-432-560-565      "   -0.002       -9
"09930023" "D" "2" "R88-432-565-570      "    0.003       -9
"09930024" "D" "2" "R88-432-570-575      "    0.003       -9
"09930025" "D" "2" "R88-432-575-580      "    0.028       -9
"09930026" "D" "2" "R88-432-580-585      "    0.029    0.054 (.042 AV)
"09930027" "D" "2" "R88-432-585-590      "    0.009-      -9
"09930028" "D" "2" "R88-432-590-595      "    0.012-      -9
"09930029" "D" "2" "R88-432-595-600      "    0.038       -9
"09930032" "D" "2" "R88-432-600-605      "    0.007-      -9
"09930033" "D" "2" "R88-432-605-610      "    0.187       -9
"09930034" "D" "2" "R88-432-610-615      "    0.009-      -9
"09930035" "D" "2" "R88-432-615-620      "    0.008-      -9
"09930036" "D" "2" "R88-432-620-625      "    0.025       -9
"09930037" "D" "2" "R88-432-625-630      "   -0.002       -9
"09930038" "D" "2" "R88-432-630-635      "   -0.002       -9
"09930039" "D" "2" "R88-432-635-640      "   -0.002       -9
"09930040" "D" "2" "R88-432-640-645      "    0.003       -9
"09930041" "D" "2" "R88-432-645-650      "   -0.002       -9
"09930042" "D" "2" "R88-432-650-655      "   -0.002       -9
"09930043" "D" "2" "R88-432-655-660      "    0.004       -9
```

575-625

50' @ .036

"09930044"	"D"	"2"	"R88-432-660-665	"	-0.002	-9
"09930045"	"D"	"2"	"R88-432-665-670	"	-0.002	-9
"09930046"	"D"	"2"	"R88-432-670-675	"	0.003	-9
"09930047"	"D"	"2"	"R88-432-675-680	"	-0.002	-9
"09930048"	"D"	"2"	"R88-432-680-685	"	0.005	-9
"09930049"	"D"	"2"	"R88-432-685-690	"	-0.002	-9
"09930050"	"D"	"2"	"R88-432-690-695	"	0.003	-9
"09930051"	"D"	"2"	"R88-432-695-700	"	-0.002	-9
"09930052"	"D"	"2"	"R88-432-700-705	"	-0.002	-9
"09930053"	"D"	"2"	"R88-432-705-710	"	-0.002	-9
"09930054"	"D"	"2"	"R88-432-710-715	"	0.005	-9
"09930057"	"D"	"2"	"R88-432-715-720	"	0.007	-9
"09930058"	"D"	"2"	"R88-432-720-725	"	0.003	-9
"09930059"	"D"	"2"	"R88-432-725-730	"	0.003	-9
"09930060"	"D"	"2"	"R88-432-730-735	"	0.021	-9
"09930061"	"D"	"2"	"R88-432-735-740	"	0.025	-9
"09930062"	"D"	"2"	"R88-432-740-745	"	0.016	0.050 (.033 AV)
"END"						

730-745

15' @ .026