Contractor: LANG | Coordinates: | Project: GILT EDGE | Hole No.: R88-434
Drill Type: | Casing Depth: | State: SD | Sheet 1 of 4
Hole Size: | Bearing: – | Inclination: 90 | Date Started: 8.31.88 | Property: GILT EDGE
Collar Elev.: | Final Depth: 700' | Date Completed: 9.1.88 | Hole Surveyed: NO

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			30	3	0-5		Cdh	0-85 CAMBRIAN DEADWOOD HORNFELS. shale.	0-60 OXIDE		
				1							
					20-25						
									40-55 FRACTURED		
					45-50						
				2					60-185 MIX 4-5% jarosite tr-2% FeS_2, tr FeOx		
					70-75						
									(75-85) 2-3% FeS_2, tr-1% jarosite		
			60				Tkp	85-135 TRACHYTE PORPHYRY, matrix & phenos undifferentiated	(85-115) 9-11% FeS_2, tr-2% jarosite		
					95-100						
								(100-115) chips of vein qtz & qtzite			
									(115-120) heavy FeOx stain + replacement FeS_2 1%		
					120-125				(120-135) 65% FeOx stained + replaced. 2-3% FeS_2		
			70				Tkp	135-155 BRECCIA of PC schist, Tkp, PC chert, Cdg.	(135-155) 95% FeOx stained & replaced, pervasive trace FeS_2		
					145-150						
			60				Tkp	155-167 TRACHYTE PORPHYRY	(155-185) 5-10% FeOx 2% FeS_2		
			10				PC	167-385 PRE CAMBRIAN (167-190) 15% qtz			
					170-175						

DRILL CUTTING LOG

Logged by:

Contractor LANG | Coordinates | Project GILT EDGE | Hole No. RBB-434

Drill Type | Casing Depth | State SD | Sheet 2 of 4

Hole Size | Bearing | Inclination 90° | Date Started 8-31-88 | Property

Collar Elev. | Final Depth | Date Completed 9-1-88 | Hole Surveyed

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION Massive, Disseminated, Veinlill, Replacement / TYPE	ASSAY Au	ASSAY Ag
			10	2	175-180		PC				
				1					185-700 SULFIDE tr FeS2		
				1							
					195-200						
					220-275						
								(235-240) 3-5% vein quartz			
					245-250						
								(250-275) 5-7% vein quartz			
									(255-295) 1-2% FeS2 disp, frost, 1-2% jarosite		
					270-275						
								(275-285) 40-50% vein quartz			
								(285-295) 10-15% vein quartz			
					295-300			<NO RETURN> MINE WORKINGS (?)		NR	
								(300-310) 2-3% vein quartz	(300-305) 1-2% FeS2, 1 jarosite		
									(305-385) tr-2 FeS2		
					320-325						
								(340-345) 15-20% vein quartz			
					345-350						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-434

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	1	350-355		PC					
								(365-380) 5-10% vein quartz				
					370-375							
			60				Ttp	385-395 TRACHYTE PORPHYRY	(385-395) 5-7% FeS2 diss.			
			10		395-400		PC	395-465 PRECAMBRIAN SCHIST	(395-470) tr-1% FeS2			
					420-425							
					445-450							
			70				Ttxa	465-520 BRECCIA of PC schist : Ttp				
					470-475				(470-520) 3-4% FeS2			
					495-500							
			10		520-525		PC	520-675 PRECAMBRIAN SCHIST	(520-645) 3-5% FeS2 fract.			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-434

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			10	1	525-530		PC					
					545-550							
					570-575							
					595-600							
					620-625							
							"					
					645-650				(645-665) 1-3% FeS_2			
									(665-675) 3-5% FeS_2			
					670-675							
			60				Ttp	675-700 TRACHYTE PORPHYRY.	(675-695) tr-1% jarosite, 2-4% FeS_2			
					695-700			(695-700) 10-15% PC schist	(695-700) 2-4% FeS_2			

TD @ 700'

DRILL CUTTING LOG

Logged by: _____

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0998 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 25-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	17	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	17	2 -150	17	Assay Prep	17
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-0998

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-434-0-5		0.014
D2 R88-434-5-10		0.008
D2 R88-434-10-15		0.019
D2 R88-434-15-20		0.014
D2 R88-434-20-25		0.013
D2 R88-434-25-30		0.015
D2 R88-434-30-35		0.019
D2 R88-434-35-40		<0.002
D2 R88-434-40-45		0.004
D2 R88-434-45-50		<0.002
D2 R88-434-50-55		0.004
D2 R88-434-55-60		<0.002
D2 R88-434-60-65		0.013
D2 R88-434-65-70		0.049
D2 R88-434-70-75		0.137
D2 R88-434-75-80		0.033
D2 R88-434-80-85		0.016

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12780, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-0998
Project : GILT EDGE
Reference: NONE LISTED

Au fw 17 Analyses of Gold	at $ 6.50	$ 110.50	
Subtotal		$ 110.50	$ 110.50
Sample Preparation			
17 Samples of Assay Prep	at $ 3.00	$ 51.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 63.00	$ 63.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 1.84	
2% DEADWOOD CITY SALES TAX		$ 0.92	
Subtotal		$ 2.76	$ 2.76
Invoice Total:			$ 176.26 U.S.

Rec. -434 (c - 85)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1004 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 5-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	59	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	59	2 -150	59	Assay Prep	59
				Excessive Wetness	1140
				Sample Pickup	1

REMARKS: NO RETURN ON SAMPLE 295-300.

FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1004

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-434-85-90		0.075
D2 R88-434-90-95		0.046
D2 R88-434-95-100		0.036
D2 R88-434-100-105		0.028
D2 R88-434-105-110		0.022
D2 R88-434-110-115		0.038
D2 R88-434-115-120		0.028
D2 R88-434-120-125		0.013
D2 R88-434-125-130		0.022
D2 R88-434-130-135		0.008
D2 R88-434-135-140		0.009
D2 R88-434-140-145		0.023
D2 R88-434-145-150		0.025
D2 R88-434-150-155		0.032
D2 R88-434-155-160		0.034
D2 R88-434-160-165		0.044
D2 R88-434-165-170		0.067
D2 R88-434-170-175		0.039
D2 R88-434-175-180		0.030
D2 R88-434-180-185		0.019
D2 R88-434-185-190		0.026
D2 R88-434-190-195		0.097
D2 R88-434-195-200		0.202
D2 R88-434-200-205		0.136
D2 R88-434-205-210		0.052
D2 R88-434-210-215		0.018
D2 R88-434-215-220		0.007
D2 R88-434-220-225		0.005
D2 R88-434-225-230		0.015
D2 R88-434-230-235		0.004
D2 R88-434-235-240		0.008
D2 R88-434-240-245		0.010
D2 R88-434-245-250		0.008
D2 R88-434-250-255		<0.002
D2 R88-434-255-260		<0.002
D2 R88-434-260-265		0.006
D2 R88-434-265-270		0.024
D2 R88-434-270-275		0.018
D2 R88-434-275-280		0.016
D2 R88-434-280-285		0.019
D2 R88-434-285-290		0.023
D2 R88-434-290-295		0.008
D2 R88-434-300-305		0.013
D2 R88-434-305-310		0.008
D2 R88-434-310-315		<0.002
D2 R88-434-315-320		<0.002
D2 R88-434-320-325		<0.002
D2 R88-434-325-330		0.007
D2 R88-434-330-335		<0.002
D2 R88-434-335-340		<0.002
D2 R88-434-340-345		0.004
D2 R88-434-345-350		<0.002
D2 R88-434-350-355		<0.002
D2 R88-434-355-360		0.008
D2 R88-434-360-365		0.006
D2 R88-434-365-370		0.004
D2 R88-434-370-375		0.009
D2 R88-434-375-380		0.008
D2 R88-434-380-385		0.006

295-300

BC
BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12962, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-1004
Project : GILT EDGE
Reference: NONE LISTED

---

59 Analyses of Gold	at $ 6.50	$ 383.50	
Subtotal		$ 383.50	$ 383.50
Sample Preparation			
59 Samples of Assay Prep	at $ 3.00	$ 177.00	
1140 Samples of Excessive Wetness	at $ 0.15	$ 171.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 360.00	$ 360.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.04	
2% DEADWOOD CITY SALES TAX		$ 6.02	
Subtotal		$ 18.06	$ 18.06
Invoice Total:			$ 761.56 U.S.

REB -434 (ES - 355)

BROHM MINING CO
OCT 31 1988
RECEIVED

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

RECEIVED
OCT 21 1988
BROHM MINING CO.

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1001 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 3-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1149
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1001

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-434-385-390		0.019	D2 R88-434-585-590		0.016
D2 R88-434-390-395		0.026	D2 R88-434-590-595		0.020
D2 R88-434-395-400		0.014	D2 R88-434-595-600		0.030
D2 R88-434-400-405		0.012	D2 R88-434-600-605		0.118
D2 R88-434-405-410		0.026	D2 R88-434-605-610		0.016
D2 R88-434-410-415		0.024	D2 R88-434-610-615		0.018
D2 R88-434-415-420		0.015	D2 R88-434-615-620		0.015
D2 R88-434-420-425		0.013	D2 R88-434-620-625		0.014
D2 R88-434-425-430		0.023	D2 R88-434-625-630		0.023
D2 R88-434-430-435		0.012	D2 R88-434-630-635		0.034
D2 R88-434-435-440		0.013	D2 R88-434-635-640		0.029
D2 R88-434-440-445		0.015	D2 R88-434-640-645		0.049
D2 R88-434-445-450		0.013	D2 R88-434-645-650		0.008
D2 R88-434-450-455		0.024	D2 R88-434-650-655		0.022
D2 R88-434-455-460		0.017	D2 R88-434-655-660		0.007
D2 R88-434-460-465		0.028	D2 R88-434-660-665		0.016
D2 R88-434-465-470		0.068	D2 R88-434-665-670		0.025
D2 R88-434-470-475		0.033	D2 R88-434-670-675		0.020
D2 R88-434-475-480		0.032	D2 R88-434-675-680		0.008
D2 R88-434-480-485		0.035	D2 R88-434-680-685		0.027
D2 R88-434-485-490		0.070			
D2 R88-434-490-495		0.033			
D2 R88-434-495-500		0.039			
D2 R88-434-500-505		0.021			
D2 R88-434-505-510		0.012			
D2 R88-434-510-515		0.015			
D2 R88-434-515-520		0.033			
D2 R88-434-520-525		0.026			
D2 R88-434-525-530		0.017			
D2 R88-434-530-535		0.012			
D2 R88-434-535-540		0.010			
D2 R88-434-540-545		0.014			
D2 R88-434-545-550		0.028			
D2 R88-434-550-555		0.039			
D2 R88-434-555-560		0.064			
D2 R88-434-560-565		0.028			
D2 R88-434-565-570		0.026			
D2 R88-434-570-575		0.035			
D2 R88-434-575-580		0.026			
D2 R88-434-580-585		0.020			

BC
BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12972, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-1001
Project : GILT EDGE
Reference: NONE LISTED

Au fire

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1149 Samples of Excessive Wetness	at $ 0.15	$ 172.35	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 364.35	$ 364.35
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.17	
2% DEADWOOD CITY SALES TAX		$ 6.09	
Subtotal		$ 18.26	$ 18.26
Invoice Total:			$ 772.61 U.S.

RBB-434 (355-655)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1002 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 20-SEP-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	3	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	3	2 -150	3	Assay Prep	3
				Excessive Wetness	76

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1002

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-434-685-690		0.012
D2 R88-434-690-695		0.011
D2 R88-434-695-700		0.009

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado
U.S.A. 80228
Phone: (303) 989-1404
Telex: 45-693

BONDAR-CLEGG

Invoice : 12816, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 26-SEP-88

Report No: 098-1002
Project : GILT EDGE
Reference: NONE LISTED

Au fire 3 Analyses of Gold	at $ 6.50	$ 19.50	
Subtotal		$ 19.50	$ 19.50
Sample Preparation			
3 Samples of Assay Prep	at $ 3.00	$ 9.00	
76 Samples of Excessive Wetness	at $ 0.15	$ 11.40	
Subtotal		$ 20.40	$ 20.40
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 0.70	
2% DEADWOOD CITY SALES TAX		$ 0.35	
Subtotal		$ 1.05	$ 1.05
Invoice Total:			$ 40.95 U.S.

REB-434 (CLS-Tec.)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 25-09-88 08:20:54 098-0998   J. BARRON            06/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   17 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   17 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  17           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"09980001" "D" "2" "R88-434-0-5          "    0.014
"09980002" "D" "2" "R88-434-5-10         "    0.008
"09980003" "D" "2" "R88-434-10-15        "    0.019
"09980004" "D" "2" "R88-434-15-20        "    0.014
"09980005" "D" "2" "R88-434-20-25        "    0.013
"09980006" "D" "2" "R88-434-25-30        "    0.015
"09980007" "D" "2" "R88-434-30-35        "    0.019
"09980008" "D" "2" "R88-434-35-40        "   -0.002
"09980009" "D" "2" "R88-434-40-45        "    0.004
"09980012" "D" "2" "R88-434-45-50        "   -0.002
"09980013" "D" "2" "R88-434-50-55        "    0.004
"09980014" "D" "2" "R88-434-55-60        "   -0.002
"09980015" "D" "2" "R88-434-60-65        "    0.013
"09980016" "D" "2" "R88-434-65-70        "    0.049
"09980017" "D" "2" "R88-434-70-75        "    0.137
"09980018" "D" "2" "R88-434-75-80        "    0.033
"09980019" "D" "2" "R88-434-80-85        "    0.016
"END"
```

COMPLETE

65-210

145'@ .048

```
"TITLE 05-10-88 09:42:53 098-1004   J. BARRON            12/09/88"
"CLIENT BROHM MINING CORP.                                         "
"PROJECT GILT EDGE       #SAMPLES:   59 REFERENCE: NONE LISTED                 "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   59 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  59           Assay Prep          "
"  42 P64=1140           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 NO RETURN ON SAMPLE 295-300.                    "
"  51 FINAL RESULTS ARE REPORTED.                     "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10040001" "D" "2" "R88-434-85-90        "    0.075
"10040002" "D" "2" "R88-434-90-95        "    0.046
"10040003" "D" "2" "R88-434-95-100       "    0.036
"10040004" "D" "2" "R88-434-100-105      "    0.028
"10040005" "D" "2" "R88-434-105-110      "    0.022
"10040008" "D" "2" "R88-434-110-115      "    0.038
"10040009" "D" "2" "R88-434-115-120      "    0.028
"10040010" "D" "2" "R88-434-120-125      "    0.013
"10040011" "D" "2" "R88-434-125-130      "    0.022
"10040012" "D" "2" "R88-434-130-135      "    0.008
"10040013" "D" "2" "R88-434-135-140      "    0.009
"10040014" "D" "2" "R88-434-140-145      "    0.023
"10040015" "D" "2" "R88-434-145-150      "    0.025
"10040016" "D" "2" "R88-434-150-155      "    0.032
"10040017" "D" "2" "R88-434-155-160      "    0.034
"10040018" "D" "2" "R88-434-160-165      "    0.044
"10040019" "D" "2" "R88-434-165-170      "    0.067
"10040020" "D" "2" "R88-434-170-175      "    0.039
"10040021" "D" "2" "R88-434-175-180      "    0.030
"10040022" "D" "2" "R88-434-180-185      "    0.019
"10040023" "D" "2" "R88-434-185-190      "    0.026
"10040024" "D" "2" "R88-434-190-195      "    0.097
"10040025" "D" "2" "R88-434-195-200      "    0.202
"10040026" "D" "2" "R88-434-200-205      "    0.136
"10040027" "D" "2" "R88-434-205-210      "    0.052
"10040028" "D" "2" "R88-434-210-215      "    0.018
"10040029" "D" "2" "R88-434-215-220      "    0.007
"10040030" "D" "2" "R88-434-220-225      "    0.005
"10040033" "D" "2" "R88-434-225-230      "    0.015
"10040034" "D" "2" "R88-434-230-235      "    0.004
"10040035" "D" "2" "R88-434-235-240      "    0.008
"10040036" "D" "2" "R88-434-240-245      "    0.010
"10040037" "D" "2" "R88-434-245-250      "    0.008
"10040038" "D" "2" "R88-434-250-255      "   -0.002
"10040039" "D" "2" "R88-434-255-260      "   -0.002
"10040040" "D" "2" "R88-434-260-265      "    0.006
"10040041" "D" "2" "R88-434-265-270      "    0.024
"10040042" "D" "2" "R88-434-270-275      "    0.018
"10040043" "D" "2" "R88-434-275-280      "    0.016
"10040044" "D" "2" "R88-434-280-285      "    0.019
"10040045" "D" "2" "R88-434-285-290      "    0.023
"10040046" "D" "2" "R88-434-290-295      "    0.008
```

65-210

145'@.048

295-300?

295-300?

"10040047"	"D"	"2"	"R88-434-300-305 "	0.013
"10040048"	"D"	"2"	"R88-434-305-310 "	0.008
"10040049"	"D"	"2"	"R88-434-310-315 "	-0.002
"10040050"	"D"	"2"	"R88-434-315-320 "	-0.002
"10040051"	"D"	"2"	"R88-434-320-325 "	-0.002
"10040052"	"D"	"2"	"R88-434-325-330 "	0.007
"10040053"	"D"	"2"	"R88-434-330-335 "	-0.002
"10040054"	"D"	"2"	"R88-434-335-340 "	-0.002
"10040055"	"D"	"2"	"R88-434-340-345 "	0.004
"10040058"	"D"	"2"	"R88-434-345-350 "	-0.002
"10040059"	"D"	"2"	"R88-434-350-355 "	-0.002
"10040060"	"D"	"2"	"R88-434-355-360 "	0.008
"10040061"	"D"	"2"	"R88-434-360-365 "	0.006
"10040062"	"D"	"2"	"R88-434-365-370 "	0.004
"10040063"	"D"	"2"	"R88-434-370-375 "	0.009
"10040064"	"D"	"2"	"R88-434-375-380 "	0.008
"10040065"	"D"	"2"	"R88-434-380-385 "	0.006

"END"

```
"TITLE 03-10-88 10:03:15 098-1001   J. BARRON            08/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1149           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10010001" "D" "2" "R88-434-385-390      "    0.019
"10010002" "D" "2" "R88-434-390-395      "    0.026
"10010005" "D" "2" "R88-434-395-400      "    0.014
"10010006" "D" "2" "R88-434-400-405      "    0.012
"10010007" "D" "2" "R88-434-405-410      "    0.026
"10010008" "D" "2" "R88-434-410-415      "    0.024
"10010009" "D" "2" "R88-434-415-420      "    0.015
"10010010" "D" "2" "R88-434-420-425      "    0.013
"10010011" "D" "2" "R88-434-425-430      "    0.023
"10010012" "D" "2" "R88-434-430-435      "    0.012
"10010013" "D" "2" "R88-434-435-440      "    0.013
"10010014" "D" "2" "R88-434-440-445      "    0.015
"10010015" "D" "2" "R88-434-445-450      "    0.013
"10010016" "D" "2" "R88-434-450-455      "    0.024
"10010017" "D" "2" "R88-434-455-460      "    0.017
"10010018" "D" "2" "R88-434-460-465      "    0.028
"10010019" "D" "2" "R88-434-465-470      "    0.068
"10010020" "D" "2" "R88-434-470-475      "    0.033
"10010021" "D" "2" "R88-434-475-480      "    0.032
"10010022" "D" "2" "R88-434-480-485      "    0.035
"10010023" "D" "2" "R88-434-485-490      "    0.070
"10010024" "D" "2" "R88-434-490-495      "    0.033
"10010025" "D" "2" "R88-434-495-500      "    0.039
"10010026" "D" "2" "R88-434-500-505      "    0.021
"10010027" "D" "2" "R88-434-505-510      "    0.012
"10010030" "D" "2" "R88-434-510-515      "    0.015
"10010031" "D" "2" "R88-434-515-520      "    0.033
"10010032" "D" "2" "R88-434-520-525      "    0.026
"10010033" "D" "2" "R88-434-525-530      "    0.017
"10010034" "D" "2" "R88-434-530-535      "    0.012
"10010035" "D" "2" "R88-434-535-540      "    0.010
"10010036" "D" "2" "R88-434-540-545      "    0.014
"10010037" "D" "2" "R88-434-545-550      "    0.028
"10010038" "D" "2" "R88-434-550-555      "    0.039
"10010039" "D" "2" "R88-434-555-560      "    0.064
"10010040" "D" "2" "R88-434-560-565      "    0.028
"10010041" "D" "2" "R88-434-565-570      "    0.026
"10010042" "D" "2" "R88-434-570-575      "    0.035
"10010043" "D" "2" "R88-434-575-580      "    0.026
"10010044" "D" "2" "R88-434-580-585      "    0.020
"10010045" "D" "2" "R88-434-585-590      "    0.016
```

390-430

40'@.019

450-525

75'@.032

545-605

60'@.038

"10010046"	"D"	"2"	"R88-434-590-595	"	0.020
"10010047"	"D"	"2"	"R88-434-595-600	"	0.030
"10010048"	"D"	"2"	"R88-434-600-605	"	0.118
"10010049"	"D"	"2"	"R88-434-605-610	"	0.016
"10010050"	"D"	"2"	"R88-434-610-615	"	0.018
"10010051"	"D"	"2"	"R88-434-615-620	"	0.015
"10010052"	"D"	"2"	"R88-434-620-625	"	0.014
"10010055"	"D"	"2"	"R88-434-625-630	"	0.023
"10010056"	"D"	"2"	"R88-434-630-635	"	0.034
"10010057"	"D"	"2"	"R88-434-635-640	"	0.029
"10010058"	"D"	"2"	"R88-434-640-645	"	0.049
"10010059"	"D"	"2"	"R88-434-645-650	"	0.008
"10010060"	"D"	"2"	"R88-434-650-655	"	0.022
"10010061"	"D"	"2"	"R88-434-655-660	"	0.007
"10010062"	"D"	"2"	"R88-434-660-665	"	0.016
"10010063"	"D"	"2"	"R88-434-665-670	"	0.025
"10010064"	"D"	"2"	"R88-434-670-675	"	0.020
"10010065"	"D"	"2"	"R88-434-675-680	"	0.008
"10010066"	"D"	"2"	"R88-434-680-685	"	0.027

"END"

545 -605 60'@.038

625-685 60'@.022

```
"TITLE 20-09-88 09:39:59 098-1002   J. BARRON            07/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:    3 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT    3 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=   3           Assay Prep          "
"  42 P64=  76           Excessive Wetness   "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10020001" "D" "2" "R88-434-685-690     "    0.012
"10020002" "D" "2" "R88-434-690-695     "    0.011
"10020003" "D" "2" "R88-434-695-700     "    0.009
"END"
```

TD