Contractor: LANG | Coordinates: SITE 135 | Project: GILT EDGE | Hole No.: RBB-440

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 10

Hole Size: | Bearing: — | Inclination: 90 | Date Started: 9.7.88 | Property: GILT EDGE

Collar Elev.: | Final Depth: 1600' | Date Completed: 9.11.88 | Hole Surveyed:

DRILL CUTTING LOG

Logged by:

GRAPHIC LOGS: DISTANCE (feet)	ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	3	0-5		Tqtp	0-80 QUARTZ TRACHYTE PORPHYRY.	0-170 OXIDE tr-1% jarosite		
					20-25						
					45-50				(45-65) tr jarosite, tr-1% FeOx.		
					70-75				(65-80) 2-3% jarosite, 1-2% FeOx		
			60				Tkp	80-205 TRACHYTE PORPHYRY.	(80-85) 5-6% FeOx, tr jarosite (85-105) 1-3% FeOx, 1-2% jarosite, tr-1% MnOx.		
					95-100						
									(105-140) tr-1% FeOx, 1-3% jarosite		
					120-125						
					145-150				(140-160) 1-3% FeOx, 1-3% jarosite, tr-1% MnOx		
				2	170-175				170-350 MIXED tr FeS_2, 1-3% jarosite, 1-3% FeOx		

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	2	175-180		Ttp				
					195-200						
			80				Tqtp	205 – 335 QUARTZ TRACHYTE PORPHYRY.	(200-220) 1-3% jarosite, 1-2% FeS_2, tr FeOx		
					220-225				(220 – 230) tr jarosite, 2-3% FeS_2		
									(230-255) 1-2% jarosite, 1-2% FeS_2		
					245-250						
									(255 – 315) 2-3% jarosite, 1-2% FeS_2, tr FeOx		
					270-275						
					295-300						
					320-325				(315 – 330) 1-2% jarosite, tr-1% FeS_2		
			60				Ttp	335-450 TRACHYTE PORPHYRY dark gray matrix	(330 – 350) 2-4% jarosite, 1-2% FeS_2		
					345-350						

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	350-355		Tkp		350 –	SULFIDE	4-6% FeS_2 diss	
					370-375							
					395-400			(395-450) yellow clay alteration on outer rim of phenos.				
					420-425							
					445-450							
			80				Tqtp	450-710 QUARTZ TRACHYTE PORPHYRY	(450-490) 2-3% FeS_2 diss			
					470-475							
					495-500				(490-515) 3-4% FeS_2 diss			
					520-525				(515-540) 7-8% FeS_2 diss			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. 288-440

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY: Au	ASSAY: Ag
			80	1	525-530		Tgtp					
									(540-555) 2-4% FeS2 diss			
					545-550							
									(555-575) 5-6% FeS2 diss			
					570-575							
									(575-885) 3-5% FeS2 diss			
					595-600							
					620-625							
					645-650							
					670-675							
					695-700							

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 5 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	700-705		Tgtp					
			60				Tkp	710-885 TRACHYTE PORPHYRY				
					720-725							
					745-750							
					770-775			(775-795) 2-3% PC schist				
					795-800							
					820-825			(820-885) 2-5% PC schist, 3-4% Tgtp				
					845-850							
					870-825							

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-440

Drill Type _____ Casing Depth _____ State _____ Sheet 6 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

Logged by:

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES % (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	875-880		Ttp					
			10				PC	885 – 960 PRECAMBRIAN SCHIST w/ tr Ttp	(885 – 1065) 1-3% FeS2 disp fract.			
					895-900							
					920-925							
					945-950							
			70				tbxa	960 – 1040 BRECCIA of PC schist, Tgtp, Ttp, & quartz veining (dominance of PC schist 40-45%)				
					970-975							
					995-1000							
					1020-1025							
			80				Tgtp	1040 – 1243 QUARTZ TRACHYTE PORPHYRY				
					1045-1050							

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 7 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	1050-1055		Tgtp					
									(1065-1110) 1-2% FeS2 diss			
					1070-1075							
					1095-1100							
									(1110-1243) 3-4% FeS2 diss			
					1120-1125							
					1145-1150							
					1170-1175							
					1195-1200			<fluorite>				
					1220-1225							

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 8 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	1225-1230		Tgtp					
			60		1245-1250		Ttp	1243 - 1600 TRACHYTE PORPHYRY	(1243 - 1430) 2-3% fes2 diss			
					1270-1275							
					1295-1300							
								(1310-1320) 2-3% PC schist				
					1320-1325							
					1345-1350			<fluorite>				
					1370-1375							
					1395-1400							

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 9 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	1	1400-1405		Tkp				
					1420-1425						
									(1430-1450) 4-6% FeS_2 diss		
					1445-1450						
									(1450-1465) 6-8% FeS_2 diss		
									(1465-1550) 2-3% FeS_2 diss		
					1470-1475						
					1495-1500						
					1520-1525						
					1545-1550				(1550-1560) 4-6% FeS_2		
									(1560-1600) 1-3% FeS_2		
					1570-1575						

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RBB-440

Drill Type _____ Casing Depth _____ State _____ Sheet 10 of 10

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	1	1575-1580		Tkp					
					1595-1600							
							HOLE	TD @ 1600'				

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1048 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 7-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	21	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	21	2 -150	21	Assay Prep	21
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1048

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-440-0-5		<0.002
D2 R88-440-5-10		<0.002
D2 R88-440-10-15		<0.002
D2 R88-440-15-20		<0.002
D2 R88-440-20-25		0.005
D2 R88-440-25-30		<0.002
D2 R88-440-30-35		<0.002
D2 R88-440-35-40		<0.002
D2 R88-440-40-45		<0.002
D2 R88-440-45-50		<0.002
D2 R88-440-50-55		<0.002
D2 R88-440-55-60		<0.002
D2 R88-440-60-65		<0.002
D2 R88-440-65-70		0.004
D2 R88-440-70-75		0.005
D2 R88-440-75-80		0.007
D2 R88-440-80-85		0.003
D2 R88-440-85-90		0.003
D2 R88-440-90-95		0.003
D2 R88-440-95-100		<0.002
D2 R88-440-100-105		0.014

BC
BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12950; Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-1048
Project : GILT EDGE
Reference: NONE LISTED

---

21 Analyses of Gold	at $ 6.50	$ 136.50	
Subtotal		$ 136.50	$ 136.50
Sample Preparation			
21 Samples of Assay Prep	at $ 3.00	$ 63.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 75.00	$ 75.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 2.16	
2% DEADWOOD CITY SALES TAX		$ 1.08	
Subtotal		$ 3.24	$ 3.24
Invoice Total:			$ 214.74 U.S.

FEE-140 (0-105)

BROHM MINING CO.
OCT 31 1988
RECEIVED

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

RECEIVED
OCT 21 1988
BROHM MINING CO.

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1050 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 10-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1099
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1050

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-440-105-110		<0.002
D2 R88-440-110-115		0.003
D2 R88-440-115-120		0.003
D2 R88-440-120-125		<0.002
D2 R88-440-125-130		<0.002
D2 R88-440-130-135		0.004
D2 R88-440-135-140		0.003
D2 R88-440-140-145		0.006
D2 R88-440-145-150		0.006
D2 R88-440-150-155		0.010
D2 R88-440-155-160		0.045
D2 R88-440-160-165		0.012
D2 R88-440-165-170		0.008
D2 R88-440-170-175		0.004
D2 R88-440-175-180		0.009
D2 R88-440-180-185		0.008
D2 R88-440-185-190		0.015
D2 R88-440-190-195		0.017
D2 R88-440-195-200		0.010
D2 R88-440-200-205		<0.002
D2 R88-440-205-210		0.007
D2 R88-440-210-215		<0.002
D2 R88-440-215-220		<0.002
D2 R88-440-220-225		<0.002
D2 R88-440-225-230		<0.002
D2 R88-440-230-235		<0.002
D2 R88-440-235-240		<0.002
D2 R88-440-240-245		<0.002
D2 R88-440-245-250		<0.002
D2 R88-440-250-255		<0.002
D2 R88-440-255-260		<0.002
D2 R88-440-260-265		<0.002
D2 R88-440-265-270		<0.002
D2 R88-440-270-275		<0.002
D2 R88-440-275-280		<0.002
D2 R88-440-280-285		<0.002
D2 R88-440-285-290		<0.002
D2 R88-440-290-295		<0.002
D2 R88-440-295-300		<0.002
D2 R88-440-300-305		<0.002
D2 R88-440-305-310		<0.002
D2 R88-440-310-315		<0.002
D2 R88-440-315-320		<0.002
D2 R88-440-320-325		<0.002
D2 R88-440-325-330		<0.002
D2 R88-440-330-335		<0.002
D2 R88-440-335-340		<0.002
D2 R88-440-340-345		0.005
D2 R88-440-345-350		<0.002
D2 R88-440-350-355		0.003
D2 R88-440-355-360		0.004
D2 R88-440-360-365		0.006
D2 R88-440-365-370		0.009
D2 R88-440-370-375		0.013
D2 R88-440-375-380		0.039
D2 R88-440-380-385		0.011
D2 R88-440-385-390		0.025
D2 R88-440-390-395		0.048
D2 R88-440-395-400		0.047
D2 R88-440-400-405		0.030

BC
BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12932, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-1050
Project : NONE LISTED
Reference: NONE LISTED

---

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1099 Samples of Excessive Wetness	at $ 0.15	$ 164.85	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 356.85	$ 356.85
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.87	
2% DEADWOOD CITY SALES TAX		$ 5.94	
Subtotal		$ 17.81	$ 17.81
Invoice Total:			$ 764.66 U.S.

P88-440 (105-405)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1053 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 27-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1118
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

TWO SEPARATE RESULTS ARE REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1053

PROJECT: GILT EDGE PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-440-405-410		0.032	
D2 R88-440-410-415		0.012	
D2 R88-440-415-420		0.008	
D2 R88-440-420-425		0.012	
D2 R88-440-425-430		0.053	
D2 R88-440-430-435		0.026	
D2 R88-440-435-440		0.023	
D2 R88-440-440-445		0.036	
D2 R88-440-445-450		0.013	
D2 R88-440-450-455		0.016	
D2 R88-440-455-460		0.029	
D2 R88-440-460-465		0.025	
D2 R88-440-465-470		0.017	
D2 R88-440-470-475		0.014	
D2 R88-440-475-480		0.025	
D2 R88-440-480-485		0.003	
D2 R88-440-485-490		0.124	0.243 = .184
D2 R88-440-490-495		0.009	
D2 R88-440-495-500		0.007	
D2 R88-440-500-505		0.005	
D2 R88-440-505-510		0.004	
D2 R88-440-510-515		0.005	
D2 R88-440-515-520		0.009	
D2 R88-440-520-525		0.002	
D2 R88-440-525-530		<0.002	
D2 R88-440-530-535		<0.002	
D2 R88-440-535-540		0.018	
D2 R88-440-540-545		0.005	
D2 R88-440-545-550		<0.002	
D2 R88-440-550-555		<0.002	
D2 R88-440-555-560		0.005	
D2 R88-440-560-565		0.009	
D2 R88-440-565-570		0.009	
D2 R88-440-570-575		0.006	
D2 R88-440-575-580		0.005	
D2 R88-440-580-585		0.012	
D2 R88-440-585-590		0.013	
D2 R88-440-590-595		0.009	
D2 R88-440-595-600		0.005	
D2 R88-440-600-605		0.005	

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-440-605-610		<0.002	
D2 R88-440-610-615		0.005	
D2 R88-440-615-620		0.007	
D2 R88-440-620-625		<0.002	
D2 R88-440-625-630		0.004	
D2 R88-440-630-635		0.009	
D2 R88-440-635-640		<0.002	
D2 R88-440-640-645		<0.002	
D2 R88-440-645-650		<0.002	
D2 R88-440-650-655		<0.002	
D2 R88-440-655-660		0.002	
D2 R88-440-660-665		0.007	
D2 R88-440-665-670		0.008	
D2 R88-440-670-675		<0.002	
D2 R88-440-675-680		0.008	
D2 R88-440-680-685		0.006	
D2 R88-440-685-690		0.006	
D2 R88-440-690-695		0.009	
D2 R88-440-695-700		0.006	
D2 R88-440-700-705		0.007	

RECEIVED
OCT 31 1988
BROHM MINING CO.

BC
BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13062, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1053
Project : GILT EDGE
Reference: NONE LISTED

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1118 Samples of Excessive Wetness	at $ 0.15	$ 167.70	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 359.70	$ 359.70
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 11.99	
2% DEADWOOD CITY SALES TAX		$ 5.99	
Subtotal		$ 17.98	$ 17.98
Invoice Total:			$ 767.68 U.S.

(55-440 (405-705)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1054 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 13-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	3	0.002 OPT		Fire Assay
3	Au	Gold	3	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Excessive Wetness	1167
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

3 SEPARATE ASSAY RESULTS REPORTED FOR SOME SAMPLES. (ERRATIC RESULTS)

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1054

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT
D2 R88-440-705-710		0.017	0.103	0.005 =.042
D2 R88-440-710-715		0.019		
D2 R88-440-715-720		0.027		
D2 R88-440-720-725		0.088	0.015	0.104 =.069
D2 R88-440-725-730		0.128		
D2 R88-440-730-735		0.049		
D2 R88-440-735-740		0.072		
D2 R88-440-740-745		0.103		
D2 R88-440-745-750		0.151		
D2 R88-440-750-755		0.122		
D2 R88-440-755-760		0.024		
D2 R88-440-760-765		0.009		
D2 R88-440-765-770		0.020		
D2 R88-440-770-775		0.080	0.050	0.116 =.082
D2 R88-440-775-780		0.015		
D2 R88-440-780-785		0.004		
D2 R88-440-785-790		0.015		
D2 R88-440-790-795		<0.002		
D2 R88-440-795-800		0.003		
D2 R88-440-800-805		0.004		
D2 R88-440-805-810		0.008		
D2 R88-440-810-815		0.005		
D2 R88-440-815-820		0.007		
D2 R88-440-820-825		0.007		
D2 R88-440-825-830		0.005		
D2 R88-440-830-835		0.003		
D2 R88-440-835-840		0.004		
D2 R88-440-840-845		0.002		
D2 R88-440-845-850		0.006		
D2 R88-440-850-855		0.004		
D2 R88-440-855-860		0.003		
D2 R88-440-860-865		<0.002		
D2 R88-440-865-870		<0.002		
D2 R88-440-870-875		<0.002		
D2 R88-440-875-880		0.004		
D2 R88-440-880-885		<0.002		
D2 R88-440-885-890		0.007		
D2 R88-440-890-895		0.002		
D2 R88-440-895-900		0.010		
D2 R88-440-900-905		0.003		
D2 R88-440-905-910		0.002		
D2 R88-440-910-915		0.010		
D2 R88-440-915-920		0.003		
D2 R88-440-920-925		0.002		
D2 R88-440-925-930		0.005		
D2 R88-440-930-935		0.005		
D2 R88-440-935-940		0.008		
D2 R88-440-940-945		0.006		
D2 R88-440-945-950		0.004		
D2 R88-440-950-955		0.007		
D2 R88-440-955-960		0.006		
D2 R88-440-960-965		0.005		
D2 R88-440-965-970		0.002		
D2 R88-440-970-975		0.006		
D2 R88-440-975-980		0.003		
D2 R88-440-980-985		<0.002		
D2 R88-440-985-990		<0.002		
D2 R88-440-990-995		0.002		
D2 R88-440-995-1000		<0.002		
D2 R88-440-1000-1005		0.008		

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13069, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1054
Project : NONE LISTED
Reference: NONE LISTED

3 Analyses of Gold	at $ 0.00	$ 0.00	
3 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1167 Samples of Excessive Wetness	at $ 0.15	$ 175.05	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 367.05	$ 367.05
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 12.28	
2% DEADWOOD CITY SALES TAX		$ 6.14	
Subtotal		$ 18.42	$ 18.42
Invoice Total:			$ 775.47 U.S.

KCD-440 (25-1003)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1059 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 18-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	58	0.002 OPT		Fire Assay
2	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	58	2 -150	58	Assay Prep	58
				Excessive Wetness	808
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED. 2 SEPARATE RESULTS ARE REPORTED FOR ONE SAMPLE.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1059

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT
D2 R88-440-1005-1010		0.003	
D2 R88-440-1010-1015		<0.002	
D2 R88-440-1015-1020		<0.002	
D2 R88-440-1020-1025		0.002	
D2 R88-440-1025-1030		0.002	
D2 R88-440-1030-1035		0.011	
D2 R88-440-1035-1040		0.003	
D2 R88-440-1040-1045		0.009	
D2 R88-440-1045-1050		0.008	
D2 R88-440-1050-1055		0.015	
D2 R88-440-1055-1060		0.010	
D2 R88-440-1060-1065		0.008	
D2 R88-440-1065-1070		0.018	
D2 R88-440-1070-1075		0.039	
D2 R88-440-1075-1080		0.030	
D2 R88-440-1080-1085		0.037	
D2 R88-440-1085-1090		0.033	
D2 R88-440-1090-1095		0.015	
D2 R88-440-1095-1100		0.008	
D2 R88-440-1100-1105		0.012	
D2 R88-440-1105-1110		0.010	
D2 R88-440-1110-1115		0.006	
D2 R88-440-1115-1120		<0.002	
D2 R88-440-1120-1125		<0.002	
D2 R88-440-1125-1130		0.008	
D2 R88-440-1130-1135		0.082	0.058 =.070
D2 R88-440-1135-1140		0.056	
D2 R88-440-1140-1145		0.026	
D2 R88-440-1145-1150		0.022	
D2 R88-440-1150-1155		0.040	
D2 R88-440-1155-1160		0.034	
D2 R88-440-1160-1165		0.020	
D2 R88-440-1165-1170		0.024	
D2 R88-440-1170-1175		0.027	
D2 R88-440-1175-1180		0.039	
D2 R88-440-1180-1185		0.023	
D2 R88-440-1185-1190		0.018	
D2 R88-440-1190-1195		0.020	
D2 R88-440-1195-1200		0.035	
D2 R88-440-1200-1205		0.016	
D2 R88-440-1205-1210		0.032	
D2 R88-440-1210-1215		0.009	
D2 R88-440-1215-1220		0.015	
D2 R88-440-1220-1225		0.005	
D2 R88-440-1225-1230		0.007	
D2 R88-440-1230-1235		<0.002	
D2 R88-440-1235-1240		0.005	
D2 R88-440-1240-1245		0.003	
D2 R88-440-1245-1250		0.018	
D2 R88-440-1250-1255		0.012	
D2 R88-440-1255-1260		0.006	
D2 R88-440-1260-1265		<0.002	
D2 R88-440-1265-1270		<0.002	
D2 R88-440-1270-1275		0.006	
D2 R88-440-1275-1280		<0.002	
D2 R88-440-1280-1285		<0.002	
D2 R88-440-1285-1290		0.005	
D2 R88-440-1290-1295		0.009	

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Invoice : 13053, Page 1

Date : 25-OCT-88

Report No: 098-1059
Project : NONE LISTED
Reference: NONE LISTED

1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
58 Analyses of Gold	at $ 6.50	$ 377.00	
Subtotal		$ 377.00	$ 377.00
Sample Preparation			
58 Samples of Assay Prep	at $ 3.00	$ 174.00	
808 Samples of Excessive Wetness	at $ 0.15	$ 121.20	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 307.20	$ 307.20
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 9.97	
2% DEADWOOD CITY SALES TAX		$ 4.98	
Subtotal		$ 14.95	$ 14.95
Invoice Total:			$ 699.15 U.S.

+88-440 (1295)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1073 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 21-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	61	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	61	2 -150	61	Assay Prep	61
				Excessive Wetness	836
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1073

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-440-1295-1300		0.004
D2 R88-440-1300-1305		<0.002
D2 R88-440-1305-1310		<0.002
D2 R88-440-1310-1315		<0.002
D2 R88-440-1315-1320		0.005
D2 R88-440-1320-1325		0.005
D2 R88-440-1325-1330		0.003
D2 R88-440-1330-1335		<0.002
D2 R88-440-1335-1340		0.006
D2 R88-440-1340-1345		<0.002
D2 R88-440-1345-1350		<0.002
D2 R88-440-1350-1355		<0.002
D2 R88-440-1355-1360		<0.002
D2 R88-440-1360-1365		0.006
D2 R88-440-1365-1370		<0.002
D2 R88-440-1370-1375		0.005
D2 R88-440-1375-1380		0.004
D2 R88-440-1380-1385		<0.002
D2 R88-440-1385-1390		<0.002
D2 R88-440-1390-1395		0.008
D2 R88-440-1395-1400		0.018
D2 R88-440-1400-1405		0.021
D2 R88-440-1405-1410		0.019
D2 R88-440-1410-1415		0.007
D2 R88-440-1415-1420		<0.002
D2 R88-440-1420-1425		0.029
D2 R88-440-1425-1430		<0.002
D2 R88-440-1430-1435		<0.002
D2 R88-440-1435-1440		<0.002
D2 R88-440-1440-1445		<0.002
D2 R88-440-1445-1450		<0.002
D2 R88-440-1450-1455		0.061
D2 R88-440-1455-1460		0.014
D2 R88-440-1460-1465		<0.002
D2 R88-440-1465-1470		0.023
D2 R88-440-1470-1475		0.005
D2 R88-440-1475-1480		0.005
D2 R88-440-1480-1485		0.006
D2 R88-440-1485-1490		0.007
D2 R88-440-1490-1495		<0.002
D2 R88-440-1495-1500		0.006
D2 R88-440-1500-1505		0.010
D2 R88-440-1505-1510		0.009
D2 R88-440-1510-1515		0.011
D2 R88-440-1515-1520		0.009
D2 R88-440-1520-1525		0.008
D2 R88-440-1525-1530		0.007
D2 R88-440-1530-1535		0.016
D2 R88-440-1535-1540		0.007
D2 R88-440-1540-1545		0.006
D2 R88-440-1545-1550		0.005
D2 R88-440-1550-1555		0.012
D2 R88-440-1555-1560		0.011
D2 R88-440-1560-1565		0.007
D2 R88-440-1565-1570		0.009
D2 R88-440-1570-1575		0.008
D2 R88-440-1575-1580		<0.002
D2 R88-440-1580-1585		0.008
D2 R88-440-1585-1590		0.012
D2 R88-440-1590-1595		0.002
D2 R88-440-1595-1600		<0.002

BROWN MINING CO.
OCT 31 1988
RECEIVED

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13026, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1073
Project : NONE LISTED
Reference: NONE LISTED

61 Analyses of Gold	at $ 6.50	$ 396.50	
Subtotal		$ 396.50	$ 396.50
Sample Preparation			
61 Samples of Assay Prep	at $ 3.00	$ 183.00	
836 Samples of Excessive Wetness	at $ 0.15	$ 125.40	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 320.40	$ 320.40
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 10.38	
2% DEADWOOD CITY SALES TAX		$ 5.19	
Subtotal		$ 15.57	$ 15.57
Invoice Total:			$ 732.47 U.S.

1-3 - 440 (1295 - 1600)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 07-10-88 14:20:26 098-1048   J. BARRON            12/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT GILT EDGE       #SAMPLES:   21 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA       OPT   21 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  21           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10480001" "D" "2" "R88-440-0-5          "   -0.002
"10480002" "D" "2" "R88-440-5-10         "   -0.002
"10480003" "D" "2" "R88-440-10-15        "   -0.002
"10480004" "D" "2" "R88-440-15-20        "   -0.002
"10480005" "D" "2" "R88-440-20-25        "    0.005
"10480006" "D" "2" "R88-440-25-30        "   -0.002
"10480007" "D" "2" "R88-440-30-35        "   -0.002
"10480008" "D" "2" "R88-440-35-40        "   -0.002
"10480009" "D" "2" "R88-440-40-45        "   -0.002
"10480012" "D" "2" "R88-440-45-50        "   -0.002
"10480013" "D" "2" "R88-440-50-55        "   -0.002
"10480014" "D" "2" "R88-440-55-60        "   -0.002
"10480015" "D" "2" "R88-440-60-65        "   -0.002
"10480016" "D" "2" "R88-440-65-70        "    0.004
"10480017" "D" "2" "R88-440-70-75        "    0.005
"10480018" "D" "2" "R88-440-75-80        "    0.007
"10480019" "D" "2" "R88-440-80-85        "    0.003
"10480020" "D" "2" "R88-440-85-90        "    0.003
"10480021" "D" "2" "R88-440-90-95        "    0.003
"10480022" "D" "2" "R88-440-95-100       "   -0.002
"10480023" "D" "2" "R88-440-100-105      "    0.014
"END"
```

```
"TITLE 10-10-88 09:42:33 098-1050   J. BARRON            13/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1099           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10500001" "D" "2" "R88-440-105-110     "   -0.002
"10500004" "D" "2" "R88-440-110-115     "    0.003
"10500005" "D" "2" "R88-440-115-120     "    0.003
"10500006" "D" "2" "R88-440-120-125     "   -0.002
"10500007" "D" "2" "R88-440-125-130     "   -0.002
"10500008" "D" "2" "R88-440-130-135     "    0.004
"10500009" "D" "2" "R88-440-135-140     "    0.003
"10500010" "D" "2" "R88-440-140-145     "    0.006
"10500011" "D" "2" "R88-440-145-150     "    0.006
"10500012" "D" "2" "R88-440-150-155     "    0.010
"10500013" "D" "2" "R88-440-155-160     "    0.045
"10500014" "D" "2" "R88-440-160-165     "    0.012
"10500015" "D" "2" "R88-440-165-170     "    0.008
"10500016" "D" "2" "R88-440-170-175     "    0.004
"10500017" "D" "2" "R88-440-175-180     "    0.009
"10500018" "D" "2" "R88-440-180-185     "    0.008
"10500019" "D" "2" "R88-440-185-190     "    0.015
"10500020" "D" "2" "R88-440-190-195     "    0.017
"10500021" "D" "2" "R88-440-195-200     "    0.010
"10500022" "D" "2" "R88-440-200-205     "   -0.002
"10500023" "D" "2" "R88-440-205-210     "    0.007
"10500024" "D" "2" "R88-440-210-215     "   -0.002
"10500025" "D" "2" "R88-440-215-220     "   -0.002
"10500026" "D" "2" "R88-440-220-225     "   -0.002
"10500029" "D" "2" "R88-440-225-230     "   -0.002
"10500030" "D" "2" "R88-440-230-235     "   -0.002
"10500031" "D" "2" "R88-440-235-240     "   -0.002
"10500032" "D" "2" "R88-440-240-245     "   -0.002
"10500033" "D" "2" "R88-440-245-250     "   -0.002
"10500034" "D" "2" "R88-440-250-255     "   -0.002
"10500035" "D" "2" "R88-440-255-260     "   -0.002
"10500036" "D" "2" "R88-440-260-265     "   -0.002
"10500037" "D" "2" "R88-440-265-270     "   -0.002
"10500038" "D" "2" "R88-440-270-275     "   -0.002
"10500039" "D" "2" "R88-440-275-280     "   -0.002
"10500040" "D" "2" "R88-440-280-285     "   -0.002
"10500041" "D" "2" "R88-440-285-290     "   -0.002
"10500042" "D" "2" "R88-440-290-295     "   -0.002
"10500043" "D" "2" "R88-440-295-300     "   -0.002
"10500044" "D" "2" "R88-440-300-305     "   -0.002
"10500045" "D" "2" "R88-440-305-310     "   -0.002
"10500046" "D" "2" "R88-440-310-315     "   -0.002
"10500047" "D" "2" "R88-440-315-320     "   -0.002
```

"10500048"	"D"	"2"	"R88-440-320-325	"	-0.002
"10500049"	"D"	"2"	"R88-440-325-330	"	-0.002
"10500050"	"D"	"2"	"R88-440-330-335	"	-0.002
"10500051"	"D"	"2"	"R88-440-335-340	"	-0.002
"10500054"	"D"	"2"	"R88-440-340-345	"	0.005
"10500055"	"D"	"2"	"R88-440-345-350	"	-0.002
"10500056"	"D"	"2"	"R88-440-350-355	"	0.003
"10500057"	"D"	"2"	"R88-440-355-360	"	0.004
"10500058"	"D"	"2"	"R88-440-360-365	"	0.006
"10500059"	"D"	"2"	"R88-440-365-370	"	0.009
"10500060"	"D"	"2"	"R88-440-370-375	"	0.013
"10500061"	"D"	"2"	"R88-440-375-380	"	0.039
"10500062"	"D"	"2"	"R88-440-380-385	"	0.011
"10500063"	"D"	"2"	"R88-440-385-390	"	0.025
"10500064"	"D"	"2"	"R88-440-390-395	"	0.048
"10500065"	"D"	"2"	"R88-440-395-400	"	0.047
"10500066"	"D"	"2"	"R88-440-400-405	"	0.030

"END"

375

```
"TITLE 27-10-88 10:10:06 098-1053   J. BARRON            13/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1118           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                        "
"  51 TWO SEPARATE RESULTS ARE REPORTED FOR ONE          "
"  52 SAMPLE.                                            "
"  53 (THIS REPORT HAS ALREADY BEEN SENT OVER THE        "
"  54  COMPUTER.  TWO SEPARATE RESULTS WERE REPORTED     "
"  55  IN THIS COMMENT SECTION BUT NOT IN THE MAIN       "
"  56  REPORT.)                                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"10530001" "D" "2" "R88-440-405-410      "    0.032      -9
"10530002" "D" "2" "R88-440-410-415      "    0.012      -9
"10530003" "D" "2" "R88-440-415-420      "    0.008      -9
"10530004" "D" "2" "R88-440-420-425      "    0.012      -9
"10530007" "D" "2" "R88-440-425-430      "    0.053      -9
"10530008" "D" "2" "R88-440-430-435      "    0.026      -9
"10530009" "D" "2" "R88-440-435-440      "    0.023      -9
"10530010" "D" "2" "R88-440-440-445      "    0.036      -9
"10530011" "D" "2" "R88-440-445-450      "    0.013      -9
"10530012" "D" "2" "R88-440-450-455      "    0.016      -9
"10530013" "D" "2" "R88-440-455-460      "    0.029      -9
"10530014" "D" "2" "R88-440-460-465      "    0.025      -9
"10530015" "D" "2" "R88-440-465-470      "    0.017      -9
"10530016" "D" "2" "R88-440-470-475      "    0.014      -9
"10530017" "D" "2" "R88-440-475-480      "    0.025      -9
"10530018" "D" "2" "R88-440-480-485      "    0.003      -9
"10530019" "D" "2" "R88-440-485-490      "    0.124   0.243
"10530020" "D" "2" "R88-440-490-495      "    0.009      -9
"10530021" "D" "2" "R88-440-495-500      "    0.007      -9
"10530022" "D" "2" "R88-440-500-505      "    0.005      -9
"10530023" "D" "2" "R88-440-505-510      "    0.004      -9
"10530024" "D" "2" "R88-440-510-515      "    0.005      -9
"10530025" "D" "2" "R88-440-515-520      "    0.009      -9
"10530026" "D" "2" "R88-440-520-525      "    0.002      -9
"10530027" "D" "2" "R88-440-525-530      "   -0.002      -9
"10530028" "D" "2" "R88-440-530-535      "   -0.002      -9
"10530029" "D" "2" "R88-440-535-540      "    0.018      -9
"10530032" "D" "2" "R88-440-540-545      "    0.005      -9
"10530033" "D" "2" "R88-440-545-550      "   -0.002      -9
"10530034" "D" "2" "R88-440-550-555      "   -0.002      -9
"10530035" "D" "2" "R88-440-555-560      "    0.005      -9
"10530036" "D" "2" "R88-440-560-565      "    0.009      -9
```

425-490

65'@

22 - 544

(AVE = .184)

"10530037"	"D"	"2"	"R88-440-565-570	"	0.009	-9
"10530038"	"D"	"2"	"R88-440-570-575	"	0.006	-9
"10530039"	"D"	"2"	"R88-440-575-580	"	0.005	-9
"10530040"	"D"	"2"	"R88-440-580-585	"	0.012	-9
"10530041"	"D"	"2"	"R88-440-585-590	"	0.013	-9
"10530042"	"D"	"2"	"R88-440-590-595	"	0.009	-9
"10530043"	"D"	"2"	"R88-440-595-600	"	0.005	-9
"10530044"	"D"	"2"	"R88-440-600-605	"	0.005	-9
"10530045"	"D"	"2"	"R88-440-605-610	"	-0.002	-9
"10530046"	"D"	"2"	"R88-440-610-615	"	0.005	-9
"10530047"	"D"	"2"	"R88-440-615-620	"	0.007	-9
"10530048"	"D"	"2"	"R88-440-620-625	"	-0.002	-9
"10530049"	"D"	"2"	"R88-440-625-630	"	0.004	-9
"10530050"	"D"	"2"	"R88-440-630-635	"	0.009	-9
"10530051"	"D"	"2"	"R88-440-635-640	"	-0.002	-9
"10530052"	"D"	"2"	"R88-440-640-645	"	-0.002	-9
"10530053"	"D"	"2"	"R88-440-645-650	"	-0.002	-9
"10530054"	"D"	"2"	"R88-440-650-655	"	-0.002	-9
"10530057"	"D"	"2"	"R88-440-655-660	"	0.002	-9
"10530058"	"D"	"2"	"R88-440-660-665	"	0.007	-9
"10530059"	"D"	"2"	"R88-440-665-670	"	0.008	-9
"10530060"	"D"	"2"	"R88-440-670-675	"	-0.002	-9
"10530061"	"D"	"2"	"R88-440-675-680	"	0.008	-9
"10530062"	"D"	"2"	"R88-440-680-685	"	0.006	-9
"10530063"	"D"	"2"	"R88-440-685-690	"	0.006	-9
"10530064"	"D"	"2"	"R88-440-690-695	"	0.009	-9
"10530065"	"D"	"2"	"R88-440-695-700	"	0.006	-9
"10530066"	"D"	"2"	"R88-440-700-705	"	0.007	-9

"END"

```
"TITLE 13-10-88 10:11:26 098-1054   J. BARRON            14/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    3 0.002 99.999 Results Reported     "
"  03 Au     FA        OPT    3 0.002 30.000 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P64=1167           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                        "
"  51 3 SEPARATE ASSAY RESULTS REPORTED FOR SOME         "
"  52 SAMPLES.  (ERRATIC RESULTS)                        "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,3(1X,A7,A1))"
```

"BEGIN "	"Type"	"Frac"	"Sample ID"	"	Au"	" Au"	" Au"	
"10540001"	"D"	"2"	"R88-440-705-710	AVE = .042	0.017 —	0.103	0.005	705-775
"10540002"	"D"	"2"	"R88-440-710-715	"	0.019-	-9	-9	
"10540003"	"D"	"2"	"R88-440-715-720	"	0.027 —	-9	-9	
"10540004"	"D"	"2"	"R88-440-720-725	AVE = .069	0.088 —	0.015	0.104	70'c .066
"10540005"	"D"	"2"	"R88-440-725-730	"	0.128 —	-9	-9	
"10540008"	"D"	"2"	"R88-440-730-735	"	0.049 —	-9	-9	
"10540009"	"D"	"2"	"R88-440-735-740	"	0.072 —	-9	-9	
"10540010"	"D"	"2"	"R88-440-740-745	"	0.103 —	-9	-9	
"10540011"	"D"	"2"	"R88-440-745-750	"	0.151 —	-9	-9	
"10540012"	"D"	"2"	"R88-440-750-755	"	0.122 —	-9	-9	
"10540013"	"D"	"2"	"R88-440-755-760	"	0.024 —	-9	-9	
"10540014"	"D"	"2"	"R88-440-760-765	"	0.009-	-9	-9	
"10540015"	"D"	"2"	"R88-440-765-770	"	0.020 —	-9	-9	
"10540016"	"D"	"2"	"R88-440-770-775	AVE = .082	0.080 —	0.050	0.116	
"10540017"	"D"	"2"	"R88-440-775-780	"	0.015	-9	-9	
"10540018"	"D"	"2"	"R88-440-780-785	"	0.004	-9	-9	
"10540019"	"D"	"2"	"R88-440-785-790	"	0.015	-9	-9	
"10540020"	"D"	"2"	"R88-440-790-795	"	-0.002	-9	-9	
"10540021"	"D"	"2"	"R88-440-795-800	"	0.003	-9	-9	
"10540022"	"D"	"2"	"R88-440-800-805	"	0.004	-9	-9	
"10540023"	"D"	"2"	"R88-440-805-810	"	0.008	-9	-9	
"10540024"	"D"	"2"	"R88-440-810-815	"	0.005	-9	-9	
"10540025"	"D"	"2"	"R88-440-815-820	"	0.007	-9	-9	
"10540026"	"D"	"2"	"R88-440-820-825	"	0.007	-9	-9	
"10540027"	"D"	"2"	"R88-440-825-830	"	0.005	-9	-9	
"10540028"	"D"	"2"	"R88-440-830-835	"	0.003	-9	-9	
"10540029"	"D"	"2"	"R88-440-835-840	"	0.004	-9	-9	
"10540030"	"D"	"2"	"R88-440-840-845	"	0.002	-9	-9	
"10540033"	"D"	"2"	"R88-440-845-850	"	0.006	-9	-9	
"10540034"	"D"	"2"	"R88-440-850-855	"	0.004	-9	-9	
"10540035"	"D"	"2"	"R88-440-855-860	"	0.003	-9	-9	
"10540036"	"D"	"2"	"R88-440-860-865	"	-0.002	-9	-9	
"10540037"	"D"	"2"	"R88-440-865-870	"	-0.002	-9	-9	
"10540038"	"D"	"2"	"R88-440-870-875	"	-0.002	-9	-9	
"10540039"	"D"	"2"	"R88-440-875-880	"	0.004	-9	-9	
"10540040"	"D"	"2"	"R88-440-880-885	"	-0.002	-9	-9	
"10540041"	"D"	"2"	"R88-440-885-890	"	0.007	-9	-9	

"10540042"	"D"	"2"	"R88-440-890-895	"	0.002	-9	-9
"10540043"	"D"	"2"	"R88-440-895-900	"	0.010	-9	-9
"10540044"	"D"	"2"	"R88-440-900-905	"	0.003	-9	-9
"10540045"	"D"	"2"	"R88-440-905-910	"	0.002	-9	-9
"10540046"	"D"	"2"	"R88-440-910-915	"	0.010	-9	-9
"10540047"	"D"	"2"	"R88-440-915-920	"	0.003	-9	-9
"10540048"	"D"	"2"	"R88-440-920-925	"	0.002	-9	-9
"10540049"	"D"	"2"	"R88-440-925-930	"	0.005	-9	-9
"10540050"	"D"	"2"	"R88-440-930-935	"	0.005	-9	-9
"10540051"	"D"	"2"	"R88-440-935-940	"	0.008	-9	-9
"10540052"	"D"	"2"	"R88-440-940-945	"	0.006	-9	-9
"10540053"	"D"	"2"	"R88-440-945-950	"	0.004	-9	-9
"10540054"	"D"	"2"	"R88-440-950-955	"	0.007	-9	-9
"10540055"	"D"	"2"	"R88-440-955-960	"	0.006	-9	-9
"10540058"	"D"	"2"	"R88-440-960-965	"	0.005	-9	-9
"10540059"	"D"	"2"	"R88-440-965-970	"	0.002	-9	-9
"10540060"	"D"	"2"	"R88-440-970-975	"	0.006	-9	-9
"10540061"	"D"	"2"	"R88-440-975-980	"	0.003	-9	-9
"10540062"	"D"	"2"	"R88-440-980-985	"	-0.002	-9	-9
"10540063"	"D"	"2"	"R88-440-985-990	"	-0.002	-9	-9
"10540064"	"D"	"2"	"R88-440-990-995	"	0.002	-9	-9
"10540065"	"D"	"2"	"R88-440-995-1000	"	-0.002	-9	-9
"10540066"	"D"	"2"	"R88-440-1000-1005	"	0.008	-9	-9

"END"

```
"TITLE 18-10-88 12:15:16 098-1059   J. BARRON            14/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   58 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   58 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    1 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  58           Assay Prep          "
"  42 P64= 808           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.  2 SEPARATE RESULTS"
"  51 ARE REPORTED FOR ONE SAMPLE.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,2(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au"
"10590001" "D" "2" "R88-440-1005-1010   "    0.003       -9
"10590002" "D" "2" "R88-440-1010-1015   "   -0.002       -9
"10590003" "D" "2" "R88-440-1015-1020   "   -0.002       -9
"10590004" "D" "2" "R88-440-1020-1025   "    0.002       -9
"10590005" "D" "2" "R88-440-1025-1030   "    0.002       -9
"10590006" "D" "2" "R88-440-1030-1035   "    0.011       -9
"10590007" "D" "2" "R88-440-1035-1040   "    0.003       -9
"10590008" "D" "2" "R88-440-1040-1045   "    0.009       -9
"10590009" "D" "2" "R88-440-1045-1050   "    0.008       -9
"10590010" "D" "2" "R88-440-1050-1055   "    0.015       -9
"10590013" "D" "2" "R88-440-1055-1060   "    0.010       -9
"10590014" "D" "2" "R88-440-1060-1065   "    0.008       -9
"10590015" "D" "2" "R88-440-1065-1070   "    0.018       -9
"10590016" "D" "2" "R88-440-1070-1075   "    0.039       -9   1070-1090
"10590017" "D" "2" "R88-440-1075-1080   "    0.030       -9
"10590018" "D" "2" "R88-440-1080-1085   "    0.037       -9
"10590019" "D" "2" "R88-440-1085-1090   "    0.033       -9
"10590020" "D" "2" "R88-440-1090-1095   "    0.015       -9
"10590021" "D" "2" "R88-440-1095-1100   "    0.008       -9
"10590022" "D" "2" "R88-440-1100-1105   "    0.012       -9
"10590023" "D" "2" "R88-440-1105-1110   "    0.010       -9
"10590024" "D" "2" "R88-440-1110-1115   "    0.006       -9
"10590025" "D" "2" "R88-440-1115-1120   "   -0.002       -9
"10590026" "D" "2" "R88-440-1120-1125   "   -0.002       -9
"10590027" "D" "2" "R88-440-1125-1130   "    0.008       -9
"10590028" "D" "2" "R88-440-1130-1135 AVE=.070  0.082  0.058
"10590029" "D" "2" "R88-440-1135-1140   "    0.056       -9   1130-1210
"10590030" "D" "2" "R88-440-1140-1145   "    0.026       -9
"10590031" "D" "2" "R88-440-1145-1150   "    0.022       -9   80'@
"10590032" "D" "2" "R88-440-1150-1155   "    0.040       -9
"10590033" "D" "2" "R88-440-1155-1160   "    0.034       -9
"10590034" "D" "2" "R88-440-1160-1165   "    0.020       -9
"10590035" "D" "2" "R88-440-1165-1170   "    0.024       -9
"10590038" "D" "2" "R88-440-1170-1175   "    0.027       -9
"10590039" "D" "2" "R88-440-1175-1180   "    0.039       -9
"10590040" "D" "2" "R88-440-1180-1185   "    0.023       -9
"10590041" "D" "2" "R88-440-1185-1190   "    0.018       -9
"10590042" "D" "2" "R88-440-1190-1195   "    0.020       -9
"10590043" "D" "2" "R88-440-1195-1200   "    0.035       -9
"10590044" "D" "2" "R88-440-1200-1205   "    0.016       -9
```

1130 -1210
80'@

"10590045"	"D"	"2"	"R88-440-1205-1210 "	0.032	-9	
"10590046"	"D"	"2"	"R88-440-1210-1215 "	0.009	-9	
"10590047"	"D"	"2"	"R88-440-1215-1220 "	0.015	-9	
"10590048"	"D"	"2"	"R88-440-1220-1225 "	0.005	-9	
"10590049"	"D"	"2"	"R88-440-1225-1230 "	0.007	-9	
"10590050"	"D"	"2"	"R88-440-1230-1235 "	-0.002	-9	
"10590051"	"D"	"2"	"R88-440-1235-1240 "	0.005	-9	
"10590052"	"D"	"2"	"R88-440-1240-1245 "	0.003	-9	
"10590053"	"D"	"2"	"R88-440-1245-1250 "	0.018	-9	
"10590054"	"D"	"2"	"R88-440-1250-1255 "	0.012	-9	
"10590055"	"D"	"2"	"R88-440-1255-1260 "	0.006	-9	
"10590056"	"D"	"2"	"R88-440-1260-1265 "	-0.002	-9	
"10590057"	"D"	"2"	"R88-440-1265-1270 "	-0.002	-9	
"10590058"	"D"	"2"	"R88-440-1270-1275 "	0.006	-9	
"10590059"	"D"	"2"	"R88-440-1275-1280 "	-0.002	-9	
"10590060"	"D"	"2"	"R88-440-1280-1285 "	-0.002	-9	
"10590063"	"D"	"2"	"R88-440-1285-1290 "	0.005	-9	
"10590064"	"D"	"2"	"R88-440-1290-1295 "	0.009	-9	

"END"

```
"TITLE 21-10-88 10:11:24 098-1073   J. BARRON            19/09/88"
"CLIENT BROHM MINING CORP.                                 "
"PROJECT NONE LISTED     #SAMPLES:   61 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   61 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  61           Assay Prep          "
"  42 P64= 836           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10730001" "D" "2" "R88-440-1295-1300   "    0.004
"10730002" "D" "2" "R88-440-1300-1305   "   -0.002
"10730003" "D" "2" "R88-440-1305-1310   "   -0.002
"10730004" "D" "2" "R88-440-1310-1315   "   -0.002
"10730007" "D" "2" "R88-440-1315-1320   "    0.005
"10730008" "D" "2" "R88-440-1320-1325   "    0.005
"10730009" "D" "2" "R88-440-1325-1330   "    0.003
"10730010" "D" "2" "R88-440-1330-1335   "   -0.002
"10730011" "D" "2" "R88-440-1335-1340   "    0.006
"10730012" "D" "2" "R88-440-1340-1345   "   -0.002
"10730013" "D" "2" "R88-440-1345-1350   "   -0.002
"10730014" "D" "2" "R88-440-1350-1355   "   -0.002
"10730015" "D" "2" "R88-440-1355-1360   "   -0.002
"10730016" "D" "2" "R88-440-1360-1365   "    0.006
"10730017" "D" "2" "R88-440-1365-1370   "   -0.002
"10730018" "D" "2" "R88-440-1370-1375   "    0.005
"10730019" "D" "2" "R88-440-1375-1380   "    0.004
"10730020" "D" "2" "R88-440-1380-1385   "   -0.002
"10730021" "D" "2" "R88-440-1385-1390   "   -0.002
"10730022" "D" "2" "R88-440-1390-1395   "    0.008
"10730023" "D" "2" "R88-440-1395-1400   "    0.018
"10730024" "D" "2" "R88-440-1400-1405   "    0.021
"10730025" "D" "2" "R88-440-1405-1410   "    0.019
"10730026" "D" "2" "R88-440-1410-1415   "    0.007
"10730027" "D" "2" "R88-440-1415-1420   "   -0.002
"10730028" "D" "2" "R88-440-1420-1425   "    0.029
"10730029" "D" "2" "R88-440-1425-1430   "   -0.002
"10730032" "D" "2" "R88-440-1430-1435   "   -0.002
"10730033" "D" "2" "R88-440-1435-1440   "   -0.002
"10730034" "D" "2" "R88-440-1440-1445   "   -0.002
"10730035" "D" "2" "R88-440-1445-1450   "   -0.002
"10730036" "D" "2" "R88-440-1450-1455   "    0.061
"10730037" "D" "2" "R88-440-1455-1460   "    0.014
"10730038" "D" "2" "R88-440-1460-1465   "   -0.002
"10730039" "D" "2" "R88-440-1465-1470   "    0.023
"10730040" "D" "2" "R88-440-1470-1475   "    0.005
"10730041" "D" "2" "R88-440-1475-1480   "    0.005
"10730042" "D" "2" "R88-440-1480-1485   "    0.006
"10730043" "D" "2" "R88-440-1485-1490   "    0.007
"10730044" "D" "2" "R88-440-1490-1495   "   -0.002
"10730045" "D" "2" "R88-440-1495-1500   "    0.006
```

20' @ .025

"10730046"	"D"	"2"	"R88-440-1500-1505	"	0.010
"10730047"	"D"	"2"	"R88-440-1505-1510	"	0.009
"10730048"	"D"	"2"	"R88-440-1510-1515	"	0.011
"10730049"	"D"	"2"	"R88-440-1515-1520	"	0.009
"10730050"	"D"	"2"	"R88-440-1520-1525	"	0.008
"10730051"	"D"	"2"	"R88-440-1525-1530	"	0.007
"10730052"	"D"	"2"	"R88-440-1530-1535	"	0.016
"10730053"	"D"	"2"	"R88-440-1535-1540	"	0.007
"10730054"	"D"	"2"	"R88-440-1540-1545	"	0.006
"10730057"	"D"	"2"	"R88-440-1545-1550	"	0.005
"10730058"	"D"	"2"	"R88-440-1550-1555	"	0.012
"10730059"	"D"	"2"	"R88-440-1555-1560	"	0.011
"10730060"	"D"	"2"	"R88-440-1560-1565	"	0.007
"10730061"	"D"	"2"	"R88-440-1565-1570	"	0.009
"10730062"	"D"	"2"	"R88-440-1570-1575	"	0.008
"10730063"	"D"	"2"	"R88-440-1575-1580	"	-0.002
"10730064"	"D"	"2"	"R88-440-1580-1585	"	0.008
"10730065"	"D"	"2"	"R88-440-1585-1590	"	0.012
"10730066"	"D"	"2"	"R88-440-1590-1595	"	0.002
"10730067"	"D"	"2"	"R88-440-1595-1600	"	-0.002

"END"