Contractor: TONTO | Coordinates: 36 | Project: Gold Edge | Hole No.: KBG-945

Drill Type: | Casing Depth: | State: SD | Sheet 1 of 4

Hole Size: | Bearing: — | Inclination: 90 | Date Started: 9-10-80 | Property: Gold Edge

Collar Elev.: | Final Depth: 540' | Date Completed: | Hole Surveyed: NO

DRILL CUTTING LOG

Logged by:

Distance (feet)	Graphic Logs: Alteration (1 Weak, 2 Moderate, 3 Strong)	Total Sulfides (vol %)	Rock Code	Ore Code	Down Hole Location: Distance Down Hole (feet)	Elevation	Rock Type	Description: Mineralogy, Alteration, Textures, Grain Size, Fragment Size	Mineralization: Distribution (Massive, Disseminated, Veinlill, Replacement) / Type	Assay: Au	Assay: Ag
			20	/	0-5		Cdh	0-20 CAMBRIAN DEADWOOD HORNFELS	0-160 SULFIDE 3-4% FeS2		
			40		20-25		Cdq	20-45 CAMBRIAN DEADWOOD QUARTZITE			
			10		40-50		PC	45-75 PRECAMBRIAN SCHIST			
								(55-60) 5-10% PC chert	(55-95) 2-3% FeS2		
					70-75						
			60				Tkp	75-195 TRACHYTE PORPHYRY. dusky silicified matrix			
					95-100			(95-120) 1-3% PC schist	(95-120) 4-5% FeS2 diss.		
					120-125				(120-135) 2-4% FeS2 diss.		
									(135-150) 6-7% FeS2 diss.		
					145-150						
									(150-160) 3-5% FeS2 diss.		
					2				160-220 MIXED 1-3% jarosite, FeAsS, 1-3% FeS2		
					170-175						

Contractor _____ Coordinates _____ Project _____ Hole No. 28E-4/5

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			60	2	175-180		Tbp					
								<fluorite>				
					195-200							
					220-225				220-315 SULFIDE 6-8% FeS2			
					245-250							
									(265-315) 3-5% FeS2			
					270-275							
					295-300							
					320-325				315-400 MIXED 1-2% jarosite 2-4% FeS2 disp			
					345-350							

DRILL CUTTING LOG

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. RSS-445

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

Logged by: _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			60	1	350-355		TKP				
					370-375						
									(380 – 390) 2-3% jarosite, 2-3% FeOx, tr MnOx, tr FeS2		
									(390 – 400) 1-3% jarosite, tr MnOx, 2-3% FeS2, tr FeS2		
					395-400						
								(400 – 540) 4-5% green clot of chlorite	400 – 540 SULFIDE 4-6% FeS2		
					420-425						
					445-450						
					470-475						
								(FUORITE)			
									(485 – 540) 2-4% FeS2 disc		
					495-500						
					520-525						

Contractor _____ Coordinates _____ Project _____ Hole No. P88-445

Drill Type _____ Casing Depth _____ State _____ Sheet 1 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			600	1	525-530		TKp					
					535-540							
							HOLE	TD @ 540' - steel tounge to stop on level. attempted to get through no luck.				

DRILL CUTTING LOG

Logged by: _____

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1071 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 10-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	53	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	53	2 -150	53	Assay Prep	53
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1071

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-445-0-5		0.014
D2 R88-445-5-10		0.009
D2 R88-445-10-15		0.005
D2 R88-445-15-20		0.005
D2 R88-445-20-25		0.005
D2 R88-445-25-30		0.006
D2 R88-445-30-35		0.005
D2 R88-445-35-40		0.014
D2 R88-445-40-45		0.006
D2 R88-445-45-50		0.004
D2 R88-445-50-55		0.004
D2 R88-445-55-60		0.003
D2 R88-445-60-65		0.005
D2 R88-445-65-70		0.005
D2 R88-445-70-75		0.004
D2 R88-445-75-80		0.004
D2 R88-445-80-85		0.006
D2 R88-445-85-90		0.006
D2 R88-445-90-95		0.005
D2 R88-445-95-100		0.005
D2 R88-445-100-105		0.011
D2 R88-445-105-110		0.009
D2 R88-445-110-115		0.003
D2 R88-445-115-120		0.008
D2 R88-445-120-125		0.005
D2 R88-445-125-130		0.005
D2 R88-445-130-135		0.022
D2 R88-445-135-140		0.037
D2 R88-445-140-145		0.024
D2 R88-445-145-150		0.022
D2 R88-445-150-155		0.012
D2 R88-445-155-160		0.014
D2 R88-445-160-165		0.012
D2 R88-445-165-170		0.011
D2 R88-445-170-175		0.007
D2 R88-445-175-180		0.004
D2 R88-445-180-185		<0.002
D2 R88-445-185-190		0.005
D2 R88-445-190-195		0.006
D2 R88-445-195-200		0.008
D2 R88-445-200-205		0.011
D2 R88-445-205-210		0.012
D2 R88-445-210-215		0.007
D2 R88-445-215-220		0.008
D2 R88-445-220-225		0.004
D2 R88-445-225-230		0.006
D2 R88-445-230-235		0.013
D2 R88-445-235-240		0.012
D2 R88-445-240-245		0.006
D2 R88-445-245-250		0.016
D2 R88-445-250-255		<0.002
D2 R88-445-255-260		0.004
D2 R88-445-260-265		0.006

20' @ .053

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 12943, Page 1

BROHM MINING CORP.
MR. JIM BARROW
P.O. BOX 485
DEADWOOD, SD
57732

Date : 12-OCT-88

Report No: 098-1071
Project : NONE LISTED
Reference: NONE LISTED

6545 53 Analyses of Gold	at $ 6.50	$ 344.50	
Subtotal		$ 344.50	$ 344.50
Sample Preparation			
53 Samples of Assay Prep	at $ 3.00	$ 159.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 171.00	$ 171.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 6.72	
2% DEADWOOD CITY SALES TAX		$ 2.36	
Subtotal		$ 7.08	$ 7.08
Invoice Total:			$ 522.58 U.S.

188-445 (0-265)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1074 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: NONE LISTED

SUBMITTED BY: J. BARRON
DATE PRINTED: 18-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	55	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	55	2 -150	55	Assay Prep	55
				Excessive Wetness	849
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1074

PROJECT: NONE LISTED

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-445-265-270		0.014	D2 R88-445-465-470		0.028
D2 R88-445-270-275		0.006	D2 R88-445-470-475		0.023
D2 R88-445-275-280		0.013	D2 R88-445-475-480		0.019
D2 R88-445-280-285		0.006	D2 R88-445-480-485		0.020
D2 R88-445-285-290		0.006	D2 R88-445-485-490		0.024
D2 R88-445-290-295		0.007	D2 R88-445-490-495		0.014
D2 R88-445-295-300		0.012	D2 R88-445-495-500		0.032
D2 R88-445-300-305		0.010	D2 R88-445-500-505		0.018
D2 R88-445-305-310		0.013	D2 R88-445-505-510		0.054
D2 R88-445-310-315		0.012	D2 R88-445-510-515		0.042
D2 R88-445-315-320		0.014	D2 R88-445-515-520		0.035
D2 R88-445-320-325		0.012	D2 R88-445-520-525		0.024
D2 R88-445-325-330		0.007	D2 R88-445-525-530		0.059
D2 R88-445-330-335		0.009	D2 R88-445-530-535		0.013
D2 R88-445-335-340		0.014	D2 R88-445-535-540		0.010
D2 R88-445-340-345		0.008			
D2 R88-445-345-350		0.018			
D2 R88-445-350-355		0.014			
D2 R88-445-355-360		0.015			
D2 R88-445-360-365		0.026			
D2 R88-445-365-370		0.016			
D2 R88-445-370-375		0.016			
D2 R88-445-375-380		0.014			
D2 R88-445-380-385		0.035			
D2 R88-445-385-390		0.115			
D2 R88-445-390-395		0.023			
D2 R88-445-395-400		0.026			
D2 R88-445-400-405		0.013			
D2 R88-445-405-410		0.012			
D2 R88-445-410-415		0.012			
D2 R88-445-415-420		0.013			
D2 R88-445-420-425		0.017			
D2 R88-445-425-430		0.025			
D2 R88-445-430-435		0.039			
D2 R88-445-435-440		0.013			
D2 R88-445-440-445		0.020			
D2 R88-445-445-450		0.025			
D2 R88-445-450-455		0.018			
D2 R88-445-455-460		0.022			
D2 R88-445-460-465		0.041			

105' @ .028

20' @ .100

RECEIVED
OCT 1 1988
BROKEN MINING CO.

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13046, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1074
Project : NONE LISTED
Reference: NONE LISTED

55 Analyses of Gold	at $ 6.50	$ 357.50	
Subtotal		$ 357.50	$ 357.50
Sample Preparation			
55 Samples of Assay Prep	at $ 3.00	$ 165.00	
849 Samples of Excessive Wetness	at $ 0.15	$ 127.35	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 304.35	$ 304.35
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 9.97	
2% DEADWOOD CITY SALES TAX		$ 4.99	
Subtotal		$ 14.96	$ 14.96
Invoice Total:			$ 676.81 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 10-10-88 13:57:57 098-1071   J. BARRON            19/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   53 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   53 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  53           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10710001" "D" "2" "R88-445-0-5          "    0.014
"10710002" "D" "2" "R88-445-5-10         "    0.009
"10710005" "D" "2" "R88-445-10-15        "    0.005
"10710006" "D" "2" "R88-445-15-20        "    0.005
"10710007" "D" "2" "R88-445-20-25        "    0.005
"10710008" "D" "2" "R88-445-25-30        "    0.006
"10710009" "D" "2" "R88-445-30-35        "    0.005
"10710010" "D" "2" "R88-445-35-40        "    0.014
"10710011" "D" "2" "R88-445-40-45        "    0.006
"10710012" "D" "2" "R88-445-45-50        "    0.004
"10710013" "D" "2" "R88-445-50-55        "    0.004
"10710014" "D" "2" "R88-445-55-60        "    0.003
"10710015" "D" "2" "R88-445-60-65        "    0.005
"10710016" "D" "2" "R88-445-65-70        "    0.005
"10710017" "D" "2" "R88-445-70-75        "    0.004
"10710018" "D" "2" "R88-445-75-80        "    0.004
"10710019" "D" "2" "R88-445-80-85        "    0.006
"10710020" "D" "2" "R88-445-85-90        "    0.006
"10710021" "D" "2" "R88-445-90-95        "    0.005
"10710022" "D" "2" "R88-445-95-100       "    0.005
"10710023" "D" "2" "R88-445-100-105      "    0.011
"10710024" "D" "2" "R88-445-105-110      "    0.009
"10710025" "D" "2" "R88-445-110-115      "    0.003
"10710026" "D" "2" "R88-445-115-120      "    0.008
"10710027" "D" "2" "R88-445-120-125      "    0.005
"10710030" "D" "2" "R88-445-125-130      "    0.005
"10710031" "D" "2" "R88-445-130-135      "    0.022
"10710032" "D" "2" "R88-445-135-140      "    0.037
"10710033" "D" "2" "R88-445-140-145      "    0.024
"10710034" "D" "2" "R88-445-145-150      "    0.022
"10710035" "D" "2" "R88-445-150-155      "    0.012
"10710036" "D" "2" "R88-445-155-160      "    0.014
"10710037" "D" "2" "R88-445-160-165      "    0.012
"10710038" "D" "2" "R88-445-165-170      "    0.011
"10710039" "D" "2" "R88-445-170-175      "    0.007
"10710040" "D" "2" "R88-445-175-180      "    0.004
"10710041" "D" "2" "R88-445-180-185      "   -0.002
"10710042" "D" "2" "R88-445-185-190      "    0.005
"10710043" "D" "2" "R88-445-190-195      "    0.006
"10710044" "D" "2" "R88-445-195-200      "    0.008
"10710045" "D" "2" "R88-445-200-205      "    0.011
"10710046" "D" "2" "R88-445-205-210      "    0.012
"10710047" "D" "2" "R88-445-210-215      "    0.007
"10710048" "D" "2" "R88-445-215-220      "    0.008
```

"10710049"	"D"	"2"	"R88-445-220-225	"	0.004
"10710050"	"D"	"2"	"R88-445-225-230	"	0.006
"10710051"	"D"	"2"	"R88-445-230-235	"	0.013
"10710052"	"D"	"2"	"R88-445-235-240	"	0.012
"10710055"	"D"	"2"	"R88-445-240-245	"	0.006
"10710056"	"D"	"2"	"R88-445-245-250	"	0.016
"10710057"	"D"	"2"	"R88-445-250-255	"	-0.002
"10710058"	"D"	"2"	"R88-445-255-260	"	0.004
"10710059"	"D"	"2"	"R88-445-260-265	"	0.006

"END"

```
"TITLE 18-10-88 11:43:11 098-1074   J. BARRON            20/09/88"
"CLIENT BROHM MINING CORP.                                  "
"PROJECT NONE LISTED     #SAMPLES:   55 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   55 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  55           Assay Prep          "
"  42 P64= 849           Excessive Wetness   "
"  43 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                    "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au"
"10740001" "D" "2" "R88-445-265-270      "    0.014
"10740002" "D" "2" "R88-445-270-275      "    0.006
"10740003" "D" "2" "R88-445-275-280      "    0.013
"10740004" "D" "2" "R88-445-280-285      "    0.006
"10740005" "D" "2" "R88-445-285-290      "    0.006
"10740008" "D" "2" "R88-445-290-295      "    0.007
"10740009" "D" "2" "R88-445-295-300      "    0.012
"10740010" "D" "2" "R88-445-300-305      "    0.010
"10740011" "D" "2" "R88-445-305-310      "    0.013
"10740012" "D" "2" "R88-445-310-315      "    0.012
"10740013" "D" "2" "R88-445-315-320      "    0.014
"10740014" "D" "2" "R88-445-320-325      "    0.012
"10740015" "D" "2" "R88-445-325-330      "    0.007
"10740016" "D" "2" "R88-445-330-335      "    0.009
"10740017" "D" "2" "R88-445-335-340      "    0.014
"10740018" "D" "2" "R88-445-340-345      "    0.008
"10740019" "D" "2" "R88-445-345-350      "    0.018
"10740020" "D" "2" "R88-445-350-355      "    0.014
"10740021" "D" "2" "R88-445-355-360      "    0.015
"10740022" "D" "2" "R88-445-360-365      "    0.026
"10740023" "D" "2" "R88-445-365-370      "    0.016
"10740024" "D" "2" "R88-445-370-375      "    0.016
"10740025" "D" "2" "R88-445-375-380      "    0.014
"10740026" "D" "2" "R88-445-380-385      "    0.035
"10740027" "D" "2" "R88-445-385-390      "    0.115
"10740028" "D" "2" "R88-445-390-395      "    0.023
"10740029" "D" "2" "R88-445-395-400      "    0.026
"10740030" "D" "2" "R88-445-400-405      "    0.013
"10740033" "D" "2" "R88-445-405-410      "    0.012
"10740034" "D" "2" "R88-445-410-415      "    0.012
"10740035" "D" "2" "R88-445-415-420      "    0.013
"10740036" "D" "2" "R88-445-420-425      "    0.017
"10740037" "D" "2" "R88-445-425-430      "    0.025
"10740038" "D" "2" "R88-445-430-435      "    0.039
"10740039" "D" "2" "R88-445-435-440      "    0.013
"10740040" "D" "2" "R88-445-440-445      "    0.020
"10740041" "D" "2" "R88-445-445-450      "    0.025
"10740042" "D" "2" "R88-445-450-455      "    0.018
"10740043" "D" "2" "R88-445-455-460      "    0.022
"10740044" "D" "2" "R88-445-460-465      "    0.041
"10740045" "D" "2" "R88-445-465-470      "    0.028
"10740046" "D" "2" "R88-445-470-475      "    0.023
```

380-400

20'@

425-

"10740047"	"D"	"2"	"R88-445-475-480	"	0.019
"10740048"	"D"	"2"	"R88-445-480-485	"	0.020
"10740049"	"D"	"2"	"R88-445-485-490	"	0.024
"10740050"	"D"	"2"	"R88-445-490-495	"	0.014
"10740051"	"D"	"2"	"R88-445-495-500	"	0.032
"10740052"	"D"	"2"	"R88-445-500-505	"	0.018
"10740053"	"D"	"2"	"R88-445-505-510	"	0.054
"10740054"	"D"	"2"	"R88-445-510-515	"	0.042
"10740055"	"D"	"2"	"R88-445-515-520	"	0.035
"10740058"	"D"	"2"	"R88-445-520-525	"	0.024
"10740059"	"D"	"2"	"R88-445-525-530	"	0.059
"10740060"	"D"	"2"	"R88-445-530-535	"	0.013
"10740061"	"D"	"2"	"R88-445-535-540	"	0.010

"END"

.52
.13
1.
2.94

4.59