Contractor LANG | Coordinates 39 | Project GILT EDGE | Hole No. RBS-449

Drill Type | Casing Depth | State SD | Sheet 1 of 4

Hole Size | Bearing – | Inclination 90° | Date Started 9.12.88 | Property GILT EDGE

Collar Elev. | Final Depth 600' | Date Completed 9.13.88 | Hole Surveyed NO

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	3	0-5		Tgtp	0-600 QUARTZ TRACHYTE	0-285	OXIDE 2-3% jarosite		
					20-25							
					45-50							
					70-75				(65-75) 2-3% jarosite, tr-1% FeOx			
									(75-105) 1-2% jarosite			
					95-100							
									(105-145) 1-2% jarosite, tr-1% FeOx			
					120-125							
					145-150				(145-165) 2-3% jarosite			
									(165-170) 1-2% jarosite, tr FeOx			
					170-175				(170-200) 1-2% jarosite			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-449

Drill Type _____ Casing Depth _____ State _____ Sheet 2 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	1	175-180		Tqfp					
					195-200							
									(200 – 230) 1-3% FeOx, 1-2% jarosite			
					220-225							
									(230-255) 1-2% jarosite, tr FeOx			
					245-250							
									(255-270) 1-3% FeOx, 1-2% jarosite			
					270-275				(270-285) tr FeOx, 2-3% jarosite			
				2					285-460 MIXED tr FeS_2, 1-2% jarosite, tr FeOx			
					295-300							
					320-325							
									(335-345) 1-2% FeS_2, tr jarosite			
					345-350				(345-395) 1-2% jarosite, tr FeOx tr FeS_2			

DRILL CUTTING LOG

Logged by:

Contractor _____ Coordinates _____ Project _____ Hole No. R88-449

Drill Type _____ Casing Depth _____ State _____ Sheet 3 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DRILL CUTTING LOG

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	GEOLOGIC NOTES: ROCK TYPE	DESCRIPTION: MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinfill, Replacement) / TYPE	ASSAY Au	ASSAY Ag
			80	2	360-365		Tfp				
					370-375						
					395-400				(395-405) tr jarosite, 1-2% FeS_2 leach		
									(405-460) 1-3% jarosite, tr 2% FeOx, tr 1% MnOx, tr 1% FeS_2 diss		
					420-425						
					445-450						
				1					460-510 SULFIDE 1-3% FeS_2 diss		
					470-475						
					495-500						
				2					510-535 MIXED tr 1% FeS_2 1-2% jarosite, tr MnOx		
					520-525						

Logged by: _____

Contractor _____ Coordinates _____ Project _____ Hole No. R88-449

Drill Type _____ Casing Depth _____ State _____ Sheet 4 of 4

Hole Size _____ Bearing _____ Inclination _____ Date Started _____ Property _____

Collar Elev. _____ Final Depth _____ Date Completed _____ Hole Surveyed _____

DISTANCE (feet)	GRAPHIC LOGS: ALTERATION (1 Weak, 2 Moderate, 3 Strong)	TOTAL SULFIDES (vol %)	ROCK CODE	ORE CODE	DOWN HOLE LOCATION: DISTANCE DOWN HOLE (feet)	ELEVATION	ROCK TYPE	GEOLOGIC NOTES: DESCRIPTION (MINERALOGY, ALTERATION, TEXTURES, GRAIN SIZE, FRAGMENT SIZE)	MINERALIZATION: DISTRIBUTION (Massive, Disseminated, Veinlill, Replacement)	TYPE	ASSAY Au	ASSAY Ag
			80	7	525-530		Tgp					
				1					535 - 600	SULFIDE 1-2% FeS_2		
					545-550							
					570-575							
									(580 - 600) 2-4% FeS_2			
					595-600							

HOLE TD @ 600' - through fine tuff
- waste rock.
- ✓ w/ fumon.

DRILL CUTTING LOG

Logged by:

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1076 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 19-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1076

PROJECT: GILT EDGE

SAMPLE NUMBER	ELEMENT UNITS	Au OPT
D2 R88-449-0-5		<0.002
D2 R88-449-5-10		<0.002
D2 R88-449-10-15		0.007
D2 R88-449-15-20		<0.002
D2 R88-449-20-25		<0.002
D2 R88-449-25-30		<0.002
D2 R88-449-30-35		<0.002
D2 R88-449-35-40		<0.002
D2 R88-449-40-45		<0.002
D2 R88-449-45-50		<0.002
D2 R88-449-50-55		<0.002
D2 R88-449-55-60		<0.002
D2 R88-449-60-65		<0.002
D2 R88-449-65-70		<0.002
D2 R88-449-70-75		0.002
D2 R88-449-75-80		<0.002
D2 R88-449-80-85		<0.002
D2 R88-449-85-90		<0.002
D2 R88-449-90-95		<0.002
D2 R88-449-95-100		<0.002
D2 R88-449-100-105		<0.002
D2 R88-449-105-110		0.013
D2 R88-449-110-115		0.004
D2 R88-449-115-120		0.007
D2 R88-449-120-125		0.003
D2 R88-449-125-130		0.002
D2 R88-449-130-135		<0.002
D2 R88-449-135-140		<0.002
D2 R88-449-140-145		<0.002
D2 R88-449-145-150		<0.002
D2 R88-449-150-155		<0.002
D2 R88-449-155-160		<0.002
D2 R88-449-160-165		<0.002
D2 R88-449-165-170		<0.002
D2 R88-449-170-175		<0.002
D2 R88-449-175-180		0.008
D2 R88-449-180-185		0.003
D2 R88-449-185-190		<0.002
D2 R88-449-190-195		<0.002
D2 R88-449-195-200		<0.002
D2 R88-449-200-205		<0.002
D2 R88-449-205-210		<0.002
D2 R88-449-210-215		<0.002
D2 R88-449-215-220		<0.002
D2 R88-449-220-225		<0.002
D2 R88-449-225-230		0.003
D2 R88-449-230-235		<0.002
D2 R88-449-235-240		<0.002
D2 R88-449-240-245		<0.002
D2 R88-449-245-250		<0.002
D2 R88-449-250-255		<0.002
D2 R88-449-255-260		<0.002
D2 R88-449-260-265		<0.002
D2 R88-449-265-270		<0.002
D2 R88-449-270-275		<0.002
D2 R88-449-275-280		<0.002
D2 R88-449-280-285		<0.002
D2 R88-449-285-290		<0.002
D2 R88-449-290-295		<0.002
D2 R88-449-295-300		0.005

BROHM MINING CO.
RECEIVED
OCT 31 1988

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13038, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1076
Project : GILT EDGE
Reference: NONE LISTED

---

60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

K88-449 (2-300)

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BC
BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1077 (COMPLETE)

REFERENCE INFO: NONE LISTED

CLIENT: BROHM MINING CORP.
PROJECT: GILT EDGE

SUBMITTED BY: J. BARRON
DATE PRINTED: 18-OCT-88

ORDER	ELEMENT		NUMBER OF ANALYSES	LOWER DETECTION LIMIT	EXTRACTION	METHOD
1	Au	Gold	60	0.002 OPT		Fire Assay
2	Au	Gold	2	0.002 OPT		Fire Assay
3	Au	Gold	2	0.002 OPT		Fire Assay
4	Au	Gold	1	0.002 OPT		Fire Assay

SAMPLE TYPES	NUMBER	SIZE FRACTIONS	NUMBER	SAMPLE PREPARATIONS	NUMBER
D DRILL CORE	60	2 -150	60	Assay Prep	60
				Sample Pickup	1

REMARKS: FINAL RESULTS ARE REPORTED.

3 OR 4 SEPARATE ASSAY RESULTS ARE REPORTED FOR
2 SAMPLES.

REPORT COPIES TO: MR. JIM BARRON
MR. JIM BARRON

INVOICE TO: MR. JIM BARRON

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

BONDAR-CLEGG

Geochemical Lab Report

REPORT: 098-1077

PROJECT: GILT EDGE PAGE 1

SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au OPT	SAMPLE NUMBER	ELEMENT UNITS	Au OPT	Au OPT	Au OPT	Au OPT
D2 R88-449-300-305		<0.002				D2 R88-449-500-505		0.002			
D2 R88-449-305-310		<0.002				D2 R88-449-505-510		<0.002			
D2 R88-449-310-315		<0.002				D2 R88-449-510-515		0.008			
D2 R88-449-315-320		<0.002				D2 R88-449-515-520		<0.002			
D2 R88-449-320-325		<0.002				D2 R88-449-520-525		0.008			
D2 R88-449-325-330		<0.002				D2 R88-449-525-530		0.004			
D2 R88-449-330-335		<0.002				D2 R88-449-530-535		0.005			
D2 R88-449-335-340		<0.002				D2 R88-449-535-540		0.004			
D2 R88-449-340-345		<0.002				D2 R88-449-540-545		0.006			
D2 R88-449-345-350		0.005				D2 R88-449-545-550		0.008			
D2 R88-449-350-355		0.002				D2 R88-449-550-555		0.049			
D2 R88-449-355-360		<0.002				D2 R88-449-555-560		0.054			
D2 R88-449-360-365		<0.002				D2 R88-449-560-565		0.035			
D2 R88-449-365-370		<0.002				D2 R88-449-565-570		0.029			
D2 R88-449-370-375		<0.002				D2 R88-449-570-575		0.005			
D2 R88-449-375-380		<0.002				D2 R88-449-575-580		0.028			
D2 R88-449-380-385		0.002				D2 R88-449-580-585		0.010			
D2 R88-449-385-390		<0.002				D2 R88-449-585-590		0.005			
D2 R88-449-390-395		<0.002				D2 R88-449-590-595		0.005			
D2 R88-449-395-400		0.017				D2 R88-449-595-600		0.010			
D2 R88-449-400-405		0.008									
D2 R88-449-405-410		0.006									
D2 R88-449-410-415		0.012									
D2 R88-449-415-420		<0.002									
D2 R88-449-420-425		<0.002									
D2 R88-449-425-430		<0.002									
D2 R88-449-430-435		<0.002									
D2 R88-449-435-440		0.062	0.184	0.037	0.069 = .088						
D2 R88-449-440-445		0.020	0.005	0.018 = .014							
D2 R88-449-445-450		<0.002									
D2 R88-449-450-455		0.007									
D2 R88-449-455-460		<0.002									
D2 R88-449-460-465		0.008									
D2 R88-449-465-470		0.008									
D2 R88-449-470-475		0.009									
D2 R88-449-475-480		0.013									
D2 R88-449-480-485		0.012									
D2 R88-449-485-490		0.010									
D2 R88-449-490-495		0.009									
D2 R88-449-495-500		<0.002									

RECEIVED
OCT 31 1989
BROWN MINING CO.

RECEIVED
OCT 31 1988
BROHM MINING CO.

BONDAR-CLEGG

Bondar-Clegg, Inc.
12980 West Cedar Dr.
Lakewood, Colorado 80228
(303) 989-1404

Invoice : 13045, Page 1

BROHM MINING CORP.
MR. JIM BARRON
P.O. BOX 485
DEADWOOD, SD
57732

Date : 25-OCT-88

Report No: 098-1077
Project : GILT EDGE
Reference: NONE LISTED

2 Analyses of Gold	at $ 0.00	$ 0.00	
2 Analyses of Gold	at $ 0.00	$ 0.00	
1 Analyses of Gold	at $ 0.00	$ 0.00	
Subtotal		$ 0.00	$ 0.00
60 Analyses of Gold	at $ 6.50	$ 390.00	
Subtotal		$ 390.00	$ 390.00
Sample Preparation			
60 Samples of Assay Prep	at $ 3.00	$ 180.00	
1 Sample of Sample Pickup	at $12.00	$ 12.00	
Subtotal		$ 192.00	$ 192.00
Miscellaneous Charges			
4% S.D. STATE SALES TAX		$ 5.28	
2% DEADWOOD CITY SALES TAX		$ 2.64	
Subtotal		$ 7.92	$ 7.92
Invoice Total:			$ 589.92 U.S.

THIS IS A PROFESSIONAL SERVICE
ACCOUNTS DUE WHEN RENDERED

```
"TITLE 19-10-88 11:59:33 098-1076   J. BARRON            20/09/88"
"CLIENT BROHM MINING CORP.                                         "
"PROJECT GILT EDGE        #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D       DRILL CORE          "
"  41 P17=  60            Assay Prep          "
"  42 P23=   1            Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"*****"
"FORMAT (A8,1X,A1,A1,1X,A20,1(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "     Au"
"10760001" "D" "2" "R88-449-0-5          "    -0.002
"10760002" "D" "2" "R88-449-5-10         "    -0.002
"10760003" "D" "2" "R88-449-10-15        "     0.007
"10760004" "D" "2" "R88-449-15-20        "    -0.002
"10760005" "D" "2" "R88-449-20-25        "    -0.002
"10760006" "D" "2" "R88-449-25-30        "    -0.002
"10760007" "D" "2" "R88-449-30-35        "    -0.002
"10760010" "D" "2" "R88-449-35-40        "    -0.002
"10760011" "D" "2" "R88-449-40-45        "    -0.002
"10760012" "D" "2" "R88-449-45-50        "    -0.002
"10760013" "D" "2" "R88-449-50-55        "    -0.002
"10760014" "D" "2" "R88-449-55-60        "    -0.002
"10760015" "D" "2" "R88-449-60-65        "    -0.002
"10760016" "D" "2" "R88-449-65-70        "    -0.002
"10760017" "D" "2" "R88-449-70-75        "     0.002
"10760018" "D" "2" "R88-449-75-80        "    -0.002
"10760019" "D" "2" "R88-449-80-85        "    -0.002
"10760020" "D" "2" "R88-449-85-90        "    -0.002
"10760021" "D" "2" "R88-449-90-95        "    -0.002
"10760022" "D" "2" "R88-449-95-100       "    -0.002
"10760023" "D" "2" "R88-449-100-105      "    -0.002
"10760024" "D" "2" "R88-449-105-110      "     0.013
"10760025" "D" "2" "R88-449-110-115      "     0.004
"10760026" "D" "2" "R88-449-115-120      "     0.007
"10760027" "D" "2" "R88-449-120-125      "     0.003
"10760028" "D" "2" "R88-449-125-130      "     0.002
"10760029" "D" "2" "R88-449-130-135      "    -0.002
"10760030" "D" "2" "R88-449-135-140      "    -0.002
"10760031" "D" "2" "R88-449-140-145      "    -0.002
"10760032" "D" "2" "R88-449-145-150      "    -0.002
"10760035" "D" "2" "R88-449-150-155      "    -0.002
"10760036" "D" "2" "R88-449-155-160      "    -0.002
"10760037" "D" "2" "R88-449-160-165      "    -0.002
"10760038" "D" "2" "R88-449-165-170      "    -0.002
"10760039" "D" "2" "R88-449-170-175      "    -0.002
"10760040" "D" "2" "R88-449-175-180      "     0.008
"10760041" "D" "2" "R88-449-180-185      "     0.003
"10760042" "D" "2" "R88-449-185-190      "    -0.002
"10760043" "D" "2" "R88-449-190-195      "    -0.002
"10760044" "D" "2" "R88-449-195-200      "    -0.002
"10760045" "D" "2" "R88-449-200-205      "    -0.002
"10760046" "D" "2" "R88-449-205-210      "    -0.002
"10760047" "D" "2" "R88-449-210-215      "    -0.002
"10760048" "D" "2" "R88-449-215-220      "    -0.002
```

"10760049"	"D"	"2"	"R88-449-220-225 "	-0.002
"10760050"	"D"	"2"	"R88-449-225-230 "	0.003
"10760051"	"D"	"2"	"R88-449-230-235 "	-0.002
"10760052"	"D"	"2"	"R88-449-235-240 "	-0.002
"10760053"	"D"	"2"	"R88-449-240-245 "	-0.002
"10760054"	"D"	"2"	"R88-449-245-250 "	-0.002
"10760055"	"D"	"2"	"R88-449-250-255 "	-0.002
"10760056"	"D"	"2"	"R88-449-255-260 "	-0.002
"10760057"	"D"	"2"	"R88-449-260-265 "	-0.002
"10760060"	"D"	"2"	"R88-449-265-270 "	-0.002
"10760061"	"D"	"2"	"R88-449-270-275 "	-0.002
"10760062"	"D"	"2"	"R88-449-275-280 "	-0.002
"10760063"	"D"	"2"	"R88-449-280-285 "	-0.002
"10760064"	"D"	"2"	"R88-449-285-290 "	-0.002
"10760065"	"D"	"2"	"R88-449-290-295 "	-0.002
"10760066"	"D"	"2"	"R88-449-295-300 "	0.005

"END"

```
"TITLE 18-10-88 08:13:09 098-1077   J. BARRON            20/09/88"
"CLIENT BROWM MINING CORP.                                  "
"PROJECT GILT EDGE       #SAMPLES:   60 REFERENCE: NONE LISTED                    "
"SPECIAL VALUES"
"  IS Insufficient Sample"
"  -9 No Value Recorded"
" Values above the upper limit are shown as  +uplimt"
" Values below the lower limit are shown as  -lolmt   (ie not detected)"
"DETERMINATIONS"
"     ELNAME METHO ECO UNI #SAM LOLMT UPLIMT COMMENTS"
"  01 Au     FA        OPT   60 0.002 99.999 Results Reported     "
"  02 Au     FA        OPT    2 0.002 99.999 Results Reported     "
"  03 Au     FA        OPT    2 0.002 30.000 Results Reported     "
"  04 Au     FA        OPT    1 0.002 30.000 Results Reported     "
"SAMPLE PREPS"
"  40 SAMPLE TYPE=D      DRILL CORE          "
"  41 P17=  60           Assay Prep          "
"  42 P23=   1           Sample Pickup       "
"REMARKS"
"  50 FINAL RESULTS ARE REPORTED.                          "
"  51 3 OR 4 SEPARATE ASSAY RESULTS ARE REPORTED FOR "
"  52 2 SAMPLES.                                           "
"****"
"FORMAT (A8,1X,A1,A1,1X,A20,4(1X,A7,A1))"
"BEGIN " "Type" "Frac" "Sample ID"          "    Au" "    Au" "    Au" "    Au"
"10770001" "D" "2" "R88-449-300-305     "   -0.002       -9       -9       -9
"10770002" "D" "2" "R88-449-305-310     "   -0.002       -9       -9       -9
"10770003" "D" "2" "R88-449-310-315     "   -0.002       -9       -9       -9
"10770004" "D" "2" "R88-449-315-320     "   -0.002       -9       -9       -9
"10770005" "D" "2" "R88-449-320-325     "   -0.002       -9       -9       -9
"10770006" "D" "2" "R88-449-325-330     "   -0.002       -9       -9       -9
"10770007" "D" "2" "R88-449-330-335     "   -0.002       -9       -9       -9
"10770008" "D" "2" "R88-449-335-340     "   -0.002       -9       -9       -9
"10770011" "D" "2" "R88-449-340-345     "   -0.002       -9       -9       -9
"10770012" "D" "2" "R88-449-345-350     "    0.005       -9       -9       -9
"10770013" "D" "2" "R88-449-350-355     "    0.002       -9       -9       -9
"10770014" "D" "2" "R88-449-355-360     "   -0.002       -9       -9       -9
"10770015" "D" "2" "R88-449-360-365     "   -0.002       -9       -9       -9
"10770016" "D" "2" "R88-449-365-370     "   -0.002       -9       -9       -9
"10770017" "D" "2" "R88-449-370-375     "   -0.002       -9       -9       -9
"10770018" "D" "2" "R88-449-375-380     "   -0.002       -9       -9       -9
"10770019" "D" "2" "R88-449-380-385     "    0.002       -9       -9       -9
"10770020" "D" "2" "R88-449-385-390     "   -0.002       -9       -9       -9
"10770021" "D" "2" "R88-449-390-395     "   -0.002       -9       -9       -9
"10770022" "D" "2" "R88-449-395-400     "    0.017       -9       -9       -9
"10770023" "D" "2" "R88-449-400-405     "    0.008       -9       -9       -9
"10770024" "D" "2" "R88-449-405-410     "    0.006       -9       -9       -9
"10770025" "D" "2" "R88-449-410-415     "    0.012       -9       -9       -9
"10770026" "D" "2" "R88-449-415-420     "   -0.002       -9       -9       -9
"10770027" "D" "2" "R88-449-420-425     "   -0.002       -9       -9       -9
"10770028" "D" "2" "R88-449-425-430     "   -0.002       -9       -9       -9
"10770029" "D" "2" "R88-449-430-435     "   -0.002       -9       -9       -9
"10770030" "D" "2" "R88-449-435-440 AVE = .088   0.062 —  0.184    0.037    0.069
"10770031" "D" "2" "R88-449-440-445 AVE = .044   0.020 —  0.005    0.018       -9
"10770032" "D" "2" "R88-449-445-450     "   -0.002       -9       -9       -9
"10770033" "D" "2" "R88-449-450-455     "    0.007       -9       -9       -9
"10770036" "D" "2" "R88-449-455-460     "   -0.002       -9       -9       -9
"10770037" "D" "2" "R88-449-460-465     "    0.008       -9       -9       -9
"10770038" "D" "2" "R88-449-465-470     "    0.008       -9       -9       -9
"10770039" "D" "2" "R88-449-470-475     "    0.009       -9       -9       -9
"10770040" "D" "2" "R88-449-475-480     "    0.013       -9       -9       -9
"10770041" "D" "2" "R88-449-480-485     "    0.012       -9       -9       -9
"10770042" "D" "2" "R88-449-485-490     "    0.010       -9       -9       -9
```

"10770043"	"D"	"2"	"R88-449-490-495	"	0.009	-9	-9	-9
"10770044"	"D"	"2"	"R88-449-495-500	"	-0.002	-9	-9	-9
"10770045"	"D"	"2"	"R88-449-500-505	"	0.002	-9	-9	-9
"10770046"	"D"	"2"	"R88-449-505-510	"	-0.002	-9	-9	-9
"10770047"	"D"	"2"	"R88-449-510-515	"	0.008	-9	-9	-9
"10770048"	"D"	"2"	"R88-449-515-520	"	-0.002	-9	-9	-9
"10770049"	"D"	"2"	"R88-449-520-525	"	0.008	-9	-9	-9
"10770050"	"D"	"2"	"R88-449-525-530	"	0.004	-9	-9	-9
"10770051"	"D"	"2"	"R88-449-530-535	"	0.005	-9	-9	-9
"10770052"	"D"	"2"	"R88-449-535-540	"	0.004	-9	-9	-9
"10770053"	"D"	"2"	"R88-449-540-545	"	0.006	-9	-9	-9
"10770054"	"D"	"2"	"R88-449-545-550	"	0.008	-9	-9	-9
"10770055"	"D"	"2"	"R88-449-550-555	"	0.049	-9	-9	-9
"10770056"	"D"	"2"	"R88-449-555-560	"	0.054	-9	-9	-9
"10770057"	"D"	"2"	"R88-449-560-565	"	0.035	-9	-9	-9
"10770058"	"D"	"2"	"R88-449-565-570	"	0.029	-9	-9	-9
"10770061"	"D"	"2"	"R88-449-570-575	"	0.005	-9	-9	-9
"10770062"	"D"	"2"	"R88-449-575-580	"	0.028	-9	-9	-9
"10770063"	"D"	"2"	"R88-449-580-585	"	0.010	-9	-9	-9
"10770064"	"D"	"2"	"R88-449-585-590	"	0.005	-9	-9	-9
"10770065"	"D"	"2"	"R88-449-590-595	"	0.005	-9	-9	-9
"10770066"	"D"	"2"	"R88-449-595-600	"	0.010	-9	-9	-9

"END"

$$\begin{array}{r} .\overset{1}{\cancel{4}}4 \\ .99 \\ \hline 1.\cancel{4}3 \end{array}$$