*Pending registration

From: Maiser, Chad
To: Bill Smith/DC/2020/US/EPA
Subject: Bait Station Testing
Date: 02/25/2010 09:26 AM

Dear Bill,

I hope all is well with you. It's been awhile since we last talked which if I remember correctly was in regards to the [redacted] we were working on. If you're wondering, that project was put on hold due to the economy but is not by any means a dead project. We actually had production parts come of the molds and were about to start efficacy testing when marketing decide to spend the money elsewhere for the time being. They didn't think launching [redacted] in the present economy was a great idea. I can't say that I disagree although I would like to [redacted] make it to market. It would be very efficacious and clean for consumers.

Anyways, the reason I am writing you is in regards to efficacy testing for RMD compliant bait stations. Woodstream has submitted an application for a Tier 4 bait station and is currently working on a design for a Tier 3 re-fillable station. Therefore, I have been getting real familiar with the study protocols that were attached to the RMD. I need to get some quotes to have these studies performed but am having a real hard time finding any organizations that are capable of executing the studies. Do you know of any labs or testing facilities that I could try. I am hoping that the EPA either has a list or you have reviewed some executed studies for other registrants already and therefore know who did the work for them. Any help you can offer would be greatly appreciated.

Sincerely,

Chad Maiser
Regulatory Affairs Manager
Woodstream Corp. / 69 N. Locust Street / Lititz, PA 17543
(717) 626 -2125 ext. 426 / cmaiser@woodstream.com

Disclaimer: This communication (including attachments) contains private, confidential, privileged and/or proprietary information intended solely for the Recipients named above. If you are not the intended Recipient, any use, dissemination, distribution or copying of the communication is strictly prohibited. If received in error, we apologize and ask that you please notify the Sender by calling (717) 626-2125 or via return e-mail, permanently delete this communication from your computer and raze any printed copies. Thank you in advance for your cooperation."
"Any views expressed herein are not necessarily those of Woodstream Corporation. No contracts, agreements or legally binding understandings may be entered into solely by an e-mail communication."