From: Miller, Barbara J
To: Sperry, Clint; Howell, Tonya; Brown, Randolph; feyi.ilesanmi@dnr.mo.gov
Subject: RE: Findett/St Charles
Date: Thursday, October 27, 2022 9:40:19 AM

Length of the tubing.

Barb

From: Sperry, Clint <Sperry.Clint@epa.gov>
Sent: Thursday, October 27, 2022 9:32 AM
To: Miller, Barbara J <BMiller2@ameren.com>; Howell, Tonya <Howell.Tonya@epa.gov>; Brown, Randolph <Brown.Randolph@epa.gov>; feyi.ilesanmi@dnr.mo.gov
Subject: [EXTERNAL] RE: Findett/St Charles

Barb,

Thanks for the water level contour figures. They are very helpful. Unrelated question, how is CW-6 sampled at 45' when the screen intervals in CW-6 is from 59'-79' and 84'-99'?

Thanks,

Clint Sperry
Remedial Project Manager
Superfund Division
11201 Renner Blvd.
Lenexa, KS 66219
913-551-7157

From: Miller, Barbara J <BMiller2@ameren.com>
Sent: Thursday, October 27, 2022 9:21 AM
To: Howell, Tonya <Howell.Tonya@epa.gov>; Brown, Randolph <Brown.Randolph@epa.gov>; feyi.ilesanmi@dnr.mo.gov
Cc: Sperry, Clint <Sperry.Clint@epa.gov>
Subject: RE: Findett/St Charles

Everyone

Here are the last two quarters contour maps for Huster substation.

Barbara J Miller

Environmental Specialist
Ameren Missouri Environmental Services
Working remotely
Cell: 314-223-4655

From: Sperry, Clint <Sperry.Clint@epa.gov>
Sent: Thursday, October 27, 2022 8:39 AM
To: Miller, Barbara J <BMiller2@ameren.com>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: [EXTERNAL] RE: Findett/St Charles

That would be helpful.

Thanks,

Clint Sperry
Remedial Project Manager
Superfund Division
11201 Renner Blvd.
Lenexa, KS 66219
913-551-7157

From: Miller, Barbara J <BMiller2@ameren.com>
Sent: Thursday, October 27, 2022 8:31 AM
To: Sperry, Clint <Sperry.Clint@epa.gov>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: RE: Findett/St Charles

I don't think we have a recent one of those. I have to get one created.

Barbara J Miller

Environmental Specialist
Ameren Missouri Environmental Services
Working remotely
Cell: 314-223-4655

From: Sperry, Clint <Sperry.Clint@epa.gov>
Sent: Thursday, October 27, 2022 8:30 AM
To: Miller, Barbara J <BMiller2@ameren.com>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: [EXTERNAL] RE: Findett/St Charles

EXTERNAL SENDER **STOP.THINK.QUESTION.**
Verify unexpected requests before opening links or attachments.

Not really. I think they are looking for a plume map (with concentration contour lines) from the substation north (to the radial well).

Clint Sperry
Remedial Project Manager
Superfund Division
11201 Renner Blvd.
Lenexa, KS 66219
913-551-7157

From: Miller, Barbara J <BMiller2@ameren.com>
Sent: Thursday, October 27, 2022 8:27 AM
To: Sperry, Clint <Sperry.Clint@epa.gov>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: RE: Findett/St Charles

Clint

Is this what you are looking for?

Barb

From: Sperry, Clint <Sperry.Clint@epa.gov>

Sent: Thursday, October 27, 2022 8:18 AM
To: Miller, Barbara J <BMiller2@ameren.com>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: [EXTERNAL] FW: Findett/St Charles

Barb or Lisa,

Does Ameren have an updated plume map with the PZ-11 contamination concentrations? I am guessing no since I have not seen one because you have been so busy trying to respond to all of the requests. Please let me know if you do or if you are able to generate one fairly easily.

Thanks,

Clint Sperry
Remedial Project Manager
Superfund Division
11201 Renner Blvd.
Lenexa, KS 66219
913-551-7157

From: Chiccine, Catherine <chiccine.catherine@epa.gov>
Sent: Thursday, October 27, 2022 8:11 AM
To: Howell, Tonya <Howell.Tonya@epa.gov>; Sperry, Clint <Sperry.Clint@epa.gov>
Subject: FW: Findett/St Charles

Do we have a map that shows the OU4 plume and where the new spikes in contamination are?

From: Grigsby, Courtney <grigsby.courtney@epa.gov>
Sent: Thursday, October 27, 2022 7:19 AM
To: Chiccine, Catherine <chiccine.catherine@epa.gov>; Fishburn, Meredith <Fishburn.Meredith@epa.gov>; Hoefer, David <Hoefer.David@epa.gov>
Subject: RE: Findett/St Charles

Good morning,

Is there a map that shows the OU4 plume and where the new spikes in contamination are?

Courtney Grigsby
Attorney-Advisor, Regional Support Division
Office of Site Remediation Enforcement, OECA
U.S. Environmental Protection Agency, HQ
Phone: (202)-564-2184
Email: Grigsby.Courtney@epa.gov

From: Chiccine, Catherine <chiccine.catherine@epa.gov>
Sent: Wednesday, October 26, 2022 9:25 AM
To: Fishburn, Meredith <Fishburn.Meredith@epa.gov>; Hoefer, David <Hoefer.David@epa.gov>
Cc: Grigsby, Courtney <grigsby.courtney@epa.gov>
Subject: RE: Findett/St Charles

Thanks Meredith! Happy to answer any questions anyone has, and let me know if you need anything. We updated the briefing paper prior to the congressional meeting, so I have attached that for your convenience. Also – I still haven't found anything about this press conference the city is apparently having today.

From: Fishburn, Meredith <Fishburn.Meredith@epa.gov>
Sent: Wednesday, October 26, 2022 8:13 AM
To: Chiccine, Catherine <chiccine.catherine@epa.gov>; Hoefer, David <Hoefer.David@epa.gov>
Cc: Grigsby, Courtney <grigsby.courtney@epa.gov>
Subject: Findett/St Charles

Good Morning,

I'm writing to let you know that we've sent information about the Findett CD and City of St. Charles to Acting AA Larry Starfield, David Uhlmann (presumptive incoming AA), and OECA's congressional contact (Nate Folkemer). Additionally, we will mention the issues during our regular "general" with Larry Starfield tomorrow (Thursday) and also our monthly "general" with DOJ-ENRD management tomorrow (neither will be a lengthy discussion but more just making sure all parties are aware of recent letters and congressional contact.)

Letting you know in case your management asks about headquarters etc.

--Meredith

Meredith D. Fishburn
Attorney-Advisor
Regional Support Division, Office of Site Remediation Enforcement (Mail Code-2272A)
EPA-Office of Enforcement and Compliance Assurance
1200 Pennsylvania Ave. NW

Washington, DC 20460
(202) 564-4790
(she/her)

This message is CONFIDENTIAL, and may contain legally privileged information. If you are not the intended recipient, or believe you received this communication in error, please delete it immediately, do not copy, and notify the sender. Thank you.

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.
This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.
This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.
This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.
This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.