From:	Howell, Tonya
To:	Meyer, Lisa A
Cc:	Miller, Barbara J
Subject:	RE: Huster PZ-11 and CW-6 Sampling
Date:	Friday, July 22, 2022 11:17:00 AM

Thanks, Lisa.

Tonya Howell
Remedial Project Manager / Superfund Redevelopment Coordinator
Superfund and Emergency Management Division
U.S. Environmental Protection Agency, Region 7
913-551-7589

From: Meyer, Lisa A <LMeyer2@ameren.com>
Sent: Friday, July 22, 2022 11:01 AM
To: Howell, Tonya <Howell.Tonya@epa.gov>
Cc: Miller, Barbara J <BMiller2@ameren.com>
Subject: FW: Huster PZ-11 and CW-6 Sampling
Importance: High

Tonya,

Our contractor is collecting PZ-11 and CW-6 samples today, and they will resume the 2 week collection interval until we can review and discuss the results.

Have a great weekend!
Lisa

From: Meyer, Lisa A <LMeyer2@ameren.com>
Sent: Thursday, July 21, 2022 3:38 PM
To: Derek D. Ingram <ddingram@loureiro.com>; Reginald L. Gardner <rlgardner@loureiro.com>
Cc: Miller, Barbara J <BMiller2@ameren.com>; Meyer, Lisa A <LMeyer2@ameren.com>
Subject: Huster PZ-11 and CW-6 Sampling
Importance: High

Derek – per our phone discussion, we need to continue sampling PZ-11 and CW-6 (at various elevations) every 2 weeks, per EPA's request, until Barb or I let you know otherwise.

I'll look for Reggie's email with the date of the next sample collection (tomorrow or early next week would be ideal) and let Tonya know ASAP as she wants to know this date.

Also, Liz is going to reduce the RL for vinyl chloride from 2.0 to 1.0 ug/L so we/EPA can get a more definitive result on CW-6.
Thanks,

LISA A. MEYER
Consulting Engineer, Environmental Services
C 314.488.0151
E lmeyer2@ameren.com

Ameren Missouri
1901 Chouteau Ave.
P.O. Box 66149., MC 602
St. Louis, MO 63166-6149
Ameren.com
Please consider the environment before printing this e-mail.

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.