From: Howell, Tonya
To: Miller, Barbara J
Subject: RE: Huster project - Water levels north of 370
Date: Thursday, June 09, 2022 9:03:00 AM

Barb, is there a reason why 5/9 and 5/27 are highlighted and include analytical data vs the other dates in the table?

Tonya Howell
Remedial Project Manager / Superfund Redevelopment Coordinator
Superfund and Emergency Management Division
U.S. Environmental Protection Agency, Region 7
913-551-7589

From: Miller, Barbara J <BMiller2@ameren.com>
Sent: Tuesday, June 07, 2022 10:36 AM
To: Howell, Tonya <Howell.Tonya@epa.gov>; feyi.ilesanmi@dnr.mo.gov
Cc: Sperry, Clint <Sperry.Clint@epa.gov>; Brown, Randolph <Brown.Randolph@epa.gov>
Subject: Huster project - Water levels north of 370

Everyone

Loureiro (formally XDD) just provided me with groundwater levels they have been taking over the last month. Thought I would share.

Date of water level	PZ-3		PZ-11		PZ-12		Flow Direction	Analytical
	Depth	Elevation	Depth	Elevation	Depth	Elevation		
04/29/2022	18.59	415.83	17.89	415.83	18.98	414.83	N	
05/02/2022	18.45	415.97	17.74	415.98	19.04	414.77	N	
05/05/2022	17.97	416.45	17.35	416.37	18.6	415.21	N/NE	
05/09/2022	17.27	417.15	16.88	416.84	17.93	415.88	N/NE	cis – 65.4 VC – 47.7
05/12/2022	17.85	416.57	17.19	416.53	18.5	415.31	N/NE	
05/16/2022	18.20	416.22	17.48	416.24	18.82	414.99	N/NW	
05/20/2022	18.08	416.34	17.35	416.37	18.69	415.12	N/NW	
05/23/2022	18.13	416.29	17.42	416.30	18.79	415.02	N	
05/27/2022	18.12	416.30	17.42	416.30	18.8	415.01	N	cis – 46.4 VC - 29.2
05/31/2022	19.44	414.98	18.71	415.01	19.78	414.03	N/NW	
06/03/2022	19.21	415.21	18.49	415.23	19.44	414.37	N/NW	
06/06/2022	18.99	415.43	18.29	415.43	19.22	414.59	N	

Barbara J Miller

: : **Environmental Specialist** : : Working Remotely : : C 314-223-4655
Ameren MO Environmental Services

This communication and any attachments may be privileged and/or confidential and protected from disclosure, and are otherwise the exclusive property of Ameren Corporation and its affiliates (Ameren) or the intended recipient. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. Note that any views or opinions presented in this message do not necessarily represent those of Ameren. All e-mails are subject to Ameren policies. If you have received this in error, please notify the sender immediately by replying to the message and deleting the material from any computer.