From: Maria Wright
To: Wiedemer, Ashley
Cc: Frank DeVita
Subject: RE: Site Management Plan - Li Tungsten Facility
Date: Thursday, May 02, 2013 4:41:09 PM

Hi Ashley,

We were wondering if you had a chance to review NYSDEC's comments on the Li Tungsten SMP. Could you let us know if you would be available to discuss these comments with the City of Glen Cove Industrial Development Agency/

Thank you,

D&B ENGINEERS
AND
ARCHITECTS, P.C.

Maria Wright, P.E.
Senior Engineer
330 Crossways Park Drive
Woodbury, NY 11797
P: 516-364-9890 ext. 3060
F: 516-364-9045
MWright@db-eng.com
www.dvirkaandbartilucci.com

Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Wiedemer, Ashley [mailto:Wiedemer.Ashley@epa.gov]
Sent: Thursday, April 11, 2013 8:01 AM
To: Maria Wright
Cc: Frank DeVita
Subject: RE: Site Management Plan - Li Tungsten Facility

Maria,

We plan to meet Monday the 15th to discuss it. I will contact after that to set up a time to discuss the

comments with you.

Ashley Wiedemer
Remedial Project Manager
US Environmental Protection Agency Region 2
290 Broadway, 20th Floor
New York, NY 10007
Office: (212) 637-4263
Fax: (212) 637-3966

From: Maria Wright [mailto:MWright@db-eng.com]
Sent: Wednesday, April 10, 2013 5:42 PM
To: Wiedemer, Ashley
Cc: Frank DeVita
Subject: RE: Site Management Plan - Li Tungsten Facility

Hi Ashley –

I was wondering if EPA has had a chance to discuss the NYSDEC's comments on the Li Tungsten SMP and if you knew when you would be available to discuss the comments with the City of Glen Cove Industrial Development Agency.

Please let us know at your convenience.

Thank you,

D&B ENGINEERS
AND
ARCHITECTS, P.C.

Maria Wright, P.E.
Senior Engineer
330 Crossways Park Drive
Woodbury, NY 11797
P: 516-364-9890 ext. 3060
F: 516-364-9045
MWright@db-eng.com
www.dvirkaandbartilucci.com

Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Wiedemer, Ashley [mailto:Wiedemer.Ashley@epa.gov]
Sent: Tuesday, April 02, 2013 10:51 AM
To: Maria Wright
Subject: RE: Site Management Plan - Li Tungsten Facility

Maria,

EPA is not available to discuss DEC's comments on the SMP today. We would like to have some more time to review the comments internally. Once we have had a chance to do that, we can reschedule a call with you.

Ashley Wiedemer
Remedial Project Manager
US Environmental Protection Agency Region 2
290 Broadway, 20th Floor
New York, NY 10007
Office: (212) 637-4263
Fax: (212) 637-3966

From: Maria Wright [mailto:MWright@db-eng.com]
Sent: Tuesday, April 02, 2013 10:21 AM
To: Wiedemer, Ashley
Subject: RE: Site Management Plan - Li Tungsten Facility

Hi Ashely-

I hope you are still available at 1pm, we were trying to make sure all parties would be available. We did want to discuss a few of the comments we received from NYSDEC on the most recent version of the SMP. If you need a copy of either the plan or the comments from the NYSDEC, please let me know.

Thanks,

D&B ENGINEERS
AND
ARCHITECTS, P.C.

Maria Wright, P.E.
Senior Engineer
330 Crossways Park Drive
Woodbury, NY 11797
P: 516-364-9890 ext. 3060
F: 516-364-9045
MWright@db-eng.com
www.dvirkaandbartilucci.com

Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.

From: Wiedemer, Ashley [mailto:Wiedemer.Ashley@epa.gov]
Sent: Monday, April 01, 2013 1:58 PM
To: Maria Wright
Cc: Frank DeVita
Subject: RE: Site Management Plan - Li Tungsten Facility

Maria,

The only time EPA is available tomorrow for a call is 1 pm. Let me know if that works for you.

Ashley Wiedemer
Remedial Project Manager
US Environmental Protection Agency Region 2
290 Broadway, 20th Floor
New York, NY 10007
Office: (212) 637-4263
Fax: (212) 637-3966

From: Maria Wright [mailto:MWright@db-eng.com]
Sent: Monday, April 01, 2013 1:49 PM
To: Wiedemer, Ashley
Cc: Frank DeVita
Subject: Site Management Plan - Li Tungsten Facility

Hi Ashley-

As mentioned in my voice mail, we would like to have a conference call to discuss the Li Tungsten facility. We were wondering if you would be available sometime tomorrow. Please let us know your availability,

Thanks,

D&B ENGINEERS
AND
ARCHITECTS, P.C.

Maria Wright, P.E.
Senior Engineer
330 Crossways Park Drive
Woodbury, NY 11797
P: 516-364-9890 ext. 3060
F: 516-364-9045
MWright@db-eng.com
www.dvirkaandbartilucci.com

————————————————————————————
Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including attachments, is for the sole use of the intended recipient and may contain confidential, proprietary, and/or privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not an intended recipient or you have received this e-mail in error, please contact the sender by reply e-mail and destroy all copies of the original message.

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********

********** ATTACHMENT NOT DELIVERED **********

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at
(866) 411-4EPA (4372). The TDD number is (866) 489-4900.

********** ATTACHMENT NOT DELIVERED **********