From:	Sprague, Cheryl
To:	Soukup, James; Fuller, Andrew; Dumville, Kelsey
Subject:	RE: TG - Ross-Tokanel 500 Ft Radius
Date:	Tuesday, February 05, 2019 9:17:00 AM

Speaking of which, do you want me to review the Annual Report the Group submitted last week and provide written comments?

Yes- I would like to alter the annual submissions to be more helpful and to have concentration isopleths etc etc. If they balk – as this is tied to the GMP – I will require an annual environmental monitoring report be submitted that relates specifically to the remedy.

Cheryl L. Sprague
Remedial Project Manager
USEPA Region 1 (OSRR07-1)
5 Post Office Square
Boston, MA 02109-3912
(617) 918-1244

From: Soukup, James [mailto:Jim.Soukup@WestonSolutions.com]
Sent: Tuesday, February 05, 2019 9:14 AM
To: Sprague, Cheryl <sprague.cheryl@epa.gov>; Fuller, Andrew <Andrew.Fuller@des.nh.gov>; Dumville, Kelsey <Dumville.Kelsey@epa.gov>
Subject: RE: TG - Ross-Tokanel 500 Ft Radius

I'm here to help, just let me know what you need !
Speaking of which, do you want me to review the Annual Report the Group submitted last week and provide written comments?

I have a meeting Friday morning but I could do a meeting or call on Friday afternoon. On Monday I could do a call (not a meeting tho) between 10-12a or 1-3p.

Jim Soukup

Weston Solutions, Inc
Office 603.656.5480
Cell 603.305.0337

From: Sprague, Cheryl [mailto:sprague.cheryl@epa.gov]
Sent: Tuesday, February 05, 2019 9:05 AM
To: Fuller, Andrew <Andrew.Fuller@des.nh.gov>; Soukup, James <Jim.Soukup@WestonSolutions.com>; Dumville, Kelsey <Dumville.Kelsey@epa.gov>
Subject: RE: TG - Ross-Tokanel 500 Ft Radius

**** External Email ****
Great- I am sure Jim S can help with that as well.

On another note- I need to schedule a meeting or call to kick off the Tinkham FYR before COB on the 12th.

Is this Friday or next Monday mornings available for you all?

Cheryl L. Sprague
Remedial Project Manager
USEPA Region 1 (OSRR07-1)

5 Post Office Square
Boston, MA 02109-3912
(617) 918-1244

From: Fuller, Andrew [mailto:Andrew.Fuller@des.nh.gov]
Sent: Tuesday, February 05, 2019 8:49 AM
To: Sprague, Cheryl <sprague.cheryl@epa.gov>; Soukup <jim.soukup@westonsolutions.com>; Dumville, Kelsey <Dumville.Kelsey@epa.gov>
Subject: RE: TG - Ross-Tokanel 500 Ft Radius

Nope. We need a revised map with the proposed GMZ boundary from them. They didn't revise the GMZ boundary on this figure. We can look at the data that has been provided thus far and tell them where the GMZ needs to be.

-Andy

From: Sprague, Cheryl [mailto:sprague.cheryl@epa.gov]
Sent: Tuesday, February 5, 2019 8:45 AM
To: Soukup; Dumville, Kelsey; Fuller, Andrew
Subject: FW: TG - Ross-Tokanel 500 Ft Radius

The 500 foot radius is required for the revised GMZ- however I am not sure this is what the state was looking for exactly. Andy?

Cheryl L. Sprague
Remedial Project Manager
USEPA Region 1 (OSRR07-1)
5 Post Office Square
Boston, MA 02109-3912
(617) 918-1244

From: Jim Campbell [mailto:jrc@e-emi.com]
Sent: Monday, February 04, 2019 9:55 AM
To: Fuller <andrew.fuller@des.nh.gov>
Cc: Sprague, Cheryl <sprague.cheryl@epa.gov>; Dykstra <adykstra@haleyaldrich.com>; Phillips <iphillips@haleyaldrich.com>
Subject: TG - Ross-Tokanel 500 Ft Radius

Per your request, attached is a list and map of properties located within 500 feet of the 1,4-dioxane detections above AGQS along Ross/Tokanel Drives.

****
This email message and any attachments may contain information that is privileged, confidential and exempt from disclosure. It is intended for use only by the person to whom it is addressed. If you have received this email message in error please contact me immediately and then delete it from your system. Please do not disclose, forward, or use this information in any way. Thank you for your cooperation.

James R. Campbell, Ph.D., P.E.
Engineering Management, Inc.
1500 Ardmore Blvd. | Suite 502
Pittsburgh, PA 15221-4468
412-244-0917
jrc@e-emi.com | www.e-emi.com

Please consider our environment before printing.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.