From:	Chavira, Raymond
To:	Ayele, Bizuayehu@Waterboards; Parsons, Scott
Cc:	Plate, Mathew
Subject:	BDP Carrier - Additional Information Walk Through 23 July 2014
Date:	Tuesday, August 05, 2014 4:44:00 PM
Attachments:	Air Survey Form 72314 Carrier.docx diagram.png

Bizu and Scott,

Please find attached two documents prepared by Matt Plate based on our site walkthrough on July 23rd. In addition, EPA recommends additional investigation work with a ppb RAE or similar instrument to determine if some of the potential conduits to the subsurface identified during the walkthrough are significant sources of vapors. This could influence the decision for additional sampling locations.

Please add the additional sampling locations.

Per previous comments, we recommend revising:

- Section 3.2 to include additional sampling with ppb RAE and requirement equilibration of ventilation off (at least 24-36 hours)
- Request for Analysis Table

EPA's expectation is that this sampling program will be conducted the weekend of August 30 - Sept 1, 2014

Please call me if any questions.

Ray

_____

Raymond Chavira
Environmental Scientist/Remedial Project Manager
EPA Region IX
75 Hawthorne Street, SFD-7-3
San Francisco, CA 94105-3901
(415) 947-4218
(415) 947-3528 fax